

# SUPPLY CATALOG 2022/2023

## Accessibility Statement for This Catalog:

This text-only version of the catalog has been developed to ensure the maximum amount of accessibility possible. If you experience a problem accessing the information in this catalog, please contact Judith Magana at (312) 886-8193 or [judith.magana@gsa.gov](mailto:judith.magana@gsa.gov).

Users of JAWS screen-reading software should use the keystroke commands listed below to navigate this PDF catalog. If you use a different screen reader or some other type of assistive technology, please refer to your specific technology's help menu to learn the best way to navigate a PDF.

This catalog is separated by bookmarks, which you can access by pressing the "F6" key until focus is placed in the bookmark window. Once focus is placed in this window, use the up and down arrow keys to navigate through the different selections. Press the "Enter" key for the desired product category, and then press the "F6" key again to place focus back in the body of the catalog.

Pressing the "Control" key plus "Page Up" or "Page Down" will allow you to move from page to page throughout the catalog.

Press "H" to find any headings on a desired page, and use the up and down arrow keys to read line by line..

YOUR MISSION.  
YOUR WAY.

# Highlights of GSA's Flexible Requisition and Acquisition Methods

## Requisitioning from GSA

GSA Global Supply® offers products that meet the recurring needs of the federal government. Because GSA Global Supply has already procured the most in-demand products on the government's behalf, your order is a simple requisition or government-to-government (G2G) transaction. As a result, you are not required to consider multiple sources. Requisitions, regardless of size, satisfy all Federal Acquisition Regulation (FAR) requirements, including environmental initiatives, trade agreement policies, socioeconomic goals, AbilityOne mandates, and executive orders. Plus, you can order using your Activity Address Code (AAC), Department of Defense Activity Address Code (DoDAAC), or government purchase card. Standard global delivery is included with most orders.

This catalog features some of GSA Global Supply's most popular products. To shop from our complete offering, visit [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

For more information about ordering from GSA Global Supply, see page iii of this publication.

## Special Order Program

If your requirements cannot be met through [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov) or by the products in this catalog, we can meet your complex mission-critical commodity requirements through our Special Order Program (SOP). SOP provides full-service acquisition support to help you find and buy products that require specialized attention. Through SOP, you have access to a wide variety of items, including safety and security products, maintenance and repair supplies, construction materials, tools, appliances, office equipment, and much more. Our certified contracting professionals offer acquisition-management services that completely support all phases of a project: pre-solicitation, pre-award, award, and post-award. SOP complies with the Federal Acquisition Regulation (FAR) and other applicable federal policies.

For more information on SOP, contact us at [SpecialOrderProgram@gsa.gov](mailto:SpecialOrderProgram@gsa.gov).

## Ensuring Reuse with GSA Personal Property Management

Screening available excess personal property is the federal government's priority source of supply. With today's increased emphasis on budget reductions, use of excess is a great way to save procurement dollars. Also, reusing excess property has become a source of both pride for the government and proven benefits for the environment. Remember, **reuse is recycling**. To help you acquire the excess property your agency needs, GSA offers GSAXcess® (accessible via [www.gsaxcess.gov](http://www.gsaxcess.gov)), the personal property tool that supports the excess property utilization program within the federal government. At GSAXcess, reporting, searching, and selecting excess property is convenient and user-friendly.

## Purchasing from a GSA Vendor

In addition to requisitions from GSA Global Supply, customers can purchase through GSA's Multiple Award Schedule (MAS) program. If you do, you'll receive high-quality products and services directly from vendors at volume-discount pricing. Because of established contractor relationships, the MAS program offers short procurement lead times and low administrative costs compared to open-market purchases – resulting in simple, streamlined procurements. You can also meet small-business goals while promoting compliance with various environmental regulations. GSA requires all MAS contractors to accept the GSA SmartPay® purchase card for products. To learn more, visit [www.gsa.gov/acquisitionsolutions](http://www.gsa.gov/acquisitionsolutions).

# GSA proudly presents our 2022/2023 GSA Global Supply® catalog!

We hope this catalog will serve as a handy, useful resource that simplifies your shopping and allows you to focus on your mission. As part of our commitment to sustainability, we designed this edition to serve customers for both FY 2022 and FY 2023.

Every day, GSA Global Supply offers tens of thousands of tools, office supplies, cleaning products, and more. Many familiar items are identified with National Stock Numbers (NSNs), and the remainder have part numbers. All carry the benefits of GSA Global Supply. This catalog displays more than 8,200 of our most-popular items. You can find our full product line and the most-current information regarding product availability at [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov).

After rigorous analysis by OMB, using varied criteria, GSA Global Supply was designated as a Best-in-Class (BIC) solution for federal buyers. Customers can increase their spend under management (SUM) by using GSA Global Supply.

Every item in this catalog is a GSA Global Supply item and carries with it our promise of:

- ▶ Easy Compliance – with the FAR, AbilityOne, etc.
- ▶ Simple Requisitions – no need to comparison shop, even above the micro-purchase level
- ▶ Ordering Options – online, phone, fax, and FEDSTRIP/ MILSTRIP
- ▶ Payment Options – government purchase card and AAC/DoDAAC
- ▶ Global Delivery
- ▶ Competitive Pricing
- ▶ Special-Order Capability

## Regulatory Compliance

Through vigorous competition, we offer you quality goods at reasonable prices. More importantly, we verify that these items satisfy the requirements of the Federal Acquisition Regulation (FAR), AbilityOne mandates, executive orders on environmental policy, and other relevant procurement rules. GSA's mission is to make satisfying these mandates easy for you.

Also, when you use our supply program, there's no need to solicit multiple prices or comparison shop. We've already done that for you. All of this will help you focus on your mission instead of procurement paperwork.

## Ordering Publications

To order a printed copy of this catalog or other GSA publications, access CMLS through [www.gsa.gov/cmls](http://www.gsa.gov/cmls). You can also order printed copies by calling 800-488-3111. If you don't have a CMLS account, please call and we'll create one for you.

# Ordering Information

## Ordering Directly from GSA Global Supply®

### FEDSTRIP/MILSTRIP

We accept electronic orders routed through DLA. We also accept emailed copies of your Standard Form 344 or DD Form 1348 via [ncscorders@gsa.gov](mailto:ncscorders@gsa.gov).

### Online: [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov)

Available 24 hours a day, seven days a week, the GSA Global Supply website gives you access to hundreds of thousands of tools, office supplies, cleaning products, and more.

### Telephone: 800-488-3111

Available from Sunday at 9 p.m. (ET) until Friday at 9:30 p.m.

### Fax Orders: 800-856-7057

Order anytime, 24 hours a day, seven days a week. You will receive an order confirmation via fax. For your convenience, a fax order form is located at the back of this catalog.

GSA Global Supply accepts your government purchase card or direct billing through your Activity Address Code (AAC) or Department of Defense Activity Address Code (DoDAAC). For information on confirming or obtaining an AAC or DoDAAC, contact our Order Management Office at 800-927-7622 or [ordermgmt@gsa.gov](mailto:ordermgmt@gsa.gov).

## Additional Ordering Options

### GSA Advantage!®: [www.gsaadvantage.gov](http://www.gsaadvantage.gov)

Available 24 hours a day, seven days a week, this website displays all GSA Global Supply® items, plus millions of products and services from Multiple Award Schedule

vendors. Register your Personal Identity Verification (PIV) or Common Access Card (CAC) at GSA Advantage! for streamlined access to GSA Advantage! and the GSA Global Supply website. The contractor field will indicate “GSA Global Supply.”

### FedMall: [www.fedmall.mil](http://www.fedmall.mil)

Available 24 hours a day, seven days a week, the Defense Logistics Agency's FedMall website displays all GSA-contracted NSNs and part-numbered products. When using FedMall to purchase GSA items, you must use your Department of Defense Activity Address Code (DoDAAC). The supplier field will indicate “GSA” if the product is offered by GSA Global Supply.

## National Stock Numbers and GSA Part Numbers

This catalog features products identified with National Stock Numbers (NSNs). GSA also offers part-numbered items, which are visible online. You can order GSA part-numbered items as you would order NSN items – by phone, by fax, or online. For STRIP orders, you can submit a part-number requisition that includes the relevant part number(s) and one of the following identifiers:

**A0B:** For domestic shipment

**A02:** For overseas shipment

*Reminder: To ensure prompt processing of your GSA order, be sure to enter “GSA” as your Routing Identifier Code. If you are an OCONUS customer, you also should verify that you're using the correct Document Identifier Code (i.e., “A01” for NSN items or “A02” for part-numbered items). A valid unit of issue (U/I) code must always be used for the order to process.*

## Delivery

For most CONUS orders, delivery is included in GSA pricing, and most orders will arrive quickly via small-parcel carriers. Larger shipments will be delivered via common freight carriers. GSA prices also cover delivery of OCONUS orders for entry into the Defense Transportation System (or designated freight forwarder) for further routing overseas. A copy of the shipping record will accompany your order; you can use it to verify quantities and prices of items received.

## Supply Transformation and Direct Delivery

GSA Global Supply® has revised its business model to provide faster delivery and lower prices to our customers. We are partnering with industry for the direct delivery of all customer orders. Behind the scenes, we are also modernizing our information technology (IT) systems to provide greater transparency and functionality, both for GSA operators and our customers.

As a result, all items in this publication are direct delivery from our industry partners. If you have questions about any of these products, you can check the details section for each item on the GSA Global Supply website ([www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov)) or call 800-488-3111. No matter from where a given item is shipped, GSA Global Supply will process your order and handle the billing. It will appear on your purchase card statement or billing as a GSA Global Supply item. If there is ever a problem with any of these items, the issue can be easily resolved by calling us at 800-488-3111.

## Federal Strategic Sourcing Initiative (FSSI)

As part of GSA's commitment to use strategic sourcing to lower costs and increase value for our customers, GSA Global Supply now offers many of its NSN products from vendor partners awarded via Federal Strategic Sourcing Initiative (FSSI) solutions. The FSSI icon – **FSSI** – will appear online at both [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov) and [www.gsaadvantage.gov](http://www.gsaadvantage.gov) and in GSA catalogs to easily highlight the availability of these items for our customers. GSA Global Supply customers continue to use the same convenient ordering methods, now with the added benefit of having easy-to-identify FSSI items.

## Prices

Prices are subject to change. Please confirm prices when placing your order. The best source for current pricing is [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov). Remember that for the vast majority of GSA Global Supply items, the price you see includes delivery.

## Images and Product Information

Images in this publication are representative. Prices and product data are subject to change. Please verify at the time of your order.

## Customer Service

Customers can find order status on GSA Global Supply orders online at AskGSA ([ask.gsa.gov](http://ask.gsa.gov)).

To obtain order status or other help, call 800-488-3111 or email us at [NCSCcustomer.service@gsa.gov](mailto:NCSCcustomer.service@gsa.gov).

Around-the-clock customer service is available to our CONUS and OCONUS customers from Sunday at 9 p.m. (ET) until Friday at 9:30 p.m.

Also, GSA Customer Service Directors (CSDs) provide training and guidance on a wide spectrum of program offerings. To find a CSD near you, visit [www.gsa.gov/csd](http://www.gsa.gov/csd).

# AbilityOne/UNICOR

GSA Global Supply® works with National Industries for the Blind (NIB) and SourceAmerica under the AbilityOne brand name, as well as with UNICOR (Federal Prison Industries), to provide you with the top-quality supplies you need. Look for the AbilityOne and UNICOR identifiers throughout this catalog and on [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

## For more information on these partners:

**AbilityOne**  
[www.abilityone.gov](http://www.abilityone.gov)

**National Industries  
for the Blind**  
800-433-2304  
703-310-0500  
[www.nib.org](http://www.nib.org)

**SourceAmerica**  
571-226-4660  
[www.sourceamerica.org](http://www.sourceamerica.org)

**UNICOR**  
800-827-3168  
[www.unicor.gov](http://www.unicor.gov)

# GSA Global Supply Billing Cycles

GSA Global Supply bills you once the product has shipped.

Order Method	Billing Cycles	
	Purchase Card	AAC/DoDAAC
<b>Phone</b>	Within 48 hours of order shipment and sent out daily.	On the 1st workday of the month, and again near the 15th of the month.
<b>Fax</b>	Same as above.	Same as above.
<b>GSA Global Supply website</b>	Same as above.	Same as above.
<b>Stores (CONUS or OCONUS)</b>	Same as above.	Same as above.
<b>FEDSTRIP/MILSTRIP</b>	Not applicable.	Same as above.
<b>GSA Advantage!®</b>	When the shipment confirmation record is received by Finance. These are normally billed daily <b>except</b> when the customer selects the Summary Billing Option. If this is the case, the billing is generated around the 15th and always on the 1st workday of the month.	Same as above.

# Environmental Products from GSA Global Supply

GSA offers a variety of environmentally sustainable products to help customers implement federal acquisition policies. These products comply with Federal Acquisition Regulation (FAR) Part 23, executive orders, and laws that require the purchase of environmental products and services. Ordering activities must give preference to products that have certain environmental attributes – including recycled and post-consumer material, energy efficiency, and biobased ingredients – and those with less-toxic or hazardous constituents.

However, the environmental purchasing requirements are only part of the rationale for buying environmental products and services. As the largest purchaser in the United States, the federal government can become a better steward of the environment by purchasing sustainable products, helping to minimize the negative impact on the environment.

In this catalog, environmentally sustainable items are identified with a variety of symbols, depending on the relevant attributes. Online, these items display the same icons. To find the icons easily online, visit the GSA Global Supply website at [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov), click on the “Browse Products” option, and select the “Green Items” tab on the top of the main shopping page. This will highlight a list of all environmentally sustainable items, a list that can be sorted or filtered using specific product attributes or price.

On the main page of the GSA Global Supply website, click “Go” in the “Browse Products” area. On the new page, select the “Green Items” tab for a list of environmentally sustainable products.

The environmentally sustainable product offering can be narrowed further by scrolling to the bottom of the page and selecting the appropriate environmental attribute.

# Support for OCONUS Customers

GSA Global Supply® now offers rapid delivery, typically in three to five business days, on high-demand products for customers in Europe and at multiple locations in the Pacific Rim Region: Guam, Hawaii, Japan, and South Korea. To learn more about these forward-positioned supplies, please contact your local GSA representative. See details on page viii.

GSA also provides management and oversight for more than a dozen ServMart

stores located throughout the Pacific Rim Region. In support of our Department of Defense partners, GSA assumes responsibility for procurement of items and coordination of daily store operations.

Authorized buyers can purchase supplies using their government purchase card or via direct billing through the use of an Activity Address Code (AAC), Department of Defense Activity Address Code (DoDAAC), or equivalent.



## Pacific Rim stores are located in:

**Joint Base Pearl Harbor–Hickam**, Hawaii  
**MCAS Kaneohe Bay**, Hawaii  
**Joint Base Elmendorf–Richardson**, Alaska  
**Osan AB**, Korea  
**Kunsan AB**, Korea  
**Andersen AFB**, Guam  
**Naval Base Guam**, Guam  
**Yokota AB**, Japan  
**Camp Zama**, Japan  
**Misawa AB**, Japan  
**Kadena AB**, Okinawa, Japan  
**Camp Butler**, Okinawa, Japan  
**MCAS Iwakuni**, Japan

**Customers in the Pacific Rim can also consult an in-country GSA representative for assistance:**

### Mainland Japan

Defense Representative GSA (DRGJ)  
 Sid Frazier  
**DSN:** 315-225-2802  
**Comm (Intl):** 011-81-311-755-2802  
**Email:** sidney.frazier@gsa.gov

### Korea

Defense Representative GSA (DRGK)  
 Ronald Eisley  
**DSN:** 315-784-6515  
**Comm (Intl):** 011-82-31-661-6515  
**Email:** ronald.eisley@gsa.gov

### Guam

Customer Service Director  
 Brandy Untalan  
**Comm:** 671-333-4721  
**DSN:** 315-333-4721  
**Email:** brandy.untalan@gsa.gov

### Okinawa

Defense Representative GSA  
 Cynthia McKeague  
**DSN:** 315-634-3641  
**Comm (Intl):** 011-81-80-6492-8036  
**Email:** cynthia.mckeague@gsa.gov

### Customers in Europe, Africa and the Middle East can also contact:

GSA Customer Service Office Europe,  
 Africa, and Middle East  
**DSN:** 314-546-7499  
**Comm:** +49-69-7535-7850

# Table of Contents

## What's New

..... New-2

## Toner and Ink Cartridges

Toner Cartridges and Supplies..... T-2

Ink Cartridges and Supplies..... T-13

## Office Products

Computer Accessories and Supplies ..... 2

Office Machines and Equipment ..... 10

Presentation and Visual ..... 19

    Frames ..... 31

    Awards ..... 35

Calendars and Personal Organizers ..... 36

Briefcases and Pad Holders..... 40

Writing Instruments and Supplies..... 42

Basic Office Supplies..... 61

Binders and Filing ..... 81

Forms ..... 101

Paper and Labels..... 103

Mailing and Packing Supplies ..... 117

Clocks and Watches..... 139

## Furniture and Furnishings

Introduction ..... 144

Office Furniture ..... 145

    Traditional Executive ..... 145

    Contemporary Executive..... 157

Seating ..... 166

Height Adjustable Workstations..... 171

Metal Desks and Workstations ..... 173

Filing and Storage ..... 176

Dormitory and Quarters Furniture ..... 185

Healthcare Furniture..... 190

Special Use Furniture ..... 200

## Housewares and Cleaning

Paper Products ..... 206

Soaps and Laundry..... 211

Cleaning Supplies ..... 222

Trash Cans and Liners..... 258

Personal Care ..... 266

Kitchen and Breakroom Supplies ..... 268

Bed and Bath ..... 282

Appliances..... 290

## Safety Products

Personal Protection and Supplies .....	294
Medical and First Aid .....	295
Protective Gear .....	298
Signs, Reflectors and Identifiers.....	301
Mats and Matting.....	305
Security Cabinets .....	311

## Tools and Hardware

Automotive .....	322
Chisels, Punches and Scrapers.....	330
Clamps and Vises .....	333
Construction and Building Supplies .....	335
Electrical and Electronic Tools.....	337
Files.....	342
Hammers.....	344
Hardware.....	349
Knives .....	374
Marking Tools.....	383
Measuring Tools.....	385
Pliers .....	394

Power Tools and Accessories .....	400
Saws .....	414
Scissors, Shears, Snips and Cutters .....	416
Screwdrivers.....	421
Shovels, Picks, Bars and Rakes.....	433
Sockets and Attachments .....	439
Taps, Dies, Reamers and Extractors .....	454
Tool Kits.....	460
Tool Storage Units .....	463
Twist Drills and Boring Tools.....	466
Wrenches.....	473
Outdoor Equipment.....	489

## Index

NSN Index .....	494
-----------------	-----

**Order form is located after page 544.**

# Units of Issue

AM . . . . .	Ampoule	DZ . . . . .	Dozen	PH . . . . .	Pack (PAK)
AT . . . . .	Assortment	EA . . . . .	Each	PK . . . . .	Package
AY . . . . .	Assembly	EX . . . . .	Feet, Inches and Fraction	PL . . . . .	Pallet/Unit Load
BA . . . . .	Ball	FD . . . . .	Million Particles per Cubic Foot	PM . . . . .	Plate
BD . . . . .	Bundle	FT . . . . .	Foot	PR . . . . .	Pair
BE . . . . .	Bale	FV . . . . .	Five	PT . . . . .	Pint
BF . . . . .	Board Foot	FY . . . . .	Fifty	PZ . . . . .	Packet
BG . . . . .	Bag	GA . . . . .	Gallon	QT . . . . .	Quart
BK . . . . .	Book	GL . . . . .	Gallon	RA . . . . .	Ration
BL . . . . .	Barrel	GL . . . . .	Grams per Liter	RE . . . . .	Reel
BL . . . . .	Block	GM . . . . .	Gram	RL . . . . .	Reel
BO . . . . .	Bolt	GP . . . . .	Group	RL . . . . .	Roll
BO . . . . .	Bottle	GR . . . . .	Gross	RM . . . . .	Ream
BR . . . . .	Bar	GS . . . . .	Gross	RO . . . . .	Roll
BT . . . . .	Bottle	HD . . . . .	One Hundred	SD . . . . .	Skid
BX . . . . .	Box	HK . . . . .	Hank	SE . . . . .	Set
CA . . . . .	Cartridge	HU . . . . .	Hundred	SF . . . . .	Square Foot
CA . . . . .	Case	IN . . . . .	Inch	SH . . . . .	Sheet
CB . . . . .	Carboy	JR . . . . .	Jar	SI . . . . .	Square Inch
CC . . . . .	Cubic Centimeter	KG . . . . .	Kilogram	SK . . . . .	Skein
CD . . . . .	Cubic Yard	KR . . . . .	Kiloroentgen	SL . . . . .	Sleeve
CD . . . . .	Carat	KT . . . . .	Kit	SL . . . . .	Spool
CE . . . . .	Cone	LB . . . . .	Pound	SO . . . . .	Shot
CF . . . . .	Cubic Foot	LG . . . . .	Length	SP . . . . .	Strip
CG . . . . .	Card	LI . . . . .	Liter	ST . . . . .	Set
CI . . . . .	Cubic Inches	MC . . . . .	One Thousand Cubic Ft	SX . . . . .	Stick
CK . . . . .	Cake	ME . . . . .	Meal	SY . . . . .	Square Yard
CL . . . . .	Coil	MG . . . . .	Metric Gross Ton	TB . . . . .	Tube
CM . . . . .	Centimeter	ML . . . . .	Milliliter	TD . . . . .	Twenty Four
CN . . . . .	Can	MM . . . . .	Millimeter	TE . . . . .	Ten
CO . . . . .	Container	MR . . . . .	Meter	TF . . . . .	Twenty Five
CS . . . . .	Case	MX . . . . .	One Thousand	TH . . . . .	Thousand
CS . . . . .	Cassette	OT . . . . .	Outfit	TN . . . . .	Ton
CT . . . . .	Carton	OZ . . . . .	Ounce	TO . . . . .	Troy Ounce
CY . . . . .	Cylinder	PA . . . . .	Pail	TS . . . . .	Thirty Six
CZ . . . . .	Cubic Meter	PC . . . . .	Piece	TU . . . . .	Tube
DM . . . . .	Decimeter	PD . . . . .	Pad	VI . . . . .	Vial
DR . . . . .	Drum	PG . . . . .	Package	YD . . . . .	Yard

# WHAT'S NEW

# 2022 What's New

## Height-Adjustable Utility Stool

This compact utility stool delivers tough performance in healthcare, laboratory, education, industrial, and clean room settings. Smooth pneumatic seat height is adjustable from 20" - 25" to accommodate both desktop and bench height work. Compact, sturdy and built to last, this stool features a steel seat and 4-leg base with self-leveling nickel-plated glides. All metal parts have a powder-coated paint finish.

7195-01-084-9379, Gray, 13" diameter seat, EA, \$148.59

## Storage Cabinet

Storage cabinet is constructed of dent and scratch resistant blow molded high density polyethylene plastic. Cabinet features reinforced adjustable shelves and locking doors. Assembles easily with a screwdriver.

7125-01-667-1407, AbilityOne, Platinum, 36" W x 22" D x 72" H, EA, \$375.97

7125-01-667-1401, AbilityOne, Black, 33" W x 18" D x 66" H, EA, \$254.70

7125-01-667-1400, AbilityOne, Platinum, 33" W x 18" D x 66" H, EA, \$254.70

7125-01-667-1403, AbilityOne, Platinum, 36" W x 22" D x 46" H, EA, \$223.39

7125-01-667-1402, AbilityOne, Black, 36" W x 22" D x 46" H, EA, \$223.39

7125-01-667-1404, AbilityOne, Black, 36" W x 22" D x 72" H, EA, \$375.97

## Open Storage Shelf

Open shelf storage unit is constructed of steel reinforced, washable and scratch and dent resistant blow molded high density polyethylene plastic. Includes heavy duty polypropylene uprights for increased stability, trim caps and wall anchor. Features 180 lb. capacity per shelf and easy snap together assembly.

7125-01-667-2788, AbilityOne, Black, 36" W x 18" D x 74" H, EA, \$134.23

## Wall Mounted Glass Markerboard with Round Stand-Offs

1/4" Tempered Glass with White Background; Frameless with Square Edges; Round Stand-offs with Satin Finish

**Magnetic Surface with Accessory Tray**

7110-01-679-5438, White background, 96" W x 48" H, EA, \$1,336.88

7110-01-679-6039, White background, 72" W x 48" H, EA, \$1,094.74

7110-01-679-5434, White background, 48" W x 48" H, EA, \$803.34

## Wall Mounted Glass Markerboard with Invisible Mount

1/4" Tempered Glass with White Background; Frameless with Square Edges with Invisible Float Mount

**Magnetic Surface and Accessory Tray**

7110-01-679-5436, White background, 96" W x 48" H, EA, \$1,285.72

7110-01-679-5435, White background, 72" W x 48" H, EA, \$1,053.45

7110-01-679-5437, White background, 48" W x 48" H, EA, \$771.90

## Projection Board

Projection board has white low gloss/luster magnetic porcelain enamel writing surface. This board features an aluminum frame and full length accessory tray.

7110-01-660-3249, White, 96" W x 48" H, EA, \$279.63

## Dual Monitor Arm, Ergonomic, One-Touch Adjustable

Monitor arm adjusts with one-touch technology. Arm mounts via c-clamp or grommet. Arm is for use with flat or curved monitors up to 34" and up to 19.8lbs in weight. Arm ergonomically adjusts for height and screen distance and attaches via Vesa plates. Arm rotates and swivels 360 degrees with tilt adjustment. Arm has a cord management system.

7110-01-691-5485, AbilityOne, Silver Grey, EA, \$176.05

## Single Monitor Arm, Ergonomic, One-Touch Adjustable

Monitor arm adjusts with one-touch technology. Arm mounts via c-clamp or grommet. Arm is for use with flat or curved monitors up to 34" and up to 19.8lbs in weight. Arm ergonomically adjusts for height and screen distance and attaches via Vesa plates. Arm rotates and swivels 360 degrees with tilt adjustment. Arm has a cord management system.

7110-01-691-5486, AbilityOne, Silver Grey, EA, \$104.44

## SKILCRAFT® Desktop Sit-Stand Workstation

Help employees avoid the detrimental health effects associated with sitting for extended periods of time with this two-tiered, adjustable-height standing desk designed to accommodate dual-monitors or meet larger workspace requirements. Workstation can be placed atop any desk or table and raised to a standing position or lowered to a sitting position. Desktop workstation constructed of wood and steel is 36 inches wide and has a 35-pound capacity. TAA and Berry Compliant; assembled in the U.S.A.

Comprehensive Procurement Guideline Compliant

7110-01-681-0786, AbilityOne, Black, 36" wide, 35-pound capacity, EA, \$398.27

## Kensington®/SKILCRAFT® Ergonomic Back Rest

The Kensington®/SKILCRAFT® SoleSaver Ergonomic Backrest with adjustable back and the unique SmartFit system technology works on nearly any chair and gives you the power to easily customize the height of the back rest for maximum firm support to support your spine and lumbar region. Four independent springs conform to fit your body shape and articulate with your posture and position. Ventilated supports allow for air circulation to keep you back cool and dry. Whether you're typing long documents, managing complex spreadsheets, or creating engaging presentations, make the extend hours of working in your home or office more comfortable. Adjustable straps allow back rest to fit most chairs. Nylon fabric cover can easily be removed, and machine washed as needed. 2-year warranty. TAA compliant.

7110-01-669-5638, AbilityOne, Black, 17-1/4" W x 5-1/2" D x 16" H, EA, \$58.48

## Kensington®/SKILCRAFT® Ergonomic Footrest

Avoid leg, back, and foot strain and fatigue with the Kensington®/SKILCRAFT® Ergonomic Footrest featuring the SmartFit system technology that adjusts footrest heights from 3.5" to 5" using a color-coded personal comfort system. Eliminate pressure points and tired feet with the luxurious, non-skid, shock-absorbing memory foam surface. Adjust and lock the footrest tilt and angle with a simple push of the convenient, foot-operated front pedal. For all-day comfort without leaving your chair. Angle adjusts up to 30 degrees and the tilt adjusts up to 15 degrees in one-degree increments.

7195-01-666-7982, AbilityOne, Black/Light Gray, 21-1/2" x 14" x 3-1/2", EA, \$61.07

## Wall Planner (2022)

2-sided Laminated Wall Planner, Jan-Dec 12 month horizontal layout on one side with block size of 1-1/4" x 1-3/8"; Vertical format on the other side with block size of 1-1/8" x 1-5/8"; 12 months per side.

Includes plastic strip-style self-adhesive hangers & black marker

7510-01-600-8026, SKILCRAFT, AbilityOne, 24" x 37", EA, \$21.01

## Stand Bias Workstation, Adjustable Height Unit

Sit-Stand Workstations and Stand-Biased Workstations are designed to reduce sitting and ship as complete units from Neutral Posture. All units include 60 inch x 30 inch table, task seating, dual monitor arms and adjustable keyboard tray. Included seating features medium seat, minimal contour, 5 - way 360° arms, independent lumbar and at least 11 active adjustments.

**Adjustable height unit features electric 25 inch - 50 inch height adjustable table with 4 position memory controller, only available with type A (NEMA 1-15) plug; 120 volt 15 amp, supports up to 264 lbs, anti-collision technology, and adjusts at 1.6 in/sec.**

*Maple Laminate Top Table with Silver Legs. Mesh Back and Upholstered Fabric Seat Chair. Clear Plexiglass Screen on back and sides.*

7110-01-690-4870, EA, \$2,420.53

*Maple Laminate Top Table with Silver Legs. Upholstered Back and Upholstered Fabric Seat Chair. Clear Plexiglass Screen on back and sides.*

7110-01-690-4868, EA, \$2,484.37

*Cherry Laminate Top Table with Black Legs. Upholstered Back and Upholstered Fabric Seat Chair. Clear Plexiglass Screen on back and sides.*

7110-01-690-4869, EA, \$2,495.24

*Cherry Laminate Top Table with Black Legs. Mesh Back and Upholstered Fabric Seat Chair. Clear Plexiglass Screen on back and sides.*

7110-01-690-4867, EA, \$2,431.40

## Mobile Privacy Screen

Made in the USA. Mobile privacy screens are intended for use in offices and other work environments where divided space and privacy are essential. Modify your space quickly and easily with screens that can serve multiple purposes. All screens include locking casters. Frames are constructed with aluminum.

7195-01-690-9366, Frosted Plexiglass, 42"W x 81"H, EA, \$1,502.13

7195-01-690-9365, Clear Plexiglass, 42"W x 81"H, EA, \$1,502.13

7195-01-690-9364, Frosted Plexiglass, 36"W x 81"H, EA, \$1,341.13

7195-01-691-0000, Clear Plexiglass, 36"W x 81"H, EA, \$1,341.13

7195-01-690-9142, Clear Plexiglass, 42"W x 64"H, EA, \$1,139.88

7195-01-690-9141, Frosted Plexiglass, 36"W x 64"H, EA, \$1,019.13

7195-01-690-9143, Clear Plexiglass, 36"W x 64"H, EA, \$1,019.13

7195-01-690-9363, Frosted Plexiglass, 42"W x 64"H, EA, \$1,139.88

## 3D-Printer Filament, Nylon Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by SKILCRAFT® that works with a variety of common 3D printers. SKILCRAFT 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Durable 1.75mm filament on a 1kg spool works with a variety of common 3D printers. Check printer to ensure compatibility or email [3dprint@gsa.gov](mailto:3dprint@gsa.gov) for help.

Nylon is strong, durable, and versatile 3D printing material. SKILCRAFT 3D Nylon Pro is an engineering grade nylon with superior attributes in chemical, thermal, and solvent resistance that can be used in applications such as living hinges, gears, and flanges. It has great impact strength while still maintaining excellent printability.

*Nylon, 1 KG. 1.75 mm.*

7045-01-685-9192, SKILCRAFT, AbilityOne, NATURAL, 8.25" L X 8" W, EA, \$56.51

7045-01-685-8923, SKILCRAFT, AbilityOne, BLACK, 8.25" L X 8" W, EA, \$56.51

## 3D-Printer Filament, PLA Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by SKILCRAFT® that works with a variety of common 3D printers. SKILCRAFT 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Durable 1.75mm filament on a 1kg spool works with a variety of common 3D printers. Check printer to ensure compatibility or email [3dprint@gsa.gov](mailto:3dprint@gsa.gov) for help.

**PLA is ideal for applications that require a tight dimensional accuracy and quick, easy printing. PLA maintains strength and holds up very well in normal applications.**

*PLA - Polylactic Acid, Black, 1 KG. 1.75 mm.*

7045-01-685-8920, SKILCRAFT, AbilityOne, NATURAL, 8.25" L X 8" W, EA, \$45.07

7045-01-685-8921, SKILCRAFT, AbilityOne, WHITE, 8.25" L X 8" W, EA, \$45.07

7045-01-685-8922, SKILCRAFT, AbilityOne, BLACK, 8.25" L X 8" W, EA, \$45.07

## 3D-Printer Filament, ABS Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by SKILCRAFT® that works with a variety of common 3D printers. SKILCRAFT 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Durable 1.75mm filament on a 1kg spool works with a variety of common 3D printers. Check printer to ensure compatibility or email [3dprint@gsa.gov](mailto:3dprint@gsa.gov) for help.

**ABS is attractive for its hardness, gloss, toughness, and electrical insulation properties. SKILCRAFT 3D ABS Pro is an engineering grade ABS, excellent for printing strong, temperature-resistant 3D parts.**

*ABS - Acrylonitrile Butadiene Styrene, 1 KG. 1.75 mm.*

7045-01-685-8918, SKILCRAFT, AbilityOne, NATURAL, 8.25" L X 8" W, EA, \$47.08

7045-01-685-8919, SKILCRAFT, AbilityOne, WHITE, 8.25" L X 8" W, EA, \$47.08

7045-01-685-9763, SKILCRAFT, AbilityOne, BLACK, 8.25" L X 8" W, EA, \$47.08



## Cleaner and Degreaser

Ready-to-use general purpose cleaner that is suitable for use on grease, dirt, soap scum, food stains and fingerprints. Liquid detergent contains no phosphates, abrasives, or dyes and is non-flammable.

**Comes in a spray-pump dispenser.**

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

7930-01-687-9646, Material Safety Data Sheet, AbilityOne, 16 oz., BX(contains 12 EA), \$26.67

## Hand Sanitizer

Foaming hand sanitizer is fragrance and dye free. Kills 99% of common germs.

**For use with Purell ES8 touch-free dispenser.**

*24-month maximum shelf life (extendable).*

Biopreferred

8520-01-684-2496, 7753-02 or equal, 1200 mL, BX(contains 2 EA), \$89.92

Hand sanitizer gel is fragrance free. Kills more than 99.99% of most common germs.

*36-month maximum shelf life (not extendable).*

Biopreferred

8520-01-691-2733, Material Safety Data Sheet, AbilityOne, 64 oz., BX(contains 4 EA), \$106.10

## Screen and Lens Cleaner Kit

Anti-static cleaning kit includes a pump spray bottle; a 12x12 microfiber cleaning cloth, and a ready-to-use cleaning solution that dissipates static (12 oz), cleans dust, fingerprints, and other light contaminants from screens, lenses, LCD and plasma.

*24-month maximum shelf life (extendable).*

Low VOC

6850-01-683-1761, Material Safety Data Sheet, AbilityOne, KT, \$15.35

## Anti-Microbial Soap

Quick-acting anti-microbial foam soap reduces bacteria on skin. Formula is dye free with a light fragrance.

**Dispenser is required and will be furnished upon request. Contact Travis Association for the Blind, 1-888-217-7232.**

*24-month maximum shelf life (extendable).*

Biopreferred

8520-01-684-3252, AbilityOne, 1200 mL, BX(contains 2 EA), \$67.22

## Hand Soap

Mild formula removes 99% of dirt and germs. Naturally fragranced with essential oils. Rinses fast and clean.

**Dispenser is required and will be furnished upon request. Contact Travis Association for the Blind, 1-888-217-7232.**

*24-month maximum shelf life (extendable).*

Biopreferred

8520-01-684-3253, AbilityOne, 1200 mL, BX(contains 2 EA), \$65.21

## Abrasive Sanding Sponge

For wet or dry sanding.

**Aluminum Oxide.**

*Grit: Fine*

5350-01-684-7896, AbilityOne, 2.625" x 3.75", BX(contains 12 EA), \$24.75

*Grit: Medium*

5350-01-684-7897, AbilityOne, 2.625" x 3.75", BX(contains 12 EA), \$24.75

## Abrasive Paper

Abrasive paper for metal or wood working. Has a paper backing.

**Aluminum Oxide.**

*Grit: 220*

5350-01-684-8958, AbilityOne, 9" x 11", PG(contains 25 SH), \$11.53

*Grit: 120*

5350-01-684-8960, AbilityOne, 9" x 11", PG(contains 25 SH), \$16.41

Abrasive paper for metal or wood working. Has a A-weight paper backing.

**Aluminum Oxide.**

*Grit: 180*

5350-01-684-8959, AbilityOne, 9" x 11", PG(contains 25 SH), \$11.53

**Silicon Carbide.**

*Grit: 1500*

5350-01-684-8962, AbilityOne, 9" x 11", PG(contains 25 SH), \$26.52

Abrasive paper for metal or wood working. Has a D-weight paper backing.

**Aluminum Oxide.**

*Grit: 60*

5350-01-684-8961, AbilityOne, 9" x 11", PG(contains 25 SH), \$20.37

Abrasive paper for metal or wood working. Has a C-weight paper backing.

**Aluminum Oxide.**

*Grit: 150*

5350-01-684-9745, AbilityOne, 9" x 11", PG(contains 25 SH), \$16.41

## Scouring Pad

This synthetic foam sponge features an aluminum oxide abrasive on one side, making it great for heavy-duty scrubbing. (Does not contain soap).

7920-00-655-5290, AbilityOne, 4-1/2 x 3 x 1/2", DZ, \$10.66

## Damage Control Bags

The bag is manufactured from Dupont Cordura II 1000 denier fabric. Included with the bag is a heavy duty 2" Wide shoulder strap rated at 400lbs with all heavy-duty steel fittings. The shoulder strap is designed to be detached when required to affix DC equipment such as trunks and cables to the overhead in emergency situations. The bag contains a double slider number 10 self-repairing corrosion resistant zipper closure, three heavy duty handles, and three pockets. The D rings on each end of the bag are 1-3/4" heavy duty steel affixed by doubling over 8" heavy duty nylon webbing and box and cross stitching the material in place. The end handles are designed to support the content of the entire DC kit during single handed carry through scuttles and confined spaces. They are constructed of heavy-duty nylon and double stitched into the bag seams. The bottom of the bag is reinforced with a shatterproof flexible poly-carbon composite insert sandwiched between the bottom of the base of the bag and a second layer of the abrasive resistant 1200 denier 3M ballistic fabric. The front, bottom, and back of the bag is one continuous piece of material. The front of the bag includes the nomenclature of the NAVSEA designated AEL the kit is intended for in 2" high lettering. Manufactured from 3M™ Scotchlite™ Reflective fluorescent yellow 8787 Material designed for enhancing visibility in low light and nighttime conditions. The lettering is guaranteed to stay affixed and functional for the lifetime of the kit bag. The clear end pocket is manufactured from low off gassing, high melt point double polished 20 Gauge clear vinyl. 3M hook loop is used to secure all pockets closed. The top carrying handles are manufactured from 2inch wide heavy-duty nylon. The handle material extends to the bottom of the bag on both sides. The handles are joined together at the top with a heavy polished leather closure with snaps. The inside seams are sewn, then covered with finishing taped and sewn a second time creating a double stitched finished bottom and side seams.

**This bag should read "PIPE PATCHING KIT".**

8105-01-613-1755, DCKB 14, Royal Blue, 20" L x 18" H x 11" D, EA, \$117.93

**This bag should read "SHORING C-CLAMPS".**

*Used for C-Clamps.*

8105-01-613-1756, DCKB 17C, Brown, 17" L x 11" H x 7" D, EA, \$117.93

**This bag should read "SHORING KIT"**

*Used for Nails*

8105-01-613-1757, DCKB 17A, Brown, 10" L x 6" H x 6" D, EA, \$101.20

**This bag should read "SHORING TOOL KIT".**

8105-01-613-1759, DCKB 17, Brown, 20" L x 18" H x 11" D, EA, \$183.43

**This bag should read "PLUGGING KIT".**

8105-01-613-1760, DCKB 15, Navy Blue, 20" L x 18" H x 11" D, EA, \$117.93

**This bag should read "PORTABLE PUMP KIT"**

8105-01-613-1761, DCKB 16, Royal Blue, 20" L x 15-1/2" H x 9" D, EA, \$117.93

**This bag should read "WELDING KIT".**

8105-01-613-1762, DCKB 18, Black, 20" L x 18" H x 11" D, EA, \$117.93

**This bag should read "ADAPTER KIT".**

8105-01-613-1763, DCKB 01, Royal Blue, 20" L x 15-1/2" H x 9" D, EA, \$117.93

**This bag should read "BANDING TOOL KIT".**

8105-01-613-1764, DCKB 02, Royal Blue, 20" L x 15-1/2" H x 9" D, EA, \$117.93

**This bag should read "CPS REPAIR KIT".**

8105-01-613-1765, DCKB 03, Hunter Green, 20" L x 15-1/2" H x 9" D, EA, \$117.93

This bag should read "DESMOKING KIT BAG -1".

*Special Feature: NSN 8105016131766 and NSN 8105016131767 are used as a pair.*

8105-01-613-1766, DCKB 04, Dark Grey, 20" L x 18" H x 11" D, EA, \$117.93

This bag should read "DESMOKING KIT BAG -2".

*Special Feature: NSN 8105016131766 and NSN 8105016131767 are used as a pair.*

8105-01-613-1767, DCKB 04A, 20" L x 18" H x 11" D, EA, \$117.93

This bag should read "DEWATERING KIT".

8105-01-613-1768, DCKB 05, Navy Blue, 20" L x 18" H x 11" D, EA, \$117.93

This bag should read "EWARP KIT"

8105-01-613-1769, DCKB 06, Royal Blue, 17" W x 11" H x 7" D, EA, \$117.93

This bag should read "ELECTRICAL REPAIR KIT"

8105-01-613-1770, DCKB 07, Fluorescent Orange, 20" L x 15-1/2" H x 9" D, EA, \$117.93

This bag should read "ENGINEERING SPACE KIT".

8105-01-613-1771, DCKB 11, Brown/Blue, 20" L x 18" H x 11" D, EA, \$117.93

This bag should read "EMERGENCY COMMS KIT".

8105-01-613-1772, DCKB 08, Fluorescent Orange, 17" L x 11" H x 7" D, EA, \$117.93

This bag should read "EMERGENCY LIGHTING KIT".

8105-01-613-1773, DCKB 09, Fluorescent Yellow, 20" L x 18" H x 11" D, EA, \$117.93

This bag should read "GAS FREE ENGINEERING KIT".

8105-01-613-1774, DCKB 12, Hunter Green, 20" L x 15-1/2" H x 9" D, EA, \$117.93

This bag should read "INVESTIGATOR KIT".

8105-01-613-1775, DCKB 13, Tan, 20" L x 15-1/2" H x 9" D, EA, \$117.93

The bag should read "FUSE".

8105-01-613-1776, DCKB 07A, Orange, 10" L x 6" H x 6" D, EA, \$90.85

This bag should read "MONITORING KIT".

8105-01-613-1777, DCKB 19, Hunter Green, 20" L x 15-1/2" H x 9" D, EA, \$117.93

This bag should read "FIREFIGHTING ACCESS".

8105-01-614-0296, DCKB 22, Red, 20" L x 15-1/2" H x 9" W, EA, \$177.10

This bag should read "JUBILEE PATCH"

8105-01-674-0029, DCKB 24, Royal Blue, EA, \$90.61

## Machinery Wiping Towels

*Disposable shop towels are absorbent and durable.*

Made of Hydro Etangled Fibers (HEF).

7920-01-491-0664, AbilityOne, White, 13.4" x 12.5", RO(contains 475 SH), \$67.30

7920-01-491-0668, AbilityOne, Red, 13.4" x 12.5", RO(contains 475 SH), \$62.82

7920-01-657-7796, AbilityOne, Blue, 13.4" x 12.5", RO(contains 475 SH), \$68.14

Made from Durable Recrepe Tissue (DRC).

*Box contains 8 pop-up boxes, 200 sheets per box, for a total of 1600 sheets.*

7920-01-684-9744, AbilityOne, Blue, 12" x 10", BX(contains 8 EA), \$108.17

*Box contains 30 rolls, 55 sheets per roll, for a total of 1650 sheets.*

7920-01-684-8963, AbilityOne, Blue, 11" x 10.4", BX(contains 30 EA), \$92.06

*Box contains 12 rolls, 55 sheets per roll, for a total of 660 sheets.*

7920-01-685-0956, AbilityOne, Blue, 11" x 10.4", BX(contains 12 EA), \$40.92

## Microfiber Dust Mop

*Dust mop has a 13" x 10" microfiber head with a 48" handle.*

7920-01-682-8879, AbilityOne, Blue and White, BX(contains 6 EA), \$61.19

## Portable Battery Pack

Compact and easy to carry power packs with integrated flashlight are rechargeable up to 500 times. Charge two devices at once with dual charging ports; LED power indicator shows the amount of charge remaining.

Fully recharge devices with the 12,000mAh portable USB power packs.

6140-01-672-8907, SKILCRAFT, AbilityOne, Black, 5.75" H x 2.875" W x 0.5" D, EA, \$35.67

## Flexpen

Flexible ballpoint pen features a soft vinyl barrel. Medium point with black ink.

7520-01-451-5391, SKILCRAFT, AbilityOne, BX(contains 100 EA), \$40.11

## Pencil Sharpener

Sharpen pencils quickly and quietly with this heavy-duty, UL-listed electric pencil sharpener with carbon steel helical blades. Features include a thermal cutoff, automatic stop to prevent oversharpening, translucent shavings receptacle with safety lock, and a storage area for pencil organization. TAA compliant.

7520-01-680-7013, AbilityOne, Gray/Green, EA, \$30.68

## Mouse Pad with Calculator

Mouse pad with ergonomic gel-filled wrist support has a dual-powered calculator with three-memory keys and eight-digit angled display. Mouse pad contains storage area for 3-1/2" disk, business cards, paper clips or other small desk top items.

7045-01-484-1765, SKILCRAFT, AbilityOne, Silver/Black, EA, \$17.18

## Desktop Calculator

Desktop/portable, 10-digit printing and display calculator uses 2-1/4" plain paper. Battery and A/C operated.

**Features one or more memories, markup key and non-add key.**

7420-01-174-5221, EA, \$54.74

Desktop, 12-digit two-color printing and display calculator uses 2-1/4" plain paper. A/C operated.

**Features memory, percent key and item count.**

7420-01-412-4138, EA, \$47.54

## Notebook/LCD Monitor Privacy Filter

Made using quality 3M™ materials to provide world class black out privacy. These privacy filters are for desktop and notebook LCD monitors and enable the user to keep classified and/or sensitive material from being viewed by others. Protects screens from scratches and fingerprints while also minimizing glare and reducing eyestrain. Easily installed and removed with no harm to screens. Filter stays in place when notebook is closed. Custom cut for specific devices, be sure to confirm the model and size before ordering.

**For use in a 16:9 Aspect Ratio Computer Screen**

*48-month maximum shelf life (not extendable).*

7045-01-671-2141, SKILCRAFT, AbilityOne, Black, 23.6" Widescreen, EA, \$94.30

7045-01-671-2140, SKILCRAFT, AbilityOne, Black, 23.8" Widescreen, EA, \$125.81

Prevent visual hacking in any environment with Privacy Shield Privacy Filters with Frame for desktop computers. Quality 3M materials provide world class "black out" privacy that delivers incredible screen image clarity when monitor is viewed from the front but makes images appear dark when viewed from an angle. Lightweight filter removes easily for shared viewing without damage to desktop monitor. Available in several sizes, confirm monitor dimensions and aspect ratio before ordering.

**For use in a 16:9 Aspect Ratio Computer Screen**

7045-01-599-5302, SKILCRAFT, AbilityOne, 15.6" widescreen, EA, \$43.08

**Framed Wide Screen.**

7045-01-614-6231, SKILCRAFT, AbilityOne, 19" Diagonal, 18 L x 12" H, EA, \$188.17

## USB Wired Keyboard

Spill-resistant, wired keyboard with 104-key English/French standard layout, full size F-keys, and numeric key pad features a sleek contemporary design that occupies less space on desktops and in travel bags. Wide soft-touch keys improve keystroke accuracy while reducing typing noise. No software required, simply connect the 60-inch USB cable to your PC or laptop and start typing.

7025-01-677-4742, SKILCRAFT, AbilityOne, Black, 5 x 17 3/8 x 1 1/8", EA, \$20.34

## **ADVERTISEMENT**

### **PRODUCTS WITH A PURPOSE**

When you choose SKILCRAFT® products and other products provided through the AbilityOne® Program, you get more than quality. You help create jobs for thousands of skilled and dedicated people who are blind or have significant disabilities right here in America. Making the smart choice has never been easier.

Created with pride by Americans who are blind or have significant disabilities

# TONER AND INK CARTRIDGES

## IN THIS SECTION

Toner Cartridges and Supplies . . . . . T-2

Ink Cartridges and Supplies . . . . . T-13

To see our complete offering of toner and ink cartridges,  
please visit [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

# Toner Cartridges and Supplies

<b>Dell Toner Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
	Dell- 2330d, 2330dn, 2350d, and 2350DN	SKILCRAFT	Black	2,000	7510-01-659-0098	\$77.96	EA
	Dell-B2360d, B2360dn, B3460dn, B3465dn and B3465dnf.	SKILCRAFT	Black	2,500	7510-01-677-4487	\$72.02	EA
FSSI	Dell- 3330DN.	330-5207	Black	14,000	7510-01-604-6517	\$233.39	EA
FSSI	Dell- 5330DN and 5535DN.	330-9792	Black	36,000	7510-01-604-6512	\$438.61	EA
FSSI	Dell- 5130CDN.	330-5850	Cyan	12,000	7510-01-604-6511	\$266.59	EA
FSSI		330-5843	Magenta	12,000	7510-01-604-6513	\$262.18	EA
FSSI		330-5852	Yellow	12,000	7510-01-604-6516	\$265.96	EA
FSSI		330-5846	Black	18,000	7510-01-604-6518	\$146.85	EA
FSSI	Dell- 5330DN.	330-2045	Black	20,000	7510-01-604-6514	\$223.62	EA
FSSI	Dell- 360D,2360DN, B3460DN, B3465DN and B3465DNF Printers.	331-9805	Black	8,500	7510-01-661-1878	\$179.68	EA
	Dell- C5765DN	332-2115	Black	18,000	7510-01-668-7060	\$196.59	EA
		332-2116	Yellow	12,000	7510-01-668-7059	\$280.83	EA
		332-2117	Magenta	12,000	7510-01-668-7061	\$280.83	EA
		332-2118	Cyan	12,000	7510-01-668-7063	\$280.83	EA
	Dell - S2815DN	593-BBMF	Black	6,000	7510-01-665-0862	\$194.34	EA



## Hewlett Packard Toner Cartridges

FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN/GSA Part No.	Price	Unit of Issue
FSSI	HP- All-In-One - Color LaserJet CM1312nfi MFP, CP1210, CP1215, CP1510, CP1515n, CP1518ni and CM1312nfi printers.	CB540A	Black	2,200	7510-01-581-6447	\$63.81	EA
FSSI		CB541A	Cyan	1,400	7510-01-581-6452	\$62.74	EA
FSSI	HP- CP1215, CP1515N, CP1518NI, CM1312 MFP.	CB543A	Magenta	1,400	7510-01-581-6460	\$56.66	EA
FSSI	HP- Color LaserJet CP4005 Series printers.	CB400A	Black	7,500	7510-01-546-6400	\$158.94	EA
FSSI		CB401A	Cyan	7,500	7510-01-546-6414	\$236.48	EA
FSSI		CB402A	Yellow	7,500	7510-01-546-6411	\$236.48	EA
FSSI		CB403A	Magenta	7,500	7510-01-546-6427	\$236.48	EA
	HP- Color LaserJet 5200 Series printers.	Q7516A	Black	12,000	7510-01-546-6413	\$159.80	EA
	HP- P4014, P4015 and P4515.	SKILCRAFT	Black	34,800	7510-01-600-5980	\$208.44	EA
FSSI	HP- LaserJet P4014 Series, P4015 Series, and P4515 Series printers.	CC364A	Black	10,000	7510-01-568-0644	\$128.34	EA
FSSI		CC364AG	Black	10,000	7510-01-603-2944	\$146.74	EA
FSSI	HP- LaserJet P4015/P4515 Series printers.	CC364XD	Black	24,000	7510-01-603-2948	\$446.78	PG
FSSI	HP- All-In-One - Color LaserJet CM2320 MFP Series, CP2020 Series and CP2025 Series printers.	CC530A	Black	3,500	7510-01-576-4049	\$65.79	EA
FSSI		CC531A	Cyan	2,800	7510-01-576-4055	\$62.18	EA
FSSI		CC532AG	Yellow	2,800	7510-01-576-4058	\$63.33	EA
FSSI		CC533AG	Magenta	2,800	7510-01-576-4060	\$63.33	EA
	HP- All-In-One - Color LaserJet CM3530 Series and CP3525 Series printers.	CE250AG	Black	5,000	7510-01-573-0117	\$102.38	EA
	HP- CLJ CP3525 and CM3530 MFP.	CE250X	Black	10,500	7510-01-582-5432	\$131.56	EA
FSSI	HP- All-In-One - Color LaserJet CM3530 Series and CP3525 Series printers.	CE251A	Cyan	7,000	7510-01-573-0115	\$120.75	EA
		CE252A	Yellow	7,000	7510-01-573-0114	\$120.75	EA
	HP- All-In-One LaserJet 3390 and HP Laser - 1160 Series, 1320 Series and 3390 printers.	Q5949A	Black	2,500	7510-01-527-3524	\$68.21	EA
	HP- Color LaserJet Professional CP5220 Printer series	CE741A	Cyan	7,300	7510-01-603-2872	\$214.25	EA
		CE743A	Magenta	7,300	7510-01-603-2876	\$215.45	EA
FSSI	CLJ Pro MFP M177 printer series	CF350A	Black	1,300	7510-01-645-2734	\$56.04	EA
FSSI	HP- CP3525 and CM3530 MFP Printers.	CE250AG	Black	5,000	7510-01-603-2902	\$101.80	EA
FSSI		CE253AG	Magenta	7,000	7510-01-603-2915	\$156.43	EA
FSSI		CE252AG	Yellow	7,000	7510-01-603-2911	\$174.23	EA
		SKILCRAFT	Yellow	7,000	7510-01-673-1901	\$84.81	EA
		SKILCRAFT	Magenta	7,000	7510-01-673-2686	\$84.81	EA
		HP- All-In-One - Color LaserJet CM3530 Series and CP3525 Series printers.	CE253A	Magenta	7,000	7510-01-573-0059	\$120.75
FSSI	HP- CP4000 CP4500, CP4025DN, CP4025N, CP4525DN, CP4525N and CP4525XH.	CE260A	Black	8,500	7510-01-590-4409	\$97.75	EA
FSSI		CE261A	Cyan	11,000	7510-01-590-4422	\$136.85	EA
FSSI		CE262A	Yellow	11,000	7510-01-590-5022	\$136.85	EA

<b>Hewlett Packard Toner Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
	HP- CP4025 and CP4525 series.	CE263A	Magenta	11,000	7510-01-590-5023	\$136.85	EA
		SKILCRAFT	Black	8,500	7510-01-673-1903	\$83.38	EA
		SKILCRAFT	Cyan	11,000	7510-01-673-1197	\$86.25	EA
		SKILCRAFT	Magenta	11,000	7510-01-673-1199	\$86.25	EA
		SKILCRAFT	Yellow	11,000	7510-01-673-1195	\$86.25	EA
FSSI	HP- CP4025, CP4525, CLJ CM4540 MFP Printers.	CE260AG	Black	8,500	7510-01-603-2935	\$122.61	EA
FSSI		CE261AG	Cyan	11,000	7510-01-603-2942	\$169.22	EA
FSSI		CE262AG	Yellow	11,000	7510-01-603-2946	\$169.22	EA
FSSI		CE263AG	Magenta	11,000	7510-01-603-2951	\$169.22	EA
	HP- CP4025, CP4525n, CLJ, CP4525dn and CP4525xh, CM4540 MFP Printers	CE260X	Black	17,000	7510-01-603-2938	\$149.42	EA
	HP- CP5520 and CP5525	CE270A	Black	13,500	7510-01-603-2925	\$137.83	EA
		CE272A	Yellow	15,000	7510-01-603-2931	\$228.27	EA
		CE273A	Magenta	15,000	7510-01-603-2934	\$306.99	EA
FSSI	HP- CP5500, CP5525DN, CP5525N and CP5525XH.	CE271A	Cyan	15,000	7510-01-594-4372	\$217.35	EA
	HP- CP6015, CM6030 MFP and CM6040 MFP	CB386A	Yellow	23,000	7510-01-603-2916	\$281.59	EA
FSSI	HP- Laser Pro 200, M251 and M276 Series.	CF213A	Magenta	1,800	7510-01-620-2013	\$80.18	EA
	HP- Pro 300400 Color M351, M375, M451, and M475.	SKILCRAFT	Magenta	2,600	7510-01-660-4952	\$65.15	EA
	HP- Laserjet 1600 Series Printers and Laserjet Pro P1606DN Printer.	CE278A	Black	2,100	7510-01-596-4260	\$43.54	EA
	HP- LJ Enterprise 700 color MFP M775.	CE341A	Cyan	16,000	7510-01-616-3267	\$210.68	EA
		CE343A	Magenta	16,000	7510-01-616-3268	\$210.68	EA
		CE340A	Black	13,500	7510-01-616-3269	\$98.05	EA
		CE342A	Yellow	16,000	7510-01-616-3273	\$210.68	EA
FSSI	HP- LaserJet Enterprise 500 color M551 Series printers.	CE400A	Black	5,500	7510-01-603-2919	\$118.66	EA
		CE400X	Black	11,000	7510-01-603-2923	\$136.85	EA
FSSI		CE401A	Cyan	6,000	7510-01-603-2926	\$129.91	EA
		CE402A	Yellow	6,000	7510-01-603-2929	\$119.60	EA
		CE403A	Magenta	6,000	7510-01-603-2932	\$131.26	EA
	HP- M607, 608, 609, 631, 632 and 633.	SKILCRAFT	Black	11,000	7510-01-682-2176	\$127.97	EA
	HP- Laserjet Enterprise 500 Color M551 and M575.	SKILCRAFT	Black	11,000	7510-01-660-4961	\$93.44	EA
	HP- M452 and M477.	SKILCRAFT	Black	2,300	7510-01-682-1928	\$49.23	EA
	HP- M533, M552, M55 and M577.	SKILCRAFT	Black	6,000	7510-01-682-1303	\$71.28	EA
	HP- Enterprise 500 Color M551 and M575.	SKILCRAFT	Magenta	6,000	7510-01-660-4962	\$89.52	EA
	HP CE400A, Enterprise 500 Color M551, M575	SKILCRAFT	Black	5,500	7510-01-660-4959	\$65.15	EA

## Hewlett Packard Toner Cartridges

FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN/GSA Part No.	Price	Unit of Issue
	HP-Remanufactured Toner. HP Ce401a, Enterprise 500 Color M551, M575	SKILCRAFT	Cyan	6,000	7510-01-660-4951	\$89.52	EA
	HP-Remanufactured Toner. HP Ce402a, Enterprise 500 Color M551, M575	SKILCRAFT	Yellow	6,000	7510-01-660-4956	\$89.52	EA
FSSI	HP- LaserJet M4555h/ M4555f/ M4555f/skm MFP, LJ 600 M601/ M602/M603 Series printers.	CE390A	Black	10,000	7510-01-603-2871	\$144.54	EA
		CE390XG	Black	24,000	7510-01-603-2875	\$169.76	EA
	HP-M451DW, M475DN, M451DN, M475DW, M451NW and M375NW.	CE410XD	Black	4,000	7510-01-649-1223	\$182.85	EA
FSSI	HP- LaserJet P2035 Series and P2055 Series printers.	CE505A	Black	2,300	7510-01-572-1164	\$51.68	EA
FSSI	HP- LaserJet P2055 Series printers.	CE505XD	Black	6,500	7510-01-603-2903	\$250.37	PG
FSSI	HP- P2050, P2053D, P2054D, P2055DN, P2055X, P2055D, P2056D, P2057D.	CE505X	Black	6,500	7510-01-581-6451	\$95.90	EA
FSSI	HP- LaserJet P3015 Printer, MFP M525, Enterprise Flow M525c, M521.	CE255X	Black	12,500	7510-01-580-8394	\$134.22	EA
FSSI	HP- LaserJet P3015 Printer, MFP M525, Enterprise Flow M525c.	CE255A	Black	6,000	7510-01-580-8395	\$111.03	EA
FSSI	HP- LaserJet P3015 Printer.	CE255XD	Black	12,500	7510-01-603-4853	\$353.60	PG
	HP- Color LaserJet Professional CP5220 Printer series.	CE740A	Black	7,000	7510-01-603-2869	\$122.35	EA
		CE742A	Yellow	7,300	7510-01-603-2874	\$215.45	EA
	HP-Color LaserJet Enterprise CM4540 MFP	CE264X	Black	17,000	7510-01-603-2930	\$147.07	EA
FSSI	HP- CM4540.	CF031A	Cyan	12,500	7510-01-603-2933	\$186.81	EA
FSSI		CF032A	Yellow	12,500	7510-01-603-2879	\$186.81	EA
FSSI		CF033A	Magenta	12,500	7510-01-603-2936	\$186.81	EA
	HP-Laserjet Enterprise 700 M725, 700 M712	CF214A	Black	10,000	7510-01-669-8032	\$198.93	EA
FSSI	HP- CLJ Enterprise MFP M680 printer series.	CF320X	Black	21,000	7510-01-632-2379	\$146.52	EA
FSSI		CF322A	Yellow	16,500	7510-01-632-2381	\$197.08	EA
FSSI		CF323A	Magenta	16,500	7510-01-632-2383	\$197.08	EA
FSSI		CF321A	Cyan	16,500	7510-01-632-1758	\$197.08	EA
FSSI	HP- LJ Enterprise M651n, M651x and M651dn.	CF331A	Cyan	15,000	7510-01-664-7175	\$226.24	EA
		CF332A	Yellow	15,000	7510-01-664-7178	\$226.24	EA
		CF333A	Magenta	15,000	7510-01-664-8154	\$226.24	EA
		CF330X	Black	20,500	7510-01-649-1225	\$159.62	EA
FSSI	HP Color LaserJet M552, M553 and MFP M577.	CF362A	Yellow	5,000	7510-01-651-6270	\$172.47	EA

<b>Hewlett Packard Toner Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
	HP-LJ M533N, M553DN, M553DH, MFPM577DN, MFP M577F, MFP M577Z	CF360A	Black	6,000	7510-01-651-6271	\$132.14	EA
		CF361A	Cyan	5,000	7510-01-651-6268	\$164.78	EA
FSSI	HP- Color LJ Enterprise M553n, M553dn, M553x, M553dh; Color LJ Enterprise MFP M577dn, M577f; Color LJ Enterprise Flow MFPM577z and M577c.	CF360X	Black	12,500	7510-01-661-1489	\$126.73	EA
FSSI		CF361X	Cyan	9,500	7510-01-661-1476	\$175.38	EA
FSSI		CF362X	Yellow	9,500	7510-01-661-1478	\$175.38	EA
FSSI		CF363X	Magenta	9,500	7510-01-661-1477	\$175.38	EA
FSSI	HP- Color LJ Pro MFP M476nw, M475dn and M476dw.	CF380A	Black	2,400	7510-01-661-1479	\$86.67	EA
FSSI		CF381A	Cyan	2,700	7510-01-661-1483	\$88.45	EA
FSSI		CF383A	Magenta	2,700	7510-01-661-1482	\$88.45	EA
FSSI	HP- LJ Pro M402n, M402dn, M402dw, M402dne; LJ Pro MFP M426fdn and M426fdw.	CF226X	Black	9,000	7510-01-661-1487	\$143.19	EA
	HP- Remanufactured- M402, M426	SKILCRAFT	Black	3,100	7510-01-670-3515	\$80.97	EA
FSSI	HP- Remanufactured-LaserJet 4250, 4250dtn, 4250dtnsi, 4250n, 4250tn, 4350, 4350dtn, 4350dtnsi, 4350n and 4350dtn	SKILCRAFT	Black	42,000	7510-01-590-1500	\$148.81	EA
FSSI	HP- Color LaserJet 4600 Series and 4650 Series printers.	C9720A	Black	9,000	7510-01-572-1159	\$172.64	EA
FSSI		C9721A	Cyan	8,000	7510-01-566-8658	\$245.49	EA
FSSI		C9722A	Yellow	8,000	7510-01-572-1162	\$231.18	EA
FSSI		C9723A	Magenta	8,000	7510-01-566-9117	\$258.98	EA
FSSI	HP- Color LaserJet 5500 Series and 5550 Series printers.	C9730A	Black	13,000	7510-01-518-9665	\$176.63	EA
FSSI		C9731A	Cyan	12,000	7510-01-518-9666	\$243.08	EA
FSSI		C9732A	Yellow	12,000	7510-01-518-9667	\$243.08	EA
FSSI		C9733A	Magenta	12,000	7510-01-518-9668	\$243.08	EA
	HP- LaserJet 4200 Series printers.	Q1338A	Black	12,000	7510-01-528-6287	\$136.30	EA
	HP- All-In-One - LaserJet 4345mfp Series, M4350mfp and HP Laser - Laserjet 4345mfp Series and M4345mfp Series printers.	Q5945A	Black	18,000	7510-01-546-6425	\$213.79	EA
FSSI	HP- Color LaserJet 4700 Series printers.	Q5950A	Black	11,000	7510-01-545-5831	\$127.47	EA
FSSI		Q5951A	Cyan	10,000	7510-01-545-5830	\$178.73	EA
FSSI		Q5952A	Yellow	10,000	7510-01-545-5833	\$178.73	EA
FSSI		Q5953A	Magenta	10,000	7510-01-545-5834	\$178.73	EA
	HP- M506 and M527.	SKILCRAFT	Black	9,000	7510-01-682-2180	\$98.93	EA
		SKILCRAFT	Black	18,000	7510-01-682-6841	\$139.61	EA
FSSI	HP- All-In-One - Color LaserJet CM1015mfp, CM1017mfp and HP Laser - Color Laserjet 1600, 2600n, 2605 Series, CM1015mfp and CM1017mfp printers.	Q6000A	Black	2,500	7510-01-538-8770	\$72.97	EA
FSSI		Q6003A	Magenta	2,000	7510-01-538-8768	\$79.43	EA
FSSI	HP- All-In-One Color LaserJet 4730 MFP Series and HP Laser - Color Laserjet 4730 MFP Series printers.	Q6460A	Black	12,000	7510-01-546-6405	\$117.99	EA
FSSI		Q6463A	Magenta	12,000	7510-01-546-6428	\$255.95	EA
	HP- Color Laserjet 3600 Series, 3800 Series and CP3505 Series printers.	Q6470A	Black	6,000	7510-01-546-6410	\$100.34	EA
	HP- Color LaserJet 3600 Series printers.	Q6472A	Yellow	4,000	7510-01-546-6407	\$124.61	EA

<b>Hewlett Packard Toner Cartridges</b>							
FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN/GSA Part No.	Price	Unit of Issue
FSSI	HP- All-In-One - LaserJet M3027mfp Series and M3035mfp Series and HP Laser - LaserJet M3027mfp Series, M3035mfp Series and P3005 Series printers.	Q7551A	Black	6,500	7510-01-546-6415	\$112.65	EA
FSSI		Q7551X	Black	13,000	7510-01-546-6403	\$162.37	EA
	HP- LaserJet M2727nf and HP Laser - LaserJet P2010, P2014 and P2015 Series printers.	Q7553A	Black	3,000	7510-01-546-6418	\$89.81	EA

<b>Lexmark Toner Cartridges</b>							
FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN/GSA Part No.	Price	Unit of Issue
	Lexmark- E330, E332n, E332tn, E340 and E342n.	34035HA	Black	6,000	7510-01-558-8440	\$170.20	EA
	Lexmark- Remanufactured Toner. Lexmark 64415XA. E260,E360,E460 and E462.	SKILCRAFT	Black	3,500	7510-01-641-9549	\$71.99	EA
	Lexmark-Remanufactured Toner. Lexmark 50f0ha0/50f1h00 and for use in: Lexmark series MS310, MS410, MS510, and MS610 printers.	SKILCRAFT	Black	5,000	7510-01-659-0090	\$86.14	EA
	Lexmark- Remanufactured Toner. Lexmark 50f0ua0/50f1u00 and for use in: Lexmark series MS510 and MS610 printers.	SKILCRAFT	Black	20,000	7510-01-659-0093	\$119.61	EA
	Lexmark- Remanufactured Toner. Lexmark 50f0xa0/50f1x00 and for use in: Lexmark series MS410, MS510, and MS610 printers.	SKILCRAFT	Black	10,000	7510-01-659-0092	\$112.57	EA
FSSI	Lexmark- MS310, MS312, MS315, MS410, MS415, MS510 and MS610.	50F000G	Black	1,500	7510-01-653-5885	\$45.60	EA
FSSI		50F0H0G	Black	5,000	7510-01-653-4882	\$105.03	EA
FSSI		50F0U0G	Black	20,000	7510-01-653-4888	\$231.11	EA
FSSI		50F0X0G	Black	10,000	7510-01-653-4887	\$158.08	EA
	Lexmark- Remanufactured Toner. Lexmark 52d0ha0 and for use in: Lexmark series MS710, MS810, MS711, MS811, and MS812 printers.	SKILCRAFT	Black	25,000	7510-01-659-0095	\$132.92	EA
FSSI	Lexmark- MS710, MS711, MS810, MS811 and MS812.	52D0H0G	Black	25,000	7510-01-653-4895	\$294.40	EA
FSSI		52D0X0G	Black	45,000	7510-01-653-4898	\$426.11	EA
FSSI		52D000G	Black	6,000	7510-01-653-4890	\$112.86	EA
FSSI	Lexmark- MX310, MX410, MX510, MX511, MX610 and MX611.	60F0H0G	Black	10,000	7510-01-653-4886	\$158.08	EA
FSSI		60F0X0G	Black	20,000	7510-01-653-4891	\$231.81	EA
FSSI	Lexmark- MX710, MX711, MX810, MX811 and MX812.	62D000G	Black	6,000	7510-01-653-4894	\$99.25	EA
FSSI	Lexmark- MS710, MS711, MS810, MS811 and MS812.	62D0H0G	Black	25,000	7510-01-653-4899	\$233.03	EA
FSSI		62D0X0G	Black	45,000	7510-01-653-4901	\$364.49	EA
	Lexmark- T650N, T650DN, T650DTN, T652N, T652DN, T652DTN,T654N, T654DN, T654DTN AND T656DNE.	T650A, T650H and T654X	Black	25,000	7510-01-599-9349	\$355.98	EA
FSSI	Lexmark- MX910, MX911 and MX912.	64G0H00	Black	32,500	7510-01-653-4902	\$136.98	EA
FSSI	Lexmark- CS820, CX820, CX825 and CX860.	72K00MG	Magenta	8,000	7510-01-662-3671	\$178.15	EA
FSSI		72K00KG	Black	8,000	7510-01-662-3672	\$157.73	EA
FSSI		72K0XKG	Black	33,000	7510-01-662-3673	\$268.62	EA
FSSI		72K00CG	Cyan	8,000	7510-01-662-3674	\$178.15	EA
FSSI		72K00YG	Yellow	8,000	7510-01-662-3675	\$178.15	EA

<b>Lexmark Toner Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
FSSI	Lexmark- CS820.	72K0XMG	Magenta	22,000	7510-01-662-7099	\$510.37	EA
FSSI		72K0XCG	Cyan	22,000	7510-01-662-7100	\$510.37	EA
FSSI		72K0XYG	Yellow	22,000	7510-01-662-7102	\$510.37	EA
FSSI	Lexmark- CS725.	74C0HCG	Cyan	12,000	7510-01-662-7110	\$296.70	EA
FSSI		74C0HMG	Magenta	12,000	7510-01-662-7112	\$296.70	EA
FSSI		74C0HYG	Yellow	12,000	7510-01-662-7113	\$296.70	EA
FSSI	Lexmark- CS725 and CX725.	74C0HKG	Black	20,000	7510-01-662-7121	\$259.45	EA
FSSI	Lexmark- CS720, CS725 and CX725.	74C00CG	Cyan	3,000	7510-01-662-7131	\$117.19	EA
FSSI		74C00MG	Magenta	3,000	7510-01-662-7132	\$96.45	EA
FSSI		74C00YG	Yellow	3,000	7510-01-662-7133	\$96.45	EA
FSSI		74C0SYG	Yellow	7,000	7510-01-662-7106	\$159.29	EA
FSSI		74C00KG	Black	3,000	7510-01-662-7101	\$72.97	EA
FSSI		74C0SCG	Cyan	7,000	7510-01-662-7103	\$159.29	EA
FSSI		74C0SMG	Magenta	7,000	7510-01-662-7105	\$159.29	EA
FSSI		74C0SKG	Black	7,000	7510-01-662-7108	\$139.01	EA
FSSI	Lexmark- CS310, CS410 and CS510.	70C0HMG	Magenta	3,000	7510-01-653-5323	\$110.51	EA
FSSI		70C0XKG	Black	8,000	7510-01-652-6138	\$113.12	EA
FSSI		70C0HYG	Yellow	3,000	7510-01-653-5322	\$110.51	EA
	Lexmark- Series CX622ADE, CX625ADE, CX625ADHE, CX522ADE, CX421ADN, CS421DN, CS521DN, CS622DE Printers and Any Other Printer Using Lexmark P/N 78C00CG.	76C0HC0	Cyan	34,000	7510-01-676-8325	\$608.83	EA
	Lexmark- Series CS921DE, CS923DE, CX921DE, CX922DE, CX923DTE, CX923DXE, CX924DTE, CX924DXE Printer And Any Other Printer Using Lexmark P/N 76C0HM0.	76C0HM0	Magenta	34,000	7510-01-676-8320	\$608.83	EA
	Lexmark- Series CS921DE, CS923DE, CX921DE, CX922DE, CX923DTE, CX923DXE, CX924DTE, CX924DXE Printers And Any Other Printer Using Lexmark P/N 76C0HY0.	76C0HY0	Yellow	34,000	7510-01-676-8852	\$608.83	EA
	Lexmark- Series CX622ADE, CX625ADE, CX625ADHE, CX522ADE, CX421ADN, CS421DN, CS521DN, CS622DE Printers And Any Other Printer Using Lexmark P/N 78C00CG.	78C00CG	Cyan	1,400	7510-01-676-8851	\$81.60	EA
	Lexmark- Series CX622ADE, CX625ADE, CX625ADHE, CX522ADE, CX421ADN, CS421DN, CS521DN, CS622DE Printers And Any Other Printer Using Lexmark P/N 78C00MG.	78C00MG	Magenta	1,400	7510-01-676-8321	\$81.60	EA
	Lexmark- Series CX622ADE, CX625ADE, CX625ADHE, CX522ADE, CX421ADN, CS421DN, CS521DN, CS622DE Printers And Any Other Printer Using Lexmark P/N 78C00YG.	78C00YG	Yellow	1,400	7510-01-676-8322	\$81.60	EA
	Lexmark- Series CX622ADE, CX625ADE, CX625ADHE, CS521DN, CS622DE Printers And Any Other Printer Using Lexmark P/N 78C0UUG.	78C0UUG	Cyan	7,000	7510-01-676-8856	\$211.80	EA
	Lexmark- Series CX622ADE, CX625ADE, CX625ADHE, CS521DN, CS622DE Printers And Any Other Printer Using Lexmark P/N 78C0UKG.	78C0UKG	Black	10,500	7510-01-676-8860	\$145.04	EA
	Lexmark- Series CX622ADE, CX625ADE, CX625ADHE, CS521DN, CS622DE Printers And Any Other Printer Using Lexmark P/N 78C0UMG.	78C0UMG	Magenta	7,000	7510-01-676-8859	\$211.80	EA

<b>Lexmark Toner Cartridges</b>								
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>	
	Lexmark- Series CX622ADE,CX625ADE, CX625ADHE, CS521DN, CS622DE Printers And Any Other Printer Using Lexmark P/N 78C0UYG.	78C0UYG	Yellow	7,000	7510-01-676-8857	\$211.80	EA	
	Lexmark- CX310N; CX310DN; CX410E; CX410DE; CX410DTE; CX510DE;CX510DHE; CX510DTHE.	80C1SM0	Magenta	2,000	7510-01-650-9326	\$124.46	EA	
FSSI	Lexmark- CS310, CS410 and CS510.	80C00CG	Cyan	1,000	7510-01-650-9328	\$49.53	EA	
FSSI		80C00KG	Black	1,000	7510-01-650-9325	\$39.84	EA	
FSSI		80C00YG	Yellow	1,000	7510-01-650-9324	\$49.53	EA	
FSSI		80C0HCG	Cyan	3,000	7510-01-652-6114	\$86.19	EA	
FSSI		80C0HKG	Black	4,000	7510-01-652-6109	\$76.87	EA	
FSSI		80C0HMG	Magenta	3,000	7510-01-652-6111	\$86.19	EA	
FSSI		80C0HYG	Yellow	3,000	7510-01-652-6113	\$86.19	EA	
FSSI		80C0XCG	Cyan	4,000	7510-01-652-6116	\$86.93	EA	
FSSI		80C0XKG	Black	8,000	7510-01-652-6118	\$111.76	EA	
FSSI		80C0XMG	Magenta	4,000	7510-01-652-6121	\$86.93	EA	
FSSI		80C0XYG	Yellow	4,000	7510-01-652-6120	\$86.93	EA	
FSSI		Lexmark- CX820.	82K0HCG	Cyan	17,000	7510-01-662-7104	\$261.94	EA
FSSI			82K0HMG	Magenta	17,000	7510-01-662-7107	\$261.94	EA
FSSI	82K0HYG		Yellow	17,000	7510-01-662-7109	\$261.94	EA	
FSSI	Lexmark- CX825 and CX860.	82K0XCG	Cyan	22,000	7510-01-662-7111	\$277.72	EA	
FSSI		82K0XMG	Magenta	22,000	7510-01-662-7115	\$277.72	EA	
FSSI		82K0XYG	Yellow	22,000	7510-01-662-7116	\$277.72	EA	
FSSI	Lexmark- CX725.	84C0HMG	Magenta	16,000	7510-01-662-7117	\$310.16	EA	
FSSI		84C0HYG	Yellow	16,000	7510-01-662-7118	\$310.16	EA	
FSSI		84C0HKG	Black	25,000	7510-01-662-7119	\$286.01	EA	
FSSI		84C0HCG	Cyan	16,000	7510-01-662-7114	\$310.16	EA	
	Lexmark- P2030, P2035, P2050, and P2055.	SKILCRAFT	Black	13,000	7510-01-600-5981	\$146.85	EA	
FSSI	Lexmark- C522, C524 and C53X.	C5246KH	Black	8,000	7510-01-652-8949	\$168.58	EA	
FSSI	Lexmark- C522, C524 and C53X.	C5346MX	Magenta	7,000	7510-01-652-7529	\$191.64	EA	
FSSI	Lexmark- C530, C532, C534, C534N, C534DN and C534DTN Printers.	C5346YX	Yellow	7,000	7510-01-565-8512	\$197.52	EA	
	Lexmark- C734, C736, X734, X736, X738.	C734A2CG	Cyan	6,000	7510-01-587-2618	\$100.36	EA	
		C734A2YG	Yellow	6,000	7510-01-587-2622	\$166.75	EA	
FSSI		C734A2KG	Black	8,000	7510-01-587-2617	\$106.85	EA	
	Lexmark- C73x and X73x.	C734A4MG	Magenta	6,000	7510-01-623-1142	\$178.64	EA	

Lexmark Toner Cartridges							
FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN/GSA Part No.	Price	Unit of Issue
FSSI	Lexmark- C792.	C792A4CG	Cyan	6,000	7510-01-652-6119	\$204.67	EA
FSSI		C792A4KG	Black	6,000	7510-01-652-6123	\$134.90	EA
FSSI		C792A4MG	Magenta	6,000	7510-01-652-6124	\$204.67	EA
FSSI		C792A4YG	Yellow	6,000	7510-01-652-6126	\$204.67	EA
FSSI		C792X4CG	Cyan	20,000	7510-01-652-7082	\$365.27	EA
FSSI		C792X4KG	Black	20,000	7510-01-652-6115	\$209.14	EA
FSSI		C792X4MG	Magenta	20,000	7510-01-652-6117	\$365.27	EA
FSSI		C792X4YG	Yellow	20,000	7510-01-652-7083	\$365.27	EA
FSSI	Lexmark- C950.	C950X2CG	Cyan	22,000	7510-01-600-3047	\$421.77	EA
FSSI		C950X2KG	Black	32,000	7510-01-600-3046	\$340.31	EA
FSSI		C950X2MG	Magenta	22,000	7510-01-600-3048	\$414.19	EA
FSSI		C950X2YG	Yellow	22,000	7510-01-600-3049	\$414.19	EA
FSSI	Lexmark- E232, E232T, E240, E234, E340, and E342 Laser Printers.	24015SA	Black	2,500	7510-01-581-7305	\$71.12	EA
FSSI	Lexmark-E250, E350 and E352.	E250A41G	Black	3,500	7510-01-565-8506	\$87.17	EA
FSSI	Lexmark- E260D, E260DN, E360D, E360DN, E460DN, E460DW and E460DTN printers. Return Cartridge Program.	E260A41G	Black	3,500	7510-01-572-1161	\$72.82	EA
FSSI	Lexmark- E260, E36X and E46X .	E260A21A	Black	3,500	7510-01-582-4358	\$129.34	EA
FSSI	Lexmark- E260, E360, and E460.	E260X22G	Black	30,000	7510-01-572-1160	\$25.07	EA
FSSI	Lexmark- E260, E360, E460, E462, X264, X363, X364, X463, X464 and X466.	E260X42G	Black	30,000	7510-01-653-9294	\$25.87	EA
FSSI	Lexmark- E360, E460 and E462.	E360H41G	Black	9,000	7510-01-653-4878	\$154.97	EA
	Lexmark- E360 and E460.	SKILCRAFT	Black	17,637	7510-01-600-5978	\$204.62	EA
FSSI	Lexmark- E450 and E450DN. Return Cartridge Program.	E450A11A	Black	6,000	7510-01-581-7304	\$105.92	EA
FSSI	Lexmark- E450DN.	E450H21A	Black	11,000	7510-01-568-0645	\$190.57	EA
FSSI	Lexmark- E450.	E450H41G	Black	11,000	7510-01-653-4880	\$137.14	EA
FSSI	Lexmark- E360, E460 and E462.	E460X41G	Black	15,000	7510-01-653-4879	\$224.84	EA
FSSI		E462U41G	Black	18,000	7510-01-653-4881	\$237.75	EA
FSSI	Lexmark- X642E, X644E, X646E, X646DTE and X646EF.	X644X41G	Black	32,000	7510-01-653-5317	\$339.57	EA
FSSI	Lexmark- X651, X652, X654, X656 and X658.	X651A41G	Black	7,000	7510-01-616-2918	\$114.70	EA
FSSI		X651H11A	Black	25,000	7510-01-616-2915	\$364.92	EA
FSSI	Lexmark- X654, X656, X658.	X654X41G	Black	36,000	7510-01-616-2916	\$182.47	EA
FSSI	Lexmark- X746, X748.	X746A4CG	Cyan	7,000	7510-01-652-6133	\$145.12	EA
FSSI		X746A4MG	Magenta	7,000	7510-01-652-6136	\$145.12	EA
FSSI		X746A4YG	Yellow	7,000	7510-01-652-6141	\$145.12	EA
FSSI		X746H4KG	Black	12,000	7510-01-652-6140	\$129.78	EA



<b>Lexmark Toner Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
FSSI	Lexmark- X748.	X748H4CG	Cyan	10,000	7510-01-652-6143	\$175.49	EA
FSSI		X748H4MG	Magenta	10,000	7510-01-652-6127	\$175.49	EA
FSSI		X748H4YG	Yellow	10,000	7510-01-652-6128	\$200.84	EA
	Lexmark- X792DE, X792DTE, X792DTFE, X792DTME, X792DTPE and X792DTSE Series	X792X1CG	Cyan	20,000	7510-01-649-9273	\$401.99	EA
		X792X1MG	Magenta	20,000	7510-01-649-9276	\$418.52	EA
FSSI		X792X4YG	Yellow	20,000	7510-01-648-8174	\$283.32	EA
FSSI		X792X4KG	Black	20,000	7510-01-648-8177	\$170.79	EA
FSSI		X792X4CG	Cyan	20,000	7510-01-648-8179	\$283.32	EA
FSSI		X792X4MG	Magenta	20,000	7510-01-648-8193	\$283.32	EA
		Lexmark- X950, X952 and X954.	X950X2KG	Black	32,000	7510-01-649-1224	\$88.20
FSSI	X950X2MG		Magenta	22,000	7510-01-649-1554	\$390.28	EA
FSSI	X950X2CG		Cyan	22,000	7510-01-649-1555	\$390.28	EA
FSSI	X950X2YG		Yellow	22,000	7510-01-649-1556	\$390.28	EA
	Lexmark- X792DE and C792DE.	40X7100		150,000	7510-01-655-0666	\$234.44	EA
		40X71030		200,000	7510-01-654-9556	\$227.75	EA
	Lexmark- C950, X952 and X954	C950X71G	Black	115,000	7510-01-600-3051	\$229.00	EA
FSSI	Lexmark- MFP M585DN, M585F and M585Z	D8J10AG	Black	10,000	7510-01-645-8756	\$90.21	EA
	Lexmark- Remanufactured Toner. Compatible with Lexmark E360h11a, E360, E460 and E462.	SKILCRAFT	Black	9,000	7510-01-641-9545	\$93.96	EA
	Lexmark- Remanufactured Toner. Compatible with Lexmark T650h11a, T650, T652, T654, T656, X651DE, X652DE, X656DE, X658DE, X658DFE, X658DME, X658DTE, X658DTFE AND X658DTME.	SKILCRAFT	Black	25,000	7510-01-641-9547	\$145.76	EA
	Lexmark- X860e, X862e and X864e.	X860H22G	Black	48,000	7510-01-649-2976	\$133.99	EA

<b>Okidata Toner Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
	Okidata- C610CDN, C610DN, C610DTN, C610N	44315302	Magenta	6,000	7510-01-591-5409	\$164.67	EA
	Okidata- C610 Series Digital Color Printers; C610CDN, C610DN, C610DTN, C610N; digital pen printing solution and digital two pen printing solution	44315303	Cyan	6,000	7510-01-591-5407	\$164.76	EA
	Okidata- C610, C610dn, C610cdn and C610dtn.	44315301	Yellow	6,000	7510-01-591-5415	\$171.42	EA

<b>Samsung Toner Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
	Samsung- ML-4512ND, ML-5012ND AND ML-5017ND.	MLT-D307L	Black	15,000	7510-01-602-9202	\$169.68	EA
	Samsung- Samsung ML-4510ND, ML-4512ND, ML-5010ND, ML-5012ND, ML-5015ND and ML-5017ND	MLT-D307E	Black	20,000	7510-01-604-2614	\$351.06	EA

<b>Xerox Toner Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
	Xerox- Phaser 3600.	106R01370	Black	7,000	7510-01-581-6485	\$226.22	EA
	Xerox- Phaser 3600, Phaser 3600B,Phaser 3600DN,Phaser 3600N.	106R01371	Black	14,000	7510-01-581-6475	\$265.85	EA
FSSI	Xerox- Phaser 4600, 4620, and 4622.	106R02638	Black	30,000	7510-01-653-4909	\$326.78	EA
	Xerox- Phaser 6280.	106R01392	Cyan	5,900	7510-01-581-6483	\$251.27	EA
		106R01393	Magenta	5,900	7510-01-581-6486	\$251.27	EA
		106R01394	Yellow	5,900	7510-01-581-6487	\$251.27	EA
		106R01395	Black	7,000	7510-01-581-6488	\$220.31	EA
FSSI	Xerox- Phaser 6360	106R01220	Yellow	12,000	7510-01-561-9961	\$235.75	EA
FSSI		106R01221	Black	18,000	7510-01-561-9962	\$136.85	EA
FSSI	Xerox- Phaser 6600, WorkCentre 6605 and 6655 and VersaLink C400/C405.	108R01124	Black	30,000	7510-01-640-9621	\$27.50	EA
FSSI	Xerox- Phaser 6700	106R01510	Black	18,000	7510-01-627-0331	\$228.66	EA
FSSI		106R01508	Magenta	12,000	7510-01-627-0327	\$273.38	EA
FSSI		106R01507	Cyan	12,000	7510-01-627-0325	\$273.38	EA
FSSI		106R01509	Yellow	12,000	7510-01-627-0330	\$307.33	EA
FSSI	Xerox- Phaser 7500.	106R01438	Yellow	17,800	7510-01-617-9433	\$468.71	EA
FSSI		106R01436	Cyan	17,800	7510-01-617-9436	\$468.71	EA
FSSI		106R01439	Black	19,800	7510-01-617-9429	\$320.62	EA
FSSI		106R01437	Magenta	17,800	7510-01-617-9434	\$468.71	EA
FSSI	Xerox- ColorQube 8570 and 8580.	108R00928	Yellow	4,400	7510-01-594-4377	\$156.16	PG
FSSI		108R00927	Magenta	4,400	7510-01-594-4379	\$141.18	PG
FSSI		108R00930	Black	8,600	7510-01-594-4376	\$141.18	PG
FSSI		108R00926	Cyan	4,400	7510-01-594-4378	\$160.24	PG
FSSI	Xerox- ColorQube 8700	108R00990	Cyan	4,500	7510-01-649-1558	\$148.14	BX
FSSI		108R00994	Black	9,000	7510-01-649-1557	\$148.14	BX
FSSI		108R00991	Magenta	4,200	7510-01-649-1559	\$148.14	BX
FSSI		108R00992	Yellow	4,200	7510-01-649-1560	\$169.29	BX
	Xerox- WorkCentre: 6605DN, 6605N, 6655 and 6655XM and VersaLink C400/C405.	108R01121	Black, Cyan, Magenta and Yellow	60,000	7510-01-640-8656	\$353.28	KT
	Xerox-Smart Kit Drum Cartridge is designed for use with Xerox Phaser 3610, WorkCentre 3655 and WorkCentre 3615.	113R00773	Black	68,000	7510-01-633-4176	\$121.85	EA
	Phaser 6600/WorkCentre 6605 & VersaLink C400/C405	108R01122		100,000	7510-01-640-7947	\$395.42	EA

# Ink Cartridges and Supplies

<b>Hewlett Packard Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
FSSI	HP- Designjet Printers T610 24-in, T610 44-in, T620, T770 24-in HD, T770 44-in HD, T790 24-in, T790 24-in PS, T790 44-in, T790 44-in PS, T1100 24-in, T1100 44-in, T1100ps 24-in, T1100ps 44-in, T1100 MFP, T1120 24-in, T1120 44-in, T1120ps 24-in, T1120ps 44-in, T1120 SD MFP, T1120 HD MFP, T1200, T1200 PostScript, T1200 HD MFP, T1300 44-in, T1300 44-in PostScript, T2300, T2300 PostScript	C9370A	Photo Black	130 ml	7510-01-574-2336	\$52.18	EA
FSSI		C9371A	Cyan	130 ml	7510-01-574-2355	\$58.14	EA
FSSI		C9372A	Magenta	130 ml	7510-01-574-2350	\$58.14	EA
FSSI		C9373A	Yellow	130 ml	7510-01-574-2340	\$58.14	EA
FSSI		C9374A	Gray	130 ml	7510-01-574-8933	\$52.18	EA
		C9403A	Matte Black	130 ml	7510-01-574-2338	\$78.43	EA
		C9399A	Magenta	69 ml	7510-01-561-7474	\$55.42	EA
		C9401A	Gray	69 ml	7510-01-559-7625	\$55.42	EA
		C9400A	Yellow	69 ml	7510-01-559-0635	\$54.30	EA
FSSI	HP Designjet Printers:Z2100, Z3100 24-in, Z3100 44-in, Z3100ps GP 24-in, Z3100ps GP 44-in, Z3200 24-in, Z3200 44-in, Z3200ps 24-in, Z3200ps 44-in and Z5400.	C9448A	Matte Black	130 ml	7510-01-606-7915	\$86.55	EA
	HP All-In-One - Officejet: 100,150, 2710 Series, 6200, 6210 Series, 7210 Series, 7310 Series, 7410 Series, Photosmart 2610 Series, 2710 Series, PSC 1600, 1610 Series, 2350, 2355 Series and HP Inkjet - Deskjet 460 Series, 5740 Series, 5940 Series, 6520 Series, 6540 Series, 6620 Series, 6830v, 6840 Series, 6980 Series, 9800 Series, Officejet H470 Series and HP Photo - Deskjet 460 Series, 5740 Series, 5940 Series, 6520 Series, 6540 Series, 6620 Series, 6830v, 6840 Series, 6940 Series, 6950 Series, 9800 Series, Officejet 6200, 6210 Series, 7210 Series, 7310 Series, 7410 Series, Photosmart 2610 Series, 2710 Series, 325 Series, 335 Series, 375 Series, 385 Series, 422, 425 Series, 428 Series, 475 Series, 8050, 8150 Series, 8450 Series, 8750, Photosmart Pro B8350, PSC 1600, 1610 Series, 2350, 2355 Series and HP Portable - Deskjet 460 Series, H470 Series, Photosmart 325 Series, 335 Series, 375 Series, 385 Series, 422, 425 Series, 428 Series and 475 Series printers.	C9363WN	Tri-color	450	7510-01-542-5295	\$50.77	EA
	HP All-In-One - Officejet 2710 Series, 7210 Series, 7310 Series, 7410 Series, Photosmart 2610 Series, 2710 Series, and HP Inkjet - Deskjet 5740 Series, 5940 Series, 6520 Series, 6540 Series, 6620 Series, 6830v, 6840 Series, 6940 Series, 6980 Series, 9800 Series and HP Photo - Deskjet 5740 Series, 5940 Series, 6520 Series, 6540 Series, 6620 Series, 6830v, 6840 Series, 6940 Series, 6980 Series, 9800 Series, Officejet 7210 Series, 7310 Series, 7410 Series, Photosmart 2610 Series, 2710 Series, 8050, 8150 Series, 8450 Series, 8750, and Photosmart Pro B8350 printers.	C8767WN	Black	860	7510-01-542-5294	\$45.18	EA

<b>Hewlett Packard Cartridges</b>							
<b>FSSI</b>	<b>Fits Machine Models</b>	<b>Mfg. Part No.</b>	<b>Color</b>	<b>Approx. Page Yield</b>	<b>NSN/GSA Part No.</b>	<b>Price</b>	<b>Unit of Issue</b>
FSSI	HP- DesignJet T920/T930 /T1500/T1530 eSeries; HP DesignJet T2500/T2530 eMultifunction Series.	B3P06A	Multi-Color		7510-01-641-0695	\$251.77	EA
FSSI		B3P19A	Cyan	130ml	7510-01-641-0137	\$63.28	EA
FSSI		B3P20A	Magenta	130ml	7510-01-641-0689	\$63.28	EA
FSSI		B3P21A	Yellow	130 ml	7510-01-641-0703	\$63.28	EA
FSSI		B3P23A	Photo Black	130ml	7510-01-641-0699	\$63.28	EA
FSSI		B3P24A	Gray	130ml	7510-01-641-0697	\$63.28	EA
FSSI		C1Q12A	Matte Black	300 ml	7510-01-641-0700	\$123.86	EA
FSSI		HP- T1200, T1200 PostScript, T1200 HD MFP, T1300 44-in, T1300 44-in PostScript, T2300, T2300 PostScript	CH575A	Black	300 ml	7510-01-607-1383	\$163.60
	HP OfficeJet Pro 8100 AND 8600.	CN045AN	Black	2,300	7510-01-604-1045	\$35.42	EA
FSSI	HP- MFPM585DN, M585F AND M585Z.	D8J08AG	Magenta	6,600	7510-01-645-8754	\$99.40	EA
FSSI		D8J07AG	Cyan	6,600	7510-01-645-8755	\$99.40	EA
	HP- Designjet Z6200 42-in, Z6200 60-in	B6Y18A	Yellow	775 ml	7510-01-607-0147	\$240.00	EA
FSSI		CE017A	Matte Black/ Chromatic Red		7510-01-607-0148	\$214.30	EA
FSSI		CE018A	Magenta/Yellow		7510-01-607-0149	\$214.30	EA
FSSI		CE019A	Light Magenta/ Light Cyan		7510-01-607-0137	\$214.30	EA
FSSI		CE020A	Photo Black/Light Gray		7510-01-607-0138	\$214.30	EA
FSSI	HP- Designjet Printers T610 24-in, T610 44-in, T620, T770 24-in HD , T770 44-in HD, T790 24-in, T790 24-in PS, T790 44-in, T790 44-in PS, T1100 24-in, T1100 44-in, T1100ps 24-in, T1100ps 44-in, T1100 MFP, T1120 24-in, T1120 44-in, T1120ps 24-in, T1120ps 44-in, T1120 SD MFP, T1120 HD MFP, T1200, T1200 PostScript, T1200 HD MFP, T1300 44-in, T1300 44-in PostScript, T2300, T2300 PostScript	C9380A	Photo Black/ Gray		7510-01-606-4444	\$75.92	EA
FSSI		C9383A	Magenta/Cyan		7510-01-606-4445	\$75.92	EA
FSSI		C9384A	Matte Black/ Yellow		7510-01-606-4446	\$75.94	EA
FSSI	HP- Designjet Printers T7100	CH646A	Magenta/Cyan		7510-01-606-9854	\$166.08	EA

# OFFICE PRODUCTS

## IN THIS SECTION

Computer Accessories and Supplies . . . .	2	Writing Instruments and Supplies . . . . .	42
Office Machines and Equipment . . . . .	10	Basic Office Supplies . . . . .	61
Presentation and Visual. . . . .	19	Binders and Filing . . . . .	81
Frames. . . . .	31	Forms. . . . .	101
Awards. . . . .	35	Paper and Labels. . . . .	103
Calendars and Personal Organizers . . . .	36	Mailing and Packing Supplies. . . . .	117
Briefcases and Pad Holders. . . . .	40	Clocks and Watches. . . . .	139

# Data Media and Media Storage

## USB Flash Drive

A fast and efficient security processor that provides advanced portable security through AES 256-bit hardware encryption, authentication and manageability. FIPS 140-2, Level 3 validation meets the highest government standards. Tamper-resistant metal enclosure is waterproof and dustproof meeting IEC 60529 IP57 and MIL-STD-810F. Supports up to 10 users on one device with one administrator enforcing policies. Compatible with USB 1.1, 2.0 and WIN2000/XP/Vista/7/Linux. Features plug and play USB technology, Drag and drop transfer of files, password encryption and LED indicator. 5-year limited warranty.

7045-01-599-9355, SKILCRAFT, AbilityOne, Black, Capacity: 32 GB, EA, \$171.06

USB flash drive provides convenience of portable storage in an ultra-slim format that does not block adjacent USB ports. Compatible with USB 1.1 and 2.0 and OS WIN 2000/ME/XP/Vista, Mac OS9+ and Linux 2.4+. Read speed is approximately 30 MB/sec and write speed is approximately 20 MB/sec., peak 25MB/sec. Supports password protection. Plug and play with no driver needed for most OS. LED indicator-light on when in use. Durable and reliable storage, data retention for 10+ years. Features 1,000G shock resistance. USB bus-powered; no batteries required; no external power required. Lifetime warranty. Includes lanyard with sturdy detachable clip.

7045-01-558-4988, SKILCRAFT, AbilityOne, Silver, Capacity: 16 GB, EA, \$30.19

Federal Strategic Sourcing Initiative, 7045-01-570-2661, SKILCRAFT, AbilityOne, Silver, Capacity: 32 GB, EA, \$40.69

## USB Flash Drive with 256-bit AES Encryption

Portable storage device with 256-bit AES Encryption. Highest level of data protection approved by the federal government. Meets FIPS 140-2 Standards. UltraLock software preloaded ready for password customization. 'Drag and Drop' interface. No back door entry for maximum security. Compatible with USB 1.1, 2.0, WIN2000/NT/ME/XP/Vista, Mac OS9+, Linux 2.4+. Read speed 30MB/sec. Write speed 20MB/sec; peak 25MB/sec. LED Indicator-light on when in use. Durable and reliable storage data retention for 10+ years. 1,000G shock resistance. USB bus-powered; no batteries required; no external power required. Lifetime warranty. Includes lanyard with sturdy detachable clip.

7045-01-569-1704, SKILCRAFT, AbilityOne, Capacity: 32 GB, EA, \$48.86

## Portable Hard Drive

High-capacity mobile storage for data, photos, presentations, videos and music. Pocket-sized and lightweight, this product is compatible with both PC and MAC. USB 3.0 (compatible with USB 1.1 and USB 2.0) no additional power is required. Total media backup software included. 1 year warranty. 5"L x 3-1/4"W x 1/2"H.

Federal Strategic Sourcing Initiative, 7045-01-568-9695, SKILCRAFT, AbilityOne, Capacity: 500 GB, EA, \$105.39

## Recordable CD-R

These discs provide reliable data security. Large storage capacity. They are compatible with all types and speeds of CD-R writing systems. The playback is compatible with all CD-ROM drives and audio CD players. 80 minutes, Write speed 52x.

**100 pack spindle.**

Federal Strategic Sourcing Initiative, 7045-01-515-5375, Capacity: 700MB, PG(contains 100 EA), \$20.11

## Recordable CD-R Gold

Contains a 24-Karat gold reflective layer for durability. The diamond coat surface is designed to protect media from scratches, repeated use and handling. Write once format. Nonflexible. Recording (REC) Capacity 650MB (DATA) minimum; Rec time 74 minutes (audio) minimum; Rec speed 12X minimum.

**Contains 50 with tyvek sleeves and mailers.**

Federal Strategic Sourcing Initiative, 7045-01-429-3462, SKILCRAFT, AbilityOne, Capacity: 650MB, BX(contains 50 EA), \$123.04

## Rewritable CD-RW

Recordable / Rewritable CD allows users to overwrite directly and repeatedly. Playable on all CD-ROM drives equipped with MultiRead functionality. Recording speed 1X minimum to 4X maximum; Rewritability up to 1,000 times; 80 minutes; Recording speed 4x.

**25 pack spindle.**

Federal Strategic Sourcing Initiative, 7045-01-515-6774, Capacity: 700MB, PG(contains 25 EA), \$12.22

Rewritable CD allows users to overwrite directly and repeatedly. Playable on all CD-ROM drives equipped with MultiRead functionality. Rewritability up to 1,000 times. 80 minutes; 4x max.

**Includes jewel cases.**

7045-01-482-7542, Capacity: 700MB, PG(contains 10 EA), \$7.37

Rewritable CD allows the user to record, erase and re-write up to 1,000 times. Records speeds from 4x to 12x. 80 minute CD is compatible with leading CDRW, DVD and multi-read drives.

**Five CD-RWs with jewel cases.**

7045-01-470-3592, SKILCRAFT, AbilityOne, Capacity: 700 MB, BX(contains 5 EA), \$7.82

## Recordable/Rewritable DVD

Rewritable/recordable media disc features a 4.7 GB capacity and up to 4X recording speed. Rewritable up to 1,000 times. Holds seven times more data than a full size CD-R. Stores up to two hours of MPEG2 DVD video or digital video and digital audio files.

**DVD-RW. Includes jewel cases.**

7045-01-515-5371, PG(contains 5 EA), \$6.97

Includes jewel cases. Rewritable/recordable media disc features a 4.7 GB capacity and up to 4X recording speed. Rewritable up to 1,000 times. Stores up to two hours of MPEG2 DVD video or digital video and digital audio files.

**DVD+RW. 25 pack spindle.**

Federal Strategic Sourcing Initiative, 7045-01-515-5373, PG(contains 25 EA), \$17.52

## Recordable DVD

This DVD has a 4.7 GB recording capacity and up to 16X recording speed. Writes once, single sided, and stores up to 2 hours of digital video in SP mode or 4 hours in EP mode. Holds 7 times more data than a full size CD-R.

**DVD-R. 25 pack spindle.**

Federal Strategic Sourcing Initiative, 7045-01-515-5372, PG(contains 25 EA), \$7.70

This DVD has a 4.7 GB recording capacity and up to 16X recording speed. Writes once, single sided, and stores up to 2 hours of digital video in SP mode or 4 hours in EP mode. Holds 7 times more data than a full size CD-R.

**DVD+R. 25 pack spindle.**

7045-01-515-5374, PG(contains 25 EA), \$10.53

## Recordable DVD-R

This DVD-R has a 4.7 GB recording capacity and up to 16X recording speed. Writes once, single sided, and stores up to four hours of digital video. Thermal printable silver surface on non-recordable side.

**DVD+R. 100 pack spindle.**

Federal Strategic Sourcing Initiative, 7045-01-614-7492, SKILCRAFT, AbilityOne, PG(contains 100 EA), \$26.96

## Inkjet Printable DVD-R

Inkjet Printable DVD-Rs allow you to print directly on the disc surface for quick and easy labeling. For use with leading inkjet printers with white matte surface for excellent print quality. Write-once format. 16X recording speed.

*60-month maximum shelf life (extendable).*

7045-01-658-2771, SKILCRAFT, AbilityOne, White, Capacity: 4.7 GB, PG(contains 50 EA), \$21.06

## Laser Printable DVD-R

Laser Printable DVD-Rs allow you to print directly on the disc surface for quick and easy labeling. For use with leading inkjet printers with white matte surface for excellent print quality. Write-once format. 16X recording speed, 120 minutes

*60-month maximum shelf life (extendable).*

7045-01-658-2772, SKILCRAFT, AbilityOne, White, Capacity: 4.7 GB, PG(contains 50 EA), \$21.54

## CD/DVD Label Kit Refill

Refill labels for the CD/DVD label maker kit NSN 7530-01-554-9537.

**CD matte label refill.**

7530-01-554-9538, SKILCRAFT, AbilityOne, White, PG(contains 50 EA), \$13.23

## CD/DVD Holders

This quick-load, loose-leaf CD/DVD holder sheets feature two pockets each, providing a total capacity of 20 disks. Pages fit neatly into three-ring binders.

7510-01-504-7385, Clear, PG(contains 10 EA), \$8.46

## CD/DVD Jewel Case

Replacement jewel case protects and stores any standard CD or DVD. Soft plastic, Clam-shell design

Federal Strategic Sourcing Initiative, 7045-01-554-7681, SKILCRAFT, AbilityOne, Clear, PG(contains 25 EA), \$9.47

Slim, replacement jewel case protects and stores any standard CD or DVD. Designed to hold inserts/literature in front and back. Thinner than standard CD/DVD cases for more compact storage.

**Red, Yellow, Green, Blue and Purple.**

7045-01-554-7682, SKILCRAFT, AbilityOne, Assorted, 5-1/8" X 11-3/4" X 11-1/4", PG(contains 25 EA), \$10.45

## Thermal Printable CD-R

Thermal Printable CD-Rs allow you to print directly on the CD surface for quick and easy labeling. For use with leading thermal printers, the surface showcases excellent print quality. Write once format. 52X recording speed. 80 minutes.

*60-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7045-01-658-2773, SKILCRAFT, Silver, 700 MB, PG(contains 100 EA), \$22.52

AbilityOne, Maintenance and Care

# Maintenance and Care

## Mini-Vacuum

This lightweight hand-held vacuum cleaner/blower is a fast and easy way to clean computers and office equipment. Complete with a 19-inch flexible hose, pin pointer nozzle, crevice tool, dust brush, four-piece micro-cleaning tool kit, shoulder strap, and five disposable bags.

**For replacement filter/bags see PC Vacuum Replacement Bag NSN 7045-01-417-3206.**

Federal Strategic Sourcing Initiative, 7910-01-423-9525, Model: MDV-1BA or equal, 16" x 4" x 4", EA, \$103.79

## Air Duster

This dust blaster delivers a concentrated blast of air that removes dust from office and computer equipment on sensitive parts or electronics. The 100 percent ozone-safe office duster is trigger-operated with a spray nozzle.

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-398-2473, Material Safety Data Sheet, 894002 or equal, AbilityOne, 10 oz. aerosol, BX(contains 6 EA), \$27.23

## CRT Screen Cleaning Wipes

Pre-moistened anti-static computer screen wipes are effective for removing dirt and smudges from LCD and CRT computer screens. Non-abrasive, lint free wipes come in a convenient pop-up container. Box contains 12 pop-up containers of 50 sheets.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-454-1138, Material Safety Data Sheet, AbilityOne, 6.3 x 6.25", BX(contains 12 EA), \$70.47



# Power Protection/UPS

## Portable Battery Pack

Compact and easy to carry power packs with integrated flashlight are rechargeable up to 500 times. Charge two devices at once with dual charging ports; LED power indicator shows the amount of charge remaining.

Fully recharge devices with the 6,000mAh portable USB power packs.

6140-01-672-8906, SKILCRAFT, AbilityOne, Black, 5.75" H x 2.875" W x 0.5" D, EA, \$31.54

## Surge Suppressor

Surge suppressor provides protection to your electronic equipment. Features a 6-foot cord and eight-outlets total with a minimum of 3 outlets with transformer spacing. 480 joule rating, 120 volts AC, EMI/RFI filtration. UL 1449.

5920-01-422-8851, 3000J or Equal, EA, \$22.99

Plug strip features a 6-foot cord and eight-outlets total with 3 outlets with transformer spacing, 2000 joules, 120 volt AC, EMI/RFI filtration, 15 amps. UL 1449.

5920-01-422-8857, 03405 or equal, EA, \$26.28

Power strip has a 6-foot cord and eight-outlets. three-mode protection, 15 amps, 120 volts AC, 1380 joules. UL 1449.

5920-01-422-8844, EA, \$24.55

Surge suppressor with a 6-foot cord and six-outlets. Features a plastic case, three conductors, 15 amps, 120 volts AC, 312 joules, EMI/RFI filtration, lighted master On/Off switch, and built-in T-slots for wall mounting. UL 1449.

5920-01-384-8597, 06-PT6683 or equal, EA, \$10.71

Surge suppressor features a 6-foot cord and six-outlets. 90 joules, maximum spike current of 4000 amps or better, 600 volts clamping, and a response time of one nanosecond or less. UL 1449.

5920-01-384-8501, S-25H-6S or equal, EA, \$8.38

Surge suppressor has a 6-foot cord and six-outlets. Features a 15 amp circuit breaker, 360 joules, 27,000 peak amps, EMI/RFI filtration, 330 volts clamping. UL 1449.

5920-01-422-8867, 03984 or equal, EA, \$13.75

Surge suppressor with a 6-foot cord and six-outlets. Features 672 joules, 15 amps, 120 volts AC, three mode protection. UL 1449.

5920-01-384-7958, APCPR07 or equal, EA, \$13.05

Surge protection for devices. Features a 6-foot cord and eight outlets total, with a minimum of 3 outlets with transformer spacing. Minimum 1035 joules of protection, EMI/RFI filtration, meets UL 1449.

5920-01-433-0301, 03405 or Equal, EA, \$21.84

Surge protector with a 6-foot cord and 7 outlets. Includes RJ-11 modem/fax/DSL protection. 240-joule rating, EMI/RFI filtration, meets UL 1449.

5920-01-384-8699, BE107200-06 or equal, EA, \$12.64

Six-outlet strip surge protector with a 15-foot cord. Features a LED surge indicator, LED wiring fault indicator, three-line protection, thermal safety fuse, and on/off switch. 15 amps, 210 joules. UL 1449.

5920-01-490-6691, 3880 or equal, EA, \$21.84

## Uninterruptible Power Supply

Voltage regulator has a 5-foot cord and a minimum power rating of 600 volt-amperes. Features seven NEMA 5-15 outlets, including five with a battery backup and two surge-only and USB connectivity to provide management of the UPS via the USB port. LED light for power status. Input/output 120 volts, 420 joules. UL 1778.

6110-01-450-4385, BN650M1 or Equal, EA, \$86.19

# Computer Accessories

## Computer Speakers

Computer stereo speakers deliver rich, full sound and superior convenience. Speakers can be used with your PC, portable CD or cassette player, MP3 player and more. (Includes two speakers, one with on/off switch and volume control.) Minimum peak power is 4 watts.

7045-01-490-7254, 4"L x 3-1/2"W x 7-1/2"H, EA, \$22.87

## Laptop Lock

T-bar Combination laptop lock has a 4-wheel keyless, push button lock and a strong six foot steel cable that loops around an immovable The anchor plate is designed to secure a device that does not have a Kensington security slot found on notebook or laptop computers.

Federal Strategic Sourcing Initiative, 5340-01-598-7496, AbilityOne, EA, \$32.09

## Office Machine Lock

Desktop and peripherals locking kit has a strong eight foot steel cable, anchor plate and a keyed lock. Comes with two barrel style keys.

5340-01-598-7495, K64615US, AbilityOne, EA, \$32.79

## Notebook or Laptop Security Cable

"MicroSaver" security cable has a strong six foot steel cable that loops around an immovable object. Features a one-step key locking process. Works with the Kensington security slot on notebook or laptop computers. Comes with two barrel style keys.

Federal Strategic Sourcing Initiative, 5340-01-384-2016, AbilityOne, EA, \$46.47

## Notebook/LCD Monitor Privacy Filter

Made using quality 3M™ materials to provide world class black out privacy. These privacy filters are for desktop and notebook LCD monitors and enable the user to keep classified and/or sensitive material from being viewed by others. Protects screens from scratches and fingerprints while also minimizing glare and reducing eyestrain. Easily installed and removed with no harm to screens. Filter stays in place when notebook is closed. Custom cut for specific devices, be sure to confirm the model and size before ordering.

**For use in a 16:9 Aspect Ratio Computer Screen**

*48-month maximum shelf life (not extendable).*

7045-01-671-2138, SKILCRAFT, AbilityOne, Black, 27" Diagonal Widescreen, 23-9/16" W x 13-1/4" H, EA, \$166.52

Prevent visual hacking in any environment with Privacy Shield Privacy Filters with Frame for desktop computers. Quality 3M materials provide world class “black out” privacy that delivers incredible screen image clarity when monitor is viewed from the front but makes images appear dark when viewed from an angle. Lightweight filter removes easily for shared viewing without damage to desktop monitor. Available in several sizes, confirm monitor dimensions and aspect ratio before ordering.

#### Standard Screen

7045-01-570-8900, SKILCRAFT, AbilityOne, 15" Diagonal, 12" W x 9" H, EA, \$48.94

Federal Strategic Sourcing Initiative, 7045-01-570-8904, SKILCRAFT, AbilityOne, 17" Diagonal, 14-1/2" W X 9-1/16" H, EA, \$64.44

Federal Strategic Sourcing Initiative, 7045-01-570-8908, SKILCRAFT, AbilityOne, 19" Diagonal, 14-13/16" W X 11-7/8" H, EA, \$74.12

7045-01-570-8910, SKILCRAFT, AbilityOne, 20-1/16" Diagonal, 16-1/8" W X 12-1/8" H, EA, \$104.47

#### Widescreen.

7045-01-570-8902, SKILCRAFT, AbilityOne, 15-3/8" Diagonal, 13-1/16" W x 8-3/16" H, EA, \$58.75

Federal Strategic Sourcing Initiative, 7045-01-570-8898, SKILCRAFT, AbilityOne, 17" Diagonal, 14-1/2" W X 9-1/16" H, EA, \$81.17

Federal Strategic Sourcing Initiative, 7045-01-570-8907, SKILCRAFT, AbilityOne, 19" Diagonal, 16-3/16" W X 10-1/8" H, EA, \$82.35

#### 16:10 Aspect Ratio

7045-01-649-7196, SKILCRAFT, AbilityOne, 20" Diagonal, 17-7/16" W x 9-13/16" H, EA, \$180.68

7045-01-570-8894, SKILCRAFT, AbilityOne, 20-1/16" Diagonal, 17-1/8" W X 10-3/4" H, EA, \$113.91

Federal Strategic Sourcing Initiative, 7045-01-570-8895, SKILCRAFT, AbilityOne, 22" Diagonal, 18-7/8" W X 11-5/8" H, EA, \$118.97

Federal Strategic Sourcing Initiative, 7045-01-570-8897, SKILCRAFT, AbilityOne, 24" Diagonal, 20-3/8" W X 12-3/4" H, EA, \$113.63

7045-01-649-6592, SKILCRAFT, AbilityOne, 23" Diagonal, 20-1/16" W x 11-5/16" H, EA, \$95.60

#### For use in a 16:9 Aspect Ratio Computer Screen

Federal Strategic Sourcing Initiative, 7045-01-619-2983, SKILCRAFT, AbilityOne, 24" Widescreen, 24"-5/8" D X, EA, \$117.41

20-7/8" W X 13-1/8" H, Federal Strategic Sourcing Initiative, 7045-01-662-0015, SKILCRAFT, AbilityOne, Black, Black 24" Widescreen,, EA, \$190.27

20-15/16" W X 11-13/16" H, Federal Strategic Sourcing Initiative, 7045-01-662-0013, SKILCRAFT, AbilityOne, Black, Black 22" Widescreen,, EA, \$195.30

19-1/2" W X 10-15/16" H, Federal Strategic Sourcing Initiative, 7045-01-599-5286, SKILCRAFT, AbilityOne, 21-1/2" Diagonal, 18-3/4" W X 10-9/16" H, EA, \$86.68

#### Framed Wide Screen.

##### 16:9 Aspect Ratio

Federal Strategic Sourcing Initiative, 7045-01-614-6233, SKILCRAFT, AbilityOne, 22" Diagonal, 19-1/8" W X 12-1/8" H, EA, \$186.98

Federal Strategic Sourcing Initiative, 7045-01-614-6232, SKILCRAFT, AbilityOne, 24" Diagonal, 20-7/8" W X 13-1/8" H, EA, \$214.26

7045-01-613-7629, SKILCRAFT, AbilityOne, 17" Diagonal, 13-5/8" W X 10-15/16" H, EA, \$151.83

#### Framed Standard Screen.

7045-01-613-7630, SKILCRAFT, AbilityOne, 19" Diagonal, 15-5/16" W X 12-3/8" H, EA, \$160.03

## Wireless Mouse

Navigate web based documents on the internet with ease using Wireless Mouse with micro USB receiver. Enjoy the reliable performance of 2.4 GHz wireless technology in a comfortable, ergonomic soft touch design. This unit is battery operated with standard navigation buttons plus a DPI switch button for cursor speed control and forward and back web navigation buttons located on the side.

#### Right-Handed.

7025-01-651-8938, SKILCRAFT, AbilityOne, Black, EA, \$24.03

## Optical Mouse

Mouse's optical sensor makes for superior and precise control. Works on virtually any surface, no mouse pad needed and no mouse ball to clean. The ergonomic shape and rubberized sides make this the ideal mouse for comfort and precision. USB and PS/2 interface. Ambidextrous use.

7025-01-490-6701, Gray, EA, \$20.01

Featuring a smooth ergonomic shape this optical mouse features two Navigation buttons and a scroll wheel for ease of operation. With an 800 dpi optical sensor this mouse can be used on a variety of surfaces. Plugs into any USB port for ease of operation. Can be used with any PC or Windows application. Includes: ergonomic design is for right-handed use.

7025-01-618-4138, SKILCRAFT, AbilityOne, Black/Gray, EA, \$14.95

## Cordless Mouse

Cordless reliable technology provides superior control for up to six feet from the receiver. An optical sensor tracks the movement of the mouse, easy navigation and five programmable buttons make this product easy to use. Mouse functions on almost any solid surface and requires no cleaning. Compatible with Windows XP, Vista and 7 and has wireless USB connectivity. Batteries included.

7025-01-503-8608, Silver/Black, EA, \$49.31

## Mouse Pad

This standard mouse pad is comprised of open-cell sponge rubber with a polyester fabric surface. Pad is impact-absorbent and provides excellent traction.

Federal Strategic Sourcing Initiative, 7045-01-368-4809, SKILCRAFT, AbilityOne, Blue, 9-3/8" x 7-7/8 x 1/4", EA, \$2.07

7045-01-368-4808, SKILCRAFT, AbilityOne, Red, 9-3/8" x 7-7/8 x 1/4", EA, \$1.56

7045-01-368-4810, SKILCRAFT, AbilityOne, Gray, 9-3/8" x 7-7/8 x 1/4", EA, \$1.56

## Mouse Pad with Wrist Rest

Wrist rest and mouse pad combination features a gel-filled chamber that conform to your wrist shape for maximum comfort. The gel-filling is non-toxic.

7045-01-441-9577, Black, 8 x 9-1/2", EA, \$18.52

Mouse pad with wrist pillow provides ergonomic support with gel cushion comfort.

7045-01-412-5317, Black, 8"L x 11"W, EA, \$17.48

Gel pad conforms to wrist, providing firm, soothing support while redistributing pressure points for exceptional comfort. Mouse pad provides superior tracking.

7045-01-444-2534, Platinum/Graphite, 6-1/4 x 1-1/8 x 10-1/4", EA, \$12.82

Gel wrist rest glides freely at the base of the mouse pad to reduce inflection and redistribute pressure points. Soothing gel conforms to your wrist for maximum comfort and support.

7045-01-477-7792, Black, 1-1/2 x 10 x 12", EA, \$15.41

## Wrist Rest

This ergonomic gel wrist rest provides exceptional support while redistributing pressure points. Offers height and tilt adjustment for an individualized fit. Features a durable covering that withstands daily wear and tear. Non-skid base holds wrist rest firmly in place.

7045-01-444-2535, Graphite, 1-1/4" x 19-1/2" x 3-3/4", EA, \$12.18

Gel wrist rest is ergonomically designed to provide exceptional forearm and wrist comfort and support for improved productivity. Easily cleaned with warm water and soap.

7045-01-444-2533, Graphite, 7/8" x 20" x 3", EA, \$16.96

Gel wrist rest features smooth lycra covering and non-skid base.

7045-01-441-9576, Black, 1" x 19" x 3", EA, \$15.41

Wrist support is ergonomically designed to support your hands in a comfortable position. Has an acrylic keyboard base with a plastic foam pad in an attractive design. Size of support base is 18-7/8 x 12"; pad size is 2-1/2 x 1" (flat).

Federal Strategic Sourcing Initiative, 7045-01-406-4663, Gray, EA, \$28.44

## Kensington®/SKILCRAFT® Monitor Arm

Fully adjustable, column mount, 17" extended monitor arms reduce eye and neck strain and increase productivity. Available for either single monitor mounts or dual monitor mounts. Each monitor arm features dual pivot points to quickly and easily guide the user in setting the optimal viewing angle and monitor height based on each user's size. Arms easily reset for multiple users. Each arm easily and separately adjusts vertically, horizontally, and for distance, as well as tilts to eliminate glare and rotates for portrait and landscape viewing to improve comfort and enhance productivity. Monitor arms attach via a 75mm or 100mm VESA-compatible mount to flat panel monitor screens measuring up to 24" n size and weighing up to 25-lbs per monitor. Monitors clamp without tools to the back of a work surface edge. Monitor arms provide more work surface and reduce cable clutter via a cable management system built into the central column mount. Assembles in minutes.

7110-01-590-8674, AbilityOne, Dark Gray, Single Monitor Arm, EA, \$115.47

7110-01-590-8676, AbilityOne, Dark Gray, Dual Monitor Arm for Use with Split Screens, EA, \$187.92

## Thermal Transfer Ribbon

The Thermal Transfer Ribbon is a critical component in thermal transfer printing. In this print method, a hot print head creates the printed image by melting the ribbon material onto the paper stock. The resulting print stabilizes quickly and is durable enough for most non-archival barcode and shipping needs. High speed 4400 printer; cardboard core; silver polyester leader; 4.50" W x 180,000" L; Color: black; Plastic polyester film; For Intermec media products

*12-month maximum shelf life (extendable).*

7510-01-444-9445, Material Safety Data Sheet, EA, \$60.65

# Calculators and Accessories

## Scientific Calculator

Texas Instruments Part # TI-36X PRO is a scientific calculator with a slide-on cover case and non-skid rubber feet. Hand held machine is programmable and features liquid crystal 4-line LCD display. Powered by solar cell one battery with an automatic multiplication feature. 16 digit entering capacity and 16 digit totalizing capacity. It has a built in memory with 7 variables. Automatic shutoff included.

7420-01-246-3043, TI-36X PRO, Black, EA, \$50.63

With a two line, minimum eight-digit display, this hand-held pre-programmed calculator features scientific and statistical functions. Including log, anti-log, reciprocals, power, trigonometric, mean and standard deviation functions. Solar operated.

7420-01-412-4136, EA, \$39.00

## DeskMate II Plastic Storage Clipboard with Calculator

DeskMate II Plastic Storage Clipboard holds your complete mobile office. Made of durable polypropylene construction and features solar powered and battery operated calculator. AG10 button battery included. Bottom opening for convenient access. Strong low profile clip with rubber grips holds up to 1/2" paper securely. Larger internal storage holds pads, pens, etc. Fits paper sizes up to 9 1/2" x 11 3/4".

Federal Strategic Sourcing Initiative, 7520-01-622-7156, SKILCRAFT, AbilityOne, Army Green, 16" x 10" x 2-1/2", EA, \$11.30

Federal Strategic Sourcing Initiative, 7520-01-622-7157, SKILCRAFT, AbilityOne, Black, 16" x 10" x 2-1/2", EA, \$14.09

## Desktop Calculator

Dual-powered portable desktop calculator uses both solar and battery power for display. Big number angled display is easy to read with ergonomically designed body and keys. Three memory keys.

**10-digit calculator.**

Federal Strategic Sourcing Initiative, 7420-01-484-4580, SKILCRAFT, AbilityOne, Black, EA, \$16.50

**12-digit calculator also features square root, sign change, sign shift and "00" keys.**

Federal Strategic Sourcing Initiative, 7420-01-484-4560, SKILCRAFT, AbilityOne, Black, EA, \$18.56

## Handheld Calculator

Eight-digit flip-up calculator opens with the touch of a button. Ergonomically designed rubber keys; features three memory keys. Battery operated.

Federal Strategic Sourcing Initiative, 7420-01-484-4559, SKILCRAFT, AbilityOne, Black and Silver, EA, \$9.02

Eight-digit calculator features one memory, floating decimal, percent function and automatic constant. Solar operated.

7420-01-182-8532, EA, \$18.52

## Adding Machine Tape

Designed for use with computing machines, including electronic printing calculators. Warning signal indicates end of tape roll. Has a 16-lb. basis weight and a 3/8"-diameter spindle hole.

**Made of fibrous cellulosic material. The roll features a 3-1/2" maximum outside diameter.**

*30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-222-3455, SKILCRAFT, AbilityOne, White, Width: 2-1/4", RO(contains 165 FT), \$0.89

## Typewriter Brush

6" Long Typewriter Brush, G5 Straight Rectangular, Standard artist type.

7510-00-550-8446, 6.0 inches x 1.5 inches, EA, \$39.00

# Shredders

## Paper Shredder (Low Security)

Hardened steel rollers ensure a lasting precise cut and stand up to wear. Can handle paper clips and staples. Motor is thermally protected against overheating during prolonged use.

This Level 2 Low security Strip Cut Paper Shredder will cut 0.125 inch. Features a 12" top feed and a 26 gallon waste container capacity. Recommended for office use with three to four users. disks, CD's/ DVS's, paper clips, staples and credit cards. It runs continuous duty motor. Works on a 120 V AC power 60Hz. It cuts up to 28 to 30 sheets per pass with a shred speed of 17 feet/min. The weight is 76 pounds.

7490-01-390-6147, 21-1/3" W x 33-1/2" H x 17-1/3" D, EA, \$718.00

Hardened steel cutting rollers ensure a lasting precise cut and stand up to years of use and wear. This medium duty machine is designed to shred paper, staples, paper clips, credit cards and CDs. Motor is thermally protected against overheating under prolonged use. Features an automatic START/STOP control and auto stop when waste container is full.

The Level 2 strip cut shredder is suitable for shredding paper, credit and store cards, paper clips, staples and CD/DVDs. It cuts up to 1/4" shred size, can process up to 24 sheets per pass. It runs on continuous motor. Features a 9.5" wide top feed with a 13 gallon waste container. Works on 115 V AC power, 60 Hz. High-performance model for office and desk use. Shipping weight 55-lbs.

*Replaces NSN: 7490-01-483-8990.*

Federal Strategic Sourcing Initiative, 7490-01-598-3992, SKILCRAFT, AbilityOne, Light Grey, 15.6" W x 24.5" H x 11.5" D, EA, \$522.64

Level 2 strip cut shredder, 1/4" shred size with a speed of 24 feet/min. Suitable for shredding paper, credit and store cards, paper clips, staples and CD/DVDs. It can process up to 30 sheets per pass. Standby operation without power consumption. Features a wide 10" top wide feed with a 20- gallon waste capacity. Powered by 115 V Power AC; 60 Hz. Continuous motor duty. Model is for office and desk use. Shipping weight 80-lbs.

*Replaces NSN: 7490-01-483-8985*

Federal Strategic Sourcing Initiative, 7490-01-598-3987, SKILCRAFT, AbilityOne, Light Grey, 19.75" W X 35.5" H X 16.0" D, EA, \$984.41

Suitable for shredding paper, credit and store cards, paper clips, staples and CD/DVDs. Light Duty Level 2, strip cut shredder with a 0.25" shred size at a speed of 24 feet/min. It can process up to 42 sheets per pass. Powered by 115 V Power AC, 60 Hz. Features a wide 12" top feed with a 28- gallon waste capacity. Shipping weight 120 lbs. For office and desk use.

*Replaces NSN: 7490-01-567-4338.*

Federal Strategic Sourcing Initiative, 7490-01-598-3993, SKILCRAFT, AbilityOne, Light Grey, 19.7" W X 35.5" H X 18.5" D, EA, \$1,364.37

## Paper Shredder (Medium Security)

Hardened steel cutting rollers ensure a lasting precise cut and stand up to years of use and wear. This medium duty machine is designed to shred paper, staples, paper clips, credit cards and CDs. Motor is thermally protected against overheating under prolonged use. Features an automatic START/STOP control and auto stop when waste container is full.

This Level 3 shredder cross-cuts 0.125 x 1.5" inch pieces. The shred speed is 30 feet/min and cuts up to 27 sheets per pass. It has continuous motor. Works on a 115 V AC power 60 Hz. Features a 12" wide top feed and a 28-gallon waste container capacity. Shipping weight is up to 125 pounds. For office or desk side use.

*Replaces NSN: 7490-01-567-4337.*

Federal Strategic Sourcing Initiative, 7490-01-598-3990, SKILCRAFT, AbilityOne, Light Grey, 19.7" W X 35.5" H X 16.5" D, EA, \$1,713.79

Level P-4 Medium Security cross cut paper shredder (Shred Size: 4.0 mm x 37.0 mm). Features a wide 9.0" top feed and a 6.9-gallon waste container capacity and can process up to 17 sheets of paper per pass. Meets DIN 66399. Works on a 115 Volts/ AC 60 Hz (standard 15 amp) service. Shipping weight 39.6 lbs.

Federal Strategic Sourcing Initiative, 7490-01-662-2531, SKILCRAFT, AbilityOne, White, 17.5" x 13" x 24", EA, \$257.55

Paper Shredder machine shred-cuts 0.125 x 1.125" pieces (Security Level 3) with hardened steel cutting rollers ensure a last precise cut and stand up to years of use and wear. Shredder designed to shred paper, staples, paper clips and credit cards. Motor is thermally protected against overheating under prolonged use. Features an automatic START/STOP control and auto stop when waste container is full.

**Light duty machine takes up to 14 sheets per pass. Features a 9-1/2" wide top feed with a 8.7 gallon waste capacity. Shipping weight 40 lbs. Shred type = cross cut; Power Requirement -115 volts, 60 hz with a 15 amp circuit**

*Replaces NSN: 7490-01-567-4339*

Federal Strategic Sourcing Initiative, 7490-01-598-3989, SKILCRAFT, AbilityOne, Light Grey/ Black, 14.7" W X 22" H X 10" D, EA, \$457.97

**Medium duty machine takes up to 18 sheets per pass. Features a 10" wide top feed with a 20 gallon waste capacity. Machine can process up to 14,000 sheets per day. Power Requirement -115 volts, 60 hz with a 15 amp circuit. Shipping weight 80 lbs.**

*Replaces NSN: 7490-01-483-8991.*

Federal Strategic Sourcing Initiative, 7490-01-598-3988, SKILCRAFT, AbilityOne, Light Grey, 17-3/4" W X 30-1/2" H X 14" D, EA, \$1,102.23

**Medium duty machine takes up to 16 sheets per pass. Features a 9-1/2" wide top feed with a 13 gallon waste capacity. Power Requirement -115 volts, 60 hz.; security level - P4 and level 3 (DIN 32757-1); shred type-cross cut; shred size 3/16 in. X 1 1/8 in.; shred speed 12.8 ft / min. Shipping weight 44 lbs**

*Replaces NSN: 7490-01-483-8984.*

Federal Strategic Sourcing Initiative, 7490-01-598-3991, SKILCRAFT, AbilityOne, Light Grey, 15.8" W X 28.6" H X 10.7" D, EA, \$654.31

**For medium to heavy duty use, this continuous feed features a 40 gallon bin capacity, automatic oiler (1/2 gallon capacity) with a 16 in opening that can handle up to 36 sheets per pass. Model features casters for ease of movement wherever needed. Power Requirement -115 volts, 60 hz. with a 15 amp circuit.; Security level - 3; Throat opening width-16.00 in.; shred type-cross cut; shred size 4.00 mm X 40.00 mm; shred speed 25 ft/min. Weight 275 lbs.**

Federal Strategic Sourcing Initiative, 7490-01-504-5602, 25" W x 38" H x 23" D, EA, \$2,563.87

Hardened steel cutting rollers will ensure a lasting cut and stand up to years of wear. The motor is thermally protected against overheating during prolonged use. This model features an automatic start/stop switch for safety and security.

**This machine cross cuts 5/32" x 1 9/16" up to 27 sheets per pass and can shred paper clips and staples. This model features a 10" feed and 25 gallon capacity. Power: 115 volts, 60 hz. with a 15 amp circuit; Security level 3; Shipping weight is 120 lbs.**

Federal Strategic Sourcing Initiative, 7490-01-475-2734, 35.0"H x 19.5"W x 18.5"D, EA, \$1,443.97

## Paper Shredder (High Security)

Hardened steel cutting rollers ensure a lasting precise cut and stand up to years of use and wear. This medium duty machine is designed to shred paper, staples, paper clips, credit cards and CDs. Motor is thermally protected against overheating under prolonged use. Features an automatic START/STOP control and auto stop when waste container is full.

**Meets NSA/CSS SPECIFICATION 02-01 with one hour durability test rating of 4 reams when feeding 3 sheets. Features a top feed width up to 9.5 inches and have a 6-gallon waste capacity. High security Level 6 shredder. Have a crosscut shred type with shred size 1.0mm x 5.0mm. It can process up to 7 sheets per pass. Works on 0.5 HP power rating. Includes lockable durable padded reusable travel/shipping case.**

7490-00-368-7821, 15-1/2"W x 16-1/2" H x 13" D, EA, \$1,770.00

Level P-7 High Security micro cut paper shredder (Shred Size: 1.0 mm x 5.0 mm). Features a wide 11.75" top feed and a 30-gallon waste container capacity and can process up to 18 sheets of paper per pass. Meets NSA/CSS Specification 02-01. Works on a 115 Volts/ AC 60 Hz (standard 15 amp) service or 220V/50Hz (special order). Shipping weight 127.2 lbs.

**Shipping weight: 127 lbs.**

Federal Strategic Sourcing Initiative, 7490-01-664-9499, MODEL 1201CC 6001201CC, 20" x 20" x 34", EA, \$6,605.64



Level P-7+ (or level 8) Maximum Security micro cut paper shredder (Shred Size: 0.8 mm x 2.5 mm). Features a wide 10.25" top feed and a 28-gallon waste container capacity and can process up to 8 sheets of paper per pass. Meets NSA/CSS Specification 02-01. Works on a 115 Volts/ AC 60 Hz (standard 15 amp) service or 220V/50Hz (special order). Shipping weight 127 lbs.

**Shipping weight: 127 lbs.**

7490-01-664-8153, Model344 600344, 19.5" x 18.5" x 36.5", EA, \$3,500.00

Powered by 115V/20 Amp and have 2.15 HP motor and is continuous duty. High security level 6, 0.8 mm x 5.0 mm cross cut. Meets NSA/CSS specification 02-01. Can cut up to 16 sheets of paper per pass. Features a wide 15.5" throat opening and a 50 gallon secured waste container. Shipping weight 450 lbs.

**Level 6 (P-7) High Security micro cut paper shredder (Shred Size: 1.0 mm x 5.0 mm). Features a wide 10" top feed and a 21-gallon waste container capacity and can process up to 5 sheets of paper per pass. Meets NSA/CSS Specification 02-01. Works on a 115 Volts/ AC 60 Hz (standard 15 amp) service. Shipping weight 110 lbs.**

Federal Strategic Sourcing Initiative, 7490-01-395-3355, SKILCRAFT, AbilityOne, 21.0" W x 34.0" H x 17.0" D, EA, \$1,626.53

**Level 6 (P-7) High Security micro cut paper shredder (Shred Size: 0.8 mm x 5.0 mm). Features a wide 10.25" top feed and a 28-gallon waste container capacity and can process up to 13 sheets of paper per pass. Meets NSA/CSS Specification 02-01. Works on a 115 Volts/ AC 60 Hz (standard 15 amp) service. Shipping weight 125 lbs.**

Federal Strategic Sourcing Initiative, 7490-01-504-5605, 244/4, 21.5" x 36.5" x 18.5", EA, \$3,154.91

**Level 6 (P-7) High Security micro cut paper shredder (Shred Size: 0.8 mm x 5.0 mm). Features a wide 12.5" top feed and a 55-gallon waste container capacity and can process up to 13 sheets of paper per pass. Meets NSA/CSS Specification 02-01. Works on a 115 Volts/ AC 60 Hz (standard 15 amp) service. Shipping weight 325 lbs.**

7490-01-505-2543, 46"H x 27"W x 21"D, EA, \$7,100.00

**Level 6 High Security cross cut paper shredder (Shred Size: 1.0 mm x 5.0 mm). Features a wide 15.5" top feed and a 38-gallon waste container capacity and can process up to 14 sheets of paper per pass. Meets NSA/CSS Specification 02-01. Works on a 115 Volts/ AC 60 Hz (standard 15 amp) service. Shipping weight 300 lbs.**

Federal Strategic Sourcing Initiative, 7490-01-509-1322, 37"H x 24" W x 18.75" D, EA, \$3,654.24

Level 6 high security cross-cut paper shredder destroys sensitive paper documents Shredder features a wide 10.5" top feed and shreds up to 7 sheets of paper per pass. Includes a 15-gallon capacity waste container. Hardened steel cutters ensure a lasting, precise cut and stand up to wear. Power Requirements- 115 volts ac, 60 hz, 15 amp circuit. Motor is thermally protected against overheating under prolonged use. Built with an integrated automatic oiler. Meets NSA/CSS Specification 02-01. Shred size: 1.0mm x 5.0mm. Weight: 63 lbs.

Federal Strategic Sourcing Initiative, 7490-01-631-3693, SKILCRAFT, AbilityOne, 24.25" H x 19.60" W x 13.60" D, EA, \$1,508.09

This Level 6 cross-cut shredder meets NSA/CSS Specification 02-01. Features an automatic Start/Stop and automatic oiler. With a 15.5" top feed opening and a 60 gallon waste container with full bag auto shut off. Shred size: 0.8 mm X 5 mm. and can process up to 16 sheets per pass. Power Source-115 volts, 20 amp service, 60 hz ac power; Weight 260 lbs

Federal Strategic Sourcing Initiative, 7490-01-461-6119, 40.0" H x 25.0" W x 23.5" D, EA, \$6,630.94

This level 6 cross cut shredder has a shred size of 0.8 mm x 5.0 mm . Meets NSA/CSS specification 02-01. Can cut up to 7 sheets of paper per pass. Features a wide 9.0" top feed and a 9 gallon secured waste container. Power Requirement -115 volts, 60 hz with a 15 amp circuit. Shipping weight 60-lbs.

7490-01-475-4305, 15-1/2" W x 29" H x 11-1/2" D, EA, \$684.00

High Security cross cut paper shredder meets Level 6 (Meets NSA/CSS specification 02-01) For heavy duty high volume work areas; features an Auto Start/ Stop, bag full and a door open shut-off safety protection system. High capacity automatic oiler, a 28 gallon light weight plastic container; with a 10.25" throat opening this model can shred up to 13 sheets per pass. Power Requirement -115 volts, 60 hz with a 15 amp circuit. Shipping weight: 110 lbs.

7490-01-622-9348, 21-1/2" W x 36-3/4" H x 17-1/2" L, EA, \$1,957.89

Powered by 115V/20 Amp and have 2.15 HP motor and is continuous duty. High security level 6, 0.8 mm x 5.0 mm cross cut. Meets NSA/CSS specification 02-01. Can cut up to 16 sheets of paper per pass. Features a wide 15.5" throat opening and a 50 gallon secured waste container. Shipping weight 450 lbs.

**High security level 6/P7, 1.0 mm x 5.0 mm cross cut. Meets NSA/CSS specification 02-01. Can cut up to 8 sheets of paper per pass. Features a wide 10.0" top feed and a 25 gallon secured waste container. Power Requirement -115 volts, 60 hz with a 15 amp circuit. Shipping weight 140-lbs.**

Federal Strategic Sourcing Initiative, 7490-01-498-9096, 37.0" H x 21.5"W x 20.25"D, EA, \$1,621.55

Powered by 115V/20 Amp and have 2.15 HP motor and is continuous duty. High security level 6, 0.8 mm x 5.0 mm cross cut. Meets NSA/CSS specification 02-01. Can cut up to 16 sheets of paper per pass. Features a wide 15.5" throat opening and a 50 gallon secured waste container. Shipping weight 390 lbs.

7490-01-501-8544, 40"H x 25"W x 23"D, EA, \$5,482.05

Level 6 high security cross-cut paper shredder destroys sensitive paper documents. Shredder features a wide 12.25 in. top feed and shreds up to 12 sheets of paper per pass. Includes a 45-gallon capacity waste container. Power Requirements 115V/60Hz (requires dedicated 20 amp outlet) or 220V/50Hz. Built with an integrated one gallon automatic oiler. Meets NSA/CSS Specification 02-01. Shred size: 1.0mm x 5.0mm. Weight: 295 lbs

7490-01-183-7247, 21-1/2" W x 37" H. x 20-1/4" L, EA, \$2,100.00

Level 6 high security cross-cut paper shredder destroys sensitive paper documents. Shredder features a wide 12.25 in. top feed and shreds up to 18 sheets of paper per pass. Includes a 45-gallon capacity waste container. Power Requirements 115V/60Hz (requires dedicated 20 amp outlet) or 220V/50Hz. Built with an integrated one gallon automatic oiler. Meets NSA/CSS Specification 02-01. Shred size: 1.0mm x 5.0mm. Weight: 250 lbs.

Federal Strategic Sourcing Initiative, 7490-01-395-3263, 40" H x 21.5" W x 23.5" D, EA, \$6,076.02

Hardened steel rollers ensure a lasting, precise cut and stand up to wear. Motor is thermally protected against overheating under prolonged use. High security level 6, 0.8 mm x 5.0 mm cross cut. Meets NSA/CSS specification 02-01. Can cut up to 7 sheets of paper per pass. Features a wide 9.0" top feed and a 8 gallon secured waste container. Power Requirement -115 volts, 60 hz with a 15 amp circuit. Shipping weight 75-lbs

**High security level 6, 0.8 mm x 5.0 mm cross cut. Meets NSA/CSS specification 02-01. Can cut up to 7 sheets of paper per pass. Features a wide 9.0" top feed and a 8 gallon secured waste container. Power Requirement -115 volts, 60 hz with a 15 amp circuit. Shipping weight 60-lbs**

Federal Strategic Sourcing Initiative, 7490-01-501-8543, 25.0"H x 15.5"W x 12.0"D, EA, \$1,396.72

For rapid deployment this high security mobile cross cut shredder features hardened steel cutting rollers. This model features a heavy duty ATA 300 certified case for air shipment; and meets NSA/CSS specification 02-01 for Level 6 security needs (shred size 0.8mm x 4.2mm). An 8.5" top feed can handle up to 7 sheets per pass. Featuring a thermally protected motor and a 4 gallon container this model is there for your rapid and secure shredding needs. Weight 55 lbs.

7490-01-505-2540, 19" Diagonal, 17" L x 14-1/8" H, EA, \$1,950.00

This Level 6 High Security cross cut shredder . Features hardened steel cutting rollers, a thermally protected continuous duty motor. A fully automatic oiler is included with a 4 gallon container volume. A 12.25" throat opening will shred up to 12 sheets per pass. With an average shred size of 0.8mm. X 4.5 mm. Includes a 25 gallon enclosed container for ease of disposal. Powered by 110V/60Hz with 2.4 HP actual motor. Shipping weight is 140 lbs

7490-01-503-9122, 38"H x 21" W x 16"D, EA, \$3,449.87

Crosscut heavy duty, high volume continuous duty high security (LEVEL 6 (P-7) I.A.W. NSA/CSS 02-01) shredder. Features a 15 inch throat opening that can process up to 18 sheets per pass. Factory-installed automatic (1 gall. cap.) oiler, which is sealed to prevent spills, mounted casters for mobility; auto stop and auto reverse for added safety. Powered by 115V/60H and 2.5 HP motor. Motor is thermally protected against overheating under prolonged use. Includes a 45 gallon container volume. The shred size is 0.8 mm x 4.5 mm. Shipping Weight: 350 lbs

7490-01-605-5416, 40"H x 25-3/4" W x 22-3/4" D, EA, \$7,074.66

High security paper shredder I.A.W. NSA/CSS 02-01 Evaluated Products List for high security paper shredders. This system also meets DIN 66399 Level P-7 standards. Medium duty; powered by 115 V, 60HZ AC power. Features easy switch with auto start/stop, reverse and a bag full/door open Indicator. Automatic 1 gallon oil reservoir, 28 gallon bin capacity and mounted on casters for easy relocation. The shred size is 0.8mm x 5mm with a capacity up to 11 sheets per pass. The throat opening is 10.25 inches. Overall weight is 106 lbs.

7490-01-481-0399, 19.5" W x 36.5" H x 18.5" D, EA, \$2,863.68

## Paper Shredder (Personal Size)

Personal size (Level 3) cross-cut paper shredder, shreds to a size of 5/32 x 1 inch. Features a wide 8-3/4" top feed entry and shreds 10 sheets of paper per pass. Shreds paper, CDs, DVDs, and credit cards. Includes a 5.5 gallon capacity shred container. Hardened steel cutters ensure a lasting, precise cut and stand up to wear. Motor is thermally protected against overheating under prolonged use. Recommended for 1 or 2 users. Power Requirement -115 volts, 60 hz. with a 15 amp circuit.

7490-01-631-3694, SKILCRAFT, AbilityOne, Black, 14.0" W x 19.5" L x 9.0" D, EA, \$161.68

Machine cross cuts 0.187 inch x 1.125 and allows up to 16 sheets per pass. With a shred speed of 12 feet / minute. This machine can be used to shred plastic cards. Features a wide 9-1/2" top feed and a 8.5 gallon waste capacity. Powered by 0.67 HP. Safety features include auto start/stop and will automatically shut off when a jam occurs or when basket is open or ajar. Recommended for offices with two to four users. Shipping weight 55 lbs.

Machine strip-cuts to 0.153 inch and up to 18 sheets per pass. With a shred speed of 11 feet/min. Ability to shred paper clips, staples, letter and legal size papers. Features up to 10.0" top feed and a 6 to 10 gallon waste capacity. Powered by 0.50 HP rating. Safety features include automatic start/stop; automatic shut off when a jam occurs or when waste basket is open or ajar. Recommended for offices with one to two users. Shipping weight 13 lbs.

Federal Strategic Sourcing Initiative, 7490-01-390-6162, 14.25" W x 21.75" H x 10.75" D, EA, \$299.54

Machine cross cuts 4.0 mm X 28.0 mm and up to eight sheets per pass. Features a wide 9" top feed entry and a 6 to 10 gallon waste container capacity. Powered by 0.40 HP. Shipping weight is 14 lbs.

7490-01-450-4974, 14" W x 21" H x 10" D, EA, \$265.04

Machine cross cuts 0.187 inch x 1.125 and allows up to 16 sheets per pass. With a shred speed of 12 feet / minute. This machine can be used to shred plastic cards. Features a wide 9-1/2" top feed and a 8.5 gallon waste capacity. Powered by 0.67 HP. Safety features include auto start/stop and will automatically shut off when a jam occurs or when basket is open or ajar. Recommended for offices with two to four users. Shipping weight 60-lbs.

7490-01-390-6163, SKILCRAFT, AbilityOne, 15" W x 23"H x 11.5" D, EA, \$387.75

## Mixed Media Disintegrator

This total media disintegrator is designed with the flexibility to destroy a variety of items: paper, CD's, DVD's, key access cards, credit cards, ID badges, flash drives, microfilm, audio cassettes and floppy disks. Designed for use in a limited space, the 3 bladed rotors with dual knife beds meet NSA/CSS specification 02-02 for high security disintegrators and NSA 04-02 for optical media destruction. With an optional 5/64" screen this machine will meet NSA/CSS 04-01 for key tape destruction. The 2" x 9" media throat opening can powder cut up to 75 lbs./hr. (3/32" NSA). Featuring a 35 gallon vacuum waste container with filter. This total media disintegrator will make quick work of those large jobs. Powered by 110V, Phase 1 and runs on 0.5 HP motor. Shipping weight 650 lbs

7490-01-461-6124, 59"H x 51"W x 25"D, EA, \$11,897.43

This total media disintegrator is designed with the flexibility to destroy a variety of items: paper, CD's, DVD's, key access cards, credit cards, ID badges, flash drives, microfilm, audio cassettes and floppy disks. Designed for use in a limited space, the 3 bladed rotors with dual knife beds meet NSA/CSS specification 02-02 for high security disintegrators and NSA 04-02 for optical media destruction. With an optional 5/64" screen this machine will meet NSA/CSS 04-01 for key tape destruction. The 2" x 9" media throat opening can powder cut up to 100 lbs. / hr. (3/32" NSA). This model disintegrator has built-in 9.5 inch wide throat opening paper pre-shredder for higher paper destruction throughput. Featuring a 35 gallon vacuum waste container with filter. This total media disintegrator will make quick work of those large jobs. Power:115 Volts, 60HZ and 30 Amps. Shipping weight 650 lbs.

7490-01-504-5606, 51" W x 59" H x 25" D, EA, \$10,619.00

## Shredder Oil

Shredder oil helps lubricate the shredder, extending its life and allowing the shredder to run smoothly and quietly. Comes in squeeze type bottle with extension nozzle.

Federal Strategic Sourcing Initiative, 7490-01-459-8264, Material Safety Data Sheet, BT(contains 12 OZ), \$4.92

Shredder lubricant helps to ensure maximum cross cut shredder performance. This high viscosity oil for manual oiling keeps shredder running at peak performance by conditioning the cutters and extending the life of the machine.

Federal Strategic Sourcing Initiative, 7490-01-481-0403, Material Safety Data Sheet, 16 fl. oz per bottle., BX(contains 8 EA), \$69.04

## Shredder Bag

Low density shredder bags for personal shredders and office/home trash receptacles. Fits most shredders.

**Medium duty. Gallon capacity: 10.**

8105-01-557-4975, SKILCRAFT, AbilityOne, Clear, 24 x 26", BX(contains 100 EA), \$16.66

Low density shredder bags for personal shredders and office/home trash receptacles. Fits most shredders. Includes ties.

**Medium duty. Gallon capacity: 20.**

Federal Strategic Sourcing Initiative, 8105-01-399-4791, SKILCRAFT, AbilityOne, Clear, 29 x 30", BX(contains 100 EA), \$14.66

**Medium duty. Gallon capacity: 26.**

8105-01-399-4792, SKILCRAFT, AbilityOne, Clear, 31 x 36", BX(contains 50 EA), \$14.48

**Medium duty. Gallon capacity: 39.**

Federal Strategic Sourcing Initiative, 8105-01-399-4793, SKILCRAFT, AbilityOne, Clear, 36 x 39", BX(contains 50 EA), \$16.05

**Medium duty. Gallon capacity: 45.**

8105-01-557-4974, SKILCRAFT, AbilityOne, Clear, 44 x 39", BX(contains 50 EA), \$28.30

**Medium duty. Gallon capacity: 50.**

Federal Strategic Sourcing Initiative, 8105-01-557-4976, SKILCRAFT, AbilityOne, Clear, 39 x 51", BX(contains 50 EA), \$24.75

**Medium duty. Gallon capacity: 60.**

Federal Strategic Sourcing Initiative, 8105-01-557-4982, SKILCRAFT, AbilityOne, Clear, 49 x 51", BX(contains 50 EA), \$27.48

# Labeling and Laminating

## Laser Printer Label

Versatile, self-adhesive labels feed automatically from paper tray.

**Package contains 100 sheets with 20 labels each (for a total of 2,000 labels).**

Federal Strategic Sourcing Initiative, 7530-01-289-8190, AbilityOne, White, Label Size: 1"L x 4"W, BX(contains 100 SH), \$36.32

## Dymo Label Printing Machine

Complete labeling, filing, and mailing tasks quickly and efficiently with the Dymo LabelWriter 450 and Labels. Connect to laptop or computer to print up to 51 labels per minute from Microsoft Word and other popular programs. Contains 600 X 300 DPI print resolution. Thermal printing technology eliminates the need for costly ink or toner with a compact design that's an easy and attractive addition to any modern workspace. Select from more than 60 label layouts.

Federal Strategic Sourcing Initiative, 7490-01-657-6126, SKILCRAFT, AbilityOne, Black/Silver, EA, \$112.66

## Handheld Label Maker

Complete industrial labeling jobs quickly and correctly with the All-Purpose Labeling Tool Kit. QWERTY Keyboard. Easily create and format wire/cable wraps, flags, fixed-length labels, and more with hot key shortcuts and store most commonly used labels, symbols, and terms in favorites. Print labels up to 3/4 inch wide on flexible nylon, permanent polyester, or durable vinyl materials or directly onto heat-shrink tubes. Six AA batteries included.

Federal Strategic Sourcing Initiative, 7490-01-657-6125, SKILCRAFT, AbilityOne, EA, \$118.26

## Dymo Label Maker

Print up to 10 copies of one label with the easy-to-use Dymo LabelManager 360D. Powered by a rechargeable lithium-ion battery, the label maker features a computer-style keyboard, nine-label memory, and save function. Choose from three fonts in seven sizes, plus seven text styles, eight boxes and an underline feature to create custom labels for almost any job. Kit includes starter label cassette, storage bag, and quick reference guide.

Federal Strategic Sourcing Initiative, 7490-01-657-6124, SKILCRAFT, AbilityOne, Silver, EA, \$74.57

## Dymo Adhesive Labels

Dymo Adhesive White Name Badge Labels are the perfect size for printing shipping labels, name labels, name badges, and many other projects. Each bright white, high quality, self-adhesive label measures 2-1/4" X 4" and is sold 250 labels per roll, 1 roll per package. Compatible with Dymo LabelWriters series printers.

7530-01-657-8882, SKILCRAFT, AbilityOne, Black/White, EA, \$16.04

## Dymo Address Labels

Make professional-grade labels with ease using these Dymo White Address Labels. Manufactured from high-quality paper for a premium look and feel, these labels feature a black-on-white design for enhanced legibility so you can see them even in poor lighting. Labels are 1-1/8" x 3-1/2" and are sold 260 labels per roll, 2 rolls per package. Compatible with Dymo LabelWriters series printers.

7530-01-657-8883, SKILCRAFT, AbilityOne, Black/White, PG(contains 2 EA), \$13.70

## Dymo Label Cassette

Dymo Label Cassette is the perfect solution for anyone in need of durable, semi-permanent labels. These cassettes are ideal for most applications and are easy to apply with their split-backing. They feature a UV-resistant material and adhesive that ensures the label will not fall off over time. Remove Labels Without Leaving Adhesive Residue.

**Prints Black on White**

*Compatible with NSN 7490-01-657-6124 and 7490-01-657-6125.*

7510-01-657-7786, SKILCRAFT, AbilityOne, Black/White, 3/4" x 26.2', EA, \$16.51

*Compatible with NSN 7490-01-657-6124, 7490-01-657-6125 and 7490-01-657-6126.*

Federal Strategic Sourcing Initiative, 7510-01-657-6746, SKILCRAFT, AbilityOne, Black/ White, 1/2" x 24', EA, \$9.80

**Prints Black on Yellow**

*Compatible with NSN 7490-01-657-6124 and 7490-01-657-6125.*

7510-01-657-6745, SKILCRAFT, AbilityOne, Black/Yellow, 1/2" x 23', EA, \$12.47

Dymo Heat Shrink Label Cassette offers a premium method of labeling wires and cables. Simply slide the tube onto the cable and shrink snugly to the cable using a heat gun. Labels will never fall off. Industrial-grade polyolefin offers a 3:1 heat shrink ratio and the convenience of printing directly on the tubing itself. Heat-shrink tubes are tested to meet SAE, ASTM and military specifications. Meets OSHA, ANSI and ISO standards.

**Prints Black on White**

7510-01-657-6749, SKILCRAFT, AbilityOne, Black/White, 1-1/2" x 5', EA, \$32.15

Dymo Label Cassette is the perfect solution for anyone in need of durable, semi-permanent labels. These cassettes are ideal for most applications and are easy to apply with their split-backing. They feature a UV-resistant material and adhesive that ensures the label will not fall off over time. Remove Labels Without Leaving Adhesive Residue.

**Prints White on Black**

*Compatible with NSN 7490-01-657-6124 and 7490-01-657-6125.*

7510-01-657-6748, SKILCRAFT, AbilityOne, White/Black, 1/2" x 23', EA, \$12.78

**Prints Black on Clear**

*Compatible with NSN 7490-01-657-6124 and 7490-01-657-6125.*

7510-01-657-6747, SKILCRAFT, AbilityOne, Black/Clear, 1/2" x 23', EA, \$12.87

## Brother P-Touch Label Maker

Creates professional, laminated, adhesive-backed labels that can be useful for virtually any office and commercial application. Includes - 8 built-in-fonts, 11 type styles, 8 type sizes, vertical and mirror printing, seven line printing, bar code printing, uses 6 different tz tape label widths which are available in a variety of colors. Full color display that shows the label appearance before printing. Can also be connected to your computer for greater flexibility including photos, logos and other graphics (software included). Uses 1" laminated tape available in many different color combinations. This dual-operation machine is a stand-alone with keyboard and display and a PC/Mac based printing unit. Uses AC adapter (AD-E001), included or optional six AA batteries (not included). Brother Part No PT-D600VP

**Min. Order Qty: 1 EA; Max Order Qty: 300 EA per month.**

7490-01-490-7262, Brother P/N PT-D600VP, 7.9" x 7.6" x 3.4", EA, \$110.00

## Brother P-Touch Labels

Labeling tape for Brother label maker models PT-1000BM, PT-1010, PT1010B, PT-1010NB, PT-1010R, PT-1010S, PT-1090, PT-1090BK, PT-1100, PT1100SB, PT-1100SBVP, PT-1100ST, PT-1120, PT-1160, PT-1170, PT-1180, PT-1190, PT-11Q, PT-1200, PT-1230PC, PT-1280, PT-1280SR, PT-1280VP, PT-128AF, PT-1290, PT-1300, PT-1400, PT-1500PC, PT-1600, PT-1700, PT-1750, PT-1800, PT-1810, PT-1830, PT-1830C, PT1830SC, PT-1830VP, PT-1880, PT-18R, PT-1900, PT-1950, PT-1960, PT-200, PT-2030, PT-2030AD, PT-2030VP, PT-2100, PT-2110, PT-2200, PT-2210, PT-2300, PT-2310, PT-2400, PT-2410, PT-2430PC, PT-2500PC, PT-2600, PT-2610, PT-2700, PT-2710, and PT-2730.

Federal Strategic Sourcing Initiative, 7510-01-490-7265, Brother, Black on White, Width:1/2", EA, \$12.19

P/N TZ231, Length 26 ft, Labeling tape for Brother label maker models PT-200, PT-1200, PT-1250, PT210E, PT-220, PT-300, PT-310, PT-340C, PT-1800, PT-2710 PT-2730VP, PT-1300, PT-1400, PT-1500, PT-1500PC, PT-1600, PT-1700, PT-170K, PT-1750, PT-1800, PT-1810, PT-1830, PT-1830C, PT-1830SC, PT-1830VP, PT-1880C, PT-1880SC, PT-1880W, PT-1890C, PT-1890SC, PT-1890W, PT-18R, PT-18RKT, PT-1900, PT-1910, PT-1950, PT-1960, PT-2030, PT-2030AD, PT-2030VP, PT-2100, PT-2110, PT-2200, PT-2210, PT-2300, PT-2310, PT-2400, PT-2410, PT-2430PC, PT-2500PC, PT-2600, PT-2610, PT-2700, PT-2710, PT-2730, PT-2730VP, PT-300, PT-300B, PT-310, PT-310B, PT-320, PT-330, PT-340, PT-350, PT-3600, PT-4000, PT-520, PT-530, PT-540, PT-550, PT-580C, PT-7500, PT-7600, PT-9200DX, PT-9200PC, PT-9400, PT-9500PC, PT-9600, PT-9700PC, PT-9800PCN, PT-D400, PT-D400AD, PT-D400VP, PT-D450, PT-D600, PT-D600VP, PT-D800W, PT-E300, PT-E500, PT-E550W, PT-E800W, PT-H300, PT-H300LI, PT-H500LI, PT-P700, PT-P750W, PT-P750WVP, PT-P900, PT-P900W, PT-P950NW, ST-1150, ST-1150DX, and ST-5

Federal Strategic Sourcing Initiative, 7510-01-490-7266, Brother, TZE241, Black on White, Width:3/4" Length 26 ft, EA, \$14.19

Embossing tape is for: Brother P-Touch III,PT-6,PT-8,PT-10,PT-12,PT-12N,PT-15,PT-150,PT-170K,PT-20,PT-25 label making systems.

Federal Strategic Sourcing Initiative, 7510-01-383-0233, Brother, P/N TC20, Black on White, Width:1/2" Length 25 ft, PG(contains 2 EA), \$23.15

Embossing tape is for: Brother P-Touch III,PT-6,PT-8,PT-10,PT-12,PT-12N,PT-15,PT-150,PT-170K,PT-20,PT-25 label making systems.

Federal Strategic Sourcing Initiative, 7510-01-385-0747, Brother, P/N TC10, Black on Clear, Width:1/2" Length 25 ft, PG(contains 2 EA), \$22.40

Labeling tape for Brother label maker models: GL-100, PT-1000, PT-1000BM, PT-1010, PT-1010B, PT-1010NB,PT-1010R, PT-1010S, PT-1090, PT-1090BK, PT-1100, PT1100SB,PT-1100SBVP, PT-1100ST, PT-1120, PT-1130, PT-1160, PT-1170, PT-1180, PT-1190, PT-11Q, PT-1200, PT-1230PC, PT-1280, PT-1280SR, PT-1280VP, PT-128AF, PT-1290, PT-1290BT, PT-1290BT2, PT-1290RS, PT-1300, PT-1400, PT-1500, PT-1500PC,PT-1600, PT-1700, PT-1750, PT-1800, PT-1810, PT-1830, PT-1830C, PT-1830SC, PT-1830VP, PT-1880C, PT-1880SC, PT-1880W, PT-1890C, PT-1890SC, PT-1890W, PT-18R, PT-18RKT, PT-1900, PT-1910, PT-1950, PT-1960, PT-200, PT-2030, PT-2030AD, PT-2030VP, PT-2100, PT-2110, PT-2200, PT-2210, PT-2300, PT-2310, PT-2400, PT-2410, PT-2430PC, PT-2500PC, PT-2600, PT-2610, PT-2700, PT-2710, PT-2730, PT-2730VP, PT-300,PT-300B, PT-310, PT-310B, PT-320, PT-330, PT-340, PT-350, PT-3600, PT-4000, PT-520, PT-530, PT-540, PT-550, PT-580C,PT-6100, PT-7100, PT-7500, PT-7600, PT-9200DX, PT-9200PC,PT-9400, PT-9500PC, PT-9600, PT-9700PC, PT-9800PCN, PT- D200, PT-D200BT, PT-D200DA, PT-D200G, PT-D200MA, PT- D200SA, PT-D210, PT-D400, PT-D400AD, PT-D400VP, PT-D450,PT-D600, PT-D600VP, PT-D800W, PT-E100, PT-E300, PT-E500, PT-E550W, PT-H100, PT-H110, PT-H300, PT-H300LI, PT-H500LI,P-touch CUBE, White, P-touch CUBE, Blue, PT-P700, PT-P750W,PT-P750WVP, PT-P900W, PT-P950NW, ST-1150, ST-1150DX, ST-5

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-630-2385, TZE221, Black on White, Width: 9.0 mm (0.38in) Length 26 ft, EA, \$12.46

## Laminating ID Hot Pouch

Laminating hot pouch for use with a 4-inch hot laminator. Each pouch has a glossy finish and is pre-trimmed for a perfect fit.

9330-01-490-7374, 52015 or Equal, 3-7/8"L x 2-5/8"W, 5 mil thick, PG(contains 100 EA), \$23.07

## Label Printing Machine

Handheld label printer for creating multi-line labels to identify wires, panels, circuit boards and any other industrial items. Uses labels that are 2" wide. Print resolution 300 DPI.

7490-01-665-8173, BMP61, EA, \$900.00

## Labeling Tape

For use with the Brother PT-2610.

*15-month maximum shelf life.*

7510-01-534-2166, TZe252, Red on White, Width:1" Length 26 ft, EA, \$25.37

## Laminator

Hot/cold laminator, maximum pouch thickness of 3 mil., 3 temperature settings, laminating speed 12.00in. per minute, for hot pouches or any self-adhesive cold pouch, jam prevention release lever disengages pouch for re-centering or removal, compatible with 5 mil. document pouches index card size or smaller, for ids and photos. Laminates documents, luggage tags and business cards up to 9.5 " wide. Includes Laminator starter kit.

7490-01-477-7790, 5725601, 17.5" x 4.25" x 5.75", EA, \$80.26

# Marker and Presentation Boards

## Quartet®/SKILCRAFT® Dry Erase Steel Easel

Adjustable silver aluminum frame presentation easel features a 29" W x 40" L melamine dry erase writing surface. Four sturdy steel legs adjust from 40 to 70 inches high for tabletop or standing use and have rubber feet to prevent skidding or marring floors. Includes a spring-loaded flip chart holder, full-length accessory tray and one SKILCRAFT® dry-erase marker. Recommended for light use; 10-year warranty. Clean regularly for best results.

7520-01-642-1219, AbilityOne, Black Steel Frame, 29" x 40", EA, \$136.65

## Quartet®/SKILCRAFT® Magnetic Presentation Easel

Dual-purpose brushed aluminum presentation easel features a smooth, 27" W x 39" L magnetic whiteboard writing surface with flip chart pad retainer with adjustable hooks and extendable arms that allow simultaneous display of up to three sheets of paper. Height adjusts for tabletop or standing use, with telescoping aluminum legs cross-braced for added rigidity. Folds for easy storage or travel; includes an accessory tray with built-in clips and one SKILCRAFT® dry-erase marker. Recommended for moderate use; 10-year warranty. Clean regularly for best results.

7520-01-642-1221, AbilityOne, Brushed Aluminum/Charcoal Rails, 27" x 39", EA, \$200.49

## Quartet®/SKILCRAFT® Standard Presentation Easel

Presentations stand out on this painted steel easel with a 27" W x 35" L dry erase surface that can also be used as a magnetic bulletin board. Adjustable pad retainer holds standard-size flip chart pads in place. Easy to clean, the tripod adjusts from 42 to 70 inches, with locking easel legs and non-skid plastic feet that won't mar tabletops or floors. Folds for easy storage or transport and includes a full-length accessory tray and one SKILCRAFT® dry-erase marker. Recommended for light use; 10-year warranty.

7520-01-642-1222, AbilityOne, Graphite Gray Frame, 27" x 35", EA, \$118.58

## Quartet®/SKILCRAFT® Whiteboard/Flipchart Presentation Easel

Portable dual-sided, aluminum frame presentation easel with 27" W x 34" L white melamine dry erase surfaces is great for multipurpose work environments. Writing surfaces can be angled to enhance visibility or positioned for use as a drafting table. This versatile, lightweight easel has U-shaped aluminum legs that easily adjust from 40 to 70 inches for tabletop or floor use. Folds for easy storage or travel and includes a spring-loaded flip chart holder, accessory tray and one SKILCRAFT® dry-erase marker. Recommended for moderate use; 10-year warranty.

7520-01-642-1223, AbilityOne, Black Metal Frame, 27" x 34", EA, \$135.93

## Quartet®/SKILCRAFT® Dual-Sided Presentation Easel

Portable dual-sided aluminum frame presentation easel with 26" W x 34" L Total Erase® whiteboard surface featuring a subtle grid pattern that assists with writing alignment yet is virtually invisible to audiences. Writing surfaces can be locked at any angle for comfortable viewing and writing or positioned as a drafting table. Lightweight yet sturdy, the U-shaped aluminum legs easily adjust from 40 to 70 inches for tabletop or standing use. Folds for easy storage and travel and includes a spring-loaded flip chart holder, accessory tray, eraser and four SKILCRAFT® dry-erase markers. Recommended for moderate use; 10-year warranty.

7520-01-642-1225, AbilityOne, Black Metal Frame, 26" x 34", EA, \$252.46

## Quartet®/SKILCRAFT® Dry Erase Presentation Easel/Flipchart

Ideal for presentation and collaboration, the Futura easel features a 26" W x 35" L melamine dry-erase board with flip chart pad holder. Adjust from 40 to 67 inches high for tabletop or standing use with the press of a button. Durable steel frame with contemporary black lacquer finish is compact and portable for easy storage and transport. Includes full-length accessory tray and one SKILCRAFT® dry-erase marker. Recommended for low-use work environments; 10-year warranty. Whiteboard requires regular cleaning.

7520-01-642-2441, AbilityOne, Black Steel Legs, 26" x 35", EA, \$126.11

## Easel

Easel height adjusts from tabletop to standing height (41 to 68") with the twist of a knob. This compact, lightweight frame easel provides a versatile surface with flipchart pad retainer and collapses for space-efficient storage and portability. A built-in accessory tray allows for marker and eraser storage.

### Green chalkboard.

Federal Strategic Sourcing Initiative, 7520-01-424-4845, SKILCRAFT, AbilityOne, 38" L x 29" W, EA, \$180.75

This heavy duty and adjustable design features a sleek frame and contemporary look for use on a tabletop or freestanding. The writing surface range from 24 to 30" width and 34 to 41" height. Product offers a double-sided, dry erasable markerboard and spring-loaded flipchart holder.

### Dry erase melamine white board.

7520-01-430-2948, 70"H, EA, \$120.00

Easel height adjusts from tabletop to standing height (41 to 68") with the twist of a knob. This compact, lightweight frame easel provides a versatile surface with flipchart pad retainer and collapses for space-efficient storage and portability. A built-in accessory tray allows for marker and eraser storage.

### Dry erase melamine white board.

(NFES #3161).

Federal Strategic Sourcing Initiative, 7520-01-424-4867, SKILCRAFT, AbilityOne, 38" L x 29" W, EA, \$196.31

## Easel Pad

This paper pad is ideal for a variety of situations including lectures, demonstrations, training sessions and conferences. Can be used with crayons, graphite pencils, or quick-drying markers. Can be used on easel or hung on wall. Pad is perforated at the top for easy tear-off and features two holes, spaced 17-1/2" apart for mounting. Has a sturdy cardboard backing.

### Paper is un-ruled.

**Basis Weight: 20lb.**

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-619-8880, SKILCRAFT, AbilityOne, White, 27 x 34", PD(contains 50 SH), \$14.59

### Paper is ruled.

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-398-2661, SKILCRAFT, AbilityOne, White, 27 x 34", PD(contains 50 SH), \$13.83

## Display Easel Tripod

Sturdy aluminum construction with easy to assemble 'unfold and twist' action collar that locks legs in place. Adjustable height, from 35 to 64 inches for table top to floor displays. Holds signs, marker boards, flip charts and other display materials up to 25-lbs of display weight. Folds up to compact size to carry or store. Comes with handy pad holder clamp.

Federal Strategic Sourcing Initiative, 7520-01-456-7876, SKILCRAFT, AbilityOne, Silver, 35" to 64" H, EA, \$63.69

## Self-Stick Easel Pad

Self-stick easel pads are convenient and leave no marks. Recommended easel stand is NSN 7520-01-424-4867. Two pads per carton. 30 sheets per pad. Paper is un-ruled.

*24-month maximum shelf life (extendable); 30% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7530-01-393-0104, SKILCRAFT, AbilityOne, White, 25 x 30", PG(contains 2 EA), \$62.01

Self-stick tabletop easel pad with bleed-through resistant pull off sheets attach anywhere making them ideal for any meeting area. Paper is un-ruled.

*24-month maximum shelf life (extendable); 30% Postconsumer Material*

7530-01-577-2170, SKILCRAFT, AbilityOne, White, 20 x 23", PD(contains 20 SH), \$21.09



## Marker Board

Magnetic porcelain marker board with hard non-porous, non-absorbent, porcelain enamel surface resists scratching and denting and cleans without ghosting or shadows. This durable lifetime board is designed for heavy use. Mounting system includes clear plastic hangers with a pre-installed round hole. Can be hung horizontally or vertically. Attachable full length marker tray with protective plastic end caps included, for use in the horizontal position. Boards with aluminum frames feature satin-finish and are made of 30% pre-consumer recycled aluminum. One SKILCRAFT black dry erase marker included. Occasional use of cleaners recommended. Purchase of these AbilityOne products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

### Magnetic Porcelain Dry Erase Board with Wood Frame.

- 7110-01-334-7078, AbilityOne, Oak finish frame., 24" x 18", EA, \$53.44
- 7110-01-334-7079, AbilityOne, Oak finish frame., 36" x 24", EA, \$80.87
- 7110-01-334-7080, AbilityOne, Oak finish frame., 48" x 36", EA, \$132.14
- 7110-01-630-5171, AbilityOne, Mahogany finish frame., 48" x 36", EA, \$173.14
- 7110-01-334-7082, AbilityOne, Oak finish frame., 48" x 72", EA, \$430.41
- 7110-01-334-7081, AbilityOne, Oak finish frame., 60" x 36", EA, \$273.39
- 7110-01-630-5170, AbilityOne, Mahogany finish frame., 72" x 48", EA, \$425.64

### Magnetic Porcelain Dry Erase Board with Satin-Finish Aluminum Frame.

30%

- 7110-01-555-0292, AbilityOne, Aluminum finish frame, 24" x 18", EA, \$62.89
- 7110-01-555-0294, AbilityOne, Aluminum finish frame., 36" x 24", EA, \$136.60
- 7110-01-555-0293, AbilityOne, Aluminum finish frame, 48" x 36", EA, \$251.06
- 7110-01-568-0406, AbilityOne, Aluminum finish frame., 60" x 36", EA, \$388.55
- 7110-01-568-0399, AbilityOne, Aluminum finish frame., 72" x 48", EA, \$556.06

SKILCRAFT Total Erase® Whiteboards offer an upgraded writing surface that resists ghosting and staining, you can count on these boards to stand up to all busy office communication and collaboration needs. A light grid pattern is printed on the board surface to help keep writing aligned, but is virtually invisible to audiences. Available in mahogany or titanium finish frames, Titanium finish frames feature rounded corners. Perfect whiteboards for moderate use needs. Includes one marker and detached marker tray. Seven year warranty. These quality SKILCRAFT products are produced by The Lighthouse for the Blind, Inc. Seattle, WA. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

### Mahogany finish frame.

- 7110-01-622-2128, AbilityOne, Mahogany finish frame., 3' x 2', EA, \$55.00
- 7110-01-622-2118, AbilityOne, Mahogany finish frame., 4' x 3', EA, \$97.62

### Titanium finish frame with stylish rounded corners.

- 7110-01-622-2117, AbilityOne, Titanium finish frame., 2' x 1-1/2', EA, \$51.89
- 7110-01-622-2121, AbilityOne, Titanium finish frame, 3' x 2', EA, \$69.48

### Titanium finish aluminum frame with stylish rounded corners.

- 7110-01-622-2125, AbilityOne, Titanium finish frame, 4' x 3', EA, \$127.10

Wall-mounted marker board features a white melamine surface and full length marker tray with protective end caps included to be used when hung in the horizontal position. This economical board perfect for cubicles, offices, break rooms at a lower price than porcelain and Total Erase boards. Requires regular use of cleaners for optimal performance. Aluminum frame includes a minimum of 30% pre-consumer recycled material. Includes one black dry erase marker. These quality SKILCRAFT products are produced by The Lighthouse for the Blind, Inc. Seattle, WA. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

### Light Use Melamine Dry Erase Board.

- 7110-01-630-5156, AbilityOne, Oak finish frame, 4' x 3', EA, \$75.08

30%

LowVOC, Comprehensive Procurement Guideline Compliant

- 7110-01-416-5198, AbilityOne, Aluminum finish frame, 2' x 1-1/2', EA, \$32.08

- 7110-01-484-1756, AbilityOne, Aluminum finish frame, 3' x 2', EA, \$48.81

- 7110-01-568-0405, AbilityOne, Aluminum finish frame, 4' x 3', EA, \$89.19

- 7110-01-568-0398, AbilityOne, Aluminum finish frame, 6' x 4', EA, \$298.67

White melamine dry erase marker board with heavy duty black designer frame. Built-in eraser/pen tray. Easy-to-use, adjustable hangers allow board to be hung on office partition walls 1-1/2" to 3" thick. Adds to your office workspace without taking up desk space. Perfect for messages, dates and office organization.

- Federal Strategic Sourcing Initiative, 7520-01-454-5704, SKILCRAFT, AbilityOne, White, 29" L x 38.5" W, EA, \$77.95

## Wall Mounted Porcelain Markerboard

Large wall-mounted markerboards feature a white porcelain enamel steel writing surface and includes a full length accessory tray. Writing surface is also magnetic.

### Oak Finish Wood Frame.

- 7110-01-334-7083, White, 96" W x 48"H, EA, \$324.56

- 7110-01-334-7084, White, 120" W x 48" W, EA, \$411.55

### Aluminum Frame.

- 7110-01-334-7090, White, 96" W x 48" H, EA, \$265.35

- 7110-01-334-7091, White, 120" W x 48" H, EA, \$315.93

## Cubicle Board

Make efficient use of cubicle space with the Cubicle Magnetic Dry Erase Board. The painted steel-magnetic surface doubles as a bulletin board, adding a hard-working communication space to personal workplaces. The versatile and easy to hang mounting system hangs on fabric panels or drywall. Includes adjustable clips for level drywall installation and pins for cubicle mounts. One black dry erase marker included. Frame contains a minimum of 30% pre-consumer recycled aluminum. Horizontal side measurement listed first.

30%

- 7110-01-622-2132, AbilityOne, Aluminum Frame, 14" x 11", EA, \$25.61

Make efficient use of cubicle space with the Cubicle Magnetic Dry Erase Board. The painted steel-magnetic surface doubles as a bulletin board, adding a hard-working communication space to personal workplaces. The versatile and easy to hang mounting system hangs on fabric panels or drywall. Includes adjustable clips for level drywall installation and pins for cubicle mounts. One black dry erase marker included. Frame contains a minimum of 30% pre-consumer recycled aluminum. Horizontal side measurement listed first. Purchase of these Ability One products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

30%

7110-01-568-0400, AbilityOne, Aluminum Frame, 18" x 30", EA, \$54.22

7110-01-568-0407, AbilityOne, Aluminum Frame, 24" x 13", EA, \$40.48

**Magnetic cubicle board is ruled to form a 1 month undated calendar.**

30%

7110-01-568-0397, AbilityOne, Aluminum Frame, 18" x 30", EA, \$60.04

## Combination Board

Combination melamine coated dry erase and natural cork surface features oak frame and self-healing cork bulletin board. Marker tray and mounting hardware included. One black dry erase marker included. Purchase of these AbilityOne products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

30%

7110-01-568-0402, AbilityOne, Aluminum Frame, 18" x 30", EA, \$56.98

7110-01-568-0401, AbilityOne, Oak Finish Frame, 24" x 36", EA, \$65.73

7110-01-568-0404, AbilityOne, Oak Finish Frame, 36" x 48", EA, \$100.43

## Bulletin Board

Natural cork bulletin board with oak frame. Keep important information on display with this natural cork board. Durable light oak frame gives the board a bold, contemporary look. Creates a convenient display center wherever documents or photos need to be posted. Cork surface self-heals, adding lasting durability, pin-holes won't show. Cork is laminated to sturdy fiberboard to prevent warpage. Quick installation with mounting hardware included. Can be hung vertically or horizontally.

**Oak wood frame.**

7195-01-567-9520, AbilityOne, Oak, 12" x 36", EA, \$30.87

7195-01-567-9519, AbilityOne, Oak, 18" x 24", EA, \$27.06

7195-01-235-4161, AbilityOne, Oak, 2 x 3 ft., EA, \$44.59

7195-01-218-2026, AbilityOne, Oak, 3 x 4 ft., EA, \$82.51

7195-01-567-9521, AbilityOne, Oak, 48" x 72", EA, \$275.92

Keep important information on display within a cubicle with this natural cork board. Satin-finished, anodized aluminum frame. Cork surface self-heals so pin holes won't show, adding long lasting durability. Cork is laminated to high-density fiberboard to prevent warping and ensure longevity. For use with push pins and thumb tacks. Hanging hardware is included.

**Aluminum frame.**

7195-01-484-0007, AbilityOne, 1-1/2 x 2 ft., EA, \$26.71

30%

Comprehensive Procurement Guideline Compliant

7195-01-567-9517, AbilityOne, 18" x 30", EA, \$37.38

7195-01-622-2141, AbilityOne, 24" W x 14" L, EA, \$30.12

7195-01-484-0005, AbilityOne, 2 x 3 ft., EA, \$46.21

7195-01-484-0010, AbilityOne, 3 x 4 ft., EA, \$83.35

7195-01-567-9522, AbilityOne, 72" x 48" (6' x 4'), EA, \$259.37

## Enclosed Bulletin Board Message Center

Enclosed bulletin board message centers feature two locking, hinged, shatter resistant doors and aluminum frames.

**This enclosed outdoor use message center is weather resistant for outdoor use, when placed under awning or overhang and features a natural color vinyl surface. Interior case depth is 7/8". Overall depth is 2-1/4" deep.**

7195-01-654-6924, 48" W x 36" H, EA, \$289.86

**This illuminated message center features a concealed bulb, natural cork surface, and is intended for indoor use. Overall unit depth measures 3-1/8" deep, interior depth 1-7/16".**

7195-01-654-6926, 48" W x 36" H, EA, \$502.49

## Magnetic Work/Plan Kit

Magnetic Work/Plan kit features a white, painted steel, magnetic marker board with 2" wide x 1" long black grid and aluminum frame. Frame is made using 30% pre-consumer recycled aluminum. Surface can be used with magnetic accessories and write-on/wipe-off markers. Magnetic surface resists ghosting. Each kit includes: month, day, and date magnetic headings and magnetic cardholders with insert cards in 5 colors. Hanging hardware is included. Created with pride by Americans who are Blind or have other Severe Disabilities.

30%

7110-01-622-2127, AbilityOne, Aluminum Frame, 3' W x 2'L, 16 Columns, 20 Rows, EA, \$139.51

## Reversible Mobile Porcelain Markerboard

Dual sided, reversible, magnetic porcelain writing surface with aluminum frame. Board rotates on a horizontal axis and has a locking system that holds board in place. This product features four casters for mobility with locking option.

7110-01-648-8197, White, 72" W x 48" H, EA, \$581.95

## Dry Erase Calendar Board

Board has an aluminum frame with a Mylar-laminated surface that can be erased with a damp cloth, as well as a vertical section for notes. Includes four markers in black, blue, green and red.

**90-day organizer has 1-1/4 x 2-7/8" writing boxes.**

30%

7110-01-407-0160, AbilityOne, Aluminum Frame, 24" x 36", EA, \$47.79

## Dry Erase Calendar Planner

This 30-day non-dated planner features a laminated mylar surface on hardboard backing, satin finish aluminum frame and daily squares. Organizer features ruled section for notes, attached full length accessory tray with protective end caps to hold erasers and markers. For use with dry erase markers. Includes 4 markers: black, blue, green, red. Frames contain a minimum of 30% pre-consumer recycled aluminum. Horizontal side measurement listed first.

30%

7110-01-444-7735, AbilityOne, Aluminum Frame, 24" x 18", EA, \$36.20

Board has an aluminum frame with a Mylar-laminated surface that can be erased with a damp cloth, as well as a vertical section for notes. Includes four markers in black, blue, green and red.

**60-day organizer has 1-3/4 x 2-3/4" writing boxes.**

30%

Comprehensive Procurement Guideline Compliant

7520-01-223-9897, AbilityOne, Black/Aluminum, 21-1/2" x 32", EA, \$47.79

**30-day organizer has 3-5/8 x 3" writing boxes.**

30%

Comprehensive Procurement Guideline Compliant

7520-01-223-9896, AbilityOne, Black/Aluminum, 21-1/2" x 32", EA, \$47.79

4-month dry erase calendar board allows you to track plans and events for 4 months at a time. The board is divided into 4 month sections. Individual undated day and date boxes can be used month after month and year after year. Patented "Easy Mount" hanging system for simple installation. Frame is made using 30% pre-consumer aluminum and delivers exceptional style and durability. Dry erase calendar includes one dry-erase marker and attached marker tray.

30%

7110-01-622-2133, AbilityOne, Aluminum Frame., 4' x 3', EA, \$136.36

## Monthly Control Board

Unframed board has a special plastic-laminated surface that permits write on/wipe off with a damp cloth. Includes one black marker.

**30-day organizer has 4-1/4 x 3-1/2" writing boxes.**

7520-01-207-4057, AbilityOne, Green, 24 x 36", EA, \$17.13

## In-Out Schedule Board

Board has columns for time in, time out, time back, destination, telephone messages and instructions. Each board holds up to 12 names. Plastic laminated surface (write on/wipe off).

**Unframed board comes with one black marker.**

7520-01-207-4061, AbilityOne, 18 x 24", EA, \$17.03

## In-Out Dry Erase Schedule Board

In/Out easel wallboard features a durable magnetic painted steel surface, accommodates up to 14 persons. For use with any dry erase markers or magnetic accessories. Includes one magnetic black dry erase marker with eraser cap and magnets per each person. Mounts vertically. 5 columns for name/in/out/return time/remarks. Aluminum frame contains minimum of 30% pre-consumer recycled aluminum. Resists scratches and dents; cleans easily. Size is designed for convenience and mobility. Clear plastic hangers with round hole pre-installed.

30%

Comprehensive Procurement Guideline Compliant

7520-01-484-5261, AbilityOne, 11" x 14", EA, \$37.67

## In/Out Erasable Marker Board

Wall mounted, in/out, dry erase marker board with magnetic surface. 5 columns for name/in/out/return time/remarks, accommodates up to 29 persons. Includes one magnetic black dry erase marker with eraser cap and magnets per each person. Mounts vertically. Aluminum frame contains minimum of 30% pre-consumer recycled aluminum. Resists scratches and dents; cleans easily.

30%

7110-01-568-0403, AbilityOne, Aluminum Frame., 18" x 24", EA, \$96.74

## Erasable Custom Wall Calendar

36" x 24", Blank Planner. Erasable calendar has full color agency logo located at the top with 10% screened image logo located in the body of the calendar. Month and date boxes are blank for reuse. Includes one blank fine point erasable marker. Horizontal side measurement listed first.

7520-01-496-5475, AbilityOne, 36" x 24", EA, \$30.23

## Erasable Wall Calendar (Yearly)

Features full color agency logo located at top with screened image of logo located in the body of the calendar. Month and date boxes are blank for reuse. Includes black fine point erasable marker. 12-month per view calendar.

7520-01-496-5473, AbilityOne, Blue/white, 24 x 36", EA, \$30.23

## Planning Chart

This Reversible and Erasable 30/60 Day Flexible Planner- undated; features a Note section along the bottom and a "Things to do" on the right side. Printed using soy ink and made from plastic laminated paper. Product also includes 1 black marker and a dry erase marker.

50%

7520-01-585-0980, SKILCRAFT, White, 48"W X 32"H, EA, \$25.54

## Calendar Planner

Silk-screened monthly calendar planner for scheduling office events. Wallboard features a smooth, melamine finish for brilliant dry erase marker colors and easy clean up. Board comes with an office decor aluminum frame. Wall hangers and instructions are included.

7520-01-484-5263, AbilityOne, Height: 2 ft.; Width: 3 ft., EA, \$57.66

Erasable Custom 30 Day Calendar, Planner, undated, can be customized with your agency's logo, has 3 3/4 inch x 3 1/4 inch write-in boxes, write on-wipe off surface, dry erase black marker included.

7520-01-496-5474, Ability One, White writing surface, 24 inches H x 36 inches W, EA, \$30.23

Erasable Custom 3 Month Calendar, Planner, undated, can be customized with your agency's logo, has 1 1/2 inch x 2 1/4 inch write-in boxes, write on-wipe off surface, dry erase black marker included.

7520-01-496-5476, Ability One, White writing surface, 24 inches H x 36 inches W, EA, \$30.23

Erasable Custom 12 Month Calendar, Planner, undated, can be customized with your agency's logo, has 1 1/2 inch x 1 3/4 inch write-in boxes, one box for each month, write on-wipe off surface, dry erase black marker included.

7520-01-496-5477, AbilityOne, EA, \$42.91

# Board Accessories

## Colored Chalk Assortment

For more dynamic presentations, create color-coded charts or graphics with dustless, nontoxic, 45% calcium carbonate chalk. Art and Craft Materials Institute certified. Assortment includes 144 pieces, which contain a minimum of six colors other than white.

7510-00-282-6924, 51000, Multi Color, AT, \$45.43

## Dry Erase Marker Kit

This whiteboard eraser holds three large-sized chisel-tip markers black, red and blue (included) and is easy to grip. Nylon erasing surface wipes away the most stubborn marks, while the soft pads pick up dust and marker residue. The nylon pad also doubles as a Velcro mounting strip.

**AP certified non-toxic.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-446-8311, Material Safety Data Sheet, Sanford EXPO P/N 81503, Assorted, EA, \$6.01

Markers contain low-odor, non-toxic ink for use on whiteboards and other non-porous surfaces. Quick-drying ink erases easily. Chisel tip allows for broad, medium or thin line marks. Four color set includes one each of black, red, blue and green. Set includes 2-oz. bottle of dry erase spray cleaner and one eraser. I.A.W. ASTM-D4236 OR ASTM-D236

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-557-4971, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, KT, \$7.08

Organizer holds six chisel tip markers in black, red, blue, green, orange and brown and an eraser at your fingertips. Mounts easily to any smooth surface with double-sided tape (included).

**I.A.W. ASTM-D4236 OR ASTM-D236.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-352-7321, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$9.99

Set contains 12 markers, whiteboard eraser and cleaning kit in a durable storage case. Each set contains four fine point markers (black, blue, red and green) and eight chisel tip markers in black, blue, red, green, brown, orange, purple and yellow and (1)

8 oz. board spray cleaner bottle

**I.A.W. ASTM-D4236 OR ASTM-D236, low odor, AP certified non-toxic, and BPA free.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-365-6126, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, KT, \$21.41

## Dry Erase Marker Set

Set of 4 pen-style, bullet point dry erase markers are used on whiteboards, glass and other non-porous surfaces. Ink wipes off with a tissue, dry cloth or dry eraser. Quick drying water-based ink is certified non-toxic and low-odor. Four marker set includes one each: black, red, green and blue. ACMI-AP CERTIFIED NON-TOXIC

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-156-1411, Material Safety Data Sheet, Assorted, Fine Point, SE, \$2.91

Federal Strategic Sourcing Initiative, 7520-01-450-8920, Material Safety Data Sheet, Assorted, Super Fine Point, SE, \$5.66

These jumbo-size dry erase markers are perfect for writing, lettering and drawing on whiteboards and other non-porous surfaces. The durable bullet-tip makes a bold, uniform line. Four marker set includes one each of black, green, red and blue.

**Low odor, quick drying, ACMI approved non-toxic, and BPA free.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-383-7950, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$5.56

Dry erase chisel tip markers are used on whiteboards, glass and other non-porous surfaces. Ink dries quickly and wipes off easily with a dry cloth or eraser. Eight marker set includes one each of green, yellow, brown, orange, purple, red, black and blue.

**Low odor, AP certified non-toxic, and BPA free**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-186-3605, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, AT, \$9.70

Low-odor dry erase marker has a chisel tip and is used on whiteboard surfaces. Also great for use on porcelain, enamel, glass, and unpainted, polished metal. Marks are easily removed with a dry cloth, tissue or dry eraser. Four marker set includes one each of Black, Blue, Red and Green

**ACMI approved non-toxic, BPA free, and quick drying.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-553-8142, Material Safety Data Sheet, AbilityOne, Assorted, SE, \$5.86

## Retractable Dry Erase Marker Set

A retractable markers with easy single handed operation eliminates the need for capping and re-capping while in use. Low-odor, non-toxic premium ink dries quickly on whiteboards and won't ghost or leave shadows. Tip is made of durable polyester that holds its shape and will not leak. Chisel tip allows broad, medium and fine point marking. Includes handy pocket clip. Set of four markers includes one each of red, black, blue, and green.

*18-month maximum shelf life (extendable).*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-519-5769, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$5.17

## Dry Erase Marker

Low-odor dry erase marker has a chisel tip and is used on whiteboard surfaces. Also great for use on porcelain, enamel, glass, and unpainted, polished metal. Marks are easily removed with a dry cloth, tissue or dry eraser.

**Low odor, quick drying, ACMI approved non-toxic, and BPA free.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-294-3791, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, DZ, \$8.34

This low odor dry-erase marker dries instantly and wipes off easily; for use on white boards. AMCI approved non-toxic.

*18-month maximum shelf life (extendable).*

7520-01-510-5658, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, Chisel Tip, DZ, \$9.73

7520-01-510-5661, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red, Chisel Tip, DZ, \$9.73

7520-01-510-5655, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, Bullet Tip, DZ, \$9.68

## Dry Erase Eraser

Whiteboard eraser features a soft pile that removes markings quickly and cleanly from dry-eraser surfaces. Use on whiteboards, porcelain and melamine surfaces. Eraser can be cleaned with soap and water. Scratch free and reusable.

Federal Strategic Sourcing Initiative, 7510-01-316-6213, SKILCRAFT, AbilityOne, Charcoal Gray, EA, \$2.33

## Transparency Marker Set

These fine-line, felt-tip, wet erase markers are designed for writing on visual-aid transparencies, whiteboards and erasable calendars.. Protective plastic cap indicates color of water-soluble ink. Eight marker set includes one each of purple, orange, green, yellow, brown, red, blue and black.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-00-138-7981, Material Safety Data Sheet, Assorted, Fine Point, AT, \$7.29

These water-based ink markers are perfect for use on overhead transparencies and other types of films and acetates. Marking can be removed easily using a damp cloth or eraser. Four marker set includes one each black, blue, green and red.

*18-month maximum shelf life (extendable).*

7520-01-005-8881, Material Safety Data Sheet, Assorted, Fine Point, AT, \$3.55

## Overhead Transparency Marker Set

These permanent ink visual aid markers are waterproof and non-toxic. Product is quick drying and can be used on overhead transparency film or other glossy surfaces such as photos, slide frames, glass, acrylic and vinyl. Four marker set includes one each black, blue, green and red.

*18-month maximum shelf life (extendable).*

7520-01-392-5295, Material Safety Data Sheet, Assorted, Fine Point, SE, \$19.55

Federal Strategic Sourcing Initiative, 7520-01-392-5296, Material Safety Data Sheet, Assorted, Medium Point, SE, \$6.22

# Presentation Supplies

## Certificate Binder

Vinyl holder proudly displays two award certificates, one each inside the front and back covers. Includes transparent protector sheets.

**Dark blue with U.S. Air Force seal embossed on front cover. Holds one 8-1/2 x 11" and one 11 x 14" certificates.**

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-00-134-8179, Dark Blue, 14-1/2 x 11-1/2", EA, \$14.71

**Blue with gold Navy seal embossed on front cover. Holds two 8-1/2 x 11" certificates. Packaging for this product is compliant with the U.S. Navy "Plastics Removal in the Marine Environment (PRIME)" program which calls for non-plastic packaging, packing, and associated marking requirements. The definition of plastic shall be in accordance with that given in ASTM D883-00, "Standard Terminology Related to Plastics".**

*25% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-482-2994, SKILCRAFT, AbilityOne, Blue/Gold, 11-5/8 x 9", EA, \$5.19

**Blue with silver U.S. Air Force seal embossed on front cover. Holds two 8-1/2 x 11" certificates.**

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-115-3250, SKILCRAFT, AbilityOne, Blue/Silver, 11-5/8 x 9", EA, \$5.48

**Green and gold with U.S. Army seal embossed on front cover. Holds two 8-1/2 x 11" certificates.**

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-755-7077, SKILCRAFT, AbilityOne, Green/Gold, 11-5/8 x 9", EA, \$5.34

**Scarlet red with gold U.S. Marine Corps seal embossed on front cover. Holds two 8-1/2 x 11" certificates. Packaging for this product is compliant with the U.S. Navy "Plastics Removal in the Marine Environment (PRIME)" program which calls for non-plastic packaging, packing, and associated marking requirements. The definition of plastic shall be in accordance with that given in ASTM D883-00, "Standard Terminology Related to Plastics".**

*25% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-056-1927, SKILCRAFT, AbilityOne, Scarlet Red, 11-5/8 x 9", EA, \$5.25

**Navy blue without military seal on the front cover. Holds two 8-1/2 x 11" certificates.**

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-390-0712, SKILCRAFT, AbilityOne, Navy Blue, 11-5/8 x 9", EA, \$6.70

This lightweight, imitation leather binder (with levant grain) holds a single award certificate. Binder is dark blue with a gold border. Accommodates 10-1/8 x 12-1/8" certificates.

**The inside back cover includes narrow, diagonal ribbons 3/4" from each corner. The inside front cover features an attractive red, white and blue grosgrain ribbon, which is set diagonally across one corner.**

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-00-157-8618, Dark Blue, 11 x 12-3/4", EA, \$20.58

## Certificate/Document Cover

Certificate/document cover is die-cut to hold 8-1/2 x 11", 8 x 10" and A4-size award or documents. 80-lb. linen stock with gold foil stamped cover.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7510-01-519-5770, SKILCRAFT, AbilityOne, Black, 12-1/2 x 9-3/4", PG (contains 5 EA), \$7.03

Federal Strategic Sourcing Initiative, 7510-01-519-5771, SKILCRAFT, AbilityOne, Blue, 12-1/2 x 9-3/4", PG (contains 5 EA), \$8.07

## Certificate Holders

Certificate holders are made with 80lb linen stock which features an elegant gold-foil design. Reinforced four die-cut slots on back cover securely hold certificates and documents in place. Documents can be placed in the vertical or horizontal position. Covers are made to fit 8 1/2" x 11", 8" x 10" and A4 size certificates or documents

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

7510-01-627-2958, SKILCRAFT, AbilityOne, Burgundy, 12-1/2" x 9-3/4", PG (contains 6 EA), \$8.98

7510-01-627-2960, SKILCRAFT, AbilityOne, Red, 12-1/2" x 9-3/4", PG (contains 6 EA), \$8.98

7510-01-627-2961, SKILCRAFT, AbilityOne, Green, 12-1/2" x 9-3/4", PG (contains 6 EA), \$8.98

## Laser Pointer

Dark Gray or Black metal pen size red laser pointer fits comfortably in your pocket and comes with a handclip. Features a 300 yard range. 5,000 hours life. On / off switch. Constant wave. 3 volts total. A wavelength of 650NM. Two AAA batteries included.

7520-01-392-5300, Material Safety Data Sheet, Length: 5-1/4", EA, \$20.82

This pen style red laser presentation pointer features a wavelength of 650NM and has a 400 yard range. Constant wave. 3 volts total. A rugged on/off switch, low battery indicator and separate buttons for solid line and blink functions. Two AAA batteries are included

7520-01-449-8335, 5.5" L x 1/2" D, EA, \$28.75

Pen style green light laser pointer features 5.0 mW power output, 532NM wavelength with constant wave output mode; 3 volts total. Two AAA batteries included. 9,000 ft. maximum range.

7520-01-574-8720, Material Safety Data Sheet, 6" L x 1/2" D, EA, \$32.55

## Neck Lanyard

Cord style lanyard made of braided polyester.

**Detachable braided loop to attach to ID card.**

8455-01-666-0465, AbilityOne, Black, 36" x 0.25", DZ, \$39.61

**Features a breakaway connector, a cord adjuster, and a side release buckle. Removable swivel hook with a rigid RFID protection, single card holder.**

8455-01-666-0466, AbilityOne, Black, 36" x 0.25", DZ, \$56.22

**Features a breakaway connector with a sturdy plastic J hook clip which allows for easy attaching and detaching of ID cards.**

8455-01-645-2728, AbilityOne, Tan, 36" L x 0.25" Thick, DZ, \$33.01

**Includes a non-breakaway connector and a metal J hook clip which allows for easy attaching and detaching of ID cards.**

8455-01-645-2730, AbilityOne, Black, 36" L x 0.25" Thick, DZ, \$7.13

**Flight Line lanyard uses a cord loop instead of a metal hook for safe use on the flight line. Features a breakaway connector with a detachable cord. Includes attached rigid dual card holder and clear vinyl zip lock card holder.**

8455-01-648-5709, AbilityOne, Black, 36" L x 0.25" Thick, DZ, \$59.41

Strap style lanyard made of durable nylon material.

**Features a breakaway connector with a sturdy plastic J hook clip which allows for easy attaching and detaching of ID cards.**

8455-01-645-2731, AbilityOne, Tan, 36" L x 0.75" Thick, DZ, \$33.01

**Includes a lightweight non-breakaway connector and sturdy metal J hook clip which allows for easy attaching and detaching of ID cards.**

8455-01-645-2729, AbilityOne, Black, 36" L x 0.75" Thick, DZ, \$7.30



## Badge Holder

Top loading vinyl badge holder has a re-sealable closure and includes a slot and dual chain holes for easy lanyard or chain attachment. Maximum insert size: 3-3/4" x 2-5/8".

8455-01-648-5710, AbilityOne, Clear, BX(contains 25 EA), \$15.56

Dual ID card holder is clear and made of rigid plastic. The holder will accommodate two (2) credit card sized ID cards. The front of each card is visible when the holder is flipped over.

**Holder has 1 slot for a lanyard or badge reel.**

*Displays ID vertically or horizontally.*

8455-01-666-0468, AbilityOne, Clear, 2.5" x 3.75", DZ, \$11.18

*Displays ID vertically.*

8455-01-666-0469, AbilityOne, Clear, 2.5" x 3.75", PG(contains 24 EA), \$12.17

Armband badge holder is top loading with a clear vinyl re-sealable closure. Armband has a hook and loop adjustment to fit various arm sizes.

8455-01-666-0467, AbilityOne, Black, max insert 3-3/4" x 2-5/8", EA, \$6.90

Badge and smart card holder is RFID shielded on one side. Closed face design displays ID vertically or horizontally. GSA FIPS 201 approved to meet HSPD-12.

8455-01-666-0470, AbilityOne, 2.5" x 3.8", DZ, \$20.86

RFID shielded holder for smartcards or other forms of ID. Closed face design holds two CAC cards with a thumb-notch on both sides. GSA FIPS 201 approved to meet HSPD-12.

8455-01-645-2732, AbilityOne, BX(contains 250 EA), \$777.98

Identification card reel easily attaches to clothing for instant ID card access. Round plastic enclosure houses a retractable reel attached to a nylon cord. Reinforced vinyl strap with a snap for attaching ID cards or badges.

**A metal bulldog clip secures the badge to a belt or article of clothing.**

8455-01-648-5708, AbilityOne, Black, DZ, \$41.76

## Retractable ID Badge Holder

Identification card reel easily attaches to clothing for instant ID card access. Round plastic enclosure houses a retractable reel attached to a nylon cord. Reinforced vinyl strap with a snap for attaching ID cards or badges.

**36 inch retractable nylon cord. A metal spring clip secures the badge to a belt or article of clothing.**

8455-01-545-3657, AbilityOne, Black, DZ, \$41.76

## Clip Style Badge Holder

Strap clip adapter attaches PIP/CAC cards or badge holder to neck lanyard. Strap clip adapter is clear with 2 holes and comes with a rotating bulldog clip.

8455-01-645-2727, AbilityOne, BX(contains 100 EA), \$14.86

Clear plastic badge holder with a swivel clip for attachment to clothing. Includes white or light colored heavy paper insert. Set includes 50 holders and 50 inserts.

8455-01-412-9537, 95543 or Equal, Clear, 4" W x 3" H, BX(contains 50 EA), \$37.90

# Photography Supplies

## Premium Glossy Photo Paper

This 92 bright paper for glossy, photo quality color prints. Ideal for photos, proofs, displays, enlargements or posters. This paper is designed to meet demanding needs for excellent printing results.

*Basis Weight: 68lb.*

Federal Strategic Sourcing Initiative, 7530-01-490-7271, White, 8-1/2 X 11", PG(contains 20 SH), \$12.27

## Photographic Brush

Designed for dusting camera lenses and photo negatives. Soft bristles made of horse hair and ox ear hair. Paintbrush design is 1 inch wide; 1/4 inch thick min. Hair is 1 inch long, overall brush length is 6 inches.

7920-00-205-0565, EA, \$10.24

## Transparency Film

Transparency film for use in HP Designjet Models: 300, 400, 650C 650C/PS, 700 and 1000 Series Printers.

Federal Strategic Sourcing Initiative, 7530-01-443-5285, C3875A, Clear, 36" W x 75' L, RO(contains 75 FT), \$189.02

# Frames

## Military Themed Picture Frame

Attractive picture frames have a stain finished hardwood molding with embossed rope design on the inside. U.S. Army has enamel finish. The cardboard backing is held in place with metal flex tabs for easy installation of photos or certificates. Wall mounts vertically or horizontally, include a clear glass front and reversible white/black mat. Pictures not included with frames. All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

**Made especially for our ARMY customers. Hardwood moulding with a raised black and gold metallic braid measures 1-3/8" wide. Mounts on wall either vertically or horizontally with clear glass front and white/black reversible mat.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-458-8209, Army, AbilityOne, Black w/Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$90.85

7105-01-458-8210, Army, AbilityOne, Black w/Gold, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$96.53

7105-01-458-8212, Army, AbilityOne, Black w/Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$102.33

7105-01-458-8211, Army, AbilityOne, Black w/Gold, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$118.31

7105-01-458-8213, Army, AbilityOne, Black w/Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$121.98

7105-01-458-8230, Army, AbilityOne, Black w/Gold, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$115.81

**Made especially for our NAVY customers. Hardwood moulding with a navy blue finish and raised gold rope design measures 1-3/8" wide. Mounts on wall either vertically or horizontally with clear glass front and white/black reversible mat.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-458-8214, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$90.85

7105-01-458-8216, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$96.53

7105-01-458-8218, NAVY, AbilityOne, Navy Blue w/Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$91.62

7105-01-458-8215, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$118.31

7105-01-458-8217, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$121.98

7105-01-458-8231, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$101.88

**Made especially for our MARINE customers. Hardwood moulding in a navy blue finish with a gold metallic braid and scarlet piping measures 1-3/8" wide. Mounts on wall either vertically or horizontally with clear glass front and white/black reversible mat.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-458-8224, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$92.78

7105-01-458-8226, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$98.59

7105-01-458-8225, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$92.87

7105-01-458-8228, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$120.75

7105-01-458-8227, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$124.51

7105-01-458-8232, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$117.97

**Made especially for our USAF customers. Hardwood moulding with a blue and silver finish measures 1-3/8" wide. Mounts on wall either vertically or horizontally with clear glass front and white/black reversible mat.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-458-8220, USAF, AbilityOne, Blue w/Silver, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$90.85

7105-01-458-8219, USAF, AbilityOne, Blue w/Silver, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$96.53

7105-01-458-8221, USAF, AbilityOne, Blue w/Silver, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$90.28

7105-01-458-8223, USAF, AbilityOne, Blue w/Silver, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$118.31

7105-01-458-8222, USAF, AbilityOne, Blue w/Silver, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$121.98

7105-01-458-8229, USAF, AbilityOne, Blue w/Silver, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$115.81

## Hardwood Vinyl Wrapped Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front and reversible white/black mat. Gold and Oak styles also include hook and loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

**Vinyl wrapped hardwood finished frame with gold beaded molding measuring 3/4" wide. Includes white beveled cut mat, clear glass and wall mounts. Mounts on wall vertically or horizontally with optional pop out easel back for desktop display size 11" x 14" and smaller.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-424-6494, AbilityOne, Black, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45  
 7105-01-424-6473, AbilityOne, Black, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$78.67  
 7105-01-424-6477, AbilityOne, Black, Document Size: 8-1/2 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$81.89  
 7105-01-424-6484, AbilityOne, Black, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41  
 7105-01-424-6489, AbilityOne, Black, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$49.52  
 7105-01-424-6479, AbilityOne, Black, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$110.30  
 7105-01-424-6498, AbilityOne, Black, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$81.11  
 7105-01-424-6481, AbilityOne, Black, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$83.15  
 7105-01-424-6485, AbilityOne, Black, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$110.20  
 7105-01-424-6505, AbilityOne, Black, Document Size: 20 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64  
 7105-01-424-6501, AbilityOne, Black, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74  
 7105-01-424-6483, AbilityOne, Oak, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45  
 7105-01-424-6475, AbilityOne, Oak, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$68.70  
 7105-01-424-6471, AbilityOne, Oak, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$89.80  
 7105-01-424-6488, AbilityOne, Oak, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41  
 7105-01-424-6499, AbilityOne, Oak, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74  
 7105-01-424-6487, AbilityOne, Oak, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$49.52  
 7105-01-424-6472, AbilityOne, Oak, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$100.60  
 7105-01-424-6495, AbilityOne, Oak, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$81.11  
 7105-01-424-6480, AbilityOne, Oak, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$71.98  
 7105-01-424-6492, AbilityOne, Oak, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$88.46  
 7105-01-424-6504, AbilityOne, Oak, Document Size: 20 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64  
 7105-01-419-5302, AbilityOne, Gold, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45  
 7105-01-419-5318, AbilityOne, Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$86.76  
 7105-01-419-5329, AbilityOne, Gold, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$74.55  
 7105-01-419-5339, AbilityOne, Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41  
 7105-01-419-5358, AbilityOne, Gold, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$49.52  
 7105-01-419-5350, AbilityOne, Gold, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74  
 7105-01-419-5298, AbilityOne, Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$117.99  
 7105-01-419-5347, AbilityOne, Gold, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$81.11  
 7105-01-419-5289, AbilityOne, Gold, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$95.94  
 7105-01-419-5309, AbilityOne, Gold, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$88.46  
 7105-01-419-5360, AbilityOne, Gold, Document Size: 20 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64  
 7105-01-424-6482, AbilityOne, Mahogany, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45  
 7105-01-424-7865, AbilityOne, Mahogany, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$78.67  
 7105-01-424-6476, AbilityOne, Mahogany, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$81.89  
 7105-01-424-6497, AbilityOne, Mahogany, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41  
 7105-01-424-6491, AbilityOne, Mahogany, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$49.52  
 7105-01-424-6486, AbilityOne, Mahogany, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74  
 7105-01-424-6478, AbilityOne, Mahogany, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$110.30  
 7105-01-424-6503, AbilityOne, Mahogany, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$81.11  
 7105-01-424-6474, AbilityOne, Mahogany, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$83.15  
 7105-01-424-6490, AbilityOne, Mahogany, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$110.20  
 7105-01-424-6493, AbilityOne, Mahogany, Document Size: 20 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64  
 7105-01-419-5305, AbilityOne, Walnut, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45  
 7105-01-419-5293, AbilityOne, Walnut, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$78.67  
 7105-01-419-5322, AbilityOne, Walnut, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$81.89  
 7105-01-419-5319, AbilityOne, Walnut, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41  
 7105-01-419-5338, AbilityOne, Walnut, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74  
 7105-01-419-5351, AbilityOne, Walnut, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$49.52  
 7105-01-419-5332, AbilityOne, Walnut, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$100.60  
 7105-01-419-5296, AbilityOne, Walnut, Document Size: 12 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64  
 7105-01-419-5353, AbilityOne, Walnut, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$81.11  
 7105-01-419-5344, AbilityOne, Walnut, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$91.98  
 7105-01-419-5355, AbilityOne, Walnut, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$110.20

## Clear Finish Oak Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front and reversible white/black mat. Gold and Oak styles also include hook and loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

**Solid oak with clear finish molding measures 3/4" wide. Mounts on wall vertically or horizontally. Glass front and reversible white/black mat. Includes velcro for easy attachment to fabric cubicle walls, as well as, easel back for desktop display. 12 per box.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-440-6070, AbilityOne, Oak, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$56.01

7105-01-440-6078, AbilityOne, Clear Oak, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$64.02

7105-01-440-6077, AbilityOne, Clear Oak, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$78.66

7105-01-440-6076, AbilityOne, Clear Oak, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$98.41

7105-01-440-6075, AbilityOne, Clear Oak, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$72.11

## Cherry Finished Wood Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front and reversible white/black mat. Gold and Oak styles also include hook and loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

**Rich cherry finished hardwood moulding with raised beads measures 1" wide. Mounts on wall either vertically or horizontally; clear glass front and white/black reversible mat.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-357-9978, AbilityOne, Cherry, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$68.94

7105-01-357-9979, AbilityOne, Cherry, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$75.64

7105-01-357-9980, AbilityOne, Cherry, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$79.22

7105-01-357-9981, AbilityOne, Cherry, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$94.87

## Walnut Stained Wood Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front and reversible white/black mat. Gold and Oak styles also include hook and loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

**Traditional walnut finished hardwood moulding with raised gold lip measures 1-3/8" wide. Mounts on wall either vertically or horizontally; clear glass front and white/black reversible mat.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-282-0630, AbilityOne, Walnut, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$72.57

7105-01-282-0631, AbilityOne, Walnut, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$76.03

7105-01-282-0632, AbilityOne, Walnut, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$51.04

7105-01-282-0633, AbilityOne, Walnut, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$93.40

## Walnut Vinyl Gold Trimmed Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front and reversible white/black mat. Gold and Oak styles also include hook and loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

**Walnut vinyl wrapped hardwood moulding with a raised gold lip measures 1-3/8" wide. Mounts on wall either vertically or horizontally; clear glass front and white/black reversible mat.**

7105-01-408-9957, AbilityOne, Walnut, Document Size: 8-1/2 x 11", Mat Cut Out Area: 5x7", BX(contains 12 EA), \$79.41

7105-00-903-1842, AbilityOne, Walnut, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$55.96

7105-00-903-1843, AbilityOne, Walnut, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$76.65

7105-00-149-1282, AbilityOne, Walnut, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$80.53

7105-00-149-1281, AbilityOne, Walnut, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$92.10

7105-00-641-4385, AbilityOne, Walnut, Document Size: 11-1/2 x 14", Mat Cut Out Area: 10 x 12", BX(contains 12 EA), \$97.31

7105-00-297-3397, AbilityOne, Walnut, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$71.89

7105-00-052-8696, AbilityOne, Walnut, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$77.80

## Black Enamel Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front and reversible white/black mat. Gold and Oak styles also include hook and loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

**Black clear coat hardwood moulding measures 3/4" wide. Mounts on wall either vertically or horizontally; has clear glass front and white/black reversible mat.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-00-052-8690, AbilityOne, Black, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$56.41

7105-00-052-8689, AbilityOne, Black, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$58.95

7105-00-465-6199, AbilityOne, Black, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$65.50

7105-00-051-1212, AbilityOne, Black, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$45.11

7105-00-052-8686, AbilityOne, Black, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$72.89

7105-00-052-8684, AbilityOne, Black, Document Size: 14 x 17", No Mat, BX(contains 6 EA), \$62.85

7105-00-053-0170, AbilityOne, Black, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$64.37

7105-00-061-5834, AbilityOne, Black, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$76.01

7105-00-297-3398, AbilityOne, Black, Document Size: 20 x 24", No Mat, BX(contains 6 EA), \$74.21

## Antique Gold Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front and reversible white/black mat. Gold and Oak styles also include hook and loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

**Antique gold hardwood molding measures 3/4" wide. Mounts on wall either vertically or horizontally. Glass front and reversible white/black mat. Includes velcro for easy attachment to fabric cubicle walls, as well as, pop out easel back for desktop display. 12 per box.**

LowVOC, Comprehensive Procurement Guideline Compliant

7105-01-440-6073, AbilityOne, Antique Gold, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", Easel/Velcro, BX(contains 12 EA), \$56.94

7105-01-440-6083, AbilityOne, Antique Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", Easel/Velcro, BX(contains 12 EA), \$65.14

7105-01-440-6067, AbilityOne, Antique Gold, 8 x 10", Velcro, BX(contains 12 EA), \$67.65

7105-01-440-6064, AbilityOne, Antique Gold, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", Easel/Velcro, BX(contains 12 EA), \$67.78

7105-01-440-6071, AbilityOne, Antique Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", Easel/Velcro, BX(contains 12 EA), \$70.75

7105-01-440-6081, AbilityOne, Antique Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", Easel/Velcro, BX(contains 12 EA), \$103.70

## Awards

### Award Plaque

Pre-assembled, brushed-edge plaque with an 8-1/2 x 11" certificate. Has non-glare pocket cover, mailer and blank "Certificate of Appreciation".

*Contains 100% Recovered Material, Which Includes 50% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

9905-01-357-9986, 18812M or equal, Oak, 11-1/4 x 13-3/4", EA, \$9.28

9905-01-357-9985, 18811M or equal, Dark Walnut, 11-1/4 x 13-3/4", EA, \$9.28

Pre-assembled plaque displays awards measuring 8-1/2 x 11". The plaque has a black marble finish with a gold colored frame to accentuate the award.

*Contains 100% Recovered Material, Which Includes 50% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

9905-01-385-7522, 2380 (BM) Black, Marble or equal, Black Marble Finish, 11-1/2 x 14", EA, \$9.35

### Insta-Plaque

Do-it-yourself award maker instantly assembles to present and protect awards, letters, documents, licenses, photographs and diplomas with a clear acrylic cover. Reusable plaque has a clear protective cover with four pre-drilled holes and four decorative tacks for attaching the acrylic frame to the plaque. Plaque holds 8-1/2 x 11" documents.

**Includes a blank "Certificate of Award" for inscription.**

*Contains 100% Recovered Material, Which Includes 50% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

9905-01-357-9983, 301 or equal, Oak, 10-1/2 x 13", EA, \$9.43

9905-01-357-9984, 302 or equal, Walnut, 10-1/2 x 13", EA, \$9.60

9905-01-408-6051, MWP3 or equal, Black Marble, 10-1/2 x 13", EA, \$9.19

9905-01-408-6049, MWP2 or equal, Oak, 10-1/2 x 13", EA, \$9.19

9905-01-408-2270, MWP1 or equal, Dark Walnut, 10-1/2 x 13", EA, \$9.19

# 2022 Calendar Refills Chart

To see our complete product offering, including additional, updated calendar options, please visit [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

Product	2021 NSN	2022 NSN	Source	U/I	Price
---------	----------	----------	--------	-----	-------

## Basic Desk Calendars

Calendar Blotter Pad- 18 x 22"	7510-01-664-8788	7510-01-665-1171	UNICOR	EA	\$5.14
Weekly Appointment Book- 8-1/2 x 11"	7530-01-664-8798	7530-01-664-8802	UNICOR	EA	\$5.14
Activity Schedule- previously OF67, 8-1/2 X 11"	7510-01-665-0582	7510-01-665-0584	UNICOR	PG (10 EA)	\$8.31
Monthly Desk Planner - wire bound, 8-1/2 x 11"	7530-01-600-7597	7530-01-600-7602	AbilityOne	EA	\$13.01
Monthly Planner-14 month Dec-Jan-wire bound 6-7/8" x 8-3/4"	7510-01-682-8091	7510-01-682-8092	AbilityOne	EA	\$12.36
Weekly Desk Planner - wire bound, 6-7/8 x 8-3/4"	7530-01-600-7601	7530-01-600-7608	AbilityOne	EA	\$14.79
Professional Weekly Planner-12 months, 8-1/2 x 11"	7510-01-682-8110	7510-01-682-8111	AbilityOne	EA	\$14.64
Daily Desk Planner - wire bound, 5 x 8"	7530-01-600-7590	7530-01-600-7576	AbilityOne	EA	\$16.32
Weekly Planner Book - dated Jan-Dec, 5 x 8"	7530-01-600-7617	7530-01-600-7619	AbilityOne	EA	\$10.80

## Wall Calendars

Wall Calendar- 8-1/2 x 11"	7510-01-664-9502	7510-01-664-9503	UNICOR	PG (10 EA)	\$8.45
Monthly Wall Calendar - dated Jan-Dec, 8-1/2 x 11"	7510-01-600-7582	7510-01-600-7585	AbilityOne	EA	\$7.87
Wall Calendar - wire bound, dated Jan-Dec 12 x 17"	7510-01-600-7630	7510-01-600-7633	AbilityOne	EA	\$9.43
Wall Calendar - wire bound,dated Jan-Dec 15-1/2 x 22"	7510-01-600-7575	7510-01-600-7579	AbilityOne	EA	\$13.40
Wall Calendar - 14 months Dec-Jan 12-1/4" x 26"	7510-01-682-8098	7510-01-682-8097	AbilityOne	EA	\$12.04

## At-A-Glance

28-Month Planner (8-1/2 x 11")	7510-01-528-8310	7510-01-528-8310	FSSI	EA	\$6.25
--------------------------------	------------------	------------------	------	----	--------

## Rite In The Rain (Flex-Dated)

Maxi-Planner Daily Pages- 8-1/2 x 11"	7510-01-575-4562	7510-01-575-4562		EA	\$49.60
Maxi-Planner Weekly Pages- 8-1/2 x 11"	7510-01-575-4564	7510-01-575-4564		EA	\$35.52
Daily Calendar Pages- 7" X 4-5/8"	7510-01-575-4563	7510-01-575-4563		EA	\$37.01

## Daymax Basic Desk Calendars

Calendar Pad ,Type 1 - 3 x 3-3/4"	7510-01-664-8785	7510-01-664-8783	AbilityOne	EA	\$4.97
Pad-Style Desk Calendar, Type II - 3-1/2 x 5-1/2"	7510-01-664-8814	7510-01-664-9513	AbilityOne	EA	\$5.47

Order your calendar refills at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).



# Desk Calendar Stands

## Desk Calendar Stand

Metal or plastic base features removable arch-shaped wires for use with loose-leaf, flip-style calendars. Features non-marking protective shoes.

**For use with 3-1/2 x 5-1/2" executive-style refill.**

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-00-139-4277, SKILCRAFT, AbilityOne, Beige, 6-1/8 x 7-5/8", EA, \$4.81

# Franklin Covey Planners

## Franklin Covey Planner

Contains binder, uncluttered page layouts, photo holder, zipper pouch and two months of Flex-Dated daily pages. Also includes: one set of 1-to-31 numerical tabs; a full year of Flex-Dated calendar tabs; address/phone tabs; and a dated twopage monthly calendar. Cover Material: Vinyl

**Zipper closure.**

*30% Recovered Material, Which Includes 30% Postconsumer Material*

7530-01-332-1561, Franklin Covey, P/N 28878, Burgundy, 8-1/2 x 11" Monarch, EA, \$86.82

*30% Postconsumer Material*

7530-01-418-1687, Franklin Covey, P/N 28888, Black, 3-1/2 x 6" Pocket, EA, \$59.25

7530-01-366-5856, Franklin Covey, P/N 28881, Black, 5-1/2 x 8-1/2" Classic, EA, \$67.68

**Open planner; no zipper.**

*30% Recovered Material, Which Includes 30% Postconsumer Material*

7530-01-308-7293, Franklin Covey, P/N 28943, Black, 5-1/2 x 8-1/2" Classic, EA, \$50.30

# Rite in the Rain Accessories

## Rite in the Rain Planner

This is the ultimate Maxi Tactical Field Planner to help anyone stay truly organized. A durable zippered Cordura cover and rust resistant 1" capacity D-ring binder protect the sheets. All pages are printed on Rite in the Rain All-Weather non-glare Tan paper. The Cordura Cover includes adjustable Wrist Strap, Front Zippered Pocket and Velcro Badge Strap along with the writing guard and ruler. Also includes: Weekly planner sheets, Alpha Tab Set, Generic Tab Set and Accessory Pack and a sample of the Daily planner sheets.

**For best results, the paper should be written on with a pencil or Rite in the Rain pen NSN 7520-01-498-2079, 7520-01-498-1876, or 7520-01-544-9467.**

*Fits: 8-1/2 x 11" paper, 3 hole punch.*

7530-01-631-4245, 9255M-MX, Multi-Cam, 11-1/8 x 13", EA, \$171.11

7530-01-577-7676, 9255B-MX, Black, 11-1/8 x 13", EA, \$171.11

7530-01-577-7671, 9255T-MX, Tan, 11-1/8 x 13", EA, \$171.11

7530-01-577-7675, 9250T-MX, Tan, 11-1/8 x 13", KT, \$83.69

*Fits: 4 5/8 x 7" paper, 6 hole punch.*

*Military essential and medical items with greater than 60-month shelf life.*

7530-01-575-5879, 9255T, Tan, 7-1/2 x 8-3/4", KT, \$140.59

7530-01-631-2666, 9250M, Multi-Cam, 7-1/4 x 8-1/2", EA, \$59.24

7530-01-577-7668, Rite in the Rain, 9250T, Tan, 7-1/4" x 8-1/2", EA, \$59.24

7530-01-544-9455, Rite in the Rain, 9255B, Black, 7-1/2" x 8-3/4", KT, \$140.59

## Rite in the Rain Planner Refill

Daily, undated calendar pages (365 days) with 12 monthly tabs, 4-year overview, 4-year future planner.

**Fits 4-5/8 x 7" Rite In The Rain, 6-hole punched planners (NSNs 7530-01-575-5879-Tan, 7530-01-544-9476-ACU Pattern, 7530-01-544-9455-Black, 7510-01-498-2077 and 7510-01-505-3664).**

7510-01-575-4563, Rite-In-The-Rain 9260D, 7" x 4-5/8", EA, \$37.01

## Weekly Calendar Pages

Daily, undated weekly calendar pages (52-weeks) with 12 monthly tabs, 4-year overview, 4-year future planner.

**Fits Rite in the Rain 8-1/2 x 11" 3-Ring Binders and Standard Planners**

7510-01-577-8121, 9260W, Tan, 4-5/8" x 7", EA, \$25.90

## Accessory Pack Rite in the Rain

This pack is designed to use with the Rite in the Rain All-Weather Planner or Field Binders. This accessory pack includes a Plastic Sheet Protector, Zippered Pouch, and a Business Card Holder pouch.

7530-01-577-7669, 9280, Clear, 10 x 6", EA, \$7.53

# Wall Calendars

## Wall Calendar Board

Perfect for long-term planning, the calendar board displays three months at a time. Features three pairs of hooks and is designed for use with wall calendars (calendar not included).

### Chipboard.

*Basis Weight 50 lbs; Thickness 0.080"*

*50% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-789-2455, SKILCRAFT, AbilityOne, 12-1/4 x 29-5/8", EA, \$3.80

### Executive-style frame with laquer finish.

7510-01-185-5626, Oak, 15 x 30 x 1", EA, \$52.15

7510-01-141-8657, Walnut, 15 x 30 x 1", EA, \$63.54

## Dry Erase Calendar Planner

Unframed board has a special plastic-laminated surface that permits write on/wipe off with a damp cloth. Includes one black marker.

### 90 day organizer features 1-3/4 x 3-1/4" writing boxes

*30% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-207-4059, SKILCRAFT, AbilityOne, 24 x 36", EA, \$26.72

120 day non-dated dry erase silk-screened melamine calendar planner board with contrasting black graphics. Versatile and easy to hang mounting system. Aluminum frame. Marker tray and one black dry erase marker included. Frames are made using 30% pre-consumer recycled aluminum. Horizontal side measurement listed first.

*30%*

7110-01-555-0295, AbilityOne, Aluminum Frame, 24 x 36", EA, \$58.56

Unframed board has a special plastic-laminated surface that permits write on/wipe off with a damp cloth. Includes one black marker.

### 60 day organizer features 2 x 3-1/4" writing boxes

*30% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-207-4058, SKILCRAFT, AbilityOne, 24 x 36", EA, \$14.63

## In-Out Schedule Board

Board has columns for time in, time out, time back, destination, telephone messages and instructions. Each board holds up to 12 names. Plastic laminated surface (write on/wipe off).

Aluminum framed board includes four markers, one each black, blue, green and red.

7520-01-223-9898, SKILCRAFT, AbilityOne, 36" x 24", EA, \$47.79

# Briefcases and Accessories

## Briefcase

All-purpose case is made of duck nylon or Cordura. Features one zippered main compartment with a shoulder strap and hand strap.

8460-01-193-9769, 99200GR or equal, Smoke Gray, 16" L x 12"H x 3"W, EA, \$55.25

Soft, expandable briefcase with multi-compartment interior expands from 4 to 6 inches. Conveniently organizes glasses, calculator, pens, pencils, and keys.

**Front flap with quick-release buckles features zipper pocket for passports and valuables. Removable, adjustable shoulder strap with molded pad provides full comfort. Reinforced carrying handle. Double rear pocket can accommodate airline tickets or magazines. Perfect for laptop computers.**

8460-01-364-9493, 99200 or equal, Black, 16 x 12", EA, \$55.25

## Computer Case

Made of lightweight, water-resistant, durable ballistic nylon, this commuter/travel bag features padded laptop protection, inside file compartment and outside accessory pockets for PDA, CD, cell phone, etc. Easy grip handle, padded shoulder and luggage strap are included. Computer Type Fits: Standard Notebook Laptop; up to size 15.60 inches

*Basis Weight : 4 lbs Maximum*

7045-01-490-7309, Black, 16-1/2"L x 3-1/2"D x 14"H, EA, \$72.09

Lightweight and durable ballistic nylon bag with roomy design. Expandable center zipper section provides additional two-inch storage. Great for extra paperwork or overnight necessities. Three zippered compartments: back has three folio divider sections; front has compartments for media, business cards, pens, cell phones and other supplies; exterior has a quick access pocket. Removable shoulder strap with extra padding.

**Accommodated Computer Type: Standard Notebook Laptop; Accommodated Computer Size 15.60 inches**

*Basis Weight: 5 lbs maximum*

7045-01-490-7303, Black, 13-1/2"H x 16-1/2"W x 7"D, EA, \$52.38

Wheeled computer /catalog case is made of durable ballistic nylon, high-impact ball bearing wheels and a padded pull handle for ease of operation. With multiple interior dividers and combination lock for added security. Features a padded computer compartment. Computer Type Fits: Standard Notebook Laptop; up to size 15.60 inches.

*Basis Weight : 13 lbs Maximum*

7045-01-490-7307, Black, 14"H x 18" W x 8"D, EA, \$102.35

## Catalog Case

Top opening, box-style, artificial leather catalog case with rigid frame, through-the-flap handle fastening, steel core handle, two interior dividers, and two locks.

8460-01-070-7516, STB251322BLK or equal, Black, 22.2"L x 13.5"H x 8.8"W, EA, \$149.22

## Heavy-Duty Travel Cart

Travel cart handles up to 250-lbs. with ease. Ideal for moving boxes, publications, luggage and more. Features a sturdy tubular steel frame and platform, elasticized safety cord. Oversized 6" diameter ball-bearing wheels. Padded, telescoping pull handle. Extended size: 15-1/2" W x 44-1/2" H x 19" D; Folded size: 15-1/2" W x 27" H x 6-1/2" D; Platform size: 12" x 12".

8460-01-490-7344, STB-3900007BLK or equal, Black and Chrome, EA, \$103.44

# Portfolios and Accessories

## Notebook

Portable office notebook includes: 8-1/2 x 11" notepad; calculator; pen; pencil; two highlighters; paperclips; ruler; stapler and 3 x 3" self-stick notes - all in a handy portfolio.

7510-01-445-9342, Burgundy, EA, \$76.47

## Steno Pad Holder, Vinyl

Durable, vinyl with foam-padded covers to protect a 80-page steno notebook. Slit pocket on inside front cover holds additional papers. Slit on back cover securely holds steno notebook in place.

7510-01-454-7388, SKILCRAFT, AbilityOne, Black, 6" W X 9" L, EA, \$9.76

## Zippered Portfolio

This soft, artificial leather, zippered portfolio features a computer disk pocket, business card holder, credit card holder, a storage pocket for loose paper, pen loops and an 8-1/2 x 11" ruled pad.

7510-01-435-8537, Black, 8-1/2" W x 11" L, EA, \$40.25

## Portfolio with Calculator

Portfolio features a leather-look vinyl cover with inside pocket and solar-powered, eight-digit calculator with rubber keys. Also includes 8-1/2" x 11" lined writing pad and a rubberized-grip retractable pen.

*Contains 30% Postconsumer Material for Paper*

7510-01-484-4563, SKILCRAFT, AbilityOne, Black, 9" W x 12" L, EA, \$23.82

## Writing Portfolio

Camouflage pocket pad holder can be used with either NSN 7530-00-243-9366 (accounting book 3-1/2"-6"), NSN 7530-01-060-7511 (memorandum pad 3-1/2" x 4-1/2") or NSN 7530-00-285-3090 (writing pad 3 x 5"). Memo book is included. Includes a pen loop which holds a minimum of 50% post-consumer waste recycled U.S. Government retractable pen. Also includes a pocket insert for business cards and notes.

7510-01-557-4970, SKILCRAFT, AbilityOne, Camouflage, 4" W X 6" L, DZ, \$40.25

Side-opening notebook includes space for a writing pad on one side; the other side features a pocket for loose papers. The stiff vinyl plastic cover boasts a simulated leather-grain finish.

**Holds a 8-1/2 x 11" letter-size pad (not included).**

*Contains 80% Postconsumer Material Paperboard, Contains 25% Recovered Material Plastic*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-145-0296, SKILCRAFT, AbilityOne, Black, 9-1/2" W x 12-1/8" L, EA, \$5.67

**Holds a 5 x 8" memo-size pad (not included).**

Federal Strategic Sourcing Initiative, 7510-01-053-5591, SKILCRAFT, AbilityOne, Black, 6-1/8" W x 9" L, EA, \$3.58

Side-opening portfolio features an embossed vinyl cover in a new, digitized camouflage pattern. Portfolio also has a clip on one side for a writing pad, a pocket on the opposite side for loose documents, a loop for a pen, and a slot for business cards. Writing pad and pen included. Contains 30% Post-consumer waste for writing pad, Contains 50% post-consumer waste for pen

7510-01-557-4978, SKILCRAFT, AbilityOne, Camouflage, 6 x 9", EA, \$7.42

## Key and Credit Card Holder

Simulated leather key and credit card holder has 4 metal rings and is perfect for holding credit cards. Snap pocket on front.

Federal Strategic Sourcing Initiative, 7510-01-445-9348, SKILCRAFT, AbilityOne, Black, 2-1/2" W x 4" L, EA, \$8.22

## Manuals Pouch

Heavy-duty cloth pouch is ideal for storing technical manuals and equipment maintenance literature. Made of mildew-resistant, water-repellent cotton duck with snap fasteners. Should read two pockets that measures 16" L x 9-3/4" W x 1-1/8" D and 16" L x 9" W x 1-3/8" D.

Federal Strategic Sourcing Initiative, 7520-00-559-9618, SKILCRAFT, AbilityOne, Olive Drab, 13-3/4" W x 22" L, EA, \$24.39

## Map Case

Waterproof Map Case made from waterproof, dust proof and weather resistant nylon with a clear vinyl lining. Features two zip- lock storage areas for double protection. Keeps maps and documents safe and dry.

7510-01-411-6323, Woodland Green, 13-1/2" W X 13-1/2" L, EA, \$16.45

# Fine Writing

## Rosewood Pen

Executive Twist ballpoint desk or pocket pen features a real wood barrel, double plated gold accents and engraved center band, retractable.

*Compatible with refill NSN 7510-01-425-6802.*

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-458-3934, SKILCRAFT, AbilityOne, Black Ink, Medium Point, EA, \$18.09

## Liberty Series 3-in-1 Pen/Pencil

Three writing instruments in one. Ergonomic pen and pencil combination includes both black and red ink in the ball point pen along with a mechanical pencil (with 0.5-mm lead). All metal construction features a rubberized grip barrel for writing comfort. Comes with a metal pocket clip, eraser with cap, and extra black and red cartridge.

*Pen refill NSN 7510-01-439-0497; Pencil refill NSN 7510-01-317-6421*

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-439-3388, SKILCRAFT, AbilityOne, EA, \$14.05

# Pen and Pencil Sets

## Illusion Pen and Pencil Set

Bold classical Rosewood body with gold colored pocket clip and accents. Ballpoint pen features twist-action mechanism to advance the medium writing point with black ink. Mechanical pencil features twist-action mechanism to advance the 0.5mm lead which includes an eraser. Set includes a matching Rosewood gift box.

7520-01-484-0021, SKILCRAFT, AbilityOne, Rosewood Barrel, Black Ink, SE, \$35.77

## Zebra Pen and Pencil Set

M/F 301 ballpoint pen and pencil set features self-loading 0.5mm mechanical pencil with matching, retractable, refillable 0.7mm ballpoint pen (black ink). Both feature an attractive and durable stainless steel barrel and contoured triangular rubber grip.

7520-01-455-2675, Zebra P/N ZPC-57010, Black with Silver Accents, SE, \$7.26

## Imperial Pen and Pencil Set

Imperial ballpoint pen and pencil set features a smooth wooden barrel. Metal accents are included on the clip, barrel ring and tips of both pen and pencil. Pen features a medium point and refillable black ink. Mechanical pencil uses 0.5mm lead with eraser. Presented in a two-chambered wooden case. Pencil lead refill: NSN 7510-01-317-6421.

**This item is part of a desk set of matched rosewood office items. The following items are sold separately. Letter opener [7520-01-584-0879], a mini desk clock [6645-01-584-0892], a self-stick note holder [7520-01-584-0881], a business card holder [7510-01-584-0893], a 12" ruler [7510-01-516-9247], and the Illusion twist-action medium point ballpoint pen and 0.8mm mechanical pencil set [7520-01-458-3932].**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-458-3932, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Maplewood, SE, \$25.47

Federal Strategic Sourcing Initiative, 7520-01-458-3933, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Rosewood, SE, \$23.89

## Inpuria Tri-Wood Pen and Pencil Set

Inpuria tri-wood pen and pencil set includes matching wood case. Pen features twist-action mechanism to advance the medium writing point with black ink. Pencil features twist-action mechanism to advance the 0.5mm lead and includes eraser.

*18-month maximum shelf life (extendable).*

7520-01-484-4577, SKILCRAFT, AbilityOne, Three Swirled Woods, SE, \$64.52

# Gel Ink

## Eco-Bottle Retractable Gel Pen

Retractable Gel Pen is made from 100% recycled plastic water bottles. It provides a smooth writing experience with gel ink that dries fast – no smearing or smudging – and contains a transparent ink barrel.

*18-month maximum shelf life (not extendable); 100% Recycled Plastic, Which Includes 100% Postconsumer Material*

7520-01-658-0393, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, 0.7 mm, DZ, \$12.08

## Precise Gel Roller

The Precise rollerball pen features waterproof gel ink that assures ultrasmooth writing without smearing. Features patented Pilot Precise needle-point technology. Non-retractable/Non-refillable. IAW A-A-3196 Type IV, Point 2, Style B, Grip 4

**P-500**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-465-1449, Material Safety Data Sheet, Pilot P/N 38600, Black Ink, Extra Fine Point 0.5mm, DZ, \$13.97

**P-700**

*18-month maximum shelf life (extendable).*

7520-01-465-1425, Material Safety Data Sheet, Pilot P/N 38610, Black Ink, Fine Point 0.7mm, DZ, \$16.04

## Gel Pen

Style and quality are seamlessly combined with this gel pen. The gel ink offers permanent vibrant color, while the contemporary barrel design provides a sophisticated, upscale look. Features rubber contour grip for excellent writing comfort and control. The auto-retractable tip protects pockets from ink stains.

For use with refill NSN 7510-01-535-6356. IAW A-A-3196 Type I, Point 1, Style B, Grip 1

*18-month maximum shelf life (extendable).*

7520-01-504-8935, Material Safety Data Sheet, Black Ink, 1.0mm Point, PG(contains 4 EA), \$8.91

## Uni-ball Gel Impact Pen

Uni-ball Gel Impact rollerball pen is non-retractable with a replaceable ink cartridge. Pen features rubber grip. IAW A-A-3196 Type III, Point 1, Style B, Grip 1

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-481-7461, Material Safety Data Sheet, Sanford P/N 65800, Black Ink, Bold Point 1.0mm, DZ, \$20.95

## Gel Ink Pen

The Gel-Ink retractable rollerball pen features water-resistant, smearproof gel ink and a contoured rubber grip. Refillable. IAW A-A-3196 Type I, Point 1, Style B, Grip 1  
*18-month maximum shelf life (extendable).*

7520-01-465-1431, Material Safety Data Sheet, Red Ink, Extra Fine Point 0.5mm, DZ, \$12.59

7520-01-465-1432, Material Safety Data Sheet, Red Ink, Fine Point 0.7mm, DZ, \$22.40

## Alpha Gel Pen

Non-retractable, refillable water-based pigment gel ink pen. Smooth writing performance that won't fade or bleed. Clear barrel is comfortable to hold and shows amount of ink remaining. Locking cap with cushioned pad prevents dry-out and protects metal tip. Pocket clip identifies gel-ink color.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-484-5250, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$11.02

7520-01-484-5252, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$14.19

Federal Strategic Sourcing Initiative, 7520-01-484-5253, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$16.59

## Alpha-Elite Gel Ink Pen

Alpha-Elite features a wide barrel with ribbed cushion grip. This non-retractable pen uses water-based gel which glides effortlessly across the paper. The clear barrel allows for monitoring of ink level. IAW A-A-3196 Type III, Point 1, Style C, Grip 3

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-500-5214, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$13.89

7520-01-500-5212, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$17.49

7520-01-500-5213, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$17.49

## Vista Gel Pen

This refillable, retractable gel ink pen is tinted the color of the ink and is transparent enough to allow the user to monitor the ink supply levels. The clip and rubber grip match the ink color. The pen has a safety clip that when pulled away from the barrel, retracts the point, preventing leakage when not in use. Smooth gliding ink will not fade, run or smear.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-506-8500, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, 0.7mm Point, DZ, \$20.62

Federal Strategic Sourcing Initiative, 7520-01-506-8502, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue Ink, 0.7mm Point, DZ, \$18.88

Federal Strategic Sourcing Initiative, 7520-01-564-6054, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red Ink, 0.7mm Point, DZ, \$18.70

## Biodegradable Gel Pen

Biobased, retractable, refillable gel ink pen is comprised of 35 percent biobased and biodegradable corn based bio-resin. Pen provides vivid lines with exceptionally smooth ink flow. Acid-free, archival quality ink preserves documents. Features a latex-free rubber grip to protect against allergic reactions while also providing added writing comfort. Grip color indicates ink color. Translucent barrel allows monitoring of ink supply.

**For use with refill NSN 7510-01-506-8515**

*18-month maximum shelf life (extendable); 35% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-588-2363, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, Medium Point 0.7 mm, DZ, \$16.63

**For use with refill NSN 7510-01-506-8514**

*18-month maximum shelf life (extendable); 35% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7520-01-588-2364, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue Ink, Medium Point 0.7 mm, DZ, \$18.17

## Retractable Gel Pen

Retractable, non-refillable gel pen, designed with a latex-free, non-slip grip for comfort, the ultra-smooth, quick-drying, water-based gel provides a flowing, crisp writing experience.

*18-month maximum shelf life (not extendable).*

7520-01-647-3137, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, Bold Point: 1.0mm, DZ, \$11.66

Federal Strategic Sourcing Initiative, 7520-01-647-3136, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue Ink, Medium Point: 0.7mm, DZ, \$10.18

Federal Strategic Sourcing Initiative, 7520-01-647-3134, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue Ink, 0.5 mm Fine Point, DZ, \$10.18

Federal Strategic Sourcing Initiative, 7520-01-647-3133, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, Medium Point: 0.7mm, DZ, \$10.18

Federal Strategic Sourcing Initiative, 7520-01-647-1706, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, Fine Point: 0.5mm, DZ, \$10.67

## Refill, Gel Ink

Package contains three large capacity medium point (0.7mm) gel ink refills with transparent bodies and attached springs are packed in a zip top clear plastic bag.

**Refill for Vista Gel Ink Pen (NSN 7520-01-506-8500).**

*18-month maximum shelf life (extendable).*

7510-01-506-8515, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, 0.7mm, PG(contains 3 EA), \$2.39

**Refill for Vista Gel Ink Pen (NSN 7520-01-564-6054).**

7510-01-564-7766, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, 0.7mm, PG(contains 3 EA), \$2.39



# Rollerball

## Liquid Needle Point Rollerball

Free-ink rollerball with metal clip provides smooth writing. Ink color is indicated on top of pen. Permanent non-fading ink.

*18-month maximum shelf life (extendable).*

7520-01-506-8501, SKILCRAFT, AbilityOne, Red Ink, 0.7mm Fine Point, DZ, \$19.60

## Metal Grip Pen

The metal grip pen has a round barrel with shiny metallic finish and a cushion grip for greater comfort. Grip color indicates ink color. Ink cartridge is replaceable and pocket clip is provided.

*18-month maximum shelf life (extendable).*

7520-01-445-7230, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$21.26

## Retractable Ballpoint Pen

Retractable ballpoint pen has a cushioned grip for maximum control and added writing comfort to create vivid lines. Pocket clip and rubber grip identifies ink color. The tinted transparent barrel and tip allows user to monitor ink levels. Ink is refillable.

*18-month maximum shelf life (not extendable).*

7520-01-645-1148, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, 1.4 mm

Bold, DZ, \$11.59

The stainless steel pen combines style, strength, and value in a durable, lightweight writing instrument with a sleek, attractive appearance. Narrow pen with stainless steel barrel and sturdy metal pocket clip is ideally sized for pockets, planners, or clipboards. Oil based easy-glide ink provides a smooth, smudge-free writing experience.

**Minimum Order Qty: 3. This item is non-returnable because it is a dated item. Please contact customer service (800-827-3168) for more details.**

**2 EA per package**

*18-month maximum shelf life (not extendable).*

7520-01-666-1050, SKILCRAFT, AbilityOne, Black Ink, Fine Point, PG(contains 2 EA), \$5.16

7520-01-666-1049, SKILCRAFT, AbilityOne, Black Ink, Medium Point, PG(contains 2 EA), \$5.16

## Rollerball Pen

This disposable pen with metal roller dispenses quick-drying, non-fading ink that will not smear. Clip cap indicates color of ink. Non-refillable. IAW A-A-2695B, Type IV, Size C

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4264, Material Safety Data Sheet, Black Ink, 0.5 mm, DZ, \$8.32

Non-retractable rollerball gel pen is refillable and features a super smooth point and has an airplane safe, free-ink device. Ink is waterproof and fade proof. Barrel is light gray.

*18-month maximum shelf life (extendable).*

7520-01-504-8933, Material Safety Data Sheet, Black Ink, Broad Point, EA, \$7.94

## Executive Magnus Rollerball Pen

This elegant pen's ceramic rollerball provides smooth writing with an ink lay-down that is especially dense. Precision engineering and manufacturing prevent the ball from corroding. Each Magnus pen comes in a handsome package that reflects the style and quality of the pen itself.

**Features rubber grip for extra comfort.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-424-4861, SKILCRAFT, AbilityOne, Black Ink, Black Barrel, 0.7 mm Point, EA, \$10.18

## Liquid Magnus Retractable Rollerball Pen

This retractable/refillable rollerball pen offers a sleek design with a needle point tip for precision and airplane-safe pigment-based liquid ink. Rubberized grip for comfort with color-coordinated pocket clip.

*24-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7520-01-653-9297, SKILCRAFT, AbilityOne, Black Ink, 0.5mm Micro Point, DZ, \$16.39

7520-01-653-9298, SKILCRAFT, AbilityOne, Black Ink, 0.7mm Fine Point, DZ, \$19.02

## Liquid Magnus Rollerball

This retractable/refillable rollerball pen offers a sleek design with a needle point tip for precision and airplane-safe pigment-based liquid ink. Rubberized grip for comfort with color-coordinated pocket clip.

*24-month maximum shelf life (not extendable).*

7520-01-653-9299, SKILCRAFT, AbilityOne, Blue Ink, 0.7mm Fine Point, DZ, \$18.46

Liquid Magnus rollerball pen features a visible ink supply within the barrel that allows users to monitor ink level. Ink color indicated on end caps of pen. Translucent cap with metal clip, silver barrel color. Non-refillable/non-retractable.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-494-0908, SKILCRAFT, AbilityOne, Red Ink, 0.5mm Micro Point, DZ, \$16.87

Federal Strategic Sourcing Initiative, 7520-01-461-2660, SKILCRAFT, AbilityOne, Black Ink, 0.5mm Micro Point, DZ, \$17.90

Federal Strategic Sourcing Initiative, 7520-01-461-2663, SKILCRAFT, AbilityOne, Blue Ink, 0.5mm Micro Point, DZ, \$17.67

Federal Strategic Sourcing Initiative, 7520-01-461-2664, SKILCRAFT, AbilityOne, Black Ink, 0.7mm Fine Point, DZ, \$17.63

Federal Strategic Sourcing Initiative, 7520-01-461-2665, SKILCRAFT, AbilityOne, Blue Ink, 0.7mm Fine Point, DZ, \$21.55

Federal Strategic Sourcing Initiative, 7520-01-494-0907, SKILCRAFT, AbilityOne, Red Ink, 0.7mm Fine Point, DZ, \$22.84

## Liquid Needle Point Rollerball

Free-ink rollerball with metal clip provides smooth writing. Ink color is indicated on top of pen. Permanent non-fading ink.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-506-8494, SKILCRAFT, AbilityOne, Black Ink, 0.5mm Micro Point, DZ, \$16.87

Federal Strategic Sourcing Initiative, 7520-01-506-8495, SKILCRAFT, AbilityOne, Black Ink, 0.7mm Fine Point, DZ, \$16.87

## Deluxe Rollerball Pen

Pen has a pocket clip, is non-retractable, non-refillable and contains permanent ink. Ink is acid free archival quality and is non-fading and water resistant.

Federal Strategic Sourcing Initiative, 7520-01-349-6303, Material Safety Data Sheet, Black Ink, 0.5mm Micro Tip, DZ, \$16.72

## Precise Gel Roller

The Precise rollerball pen features waterproof gel ink that assures ultrasmooth writing without smearing. Features patented Pilot Precise needle-point technology. Non-retractable/Non-refillable. IAW A-A-3196 Type IV, Point 2, Style B, Grip 4

*18-month maximum shelf life (extendable).*

7520-01-465-1448, Material Safety Data Sheet, Pilot P/N 38602, Red Ink, Extra Fine Point 0.5mm, DZ, \$24.73

## Liquid Magnus Rollerball Stick Pen

Liquid Magnus rollerball pen features a black rubberized grip with metal clip, silver cap and silver foil wrapped barrel with ink color indicator. Pen is non-refillable and non-retractable.

**To prevent possible leaking this pen should not be used in low atmospheric conditions (such as airplanes). Product features a specially formulated ink to help prevent document fraud and check washing.**

*18-month maximum shelf life (extendable).*

7520-01-587-7801, SKILCRAFT, AbilityOne, Black Ink, 0.5 mm. Micro Point, PG(contains 4 EA), \$8.49

7520-01-587-7791, SKILCRAFT, AbilityOne, Black Ink, 0.7 mm Fine Point, PG(contains 4 EA), \$8.49

## Rollerball Pen Set

Draw attention to any item with this set of waterproof fluorescent pens. Set of five pens includes one each of red, green, purple, blue and pink.

**Set of five pens includes one each of red, green, purple, blue and pink.**

7520-01-442-1469, Assorted, Fine Point 0.7mm, PG(contains 5 EA), \$11.27

**Set of 12 colorful pens includes three each of passion pink and majestic purple and two each of scarlet red, brilliant blue, and evergreen.**

7520-01-446-6194, Assorted, Fine Point 0.7mm, DZ, \$24.73

# Ballpoint

## Push Cap Ballpoint Pen

Retractable, refillable ballpoint pen. Styled in classic European fashion found in more expensive pens. Barrel and cap made from high impact plastic with gold trim. Black barrel.

**Black barrel.**

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-451-1065, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$14.09

## EconoGard Pen

This retractable pen includes a rubber grip for added writing comfort. Both economical and effective, this pen is ideal for use in medical facilities, offices and other public areas.

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-542-5943, SKILCRAFT, AbilityOne, Black Barrel/Black Ink, Medium Point, DZ, \$9.19

Federal Strategic Sourcing Initiative, 7520-01-542-5950, SKILCRAFT, AbilityOne, Black Barrel/Black Ink, Fine Point, DZ, \$10.13

## MD Executive Grip Pen

MD Executive-style, retractable ballpoint pen features a revolutionary extra-wide body and rubber cushioned grip which scientifically reduces the needed gripping power. Wide-bodied, rubberized comfort grip pens help to relieve writing fatigue and are recommended for use by the Arthritis Foundation. Chrome plated accents highlight the cap, clip, barrel and tip. Pen is refillable.

**Black barrel.**

*Refill using NSNs 7510-01-451-2269 (black) and 7510-01-451-2273 (blue).*

*18-month maximum shelf life (extendable); 30% Postconsumer Material*

7520-01-484-5254, SKILCRAFT, AbilityOne, Black Ink, Medium Point, EA, \$5.64

**Burgundy barrel.**

*18-month maximum shelf life (extendable); 30% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-484-5259, SKILCRAFT, AbilityOne, Black Ink, Medium Point, EA, \$5.61

## MD Ergo Grip Pen

Wide body ballpoint pen is ergonomically balanced and weighted to reduce gripping tension. The soft contoured rubber grip provides added comfort and control.

**Features a burgundy finish.**

*Refill using NSNs 7510-01-451-2269 (black) and 7510-01-451-2273 (blue).*

*30% Postconsumer Material*

7520-01-484-5255, SKILCRAFT, AbilityOne, Black Ink, Medium Point, EA, \$5.34

## Metal Grip Pen

The metal grip pen has a round barrel with shiny metallic finish and a cushion grip for greater comfort. Grip color indicates ink color. Ink cartridge is replaceable and pocket clip is provided.

*Refill using NSNs 7510-01-451-2269 (black) and 7510-01-451-2273 (blue).*

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-445-7237, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$18.64

Federal Strategic Sourcing Initiative, 7520-01-445-7226, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$18.64

## BMP-500 Ballpoint Pen

This slim-line ballpoint pen is non-refillable retractable and has a lightweight rubberized barrel. Color coded clip indicates color of ink. IAW A-A-2905

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-422-0315, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$9.02

Federal Strategic Sourcing Initiative, 7520-01-422-0327, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, DZ, \$13.58

Federal Strategic Sourcing Initiative, 7520-01-422-0326, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$13.58

Federal Strategic Sourcing Initiative, 7520-01-422-0314, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$10.06

7520-01-422-0323, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$10.84

## Cushion Grip Ballpoint Pen

The Cushion Grip retractable pen has a round barrel, replaceable ink cartridge and includes cap and pocket clip. This pen features a plunger and clip that indicates the color of the ink.

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-424-4857, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$18.20

7520-01-424-4865, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$13.37

## Retractable Ballpoint Pen

Wide body retractable pen is ergonomically balanced and weighted to reduce gripping tension. Cushion grip delivers added writing comfort. Smooth-writing low viscosity ink produces bold, vivid lined.

*24-month maximum shelf life (extendable).*

7520-01-629-6573, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, Medium Point 1.0 mm, EA, \$7.18

Rubberized barrel with four-color woodland green camouflage pattern and a black plastic nose tip and clip.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-457-5400, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$9.57

This retractable pen provides smooth writing and the high-quality ink will not smear. "U.S. Government" is lettered on the barrel. Includes a convenient pocket clip. Barrel signifies ink color.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-00-935-7135, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$7.98

Federal Strategic Sourcing Initiative, 7520-01-332-3967, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, DZ, \$7.35

Federal Strategic Sourcing Initiative, 7520-00-935-7136, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$8.06

(NFES #0447).

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-332-2833, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$7.16

Push-action pen is made of corn bi-products resin which is both biobased and biodegradable. This permanent ink pen is refillable and features a green barrel with a rubber grip and pocket clip. Plunger and clip color indicates the color of the ink.

*18-month maximum shelf life (extendable).*

7520-01-578-9307, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$10.04

This lightweight retractable ballpoint pen features low viscosity (LV) ink which writes out smoother and is water and smear resistant. The slim color-coded translucent barrel features a rubber grip for added comfort. Metallic pocket clip and nose cone tip are added features. A color coded cap is included for easy identification

*18-month maximum shelf life (extendable); 65% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7520-01-587-9640, SKILCRAFT, AbilityOne, Black ink, Fine Point 0.7 mm, PG(contains 3 EA), \$4.00

7520-01-587-9633, SKILCRAFT, AbilityOne, Black Ink, Medium Point 1.0 mm, PG(contains 3 EA), \$4.00

## Retractable Rubberized Ballpoint Pen

Refillable ballpoint with rubberized barrel features gripper rings for comfort. The nickel silver-tipped cartridge contains ink that won't fade or smear. Cap and clip match ink color.

**For use with Ballpoint Pen Refill 7510-01-381-7997.**

*18-month maximum shelf life (extendable); 55% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-352-7309, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$14.23

**For use with Ballpoint Pen Refill 7510-01-381-8014.**

*18-month maximum shelf life (extendable); 55% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-352-7310, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, DZ, \$12.96

**For use with Ballpoint Pen Refill 7510-01-381-7998.**

*18-month maximum shelf life (extendable); 55% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-352-7311, SKILCRAFT, AbilityOne, Red Ink, Fine Point, DZ, \$12.65

**For use with Ballpoint Pen Refill 7510-01-368-3500.**

*18-month maximum shelf life (extendable); 55% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-368-7771, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$13.95

**For use with Ballpoint Pen Refill 7510-01-368-3501.**

*18-month maximum shelf life (extendable); 55% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-368-7772, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$12.62

**For use with Ballpoint Pen Refill 7510-01-368-3502.**

*18-month maximum shelf life (extendable); 55% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-368-7773, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$12.62

## Vista Cushion Grip Ballpoint Pen

Vista Cushion Grip pen features round transparent barrel. Ink cartridge is replaceable, and cap and pocket clip are provided.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-445-7233, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$13.67

7520-01-484-5271, SKILCRAFT, AbilityOne, Red, Medium Point, DZ, \$14.94

7520-01-445-7228, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, DZ, \$19.33

Federal Strategic Sourcing Initiative, 7520-01-445-7225, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$14.01

Federal Strategic Sourcing Initiative, 7520-01-445-7223, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$19.33

## LVX Retractable Pen

Essential LVX pen is retractable with a replaceable ink cartridge. Features a translucent clear barrel and uses easy writing low viscosity ink. Cap and pocket clip are provided.

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-451-9179, SKILCRAFT, AbilityOne, Black, Fine Point, DZ, \$15.15

## Recycled Retractable Pen

The recycled retractable ballpoint pen has a strong carbide ballpoint. The pen cap is made from 100 percent post-consumer plastic.

*18-month maximum shelf life (extendable); 30% Postconsumer Recycled Plastic*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-386-1618, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$5.28

Federal Strategic Sourcing Initiative, 7520-01-386-1604, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$5.09

## Hybrid Ink Retractable Ballpoint Pen

This ballpoint, retractable hybrid pen features a co-molded pearlized finish barrel. Color-coded full length rubber grip barrel with a black pocket clip. Low viscosity ink writes smoother than standard ball point pens, ink is water and smear resistant.

*18-month maximum shelf life (extendable).*

7520-01-587-9646, SKILCRAFT, AbilityOne, Black Ink, Medium Point 1.0 mm, PG(contains 6 EA), \$7.12

## Alphagrip Pen

This refillable stick pen is non-retractable and includes a cap. The ergonomic design features a cushion grip for reduced writing fatigue.

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-424-4884, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$12.48

Federal Strategic Sourcing Initiative, 7520-01-424-4875, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$11.14

Federal Strategic Sourcing Initiative, 7520-01-424-4859, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$10.83

## AlphaBasic Ballpoint Pen

Ballpoint pen with a round barrel provides for a comfortable writing instrument. The tough tungsten-carbide point delivers smooth writing without skipping. Pen is lightweight, disposable and economical. White barrel and cap color matches ink.

*25% Postconsumer Material*

7520-01-484-5267, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$2.08

## Rubberized Ballpoint Pen and Refill

Refillable pen has a long-lasting ink supply and a rubberized barrel for greater writing comfort. Includes a stainless steel tip that will not wear down and a tungsten carbide point that reduces blotting.

**For use with ballpoint pen refill 7510-01-357-6836.**

*18-month maximum shelf life (extendable); 80% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-357-6841, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$12.06

## Rubberized Barrel Stick Pen

Rubberized stick pen has a light-weight barrel designed for easy gripping. Color-coded cap/clip assembly indicates ink color. Non-refillable.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-422-0312, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$9.20

7520-01-422-0318, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$9.61

## Traditional Stick Ballpoint Pen

This non-retractable pen dispenses quick-drying, non-fading ink that will not smear. The barrel is white, and the clip cap indicates ink color. Non-refillable.

*18-month maximum shelf life (extendable).*

7520-01-060-5820, SKILCRAFT, AbilityOne, Black Ink, Fine point, DZ, \$5.28

Federal Strategic Sourcing Initiative, 7520-01-058-9978, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$5.28

Federal Strategic Sourcing Initiative, 7520-01-059-4125, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$5.25

## Plastic Tip Pen

Plastic stick pen features permanent water resistant ink that won't bleed through paper. Plastic fine point delivers a precise, consistent writing line. Plastic tip allows for a more controlled ink flow, allows user to write or draw more precisely.

*18-month maximum shelf life (not extendable); 25% Postconsumer Material*

7520-01-645-9515, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$14.36

## Ballpoint Pen

Ballpoint pen features an advanced oil-based ink and long-wearing tungsten carbide ball for a soft, fluid comfortable write. Soft rubber triangular grip provides writing comfort and control. Refillable.

Federal Strategic Sourcing Initiative, 7520-01-465-1450, Pilot PIL32001, Black Ink, 0.7 mm Fine Point, DZ, \$8.12

## Pen, Executive, In-Purria Tri-Wood, Ballpoint

Inpurria Tri-Wood ballpoint pen with a variety of colors in its wooden construction. Pen features a twist-action mechanism to advance the medium writing point with black ink.

**Manufacturer's part number 7520-00-NIB-1236**

*18-month maximum shelf life (extendable).*

7520-01-484-4575, SKILCRAFT, AbilityOne, Tri-Wood, EA, \$41.52

## Liquid Impression Porous Point Pen

Liquid Impression marker combines function and style in an attractive, translucent barrel with visible ink supply. Free-flowing, liquid ink provides smooth writing from beginning to end. Tough, plastic tip holds up to extended use. Non-refillable, with non-permanent ink. Four color set includes two black and one each of blue and red.

*Ergonomic Product; 18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-519-4369, SKILCRAFT, AbilityOne, Blue, Ultra-Fine Point, DZ, \$23.95

# Specialty

## Biodegradable Retractable Pen

Push-action pen is made of corn bi-products resin which is both biobased and biodegradable. This permanent ink pen is refillable and features a green barrel with a pocket clip. Plunger and clip color shall indicate the color of the ink.

*18-month maximum shelf life (extendable).*

7520-01-578-9304, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$8.66

## Biodegradable Rubbergrip Pen

Push-action pen is made of corn bi-products resin which is both biobased and biodegradable. This permanent ink pen is refillable and features a green barrel with a rubber grip and pocket clip. Plunger and clip color indicates the color of the ink.

*18-month maximum shelf life (extendable).*

7520-01-578-9306, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$10.04

## Luminator LED Light Pen

The Luminator LED Light pen has a red LED light that illuminates as you write. Pressurized filler writes in extreme weather, including cold and wet, or in flight and zerogravity conditions, built to last with a nonreflective metal barrel that withstands heavyduty use. Refillable pen includes battery and spare battery and ink refill.

*12-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7520-01-661-1669, SKILCRAFT, AbilityOne, Black Ink, 1.0 mm Tip, EA, \$25.21

## Four-Color Pen

With a push and a click, you can change the color of the ink to black, blue, green or red.

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-453-6287, SKILCRAFT, AbilityOne, Assorted, Medium Point, DZ, \$9.48

## Liquid Impression Porous Point Pen

Liquid Impression marker combines function and style in an attractive, translucent barrel with visible ink supply. Free-flowing, liquid ink provides smooth writing from beginning to end. Tough, plastic tip holds up to extended use. Non-refillable, with non-permanent ink. Four color set includes two black and one each of blue and red.

**Four color set includes two black and one each of blue and red.**

*Ergonomic Product; 18-month maximum shelf life (extendable); 25% Postconsumer Material*

7520-01-519-4364, SKILCRAFT, AbilityOne, Assorted Colors, Extra Fine Point, SE, \$6.04

Federal Strategic Sourcing Initiative, 7520-01-519-4373, SKILCRAFT, AbilityOne, Black, Extra Fine Point, DZ, \$14.67

Federal Strategic Sourcing Initiative, 7520-01-519-4366, SKILCRAFT, AbilityOne, Black, Medium Point, DZ, \$26.04

## Rite in the Rain All-Weather Pen

Rite in the Rain all-weather products are created specifically for writing field notes in all weather conditions. For use with the Rite in the Rain paper products and accessories.

**Pen writes on wet paper, underwater, and/or upside down in temperatures from -30 to 250° F.**

*Bullet-style pen folds up to 3-3/4".*

7520-01-498-2079, Rite in the Rain P/N 96, Black Ink, EA, \$20.71

*Pen is refillable with NSN 7510-01-498-1880.*

7520-01-498-1876, Rite in the Rain P/N 97, Black Ink, EA, \$12.56

*Clicker style pen with flat black metal barrel.*

7520-01-544-9467, Rite in the Rain 97B, Blue Ink, Fine Point, EA, \$12.56

## Rite in the Rain Pen Refill

Rite in the Rain all-weather products are created specifically for writing field notes in all weather conditions. For use with the Rite in the Rain paper products and accessories. This pen ink refill cartridge is 3 1/2" long. Don't worry about the refill fitting your pen; all Rite in the Rain All-Weather Pens use the same pen refill style. Writes on wet paper, underwater, and/or upside down in temperatures from -30 to 250 degrees F. For use with Rite in the Rain pen NSN 7520-01-498-2079, 7520-01-498-1876 and 7520-01-544-9467.

**Writes on wet paper, underwater, and/or upside down in temperatures from -30 to 250 degrees F.**

*For use with Rite in the Rain pen NSN 7520-01-498-2079, 7520-01-498-1876 and 7520-01-544-9467.*

*25% Postconsumer Material*

7510-01-498-1880, Rite in the Rain P/N 37R, Black Ink, 0.9mm Point, EA, \$5.14

7510-01-544-9469, Rite in the Rain 47R, Blue Ink, 0.9mm Point, EA, \$6.71

7510-01-544-9466, Rite in the Rain 57R, Red Ink, 0.9mm Point, EA, \$6.71

## Aviator Pen/Pencil Combo

B3 Aviator multi-function ballpoint pen/mechanical pencil includes: two pen colors and a 0.5mm pencil with screw top and eraser. Features non-reflective black coating on brass plated steel barrel and is FOD and TAA compliant.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-564-9906, SKILCRAFT, AbilityOne, Black/Red Ink, 0.5 mm Medium Point, EA, \$17.62

Federal Strategic Sourcing Initiative, 7520-01-655-9036, SKILCRAFT, AbilityOne, Black/Blue Ink, 0.5 mm Medium Point, EA, \$16.29

## Aviator Pen/Pencil Refill Pack

Refill package for the B3 Aviator pen/pencil combo (NSN 7520-01-564-9906, 7520-01-646-1095 and 7520-001-655-9036) includes two each medium point black and red ink ballpoint pen refills, two white erasers and a package of one dozen 0.5mm leads.

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7510-01-565-0621, SKILCRAFT, AbilityOne, KT, \$6.51

## Vista Gel Secure Pen

This retractable, smooth-flowing gel pen has specially formulated ink that aids in preserving document integrity and security. The ink absorbs into the fabric of the paper and cannot be removed using everyday household chemicals or bleach. Gel ink is acid-free and archival safe. Tinted barrel is transparent enough to monitor the ink supply level. Features Latex-free grip.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-574-5970, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, .7mm,

PG(contains 3 EA), \$5.22

7520-01-574-5971, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, .7mm, PG(contains 3 EA), \$5.88

## Security Ballpoint Pen

This non-retractable pen features a 24" chain that attaches to table or desk to prevent loss. Writes smoothly without smearing.

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-449-3740, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$17.23

This refillable pen is attached to its holder via a coiled cable, preventing the pen from being removed from its fixed location. Pressure-sensitive adhesive keeps the holder in place and will stick to most surfaces.

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

7520-01-207-4272, Blue Ink, Medium Point, EA, \$5.56

Rubberized barrel chain pen has a grip for writing comfort. Includes an upright holder that swivels 360°, and an adhesive base. A 24" steel-ball chain attaches to the pen and base. Base and barrel match ink color.

*For use with refill NSN 7510-00-543-6792, 7510-00-543-6793, 7510-00-754-2688, 7510-00-754-2689 and 7510-00-754-2691.*

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-463-1990, SKILCRAFT, AbilityOne, Black Ink, Medium Point, EA, \$5.46

## Liberty Series Laser-Pen

Combination ball point pen and laser pointer for presentations and other office needs. Laser pointer range extends up to 500 yards. Metal barrel pen with a marbled finish includes three laser batteries inside to operate the laser pointer. Push button operates the laser pointer. Pen is retractable with a twist action and includes one extra blue refill.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-439-3397, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, EA, \$26.73

## Correction Pen

This chisel tip correction marker removes permanent lumocolor marks from maps and overlays. Pocket Clip provided. Non-refillable, Non-replaceable.

*25% Postconsumer Material*

7520-01-385-5271, Clear, BX(contains 10 EA), \$18.98

## Multifunction Defender PressTip Pen

The multifunction Defender PressTip pen has a cap that breaks glass up to 8mm thick, and comes with the essential Phillips and flathead screwdriver for quick repairs. The presstip writing mechanism has a distinctive click to open and close and can write upside down and in extreme weather conditions, including cold and wet. Heavy duty metal barrel is made of durable aircraft grade aluminum. Includes one ink refill.

*12-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7520-01-661-1668, SKILCRAFT, AbilityOne, Black Ink, 1.0 mm Tip, EA, \$22.39

## Multi-Function Pen/Stylus

Specially designed to fit flight suit and military uniform pockets, this medium point, multifunction twist pen comes with black OR red ink, a 0.5mm pencil with eraser and a stylus. Featuring non reflective flat black finish on a brass plated steel barrel, this pen is FOD and TAA compliant. Provides a 2,000 foot write-out per ink color and 10,000 swipes with the stylus.

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-646-1095, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black or Red Ink, Medium Point, EA, \$17.79

## Combo Pen and Highlighter

Pocket highlighter combined with a black ballpoint pen. Pen features a ballpoint, black medium ink. Highlighter has chisel point with fluorescent yellow ink and pocket clip. Non-refillable, non-replaceable.

*18-month maximum shelf life (extendable); 25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-484-0020, SKILCRAFT, AbilityOne, Black/Yellow, DZ, \$21.63



# Mechanical Pencils and Supplies

## Stainless Elite Mechanical Pencil

A sleek, streamlined mechanical pencil with a stainless steel top barrel and metal eraser cover for a professional look, with storage for extra lead in the barrel. Push action, chrome plated pocket clip.

*36-month maximum shelf life (not extendable).*

7520-01-655-8504, SKILCRAFT, AbilityOne, Blue Barrel, 0.7mm, PG(contains 3 EA), \$12.94

7520-01-655-8004, SKILCRAFT, AbilityOne, Black Barrel, 0.5 mm, PG(contains 3 EA), \$12.94

## Dual-Action Mechanical Pencil

Convenient push-top action advances lead, and a sliding sleeve retracts to protect pocket. Twist-top raises and lowers the extra-large (1-1/2") eraser on this pencil. Comes with four lead refills. Shock-absorbing cushion-point mechanism reduces lead breakage. Hardness: HB

*For use with replacement eraser NSN 7510-01-317-4222 and replacement lead NSN 7510-01-317-6421.*

*45% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-317-6428, SKILCRAFT, AbilityOne, Burgundy barrel, Black Lead, 0.5 mm Fine Point, DZ, \$29.35

Federal Strategic Sourcing Initiative, 7520-01-317-6140, SKILCRAFT, AbilityOne, Black barrel, Black Lead., 0.7 mm Medium Point, DZ, \$31.91

## Mechanical Pencil

Perfect for drafting, this push-action mechanical pencil has a fixed pipe that minimizes lead movement and breakage. Includes a spring pocket clip, replaceable eraser and four lead refills in the interior storage compartment.

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-652-2436, SKILCRAFT, AbilityOne, Burgundy Barrel, Black Lead, 0.5 mm Fine Point, DZ, \$16.82

7520-01-652-2439, SKILCRAFT, AbilityOne, Blue Barrel, Black Lead, 0.7 mm Medium Point, DZ, \$18.69

Side-action mechanical pencil has a retractable plastic sliding sleeve to advance the lead with the touch of a button. The grooved finger rubber grip is an added ergonomic feature for comfort writing. The translucent barrel has an attached pocket clip and features new twist-action eraser retraction mechanism with a replaceable eraser.

*For use with replacement lead NSN 7510-01-317-6421.*

Federal Strategic Sourcing Initiative, 7520-01-386-1581, SKILCRAFT, AbilityOne, Blue Barrel, Black Lead, 0.5 mm. Fine Point, BX(contains 6 EA), \$14.10

Convenient push-action pencil includes a spring pocket clip and a replaceable eraser. An interior compartment neatly stores lead refills.

**Designed for drawing fine lines, pencil has an extended point protector to minimize breakage. Comes with a cap and three H or HB leads.**

*For use with pencil lead NSN 7510-01-317-6421.*

Federal Strategic Sourcing Initiative, 7520-00-590-1878, SKILCRAFT, AbilityOne, Burgundy Barrel, Black Lead, 0.5 mm Fine Point, DZ, \$23.73

Federal Strategic Sourcing Initiative, 7520-01-132-4996, SKILCRAFT, AbilityOne, Burgundy Barrel, Black Lead, 0.7 mm Medium Point, DZ, \$23.84

**Pencil comes with four HB leads. (Does not include a point protector or cap.)**

Federal Strategic Sourcing Initiative, 7520-00-161-5664, SKILCRAFT, AbilityOne, Black Barrel Black Lead, 0.9 mm. Bold Point Lead, DZ, \$19.23

This pencil's barrel design provides writing comfort while its modern, push-action mechanism advances lead from a chamber that houses three leads. Equipped with a metal pocket clip and a replaceable eraser.

Federal Strategic Sourcing Initiative, 7520-01-347-9581, SKILCRAFT, AbilityOne, Black Barrel, Black Lead, 1.1mm Bold Point Lead, DZ, \$17.90

Rubberized barrel mechanical pencil features an automatic push-action and includes a replaceable eraser.

*For use with replacement lead NSN 7510-01-317-6421.*

*65% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-424-4864, SKILCRAFT, AbilityOne, Black Barrel, 0.5mm Fine Point, DZ, \$19.25

*For use with replacement lead NSN 7510-01-317-6422.*

*65% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7520-01-424-4874, SKILCRAFT, AbilityOne, Blue Barrel, 0.7mm Medium Point, DZ, \$23.25

Refillable Absolute III mechanical pencil has a cushioned grip section that reduces writing fatigue. The pencil is a push-action lead with a twist-action eraser. Features a burgundy rubber grip barrel. Includes a pocket clip and an automatic operating mechanism

Federal Strategic Sourcing Initiative, 7520-01-451-2267, SKILCRAFT, AbilityOne, Burgundy Barrel, 0.5mm, BX(contains 6 EA), \$15.13

Federal Strategic Sourcing Initiative, 7520-01-451-2268, SKILCRAFT, AbilityOne, Blue Barrel, 0.7mm, BX(contains 6 EA), \$15.13

Prism mechanical pencil features a translucent barrel, latex-free rubber grip and fixed sleeve. Automatic operating mechanism. Includes two each smoke, green, blue, purple, turquoise, and red.

**Includes two each smoke, green, blue, purple, turquoise, and red.**

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-565-4870, SKILCRAFT, AbilityOne, Assorted, 0.5mm Fine point., DZ, \$11.09

Federal Strategic Sourcing Initiative, 7520-01-565-4871, SKILCRAFT, AbilityOne, Assorted, 0.7mm Medium point., DZ, \$11.47

Precision 305 mechanical pencil with rubber grip features metal construction and is lightweight and durable. Black rubberized grip is latex-free. Features sliding sleeve to protect lead. Item is being provided six pencils to a package. Price reflects the actual quantity being sent. Automatic lead dispenser operating mechanism.

7520-01-565-4873, SKILCRAFT, AbilityOne, Silver with Black Accents, 0.7mm, PG(contains 6 EA), \$10.68

**Item is being provided six pencils to a package. Price reflects the actual quantity being sent.**

7520-01-565-4875, SKILCRAFT, AbilityOne, Silver with Black Accents, 0.5mm Fine point., PG(contains 6 EA), \$10.05

SlickerClicker side advanced, mechanical pencil with sliding sleeve includes a rubber grip for added writing comfort. Both grip and eraser are made of latex-free rubber. The low profile side button allows user to advance the lead without changing writing position. Features sliding sleeve to protect lead.

7520-01-565-4874, SKILCRAFT, AbilityOne, Translucent Blue, 0.7mm, DZ, \$26.38

Federal Strategic Sourcing Initiative, 7520-01-565-4872, SKILCRAFT, AbilityOne, Translucent Black, 0.5mm Fine point., DZ, \$24.42

## Wide-Body Mechanical Pencil

Refillable ergonomic mechanical pencil has a wide body and thick-grip cushion that are engineered for comfortable writing. Features a rubber grip barrel, pocket clip, protective removable eraser cap

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-451-2271, SKILCRAFT, AbilityOne, Gray Barrel, 0.5mm Fine Point, BX(contains 6 EA), \$20.27

Federal Strategic Sourcing Initiative, 7520-01-451-2270, SKILCRAFT, AbilityOne, Blue Barrel, 0.7mm Medium Point, BX(contains 6 EA), \$13.58

## Double-Ended Mechanical Pencil

This double-ended pencil with spring pocket clip includes two colored wax leads. Black barrel twists to expel lead; ends are color-coded to indicate lead inside. Accepts 1-3/8"-long leads that are specifically designed for use with double-ended pencils.

*Uses replacement lead red: 7510-00-285-5855.*

7520-00-285-5822, Black and Red Lead Color, 0.9 mm, DZ, \$94.53

*Uses replacement lead red: 7510-00-285-5855 or blue: 7510-01-425-2825.*

7520-00-285-5823, Blue and Red Lead Color, 0.9mm, DZ, \$116.75

## Mechanical Pencil Lead

The polymer resin-based formula of this replacement lead provides a consistently stronger, darker and smoother line. Hardness: HB

**Fits any 0.5 mm Skillcraft mechanical pencil and most other brands.**

7510-01-317-6421, SKILCRAFT, AbilityOne, Black Lead Color, 0.5mm Fine Point, TU(contains 12 EA), \$0.98

**Fits any 0.7 mm Skillcraft mechanical pencil and most other brands.**

7510-01-317-6422, SKILCRAFT, AbilityOne, Black Lead Color, 0.7mm Medium Point, TU(contains 12 EA), \$0.98

## Mechanical Pencil Eraser

Non-abrasive, non-smearing replacement eraser conveniently twists down into a push-button pencil. For use with Mechanical Pencils 7520-01-317-6428, 7520-01-317-6140, 7520-01-451-2267 and 7520-01-451-2268.

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7510-01-317-4222, SKILCRAFT, AbilityOne, White, Length: 1-1/2", BX(contains 4 EA), \$3.88

# Wood and Wax Pencils

## Colored Pencil Set

Set contains 12 pencils, one of each vermilion, brown, terra cotta, tuscan red, blue, carmine red, green, yellow, black, purple, light blue and light green. Each pencil has an eraser tip. Smear-proof, non-refillable, non-retractable. Used for drawing.

7510-01-060-5896, Assorted, Lead: Thin, SE, \$28.49

## Mechanical Wax Pencil

Automatic, mechanical, twist action wax pencil is ideal for writing on photographs, cellophane, china, glass, plastics, rubber, wood, metal. Has a spring pocket clip. Long lasting and extra thin.

7520-00-223-6676, SKILCRAFT, AbilityOne, Yellow Barrel, Yellow Lead, 0.12" Diameter, Medium-hard, DZ, \$12.82

Federal Strategic Sourcing Initiative, 7520-00-268-9913, SKILCRAFT, AbilityOne, Orange Barrel, Orange Lead, 0.12" Diameter, Medium-hard, DZ, \$16.99

Federal Strategic Sourcing Initiative, 7520-00-223-6675, SKILCRAFT, AbilityOne, Red Barrel, Red Lead, 0.12" Diameter, Medium-hard, DZ, \$11.62

Federal Strategic Sourcing Initiative, 7520-00-223-6672, SKILCRAFT, AbilityOne, Black Barrel, Black Lead, 0.12" Diameter, Medium-hard, DZ, \$13.04

## Wax Pencil

Spiral paper-wrapped wax marking pencil writes easily on china, glass, photographs, cellophane and other smooth, glazed surfaces.

7510-00-240-1526, Black, 6-1/4" L, Extra Thick, DZ, \$6.58

# Pencil Accessories

## Pocket-Size Pencil Sharpener

Pocket-size drafting sharpener has two adjustable blades for shaving the wood of a pencil or for sharpening the lead to a tapered point. Accommodates large diameter charcoal and sketching pencils.

7520-00-227-1451, EA, \$12.64

Creates a perfectly tapered medium point every time. Manually operated sharpener with dual, steel cutters and a crank handle has an adjustable plate that accepts pencils ranging from 1/4 to 7/16" in diameter with 8 pencil dial holes. Sharpener is desk or wall mounted with included screws. Metal or plastic container catches shavings.

7520-00-162-6178, EA, \$21.80

## Pencil Sharpener

Heavy-duty commercial grade, thermally protected, electric sharpener features precision steel cutters that sharpen to a perfect point. Features a removable shaving tray. Sharpens all wood, composite and recycled pencils. Powered by 115 V, 60 Hz and 2 Amps.

7520-01-481-5368, 8-1/4"D x 4"W x 6"H, EA, \$29.96

Heavy-duty model electric sharpener is more powerful than a personal sharpener, but smaller than a commercial model. Auto stop feature prevents over-sharpening. Outer case is made of hardened steel. See through shaving receptacle is made of engineering grade styrene homopolymer plastic. Helical blades are made of heat treated carbon steel. Powered by 115 V and 60 Hz.

Federal Strategic Sourcing Initiative, 7520-01-241-4229, SKILCRAFT, AbilityOne, Black/Silver, 3 3/4 W x 5 3/4 L x 6 1/2" H, EA, \$35.32

## Eraser

Rubber, smudge-resistant and latex-free standard rectangular erasers with beveled ends. Non-abrasive.

7510-00-223-7046, 2 3/4" L x 3/4" W x 1/4", TH, DZ, \$7.24

# Highlighters (Individual)

## Combo Pen and Highlighter

This combo unit features a chisel tip, twist type retractable ballpoint pen on one end and fluorescent yellow chisel point highlighter on the opposite end.

7520-01-620-5405, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black/Yellow, MediumPoint, PG(contains 2 EA), \$3.93

Federal Strategic Sourcing Initiative, 7520-01-620-6416, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black/Yellow, MediumPoint, DZ, \$16.15

## Fluorescent Highlighter

This high-quality flat highlighter features a chisel tip, an ergonomically designed barrel, and fluorescent ink. Each highlighter includes a handy pocket clip. Conforms with ASTM D-4236.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-351-9146, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Pink, DZ, \$11.69

Federal Strategic Sourcing Initiative, 7520-01-201-7791, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Yellow, DZ, \$8.79

Tube type free ink highlighter features a chisel tip, and a cap with a plastic tip. The non-replaceable feeder rod feeds ink from ink tank to the writing tip. The ink tank holds free-flowing liquid, a water-based pigmented fluorescent ink. The end plug and cap indicate ink color and the barrel has a clear window to observe ink supply. Non-refillable.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-461-2662, Material Safety Data Sheet, SKILCRAFT AbilityOne, Yellow, BX(contains 6 EA), \$7.32

Federal Strategic Sourcing Initiative, 7520-01-461-2667, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Pink, BX(contains 6 EA), \$9.71

Federal Strategic Sourcing Initiative, 7520-01-461-2666, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Green, BX(contains 6 EA), \$9.71

Multi-purpose chisel tip neon highlighter features visible ink supply and free-flow ink delivery system. Features include non-roll, flat body design and visible ink supply with free-flowing ink delivery system for improved performance. Liquid ink delivers longer write-out. Push tip to restart ink flow if left uncapped. Conforms with ASTM D-4236.

*18-month maximum shelf life (extendable).*

7520-01-553-8143, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Yellow, DZ, \$13.37

## Line Liter Highlighter (Rubberized Barrel)

Pocket highlighter has rubberized barrel for ergonomic writing comfort. Chisel point with fluorescent highlighting ink. Ink color matches pen highlights. Writes 300 meters.

*18-month maximum shelf life (extendable).*

7520-01-451-2272, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Yellow, DZ, \$9.99

## Chisel Tip Highlighter

These fluorescent, tube-type highlighters include durable chisel tips and can be used in various positions for fine, medium and bold strokes. The quick-drying transparent ink vividly highlights important text in books and on paper. These jumbo-size highlighting pens are premium-quality and ACMI approved non-toxic.

**ACMI approved non-toxic, BPA free. and quick drying.**

Federal Strategic Sourcing Initiative, 7520-00-904-4476, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Yellow, DZ, \$6.36

Federal Strategic Sourcing Initiative, 7520-01-166-0682, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Green, DZ, \$10.24

Federal Strategic Sourcing Initiative, 7520-01-383-7924, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Orange, DZ, \$11.26

7520-00-460-7598, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Pink, DZ, \$8.82

Federal Strategic Sourcing Initiative, 7520-01-159-1585, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, DZ, \$11.26

## Retractable Chisel Tip Highlighter

Retractable highlighter with an easy single handed operation eliminates the need for capping and re-capping while in use. Quick drying ink will not smear or leak. Bright neon colored to add emphasis to materials. Tip is made of durable polyester that holds its shape during marker use. Chisel tip designed to allow broad, medium and fine point highlighting. Features pocket clip.

**50% pre-consumer recycled plastic for marker barrels and plungers**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-554-8210, Material Safety Data Sheet SKILCRAFT, AbilityOne, Yellow, DZ, \$14.51

# Highlighter Sets

## Fluorescent Highlighter Set

These fluorescent, tube-type highlighters include durable chisel tips and can be used in various positions for fine, medium and bold strokes. The quick-drying transparent ink vividly highlights important text. These jumbo-sized highlighting pens are premium quality and ACMI approved non-toxic.

**Set of four highlighters includes one of each blue, green, yellow and pink.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-383-7938, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, PG(contains 4 EA), \$3.29

**Set of six highlighters includes one each of yellow, green, orange, purple, pink and blue.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-383-7943, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, PG(contains 6 EA), \$4.47

A window in the barrel reveals the long-lasting, pigmented fluorescent ink supply. These highlighters feature a chisel tip for precise highlighting and a sturdy clip for secure hold.

**Set of three highlighters includes one each of blue, pink and yellow.**

*18-month maximum shelf life (extendable).*

7520-01-383-7959, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$4.21

SKILCRAFT pocket highlighter. Rubberized barrel for ergonomic writing comfort. Chisel point with fluorescent highlighting ink. Ink color matches pen highlights. Writes 300 meters. The six-pack includes three yellow and one each of green, blue, and pink pocket highlighters.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-484-0013, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, PG(contains 6 EA), \$7.34

## Flat Liquid Ink Highlighter

These high-quality highlighters feature a chisel tip, an ergonomically designed barrel, and fluorescent ink in assorted eye-catching colors. The multi-purpose ink even works on faxes. Each highlighter includes a handy pocket clip. Conforms to ASTM D-4236.

**Set of four highlighters includes one of each orange, green, pink and yellow.**

*(NFES #1039).*

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-238-1728, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$4.10

## Liquid Ink Highlighter (Flat Tip)

These high-quality highlighters feature a chisel tip, an ergonomically designed barrel, and fluorescent ink in assorted eye-catching colors. The multi-purpose ink even works on faxes. Each highlighter includes a handy pocket clip. Conforms to ASTM D-4236.

**Set of five highlighters includes one each of orange, green, pink, yellow and blue.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-463-6556, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$4.98

Multi-purpose chisel tip neon highlighter features visible ink supply and free-flow ink delivery system. Features include non-roll, flat body design and visible ink supply with free-flowing ink delivery system for improved performance. Liquid ink delivers longer write-out. Push tip to restart ink flow if left uncapped. Conforms with ASTM D-4236.

**Five color set includes one each of green, yellow, pink, blue and orange.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-553-8141, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$6.07

## go-brite Liquid Highlighter Set

Chisel tip fluorescent highlighters feature visible ink supply window in barrel.

**Set of four highlighters includes one each of pink, green, yellow and blue.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-461-3779, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$5.04

## Retractable Chisel Tip Highlighter

Retractable highlighter with an easy single handed operation eliminates the need for capping and re-capping while in use. Quick drying ink will not smear or leak. Bright neon colored to add emphasis to materials. Tip is made of durable polyester that holds its shape during marker use. Chisel tip designed to allow broad, medium and fine point highlighting. Features pocket clip.

**Five color set includes one each of green, pink, orange, blue and yellow.**

*18-month maximum shelf life (extendable).*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-554-8211, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$5.44

**Set of ten includes three yellow, two each of green, blue and pink, and one of orange.**

*18-month maximum shelf life (extendable).*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-554-8208, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$10.56

# Permanent Markers

## Felt-Tip Marker

This redesigned marker features a high-capacity "XPE" reservoir for consistent writing performance in excess of 2,000 feet. The new acrylic nib is an improved design, with a shoulder to reduce "mush out". The improved markers also offer brighter and more vibrant inks. These markers feature sleek barrels and caps, in new stylish metallic colors, signifying ink color and includes a metal pocket clip.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-00-904-1265, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, Fine Point, DZ, \$8.16

Federal Strategic Sourcing Initiative, 7520-00-904-1266, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red, Fine Point, DZ, \$9.27

## Permanent Marker

This permanent, fine-tip marker is designed for writing, drawing, lettering and sketching on porous and non-porous surfaces. Tip stays firm and sharp. Plastic tapered barrels are gray. Caps come with a pocket clip and match ink color.

Federal Strategic Sourcing Initiative, 7520-00-043-3408, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, Fine Point, DZ, \$9.01

*18-month maximum shelf life (extendable).*

7520-01-511-4319, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, Fine point, DZ, \$9.71

7520-01-511-4324, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red, Fine point, DZ, \$9.71

Permanent markers have high-intensity ink that is ideal for identifying and labeling. Waterproof ink dries quickly.

**Set of four markers includes one each green, black, red and blue.**

7520-01-107-4928, Material Safety Data Sheet, Assorted, Fine Point, SE, \$3.55

## Retractable Permanent Marker

Retractable marker with an easy single handed operation eliminates the need for capping and re-capping while in use. Low odor, non-toxic premium ink dries quickly and will not smear or leak. Marks on wood, glass, plastic, metal, porous surfaces and more. Tip is made of durable polyester that holds its shape. Includes handy pocket clip.

**Fine point produces clear precise lines.**

7520-01-555-0296, Material Safety Data Sheet, AbilityOne, Black, Fine Tip, PG(contains 4 EA), \$5.40

**Chisel tip allows broad, medium and fine point marking.**

7520-01-555-0297, Material Safety Data Sheet, AbilityOne, Black, Chisel Tip, PG(contains 4 EA), \$5.69

## Permanent Marker (Chisel Tip)

This jumbo-size, permanent, tube-type marker features a durable chisel tip and can be used in various positions for fine, medium or wide strokes. The waterproof, quick-drying ink is perfect for use on porous and non-porous surfaces. This all-purpose marker is premium-quality and ACMI approved non-toxic. Set of three markers includes one of each black, blue and red.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-00-973-1061, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Green, DZ, \$10.37

Federal Strategic Sourcing Initiative, 7520-00-973-1059, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, DZ, \$6.78

7520-00-973-1060, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, DZ, \$9.40

7520-00-973-1062, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red, DZ, \$9.40

## Permanent Marker (Bullet Tip)

All-purpose, jumbo permanent tube-type markers are waterproof and feature durable bullet-tip that makes a uniform line. Quick drying premium ink is perfect for use on porous and non-porous surfaces. Premium quality and ACMI approved non-toxic.

**ACMI approved non-toxic, BPA free. and quick drying.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-424-4883, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, DZ, \$7.12

## Permanent Marker Set (Chisel Tip)

This jumbo-size, permanent, tube-type marker features a durable chisel tip and can be used in various positions for fine, medium or wide strokes. The waterproof, quick-drying ink is perfect for use on porous and non-porous surfaces. This all-purpose marker is premium-quality and ACMI approved non-toxic. Set of three markers includes one of each black, blue and red.

**Set of three markers includes one of each black, blue and red.**

*(NFES #0768).*

*18-month maximum shelf life (extendable).*

7520-00-558-1501, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, SE, \$2.66

## Metallic Marker

Metallic permanent marker features silver ink for writing on dark surfaces such as wood, plastic, metal, coated paper. This fine point marker dries fast, resists water, stays permanently even on rough surfaces.

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-504-8140, Material Safety Data Sheet, Silver, Fine Point, DZ, \$21.62

## Permanent Impression Marker

Permanent impression marker is perfect for writing, drawing, or lettering on almost any surface. Features durable porous tip, fade and water-resistant ink that will not smear. Stylish barrel features a rubber grip and pocket clip which indicates color of ink.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-520-3889, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red, Ultra-Fine Point, DZ, \$16.00

Federal Strategic Sourcing Initiative, 7520-01-519-4378, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, Fine Point, DZ, \$16.91

Federal Strategic Sourcing Initiative, 7520-01-519-4372, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, Fine Point, DZ, \$9.80

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-520-3153, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, Ultra-Fine Point, DZ, \$10.10

**Four color set includes one each of black, blue, red and green.**

*Ergonomic Product; 18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-520-3888, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assort, Ultra-Fine Point, SE, \$6.95

**Set of four markers includes one each green, black, red and blue.**

*18-month maximum shelf life (extendable).*

7520-01-519-4380, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, Fine Point, SE, \$5.08

## Super Sharpie Permanent Marker

“Super Sharpie” Permanent Marker - fast drying, water-resistant ink. Durable point writes on almost any surface - AP Certified nontoxic. Super large ink supply. Classic Sharpie tip marks fine, bold lines up to 0.4mm wide

**Black Ink**

Federal Strategic Sourcing Initiative, 7520-01-536-9244, Material Safety Data Sheet, Sanford SAN33001, Black, DZ, \$13.30

## Lumocolor Marker Set

Non-Permanent visual aid markers are water-based. Perfect for writing on most surfaces; may be removed from glossy surfaces such as whiteboards using a damp cloth or eraser. Designed with pen style and fiber tip nib.

**4-pack, fine point, assorted colors**

**Green, Blue, Red and Black.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-507-6958, Material Safety Data Sheet, Assorted, SE, \$4.72

Permanent visual aid markers are alcohol based and perfect for writing on most surfaces. Quick-drying inks remain on the surface, are smudge proof, waterproof, and durable. Designed with a pen style barrel and fiber tip nib.

**Set of eight markers includes one of each of blue, black, green, red, brown, yellow, orange and violet.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-507-6972, Material Safety Data Sheet, Assorted, Fine Point, SE, \$6.21

7520-01-507-6974, Material Safety Data Sheet, Assorted, Medium Point, SE, \$19.16

## Lumocolor Marker

Permanent visual aid markers are alcohol based and perfect for writing on most surfaces. Quick-drying inks remain on the surface, are smudge proof, waterproof, and durable. Designed with a pen style barrel and fiber tip nib.

**6 Assorted colors: Orange, Red, Blue, Green, Brown, and Black.**

*18-month maximum shelf life (extendable).*

7520-01-507-6969, Material Safety Data Sheet, SKILCRAFT/STAEDTLER, 7520-00-NIB-1637, Assorted, SE, \$15.81

Non-Permanent visual aid markers are water-based. Perfect for writing on most surfaces; may be removed from glossy surfaces such as whiteboards using a damp cloth or eraser. Designed with pen style and fiber tip nib.

**8 Assorted colors: Black, Red, Blue, Green, Yellow, Orange, Violet, and Brown**

*18-month maximum shelf life (extendable).*

7520-01-507-6965, Material Safety Data Sheet, SKILCRAFT/STAEDTLER, 7520-00-NIB-1582, Assorted, SE, \$11.93

**8-pack, fine point, assorted colors**

**Yellow, Red, Blue, Orange, Green, Violet, Brown and Black.**

*18-month maximum shelf life (extendable).*

7520-01-507-6963, Material Safety Data Sheet, SKILCRAFT/STAEDTLER, 7520-00-NIB-1636, Assorted, PG(contains 8 EA), \$5.06

## Uni-Paint Marker

Quick-drying oil-based paint comes in a pen-type marker for maximum neatness and control. Marks both opaque and glossy. For lettering, color coding, marking and touch-ups on almost any surface: metal desks, filing cabinets, automobiles, appliances, ironwork, wood, glass, paper, plastic and other materials.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4159, Material Safety Data Sheet, SKILCRAFT, AbilityOne, White, Fine Point, DZ, \$20.85

## Paint Marker

This paint marker is ideal for machine shops, tool rooms, motor pools, fabricators, QC inspectors and welders. Can be used for decorative, professional and industrial applications. Works on variety of surfaces (indoor/outdoor) including metal, glass, wood, rubber and plastic. Using oil-based paint that resists water, sunlight, rough handling and various chemicals; highly visible and vibrant opaque colors make long lasting crisp lines or bold marks. A bullet style fiber tip (nib) is replaceable which extends the useful life of the marker. Featuring a rubber non-slip ergonomic cushion grip, durable plastic clip and color-coded cap and barrel for comfort and ease of use.

*18-month maximum shelf life (extendable).*

7520-01-588-9100, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red, Medium Line, PG(contains 6 EA), \$13.85

7520-01-588-9097, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Yellow, Medium Line, PG(contains 6 EA), \$13.85

7520-01-588-9098, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, Medium Line, PG(contains 6 EA), \$13.85

Federal Strategic Sourcing Initiative, 7520-01-588-9099, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, Medium Line, PG(contains 6 EA), \$12.69

Federal Strategic Sourcing Initiative, 7520-01-588-9101, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Green, Medium Line, PG(contains 6 EA), \$17.74

Federal Strategic Sourcing Initiative, 7520-01-588-9102, Material Safety Data Sheet, SKILCRAFT, AbilityOne, White, Medium Line, PG(contains 6 EA), \$12.31

# Specialty Markers

## Felt-Tip Marker

This redesigned marker features a high-capacity "XPE" reservoir for consistent writing performance in excess of 2,000 feet. The new acrylic nib is an improved design, with a shoulder to reduce "mush out". The improved markers also offer brighter and more vibrant inks. These markers feature sleek barrels and caps, in new stylish metallic colors, signifying ink color and includes a metal pocket clip.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-00-904-1268, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue, Fine Point, DZ, \$9.27

## Uni-Paint Marker

Quick-drying oil-based paint comes in a pen-type marker for maximum neatness and control. Marks both opaque and glossy. For lettering, color coding, marking and touch-ups on almost any surface: metal desks, filing cabinets, automobiles, appliances, ironwork, wood, glass, paper, plastic and other materials.

**Six marker set includes one of each red, yellow, white, green, blue and black.**

*24-month maximum shelf life (extendable).*

7520-01-465-9889, Material Safety Data Sheet, Assorted, Fine Point, SE, \$14.99

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4167, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, Medium Point, SE, \$13.59

**12 marker set includes one each pink, brown, orange, gold, violet, silver, red, black, green, blue, yellow and white.**

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4168, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Assorted, Medium Point, SE, \$26.66

## Chalk

Dustless, non-toxic chalk makes a neater presentation than standard chalk.

**Made of 85% calcium carbonate.**

7510-00-223-6706, White, 3-1/8"L x 3/8"D, GR, \$0.51

## Marking Crayon Assortment

Paper-wrapped, wax-based crayon assortment includes a rainbow of colors: black, blue, brown, green, orange, red, violet and yellow.

7510-00-285-1728, 5/16 x 3-1/2", AT, \$1.13

## Marking Crayon

Rectangular soapstone/steatite crayon is ideal for marking on bare or any painted metals, fabrics, wood or ceramic surface.

7510-00-223-6708, Material Safety Data Sheet, White, 1/2" wide, 5" long, 3/16" thick, GR, \$52.50



# Tape and Dispensers

## Tape with Dispenser

Kit contains one black, weighted, contemporary tape dispenser which accommodates 1" core rolls with an outside diameter of 2-1/2". Also includes ten rolls of tape; made from quality 3M materials that are virtually invisible when applied.

**Features a 1" core.**

*Colorless; matte finish.*

Federal Strategic Sourcing Initiative, 7510-01-580-6224, SKILCRAFT, AbilityOne, Transparent, 3/4" W x 1,000" L, KT, \$18.69

Multi-purpose tape comes in a refillable hand-held dispenser. Refill with 1" core tapes. Surface can be written on by pen, pencil or marker.

**Glossy finish; colorless.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-516-7576, SKILCRAFT, AbilityOne, Transparent, 3/4" x 36 yds., EA, \$2.32

Tape is virtually invisible when applied. Ideal for mending documents, maps, charts and blueprints.

**Features a 1" core. Cutting dispenser included.**

*Colorless; matte finish.*

*24-month maximum shelf life (extendable).*

7510-00-082-2521, Transparent, 1/2" W x 450" L, DZ, \$22.31

7510-00-082-2520, Transparent, 300" L x 3/4" W, DZ, \$21.84

This tape is used for temporary mending, attaching, sealing and for protecting labels. Made of cellophane or similar materials.

**Features a 1" core. Cutting dispenser included.**

*Glossy finish; colorless.*

*18-month maximum shelf life (extendable).*

7510-00-551-9822, Transparent, Width: 1/2", RO(contains 500 IN), \$0.93

7510-00-551-9819, Transparent, Width: 3/4", RO(contains 500 IN), \$1.83

Multi-purpose tape comes in a refillable hand-held dispenser. Refill with 1" core tapes. Surface can be written on by pen, pencil or marker.

**Transparent, matte finish.**

7520-01-516-7575, SKILCRAFT, AbilityOne, Transparent, 3/4" x 36 yds, EA, \$2.42

## Tape Dispenser

Manually operated, hand held, plastic tape dispenser dispenses cellulose or plastic acetate tape up to 1" wide with 3" diameter core and outside diameter of 5". Has a weighted, rubber base to protect work surface. Serrated cutting edge.

Federal Strategic Sourcing Initiative, 7520-00-240-2417, SKILCRAFT, AbilityOne, Gray, EA, \$16.24

Contemporary-style plastic desk tape dispenser accommodates a 36-yard roll of tape up to 3/4" wide with an outside diameter of 2-1/2". The drum fits a roll with a 1" diameter core. Rubber base prevents marring. Serrated cutting edge is guarded for safe handling.

Federal Strategic Sourcing Initiative, 7520-00-240-2411, SKILCRAFT, AbilityOne, Black, EA, \$3.28

## Transparent Tape

Tape is virtually invisible when applied. Ideal for mending documents, maps, charts and blueprints.

**Features a 1" core without dispenser. Surface can be written on by pen, pencil or marker.**

*Colorless; matte finish.*

*24-month maximum shelf life (extendable).*

7510-00-551-9825, Transparent, Width: 3/4", RO(contains 36 YD), \$2.05

7510-00-813-4952, Transparent, Width: 1/2", RO(contains 36 YD), \$0.85

**Features a 3" core without dispenser.**

*Colorless; matte finish.*

*12-month maximum shelf life (extendable).*

7510-00-551-9824, Transparent, Width: 3/4", RO(contains 72 YD), \$4.39

7510-00-551-9823, Transparent, Width: 1", RO(contains 72 YD), \$5.28

Self-stick adhesive holds securely, yet can be removed or repositioned.

**Features a 3" core.**

*12-month maximum shelf life (extendable).*

7510-01-203-4663, Transparent, Width: 3/4", RO(contains 2592 IN), \$8.03

This tape features a glossy finish and is superb for temporary mending, attaching, and sealing. Also great for protecting labels. Made of cellophane or similar materials.

**Features a 1" core without dispenser.**

*18-month maximum shelf life (extendable).*

7510-00-551-9818, Transparent, Width: 3/4", RO(contains 36 YD), \$2.02

**Features a 3" core without dispenser.**

*18-month maximum shelf life (extendable).*

7510-00-551-9817, Transparent, Width: 1", RO(contains 72 YD), \$3.43

7510-00-234-7960, Transparent, Width: 2", RO(contains 72 YD), \$3.97

Made using quality 3M materials this tape is virtually invisible when applied. Ideal for mending documents, maps, charts and blueprints.

**Features a 1" core without dispenser. Surface can be written on by pen, pencil or marker.**

***Glossy finish; colorless.***

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-580-6225, SKILCRAFT, Transparent, 3/4 x, PG(contains, \$10.78

, AbilityOne, 1,000", 6 EA), Colorless; matte finish.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-580-6226, SKILCRAFT, AbilityOne, Transparent, 3/4 x 1,000", PG(contains 6 EA), \$6.91

## Pressure-Sensitive Tape

High Temperature Aluminum Foil/Glass Cloth Tape is a strong, flexible tape that can be used as a high temperature heat reflective, protective wrap for heat sensitive cables and other instruments. Aluminum foil backing combined with a glass cloth and pressure sensitive silicone adhesive. Conformable, opaque, lusterless. Resists flame, moisture, weather and UV degradation.

*36-month maximum shelf life (extendable).*

7510-01-137-8404, Silver, 1" W, RO(contains 36 YD), \$59.78

Vinyl tape meets I.A.W A-A-1689 TY1CL2. For lane and safety marking applications; Taping, wrapping or sealing curved, convex and irregular surfaces. Lusterless, opaque, abrasion and solvent resistant.

*18-month maximum shelf life (extendable).*

7510-00-829-1239, White, 2" W, RO(contains 36 YD), \$18.89

**Gloss, opaque.**

*18-month maximum shelf life (extendable).*

7510-00-634-3329, Red, 2" W, RO(contains 100 FT), \$18.89

7510-00-634-3330, Yellow, 2" W, RO(contains 36 YD), \$18.89

## Double-Sided Tape

Coated with adhesive on both sides, this tape is used for mounting photographs, drawings and clippings or for holding premiums and samples. Has a 3" core.

**Transparent, film-based tape does not include a liner. Aging, moisture and UV resistant.**

*24-month maximum shelf life (extendable).*

7510-00-550-7814, Natural, Width: 1", RO(contains 108 FT), \$15.80

Colorless, double-sided tape with adhesive on both sides is excellent for attaching two sheets of paper, mounting photos, artwork and more with no mess. Tape won't show when applied and won't dry out or yellow. Comes in a durable, refillable plastic dispenser.

**Removable, mounting post tape, 3 mm thick**

*24-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7510-01-565-9541, SKILCRAFT, AbilityOne, Clear, 3/4 x 150", RO(contains 150 IN), \$6.00

Clear, colorless, repositionable double sided tape.

**3" Core.**

***Includes liner.***

*18-month maximum shelf life (extendable).*

7510-00-935-5848, Natural, Width: 1", RO(contains 36 YD), \$8.48

***Does not include liner.***

*24-month maximum shelf life (extendable).*

7510-00-904-2663, Natural, Width: 3/4", RO(contains 36 YD), \$11.07

## Velcro Hook-and-Loop Fastener Tape

Industrial-strength hook-and-loop fastener tape features an adhesive backing that sticks to smooth surfaces. Waterproof, for indoor or outdoor use.

8315-01-504-8856, VEK90198 or equal, White, Width: 2", RO(contains 5 YD), \$20.60

## Mounting Roll

Opaque, double-sided, heavy-duty, foam mounting tape with self-sticking adhesive on both sides makes any presentation or marketing project a breeze. Includes dispenser and liner.

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-445-9340, White, Width: 1/2", RO(contains 75 IN), \$2.99

## Graphic Chart Tape

Graphic chart tape for your presentation needs.

7510-01-019-7842, Black, 0.25" W, RO(contains 54 FT), \$26.17

## Magnetic Strip

A variety of items can be magnetized with this adhesive-backed magnetic strip. Features a peel-off protective backing that affixes to plastic, metal and cardboard surfaces. Strip is resistant to ozone, oxygen, acids and other chemicals.

**0.06" thick.**

Federal Strategic Sourcing Initiative, 5340-00-914-5107, C060ASIA1 or Equal, Width: 1", RO(contains 100 FT), \$17.94

# Paper and Binder Clips

## Magnetic Paper Clip Dispenser

Includes a removable, magnetic cap for easy dispensing. Top-load dispenser holds 100 paper clips. Also holds pins, tacks, small screws and bolts. Tinted base.

Federal Strategic Sourcing Initiative, 7510-01-351-9138, Black/Smoke, EA, \$1.00

## Paper Clip

Butterfly design wire clip.

**Medium, steel clip has a 3/8" sheet capacity.**

7510-00-161-4291, Silver, BX(contains 50 EA), \$2.60

**Jumbo**

Federal Strategic Sourcing Initiative, 7510-00-161-4292, SKILCRAFT, AbilityOne, Silver, Length: 1", MX, \$5.22

Federal Strategic Sourcing Initiative, 7510-01-467-6738, SKILCRAFT, AbilityOne, Silver, Length: 1", HD, \$0.90

Federal Strategic Sourcing Initiative, 7510-00-958-0743, Silver, Length: 2", HD, \$1.44

## Binder Clip

Spring-type binder clip holds large bundles of papers. Wire handles snap down flat to secure pages. Made of tempered steel.

**Small clip has a sheet capacity of 1/4".**

Federal Strategic Sourcing Initiative, 7510-00-282-8201, SKILCRAFT, AbilityOne, DZ, \$0.75

**Medium clip has a sheet capacity of 1/2".**

*(NFES #0784).*

Federal Strategic Sourcing Initiative, 7510-00-223-6807, SKILCRAFT, AbilityOne, DZ, \$1.83

**Large clip has a sheet capacity of 1".**

Federal Strategic Sourcing Initiative, 7510-00-285-5995, SKILCRAFT, AbilityOne, DZ, \$4.53

## Magnetic Clip

Magnetic, nickel plated, steel clip consists of a round magnet with clip attached. Sheet capacity of 1/2 ". 12 clips per card.

7520-01-011-2371, Silver, 2-1/4" W, EA, \$5.06

# Clam Clips and Refills

## Clam Clip Dispenser

Fastening system uses removable, reusable stainless steel clips to fasten papers neatly and securely. Clips will not crease, scratch or bend the edges of the paper. Used by sliding the dispenser over pages and pushing a button.

### Handheld model.

*Secures up to 20 pages. For use with clam clip NSN 7510-01-392-6512.*

Federal Strategic Sourcing Initiative, 7510-01-392-6964, SKILCRAFT, AbilityOne, Small, DZ, \$41.04

*Secures up to 40 pages. For use with clam clip NSN 7510-01-317-4228.*

Federal Strategic Sourcing Initiative, 7510-01-317-4220, SKILCRAFT, AbilityOne, Medium, DZ, \$39.42

*Secures up to 60 pages. For use with clam clip NSN 7510-01-392-6513.*

Federal Strategic Sourcing Initiative, 7510-01-392-6965, SKILCRAFT, AbilityOne, Large, DZ, \$53.66

## Clam Clip Refills

Stainless steel clip secures papers without scratching the paper surface. Clam clip must be used in conjunction with a dispenser.

**Secures up to 20 pages.**

*For use with clam clip dispenser NSN 7510-01-392-6964.*

7510-01-392-6512, SKILCRAFT, AbilityOne, Small, BX(contains 50 EA), \$4.06

**Secures up to 40 pages.**

*For use with clam clip dispenser NSN 7510-01-317-4220.*

7510-01-317-4228, SKILCRAFT, AbilityOne, Medium, BX(contains 50 EA), \$3.75

**Secures up to 60 pages.**

*For use with clam clip dispensers NSN 7510-01-392-6965.*

7510-01-392-6513, SKILCRAFT, AbilityOne, Large, BX(contains 35 EA), \$4.04

# Pushpins

## Pushpin

Sturdy plastic head with stainless steel pin. Assorted colors blue, green, red. Rust resistant.

Federal Strategic Sourcing Initiative, 7510-00-940-0935, SKILCRAFT, AbilityOne, Clear, Length: 3/8", HD, \$1.77

(NFES #1046).

7510-01-207-3978, SKILCRAFT, AbilityOne, Assorted, Length: 3/8", BX(contains 100 EA), \$2.12

## Thumbtack

Corrosion-resistant thumbtack has a bright metal head. For use on drawing boards and bulletin boards. Made of nickel-plated steel.

### Head Size 3/8"

Federal Strategic Sourcing Initiative, 7510-00-272-6887, SKILCRAFT, AbilityOne, Silver, Length: 5/16", BX(contains 100 EA), \$1.26

### Head Size 1/2"

7510-00-272-6886, SKILCRAFT, AbilityOne, Length: 5/16", BX(contains 100 EA), \$0.93

# Stapling

## Desktop Stapler

Patented, one-finger stapling technology only needs the push of a finger to staple up to 20 sheets of paper. Easy-to-use, low-profile powerhouse is designed with a lightweight, heavy-duty die cast metal housing for ultimate durability. Ergonomic, low force technology delivers lasting, jam-free performance.

**Staple Size - 210 Commercial Standard Duty.**

Federal Strategic Sourcing Initiative, 7520-01-627-3358, SKILCRAFT, AbilityOne, BLACK/ SILVER, EA, \$17.88

## Manual Stapler

Light weight, full strip, light-duty desktop stapler, staples up to 20 sheets, corrosion resistant metal components, non-slip rubber base pad protects surfaces, opens easily for tacking, standard or pin clinch, patented single channel.

7520-01-644-3713, SKILCRAFT, AbilityOne, Red, EA, \$17.26

Standard desktop stapler operates manually. Base swings clear for tacking. Crown width is 1/2". Holds 210 staples per load.

**Has a 3" throat.**

*For use with staples NSN 7510-00-272-9662.*

7520-01-315-9854, Black, EA, \$5.16

Desk-type stapler operates manually to staple up to 20 sheets of paper at one time. Anvil adjusts to produce either standard or pin clinch. Base swings clear for tacking. Holds 210 staples per load. Use with staples NSN 7510-00-272-9662.

**Has a 3" throat.**

Federal Strategic Sourcing Initiative, 7520-00-139-6170, SKILCRAFT, AbilityOne, Beige, EA, \$9.83

Federal Strategic Sourcing Initiative, 7520-01-467-9433, SKILCRAFT, AbilityOne, Black, EA, \$9.72

7520-01-467-9434, SKILCRAFT, AbilityOne, Burgundy, EA, \$11.27

*NFES 2575.*

Federal Strategic Sourcing Initiative, 7520-00-281-5895, SKILCRAFT, AbilityOne, Gray, EA, \$9.19

Pliers-type stapler is hand-held for comfortable manual operation. Works easily with light pressure and staples up to 15 sheets at one time. Also may be used to close bags, packages and wrappings. Fixed anvil produces standard clinch on staples, and base swings clear for tacking. Holds 100 staples per load.

**Has a 2" throat.**

*For use with staples NSN 7510-00-272-9662.*

Federal Strategic Sourcing Initiative, 7520-00-240-5727, SKILCRAFT, AbilityOne, EA, \$13.34

Desk-type stapler is ideal for tacking. Holds 210 staples per load.

**Has a 12" throat.**

*For use with staples NSN 7510-00-272-9662.*

7520-00-281-5896, SKILCRAFT, AbilityOne, EA, \$16.34

Exceptionally sturdy, heavy-duty stapler has a fixed anvil for standard clinches. Staples up to 20 sheets when using 1/4" staples; up to 60 sheets when using 3/8" staples and up to 100 sheets when using 1/2" staples. Holds 100 staples per load.

**Has a 3-1/4" throat.**

*For use with Staples NSNs 7510-00-275-7217, 7510-00-272-9409 and 7510-00-272-9410.*

Federal Strategic Sourcing Initiative, 7520-00-243-1780, SKILCRAFT, AbilityOne, EA, \$38.67

Upright full-strip stapler with cushioned grips. Stands vertically taking up minimal desktop space. Stapler stands 6" high, is balanced by two rubber bases. Uses standard 1/4" staples and is easy to load.

**For use with NSN 7510-00-272-9662 (Staples).**

Federal Strategic Sourcing Initiative, 7520-01-515-3549, SKILCRAFT, AbilityOne, Black with gray rubber grips, 6" high, EA, \$12.27

## Heavy-Duty Stapler

Easy squeeze Heavy Duty Spring Powered Stapler, with push-button, drop-in front end loading for jam-free performance. Power drives staples through up to 100 sheets of paper at a time with little effort.

Federal Strategic Sourcing Initiative, 7520-01-598-4238, SKILCRAFT, AbilityOne, EA, \$62.08

## Spring-Powered Desktop Stapler

Lightweight, power assisted, desktop stapler has an ergonomic design and rubberized non-slip handle. Unique design allows horizontal or vertical placement for a smaller footprint. Made with durable plastic, stapler delivers staple-driving power with the pressure of a single finger.

**For use with NSN 7510-00-272-9662 (Staples).**

Federal Strategic Sourcing Initiative, 7520-01-566-8649, SKILCRAFT, AbilityOne, Grey/Black Finish, 15 Sheet Capacity, EA, \$14.20

Federal Strategic Sourcing Initiative, 7520-01-566-8648, SKILCRAFT, AbilityOne, Grey/Black Finish, 20 Sheet Capacity, EA, \$20.54

Federal Strategic Sourcing Initiative, 7520-01-566-8647, SKILCRAFT, AbilityOne, Grey/Black Finish, 25 Sheet Capacity, EA, \$24.45

Capacity, Federal Strategic Sourcing Initiative, 7520-01-566-8656, SKILCRAFT, AbilityOne, Grey/Black Finish, 65 Sheet Capacity, EA, \$41.08

## Dual-Powered Stapler

Dual-Powered, stapler can handle up to 20 sheets of 20-lb. bond paper. AC adapter included. Batteries not included.

7520-01-436-6417, EA, \$28.74

## Electric Stapler

High end electric unit that staples up to 80 sheets of 20-lb. paper at a time. Uses staple cartridge 7510-01-504-7387.

7520-01-504-7384, EA, \$579.00

Electric motor stapler holds up to 210 standard staples.

General use machine can staple up to 20 pages of 20-lb. basis weight at a time.

*For use with staples NSN 7510-00-272-9662.*

Federal Strategic Sourcing Initiative, 7520-01-436-4130, EA, \$39.94

Commercial type can staple up to 25 pages of 20-lb. basis weight paper at a time, up to 60 times per minute. Powerful motor-driven operation for virtually jam-free operation.

*For use with staples NSN 7510-00-272-9662.*

7520-01-407-9431, Black, EA, \$97.18

## Staples

Pre-formed and ready for use in office staplers, these steel staples are rust-resistant. (Crown width and leg length are shown below.)

**Heavy-duty staples with chisel points.**

*Can staple up to 20 sheets of paper.*

7510-00-275-7217, 1/2"W x 1/4"L, BX(contains 5000 EA), \$10.83

*Can staple up to 60 sheets of paper.*

Federal Strategic Sourcing Initiative, 7510-00-272-9409, 1/2"W x 3/8"L, BX(contains 5000 EA), \$6.32

*Can staple up to 90 sheets of paper.*

Federal Strategic Sourcing Initiative, 7510-00-272-9410, 1/2"W x 1/2"L, BX(contains 5000 EA), \$6.86

**Standard duty staples for use in Stapler NSNs 7520-00-281-5895, 7520-00-139-6170, 7520-01-315-9854, 7520-00-240-5727, 7520-01-407-9431 and 7520-00-281-5896.**

*(NFES #0773)*

Federal Strategic Sourcing Initiative, 7510-00-272-9662, SKILCRAFT, AbilityOne, 1/2"W x 1/4"L, BX(contains 5000 EA), \$1.30

**Light-duty staples with chisel points.**

*For use with Bostitch B-8 Staplers only.*

7510-00-264-5478, 7/16"W x 1/4"L, BX(contains 5000 EA), \$12.42

## Staples (Refill Cartridge)

Staple refill cartridge is for use in stapler NSN 7520-01-504-7384 (Hunt Models 90147 and 5080). Contains 5,000 staples.

Federal Strategic Sourcing Initiative, 7510-01-504-7387, EA, \$40.25

## Staple Remover

This hassle-free tweezers-type staple remover sports metal jaws and comfortable plastic finger grips. Removes standard staples without tearing paper.

Federal Strategic Sourcing Initiative, 7520-00-162-6177, SKILCRAFT, AbilityOne, 2"L, DZ, \$7.63

# Rubber Bands

## Rubber Bands

Natural or synthetic rubber bands are long-lasting and dependable.

**Size 117B. Measures 1/8" wide and 7" long. 250 rubber bands per bag.**

*36-month maximum shelf life (extendable).*

7510-01-578-3512, SKILCRAFT, AbilityOne, BG(contains 16 OZ), \$4.06

**Size 117. Measures 1/8" wide and 7" long.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-578-3516, SKILCRAFT, AbilityOne, Red, PG(contains 12 EA), \$1.00

**Size 16. Measures 1/16" wide and 2-1/2" long.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-205-1439, SKILCRAFT, AbilityOne, BG(contains 0.25 LB), \$1.79

**Size 18. Measures 1/16" wide and 3" long.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-243-3437, SKILCRAFT, AbilityOne, BG(contains 0.25 LB), \$1.79

**Size 19. Measures 1/16" wide and 3-1/2" long.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-205-1438, SKILCRAFT, AbilityOne, BG(contains 0.25 LB), \$1.79

**Size 32. Measures 1/8" wide and 3" long.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-243-3434, SKILCRAFT, AbilityOne, BG(contains 0.25 LB), \$1.79

**Size 33. Measures 1/8" wide and 3-1/2" long.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-205-0842, SKILCRAFT, AbilityOne, BG(contains 0.25 LB), \$1.79

**Size 64. Measures 1/4" wide and 3-1/2" long.**

*(NFES #0786).*

Federal Strategic Sourcing Initiative, 7510-01-058-9974, SKILCRAFT, AbilityOne, BG(contains 16 OZ), \$4.95

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-243-3435, SKILCRAFT, AbilityOne, BG(contains 0.25 LB), \$1.79

**Size 84. Measures 1/2" wide and 3-1/2" long.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-205-0371, SKILCRAFT, AbilityOne, BG(contains 0.25 LB), \$1.79

# Scissors

## Bent Trimmer's Shears

These lightweight shears are for light paper cutting and trimming applications. These balanced shears reduce fatigue. They are made of rust resistant stamped stainless steel. The molded, ambidextrous plastic handles are for left or right hand use.

**IAW GSA Purchase Description 5110-01-241-4371.**

Federal Strategic Sourcing Initiative, 5110-01-241-4371, AbilityOne, 8-1/4" L, 3-5/8" L Cut., EA, \$4.92

## Bent Trimmer's Shears (Drop Forged Steel)

Heavy duty tailor's shears for cutting upholstery, carpet, canvas, duck, fabric and other sheet material. Shears have a bolt and lock nut for adjusting blade tension. Finger bow is provided with a table rest. Thumb ring has a contoured ledge for support of the thumb. One blade is pointed and has a thumb ring, the other is beveled, blunted or pointed. Blades are polished and nickel chrome plated. Handles are painted or nickel chrome plated.

5110-00-162-2203, 9" L, 4" L Cut., EA, \$13.52

Federal Strategic Sourcing Initiative, 5110-00-596-9703, 10" L, 4-1/2" L Cut., EA, \$34.48

Federal Strategic Sourcing Initiative, 5110-00-203-9642, 12" L, 5-7/8" L Cut., EA, \$31.42

## Ergonomic Scissors

Reduce hand fatigue. Soft touch multipurpose, spring action scissors have oversized cushion grip handles. Flat bottom styling allows the scissors to slide smoothly across a cutting surface. Scissors reduce discomfort in the thumb and fingers. Easy grip handles allow for right or left handed use. Ideal for cutting longer straight cuts as well as multiple layers of fabric, paper and cardboard. Scissors gently open after each cut.

5110-01-368-3507, 99117097 or equal, 10-3/16" L, 3" L Cut., EA, \$10.37

## Paper or Stationer's Shears

These heavy duty paper or stationer's shears have long, narrow blades, straight handles and polished nickel chrome plated blades. Both blades are drop forged steel and pointed. 99.9 percent recycled with 87 percent of it being post consumer content.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-161-6912, AbilityOne, 9" L, 4-5/8" L Cut., EA, \$14.96

## Pocket Scissors (Stamped Stainless Steel)

Safely carry these lightweight scissors in your pocket. The scissors have ring shaped handles, straight blades and rounded blade points for extra protection. Made of rust resistant stamped stainless steel.

Federal Strategic Sourcing Initiative, 5110-01-241-4376, AbilityOne, 5-1/4" L, 1-7/8" L Cut., EA, \$4.27

## Sewing Scissors (Stamped Stainless Steel)

Lightweight sewing scissors for cutting, trimming and clipping. The scissors have ring shaped handles and straight blades. The molded plastic handles are for left and right hand use. Both blades are pointed or one blade is pointed and the other blade is beveled. Made of rust resistant stamped stainless steel.

Federal Strategic Sourcing Initiative, 5110-01-241-4375, AbilityOne, 6-1/2" L, 3" L Cut., EA, \$4.48

## Straight Trimmer's Shears

Use lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Have straight handles. Rust resistant stamped stainless steel. Molded plastic handles are for left and right hand use. Both blades are stamped stainless steel and pointed.

**IAW GSA Purchase Description 5110-01-241-4373.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-01-241-4373, AbilityOne, 8-1/4" L, 3-5/8" L Cut., EA, \$4.78

Heavy duty shears for cutting fine to heavy fabrics, cording, plastics, rubber, leather, vinyl and tape. Shears are intended for heavier applications such as upholstery, or on production lines where longer cuts and greater strength are needed. The shears have straight handles and have polished chrome plated drop forged steel blades. Comfort grip handles.

5110-00-293-3444, 6" L, 2-1/2" L Cut., EA, \$8.61

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-6371, 8" L, 3-5/8" L Cut., EA, \$12.28

Plastics Removal in Marine Environments 5110-00-161-6909, 9" L, 4" L Cut., EA, \$12.28

**Recycled content (99 percent) and post-consumer content (87 percent).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-9199, AbilityOne, 7" L, 3" L Cut., EA, \$12.45



# Trimmers

## Rotary Paper Cutter

The "Safety First" paper cutter features a lightweight cutting board and a totally enclosed razor-sharp rotary blade that is self-sharpening. Blade cuts in both directions. Clear paper clamp holds paper securely.

### Features a 18" metal base.

7520-01-483-8902, SKILCRAFT, AbilityOne, Grey, EA, \$92.00

The "Safety First" cutter offers precision trimming for lightweight materials, including tissue paper, blueprint paper, posterboard, Mylar and film. Cuts up to eight sheets of 20-lb. basis weight paper at a time. Rotary paper cutter features lightweight cutting board.

### Features a 27" wood base.

7520-01-483-8900, SKILCRAFT, AbilityOne, Grey and Blue, EA, \$215.79

## Paper Trimmer

This tabletop trimmer is ideal for accurately cutting photographs, photo static work, paper, and lightweight cardboard. The cutting board features a movable trimming guide and a hand-operated drop knife with a handle. The handy ruling guide and 1/2" precision alignment grid provide exact squaring. Includes a built-in blade guard and locking device for safety.

### Cuts up to 10 sheets of 20 lb. paper.

Federal Strategic Sourcing Initiative, 7520-00-224-7620, SKILCRAFT, AbilityOne, 12 x 12", EA, \$50.43

Federal Strategic Sourcing Initiative, 7520-00-634-4675, SKILCRAFT, AbilityOne, 15 x 15", EA, \$66.30

Federal Strategic Sourcing Initiative, 7520-00-163-2568, SKILCRAFT, AbilityOne, 18 x 18", EA, \$95.12

7520-00-282-2137, SKILCRAFT, AbilityOne, Beige, 30 x 30", EA, \$327.28

7520-00-224-7621, 24 x 24", EA, \$437.25

## Manual Stencil Cutting Machine

Manual Stencil Cutting Machine has a Character Yield Capacity of 43 Characters Nominal Per 12 in.; 10 Lines Per Stencil Maximum. Character Height is 0.25".

7490-00-281-3959, Black, 26" L X 13" W X 20" H, EA, \$1,113.75

Manual Stencil Cutting Machine. The Character Yield Capacity Is 14, Characters Nominal Per 12 in.; 4 Lines Per Stencil Maximum. Character height is 1.0".

7490-00-164-0537, Black, EA, \$1,113.75

Manual Stencil Cutting Machine. The Character Yield Capacity Is 14, Characters Nominal Per 12 in.; 4 Lines Per Stencil Maximum. Character Height is 0.75".

7490-00-164-0542, Black, EA, \$1,020.38

Manual Stencil Cutting Machine. The Character Yield Capacity Is 23, Characters Nominal Per 12 in.; 6 Lines Per Stencil. Character Height is 0.50".

7490-00-164-0541, Black, EA, \$1,020.38

# Punches

## Precision Paper Punch

Fully adjustable 3-hole desktop paper punch features a metallic base and a black grip handle with a 15 sheet capacity and removable chip tray.

7520-01-620-8390, SKILCRAFT, AbilityOne, Metallic / Black, 11.5 x 2.25 x 2.25", EA, \$13.09

Fully adjustable 3-hole light duty paper punch features a black base with a metallic handle with an 11 sheet capacity and removable chip tray.

7520-01-620-3317, SKILCRAFT, AbilityOne, Metallic / Black, 11.25 x 2.25 x 2.25", EA, \$11.90

Adjustable 3-hole heavy duty paper punch features a black comfort grip with a 28 sheet capacity and removable chip tray.

7520-01-620-4671, SKILCRAFT, AbilityOne, Black, 10.25 x 5.25 x 4.75", EA, \$29.68

Adjustable 2-hole heavy duty paper punch features a black base and black grip handle with a 30 sheet capacity and removable chip tray.

7520-01-620-3314, SKILCRAFT, AbilityOne, Black, 4.25 x 6.25 x 5", EA, \$12.60

Adjustable 3-hole heavy duty paper punch features a black base and a metallic comfort-grip handle with a 32 sheet capacity and removable chip tray.

Federal Strategic Sourcing Initiative, 7520-01-620-3315, SKILCRAFT, AbilityOne, Metallic / Black, 10.25 x 5.25 x 4.75", EA, \$27.98

Fully adjustable 3-hole light duty paper punch with an eight sheet capacity and removable chip tray.

7520-01-620-3828, SKILCRAFT, AbilityOne, Black, 11.25 x 2.25 x 2.25", EA, \$10.75

## Hole Punch

Non-adjustable two-hole paper punch features a protective rubber base and a spring-loaded handle. Operated by a hand lever, this standard-duty device punches 1/4" round holes, spaced 2-3/4" apart. An adjustable paper guide locks at common paper sizes.

**Capable of punching a hole through up to 30 sheets of 16-lb. basis weight paper and 25 sheets of 20-lb paper in a single operation.**

Federal Strategic Sourcing Initiative, 7520-00-224-7589, SKILCRAFT, AbilityOne, Gray, EA, \$7.73

Adjustable three-hole paper punch makes 1/4" round holes and features a movable paper guide.

**Capable of punching a hole through up to 30 sheets of 16-lb. basis weight paper and 25 sheets of 20-lb paper in a single operation.**

Federal Strategic Sourcing Initiative, 7520-00-139-3942, SKILCRAFT, AbilityOne, Beige, EA, \$34.53

**Capable of punching a hole through up to 25 sheets of 20-lb. basis weight paper in a single operation.**

(NFES #0268).

Federal Strategic Sourcing Initiative, 7520-00-163-2563, SKILCRAFT, AbilityOne, Gray, EA, \$34.82

Adjustable three-hole paper punch features all-metal construction and a protective rubber base. Operated by a hand lever, the device punches 13/32" round holes, from 1-3/8 to 8-1/2" center to center. A nine-inch scale and graduated extension guide with a paper stop is mounted to slide into the base.

**Capable of punching a hole through up to 34 sheets of 16-lb paper and 28 sheets of 20-lb basis weight paper in a single operation.**

Federal Strategic Sourcing Initiative, 7520-00-139-4101, SKILCRAFT, AbilityOne, Beige, EA, \$53.42

**Capable of punching a hole through up to 28 sheets of 20-lb. basis weight paper in a single operation.**

Federal Strategic Sourcing Initiative, 7520-00-263-3425, SKILCRAFT, AbilityOne, Gray, EA, \$52.29

Adjustable three-hole punch with lever action for easy punching. Heavy-duty steel construction. Fully adjustable punch heads for paper sizes to 15" and adjustable paper guide and measurement scale. Scuff and slip resistant rubber feet. Removable chip tray. Capable of punching up to 34 sheets of 16-lb paper and 28 sheets of 20-lb paper.

**9/32-inch holes.**

Federal Strategic Sourcing Initiative, 7520-01-431-6240, SKILCRAFT, AbilityOne, Black, EA, \$50.49

**13/32-inch holes.**

Federal Strategic Sourcing Initiative, 7520-01-431-6251, SKILCRAFT, AbilityOne, Black, EA, \$50.68

## Electric Hole Punch

Non-adjustable standard three-hole punch is capable of handling up to 20 sheets of 20-lb. basis weight paper. Features one touch push button operation, vertical paper feed, transparent scrap receptacle and heavy-duty sealed motor. Power source is 120V AC 60H, UL listed.

Federal Strategic Sourcing Initiative, 7520-01-436-2575, EA, \$119.00

# Correction Supplies

## Correction Fluid

This fast-drying, opaque coating allows the user to correct typing errors, make manual changes, and block out unwanted markings. Fluid is applied over desired area with the brush attached to the inside of the bottle cap.

**Water-based fluid can be used to correct errors on xerographic copies.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-020-2806, Material Safety Data Sheet, SKILCRAFT, AbilityOne, White, 1/2 oz., DZ, \$19.98

## Correction Pen

This convenient, pen-type dispenser contains fast-drying fluid for correcting typewriter originals, carbons, photocopies, and computer printouts.

*18-month maximum shelf life (extendable).*

7510-01-386-1609, Material Safety Data Sheet, SKILCRAFT, AbilityOne, White that includes Pocket Clip, Fine Point, 0.4 ounces., EA, \$2.52

## Refillable Correction Film

This single-line, refillable white correction film is fast, easy to use, and clean. It goes on smooth and dry so you can write on it immediately and instantly fax or photocopy without shadowing. Contains 472" of tape.

**For refill, use NSN 7510-01-350-1810**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-338-3317, SKILCRAFT, AbilityOne, White, Width 0.20", EA, \$6.16

## Correction Tape

This single line white correction film is fast, easy to use and clean. It goes on smooth and dry so you can write on it immediately and instantly fax or photocopy without shadowing. Made using cornstarch based resin. 70% biobased and biodegradable by total weight of the product.

*24-month maximum shelf life (extendable).*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-390-0717, SKILCRAFT, AbilityOne, White, 1/6"W x 394"L, EA, \$3.26

White correction tapes are acid-free and feature the same sideways application as mono-correction tape dispensers. Four-pack includes dispensers in the following colors: blue, green, purple and yellow. Non-refillable.

**Covers single line of type.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-504-8940, Material Safety Data Sheet, SKILCRAFT, AbilityOne, White, 1/6"W x 394"L, PG(contains 4 EA), \$9.17

## Correction Tape Refill

Refill for NSN 7510-01-338-3317. Refill contains 472" of single-line tape. Applicator is not included.

*24-month maximum shelf life (extendable).*

7510-01-350-1810, SKILCRAFT, AbilityOne, White, Width 0.20", EA, \$6.33

## Correction Tape, Retractable Pen-Style

Pen-style correction tape dispenser is ergonomically designed to fit your hand for maximum comfort. Retractable tip cover protects tape when not in use.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-614-3526, SKILCRAFT, AbilityOne, Black/Translucent, EA, \$2.18

## Correct-It Roller

This single line, non-refillable, white correction film is fast, easy to use and clean. It goes on smooth and dry so you can write on it immediately and instantly fax or photocopy without shadowing. It is equally useful correcting or updating address books/card files, schedules and records. Dispenser is 70% biodegradable.

7510-01-511-7930, SKILCRAFT, AbilityOne, 0.16 x 335 FT, EA, \$3.69

## Correct-It Mini Dispenser 3-Pack

This single line, non-refillable, white correction film is fast, easy to use and clean. It goes on smooth and dry so you can write on it immediately and instantly fax or photocopy without shadowing. It is equally useful correcting or updating address books/card files, schedules and records. Dispenser is 70% biodegradable.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-511-7933, SKILCRAFT, AbilityOne, 0.125 x 157.0 IN, PG(contains 3 EA), \$7.13

# Stamps and Supplies

## Custom Stamp

Get printer quality stamps with this custom stamp kit. Pre-inked for up to 50,000 impressions. The quick-drying ink is available in black, blue and red. Simply fill out card and order on-line or by mail. You will receive your custom stamp within two weeks. Requesting multiple lines of print (up to 7) will result in a smaller font size.

### *18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-386-2444, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Impression Size: 1" x 2-3/4", EA, \$23.17

## Rotary Dater/Time Stamp

Rotary time stamp simultaneously prints the date in red and the word "RECEIVED" in blue with an arrow. Five-year band also contains six phrases including REC'D, ANS'D, ENT'D, PAID, A.M. and P.M. Stamp is self-inking and can be refilled.

Date is stamped in Month-Day-Year sequence (for example: Oct 1 2015).

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4188, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue and Red Ink, Impression Height: 3/16", EA, \$42.40

## Line Dater

Compact date stamp provides month, day and year with four year bands and six phrases including A.M., P.M., PAID, ENT'D, ANS'D, and REC'D. Self-inking stamp has a built-in inepad (included) that can be re-inked or replaced.

Date is stamped in Month-Day-Year sequence (for example: Oct 1 2015). Phrase is stamped in Month-Day- Phrase (for example: Oct 1 PAID).

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7520-01-352-3019, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, EA, \$23.70

7520-01-352-3018, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red, EA, \$25.33

## Self-Inking Rubber Stamp

Pre-inked and reusable title stamp with a retractable frame keeps stamp surface away from desktop until ready to use. Impression size: 1-5/8", title printing area 1/2" x 1-3/4".

Reads: "APPROVED".

*18-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4196, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue-inked, EA, \$11.56

Reads: "COMPLETED".

*18-month maximum shelf life (not extendable).*

7520-01-324-6955, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue-inked, EA, \$8.35

Reads: "CONFIDENTIAL".

*18-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7520-01-419-5949, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red-inked, EA, \$9.64

Reads: "COPY".

*18-month maximum shelf life (not extendable).*

7520-01-207-4194, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue-inked, EA, \$8.35

Federal Strategic Sourcing Initiative, 7520-01-207-4108, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red-inked, EA, \$9.64

Reads: "ORIGINAL".

*18-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4222, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue-inked, EA, \$9.47

Reads: "RECEIVED".

*18-month maximum shelf life (extendable).*

7520-01-207-4226, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Blue-inked, EA, \$8.35

Federal Strategic Sourcing Initiative, 7520-01-207-4231, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red-inked, EA, \$9.47

Reads: "SECRET".

*18-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4119, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red-inked, EA, \$11.56

Pre-inked stamp with a retractable frame, prints message in capital letters. Impression size: 1/2 x 1-5/8".

Reads: "COMPLETED".

*18-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 7520-01-207-4111, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red-inked, EA, \$9.80

## Self-Inking Do-It-Yourself Stamp Kit

Complete printing set provides everything needed for making rubber stamps: one-line and four-line font holders; tweezers for inserting fonts into holders; handle; ink pad for black ink; instruction sheet. Comes with uppercase and lowercase alphabets, numerals and marks and symbols. All fonts are 12-point New Gothic on a 14-point body.

Federal Strategic Sourcing Initiative, 7520-00-264-3718, SKILCRAFT, AbilityOne, SE, \$13.78

## Self-Inking Rubber Stamp Ink

Re-inking refill for pre-inked stamps.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-207-3961, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, 10 ML, EA, \$5.47

Federal Strategic Sourcing Initiative, 7510-01-207-3960, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Red, 10 ML, EA, \$5.52

## Self-Inking Rubber Stamp Tray

Small, plastic, rectangular, tray keeps pre-inked stamps neat and in order.

**Holds seven title stamps or 12 specialty stamps.**

Federal Strategic Sourcing Initiative, 7520-01-207-4190, Gray, 7-1/2" L x 2-1/2" W x 2-7/8" H, EA, \$4.52

## Stamp Pad

Make a clear and legible impression with highly absorbent pad. Comes in a leak-proof, rust resistant, snap-shut case. Use with stamp pad ink.

**Pad is made of foam latex rubber or foam plastic.**

Federal Strategic Sourcing Initiative, 7510-00-526-1741, SKILCRAFT, AbilityOne, 3-1/4 x 6-1/4", EA, \$4.49

## Stamp Pad Ink

Quick-drying ink makes clean, clear images. Use with rubber stamp inking pads made of fabric, foam latex rubber or foam plastic.

**Applicator may be brush or roll-on.**

*18-month maximum shelf life (extendable).*

7510-00-161-4237, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, BT(contains 2 OZ), \$2.90

# Self-Adhesive Notes

## Self-Stick Notes

Self-stick notes use adhesive on the back which allows each sheet to be attached to almost any surface and removed without leaving a mark. Each pad contains 100 sheets.

### Notes are unruled.

*24-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-116-7866, SKILCRAFT, AbilityOne, Yellow, 1-1/2 x 2", DZ, \$4.94

Federal Strategic Sourcing Initiative, 7530-01-207-4353, SKILCRAFT, AbilityOne, Pink, 2 x 3", DZ, \$10.31

Federal Strategic Sourcing Initiative, 7530-01-207-4354, SKILCRAFT, AbilityOne, Blue, 2 x 3", DZ, \$10.31

Federal Strategic Sourcing Initiative, 7530-01-207-4355, SKILCRAFT, AbilityOne, Green, 2 x 3", DZ, \$10.31

Federal Strategic Sourcing Initiative, 7530-01-207-4356, SKILCRAFT, AbilityOne, Yellow, 2 x 3", DZ, \$9.71

Federal Strategic Sourcing Initiative, 7530-01-116-7867, SKILCRAFT, AbilityOne, Yellow, 3 x 3", DZ, \$13.04

Federal Strategic Sourcing Initiative, 7530-01-116-7865, SKILCRAFT, AbilityOne, Yellow, 3 x 5", DZ, \$16.70

*12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

7530-01-285-8355, SKILCRAFT, AbilityOne, Yellow, 4 x 6", DZ, \$16.38

**Package contains three pads each of blue, green, pink and yellow.**

*24-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-398-2660, SKILCRAFT, AbilityOne, Assorted, 2 x 3", DZ, \$9.54

**Package contains two pads each of pastel pink and green, and one pad each of blue and yellow.**

*12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-456-2249, SKILCRAFT, AbilityOne, Assorted, 3 x 3", PG(contains 6 EA), \$5.84

Federal Strategic Sourcing Initiative, 7530-01-456-0683, SKILCRAFT, AbilityOne, Assorted, 3 x 5", PG(contains 6 EA), \$10.06

**Package contains two pads each of neon bright lemon and pink, and one each of lime and melon.**

*12-month maximum shelf life (extendable); Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-418-1281, SKILCRAFT, AbilityOne, 3 x 3", PG(contains 6 EA), \$8.87

*12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-418-1420, SKILCRAFT, AbilityOne, 3 x 5", PG(contains 6 EA), \$11.31

### Fanfold.

*12-month maximum shelf life (extendable); 30% Postconsumer Material Contains 30% Recovered Material*

#### Comprehensive Procurement Guideline Compliant

7530-01-352-6616, Yellow, 3 x 3", PG(contains 12 EA), \$12.71

*30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

7530-01-286-5121, SKILCRAFT, AbilityOne, Yellow, 3 x 4", DZ, \$13.28

**Pop-up note pads include six pads of alternating sheets of neon pink and orange, and six pads of alternating sheets of neon green and hot pink. Pad fits in a handy pop-up dispenser. Fan-folded.**

*12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-385-7533, Assorted, 3 x 3", DZ, \$13.99

### Notes are ruled.

*30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-346-4849, SKILCRAFT, AbilityOne, Yellow, 3 x 5", DZ, \$18.58

*24-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-273-3755, SKILCRAFT, AbilityOne, Yellow, 4 x 6", DZ, \$26.79

*Package contains two pads each of neon lemon, pink and lime.*

*12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-418-1212, SKILCRAFT, AbilityOne, 4 x 6", PG(contains 6 EA), \$15.03

*Package contains two pads each of pastel pink and green, and one pad each of blue and yellow.*

*12-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-456-0684, SKILCRAFT, AbilityOne, 4 x 6", PG(contains 6 EA), \$15.87

Self-stick notes use adhesive on the back which allows each sheet to be attached to almost any surface and removed without leaving a mark. Each pad contains 90 sheets.

**Super Sticky Lined Note Pad in Neon Colors: Green, Blue, Yellow, Pink, and Orange.**

*12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7530-01-557-3174, Assorted, 4 x 4", PG(contains 90 SH), \$12.51

These self-stick notes come in bright neon colors. Each pad contains 100 sheets.

**Notes are un-ruled.**

*Package contains three pads of each of the following neon colors: citrus, green, watermelon and orange.*

*12-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7530-01-385-7560, SKILCRAFT, AbilityOne, Assorted, 1-1/2 x 2", PG(contains 12 EA), \$6.49

*Package contains four pads each neon pink, lemon and lime.*

Federal Strategic Sourcing Initiative, 7530-01-393-0103, SKILCRAFT, AbilityOne, Assorted, 2 x 3", DZ, \$9.42

## Self-Stick Note Tray

Fan-fold pop-up note dispenser with 12 fan-fold yellow notepads.

*12-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-565-2771, SKILCRAFT, AbilityOne, 3 x 3", SE, \$13.60

## Repositionable Tape Flag Dispenser

Multi-colorful self-stick flags mark important information in documents, books, newspapers or magazines. Flags are repositionable. 4 assorted colors include red, yellow, blue and green flags. 35 flags per dispenser.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-620-0283, SKILCRAFT, AbilityOne, Assorted, 0.5" W x 1.7" L, PG(contains 4 EA), \$3.18

## Repositionable Tape Flag Dispenser Kit

Repositionable tape flag dispenser kit holds three individual tape flag units enabling easy access to a variety of flags. Each dispenser contains fifty 1" red, thirty-five 1/2" yellow and thirty-five 1/2" blue flags.

*12-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7520-01-392-5299, 1.75" L X 1" W, KT, \$7.50

## Repositionable Tape Flag

Repositionable tape serves as a flag for securely marking a place in a book, magazine or newspaper. Half the tape is clear; the other half is brightly colored, making it perfect for color-coding. Flag can also be written on. 50 flags per dispenser, two dispensers.

*36-month maximum shelf life (extendable).*

7510-01-621-1307, SKILCRAFT, AbilityOne, Bright Blue, 1 x 1-3/4", PG(contains 2 EA), \$2.91

*24-month maximum shelf life (extendable).*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-399-1152, SKILCRAFT, AbilityOne, Bright Green, 1 x 1-3/4", PG(contains 100 EA), \$3.62

7510-01-315-2023, SKILCRAFT, AbilityOne, Orange, 1 x 1-3/4", PG(contains 100 EA), \$3.73

Federal Strategic Sourcing Initiative, 7510-01-399-1153, SKILCRAFT, AbilityOne, Bright Pink, 1 x 1-3/4", PG(contains 100 EA), \$3.74

Federal Strategic Sourcing Initiative, 7510-01-315-2021, SKILCRAFT, AbilityOne, Blue, 1 x 1-3/4", PG(contains 100 EA), \$2.99

Federal Strategic Sourcing Initiative, 7510-01-315-2020, SKILCRAFT, AbilityOne, Green, 1 x 1-3/4", PG(contains 100 EA), \$2.93

7510-01-315-8654, SKILCRAFT, AbilityOne, Purple, 1 x 1-3/4", PG(contains 100 EA), \$3.73

Federal Strategic Sourcing Initiative, 7510-01-315-2019, SKILCRAFT, AbilityOne, Red, 1 x 1-3/4", PG(contains 100 EA), \$2.95

Federal Strategic Sourcing Initiative, 7510-01-315-2022, SKILCRAFT, AbilityOne, White, 1 x 1-3/4", PG(contains 100 EA), \$3.59

Federal Strategic Sourcing Initiative, 7510-01-315-2024, SKILCRAFT, AbilityOne, Yellow, 1 x 1-3/4", PG(contains 100 EA), \$2.95

Removable, yet secure repositionable tape with preprinted messages help organize, route and mark a variety of paperwork.

**Reads: "SIGN HERE" in red.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-389-2262, SKILCRAFT, AbilityOne, Red, 1 x 1-3/4", PG(contains 100 EA), \$2.84

**Reads: "INITIAL HERE".**

*24-month maximum shelf life (extendable).*

7510-01-410-7012, 1 x 1-3/4", PG(contains 100 EA), \$8.50

Repositionable arrow shaped plastic signal tab reads: "Sign and Date". Includes 20 of each flag for a total of 80 flags.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-455-0022, Assorted Colors, 1/2 x 1-3/4", PG(contains 80 SH), \$3.92

Preprinted on half the tag, self-adhesive on the other half. Flags are repositionable. Unique arrow design. Plastic, reusable dispenser roll is refillable.

**Reads: "SIGN HERE" with arrow.**

*24-month maximum shelf life (extendable).*

7510-01-316-2165, Blue, 9/16 x 2", PG(contains 120 EA), \$4.26

7510-01-315-8656, Red, 9/16 x 2", PG(contains 120 EA), \$6.10

## Repositionable Page Markers

These self-stick page markers ensure you never lose your place again. If you are tired of bookmarks falling out, use these repositionable markers that stay securely in place yet still remove easily without damaging the page. Contains one row of each neon color: lime, melon, yellow, orange and pink.

*24-month maximum shelf life (not extendable).*

7510-01-421-4751, AbilityOne, Assorted, 1/2 x 2", PG(contains 500 SH), \$3.74

# Miscellaneous Office Supplies

## Microphone Headset

This economical headset and amplifier system increases productivity. For use with most single and multi-line telephones. Two wearing styles: Easy-on earpiece and click-stop headband. Noise cancelling microphone. Amplifier includes volume controls and handset/headset selector switch. AC adapter included.

5965-01-490-6704, 65145-01 or equal, EA, \$78.45

## Currency Counter

Multi-Function Adjustable Touch Panel Display has Two Pocket, Counterfeit And Fitness Detection Scanner W/ Magnetic, Ultraviolet And Fluorescence Sensor, Count, Sort And Find; Top Hopper Hold 800 Circulated Bills, Scanning Speed Up To 1000 Bills Per Minute. I.A.W. FEDERAL RESERVE FITNESS STANDARDS

7490-01-599-7186, 11.5"W x 17.0"D x 18.0"H, EA, \$3,904.25

## Dictionary

The one reference book that no office should be without! This unabridged dictionary lists clear, comprehensive definitions, phonetic pronunciations, and parts of speech, along with derived and inflected terms. This recently updated edition includes illustrations or synonyms where applicable. With handy thumb index.

**Desk version contains 150,000 entries and includes rules of punctuation and capitalization, table of weights and measures, metric conversions, and names of famous people and places.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

7610-00-142-9051, 7"W x 10"L, EA, \$49.27



## Magnifying Glass

Magnifier Lens diameter: 4". Lens focal length 10". Handle length 4". Bifocal insert power 6X.

*25% Postconsumer Material*

6650-00-105-5742, EA, \$7.94

## Ruler

This standard ruler is great for measuring small items, as well as drawing clean, straight lines. Wood with a beveled surface features 1/16" graduations and a metal-edge.

Plastics Removal in Marine Environments

7510-00-161-6215, Oakwood, Length: 12", EA, \$19.55

Double sided steel layout ruler is used for the preparation of all types of forms. Marked in graduations of 1/32, 1/16, 1/12, 1/6 and 1/10", the ruler is punched for indicating standard file hole placement.

7510-00-173-4897, Length: 16", EA, \$18.65

Transparent, plastic ruler features an inch scale on one edge (1/16" increments) and a metric scale on the other edge (1mm increments). Both edges are beveled on the top and undercut on the bottom. Measurement markings are slightly raised.

7510-00-935-1005, Length: 12", EA, \$0.59

Wooden ruler. Comes in a protective velvet sleeve.

**This item is part of a desk set of matched rosewood office items. It contains a letter opener [7520-01-584-0879], a mini desk clock [6645-01-584-0892], a self-stick note holder [7520-01-584-0881], a business card holder [7510-01-584-0893], a 12" ruler [7510-01-516-9247], and the Illusion twist-action medium point ballpoint pen and 0.8mm mechanical pencil set [7520-01-458-3932].**

7510-01-516-9247, SKILCRAFT, AbilityOne, Rosewood, 12", EA, \$6.00

## Personal Desk Kit

Ideal for telecommuters, temporary assignments, training classes, new hires and people who work at home. This kit collects 21 essential office products in one convenient unit. Includes: 3 x 3" self-stick note pad; 100 paper clips; 4-oz. bag of rubber bands; stapler; 5,000 staples; staple remover; tape dispenser; 36-yard roll of invisible tape; wooden ruler; white correction tape; pair of scissors (8"); cushion-grip mechanical pencil; lead refill for mechanical pencil (7 mm); letter opener; three retractable ballpoint pens; three no. 2 pencils; fluorescent highlighters (set of four colors); one lined writing pad (8-1/2 x 11"); one medium-size clam clip; one box of clam clip refills; "while you were out" message pads.

Federal Strategic Sourcing Initiative, 7520-01-493-6006, SKILCRAFT, AbilityOne, KT, \$51.10

## Fingerprinting Kit

Fingerprint kit consists of one fingerprint card holder, 20 ink cleaner towelettes, one porelon fingerprint pad, one accessory case, polypropylene, and one black, glossy carrying case with folding handle and locking latches. Includes instruction booklet.

7520-01-441-9130, Material Safety Data Sheet, AbilityOne, Black, KT, \$179.07

## Recyclable Paper Collection Container

Save money and recycle paper easily with this functional container. Embossed with the white, recycle logo and recycling instructions.

Made of rubber-type plastic.

*Central container.*

*20% Postconsumer Material*

8115-01-430-5668, Blue, 20"W x 11"D x 30"H, EA, \$111.01

## Portable Office Machine Stand

Portable stand transports typewriters and other office machines where they are needed. Two drop leaves measuring 12 x 18 are securely attached with piano hinges. Leaves are held in the raised position with supports. Modesty panels on the sides and back are 9-3/4 wide. Four sturdy, 1-square, stainless or chrome-plated legs have a bright finish. Casters are 2-1/2 in diameter with ball bearing swivels. A-A-2122.

**Has a 1"-thick, walnut-patterned laminated plastic top with a self-edge.**

7110-00-601-9835, NISH, AbilityOne, Black, 26 to 27"h x 18"d x 23 to 26"w, EA, \$344.87

7110-00-601-9849, NISH, AbilityOne, Parchment, 26 to 27"h x 18"d x 23 to 26"w, EA, \$344.87

**Has a gray enamel finish and a white, leather-patterned plastic top with a self-edge.**

7110-01-136-1563, NISH, AbilityOne, Gray with white top, EA, \$344.87

## Step Stool

The product design of this stool minimizes rolling and overturning for your safety. The steel or plastic body is mounted on swivel casters that recede when weight is applied. The two steps are covered with rubber treads. Handles loads up to 350 lbs. Heavy duty.

7105-00-782-3166, Black, Height: 13"; Depth: 16", EA, \$54.99

## Cushion

This rectangular cushion for a chair or stool is comprised of a urethane foam insert inside a cotton/polyester cloth cover. Cushion features boxed edges and rounded corners. Cover is woven cloth on the box edge and on one side of the cushion. The reverse side of the cushion cover is vinyl coated simulated rattan cloth.

7210-00-205-3545, VT-FOAM-0098/A or equal, Dark Brown, 16" W x 15" D x 1-1/2" T, EA, \$39.13

7210-00-205-3544, VT-FOAM-0097/A or equal, Green, 18-1/2" W x 17-1/2" D x 2" T, EA, \$45.57

## Coat and Hat Hook

Wall-mounting hook with a single arm is made of bright brass and has a 3" projection. Mounting screws included.

**ANSI Standard A156.16**

5340-00-244-2728, PG(contains 10 EA), \$14.66

# Desk Accessories

## Desktop Organizer

8 compartment, space-saving desktop organizer holds multi-sized postable notes, pens, pencils and more. Contemporary-design organizer is made of durable high-impact plastic. Includes a built-in tape dispenser, paper clip compartment, 4 Post-It compartments, a miscellaneous compartment.

*25% Postconsumer Material*

7520-01-316-0361, Black, 6-1/2"W x 2-1/2"H x 9-1/2"L, EA, \$25.46

## Desk Tray Organizer

This convenient plastic organizer keeps desk drawers tidy. Features 12 special compartments that are expandable to fit most standard drawers.

*25% Postconsumer Recycled Plastic*

Federal Strategic Sourcing Initiative, 7520-01-362-8656, Black, 10-1/4" W x 1-1/2" H x 11-3/5" D, EA, \$27.90

## Organizer with Desk Tray

This compact adjustable, plastic filing system includes two horizontal letter-size trays and five vertical sorters.

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-316-2177, Black, 13.75 W x 12.75 H x 10.0" D, EA, \$17.68

Combination file includes three horizontal shelves and three vertical shelves.

Federal Strategic Sourcing Initiative, 7520-01-452-1563, SKILCRAFT, AbilityOne, Beige, 14"W x 11"D x 7-3/4"H, EA, \$34.49

Federal Strategic Sourcing Initiative, 7520-01-452-1564, SKILCRAFT, AbilityOne, Black, 14"W x 11"D x 7-3/4"H, EA, \$38.36

## Horizontal Desk File

Steel horizontal desk tray. Includes feet for desk and two 3/16" holes for wall mounting. Letter size.

**Six shelves.**

Federal Strategic Sourcing Initiative, 7520-00-139-4869, SKILCRAFT, AbilityOne, Beige, 12"W x 8-1/2"D x 15"H, EA, \$42.02

Federal Strategic Sourcing Initiative, 7520-00-728-5761, SKILCRAFT, AbilityOne, Gray, 12"W x 8-1/2"D x 15"H, EA, \$42.00

**Four shelves.**

Federal Strategic Sourcing Initiative, 7520-01-457-0721, SKILCRAFT, AbilityOne, Black, 12"W x 8-1/2"D x 10"H, EA, \$42.96

**Five shelves.**

7520-01-457-0723, SKILCRAFT, AbilityOne, Black, 12"W x 8-1/2"D x 12-1/2"H, EA, \$34.22

**Six shelves.**

Federal Strategic Sourcing Initiative, 7520-01-457-0719, SKILCRAFT, AbilityOne, Black, 12"W x 8-1/2"D x 15"H, EA, \$42.37

## Desk Tray Stationery Holder

Five compartments of various sizes facilitate organizing letter-size stationery in your desk drawer. Steel tray may also be used on top of the desk.

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-413-5061, Black or Gray, 3-3/16"H x 11-3/8"L x 21-1/8"H, EA, \$36.20

## Desk Tray

Sturdy plastic tray is self-stacking to conserve desk space. Side-loading tray affords easy access.

*25% Postconsumer Recycled Plastic*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-094-4307, SKILCRAFT, AbilityOne, Black, Letter Size, PG(contains 2 EA), \$6.42

7520-01-094-4309, SKILCRAFT, AbilityOne, Black, Legal Size, PG(contains 2 EA), \$24.73

Wooden desk tray sports a full felt bottom to protect work surface. Cut-outs are provided on both ends for quick access to materials.

7520-00-232-6828, Mahogany, Legal Size, EA, \$14.96

## Desk Pad

Executive-size desk pad comes in smooth linoleum or vinyl with a non-skid backing.

7520-01-130-3208, Black, 24 x 36", EA, \$54.26

## Flexible Desk Blotter Cover

Flexible clear plastic sheet is used for covering desk blotters.

7510-01-269-4478, 24 x 37", EA, \$32.25

## Vertical Desk File

Steel vertical desk file with eight slots. Letter size.

Federal Strategic Sourcing Initiative, 7520-01-452-1562, SKILCRAFT, AbilityOne, Beige, 8"H x 11"W x 14-1/4"D, EA, \$37.06

Steel vertical sorting file consists of eight compartments.

Federal Strategic Sourcing Initiative, 7520-01-452-1558, SKILCRAFT, AbilityOne, Black, 8" H x 11" W x 14-1/4" D, EA, \$35.66

## Bookends

Heavy-duty bookends have a classic rounded design. Formed from a single piece of 20-gauge steel with an enamel finish.

*15% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-00-264-5479, SKILCRAFT, AbilityOne, Gray, 5-1/2 x 4-3/4 x 6", PR, \$9.40

Product features non-skid, padded base which protects surfaces and prevents slippage. Steel bookends feature radius styling with a unique powder-coat finish.

*Contains 15% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-484-4579, SKILCRAFT, AbilityOne, Black, 9"H x 5-7/8"W x 8-1/8"D, PR, \$22.87

## Copyholder

Non-magnetic easel back design. Hold copy at optimum angle to relieve eye and neck strain. Accommodates multiple pages and includes removable line guide and multi-position paper holder. Folds flat for easy storage.

7520-01-219-2308, Black, Letter Size, EA, \$27.31

This deluxe magnetic copyholder includes special features to help increase typing accuracy and comfort. Heavy-duty metal construction. Folds flat for convenient storage. "See-thru" magnetic line guide.

Federal Strategic Sourcing Initiative, 7520-01-292-0013, Black, Letter Size, EA, \$23.55

## Wall Pocket

Made of a virtually unbreakable plastic, this wall pocket is designed for maximum visibility and ease of retrieval of files and documents. Mounts easily using either screws or self-adhesive mounting tape (both included). Additional units can be stacked vertically for a multi-pocket system.

*100% Recycled Plastic, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-582-7273, SKILCRAFT, AbilityOne, Clear, 13-1/4"W x 14-7/8"H x 4"D, EA, \$7.65

Federal Strategic Sourcing Initiative, 7520-01-582-7279, SKILCRAFT, AbilityOne, Smoke, 13-1/4"W x 14-7/8"H x 4"D, EA, \$7.77

Federal Strategic Sourcing Initiative, 7520-01-582-7277, SKILCRAFT, AbilityOne, Smoke, 13-1/4"W x 14-7/8"H x 4"D, PG(contains 3 EA), \$16.33

# Binders-Ring

## Swing-Hinge Binder

Organize and access paperwork with ease. Swing-hinge loose-leaf binder accommodates 8-1/2 x 11" sheets. Made of rigid vinyl plastic, this three metal hinge binder features a split prong.

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-272-3231, SKILCRAFT, AbilityOne, Dark Green, Capacity: 3", EA, \$8.79

## Recycled D-Ring Binder

Recyclable binder features EZ-clip ring removal system. Clip and rivet system allows for the easy separation of the metal rings from the 100% post-consumer waste (PCW) cover boards. This new feature facilitates recycling both the board and metal components. Metal rings contain 40% PCW material. Accommodates 8-1/2 x 11" sheets.

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-01-579-9329, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$6.95

7510-01-579-9317, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$7.28

7510-01-579-9319, SKILCRAFT, AbilityOne, Black, Capacity: 3", EA, \$9.99

## Slant D-Ring Binder

Plastic vinyl framed binder is ideal for enhancing important presentations. Frames title page and spine for a professional look. Mounting sheet keeps pages from "floating." One-touch ring opens, closes and locks in one easy step. Easy insert spine allows for quick loading. Back-mounted rings allow pages to lay flat. Accommodates 8-1/2 x 11" sheets.

*75% Postconsumer Material Contains 25% Recovered Material*

, 7510-01-462-1383, SKILCRAFT, AbilityOne, Navy Blue, Capacity: 1/2", EA, \$5.82

Federal Strategic Sourcing Initiative, 7510-01-462-1386, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$4.90

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-462-1384, AbilityOne, Black, Capacity: 1/2", EA, \$4.22

Federal Strategic Sourcing Initiative, 7510-01-462-1387, SKILCRAFT, AbilityOne, White, Capacity: 1/2", EA, \$4.26

7510-01-462-1388, AbilityOne, Navy Blue, Capacity: 1", EA, \$6.39

Federal Strategic Sourcing Initiative, 7510-01-462-1389, AbilityOne, Black, Capacity: 1-1/2", EA, \$5.24

Federal Strategic Sourcing Initiative, 7510-01-462-1390, AbilityOne, Black, Capacity: 1", EA, \$4.84

Federal Strategic Sourcing Initiative, 7510-01-462-1391, SKILCRAFT, AbilityOne, White, Capacity: 1-1/2", EA, \$5.24

Rings lock in place to secure contents. Clear-view style covers have a crystal clear overlay on the front, back and spine and horizontal pockets on inside front and back covers. Accommodates 8-1/2 x 11" sheets.

Federal Strategic Sourcing Initiative, 7510-01-495-0694, White, Capacity: 3", EA, \$10.39

Federal Strategic Sourcing Initiative, 7510-01-495-0696, SKILCRAFT, AbilityOne, White, Capacity: 4", EA, \$7.89

Federal Strategic Sourcing Initiative, 7510-01-495-0695, White, Capacity: 5", EA, \$12.58

Federal Strategic Sourcing Initiative, 7510-01-495-0697, Black, Capacity: 3", EA, \$6.67

Federal Strategic Sourcing Initiative, 7510-01-495-0698, Black, Capacity: 5", EA, \$12.58

*75% Postconsumer Material Contains 25% Recovered Material*

Federal Strategic Sourcing Initiative, 7510-01-495-0692, White, Capacity: 2", EA, \$6.77

Slant D-ring binder includes a clear overlay on front, spine and back cover. Pockets on inside covers. Accommodates 8-1/2 x 11" sheets.

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-417-1879, SKILCRAFT, AbilityOne, Red, Capacity: 1", EA, \$6.84  
 Federal Strategic Sourcing Initiative, 7510-01-384-8786, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$5.10  
 Federal Strategic Sourcing Initiative, 7510-01-417-1882, SKILCRAFT, AbilityOne, Blue, Capacity: 1-1/2", EA, \$7.46  
 Federal Strategic Sourcing Initiative, 7510-01-417-1877, SKILCRAFT, AbilityOne, Red, Capacity: 1-1/2", EA, \$7.46  
 Federal Strategic Sourcing Initiative, 7510-01-385-6711, SKILCRAFT, AbilityOne, White, Capacity: 1-1/2", EA, \$5.17  
 Federal Strategic Sourcing Initiative, 7510-01-417-1884, SKILCRAFT, AbilityOne, Blue, Capacity: 2", EA, \$7.31  
 Federal Strategic Sourcing Initiative, 7510-01-417-1878, SKILCRAFT, AbilityOne, Red, Capacity: 2", EA, \$6.83  
 Federal Strategic Sourcing Initiative, 7510-01-384-8788, SKILCRAFT, AbilityOne, White, Capacity: 2", EA, \$6.28  
 Federal Strategic Sourcing Initiative, 7510-01-417-1876, SKILCRAFT, AbilityOne, Red, Capacity: 2-1/2", EA, \$9.48  
 Federal Strategic Sourcing Initiative, 7510-01-384-8673, SKILCRAFT, AbilityOne, White, Capacity: 2-1/2", EA, \$6.30  
 Federal Strategic Sourcing Initiative, 7510-01-412-6338, SKILCRAFT, AbilityOne, Black, Capacity: 3", EA, \$6.51  
 Federal Strategic Sourcing Initiative, 7510-01-368-3487, SKILCRAFT, AbilityOne, Blue, Capacity: 3", EA, \$9.76  
 Federal Strategic Sourcing Initiative, 7510-01-368-3485, SKILCRAFT, AbilityOne, Red, Capacity: 3", EA, \$10.26  
 Federal Strategic Sourcing Initiative, 7510-01-368-3486, SKILCRAFT, AbilityOne, White, Capacity: 3", EA, \$7.09

*75% Postconsumer Material Contains 80% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-420-8078, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$4.80  
 Federal Strategic Sourcing Initiative, 7510-01-417-1881, SKILCRAFT, AbilityOne, Blue, Capacity: 1", EA, \$6.84

Clear-view style covers have a crystal clear overlay on the front, back and spine. Accommodates 8-1/2 x 11" sheets.

*75% Postconsumer Material Contains 25% Recovered Material*

7510-01-412-6336, Bone, Capacity: 3", EA, \$15.30

Slant D-ring binder includes a clear overlay on front, spine and back cover. Plastic bound, rigid cover. Accommodates 8-1/2 x 11" sheets.

*75% Postconsumer Material Contains 25% Recovered Material*

7510-01-277-6459, White, Capacity: 2", EA, \$24.73

General use, Slant-D ring no-frills, three-ring vinyl binder. Accommodates 8-1/2 x 11" sheets.

*75% Postconsumer Material Contains 25% Recovered Material*

Comprehensive Procurement Guideline Compliant

7510-01-316-2167, Black, Capacity: 4", EA, \$19.49

Federal Strategic Sourcing Initiative, 7510-01-392-5283, SKILCRAFT, AbilityOne, Black, Capacity: 5", EA, \$10.54

## Round Ring View Binder

General-use, three-ring loose-leaf binder features stiff vinyl cover. Accommodates 8-1/2 x 11" sheets.

**Has clear front, back and spine panels for inserts.**

*60% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-283-5274, SKILCRAFT, AbilityOne, Black, Capacity: 1/2", EA, \$4.05  
 Federal Strategic Sourcing Initiative, 7510-01-203-4708, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$4.69  
 Federal Strategic Sourcing Initiative, 7510-01-203-8814, SKILCRAFT, AbilityOne, White, Capacity: 2", EA, \$4.23

Standard rigid three-ring binder with clear overlay for insert on front cover to customize binder. Accommodates 8-1/2 x 11" sheets.

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-510-4859, SKILCRAFT, AbilityOne, White, Capacity: 1/2", EA, \$4.14  
 Federal Strategic Sourcing Initiative, 7510-01-510-4865, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$4.28  
 Federal Strategic Sourcing Initiative, 7510-01-519-4381, SKILCRAFT, AbilityOne, White, Capacity: 1-1/2", EA, \$4.85  
 Federal Strategic Sourcing Initiative, 7510-01-510-4869, SKILCRAFT, AbilityOne, Blue, Capacity: 1", EA, \$6.27

*60% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-510-4866, SKILCRAFT, AbilityOne, White, Capacity: 3", EA, \$7.34

*Features pockets on inside front and back covers.*

*60% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-425-6139, SKILCRAFT, AbilityOne, Red, Capacity: 1/2", EA, \$4.69

**Has a clear vinyl cover in front for inserts.**

*75% Postconsumer Material Contains 25% Recovered Material*

7510-01-251-2097, White, Capacity: 3", EA, \$10.64

Rings lock in place to secure contents. Clear-view style covers have a crystal clear overlay on the front, back and spine and horizontal pockets on inside front and back covers. Accommodates 8-1/2 x 11" sheets.

*75% Postconsumer Material Contains 25% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-283-5273, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$5.42

## Round Ring Binder

This binder has a rigid cover design with a leather grain finish.

**Accommodates 8-1/2 x 11" sheets.**

*100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-281-6180, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$3.33

*75% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-530-8881, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$6.98

Standard rigid three-ring binder constructed of heavy-duty vinyl with inside horizontal pocket. Accommodates 8-1/2 x 11" sheets.

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-01-510-7492, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$4.48

7510-01-278-4131, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$3.27

*65% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-278-4130, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$5.10

Federal Strategic Sourcing Initiative, 7510-01-278-4129, SKILCRAFT, AbilityOne, Black, Capacity: 3", EA, \$5.97

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-00-409-8647, SKILCRAFT, AbilityOne, Red, Capacity: 1", EA, \$4.38

Loose-leaf binder features cloth cover.

**Accommodates 8-1/2 x 11" sheets.**

***Rigid cover design.***

*100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-00-579-2751, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$23.05

Organize and access paperwork with ease. Round ring loose-leaf binder accommodates 8-1/2 x 11" sheets. Made of rigid vinyl plastic, this three metal hinge binder features a split prong.

**Has a clear vinyl cover in front for inserts.**

*75% Postconsumer Material Contains 25% Recovered Material*

Federal Strategic Sourcing Initiative, 7510-01-272-3219, Black, Capacity: 1.5", EA, \$10.42

High-quality, three-ring polyethylene binders are durable and lightweight and have nickel-plated ring mechanisms. Resists grease and scuffmarks. Double opening and closing boosters.

*75% Postconsumer Material Contains 25% Recovered Material*

7510-01-484-1743, SKILCRAFT, AbilityOne, White, Capacity: 2", EA, \$4.13

7510-01-484-1759, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$3.53

7510-01-484-1761, SKILCRAFT, AbilityOne, White, Capacity: 1/2", EA, \$3.38

## Spring-Back Binder

Aluminum spring-back binder features easy, secure insertion of forms or papers. Hole punching is not required.

**Holds 8-1/2 x 11" or smaller sheets.**

Federal Strategic Sourcing Initiative, 7510-00-286-6954, SKILCRAFT, AbilityOne, Polished Aluminum, Capacity: 1/2", EA, \$28.66

## Loose-Leaf Binder

Standard rigid three-ring binder with clear overlay for insert on front cover to customize binder. Accommodates 8-1/2 x 11" sheets.

*75% Postconsumer Material Contains 25% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-519-4383, SKILCRAFT, AbilityOne, Red, Capacity: 1-1/2", EA, \$7.15

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-01-510-4871, SKILCRAFT, AbilityOne, Black, Capacity: 3", EA, \$8.92

Federal Strategic Sourcing Initiative, 7510-01-510-4858, SKILCRAFT, AbilityOne, Blue, Capacity: 3", EA, \$10.48

Loose-leaf binder features cloth cover.

**Accommodates 8-1/2 x 11" sheets.**

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-00-984-5787, SKILCRAFT, AbilityOne, Black, Capacity: 1/2", EA, \$3.44

## Camouflage Binder

Vinyl camouflage binder has front and back pockets and a heavy-duty ring mechanism.

**Contains 100% Recovered Plastic**

*100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-01-484-1755, SKILCRAFT, AbilityOne, Green Camouflage, Capacity: 1", EA, \$5.88



# Binders-Military and Navigational

## Tactical Reference Card

Tactical reference cards used in Rite in the Rain Field Binder 9200T (7510-01-505-3664). Cards contain the same info as reference material found in all-weather book 980T (7530-01-505-3661). Including tactical mission graphics, friendly and enemy unit symbols, sector sketch preparation instructions, standard range card preparation instructions. Set includes a total of 16 pages containing eight cards.

*Contains 80% Recovered Material, Which Includes 80% Postconsumer Material*

7530-01-528-5808, Rite in the Rain 9200T-R, Tan, 7"L x 4.625"W, EA, \$7.37

## ACU Record Book

This digital-camo record book features hook and loop fastener faceplates on the front for a person's name and rank, inside organizer pocket with pen holder, and a side hide-away pocket with hook and loop fastener. The cover is designed to fit NSN 7530-00-222-3521 (5-1/2 x 8" Record book) and NSN 7530-00-286-6207 (not included).

Federal Strategic Sourcing Initiative, 7530-01-618-8427, SKILCRAFT, AbilityOne, ACU Pattern, 6 x 9", EA, \$7.46

## Rite in the Rain Field Binder

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Tactical field binder measures 5-5/8 x 7-1/2". Made of PolyDura plastic with an inside clear pocket to hold military symbol stencils or index cards. Holds Rite in the Rain tactical loose-leaf paper NSN 7530-01-498-2081.**

*Contains 80% Recovered Material, Which Includes 80% Postconsumer Material*

7510-01-498-2077, Rite in the Rain P/N 9200, Green, EA, \$9.59

7510-01-505-3664, Rite In the Rain P/N 9200T, Tan, EA, \$9.59

## U.S. Army Equipment Record Folder

Equipment record folder includes four vinyl envelopes and two pockets that allow grouping of similar records. The vinyl folder displays a four-color camouflage pattern, and the front cover features a convenient transparent window that measures 3-1/8 x 5-1/8". Folder is embossed with the U.S. Army emblem and the inscription "United States Army".

Federal Strategic Sourcing Initiative, 7510-01-065-0166, SKILCRAFT, AbilityOne, Camouflage, 8 x 10", EA, \$7.26

## U.S. Army Equipment Log Book

This handy organizer for aircraft and vehicle maintenance records features a green vinyl cover, which is embossed with U.S. Army seal and reads: "U.S. Army Equipment Log Book". Includes two clear title slots: one on the front for a 3 x 5" insert card and one on the spine for a 1 x 3" insert. Also features pockets on inside front and back covers and comes with its own protective envelope. Three-ring closure with booster clips; rings are spaced 3-1/2" apart. Accommodates 9-1/2 x 6-3/8" sheets and has a 1-1/2" capacity.

Federal Strategic Sourcing Initiative, 7510-00-889-3494, SKILCRAFT, AbilityOne, Green, 10-1/4 x 8-1/2", EA, \$7.12

## Flight Checklist Binder

This flexible loose-leaf binder comes with plastic envelopes for insertion of flight checklists. Blue plastic cover includes a title slot and 2" diameter snap-ring fasteners.

**This size-2 binder features five snap rings and includes 25 plastic envelopes.**

*75% Postconsumer Material Contains 25% Recovered Material*

Federal Strategic Sourcing Initiative, 7510-00-766-4269, SKILCRAFT, AbilityOne, Blue, 5-1/2"W x 8-3/8"L, EA, \$8.66

**This size-4 binder features five snap rings and includes 55 plastic envelopes.**

*75% Contains 25% Recovered Material*

Federal Strategic Sourcing Initiative, 7510-00-240-6012, SKILCRAFT, AbilityOne, Blue, 5-1/2"W x 8-3/8"L, EA, \$16.27

Long format flight crew check list binder consists of a hard cover, 30 pages each, packed 13 to a carton. Envelopes hold newer long format check lists for C-17, C-130, KC-135 and similar aircraft/platforms. Envelopes meet MilSpec LP-375 type II.

7510-01-561-2755, SKILCRAFT, AbilityOne, Blue, 11-1/2 x 5-3/4", EA, \$18.62

## Flight Binder Replacement Envelopes

Clear plastic envelope replacements have 16 holes and are used in the flight crew check binder NSN 7510-00-766-4269.

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

7510-01-537-1400, SKILCRAFT, AbilityOne, Matte Clear, 8-3/4 x 6 x 1", BX(contains 700 EA), \$184.00

## Flight Record Book

Closed-back, side-opening binder holds 11 x 8-1/2" sheets with seven ring fasteners. Binder's frosted, flexible vinyl cover is labeled "A/C Flight Report and Maintenance Record".

*75% Postconsumer Material Contains 25% Recovered Material*

7510-00-086-7550, Capacity: 1-1/4", EA, \$40.25

# Binder Accessories

## Document Protector

Top-loading document protectors are made of durable polypropylene. Will not absorb ink from copier paper, turn yellow or become brittle. Seven-hole punched on 11" side. Documents slide through top pocket opening easily and static free.

### Medium Weight

*40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-616-9670, SKILCRAFT, AbilityOne, Clear, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$3.85

7510-01-347-9580, Clear, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$7.24

7510-01-381-5300, Non-Glare, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$13.74

### Heavyweight.

7510-01-347-9579, Clear, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$7.24

7510-01-381-2219, Non-Glare, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$7.24

These top-loading sheet protectors can be used for separating or indexing documents by category or organizing presentations. Each sheet features seven holes on the 11" side which will fit a variety of binders. Twenty sheets of each color (red, yellow, green, blue and white) per box for a total of 100 protectors.

### Color appears on 1/5 straight cut edge.

7510-01-318-6591, Clear, For 8-1/2 x 11" sheets, BX(contains 100 EA), \$14.37

### Color appears on 1/5 cut protruding tabs.

7510-01-506-7475, Clear, For 8-1/2 x 11" sheets., BX(contains 100 EA), \$22.42

Guard important paperwork against accidental spills or tears. Letter-sized, three-hole-punched protector is made of heavy-gauge clear plastic.

### Heavyweight.

Federal Strategic Sourcing Initiative, 7510-01-236-0059, SKILCRAFT, AbilityOne, Clear, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$7.10

## Computer Paper Binder

Designed for use with all marginally punched printouts, continuous or broken.

**Top-loading, outside-locking binder features flexible nylon post and mechanical piano-style hinge closures. Heavy-duty binder features a stiff cloth cover.**

*Contains 80% Postconsumer Material Paperboard, Contains 25% Recovered Material Plastic*

Comprehensive Procurement Guideline Compliant

7510-00-735-0732, Blue, Capacity: 8" Size: 14-7/8 x 11", EA, \$27.95

## Transparent Project Sleeve

Heavy-duty clear plastic project sleeve is sealed on 2 sides with a notched front for quick and easy removal of documents.

*40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-616-9667, SKILCRAFT, AbilityOne, Clear, For 8-1/2 x 11" sheets, PG(contains 24 EA), \$5.28

## Index Tab

Organize, label and color-code papers, project files, and binders with index tabs. Durable, secure self-stick tabs in assorted colors are easy to write on and simple to reposition or replace. Page Markers in assorted neon colors stick securely and remove cleanly.

*24-month maximum shelf life (not extendable); 30% Postconsumer Material*

7510-01-661-4493, SKILCRAFT, AbilityOne, Red/Blue/Yellow, PG(contains 66 EA), \$4.28

7510-01-661-4494, SKILCRAFT, AbilityOne, Red/Yellow, PG(contains 44 EA), \$5.64

## Index Sheet Set

Three-hole-punched index sheet comes with five tabs to write on. Sheet is made of heavy-duty cardstock.

Federal Strategic Sourcing Initiative, 7530-01-418-1230, Manila, 8-1/2 x 11", BX(contains 20 EA), \$20.06

Index sheet features 1/5-cut, blank self-tabs in all positions. Sheets are three-hole punched for use in three-ring binders. Made of 32-lb. index paper stock.

### Set includes 100 sheets.

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-959-4441, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", SE, \$5.53

For a more professional look, use these insertable Index sheets 1/5-cut tab, 5-dividers which are made of buff index paper with clear reinforced binding edge. Three-hole punched for use in three-ring binder.

*50% Recovered Material, Which Includes 30% Postconsumer Material*

7510-01-386-2431, Clear, 8-1/2 x 11", SE, \$0.54

Includes five 5-tab sets. Dividers have reinforced tabs, clear reinforced three-hole-punched binding edge. Print graphics and text directly onto divider and tabs with laser printers.

*50% Recovered Material, Which Includes 30% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7530-01-461-8586, White, 8-1/2 x 11", PG(contains 5 EA), \$17.94

These clear, but tinted labels virtually disappear when applied to 1/5 cut tabs. For fast formatting, use preset layouts in WordPerfect, Microsoft Word, etc. For use in both laser and inkjet printers. 5 sheets per set.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-434-4198, SKILCRAFT, AbilityOne, Assorted, 8-1/2 x 11", SE, \$4.80

Three-hole punched sheet has insertable plastic tabs. Durable enough for repeated use.

**Includes eight index tabs.**

*Contains 50% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-151-6860, Assorted Colors, 8-1/2 x 11", SE, \$1.23

Index Sheet paper is three-hole punched for three-ring binders. Black leather tabs are stamped in gold. Rip proof; Reinforced binding edge.

**Tags are numerical, from 1 to 31.**

*Contains 50% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-316-4455, Buff, 8-1/2 x 11", SE, \$4.91

**Tags are alphabetical, from A to Z.**

*Contains 50% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-316-4457, Buff, 8-1/2 x 11", SE, \$2.15

Coordinated system of reinforced table of contents page and matching preprinted tab dividers make referencing easy. Dividers feature heavier weight paper for added durability; Plastic reinforcement tabs and binding edges helps prevent tearing. Includes Table of Contents Sheet that can be typed on Repromaster typing guide and run through your plain copier. Preprinted Tab Dividers; Mylar reinforcement.

**Numerical Tabs, 1-12**

7530-01-621-5258, SKILCRAFT, AbilityOne, Assorted Colors, 8 1/2 x 11", SE, \$1.87

**Tags are alphabetical, from A to Z.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-368-3492, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$2.73

**Tags are numerical, from 1 to 10.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-368-3489, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$1.74

**Tags are numerical, from 1 to 31.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-368-3493, SKILCRAFT, Assorted Colors, 8-1/2 x 11", SE, \$3.31

, AbilityOne, Tags are labeled, January to December.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-368-3490, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$1.92

Federal Strategic Sourcing Initiative, 7530-01-368-3491, Clear/Black Ink, 8-1/2 x 11", SE, \$2.49

One-step multiple index set organizes several binders as easily as just one. No tab typing or tab inserting. Laser and inkjet compatible.

**Tags are numerical, from 1 to 5.**

7530-01-364-9489, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$1.35

These convenient self-tabbed alphabetical index sheets are punched for use in three-ring binders. Tags are printed in black with a Mylar covering and a reinforced binding, for added strength. Made of 32-lb. buff ledger paper with 4 1/4" center to center hole spacing. Rounded corner tabs and sheets.

**Tags are alphabetical from A to Z**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-160-8477, Buff, 11x 8-1/2", SE, \$3.58

## Index Marker Sheet Set

Clear label dividers.

**One set includes 8 color tabs.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-6970, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2" x 11", SE, \$5.77

**Standard sized, 3-hole punched, 5-tab, white.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-6977, SKILCRAFT, AbilityOne, White, 8-1/2" x 11", SE, \$5.20

7530-01-600-6981, SKILCRAFT, AbilityOne, 8-1/2" x 11", PG(contains 5 EA), \$23.86

**Standard-sized, 3-hole punched, 8-tab, white.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-6978, SKILCRAFT, AbilityOne, White, 8-1/2" x 11", SE, \$6.00

7530-01-600-6982, SKILCRAFT, AbilityOne, 8-1/2" x 11", PG(contains 5 EA), \$25.79

## Label Holder

Aluminum holder has a pressure-sensitive adhesive backing with a protective liner. Features a plastic window shield and a solid back. US Army Natick Lab Drawing 8-2-165.

**Overall dimensions - 9-11/16 x 11-3/4". Accommodates a sign 10-1/2 x 8".**

*12-month maximum shelf life (extendable).*

Plastics Removal in Marine Environments

9905-00-866-0334, AbilityOne, PG(contains 10 EA), \$73.66

## Book Ring

Plated steel ring is hinged for smooth opening and closing. Interlocking catches keep ring closed securely around bound materials.

7510-00-286-5787, Diameter: 1", BX(contains 100 EA), \$24.73

7510-00-286-5789, Diameter: 2", BX(contains 50 EA), \$24.21

## Reinforcement Ring

Avoid having loose-leaf sheets accidentally ripped from binders. Use these eyelets for reinforcing the punched holes. Also ideal for repairing ripped loose-leaf holes. Eyelets are made of self-adhesive poly-vinyl.

7510-00-285-5422, White, 3/8" Holes, HD, \$2.16

## Plastic Sheet

Colorless, Polyethylene Terephthalate (PET/PETG) sheet has many uses.

**Polished-finish surface is ideal for protection of documents, cards, and similar items. With removable paper backing that reveals pressure-sensitive adhesive.**

**Thickness: 0.002".**

*36-month maximum shelf life (extendable).*

9330-00-618-7215, LAM250C or equal, 10 x 12", BX(contains 50 SH), \$16.56

**Thickness: 0.005".**

*36-month maximum shelf life (extendable).*

9330-01-358-4390, LAM550C or equal, 10 x 12", BX(contains 50 SH), \$22.54

**Matte-finish surface is suitable for marking, lettering, writing and erasing.**

**With removable paper backing that reveals pressure-sensitive adhesive. Thickness: 0.005".**

*36-month maximum shelf life (extendable).*

9330-01-358-4392, LAM550M or equal, 10 x 12", BX(contains 50 EA), \$26.45

**Without adhesive.**

9330-01-358-7529, NLI-7529 or equal, Width: 40", Thickness: 0.005", RO(contains 50 FT), \$72.09

**High-polished-finish surface is ideal for use as a bulletin board cover, index guide card and container.**

**Without adhesive.**

9330-01-358-7527, NLI-7527 or equal, Width: 40"; Thickness: 0.010", RO(contains 50 FT), \$97.98

9330-01-358-7525, NLI-7525 or equal, Width: 40"; Thickness: 0.008", RO(contains 50 FT), \$81.47

**Polished-finish surface is ideal for protection of documents, cards, and similar items. With removable paper backing that reveals pressure-sensitive adhesive.**

*36-month maximum shelf life (extendable).*

9330-01-358-4391, LAMR550 or equal, Width: 21"; Thickness: 0.005", RO(contains 50 FT), \$26.45

9330-00-618-7214, LAMR250 or equal, Width: 26"; Thickness: 0.002", RO(contains 50 FT), \$26.45

Sheeting is .007" thick by 24" wide and 200' long. Minimum tensile strength is 1700 lbs with an white opaque finish on both sides. Treated 7-1/2 percent ultraviolet inhibitors rated for 5 years. Material is polyethylene plastic, meeting A A-3174, Class 3: Biaxially oriented, Type IV: Heat shrinkable polyethylene, and Finish 1 standards: Untreated.

8135-01-250-4931, RO(contains 200 FT), \$616.10

## Legal Divider

Legal offices make good use of these non-punched dividers to organize and enhance the appearance of briefs, presentations and general reports. Made of heavy-duty white stock with boldly printed black characters on sturdy tabs. Each set comes with a separate table of contents index sheet.

**Contains tab titles 26 through 50.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-407-2248, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", SE, \$2.60

**Contains tab titles 1 through 25.**

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-407-2250, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", SE, \$2.18

# Clipboards

## Polydura Field Desk (Rite in the Rain)

This Polydura storage clipboard is the key to your outdoor office! It stores 8 1/2" x 11" data sheets, pencils, and other field equipment inside. The durable plastic shell has a warmer feel than metal clip boards. Lightweight and completely weatherproof for all your outdoor tactical documents. 200 data sheet capacity.

7530-01-536-2658, Silver, 8 1/2" W x 11"L x 1"D, EA, \$14.79

## SlimMate Plastic Storage Clipboard

This storage clipboard is perfect for use in backpacks, briefcases, or vehicle storage. Features a large smooth writing surface and a low profile clip with 1/2 inch capacity for those professionals that require their paperwork to be filled out while in the field. It is made of durable polypropylene, providing a sturdy yet lightweight mobile writing surface for those who are on-the-go while keeping materials organized. Papers or writing pads are held in place by a strong nickel-plated steel spring clip with rubber corner grips. Inside storage is 3/4 inches, designed to accommodate paper documents such as forms, pens and pencils where they are accessible but protected from the elements.

Federal Strategic Sourcing Initiative, 7520-01-618-9917, SKILCRAFT AbilityOne, Black, 9-1/2" W x 13-1/2" L x 1-1/2" D, EA, \$6.74

Federal Strategic Sourcing Initiative, 7520-01-619-0302, SKILCRAFT AbilityOne, Green, 9-1/2" W x 13-1/2" L x 1-1/2" D, EA, \$7.34

In the field, at the office or on the shop floor, this durable plastic storage clipboard protects important papers and writing instruments. Use the low-profile, rubber-cornered clip with 1/2 inch capacity to secure 8 1/2 in. X 11 in. papers or pads on the smooth exterior writing surface, or store them in the 3/4 inch capacity interior. The slim profile fits easily in briefcases, travel bags or back packs.

7520-01-653-5889, SKILCRAFT, AbilityOne, Bright Yellow 9 1/2 x 1 1/2 x 13 1/2", EA, \$7.48

## DeskMate II Plastic Storage Clipboard

DeskMate II Plastic Storage Clipboard holds your complete mobile office. 3/4" pen and paper storage area protects against wear and weather. Made of durable polypropylene construction. Slim design ensures easy storage. Strong low profile clip with rubber grips holds up to 1/2" paper securely. Bottom opening for convenient access. Fits forms up to 8-1/2" x 12". Perfect for use in mobile and office environments.

Federal Strategic Sourcing Initiative, 7520-01-622-2123, SKILCRAFT AbilityOne, Blue, 16" L x 10" W x 2-1/2" D, EA, \$10.94

Federal Strategic Sourcing Initiative, 7520-01-622-2122, SKILCRAFT AbilityOne, Black, 16" L x 10" W x 2-1/4" D, EA, \$11.02

7520-01-622-7154, SKILCRAFT, Army Green, 16" L x 10" W x 2-1/2" D, EA, \$8.80

## DeskMate II Plastic Storage Clipboard with Calculator

DeskMate II Plastic Storage Clipboard holds your complete mobile office. Made of durable polypropylene construction and features solar powered and battery operated calculator. AG10 button battery included. Bottom opening for convenient access. Strong low profile clip with rubber grips holds up to 1/2" paper securely. Larger internal storage holds pads, pens, etc. Fits paper sizes up to 9 1/2" x 11 3/4".

Federal Strategic Sourcing Initiative, 7520-01-622-7155, SKILCRAFT, AbilityOne, Blue, 16" x 10" x 2-1/2", EA, \$14.03

## Clipboard

A 5-1/2" width rust-resistant metal clip centered near the top edge keeps a tight grip on important papers. Features rounded corners and composition board construction. Heavy clip spring allows a generous 1" capacity. Clipboard may be hung from the hole in the base of the clip.

Federal Strategic Sourcing Initiative, 7520-00-281-5918, SKILCRAFT, AbilityOne, Brown, 9 x 12-1/2", EA, \$2.60

Federal Strategic Sourcing Initiative, 7520-00-254-4610, SKILCRAFT, AbilityOne, Brown, 9 x 15-1/2", EA, \$3.95

Federal Strategic Sourcing Initiative, 7520-00-240-5503, SKILCRAFT, AbilityOne, Brown, 9 x 17", EA, \$4.26

Plastic base clipboard features 4" metal, wire spring clip.

*50% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-439-3391, SKILCRAFT, AbilityOne, Blue, 9 x 12", EA, \$5.82

A plastic base clipboard features 4-1/4" width rust-resistant metal clip centered near the top edge keeps a tight grip on important papers. Heavy, low rise, wire spring clip allows a generous 0.5" capacity. Clipboard may be hung from the hole in the base of the clip.

*60% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7520-01-386-3670, SKILCRAFT, AbilityOne, Red, 9 x 12", EA, \$6.19

Aluminum base clipboard features 5-1/2" metal, flat spring clip.

*65% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-439-3387, SKILCRAFT, AbilityOne, Aluminum, 9 x 12", EA, \$8.75

**For legal-size and larger sheets.**

7520-01-439-3398, SKILCRAFT, AbilityOne, Aluminum, 9 x 15", EA, \$11.78

Plastic base clipboard features 6" metal, wire spring clip.

**Features white screen printed ruler.**

*60% Postconsumer Recycled Plastic*

7520-01-439-3390, SKILCRAFT, AbilityOne, Black, 9 x 12", EA, \$7.72

# File Folders (Non-Hanging)

## Classification Folder

Heavy-duty folder fits easily in a drawer for convenient storage. Made of 217-lb. stock and features a plain, folded bottom. This Kraft paperboard folder expands to 3/4" and includes straight-cut self-tabs.

### Fasteners not included.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-222-3443, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$24.15

Federal Strategic Sourcing Initiative, 7530-00-222-3444, SKILCRAFT, AbilityOne, Kraft, Legal Size, HD, \$32.40

**A 1-1/2" prong fastener is located on the inside top edge of rear cover.**

### Compressor not included.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-926-8978, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$57.67

Federal Strategic Sourcing Initiative, 7530-00-926-8980, SKILCRAFT, AbilityOne, Kraft, Legal Size, HD, \$74.05

This sturdy, heavy-duty folder is made of 217-lb pressboard and conveniently folds to form a three-section folder. A prong fastener is located on inside top of each side section. Total of three prongs.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-707-8406, SKILCRAFT, AbilityOne, Red, Letter Size, EA, \$0.73

Federal Strategic Sourcing Initiative, 7530-01-484-0001, SKILCRAFT, AbilityOne, Red, Letter Size, PG(contains 10 EA), \$9.22

This sturdy, heavy-duty folder is made of 370-lb pressboard, with a cloth-gusset bottom. Includes a straight-cut self-tab and expands to 1".

**Includes one prong fastener on top right-hand side of folder. Compressor not included.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-926-8981, SKILCRAFT, AbilityOne, Green, Letter Size, HD, \$91.95

7530-00-926-8982, SKILCRAFT, AbilityOne, Green, Legal Size, HD, \$105.23

**Includes two prong fasteners on top right and left-hand sides of folder.**

### Compressor not included.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-043-1194, SKILCRAFT, AbilityOne, Green, Letter Size, HD, \$95.94

Secures materials with fasteners located at opposite ends of the flap. Folder has a self-tab on the right four-fifths of the folder. Made of kraft stock. Has a 217-lb. basis weight.

**One fastener in the horizontal position on the inside top left cover, one fastener in the vertical position in the inside middle part of the right cover. Each fastener has a 1" capacity.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

#### Comprehensive Procurement Guideline Compliant

7530-00-811-7169, SKILCRAFT, AbilityOne, Light Brown, Letter Size, HD, \$48.76

Pressboard folder has side tabs (2/5), six sections and fasteners on both sides of the two inner dividers and inside covers. Has a 2" capacity.

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Federal Strategic Sourcing Initiative, 7530-01-418-1314, SKILCRAFT, AbilityOne, Blue, Letter Size, BX(contains 10 EA), \$40.17

This eight-part folder pressboard has three dividers with a durable Tyvek® reinforced pleat that expands up to three-inches. Includes 1-1/2 inches capacity metal prong fasteners on both sides of each divider and inside and back covers.

*30% Postconsumer Material, Which Includes 30% Recovered Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-572-6208, SKILCRAFT, AbilityOne, Earth Red, Letter Size, PG(contains 10 EA), \$45.02

This eight-part folder pressboard has three dividers with a durable Tyvek reinforced pleat that expands up to three-inches. Includes one-inch capacity metal prong fasteners on both sides of each divider and inside and back covers.

*30% Postconsumer Material Contains 30% Recovered Material*

7530-01-572-6206, SKILCRAFT, AbilityOne, Green, Legal Size, PG(contains 10 EA), \$43.56

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-572-6205, SKILCRAFT, AbilityOne, Earth Red, Legal Size, PG(contains 10 EA), \$51.51

7530-01-572-6207, SKILCRAFT, AbilityOne, Green, Letter Size, PG(contains 10 EA), \$40.42

Heavy-duty pressboard folder (25 pt.) with cloth gusset bottom expands to 1". Has full top tab and two 1" prong fasteners.

*30% Postconsumer Material, Which Includes 30% Recovered Material*

#### Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-556-7913, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 25 EA), \$23.30

Heavy-duty 25 pt. pressboard folder features a two inch expandable Tyvek® reinforced tape gusset for added durability. Folder includes 17 pt. Kraft dividers with 1-1/2 inch prongs on each side and on front and back cover.

**1 divider, 4 Part.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-554-7683, SKILCRAFT, AbilityOne, Red, Legal Size, PG(contains 10 EA), \$40.42

**1/3-cut tab including cover.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-523-4594, SKILCRAFT, AbilityOne, Red Earth, Letter Size, EA, \$3.18

7530-01-463-2330, SKILCRAFT, AbilityOne, Light Green, Letter Size, EA, \$3.65

**2 dividers, 6 part.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-556-7912, SKILCRAFT, AbilityOne, Rust, Letter Size, BX(contains 10 EA), \$34.44

Federal Strategic Sourcing Initiative, 7530-01-556-7914, SKILCRAFT, AbilityOne, Dark Blue, Letter Size, BX(contains 10 EA), \$32.83

Federal Strategic Sourcing Initiative, 7530-01-556-7915, SKILCRAFT, AbilityOne, Light Blue, Letter Size, BX(contains 10 EA), \$32.83

Federal Strategic Sourcing Initiative, 7530-01-556-7916, SKILCRAFT, AbilityOne, Dark Green, Letter Size, BX(contains 10 EA), \$38.51

Federal Strategic Sourcing Initiative, 7530-01-556-7917, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 10 EA), \$32.83

7530-01-556-7918, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 10 EA), \$32.58

Federal Strategic Sourcing Initiative, 7530-01-554-7684, SKILCRAFT, AbilityOne, Green, Letter Size, PG(contains 10 EA), \$36.47

**1/3-cut tab including cover.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-463-2324, SKILCRAFT, AbilityOne, Rust Red, Legal Size, EA, \$4.20

**1/3-cut tab with straight-cut tab cover.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-990-8884, SKILCRAFT, AbilityOne, Rust Red, Letter Size, EA, \$2.86

7530-01-011-9454, SKILCRAFT, AbilityOne, Rust Red, Legal Size, EA, \$3.23

Straight cut folder is made of heavy weight pressboard with expandable cloth gusset. Includes straight-cut self-tabs.

**Folder features a 1-1/2" prong fasteners on the inside fold of the last section and expands to 1". Compressor not included.**

***Basis Weight: 370 Lbs (24" x 36" per 500 sheets)***

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-290-2009, SKILCRAFT, AbilityOne, Red, Letter Size, HD, \$123.27

These six-section classification folders feature 2" capacity prong fasteners on the outside covers and 1" capacity prong fasteners on each side of the pocket dividers. Expandable reinforced Tyvek® gusset with 2" capacity. Front and back covers are 25 pt. pressboard. Pocket dividers are 11 pt. Kraft.

***Basis Weight: 124 lbs (24" x 36" per 500 sheets)***

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-600-6983, SKILCRAFT, AbilityOne, Dark Green, Letter Size, BX(contains 10 EA), \$34.79

7530-01-600-6979, SKILCRAFT, AbilityOne, Earth Red, Letter Size, BX(contains 10 EA), \$34.79

7530-01-600-6972, SKILCRAFT, AbilityOne, Dark Red, Letter Size, BX(contains 10 EA), \$34.79

7530-01-600-6971, SKILCRAFT, AbilityOne, Dark Blue, Letter Size, BX(contains 10 EA), \$34.79

7530-01-600-6975, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 10 EA), \$34.79

## Reinforced Manila Folder

Reinforced manila folder expands to 2". This medium duty folder is made of 133-lb manila stock. Features a self-tab and 2-inch prong fastener on both inside front and back covers. Compressor is not included.

**1/3 cut.**

***Basis Weight: 124 lbs (24" x 36" per 500 sheets)***

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-484-0002, SKILCRAFT, AbilityOne, Manila, Letter Size, PG(contains 10 EA), \$9.05

## Manila Folder

Standard manila file folder expands to 3/4". This light-duty folder is constructed of durable 11-pt stock, with a plain, folded bottom. Fasteners not included.

**1/2 cut.**

***Basis Weight: 124 lbs (24" x 36" per 500 sheets)***

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-281-5945, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$12.14

Federal Strategic Sourcing Initiative, 7530-00-281-5960, SKILCRAFT, AbilityOne, Manila, Legal Size, HD, \$18.61

**1/3 cut.**

***Basis Weight: 124 lbs (24" x 36" per 500 sheets)***

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-282-2507, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$10.39



**1/5 cut.***30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-455-6051, SKILCRAFT, AbilityOne, Manila, Letter Size, PG(contains 25 EA), \$5.01

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)***30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-281-5941, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$11.47

**Straight cut.***30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-00-285-1732, SKILCRAFT, AbilityOne, Manila, Legal Size, HD, \$15.44

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)***30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-455-6093, SKILCRAFT, AbilityOne, Manila, Letter Size, PG(contains 25 EA), \$4.59

Federal Strategic Sourcing Initiative, 7530-00-291-0098, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$11.36

**1/3 cut.***Postconsumer Material Contains 30% Recovered Material*

7530-01-455-6059, SKILCRAFT, AbilityOne, Letter Size, PG(contains 24 EA), \$5.07

For detailed projects, this sturdy standard-duty file folder is the answer. Files easily in a drawer. Has a 147-lb. basis weight.

**Straight cut.***30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-00-985-7012, SKILCRAFT, AbilityOne, Manila, Legal Size, HD, \$23.46

**Manila File Jacket**

Manila file jackets are closed on 3 sides with full height expansion gussets for all your filing and storage needs. Features a straight tab cut top.

**Flat.***30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-632-1016, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 100 EA), \$25.81

**Expanding Manila File Jacket**

Manila file jackets are closed on 3 sides with full height expansion gussets for all your filing and storage needs. Features a straight tab cut top.

**Jacket expands to 1.0" Capacity-200 sheets***30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-632-1013, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 50 EA), \$20.80

**Colored File Folder**

1/3-cut folder is made of 11-point paper stock. Expands to 3/4". Assortment of 24 folders includes six of each red, green, blue and yellow. Each color contains two of each tab position.

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-484-0006, SKILCRAFT, AbilityOne, Assorted, Letter Size, PG(contains 24 EA), \$9.61

Straight-cut folder with reinforced top is made of heavyweight stock. Expands to 3/4".

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)***Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9502, SKILCRAFT, AbilityOne, Blue, Letter Size, BX(contains 100 EA), \$17.47

Federal Strategic Sourcing Initiative, 7530-01-364-9486, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 100 EA), \$18.87

Federal Strategic Sourcing Initiative, 7530-01-364-9482, SKILCRAFT, AbilityOne, Pink, Letter Size, BX(contains 100 EA), \$18.81

Federal Strategic Sourcing Initiative, 7530-01-364-9484, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 100 EA), \$18.84

Federal Strategic Sourcing Initiative, 7530-01-364-9483, SKILCRAFT, AbilityOne, Purple, Letter Size, BX(contains 100 EA), \$17.82

**Inner File Folder - Color**

Designed to fit within standard letter sized hanging file folders. Constructed from 11pt. paper stock, this folder is cut shorter than standard for view of hanging folder label, scored for 3/4" expansion. 1/3 cut, one position. Each order contains a total of 25 folders, 5 of each red, green, blue, yellow and orange.

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Federal Strategic Sourcing Initiative, 7530-01-483-9999, SKILCRAFT, AbilityOne, Assorted, PG(contains 25 EA), \$8.41

## Chlorine Free File Folder

Folders are made of 11-point paper stock. Bottom is scored for 3/4" expansion. Folders is made with a water-based adhesive and are Process Chlorine Free, to protect our environment from harmful chemicals. Assortment of 100 folders includes 20 each of red, blue, yellow, green and purple.

### Single-ply 1/3-cut tabs.

20223282

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4138, SKILCRAFT, AbilityOne, Assorted, Letter Size, BX(contains 100 EA), \$18.40

Folders are made of 11-point paper stock. Bottom is scored for 3/4" expansion. Folders is made with a water-based adhesive and are Process Chlorine Free, to protect our environment from harmful chemicals.

### Single-ply 1/3-cut tabs.

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4134, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 100 EA), \$20.35

Federal Strategic Sourcing Initiative, 7530-01-566-4131, SKILCRAFT, AbilityOne, Blue, Letter Size, BX(contains 100 EA), \$19.34

Folders are made of 11-point paper stock. Bottom is scored for 3/4" expansion. Folders is made with a water-based adhesive and are Process Chlorine Free, to protect our environment from harmful chemicals. Assortment of 100 folders includes 20 each of red, blue, yellow, green and purple.

### Double-ply 1/3-cut tabs.

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4143, SKILCRAFT, AbilityOne, Assorted, Letter Size, BX(contains 100 EA), \$26.34

## Reinforced Folder

Folders are made of 11-point paper stock and are chlorine free.

### Double-ply straight cut.

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-583-0557, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 100 EA), \$22.75

### Double-ply 1/3-cut tabs.

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-583-0556, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 100 EA), \$22.75

## Heavy-Duty Pressboard Folder

This heavy-duty folder keeps thicker materials stored confidently. Made of 370-lb. pressboard stock, with a cloth-gusset bottom. Folder expands to 1". Fasteners not included.

### Features 1/5 cut self-tabs in all positions.

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-286-7286, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$112.17

### Features 1/3-cut self-tabs in all positions.

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-00-286-8570, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$72.91

## Kraft Folder

Medium-duty Kraft folders keep file drawers perfectly organized. Made of 147-lb. Kraft stock, with a plain, folded bottom. Fastener and compressor not included unless noted.

### Each folder is reinforced and expands to 1".

**Features straight-cut self-tabs that are marked to show 1/3-cut locations.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-663-0031, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$20.13

### Each folder is reinforced and expands to 3/4".

**Features 1/3-cut self-tabs in all positions.**

*Contains 50% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-281-5940, SKILCRAFT, AbilityOne, Kraft, Legal Size, HD, \$20.94

**Features straight-cut self-tabs that are marked to show 1/3-cut locations.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-200-4308, SKILCRAFT, AbilityOne, Kraft, Legal Size, HD, \$25.01

## Single Tab File Folders

Organize and protect your important papers with single tab one-third cut file folders. Made of 11 pt stock, the 9.5 inch tab folders are great for use in filing cabinets, hanging file folders and brief case/portable filing systems. Available in standard or legal size, with three tab positions.

### Position 1.

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-645-8093, SKILCRAFT, AbilityOne, Manila, Letter Size, 9" x 11.75", BX(contains 100 EA), \$12.58

## End Tab File Folder

This two-part end tab file folder is for open shelf filing without dividers. It includes two 2" prongs fasteners in the first and third positions. This folder is hinged with a reinforced Tyvek gusset which expands up to 2". Outside cover is made of 25-pt pressboard and dividers are made using 17-pt Kraft.

**Basis Weight: 124 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-590-7105, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 25 EA), \$30.11

Federal Strategic Sourcing Initiative, 7530-01-590-7108, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 25 EA), \$22.72

This four-part End Tab file folder for open shelf filing with a single divider includes two 2" prongs on the inside front and back covers with two 1" prongs on each 1/3 cut tab divider. This folder is hinged with a reinforced Tyvek gusset which expands up to 2". Outside cover is made of 25-pt pressboard and dividers are made using 17-pt Kraft

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-590-7107, SKILCRAFT, AbilityOne, Earth Red, Letter Size, BX(contains 10 EA), \$29.31

7530-01-590-7106, SKILCRAFT, AbilityOne, Light Red, Letter Size, BX(contains 10 EA), \$25.39

This six-part End Tab file folder for open shelf filing with two dividers includes two 2" prongs on the inside front and back covers with two 1-1/2" prongs on each 1/3 cut tab divider. This folder is hinged with a reinforced Tyvek® gusset which expands up to 2". Outside cover is made of 25-pt pressboard and dividers are made using 17-pt Kraft.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

, 7530-01-590-7103, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 10 EA), \$30.83

Federal Strategic Sourcing Initiative, 7530-01-590-7104, SKILCRAFT, AbilityOne, Earth Red, Letter Size, BX(contains 10 EA), \$35.48

## Interior File Folder

Lightweight inner folder is ideal for providing additional filing options when used with follow-up file folders. Made of 133-lb stock, with a plain, folded bottom. Files easily in a drawer. Tabs are 2-3/4".

**Back leaf has a prong fastener with 1-1/2" prongs located on the left edge. Compressor not included.**

**1/4 cut tabs is in the first position only; expands to 1".**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-273-9845, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$51.95

These file folders are designed to fit inside hanging file folders without obscuring the tabs. Ideal for subdividing projects within a folder. Folders are made of 11-point paper stock for durability and with a chlorine free process to help protect our environment from harmful chemicals.

**1/3-cut-top tab.**

*100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-583-3820, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$10.99

**Straight cut-top tab.**

*100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-583-3821, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$10.98

## Shelf File Folder

Extra-heavy-duty shelf file folder is made of 370-lb. pressboard, with a cloth-gusset bottom. Expands to 1" and has a 1" prong fastener at the top edge of the back cover; compressor not included.

**Has straight-cut self-tabs.**

*30% Postconsumer Material Contains 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-926-8983, SKILCRAFT, AbilityOne, Green, Letter Size, HD, \$113.29

Heavy-duty shelf file folder keeps records secure. Made of 217-lb. Kraft stock, with a plain, folded bottom. Has straight-cut self-tabs and expands to 3/4". Has a 1-1/2" prong fastener on the inside top edge of the back cover; compressor not included.

*30% Postconsumer Material Contains 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-926-8979, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$49.47

## Work Organizer File

Accordion-style pocket folder expands to 15". Covered with leather-patterned paper. (Frame not included.)

**Provides alphabetical indexing from A to Z with 21 pockets.**

**Features a closing flap and band.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-437-6365, SKILCRAFT, AbilityOne, Letter Size, EA, \$10.89

# Filing Supplies

## Paper Filing Binder

For filing miscellaneous papers when using a protective folder is not necessary. Consists of a single sheet of extra-heavyweight Kraft stock with prong fasteners spaced 2-3/4" apart at the top. Features square corners and a 1-1/2" capacity.

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-285-2567, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$25.62

## Reinforcement Ring

Avoid having loose-leaf sheets accidentally ripped from binders. Use these eyelets for reinforcing the punched holes. Also ideal for repairing ripped loose-leaf holes. Eyelets are made of self-adhesive poly-vinyl.

Federal Strategic Sourcing Initiative, 7510-01-315-9110, Clear, Diameter: 9/16, Hole: 1/4", BX(contains 200 EA), \$1.57

Federal Strategic Sourcing Initiative, 7510-00-171-1123, White, Diameter: 9/16, Hole: 1/4", BX(contains 200 EA), \$0.82

## Hanging File Folder Tab

Plastic tab for use with hanging file folders includes an aperture for inserting a legend.

*1/3 cut.*

Federal Strategic Sourcing Initiative, 7510-00-053-9662, Clear, 9/16 x 3-1/2", PG(contains 25 EA), \$1.58

Federal Strategic Sourcing Initiative, 7510-01-375-4510, SKILCRAFT, AbilityOne, Clear with White Inserts, PG(contains 25 EA), \$1.66

## Rite in the Rain Generic Tab Set

This pack is designed to use with the Rite in the Rain All-Weather Maxi Planner products. Includes 6 blank tabs.

7510-01-577-8118, 9271-MX, Tan, 8 1/2" x 11", SE, \$17.34

## File Folder Label

High quality, bright white, printer labels are environmentally-friendly. Face sheet is made using 100 percent recycled post-consumer fibers and is processed chlorine-free (PCF). Labels are both acid-free and lignin-free and can safely be recycled. Compatible with both desktop laser and inkjet printers.

**Package contains 50 sheets of 30 labels per sheet (for a total of 1,500 labels).**

*1/3 cut.*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4905, SKILCRAFT, AbilityOne, White, 2/3 x 3-7/16", PG(contains 1500 EA), \$23.67

## File Guide Card

Blank guide card made of pressboard is ideal for individual drawer filing systems. Pressboard tab extends 1/2" above the long edge of the card. Does not have a lower projection.

**Features 1/3-cut tabs in the first position.**

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-988-6520, SKILCRAFT, AbilityOne, Light Green, Legal Size, HD, \$22.32

**Features 1/3-cut tabs in the second position.**

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-988-6516, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$17.76

**Features 1/3-cut tabs in the first or third position.**

*Basis Weight 370 lbs (24" x 36" per 500 sheets)*

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-988-6515, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$18.04

## Slide Fastener Compressor

This compressor is designed to receive paper fastener base prongs and hold them securely. Intended for use with a paper fastener base with 2-3/4" spacing between prongs. Made of tempered steel with a corrosion-resistant finish.

**Replacement compressor for Prong Fasteners**

Federal Strategic Sourcing Initiative, 7510-00-291-0140, SKILCRAFT, AbilityOne, Silver, HD, \$51.80

## Slide Fastener

Slide fastener features compressor type closure and is intended for use in binding together papers and similar printed matter. Made of tempered steel with corrosion-resistant finish.

**One-piece base features 2-3/4" spacing between prongs.**

*Has a 1" binding capacity.*

7510-00-161-4284, SKILCRAFT, AbilityOne, BX(contains 50 EA), \$4.30

*Has a 2" binding capacity.*

Federal Strategic Sourcing Initiative, 7510-00-235-6068, SKILCRAFT, AbilityOne, BX(contains 50 EA), \$7.19

## Stack-a-File

Use this wall or partition mountable filing system as a single file or in multiples. Comes equipped with two screws and double-sided tape for easy installation and is made of plastic.

Federal Strategic Sourcing Initiative, 7520-01-218-2053, Black, 13"W x 7"H x 4"D, PG(contains 2 EA), \$13.03

# Report Covers

## Cover Paper

Durable, vellum-finished paper serves as an attractive cover for protecting documents, manuscripts, programs and periodicals. Ideal for use with staples and various binding machines, this sturdy, long-grain paper has a 65 lbs. basis weight.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

9310-01-083-5211, Vermilion Red, 8-1/2 x 11", BX(contains 2500 SH), \$198.00

## Clip Report Cover

This clip report cover does not require hole punching. Just pull out the clip, insert pages and push the clip back into place. Clear front cover allows title page to be seen.

**30 Sheet Capacity.**

7510-01-415-3566, Black, 8-1/2 x 11", BX(contains 25 EA), \$66.00

## Double-Pocket Report Cover

Double-pocket presentation portfolio handily accommodates supporting materials, including samples, forms or reference materials. Made of coated, leather-grained paper stock. Each pocket is 5" deep x 9-1/2" wide and has a 3/8" capacity for 8-1/2 x 11" paper.

**50 lbs Basis Weight**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-584-2490, SKILCRAFT, AbilityOne, Light Blue, 8-1/2 x 11", BX(contains 25 EA), \$14.58

Federal Strategic Sourcing Initiative, 7510-00-584-2491, SKILCRAFT, AbilityOne, Gray, 8-1/2 x 11", BX(contains 25 EA), \$14.58

Federal Strategic Sourcing Initiative, 7510-01-512-2415, SKILCRAFT, AbilityOne, Red, 8-1/2 x 11", BX(contains 25 EA), \$14.73

Federal Strategic Sourcing Initiative, 7510-00-584-2492, SKILCRAFT, AbilityOne, Tan, 8-1/2 x 11", BX(contains 25 EA), \$14.58

Federal Strategic Sourcing Initiative, 7510-01-512-2414, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 11", BX(contains 25 EA), \$14.73

Federal Strategic Sourcing Initiative, 7510-01-555-2905, SKILCRAFT, AbilityOne, Black, 11 x 8-1/2", BX(contains 25 EA), \$14.20

Federal Strategic Sourcing Initiative, 7510-01-484-4578, SKILCRAFT, AbilityOne, Green, 11 x 8-1/2", BX(contains 25 EA), \$14.73

**Five assorted colors include green, red, yellow, dark blue and light blue.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-316-2302, SKILCRAFT, AbilityOne, Assorted, 9-1/2 x 11-1/2", BX(contains 25 EA), \$14.76

## Report Cover

Two-piece 20-point pressboard binder includes metal prong fasteners and a compressor.

**Bottom end opening; clip located on top.**

**Has a 3" capacity.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7510-00-281-4309, SKILCRAFT, AbilityOne, Red, 8-1/2 x 11", BX(contains 25 EA), \$38.36

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-00-582-4201, SKILCRAFT, AbilityOne, Red, 11 x 8-1/2", BX(contains 25 EA), \$54.29

**Side opening (clip on left side).**

**Has a 6" capacity.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-00-281-4313, SKILCRAFT, AbilityOne, Red, 8-1/2 x 11", BX(contains 25 EA), \$45.76

Embossed-grained coated paper stock presentation cover with label panel. Three double-prong metal fasteners. Has a 3/8" capacity.

**Side opening (clip on left side).**

*35% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-00-582-5398, Blue, 8-1/2 x 11", BX(contains 25 EA), \$12.30

## Page Protector

Clear plastic sheet protects papers, documents or photographs. For use with loose-leaf binders. Punched on 11" side for three-ring binder use. Includes black album paper insert. Accommodates 8-1/2 x 11" sheets.

**Has a shiny finish.**

**Basis Weight 56.00 lbs (+/- 4 LBS) (24" x 36" per 500 sheets)**

7510-00-634-0209, 8 1/2 x 11", BX(contains 50 EA), \$5.38

## Presentation Folder

This glossy laminated presentation folder has dual pockets (inside front and back covers). Accommodates 8-1/2 x 11" sheets, die-cut to hold business card.

Federal Strategic Sourcing Initiative, 7510-01-377-8162, Black, 9 x 11-1/2", BX(contains 25 EA), \$20.21

# Other Folders

## Pocket Folder

Records are easily accessed in this accordion-type folder. Made of two-ply heavy stock, this folder is reinforced with side gussets at least half the height of the pocket. (Without flap or tie.)

**Expanded capacity: 7/8".**

*Basis weight 118 Lbs (24" x 36" per 500 sheets)*

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-285-2915, SKILCRAFT, AbilityOne, Red, Letter Size, EA, \$2.95

**Expanded capacity: 1-3/4". With two gussets.**

*Basis weight 118 Lbs (24" x 36" per 500 sheets)*

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-285-2913, SKILCRAFT, AbilityOne, Red, Letter Size, EA, \$3.49

Federal Strategic Sourcing Initiative, 7530-00-285-2914, SKILCRAFT, AbilityOne, Red, Legal Size, EA, \$3.24

**Expands to 3-1/2" capacity. With four gussets.**

*Basis weight 120 - 240 Lbs (24" x 36" per 500 sheets)*

*Contains 30% Recovered Material, Which Includes 20% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7530-00-285-2917, Letter Size, BX(contains 25 EA), \$14.16

Federal Strategic Sourcing Initiative, 7530-00-285-2916, Legal Size, BX(contains 25 EA), \$19.72

**Expands to 5-1/4" capacity. With six gussets.**

*Basis weight 120 - 240 Lbs (24" x 36" per 500 sheets)*

*Contains 30% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-407-3812, Letter Size, EA, \$3.34

## Wallet Folder

This reliable expanding wallet folder includes a flap for keeping important documents safe. Full-height, cloth-reinforced gusset and sturdy two-ply construction provide extra protection. Flap is scored for easy folding.

**Secured with an elastic loop tie. Expands to 3-1/2". Features four gusset folds.**

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-268-3993, SKILCRAFT, AbilityOne, Red, 9-1/2 x 11-3/4", EA, \$4.80

**Expandable to 3-1/2 Inches.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-483-8889, SKILCRAFT, AbilityOne, Red, 9-1/2 x 11-3/4", PG(contains 5 EA), \$40.17

**Secured with a cloth tape tie.**

**Expands to 3-1/2". Features four gusset folds.**

*Contains 50% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-268-3994, Red, 9-1/2 x 14-3/4", EA, \$3.97

7530-00-281-4847, Red, 10 x 15", EA, \$2.92

## Work Organizer File

Accordion-style pocket folder expands to 15". Covered with leather-patterned paper. (Frame not included.)

**Provides daily filing with pockets numbered 1 through 31.**

**Does not have closing flaps.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-00-286-1723, SKILCRAFT, AbilityOne, Brown, 9-1/2 x 11-3/4", EA, \$12.50

**Features a closing flap.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-437-6369, SKILCRAFT, AbilityOne, Brown, Letter Size, EA, \$24.06

**Features a closing flap and band.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-437-6364, SKILCRAFT, AbilityOne, Brown, Letter Size, EA, \$21.44

**Provides alphabetical indexing from A to Z with 21 pockets.**

**Does not have closing flaps.**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-00-286-1722, SKILCRAFT, AbilityOne, Brown, 9-1/2 x 11-3/4", EA, \$12.14

**Features a closing flap. (NFES #0615).**

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7520-00-833-7343, SKILCRAFT, AbilityOne, Brown, 9-1/2 x 11-3/4", EA, \$19.55

# File Folders (Hanging)

## Hanging File Folder

This high-quality paperboard file folder is ideal for general office use and fits most filing systems. Expands to 2".

**Includes insertable 1/3-cut plastic tabs for easy and convenient labeling.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9497, SKILCRAFT, AbilityOne, Green, Letter Size, BX(contains 25 EA), \$12.68

**Includes insertable 1/5-cut plastic tabs for easy and convenient labeling.**

***Basis Weight 147 lbs minimum (24" x 36" per 500 sheets)***

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9499, SKILCRAFT, AbilityOne, Blue, Letter Size, BX(contains 25 EA), \$13.71

Federal Strategic Sourcing Initiative, 7530-01-364-9498, SKILCRAFT, AbilityOne, Green, Letter Size, BX(contains 25 EA), \$13.20

Federal Strategic Sourcing Initiative, 7530-01-364-9500, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 25 EA), \$13.76

Federal Strategic Sourcing Initiative, 7530-01-364-9501, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 25 EA), \$13.76

Federal Strategic Sourcing Initiative, 7530-01-357-6856, SKILCRAFT, AbilityOne, Blue, Legal Size, BX(contains 25 EA), \$26.12

Federal Strategic Sourcing Initiative, 7530-01-357-6855, SKILCRAFT, AbilityOne, Green, Legal Size, BX(contains 25 EA), \$14.94

Quality paperboard hanging file folder for general office use fits most filing systems.

**Tabs are not included.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9496, SKILCRAFT, AbilityOne, Green, Letter Size, BX(contains 25 EA), \$12.14

Federal Strategic Sourcing Initiative, 7530-01-364-9487, SKILCRAFT, AbilityOne, Green, Legal Size, BX(contains 25 EA), \$14.21

## Box-Bottom Hanging File Folder

This high-quality paperboard hanging file folder is ideal for general office use and fits most filing systems.

**Includes insertable 1/5-cut plastic tabs for easy and convenient labeling.**

***Includes small pockets for holding diskettes, photos or index cards.***

*30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-316-1639, SKILCRAFT, AbilityOne, Assorted, Letter Size, BX(contains 25 EA), \$12.16

This high-quality paperboard hanging file folder is ideal for general office use and fits most filing systems.

**Includes insertable 1/3-cut plastic tabs for easy and convenient labeling.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-357-6854, SKILCRAFT, AbilityOne, Green, Legal Size, BX(contains 25 EA), \$17.97

## Hanging Classification File Folders

Hang this folder in a file cabinet or a desk drawer. Paper is secured using four (4) two-prong fasteners provided at the top of the inside covers and on both sides of the inner 217-lb Kraft dividers. Tyvek gussets expand to 2". Pivoting hangers fold down to allow convenience in carrying. Made of 25-point blue pressboard with 20-point gray pressboard interior.

**4 Sections.**

*30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-372-3102, SKILCRAFT, AbilityOne, Light Blue, Letter Size, BX(contains 10 EA), \$45.42

**6 Sections.**

*30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-621-6198, SKILCRAFT, AbilityOne, Light Blue, Letter Size, BX(contains 10 EA), \$54.95

## Hanging File Folder Tab

Plastic tab for use with hanging file folders includes an aperture for inserting a legend.

**1/5 cut.**

*25% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7510-01-375-0502, SKILCRAFT, AbilityOne, Clear, 9/16 x 2", PG(contains 25 EA), \$1.98

## Hanging File Folder Frame

Frame supports hanging file folders in a filing cabinet. Features a corrosion-resistant steel coating.

**Each holding 200 sheets of 20 lbs Bond Paper.**

7520-00-246-2664, 27"D x 9-3/8"H, EA, \$7.24

## Desktop Hanging File Folder Frame

Desktop rack keeps either letter or legal-size hanging folders at your desk. Holds approximately 25 folders (not included). Black plastic with walnut trim.

7520-01-316-1048, 16"W x 12"D x 11"H, EA, \$11.85

# Card Filing

## Index Card (Rite in the Rain)

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Index Cards are printed on non-glare "Rite in the Rain" paper. Universal Grid (1/4" horizontal lines with faint vertical lines) on the front, blank on the back.**

7530-01-536-2360, Rite in the Rain, 991T, Tan, 3" W x 5" L, PG(contains 100 EA), \$11.06

7530-01-536-2359, Rite in the Rain, 991, Green, 3" W x 5" L, PG(contains 100 EA), \$11.06

## Index Card

Standard index card made from 110 lb.stock.

**Ruled on one side.**

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-247-0318, White, 3"L x 5" W, HD, \$0.52

Federal Strategic Sourcing Initiative, 7530-00-243-9437, White, 8" L x 5" W, HD, \$1.41

**Unruled.**

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-243-9436, White, 5 x 8", HD, \$1.41

## Laser Printer Index Card

Swear-No-Mores perforated index cards are originally 4 x 6" with perforated sides. Cards will not skew in printer or typewriter. Simply type in either direction and rip off the sides for a perfectly typed or printed 3 x 5" card after perforations are removed. Ideal for pocket schedules, speech notes, research notes, etc.

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

7530-01-372-3110, White, 3 x 5", PG(contains 50 EA), \$32.25

## Index Card Kit

The Tactical Index Card Wallet Kit is the perfect fit for the Rite in the Rain tactical index cards. This kit is made of durable and tough Cordura fabric. The cover includes 100 of the 3" x 5" index cards and a #97 (Black) All-Weather Pen. Rite in the Rain All-Weather writing paper is a unique patented paper created specifically for writing field notes in all-weather conditions. For best results, the paper should be written on with a pencil or an All-Weather pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-631-2667, 991T-KIT, Tan, 4" L X 5-3/4" W X 0.5" H, EA, \$41.97

## Card Protector

Transparent plastic card protector has a fold-over top and open sides and is flame resistant.

7510-00-045-9505, 8" L x 5-1/16" W, PG(contains 50 EA), \$14.95

## Card File Box

Board-reinforced file with strong binder cloth includes a follower plate to keep files upright. Interior is covered in dark paper. Label holder and drawer pull are made of metal. Cover is fully removable.

**Has a 10" capacity.**

7520-00-286-6959, Holds 5 x 8" cards, EA, \$18.36

## Tabulating Machine Card

Continuous Tabulating Machine Card used for Army Aircraft forms and records. 7.333" high by 9.500" wide made of 65lb. vellum bristol cover, 1/2" perforated on left and right sides with 3 files holes on top.

7530-01-392-4969, 9-1/2"L x 7-1/3" W, BX(contains 1000 EA), \$177.19



# Optional Forms

## Optional Form

OF 41: Routing and Transmittal Slip.

**10 pads per package, pad consists of 100 sheets.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-935-5862, UNICOR, 5-1/4 x 8", PG(contains 1000 SH), \$12.43

OF 65-A: U.S. Government Messenger Envelope.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-117-8424, UNICOR, 4-1/8 x 9-1/2", BX(contains 200 EA), \$37.41

OF 65-B: U.S. Government Messenger Envelope.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-222-3467, UNICOR, 9-3/4 x 12", BX(contains 250 EA), \$59.43

OF 65-C: U.S. Government Messenger Envelope.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-222-3468, UNICOR, 12 x 16", BX(contains 250 EA), \$121.57

OF 120: Diplomatic Pouch Mail Registration.

**Serialized numbered and bar coded in two positions.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-138-9137, UNICOR, 3-1/8 x 7-1/2", PD(contains 100 EA), \$15.61

OF 297: Emergency Equipment Shift Ticket.

**Consists of a four-part carbonless transfer.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-01-119-5628, UNICOR, 4-1/4 x 6-1/2", BK(contains 25 EA), \$6.10

OF 363: Memorandum of Call.

**100 sheets per pad, 20 pads per package.**

***Form is available online for download and printing. Visit the GSA Forms Library at [www.gsa.gov/reference/forms](http://www.gsa.gov/reference/forms).***

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-634-4018, UNICOR, 4 x 5-1/4", PG(contains 20 EA), \$13.02

# Standard Forms

## Standard Form

SF 66: Official Personnel Folder.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-222-3442, UNICOR, 10 x 11-3/4" (folded), HD, \$60.19

SF 66-C: Merged Records Personnel Folder (MRPF).

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-01-165-7295, UNICOR, 10 x 11-3/4" (folded), HD, \$85.48

SF 66-D: Employee Medical Folder.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-01-209-4939, UNICOR, 10 x 11-3/4" (folded), HD, \$65.24

SF 76: Registration and Absentee Ballot Request-Federal Post Card Application (FPCA).

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-634-5053, UNICOR, 8-1/2 x 11", HD, \$20.22

SF 87: OPM Fingerprint Card. (For use by OPM).

**Form is available online for download and printing. Visit the GSA Forms Library at [www.gsa.gov/reference/forms](http://www.gsa.gov/reference/forms).**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-634-4037, UNICOR, 8 x 8", HD, \$17.09

SF 91: Motor Vehicle Accident Report.

**Form is available online for download and printing. Visit the GSA Forms Library at [www.gsa.gov/reference/forms](http://www.gsa.gov/reference/forms).**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-634-4041, UNICOR, 5-1/2 x 8-1/2" (folded), HD, \$9.69

SF 97-1: The United States Government Certificate to Obtain Title to a Vehicle.

**Single sheet document. THIS IS A SERIALLY NUMBERED CONTROLLED FORM.**

7540-01-509-5208, UNICOR, 8-1/2 x 11", HD, \$55.10

SF 186: Federal Write-In Absentee Ballot for General Elections.

**Consists of ballot, voter instructions and security envelope used by all overseas voters without ballots from the jurisdiction in which they are eligible to vote.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-01-218-4384, UNICOR, HD, \$48.81

SF 261: Crew Time Report.

**Consists of a two-part set. Carbonless transfer.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-01-058-0222, UNICOR, 4-1/4 x 7-1/2", BK(contains 50 EA), \$6.53

SF 600: Chronological Record of Medical Care.

**Form is available online for download and printing. Visit the GSA Forms Library at [www.gsa.gov/reference/forms](http://www.gsa.gov/reference/forms).**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-00-634-4176, UNICOR, 8-1/2 x 11", HD, \$9.60

SF 700: Security Container Information.

**Consists of a three-part carbonless transfer with envelope.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7540-01-214-5372, UNICOR, HD, \$17.79

SF 706: Top Secret (label).

**With six labels to a sheet.**

7540-01-207-5536, UNICOR, 1-1/4 x 2-1/8", PD(contains 50 SH), \$26.15

SF 707: Secret (label).

**With six labels to a sheet.**

7540-01-207-5537, UNICOR, 1-1/4 x 2-1/8", PD(contains 50 SH), \$26.15

SF 708: Confidential (label).

**With six labels to a sheet.**

7540-01-207-5538, UNICOR, 1-1/4 x 2-1/8", PD(contains 50 SH), \$26.15

SF 710: Unclassified (label).

**With eight labels to a sheet.**

7540-01-207-5539, UNICOR, 1-11/16 x 1-3/16", PD(contains 50 SH), \$26.15

SF 712: Classified SCI (label).

**With six labels to a sheet.**

7540-01-267-1158, UNICOR, 1-1/4 x 2-1/8", PD(contains 50 EA), \$23.77

# Copier and Printer Paper

## 100% Postconsumer Paper

This copier paper is environmentally friendly while delivering reliable, high quality performance. This 92 bright paper is excellent for daily use in copiers and printers. Processed chlorine free (PCF) without additional bleaching. Both paper and packaging are recyclable with general office waste.

**2500 loose sheets (no ream wrappers) per box.**

### **Basis Weight 20 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-611-0277, SKILCRAFT, AbilityOne, White, 8 1/2 x 11", BX(contains 2500 EA), \$30.88

**5 reams per box.**

### **Basis Weight 20 lbs**

*Postconsumer Material Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-611-1896, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5 RM), \$32.04

**Legal Size**

### **Basis Weight 20 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-503-8449, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", BX(contains 5000 SH), \$126.53

**Sheets are three-hole punched.**

### **Basis Weight 20 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-503-8445, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$102.70

Federal Strategic Sourcing Initiative, 7530-01-503-8441, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$85.22

7530-01-503-8453, SKILCRAFT, AbilityOne, White, 11 x 17", BX(contains 2500 SH), \$92.93

## 50% Postconsumer Paper

This copier paper is processed chlorine free (PCF) and meets the requirements of JCP 065. This paper also meets Air Force Regulation #AF164-117, Paragraph 2.10.4. Minimum 92 brightness. Acid-free for archival quality.

### **Basis Weight 20 lbs**

*50% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-539-9831, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$67.66

Federal Strategic Sourcing Initiative, 7530-01-539-9835, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", BX(contains 10 RM), \$108.65

Federal Strategic Sourcing Initiative, 7530-01-539-9833, SKILCRAFT, AbilityOne, White, 11 x 17", BX(contains 5 RM), \$90.92

**Paper is three-hole punched.**

### **Basis Weight 20 lbs**

*50% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-539-9832, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$76.62

## 30% Postconsumer Paper

Hassle-free performance in copiers, laser and inkjet printers, plain paper fax machines and multifunction machines. This 92 bright paper provides excellent print contrast. Designed to stay flat and not curl. Perfect for correspondence, as well as presentations.

### **Basis Weight 20 lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-335-2623, White, 8-1/2 x 11", BX(contains 10 RM), \$40.26

**Sheets are not hole punched.**

### **Basis Weight 20 lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-334-7817, White, 8-1/2 x 14", BX(contains 10 RM), \$64.36

## Metric 30% Postconsumer Paper

Metric-size dual-purpose paper for all your copying needs. This paper is not 8-1/2 x 11".

### European cut; Style A4

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-412-5168, SKILCRAFT, AbilityOne, White, Metric A4 210 x 297mm (8.3 x 11.7"), BX(contains 5000 SH), \$84.77

## HP Copier Paper

8-1/2 x 11" Hewlett Packard Brand copier paper.

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-493-2820, Hewlett Packard HPE1120, White, BX(contains 5000 SH), \$81.65

## Convenience Pack Copy Paper

Convenience pack copy paper has a brightness of 92 and is acid free. At 25-lbs it is half the weight of traditional copy paper boxes. Unique design offers easy access to the paper and contains no staples, tape or glue.

Ream wrapped 2,500 sheets.

### Basis Weight 20 lbs

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-562-3259, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 2500 SH), \$29.35

Bulk pack, 2,500 sheets.

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-562-3260, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 2500 SH), \$27.74

## Copier Paper

Long-grain paper is suitable for use in wet toner liquid process copiers.

### 92 Brightness

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-200-2207, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$89.82

### Basis Weight 20 lbs

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-200-2206, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", BX(contains 10 RM), \$115.10

This dual purpose quality paper can be used in high-speed dry toner copiers and on offset duplicating equipment. Archival Quality; Acid Free.

### Basis Weight 20 lbs

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-146-3361, SKILCRAFT, AbilityOne, Blue, 8-1/2 x 11", BX(contains 10 RM), \$87.09

**Sheets are not hole punched.**

### Basis Weight 20 lbs

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-156-4689, SKILCRAFT, AbilityOne, Goldenrod, 8-1/2 x 11", BX(contains 10 RM), \$84.81

This quality paper can be used in high-speed dry toner copiers and on offset duplicating equipment. Has a 20-lb. basis weight.

**Sheets are not hole punched.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-147-6812, SKILCRAFT, AbilityOne, Green, 8-1/2 x 11", BX(contains 10 RM), \$87.19

Federal Strategic Sourcing Initiative, 7530-01-150-0334, SKILCRAFT, AbilityOne, Pink, 8-1/2 x 11",

BX(contains 10 RM), \$88.00

Federal Strategic Sourcing Initiative, 7530-01-147-6811, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 11",

BX(contains 10 RM), \$81.43

Federal Strategic Sourcing Initiative, 7530-01-085-5225, SKILCRAFT, AbilityOne, White, 11 x 17",

BX(contains 5 RM), \$75.40

**Sheets are three-hole punched.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-033-8891, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$71.14

Quality neon-colored copier paper is ideal for promotional materials or any project where you want to catch someone's eye. Chlorine-free.

### Brightness 92+

### Basis Weight 20 lbs

7530-01-398-2680, SKILCRAFT, AbilityOne, Neon Pink, 8-1/2 x 11", RM, \$13.00

Federal Strategic Sourcing Initiative, 7530-01-398-2681, SKILCRAFT, AbilityOne, Neon Blue, 8-1/2 x 11", RM, \$13.90

## All-Weather Copier Paper

All weather Duracopy waterproof copy paper.

### *Basis Weight: 22 lbs*

7530-01-536-2659, 6511, White, 8 1/2 x 11", PG(contains 100 SH), \$61.09

## Rite in the Rain Duracopy

DuraCopy is a synthetic, heat resistant paper created for use in extreme conditions. It is actually waterproof and can even be used under water. Copy or laser print your own waterproof forms. Ideal for any extreme situation. Use in your photocopier or laser printer on both sides. Not for ink-jet printers.

7530-01-662-6369, 6511BP, White, 8 1/2 x 11", PG(contains 500 SH), \$198.35

## Rite in the Rain Copier Paper

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Copier paper allows the user to copy or laser print forms, graphics, documents and worksheets on a paper that can survive in the harshest of weather conditions.**

### *Basis Weight 20 lbs*

7530-01-498-2085, Rite in the Rain P/N 9511, Green, 8-1/2 x 11", PG(contains 200 SH), \$25.89

7530-01-498-2084, Rite in the Rain P/N 9517, Green, 11 x 17", PG(contains 200 SH), \$67.59

7530-01-662-9148, 208511T, Tan, 8 1/2" x 11", PG(contains 500 SH), \$51.82

7530-01-662-6360, 208511G, Green, 8 1/2" x 11", PG(contains 500 SH), \$51.82

7530-01-662-6359, 208511, White, 8 1/2 x 11", PG(contains 500 SH), \$51.82

7530-01-498-2083, Rite in the Rain P/N 8511, White, 8-1/2 x 11", PG(contains 200 SH), \$25.89

7530-01-537-3576, Rite in the Rain 9511T, Desert Tan, 8-1/2 x 11", PG(contains 200 SH), \$25.89

**Copier paper allows the user to copy or laser print forms, graphics, documents and worksheets on a paper that can survive in the harshest of weather conditions. NOT FOR USE ON INK-JET PRINTERS.**

### *Basis Weight 32 lbs*

7530-01-662-6368, 1008511, White, 8 1/2 x 11", PG(contains 500 SH), \$81.45

7530-01-662-6365, 328511, White, 8 1/2 x 11", PG(contains 500 SH), \$62.94

7530-01-536-2663, 9517T, Tan, 11" x 17", PG(contains 200 SH), \$51.82

7530-01-662-6366, 328511G, Green, 8-1/2" x 11", PG(contains 500 SH), \$82.44

7530-01-537-3569, LL8511, White, 8-1/2" x 11", PG(contains 150 SH), \$32.57

## Rite in the Rain Copier Paper (#32)

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Copier paper allows the user to copy or laser print forms, graphics, documents and worksheets on a paper that can survive in the harshest of weather conditions. NOT FOR USE ON INK-JET PRINTERS.**

### *Basis Weight 32 lbs*

7530-01-662-6367, 321117, White, 11" x 17", PG(contains 500 SH), \$125.93

## Bond Paper

Opaque, acid free paper for dual-sided laser, high speed offset and letterpress printing, writing, and high speed copying. 92 brightness

**Regular bond paper gives a crisper image and is designed for use in inkjet or laser printers.**

### *Basis Weight 20 lbs*

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-364-9488, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 EA), \$99.64

Federal Strategic Sourcing Initiative, 7530-00-290-0617, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH) s, \$91.20

7530-00-290-0618, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", BX(contains 5000 SH), \$115.10

Opaque, acid free paper for dual-sided laser, high speed offset and letterpress printing, writing, and high speed copying. 20-lb basis weight paper is 92 bright.

**Writing bond paper is designed for casual applications and is not suitable for halftone reproduction on letterpress.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-077-5386, SKILCRAFT, AbilityOne, Blue, 8-1/2 x 11", BX(contains 5000 SH), \$85.73

7530-00-509-8632, SKILCRAFT, AbilityOne, Green, 8-1/2 x 11", BX(contains 5000 SH), \$85.73, 7530-01-071-9794, SKILCRAFT, AbilityOne, Pink, 8-1/2 x 11", BX(contains 5000 SH), \$85.73

7530-01-077-5387, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 11", BX(contains 5000 SH), \$85.73

7530-01-071-9795, SKILCRAFT, AbilityOne, Salmon, 8-1/2 x 11", BX(contains 5000 SH), \$85.73

Federal Strategic Sourcing Initiative, 7530-01-078-5649, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$103.44

This archive quality paper is for use in high-speed photocopiers, laser printers, plain-paper fax or impact-type computer printers.

**Basis Weight 20 lbs**

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-398-2652, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$79.62

This paper has perforations that divides the sheet of paper into three equal parts. Allows paper to be fed through laser and inkjet printers

**Basis Weight 20 lbs**

Comprehensive Procurement Guideline Compliant

7530-01-315-1877, White, 8-1/2 x 14", BX(contains 5000 SH), \$112.70

## HP Wide Format Bond Paper

This 95 bright white bond paper for high contrast on all of your large format printouts, features a specially treated matte surface consistently produces crisp line resolution and high-contrast color prints. For use with Inkjet printers.

**Basis Weight 24 lbs**

*24-month maximum shelf life (extendable); 30% Postconsumer Material, Which Includes 30% Recovered Material*

Federal Strategic Sourcing Initiative, 7530-01-556-2578, C1860A, White, 24" W x 150' L, RO(contains 150 FT), \$20.87

## U.S. Federal Seal Eagle Watermark Paper

For official government correspondence and documents that require authenticity and security. For laser printers, high speed copiers, and offset printing. Acid-free for archival quality. U.S. Federal Seal Eagle Watermark Paper

**87 Brightness**

**Basis Weight: 16 lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-290-0599, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$111.17

**92 Brightness**

**Basis Weight 20 lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-200-2203, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$91.71

## Index Paper

This sturdy paper stock is the right choice for generating posters or index cards.

**Chemical wood-pulp paper.**

**Basis Weight 110 lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

9310-00-955-0217, White, 8-1/2 x 11", BX(contains 2000 SH), \$110.40

## Ink Jet Paper

HP wide format roll paper is perfect for everyday black and color line drawings. Inkjet paper offers a specially treated surface which dries fast and consistently produces crisp line resolution and high-contrast color prints. 95 Brightness

**For use with HP DesignJet printers.**

**Basis Weight 24 lbs**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7530-01-500-5416, White, 36" x 300', RO(contains 300 FT), \$44.60

## Facsimile Paper

2-1/4" x 82' for use in B-G Printers PP101, 201 and 1320. This high quality facsimile grade thermal paper is rolled with sensitive side out and a red marker line on the last meter. Paper is white.

7530-01-458-3930, White, 2-1/4" x 82', BX(contains 48 EA), \$201.00

## Large-Format Paper

Copier paper specifically used for the HP Design Jet 300, 400, 700, 1000 and 2000CP and 3000CP Series Printers. Semi-gloss coated paper comes in a roll.

**Basis Weight 24 lbs**

Federal Strategic Sourcing Initiative, 7530-01-476-2079, White, 36" x 150', EA, \$57.57

## Multi-Part Computer Paper

Continuous, flat-fold computer paper is intended for use in a variety of printers (including Autodin) and features holes punched on both margins for a smooth sprocket feed. Vertical margin perforations are located 1/2" from left and right sides of each sheet.

**Two-part set. Carbonless.**

**Basis Weight: 12 - 15 lbs**

*36-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-144-9600, White, 9-1/2"W x 11"L, BX(contains 1500 EA), \$83.48

## Single-Part Computer Paper

Continuous, flat-fold computer paper is intended for use in a variety of printers (including Autodin) and features holes punched on both margins for a smooth sprocket feed. Vertical margin perforations are located 1/2" from left and right sides of each sheet.

**Basis Weight 20 lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-800-0996, White, 9-1/2"W x 11"L, BX(contains 2300 SH), \$41.53

# Pads and Writing Paper

## Spiral Notebook

Three subject Spiral Notebook with side opening, college rule and flush dividers. Featuring 17 lb. acid free archive quality paper. 150 sheets per notebook.

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2020, SKILCRAFT, AbilityOne, White, 6" x 9 1/2", PG(contains 3 EA), \$10.65

## Lined Writing Pad

100% chlorine-free perforated pad features a green leatherette tape-bound top stamped with "SKILCRAFT". Sheets are legal ruled and have double horizontal line on one side. 50 sheets per pad. Sheets are ruled with red vertical margins on one side with blue horizontal ruled lines.

**Basis Weight 20 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-516-9626, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", DZ, \$22.54

This memorandum pad is bound on top and contains 100 sheets of 16-lb. basis weight paper. Sheets are narrow-ruled on two sides.

**50% Recycled**

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-516-7581, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", DZ, \$20.25

This memorandum pad is bound on top and contains 100 sheets of paper of 16-lb basis weight paper. Sheets are ruled on both sides.

**Single-line margin.**

*Contains 50% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-124-7632, SKILCRAFT, AbilityOne, Canary, 8-1/2 x 14", DZ, \$22.80

# Writing Pads

## Engineer's Computation Pad

Three-hole punched on the 11" side, pad is ruled Quadrille five squares per inch on one side and has a marginal ruling on other side. Every 5th line heavy ruled; 50 lines per page. 25 equal sections. Cross sectional ruling. Line color is green. Binding location is on the top side. Unperforated. SFI Certified.

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-764-0565, Green, 8-1/2 x 11", PD(contains 100 SH), \$16.23

## Lined Writing Pad

Pad features a leatherette-stitched tape top, double-line margin and perforated sheets. Sheets are wide ruled on both sides with red ruled lines; Brown binding. The binding strip material is artificial leather stamped with "SKILCRAFT" and the recycled logo. Each pad contains 50 sheets.

**Legal ruled.**

**Basis weight 16 lb**

*50%, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-372-3107, SKILCRAFT, AbilityOne, White, 5 x 8", DZ, \$13.00

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-372-3108, SKILCRAFT, AbilityOne, White, 8-1/2 x 11-3/4", DZ, \$20.59

Federal Strategic Sourcing Initiative, 7530-01-372-3109, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", DZ, \$22.48

Sheets are wide ruled on both sides with blue horizontal ruled lines. Headstrip style pad.

**Legal ruled.**

**Basis weight 16 lb.**

*50%, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-356-6726, SKILCRAFT, AbilityOne, Yellow, 5 x 8", DZ, \$14.31

Pad features a leatherette-stitched tape top, double-line margin and perforated sheets. Sheets are wide ruled on both sides with red ruled lines; Brown binding. The binding strip material is artificial leather stamped with "SKILCRAFT" and the recycled logo. Each pad contains 50 sheets.

**Legal ruled.**

*50%, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-209-6526, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 14", DZ, \$22.82

Perforated sheets are ruled on one side with blue horizontal ruled lines. Each pad contains 50 sheets.

**Legal ruled.**

**Basis weight 16 lb.**

*50%, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-356-6727, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 11-3/4", DZ, \$20.95

This memorandum pad is bound on top and contains 100 sheets of paper of 16-lb basis weight paper. Sheets are ruled on both sides.

**Basis Weight 16 lbs**

*50%, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-124-5660, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", DZ, \$23.28

Perforated with blue Tyvek binding. Ruled on both sides. Each pad contains 50 sheets.

**Basis weight 16 lb**

*50%, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-447-1355, SKILCRAFT, AbilityOne, White, 5 x 8", DZ, \$9.11

*30% Postconsumer Material, Which Includes 30% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-447-1353, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", DZ, \$17.16

100% chlorine-free perforated pad features a green leatherette tape-bound top stamped with "SKILCRAFT". Sheets are legal ruled and have double horizontal line on one side. 50 sheets per pad. Junior Size Pad

**Basis Weight 20 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-516-9629, SKILCRAFT, AbilityOne, White, 5 x 8", DZ, \$13.00

100% chlorine-free perforated pad features a green leatherette tape-bound top stamped with "SKILCRAFT". Sheets are legal ruled and have double horizontal line on one side. 50 sheets per pad. Sheets are ruled with red vertical margins on one side with blue horizontal ruled lines.

**Basis Weight 20 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-516-9627, SKILCRAFT, AbilityOne, White, 8-1/2 x 11-3/4", DZ, \$21.22



# Notebooks

## Spiral Notebook

Single subject Spiral Notebook with side opening, college rule, micro-perforation and 3-hole punch. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. 80 sheets per notebook.

### **Basis Weight 17 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-600-2028, SKILCRAFT, AbilityOne, White, 8 1/2" x 11", PG(contains 3 EA), \$6.58

Single subject Spiral Notebook with side opening, college rule, micro-perforation and 3-hole punch. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. 100 sheets per notebook.

### **Basis Weight 17 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2025, SKILCRAFT, AbilityOne, White, 8 1/2" X 11", PG(contains 3 EA), \$9.09

Single subject Spiral Notebook with side opening and college rule. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. 80 sheets per notebook.

### **Basis Weight 17 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2013, SKILCRAFT, AbilityOne, White, 5" X 7 1/2", PG(contains 6 EA), \$12.45

Five subject spiral notebook with side opening, college rule and flush dividers. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. 200 sheets per notebook. College-ruled. Process Chlorine Free.

### **Basis Weight 17 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-600-2015, SKILCRAFT, AbilityOne, White, 8 1/2" x 11", EA, \$5.08

## Notebook Book

College ruled spiral bound notebook features 3 hole side punch and microperforation for easy tear out. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. Each single subject book contains 70 sheets.

### **Basis Weight 16 lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-01-396-3414, White, 8-1/2 x 11", EA, \$3.20

## Steno Pad

Steno Pad with top opening and Gregg rule. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. Faint red center line. 60 sheets per pad.

### **Basis Weight 17 lbs**

*Contains 100% Recovered Material, Which Includes 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2029, SKILCRAFT, AbilityOne, White, 6" x 9", PG(contains 6 EA), \$10.15

## Lined Writing Pad

These mini-sized pads contain fifty pages with narrow ruled blue lines. Wire spiral bound at top of the page. Twelve pads per package.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-454-7392, SKILCRAFT, AbilityOne, White, 3-1/4 x 5-1/2", DZ, \$9.09

## Stenographer's Notebook

Gregg method design spiral bound notebook features horizontal lines that are 3/8" apart and one vertical center line, creating two columns.

**Pad contains 80 sheets**

### **Basis Weight 16 lbs**

*Postconsumer Material Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-223-7939, SKILCRAFT, AbilityOne, White, 6 x 9", PG(contains 12 EA), \$26.27

**Package contains one each of green, gold and pink paper. Pad contains 60 sheets.**

### **Basis Weight 20 lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-454-5702, SKILCRAFT, AbilityOne, Assorted, 6 x 9", PG(contains 3 EA), \$7.69

## Memorandum Book

Pressboard cover is bound by a flexible wire-coil spiral. One-subject style contains 50 sheets that are ruled on both sides.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-286-6952, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", PG(contains 12 EA), \$26.35

## Rite in the Rain Notebook

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

Has a tough Field-Flex cover that will withstand the rigors of battle while fitting comfortably into your BDU pocket. Pages are printed on non-glare "Rite in the Rain" all-weather paper. Each sheet is perforated for easy removal. Universal Pattern for notes and scaled drawings. The Field Book also contains 16 pages of tactical reference material. 160 pages (80 sheets).

7530-01-498-1873, Rite in the Rain P/N 980, Green, 4-5/8 x 7-1/4", EA, \$12.06

7530-01-505-3661, Rite in the Rain P/N 980T, Tan, 4-5/8 x 7-1/4", EA, \$12.06

These spiral bound notebooks have 100 Universal pages (50 sheets). With the Universal Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Binding is top spiral wire, cover is polydura.

*Fits easily in a hip pocket.*

*Contains 80% Recovered Material, Which Includes 80% Postconsumer Material*

7530-01-498-2078, Rite in the Rain P/N 946, Green, 4 x 6", EA, \$3.67

7530-01-505-3660, Rite in the Rain P/N 946T, Tan, 4 x 6", EA, \$3.67

*Fits easily in a shirt pocket.*

7530-01-498-2080, Rite in the Rain P/N 935, Green, 3 x 5", EA, \$2.93

7530-01-505-3705, Rite in the Rain 935T, Tan, 3 x 5", EA, \$2.93

The Rite in the Rain Spiral Notebook Kit is comprised of the following parts: Notebook (1), Pen (1) and Cover (1). The Notebook is green and is held together with an impact resistant Wire-O binding on the side. The pages are made of archival-grade and weather-resistant paper. The Cover is made of a tan cordura fabric which resists moisture and tearing, and features YKK zippers. zip consistently and easily. The black ink in the metal clicker pen writes upside down and through moisture. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-662-6355, green page cover / tan book cov, 7-1/4" L x 4-3/4" W, KT, \$37.01

SIDE Spiral Notebook Kit is comprised of the following parts: Notebook (1), Pen (1) and Cover (1). The Notebook is tan and is held together with an impact resistant Wire-O binding on the side. The pages are made of archival-grade and weather-resistant paper. The Cover is made of a tan cordura fabric which resists moisture and tearing, and features YKK zippers. The black ink in the metal clicker pen writes upside down and through moisture. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-662-6358, tan page cover / tan book cov, 7-1/4" L x 4-3/4" W, KT, \$37.01

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

These spiral bound notebooks have 84 Universal pages (42 sheets). With the Universal Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Side binding spiral wire, cover is polydura.

7530-01-577-8866, 973T-MX, Tan, 8-1/2 x 11", EA, \$14.79

This large side bound notebook is discretely sophisticated with its black fabroid cover and subdued light gray tinted paper. Each book contains 160 pages (80 sheets) of a dark gray Universal page pattern.

7530-01-662-6363, 770F-LG, Black, 8-3/4" L x 6-3/4" W, EA, \$18.48

These spiral bound notebooks have 64 Universal pages (32 sheets). With the Universal Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Side binding spiral wire, cover is polydura.

7530-01-577-8867, 973-T, Tan, 7" L x 4-5/8" W, EA, \$5.66

All-weather Mini-Stapled notebook is printed on white Universal paper. Features a yellow Field-Flex cover. 24 numbered pages (12 sheets).

7530-01-642-7768, Rite in the Rain 371FX-M, White, 4-5/8" L x 3-1/4" W, PG(contains 3 EA), \$7.12

All-weather Stapled notebook is printed on white Universal paper. Features a yellow Field-Flex cover. 48 numbered pages (24 sheets).

7530-01-642-7769, Rite in the Rain 371FX, White, 7" L x 4-5/8" W, PG(contains 3 EA), \$11.82

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

This top spiral notebook is discretely sophisticated with its black Polydura Cover and subdued light gray tinted paper. Each book contains 100 pages (50 sheets) of a dark gray Universal page pattern.

7530-01-662-5587, 735, Black, 3" x 5", EA, \$2.93

This side bound notebook is discretely sophisticated with its black field-flex cover and subdued light gray tinted paper. Each book contains 112 pages (56 sheets) of a dark gray Universal page pattern.

7530-01-662-5592, 754, Black, 3-1/2" x 5", EA, \$4.40

## Rite in the Rain Notepad

TOP Spiral All Weather Pocket Notebook contains 50 sheets of universal rule paper. Each sheet weights 4 mil with a size of 4 x 6 In. The Notebook has a white cover and is held together with an impact resistant Wire-O binding on the side. The pages are made of archival-grade and weather-resistant paper. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-545-0371, Paper Color White, Cover white, 6-1/4" L x 4" W, PG(contains 50 SH), \$6.45

**RITE IN THE RAIN BLACK TOP SPIRAL BOOK** The Black 4" x 6" top-spiral notebook. Will survive rain, sweat, mud, Snow, oil, and grease. Legible in bright sunlight. The impact-resistant Wire-O binding won't lose its shape. Polydura cover. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-662-5591, Black Cover; Gray Paper, 4" L x 6" W, EA, \$3.67

**WATERPROOF SYNTHETIC NOTEPAD** top Spiral For demanding underwater applications. PolyDura covers. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-544-9474, White Page Cover, 5-1/8" L x 3" W, PG(contains 50 SH), \$5.08

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**The top spiral notebook features 50 two-sided field interview forms.**

7530-01-536-2653, Rite In The Rain P/N 104, 3 x 5", EA, \$3.62

## Rite in the Rain Tactical Memo Book

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Pages are printed on non-glare paper with fieldflex bound cover. Universal grid (1/4" horizontal lines with faint vertical lines) on both sides of page. Contains 112 universal pages (56 sheets) with standard reference materials on inside covers.**

7530-01-536-2647, 964, Green, 6 x 3 -1/2", EA, \$5.90

7530-01-536-2648, Rite in the Rain 964T, Tan, 6 x 3 -1/2", EA, \$5.90

7530-01-536-2655, Rite in the Rain 954, Green, 5" L x 3-1/2" W, EA, \$4.40

**Pages are printed on non-glare paper with fieldflex bound cover. Universal grid (1/4" horizontal lines with faint vertical lines) on both sides of page. Contains 112 universal pages (56 sheets) with standard reference materials on inside covers.**

7530-01-536-2650, Rite in the Rain 954T, Tan, 3-1/2 x 5", EA, \$4.40

## Rite in the Rain Tactical Spiral Notebook

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Side Spiral and a polydura cover with grey pages.**

7530-01-662-6373, 773, Black, 7" L x 4-7/8" W, EA, \$5.66

## Rite in the Rain Tactical Field Kit

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Tactical field binder with Cordura cover with an inside clear pocket to hold military symbol stencils or index cards. Kit includes Rite in the Rain tactical loose-leaf paper NSN 7530-01-505-3665, tactical reference card set 7610-01-528-5808 and #97 all weather pen NSN 7520-01-498-1876.**

7530-01-536-2652, Rite in the Rain 9200T-Kit, Tan, 8-3/4" L X 6-1/4" W, KT, \$52.57

7530-01-631-2661, 9200M-Kit, Multi-Cam, 8.75" L x 6.25" W, KT, \$52.57

## Rite in the Rain Tactical Field Book

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

7530-01-662-6356, Black Cover, Gray Paper, 8-1/2 x 11", EA, \$22.20

**RITE IN THE RAIN BLACK BOUND BOOK.** durable fabric covers protect your notes from impact and weather. Weather-resistant. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-662-6364, Black Page Cover, 7-1/4" L x 4-3/4" W, EA, \$14.79

## Rite in the Rain Field Book Kit

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions.

**Kit includes Tactical Field Book which features a tough field-flex cover that will withstand the rigors of battle while fitting comfortably into your BDU (battle dress uniform) pocket. Pages are printed on non-glare "Rite in the Rain" all-weather paper which is perforated for easy removal. Notebook features Universal Pattern for notes and scaled drawings and 16 pages of tactical reference material (160 pages, 80 sheets). Also includes the All-Weather Tactical black clicker pen with black ink which works upside down and in temperatures from -30 to 250° F. The Cordura cover will fit all "Rite in the Rain" 4-5/8 x 7" notebooks 4-5/8 x 7-1/4" Field-Flex books, or pocket-sized bound books. Cover has a rugged zipper closure and will hold up to four writing instruments.**

7530-01-631-2660, 980M-KIT, Multi-Cam, 4-5/8 x 7-1/4", KT, \$42.19

7530-01-536-2649, Rite in the Rain 980-KIT, Green, 4-5/8 x 7-1/4", KT, \$42.19

7530-01-536-2651, Rite in the Rain 980T-KIT, Tan, 4-5/8 x 7-1/4", KT, \$42.19

## Rite in the Rain Shirt Cover Kit

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Kit includes Rite in the Rain pocket notebook, pen and cover. Spiral bound notebook includes 100 pages (50 sheets) with Universal Pattern for use in notes or scaled drawings. Includes specific reference material on the back and inside covers. Cover is made of denier cordura nylon with zipper closure and holds up to four writing utensils.**

7530-01-536-2661, Rite in the Rain 935-KIT, Woodland Green, 3 x 5", KT, \$29.60

7530-01-536-2662, Rite in the Rain 935T-KIT, Tan, 3 x 5", KT, \$29.06

7530-01-662-5593, Rite in the Rain 735B-KIT, Black, 3 x 5", KT, \$29.60

7530-01-631-2663, 935M-KIT, Multi-Cam, 3 x 5", KT, \$29.60

## Rite in the Rain Hip Cover Kit

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Kit includes Rite in the Rain pocket notebook, pen and cover. Spiral bound notebook includes 100 pages (50 sheets) with Universal Pattern for use in notes or scaled drawings. Includes specific reference material on the back and inside covers. Cover is made of denier cordura nylon with zipper closure and holds up to four writing utensils.**

7530-01-536-2664, 946-Kit, Green, 7-3/4"W x 5"L, KT, \$30.34

7530-01-631-2665, 946M-KIT, Multi-Cam, 7-3/4" W x 5" L, KT, \$30.34

7530-01-536-2665, 946T-KIT, Tan, 7" W x 5" L, KT, \$30.34

## Rite in the Rain Planner

This is the ultimate Maxi Tactical Field Planner to help anyone stay truly organized. A durable zippered Cordura cover and rust resistant 1" capacity D-ring binder protect the sheets. All pages are printed on Rite in the Rain All-Weather non-glare Tan paper. The Cordura Cover includes adjustable Wrist Strap, Front Zippered Pocket and Velcro Badge Strap along with the writing guard and ruler. Also includes: Weekly planner sheets, Alpha Tab Set, Generic Tab Set and Accessory Pack and a sample of the Daily planner sheets.

**For best results, the paper should be written on with a pencil or Rite in the Rain pen NSN 7520-01-498-2079, 7520-01-498-1876, or 7520-01-544-9467.**

7530-01-631-3699, 9255M, Multi-Cam, 7" x 8-3/4", KT, \$140.59

**RITE IN THE RAIN BLACK PLANNER SET.** Hardy CORDURA fabric and smooth, reliable YKK zippers. Sewn-in pen slots and pouches store everything you'll need to write in the field. Black cover. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-577-7673, 9250B-MX, Black, 13" L x 11-1/4" W, KT, \$83.69

## Rite in the Rain Field Planner Starter Kit

This base kit allows you to build your field planner just the way you want it. A durable zippered Cordura cover and rust resistant 1" capacity ring binder protect the sheets. All pages are printed on Rite in the Rain All-Weather non-glare Tan paper. This start-up kit includes the Cordura Cover with adjustable Wrist Strap, Front Zippered Pocket and Velcro Badge Strap along with the writing guard and ruler.

7530-01-577-7679, 9250B, Black, 7" x 8-1/2", EA, \$59.24

## Rite in the Rain Maxi Field Starter Kit

This base kit allows you to build your field planner just the way you want it. A durable zippered Cordura cover and rust resistant 1" capacity ring binder protect the sheets. All pages are printed on Rite in the Rain All-Weather non-glare Tan paper. This start-up kit includes the Cordura Cover with adjustable Wrist Strap, Front Zippered Pocket and Velcro Badge Strap along with the writing guard and ruler.

7530-01-631-2662, 9250M-MX, Multi-Cam, 11-1/4" x 13", KT, \$83.69

## Rite in the Rain Field-Flex Bound Book

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Has a soft Field-Flex cover that will withstand the rigors of battle while fitting comfortably into your BDU pocket. Pages are printed on non-glare "Rite in the Rain" all-weather paper. Universal Pattern for notes and scaled drawings.**

7530-01-662-6357, 774, Black, 4-5/8" x 7-1/4", EA, \$11.06

# Loose-Leaf Paper

## Rite in the Rain Loose-Leaf Paper

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079. 80 sheets, 160 pages. Perforated.

**Tactical loose-leaf paper has a round six-hole punch to fit a variety of organizers or binders. Pages have horizontal lines on front and 1/4" grid on the back. Fits perfectly with the Rite in the Rain tactical binder (NSN 7510-01-498-2077).**

7530-01-498-2081, Rite in the Rain P/N 982, Green, 4-5/8 x 7", PG(contains 100 SH), \$10.34

**Tactical loose-leaf paper has an oval six-hole punch to fit a variety of organizers or binders. Pages have horizontal lines on front and 1/4" grid on the back. Fits perfectly with the Rite in the Rain tactical binder (NSN 7510-01-505-3664).**

7530-01-505-3665, Rite in the Rain Part #982T, Tan, 4-5/8 x 7", PG(contains 100 SH), \$10.34

7530-01-577-8865, 982T-MX, Tan, 8-1/2" x 11", PG(contains 100 SH), \$13.29

# Specialty Papers

## Coated Paper (H-P)

Coated Paper is perfect for color-accurate prints, working designs and proofs. Premium bright white paper (26 lb. Basis weight).

**Fits Machine Models: 5500/5000 and 1000 Series Printers.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7530-01-534-6186, C6980A, Bright White, 36" x 300', RO(contains 300 FT), \$105.54

## Perma Paper

Paper has a double coated polyester film that is waterproof, tearproof, and archivable. For use in all laser printers, copiers and offset printers. Brightness 96%.

*Basis Weight 20 lbs*

7530-01-446-8291, White, 8-1/2 x 11", BX(contains 100 SH), \$74.25

## Index Paper

This sturdy paper stock is the right choice for generating posters or index cards.

**Chemical wood-pulp paper.**

*Basis Weight 110 lbs*

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

9310-00-955-0218, Green, 8-1/2 x 11", BX(contains 2000 SH), \$160.50

## Ruled Loose-Leaf Paper

Horizontally ruled white paper, for use in 3- ring loose leaf binders.

*Basis Weight 16 lbs*

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-286-4339, SKILCRAFT, AbilityOne, White, 8-1/2" x 11", HD, \$2.61

## Laser Business Cards

Create professional looking business cards yourself with these micro-perforated sheets which separate easily. Edges are clean and smooth. Each 8-1/2 x 11" sheet contains 10 cards, 25 sheets per box for a total of 250 cards. For use with most laser printers.

*Contains 50% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-418-1504, Ivory, Card Size: 2 x 3-1/2", BX(contains 25 SH), \$19.55

7530-01-418-1282, White, Card Size: 2 x 3-1/2", BX(contains 25 SH), \$8.16

## Laser Tent Card

Self-standing for easy reading at meetings, presentations, or conferences.

Federal Strategic Sourcing Initiative, 7530-01-449-6945, White, Card Size: 3-1/2 x 11", PG(contains 50 EA), \$12.78

## Parchment Paper

Genuine, long-grain parchment paper is perfect for certificates and awards. This attractive paper features a mottled finish.

*Basis Weight 60 lbs*

7530-01-134-2873, Off-White, 25 x 38", PG(contains 500 EA), \$479.55

## Carbon Paper

Specially designed for use with manual and electric typewriters. Corners are cut for easy removal, and the carbon will not smudge or slip.

*Contains 20% Recovered Material*

7530-00-244-4035, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, 8-1/2 x 11", HD, \$10.44

## Plotting Sheet Paper

Film sheet of clear plastic polyester is printed on one side for use with pencil or drafting ink. Printed on the reverse side is a 1000m black line grid. Scaled 1 to 25,000, this sheet paper is ideal for determining artillery ranges and deflection angles.

7530-00-656-0813, Clear, 30 x 41-1/2", DZ, \$244.05

7530-00-656-0812, Clear, 35 x 47", DZ, \$325.05

7530-00-656-0811, Clear, 22-1/2 x 30", DZ, \$136.05

## HP Plotter Paper

The bond plotter paper is designed for black-and-white or monochrome plotting applications. It can be used in modern inkjet plotters and replaces genuine Hewlett Packard opaque bond for pen plotters

*Basis Weight 20 lbs*

Federal Strategic Sourcing Initiative, 7530-01-243-1061, 36 X 150 FT, RO(contains 150 FT), \$19.49

# Labels

## Address Label

This repositionable mailing label with re-adhesive technology, you can remove and reapply without damaging the label or envelope. The adhesive becomes permanent over time and is guaranteed not to fall off. Works on Laser and Inkjet Printers.

**Package contains 25 sheets of 30 labels per sheet (for a total of 750 labels).**

*100% Postconsumer Material Contains 100% Recovered Material*

Federal Strategic Sourcing Initiative, 7530-01-398-2662, White, Label Size: 2-5/8 x 1", BX(contains 25 SH), \$7.07

## Laser and Inkjet Name Badges

High quality, bright white, printer labels are environmentally-friendly. Face sheet is made using 100 percent recycled post-consumer fibers and is processed chlorine-free (PCF). Labels are both acid-free and lignin-free and can safely be recycled. Compatible with both desktop laser and inkjet printers.

**Box includes 50 sheets of eight name badges each (for a total of 400 badges).**

*18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material*

7530-01-578-9299, SKILCRAFT, AbilityOne, White, Label Size: 2-1/3" x 3-3/8", BX(contains 400 EA), \$25.30

## Recycled Laser and Inkjet Labels

High quality, bright white, printer labels are environmentally-friendly. Face sheet is made using 100 percent recycled post-consumer fibers and is processed chlorine-free (PCF). Labels are both acid-free and lignin-free and can safely be recycled. Compatible with both desktop laser and inkjet printers.

**Box contains 100 sheets of 80 labels per sheet (for a total of 8,000 labels).**

*60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4911, SKILCRAFT, AbilityOne, White, 1/2 x 1-3/4", PG(contains 8000 EA), \$28.97

**Box includes 100 sheets with 30 labels each (for a total of 3,000 labels).**

*18-month maximum shelf life (not extendable); 60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4904, SKILCRAFT, AbilityOne, White, 1 x 2-5/8", PG(contains 3000 EA), \$23.62

**Box contains 100 sheets with 20 labels each (for a total of 2,000 labels).**

*18-month maximum shelf life (not extendable); 60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4913, SKILCRAFT, AbilityOne, White, 1 x 4", PG(contains 2000 EA), \$23.02

**Box contains 100 sheets with 10 labels each (for a total of 1,000 labels).**

*18-month maximum shelf life (not extendable); 60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4903, SKILCRAFT, AbilityOne, White, 2 x 4", PG(contains 1000 EA), \$23.46

**Box includes 25 sheets with 30 labels each (for a total of 750 labels).**

*18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-578-9292, SKILCRAFT, AbilityOne, White, Label Size: 1 x 2-5/8", PG(contains 750 EA), \$8.89

**Box includes 250 sheets with 30 labels each (for a total of 7,500 labels).**

*18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-578-9290, SKILCRAFT, AbilityOne, White, Label Size: 1 x 2-5/8", BX(contains 7500 EA), \$45.55

**Box includes 25 sheets with 20 labels each (for a total of 500 labels).**

*18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-578-9296, SKILCRAFT, AbilityOne, White, Label Size: 1 x 4", PG(contains 500 EA), \$8.02

**Box contains 25 sheets with 10 labels each (for a total of 250 labels).**

*18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-578-9293, SKILCRAFT, AbilityOne, White, Label Size: 2 x 4", PG(contains 250 EA), \$8.02

**Box includes 100 sheets with one label each (for a total of 100 labels).**

*18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material*

7530-01-578-9298, SKILCRAFT, AbilityOne, White, Label Size: 8-1/2 x 11", BX(contains 100 EA), \$24.60

**Box contains 250 sheets with 10 labels each (for a total of 2500 sheets).**

*36-month maximum shelf life (not extendable); 100% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-647-1413, SKILCRAFT, AbilityOne, White, 2 X4", BX(contains 250 SH), \$47.21

**Box contains 100 sheets with 14 labels each (for a total of 1,400 labels).**

*36-month maximum shelf life (not extendable); 60% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-01-673-6513, AbilityOne, White, 1-1/3" x 4", PG(contains 100 SH), \$28.87

## Recycled Copier Labels

Versatile, self-adhesive labels feed automatically from paper tray.

**Package contains 100 sheets of 10 labels per sheet (for a total of 1,000 labels).**

*18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material*

7530-01-587-2621, SKILCRAFT, AbilityOne, White, Label Size: 2 x 4-1/4", BX(contains 100 SH), \$26.05

## Printer Label

Versatile, self-adhesive labels feed automatically from paper tray.

**Package contains 100 sheets of 14 labels per sheet (for a total of 1,400 labels).**

Federal Strategic Sourcing Initiative, 7530-01-302-5504, SKILCRAFT, AbilityOne, White, Label Size: 1-1/3"L x 4"W, BX(contains 100 EA), \$28.71

**Package contains 100 sheets of 6 labels per sheet (for a total of 600 labels).**

Federal Strategic Sourcing Initiative, 7530-01-349-4464, SKILCRAFT, AbilityOne, White, Label Size: 3-1/3"L x 4"W, PG(contains 100 SH), \$29.87

**Full sheet label. 100 Labels per box.**

Federal Strategic Sourcing Initiative, 7530-01-349-4463, SKILCRAFT, AbilityOne, White, Label Size: 8-1/2" W x 11" L, PG(contains 100 SH), \$28.27

**Package contains 100 sheets with 30 labels each (for a total of 3,000 labels).**

7530-01-289-8191, AbilityOne, White, Label Size: 1"L x 2-5/8"W, BX(contains 100 SH), \$31.62

**Package contains 100 sheets of 10 labels per sheet (for a total of 1,000 labels).**

Federal Strategic Sourcing Initiative, 7530-01-336-0540, AbilityOne, White, Label Size: 2"L x 4"W, BX(contains 100 SH), \$34.95

Designed for laser or inkjet printer use.

**Package contains 50 sheets of 10 labels per sheet (for a total of 500 labels).**

Federal Strategic Sourcing Initiative, 7530-01-514-4909, SKILCRAFT, AbilityOne, Clear, 2 x 4-1/8", PG(contains 500 EA), \$31.54

## CD/DVD Printer Labels

Box includes 40 matte-finish CD labels. Each label features permanent adhesive that will not damage discs or peel off in CD drive.

*100% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7530-01-502-6508, Fellowes P/N 99942, PG(contains 40 EA), \$11.71

## Pressure Sensitive Label

Pressure sensitive removable label. ( A2).

**890 labels per roll.**

*6-month maximum shelf life (extendable).*

7530-01-353-0571, White, 4" W x 6" L, RO(contains 500 FT), \$43.97

## Labels

The common applications for polyester labels include company asset labels and other identification labels, asset labels and property labels used for identification of property, equipment and electronics. They are durable, waterproof, tearproof, and scratch and heat resistant. These labels can withstand harsh environments, including high heat, sunlight, and UV.

**4" x 6" white polyester label. For use on Zebra 4000 Printer. 1000 labels per roll.**

Federal Strategic Sourcing Initiative, 7530-01-475-9611, White, 4" X 6 " inches, RO(contains 1000 EA), \$17.48

Long A-2 Rectangular shape labels.

**Roll form with 350 labels per roll and 2 rolls per box for a total of 700 labels.**

Federal Strategic Sourcing Initiative, 7530-01-379-2211, White, 1-1/8" x 3.5", BX(contains 700 EA), \$15.95

A1 square, 4"x4", versatile, tear-resistant, tag/label combinations for multiple uses and can withstand a variety of conditions. Can be used on Tec and Zebra printers B-452-TC-QQMT, Z4M, Z4000 and Z6000. Thermal adhesive tags.

**The box contains 1000 labels per package 6 packages per case.**

7530-01-511-7590, White, BX(contains 6000 EA), \$419.89

## Copier Machine Label

Address label for plain paper dry toner and laser printer/copiers.

**Package contains 100 sheets of 33 labels per sheet (for a total of 3,300 labels).**

*18-month maximum shelf life (extendable); 100% Postconsumer Material*

7530-01-086-4518, SKILCRAFT, AbilityOne, White, Label Size: 1.00"L x2.83" W, BX(contains 100 SH), \$22.78

## Weatherproof Labels

Weatherproof label provides strong protection for harsh environments and conditions. This durable polyester label features a strong adhesive for a variety of surfaces. Can be used with most laser printers.

**Package contains 50 sheets of 30 labels per sheet (for a total of 1500 labels).**

Federal Strategic Sourcing Initiative, 7530-01-498-9209, White, Label Size: 1" x 2-5/8", BX(contains 1500 EA), \$27.92

*36-month maximum shelf life (not extendable).*

7530-01-673-6516, AbilityOne, White, 1" x 2-5/8", PG(contains 50 SH), \$24.83

**Package contains 50 sheets of 6 labels per sheet (for a total of 300 labels).**

*36-month maximum shelf life (not extendable).*

7530-01-673-6217, AbilityOne, White, 3-1/3" x 4", PG(contains 50 SH), \$31.33

**Package contains 50 sheets of 10 labels per sheet (for a total of 500 labels).**

7530-01-498-9208, White, Label Size: 4 x 2", BX(contains 500 EA), \$66.13

*36-month maximum shelf life (not extendable).*

7530-01-673-6220, AbilityOne, White, 2" x 4", PG(contains 50 SH), \$32.98

**Package contains 25 sheets of 14 labels per sheet (for a total of 350 labels).**

Federal Strategic Sourcing Initiative, 7530-01-498-9207, White, Label Size: 4" x 1-1/3", BX(contains 700 EA), \$47.85

**Package contains 2 labels per sheet, 50 sheets per box.**

Federal Strategic Sourcing Initiative, 7530-01-498-9211, White, Label Size: 5-1/2 x 8-1/2", BX(contains 100 EA), \$33.90



# Boxes and Shipping Containers

## Banker Storage/Filing Box

Storage files feature durable multiple-thickness, corrugated fiberboard construction. Designed with smooth rolled edges, tote handles, lift-off lid and a large labeling area.

**Holds letter size files. Stacking strength: 450 lbs.**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-349-8776, White/Blue, 12"W x 10"H x 15"D, DZ, \$29.88

**Holds letter size files. Stacking strength: 650 lbs.**

*Contains 25% Recovered Material, Which Includes a Minimum of 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-316-2160, Off-White, 12"W x 10"H x 24"D, BD(contains 12 EA), \$56.51

**Box is secured by a flap, string and button closure.**

**Holds letter size files. Stacking strength: 500-lbs.**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7520-01-316-2158, White/Blue, 12"W x 10"H x 24"D, BD(contains 12 EA), \$100.80

**Holds legal size files. Stacking strength: 550-lbs.**

*50% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7520-01-316-2159, White/Blue, 15"W x 10"H x 24"D, BD(contains 12 EA), \$51.32

## Corrugated Box

This corrugated, fiberboard shipping box features overlapped, glued joints or butted, taped joints. (Dimensions shown below are inside dimensions in order of length, width and depth.)

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

8115-01-166-6462, 10" x 20" x 10", EA, \$101.40

**Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 65 lbs. IAW ASTM 5118**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-179-0575, 12 x 10 x 8", BD(contains 25 EA), \$20.82

8115-00-290-3370, 12 x 12 x 12", BD(contains 25 EA), \$44.56

8115-00-290-3387, 18 x 18 x 18", BD(contains 15 EA), \$44.73

8115-00-290-3394, 25 x 20 x 5", BD(contains 15 EA), \$39.73

8115-00-179-0570, 10 x 8 x 6", BD(contains 25 EA), \$29.33

8115-00-290-3376, 14 x 14 x 8", BD(contains 25 EA), \$55.78

8115-00-290-3365, 8 x 4 x 4", BD(contains 25 EA), \$28.17

**Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lbs. IAW ASTM 5118**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-179-0580, 18 x 14 x 18", BD(contains 25 EA), \$56.12

8115-00-079-8989, 32 x 15 x 15", BD(contains 15 EA), \$45.89

8115-00-079-8680, 12 x 12 x 12", BD(contains 25 EA), \$30.65

8115-00-079-8681, 14 x 12 x 6", BD(contains 25 EA), \$25.87

8115-00-179-0578, 16 x 10 x 8", BD(contains 25 EA), \$27.48

8115-00-079-8697, 16-1/2 x 12 x 10", BD(contains 25 EA), \$31.91

8115-00-079-8745, 16 x 16 x 16", BD(contains 15 EA), \$28.06

8115-00-179-0579, 18 x 12 x 10", BD(contains 25 EA), \$40.02

8115-00-079-8823, 20 x 20 x 20", BD(contains 15 EA), \$46.48

8115-00-079-8825, 24 x 12-1/2 x 10", BD(contains 15 EA), \$36.80

8115-00-079-8679, 12 x 12 x 4", BD(contains 25 EA), \$30.02

8115-00-079-8459, 9 x 9 x 9", BD(contains 25 EA), \$23.58

8115-00-183-9501, SKILCRAFT, AbilityOne, 8 x 8 x 6", BD(contains 25 EA), \$28.04

8115-00-183-9498, SKILCRAFT, AbilityOne, 8 x 8 x 8", BD(contains 25 EA), \$31.84

8115-00-183-9497, SKILCRAFT, AbilityOne, 10 x 8 x 6", BD(contains 25 EA), \$31.29

8115-00-183-9494, SKILCRAFT, AbilityOne, 10 x 10 x 8", BD(contains 25 EA), \$43.29

8115-00-183-9493, SKILCRAFT, AbilityOne, 12 x 8 x 8", BD(contains 25 EA), \$38.39

8115-00-190-4950, SKILCRAFT, AbilityOne, 9 x 6 x 6", BD(contains 25 EA), \$27.17

**Special full-flap, slotted box has a bursting strength of 350 psi. Outer flaps overlap the full length of the box; inner flaps meet in the center. Style SFF. Maximum weight of box and contents is 120 lbs. IAW ASTM 5118**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-179-0550, 23-1/2 x 15 x 15", BD(contains 15 EA), \$106.12

**Slotted box with overlap and liner has a bursting strength of 350 psi. Outer flaps partially overlap; with short inner flaps. Style OSC-L. Maximum weight of box and contents is 120 lbs. IAW ASTM 5118**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-682-6820, 23-1/2 x 15 x 15", BD(contains 15 EA), \$86.88

**Regular-slotted box has a bursting strength of 125 psi. Features four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 20 lbs. IAW ASTM 5118**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-290-5494, 8 x 5 x 4-1/2", BD(contains 25 EA), \$12.19

**Single-walled weather-resistant box. Regular-slotted box has a bursting strength of 175 psi. With four flaps on top and on bottom. Outer flaps meet when closed; with short inner flaps. Style RSC. Maximum weight of box and contents is 50 lbs. IAW ASTM 5118**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-183-9503, SKILCRAFT, AbilityOne, 6 x 6 x 6", BD(contains 25 EA), \$22.82

**Regular-slotted box has a bursting strength of 400 psi. Features four flaps on top and on bottom; outer flaps meet when closed. IAW ASTM 5118**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-190-4959, SKILCRAFT, AbilityOne, 10 x 10 x 10", BD(contains 25 EA), \$54.20  
 8115-00-176-8062, SKILCRAFT, AbilityOne, 12 x 10 x 10", BD(contains 25 EA), \$59.10  
 8115-00-229-9340, SKILCRAFT, AbilityOne, 12 x 12 x 6", BD(contains 25 EA), \$58.01  
 8115-00-417-9378, SKILCRAFT, AbilityOne, 12 x 12 x 8", BD(contains 25 EA), \$64.00  
 8115-00-183-9490, SKILCRAFT, AbilityOne, 12 x 12 x 10", BD(contains 25 EA), \$68.14  
 8115-00-183-9491, SKILCRAFT, AbilityOne, 12 x 12 x 12", BD(contains 25 EA), \$76.53  
 8115-00-418-4653, SKILCRAFT, AbilityOne, 12 x 12 x 16", BD(contains 25 EA), \$88.53  
 8115-00-418-4656, SKILCRAFT, AbilityOne, 12 x 12 x 20", BD(contains 25 EA), \$94.75  
 8115-00-183-9488, SKILCRAFT, AbilityOne, 14 x 12 x 8", BD(contains 25 EA), \$67.22  
 8115-00-183-9489, SKILCRAFT, AbilityOne, 14 x 14 x 12", BD(contains 25 EA), \$95.06  
 8115-00-417-9320, SKILCRAFT, AbilityOne, 14 x 14 x 18", BD(contains 25 EA), \$108.03  
 8115-00-183-9487, SKILCRAFT, AbilityOne, 16 x 12 x 8", BD(contains 25 EA), \$71.62  
 8115-00-183-9484, SKILCRAFT, AbilityOne, 16 x 14 x 12", BD(contains 25 EA), \$94.62  
 8115-00-451-7853, SKILCRAFT, AbilityOne, 16 x 16 x 12", BD(contains 25 EA), \$107.93  
 8115-00-190-5002, SKILCRAFT, AbilityOne, 16 x 16 x 16", BD(contains 25 EA), \$121.44  
 8115-00-190-5007, SKILCRAFT, AbilityOne, 18 x 15 x 10", BD(contains 25 EA), \$100.18  
 8115-00-417-9292, SKILCRAFT, AbilityOne, 18 x 15 x 15", BD(contains 15 EA), \$76.66  
 8115-00-183-9482, SKILCRAFT, AbilityOne, 18 x 18 x 12", BD(contains 15 EA), \$78.06  
 8115-00-428-4185, SKILCRAFT, AbilityOne, 18 x 18 x 18", BD(contains 15 EA), \$93.30  
 8115-00-514-2409, SKILCRAFT, AbilityOne, 18-3/4 x 12-1/4 x 12", BD(contains 15 EA), \$58.99  
 8115-00-275-5777, SKILCRAFT, AbilityOne, 20 x 16 x 16", BD(contains 15 EA), \$84.35  
 8115-00-201-1123, SKILCRAFT, AbilityOne, 20 x 20 x 3-1/2", BD(contains 15 EA), \$72.74  
 8115-00-428-4183, SKILCRAFT, AbilityOne, 20 x 20 x 12", BD(contains 15 EA), \$92.06  
 8115-00-428-4158, SKILCRAFT, AbilityOne, 20 x 20 x 20", BD(contains 10 EA), \$83.21  
 8115-01-163-9189, 24" L x 18" W x 18" D, EA, \$124.78  
 8115-00-417-9236, SKILCRAFT, AbilityOne, 24 x 20 x 16", BD(contains 15 EA), \$109.77  
 8115-00-174-2354, SKILCRAFT, AbilityOne, 24 x 24 x 12", BD(contains 15 EA), \$123.45  
 8115-00-417-9416, SKILCRAFT, AbilityOne, 24 x 24 x 24", BD(contains 3 EA), \$35.36  
 8115-00-579-9155, SKILCRAFT, AbilityOne, 25 x 21 x 15-1/4", BD(contains 10 EA), \$86.53  
 8115-01-166-6449, 26" L x 12" W x 10" D, EA, \$116.47  
 8115-00-656-0912, SKILCRAFT, AbilityOne, 27 x 21-1/2 x 18-3/4", BD(contains 9 EA), \$83.39  
 8115-00-579-9156, SKILCRAFT, AbilityOne, 29-1/2 x 19-1/2 x 19-1/4", BD(contains 10 EA), \$97.38  
 8115-00-190-5017, SKILCRAFT, AbilityOne, 30 x 12 x 6", BD(contains 15 EA), \$61.11  
 8115-00-190-5018, SKILCRAFT, AbilityOne, 30 x 17 x 12", BD(contains 10 EA), \$71.47  
 8115-00-190-5020, SKILCRAFT, AbilityOne, 36 x 14 x 14", BD(contains 10 EA), \$73.73  
 8115-00-598-5807, SKILCRAFT, AbilityOne, 21 x 21-1/2 x 20-1/2, BD(contains 15 EA), \$127.51  
 8115-00-292-0120, 30 x 16 x 16", BD(contains 5 EA), \$92.00  
 8115-00-176-8064, SKILCRAFT, AbilityOne, 16 x 12 x 12", BD(contains 25 EA), \$82.80  
 8115-00-190-5012, SKILCRAFT, AbilityOne, 20 x 8 x 9", BD(contains 15 EA), \$38.08  
 8115-00-417-9321, 14 x 14 x 14", BD(contains 25 EA), \$98.50  
 8115-00-190-4969, SKILCRAFT, AbilityOne, 11-1/4 x 8-3/4 x 18", BD(contains 15 EA), \$42.99

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

8115-01-163-3446, 30" L x 20" W x 12" D, EA, \$122.53

**Regular-slotted box has a bursting strength of 175 psi. With four flaps on top and on bottom. Outer flaps meet when closed; with short inner flaps. Style RSC. Maximum weight of box and contents is 50 lbs. IAW ASTM 5118**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

8115-00-183-9505, 6 x 4 x 4", BD(contains 25 EA), \$12.52

This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs. Contains 25% Recovered Fiber, Which Includes 25% Postconsumer Fiber.

**Regular-slotted box. Style RSC. IAW ASTM 5168**

Comprehensive Procurement Guideline Compliant

8115-00-616-9147, 27 x 19 x 14-3/4", BD(contains 4 EA), \$53.06

8115-00-993-2791, 30 x 30 x 30", BD(contains 3 EA), \$65.12

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-993-2790, 40 x 28 x 28", BD(contains 3 EA), \$63.76

8115-00-579-8407, 23 x 23 x 23", BD(contains 3 EA), \$60.44

**MIL-B-43666**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-935-5906, 43 x 31-3/4 x 35-1/4", EA, \$30.24

8115-00-559-9999, 45 x 22 x 22", BD(contains 2 EA), \$45.91

8115-00-935-6510, 58 x 43 x 35-1/4", EA, \$55.49

**Half-regular-slotted box has short top flaps and a cover. IAW ASTM 5168**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-782-1695, 48 x 40 x 28-1/4", EA, \$39.24

**The following special markings are printed on the side: "REUSABLE CONTAINER RETURN TO"**

Comprehensive Procurement Guideline Compliant

8115-00-579-8461, 38 x 14 x 20", BD(contains 3 EA), \$42.37

**Half-regular-slotted box has short top flaps and a cover. Side of box reads: "REUSABLE CONTAINER RETURN TO:". IAW ASTM 5168.**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-926-4887, 46-7/8 x 38-7/8 x 36", EA, \$51.27

8115-00-926-4888, 46-7/8 x 38-7/8 x 42", EA, \$52.60

8115-00-926-4886, 46-7/8 x 38-7/8 x 26", EA, \$30.95

8115-00-935-1140, 48 x 40 x 36", EA, \$40.81

**Half-regular-slotted box has short top flaps and a cover. The following special markings are printed on the side: "Box, Modular Intermodal Container System, NSN, Series 2, Size B, Do Not Use Without Pallet". IAW ASTM 5168.**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-142-9594, 46-7/8 x 38-7/8 x 15-13/16", EA, \$65.12

This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features triple-wall construction. Contains 25% Recovered Fiber, Which Includes 25% Postconsumer Fiber.

**Regular-slotted box. Style RSC. IAW ASTM 5168**

Comprehensive Procurement Guideline Compliant

8115-00-774-6562, 48 x 40 x 36", EA, \$42.02

Specially designed for use as an exterior overseas shipping container, this corrugated, fiberboard box with single-wall construction is weather-resistant. Comes folded flat.

**Center, special-slotted box has a bursting strength of 400 psi. Style CSSC. Maximum weight of box and contents is 140 lbs. IAW ASTM 5118**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-190-5015, SKILCRAFT, AbilityOne, 26 x 26 x 18", BD(contains 7 EA), \$81.86

The perfect box for preserving, handling, shipping and storing serviceable and repairable items. This corrugated, fiberboard container includes interior cushioning and is weather-resistant and reusable. Dimensions shown are inside dimensions in order of length, width, and depth.

**Telescoping encapsulated packs accommodate black-box type items, such as receiver-transmitters, amplifiers, power supply units and electronic indicators. Full-telescope style. Maximum weight of box and contents is 140 lbs. IAW PPP-B-1672**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-519-1825, SKILCRAFT, AbilityOne, 32 x 12 x 14", EA, \$55.02

This corrugated, fiberboard box is designed for domestic and overseas consolidated shipment of aircraft parts, general supplies and equipment. Weather-resistant box comes unassembled, requiring only minimal construction. Maximum weight of box and contents is 280 lbs. Contains 25% Recovered Fiber, Which Includes 25% Postconsumer Fiber.

**Features triple-wall construction. IAW ASTM 5168**

Comprehensive Procurement Guideline Compliant

8115-00-901-6435, 47-1/2 x 39-1/2 x 28", EA, \$39.00

8115-00-901-6428, 83 x 49 x 28", EA, \$45.08

Weather-resistant, corrugated fiberboard box is designed for use as an exterior shipping container or as an insert in cargo transporters such as CONEX, SEAVAN or MILVAN. Does not include pallets.

**Features double-wall construction and is regular slotted. Maximum weight of box and contents is 260 lbs. MIL-B-43666**

Comprehensive Procurement Guideline Compliant

8115-00-935-5896, 43 x 31-3/4 x 35-1/4", EA, \$14.58

**Features triple-wall construction and is half slotted. Maximum weight of box and contents is 280 lbs. IAW ASTM 5168**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-753-4690, 45 x 32 x 28-1/4", EA, \$35.47

**Dimensions are for the outside. IAW ASTM 5168**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-753-4691, 58 x 32 x 28-1/4", EA, \$39.92

For use as an exterior shipping container, this weather-resistant box of corrugated fiberboard features double-wall construction. Comes folded flat. Regular-slotted box has a bursting strength of 600 psi. Style RSC. Maximum weight of box and contents: 160-lbs. IAW ASTM 5118

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-360-2858, 48 x 40 x 36", EA, \$42.58

This corrugated, fiberboard box features lapped joints secured by wire stitching. Glued bottom. Flap closure. The lock-bottom box includes hand holes and has a bursting strength of 275 psi. Use exclusively for retiring, storing and shipping magnetic tapes to the Federal Archives and Records Center. IAW ASTM 5118

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-117-8338, 14-3/4 x 9-1/2 x 4-7/8", BD(contains 25 EA), \$32.78

## Fiberboard Box

The perfect box for preserving, handling, shipping and storing serviceable and repairable items. This corrugated, fiberboard container includes interior cushioning and is weather-resistant and reusable. Dimensions shown are inside dimensions in order of length, width, and depth.

**Vertical star pack holds meters, gauges, instruments and similar items. Maximum weight of box and contents is 140 lbs. IAW PPP-B-1672**

*30% Postconsumer Material*

8115-00-134-3655, SKILCRAFT, AbilityOne, 12 x 12 x 14", EA, \$24.70

8115-00-050-5237, SKILCRAFT, AbilityOne, 12 x 12 x 18", EA, \$25.97

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-192-1604, SKILCRAFT, AbilityOne, 8 x 8 x 12", EA, \$12.01

8115-00-192-1605, SKILCRAFT, AbilityOne, 10 x 10 x 12", EA, \$16.92

8115-00-134-3656, SKILCRAFT, AbilityOne, 14 x 14 x 16", EA, \$36.03

8115-00-192-1603, SKILCRAFT, AbilityOne, 6 x 6 x 10", EA, \$7.10

**Telescoping encapsulated packs accommodate black-box type items, such as receiver-transmitters, amplifiers, power supply units and electronic indicators. Full-telescope style. Maximum weight of box and contents is 140 lbs. IAW PPP-B-1672**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-516-0251, SKILCRAFT, AbilityOne, 20 x 14 x 9", EA, \$27.35

8115-00-550-3558, SKILCRAFT, AbilityOne, 24 x 14 x 14", EA, \$48.13

8115-01-015-1312, SKILCRAFT, AbilityOne, 24 x 18 x 16", EA, \$59.83

8115-00-550-3574, SKILCRAFT, AbilityOne, 25 x 14 x 14", EA, \$57.59

8115-01-015-1313, SKILCRAFT, AbilityOne, 26 x 9 x 9", EA, \$21.29

8115-00-516-0242, SKILCRAFT, AbilityOne, 30 x 16 x 14", EA, \$57.67

8115-01-094-6520, SKILCRAFT, AbilityOne, 30 x 27 x 14", EA, \$87.61

8115-01-015-1315, SKILCRAFT, AbilityOne, 32 x 18 x 16", EA, \$67.91

8115-01-015-1314, SKILCRAFT, AbilityOne, 34 x 24 x 18", EA, \$104.34

**Folded, convoluted pack accommodates generally flat items such as circuit boards, electronic modules and tubes. Modified triple-slide style. Maximum weight of box and contents is 95 lbs. IAW PPP-B-1672**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-787-2142, SKILCRAFT, AbilityOne, 6 x 5 x 2-1/2", EA, \$3.52

8115-00-101-7647, SKILCRAFT, AbilityOne, 9 x 6 x 2-1/2", EA, \$4.94

8115-00-101-7638, SKILCRAFT, AbilityOne, 9 x 6 x 3-1/2", EA, \$4.98

8115-00-787-2148, SKILCRAFT, AbilityOne, 12 x 8 x 3-1/2", EA, \$7.53

8115-00-787-2146, SKILCRAFT, AbilityOne, 12 x 8 x 2-1/2", EA, \$7.12

8115-01-057-1243, SKILCRAFT, AbilityOne, 13 x 13 x 3-1/2", EA, \$12.57

8115-01-057-1245, SKILCRAFT, AbilityOne, 16 x 16 x 3-1/2", EA, \$17.88

8115-01-019-4085, SKILCRAFT, AbilityOne, 18 x 12 x 2-1/2", EA, \$11.78

8115-01-019-4084, SKILCRAFT, AbilityOne, 18 x 12 x 3-1/2", EA, \$12.98

8115-01-093-3730, SKILCRAFT, AbilityOne, 24 x 16 x 3-1/2", EA, \$21.45

8115-01-057-1244, SKILCRAFT, AbilityOne, 10 x 10 x 3-1/2", EA, \$9.17

8115-00-787-2147, SKILCRAFT, AbilityOne, 6 x 5 x 3-1/2", EA, \$4.66

**Horizontal star pack is designed for electrical-electronic items with a small cross-section relative to length, such as control generators and amplifiers. Double-cover container boasts a bursting strength of 400 psi. Maximum weight of box and contents is 140 lbs. IAW PPP-B-1672**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-01-010-8956, SKILCRAFT, AbilityOne, 20 x 14 x 14", EA, \$51.59

8115-01-006-7257, SKILCRAFT, AbilityOne, 22 x 16 x 16", EA, \$69.47

## File Storage Box

Box is designed for storing letter size papers in one direction and legal size papers in the other. Durable, high strength, 32ECT, B-flute corrugated board construction with tote handles and removable top. Double walled construction on all sides when assembled. Stackable. Shipped flat. IAW ASTM 5118

*100% Postconsumer Material*

8115-01-455-4038, SKILCRAFT, AbilityOne, Kraft, 15" x 24" x 10-1/4", BD(contains 25 EA), \$69.41

8115-01-455-4036, SKILCRAFT, AbilityOne, Kraft, 12" x 15" x 10", BD(contains 25 EA), \$100.49

## Shipping Box and Storage

Standard Euro Pallet Box that's a self containing unit. This collapsible and reusable container made of injection molding and a polypropylene top and bottom for strength and durability. Lockable-4 built-in locks minimum. Includes a built-in pallet and drain holes. Bottom pallet has 9 legs. Four way forklifter entry. Can be lifted from front or side. Nestable. Box is formed with 1/2 inch thick gray, collapsible polysleeve, all ends are welded to make box weather proof resistant to rain and snow. Fire retardent. Manufactured from recycled materials.

**Medium**

*25% Postconsumer Material Recovered Material*

8115-01-582-9708, GP4500, 48" L x 32" W x 34" H, EA, \$230.23

## Storage Box Set

Perfect for shipping or storage. Consists of four nested sturdy plywood boxes with sealed, moisture-resistant joints and edges. Riveted. Each box has two external handles and can hold up to 150 lbs. of military or other equipment. Boxes measure: 30-3/4 x 16-1/4 x 14-3/8", 32-3/4 x 17-3/4 x 15-1/2", 34-3/4 x 19-1/4 x 16-5/8", and 36-3/4 x 20-3/4 x 17-3/4".

8115-00-290-6016, GSA6016, Green, SE, \$1,101.80

## Easy Storage Box

Versatile corrugated fiberboard storage box with an attached tucked top lid, fits both letter and legal size documents, with tuck top and hand holes. No tape, or glue or staples required to assemble.

*40% Postconsumer Material*

8115-01-646-3158, SKILCRAFT, AbilityOne, White, 14 3/4 W x 12 L x 9 1/2" H, BD(contains 12 EA), \$17.87

## Special-Use Box

This corrugated, fiberboard box features lapped joints secured by wire stitching. Glued bottom. Flap closure. The lock-bottom box includes hand holes and has a bursting strength of 275 psi. Use exclusively for retiring, storing and shipping magnetic tapes to the Federal Archives and Records Center. IAW ASTM 5118

**Use exclusively for retiring, storing and shipping magnetic tapes to the Federal Archives and Records Center. IAW ASTM 5118**

Comprehensive Procurement Guideline Compliant

8115-00-117-8347, White, 14-3/4 x 11-3/4 x 11-3/4", BD(contains 25 EA), \$105.83

**Use exclusively for retiring, storing and shipping paper files to the Federal Records Centers. IAW ASTM 5118**

*40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8115-00-117-8249, SKILCRAFT, AbilityOne, White, 14-3/4 x 12 x 9-1/2", BD(contains 25 EA), \$62.42

## Parts Storage Box

This impact-resistant, rectangular box is ideal for organizing and storing small parts. Features a snap lock that holds the top in the closed position. Box is transparent, making its contents readily visible. Cover is hinged on long side. Molded from styrene or other rigid plastic.

**Box has six equal permanent compartments. Has no mounting holes.**

8115-00-761-8912, Transparent, 8 x 4-1/8 x 1-5/32", EA, \$4.00

## Fire Equipment Repack Box

For repacking up to six backpack pump outfits NSN 4320-00-289-8912. Style RSC.

**Has a bursting strength of 275 psi. IAW ASTM 5118**

*25% Postconsumer Material Recovered Material*

Comprehensive Procurement Guideline Compliant

8115-00-079-8879, 24 x 17 x 13", BD(contains 15 EA), \$45.71

## Box Edge Protector

Steel strapping corner/edge protectors. 2" legs, 0.042" thick, ribbed without barbs, designed for 0.75" to 1.25" max width of strap. IAW ASTM D 3953, Type I Finish A

**Which Includes a Minimum of 67% Postconsumer Steel**

*Contains 25% Recovered Material*

8135-00-291-0962, BX(contains 500 EA), \$146.10

## Corrugated Fiberboard Sheet

Single-wall sheet consists of two faces of linerboard and filler. Boxes for overseas shipments can be fabricated with this weather-resistant, corrugated fiberboard sheet.

**IAW ASTM 4727**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-132-9067, Natural, 48 x 96", SH, \$80.50

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-281-4118, Natural, 72 x 120", SH, \$80.50

**Single-walled sheet consists of two faces of linerboard and filler.**

**IAW ASTM 4727**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-281-4115, Natural, 60 x 96", SH, \$16.35

**Sheet has 39 to 53 flutes per linear foot and a bursting strength of 400 psi dry and 150 psi wet. IAW ASTM 4727**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-013-8961, Natural, 48 x 120", SH, \$80.50

Fabricate boxes for domestic or interior use with this corrugated fiberboard sheet.

Sheet is a single wall consisting of two faces of linerboard and filler and has a bursting strength of 275 psi when dry.

**Sheet has 47 to 53 flutes per linear foot. IAW ASTM 4727**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-664-4092, Natural, 48 x 96", SH, \$7.54

## Mailing Bag

Designed specifically for mailing small, unbreakable articles such as parts, bolts, nuts and screws. Made of unbleached cotton sheeting, regular, flat bag, stitching assembly, opens and closes at the end with a drawstring. Includes a white, cloth-lined paper address tag.

8105-00-183-6981, SKILCRAFT, AbilityOne, Natural, 3 x 4", BD(contains 100 EA), \$52.56

Federal Strategic Sourcing Initiative, 8105-00-281-3924, SKILCRAFT, AbilityOne, Natural, 3 x 5", BD(contains 100 EA), \$46.91

8105-00-183-6982, SKILCRAFT, AbilityOne, Natural, 4 x 9", BD(contains 100 EA), \$59.50

8105-00-179-0089, SKILCRAFT, AbilityOne, Natural, 4-1/2 x 8", BD(contains 100 EA), \$57.95

8105-00-271-1511, SKILCRAFT, AbilityOne, Natural, 6 x 9", BD(contains 100 EA), \$69.30

8105-00-174-0836, SKILCRAFT, AbilityOne, Natural, 6-1/2 x 10", BD(contains 50 EA), \$35.32

8105-00-290-3360, SKILCRAFT, AbilityOne, Natural, 8 x 10", BD(contains 50 EA), \$41.15

8105-00-183-6989, SKILCRAFT, AbilityOne, Natural, 7-1/2 x 18", BD(contains 50 EA), \$54.35

8105-00-183-6985, SKILCRAFT, AbilityOne, Natural, 5-1/2 x 14", BD(contains 50 EA), \$38.88

**Handle mail easily with this cotton duck mailing/shipping bag. Flat, moisture-resistant bag has a drawstring closure.**

Federal Strategic Sourcing Initiative, 8105-00-543-7837, UNICOR, Olive Drab, 8-1/2 x 16-1/2", EA, \$5.90

## Shipping Bag

Especially useful for shipping or storing small, delicate instruments and electronic components. Made of 3/16"-thick, closed-cell, bubble-style plastic cushioning material, in the 2nd wall, formed into a bag, with a zip lock seal closure. Does not include a liner. Pre-printed in the lower left hand corner: "REUSABLE - DO NOT DISCARD".

8105-00-137-9133, Transparent, 6 x 8", PG(contains 50 EA), \$58.19

8105-00-137-9135, Transparent, 8 x 12", PG(contains 50 EA), \$87.29

8105-00-137-9136, Transparent, 10 x 12", PG(contains 50 EA), \$130.35

8105-00-137-9134, Transparent, 8 x 10", PG(contains 50 EA), \$80.85

8105-00-137-9132, Transparent, 4 x 6", PG(contains 50 EA), \$59.40

IAW MIL-DTL-117: Type 1 Heavy Duty, Class A waterproof, electrostatic protective, static dissipative. Style 2

8105-01-268-4413, Transparent, 36" W x 56" L, BX(contains 50 EA), \$253.00

## Shipping Box

This equipment case, with foam is watertight, crushproof, airtight, chemical resistant and corrosion proof. These are only some of the protection features provided by this light-weight equipment case. Made of ultra high impact structural copolymer, this case extremely strong and durable. Comes complete with: Pre-scored pick and pluck foam (no cutting required), (7) ABS latches seal perfectly and includes an automatic purge valve for quick equalization after changes in atmospheric pressure, 7" extension handle, large trunk handles and 2" quiet roll urethane wheels

8115-01-440-5587, Pelican 1650, Black, 32 1/2" L x 20 1/2" W x 11 5/16 D, EA, \$371.01

## Box Sleeve

Weather resistant AAA fluted triple wall corrugated fiberboard that is reusable. Die cut sleeve that enables fork lift entry from all sides. Contains 25% Recovered Fiber, Which Includes 25% Postconsumer Fiber

8115-01-580-9476, Blue, 46-1/2" L x 38-1/2" W x 20-1/2" H, EA, \$35.06

8115-01-580-9475, White, 46.5" L x 38.5" W x 20.5" H, EA, \$35.06

## G-Pak Mini Box

Designed For Shipping And Storing Various Supplies And For Rapid Deployment In The Field; System Consists Of 3 Main Components - Bottom Pallet, Top Cover, And A Sleeve; All Three Components Must Lock Together to Form A Self Containing Unit That Is Collapsible And Reusable. Bottom Pallet And Top Cover Are Lockable To A Sleeve; System Is Weather Resistant.

8115-01-673-2691, 24" x 31" x 28", PG(contains 10 EA), \$2,018.25

## G-Sleeve (Large)

This light weight sleeve is constructed with tough impact resistant polypropylene. Strong, durable, collapsible, weather resistant and environmentally friendly, manufactured with recycled materials and metal free making it completely recyclable. The sleeve can be locked with bottom pallet and top to create a strong and secure system designed for years of service. Designed for use with top NSN 8115-01-444-0211 and pallet bottom NSN 8115-01-444-0206.

**Drop panel included to provide easy access even when units are stacked.**

8115-01-598-2716, FS6000, Gray, Width: 40"; Length: 48"; Depth: 45", EA, \$141.12

## G-Sleeve (Small)

This light weight sleeve is constructed with tough impact resistant polypropylene. Strong, durable, collapsible, weather resistant and environmentally friendly, manufactured with recycled materials and metal free making it completely recyclable. The sleeve can be locked with bottom pallet and top to create a strong and secure system designed for years of service. Designed for use with top NSN 8115-01-444-0211 and pallet bottom NSN 8115-01-444-0206.

**Does not include drop panel.**

8115-01-598-2717, FS6001, Gray, Width: 40"; Length: 48"; Depth: 30", EA, \$116.31

# Specialty Shipping

Complete state-of-the-art storage/shipping system is constructed of heavy-duty AAA-fluted configuration fiberboard sleeve, a plastic top, and a plastic bottom pallet (with four-way entrance capability). The sleeve can be locked with bottom pallet and top to create a rigid and secure system, eliminating strapping and stretch wrapping. The rugged and impact-resistant bottom pallet and top are formed from two sheets of high-density polyethylene. Palletized loads (up to 10,000 lbs.) can be stored up to four high. The 40 x 48" bottom pallet and top have nesting capabilities to save space and stack securely. Reusable system is designed for years of service. Sleeves are collapsible and designed to occupy nearly 30 percent less space than traditional systems.

## Shipping/Storage System Pallet Sleeve

Designed for use with NSN 8115-01-444-0211 (pallet top) and NSN 8115-01-444-0206 (pallet bottom). Drop panel included to provide easy access to each container even when stacked.

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

8115-01-444-0212, White, OUTSIDE DIMENSIONS: 40"W x 48"L x 45"D, EA, \$32.45

Designed for use with NSN 8115-01-444-0211 (pallet top) and NSN 8115-01-444-0206 (pallet bottom). Does not include drop panel.

8115-01-444-0197, White, Outside Dimensions: 38.5"W x 46.5"L x 28.5"D, EA, \$24.01

8115-01-444-0198, White, Outside Dimensions: 38.5"W x 46.5"L x 43.5"D, EA, \$32.45

## Shipping/Storage System Pallet Top

Designed to be used with NSNs 8115-01-444-0198, 8115-01-444-0197 or 8115-01-444-0212 (pallet sleeves) and NSN 8115-01-444-0206 (pallet bottom).

8115-01-444-0211, Black Plastic, 40" x 48", EA, \$38.72

## Shipping/Storage System Pallet Bottom (Base)

Designed to be used with NSNs 8115-01-444-0198, 8115-01-444-0197 or 8115-01-444-0212 (pallet sleeves) and NSN 8115-01-444-0211 (pallet top).

8115-01-444-0206, Black Plastic, 40"W x 48"L, EA, \$52.67

## Shipping/Storage System

Kit contains black plastic top, base and corrugated fiberboard sleeve. Pallet is 4-way entry, nestable, fire retardant, reusable, with a 3,000 lb. capacity. Made of thermoformed high density polyethelene, assembled pallet weighs 22-lbs. and features no-drop panel. Also includes eight locking clips to attach top to sleeve and sleeve to base.

Actual sleeve height is 24".

*25% Postconsumer Material Recovered Material*

8115-01-556-2579, Black/White, Outside Dimensions: 40 x 48 x 30-1/2", KT, \$218.27

Actual sleeve height is 30".

8115-01-556-2580, Black/White, Outside Dimensions: 40 x 48 x 36-1/2", KT, \$224.47

Actual sleeve height is 45".

8115-01-556-2581, Black/White, Outside Dimensions: 40 x 48 x 51-1/2", KT, \$200.71

Standard Euro Pallet Box that's a self containing unit. This collapsible and reusable container made of injection molding and a polypropylene top and bottom for strength and durability. Lockable-4 built-in locks minimum. Includes a built-in pallet and drain holes. Bottom pallet has 9 legs. Four way forklifter entry. Can be lifted from front or side. Nestable. Box is formed with 1/2 inch thick gray, collapsible polysleeve, all ends are welded to make box weather proof resistant to rain and snow. Fire retardent. Manufactured from recycled materials.

### US Standard

*25% Postconsumer Material Recovered Material*

8115-01-582-9711, G-PAK GP4300, Black/ Gray, Outside Dimensions: 48" L x 32" W x 36" H, EA, \$228.74

### Large

8115-01-582-9710, G-PAK GP4600, Black/ Gray, Outside Dimensions: 48"L x 32"W x 50" H, EA, \$236.36

### Small

8115-01-582-9709, G-PAK GP4400, Black/ Gray, Outer Dimensions: 48"L x 32"W x 26" H, EA, \$228.74

## Plastic Pallet

Plastic pallet features four-way entry and is nestable, fire-retardant and reusable. Twin-sheet thermoforming method to provide for lighter weight. Made of thermoformed high-density polyethylene. Pallets are designed for general use with a fork lift.

**Capacity: 3,000 lbs. dynamic load. Overall weight: 22 lbs.**

*25% Postconsumer Material Recovered Material*

8115-01-535-0150, Matte Black, 48"L x 40"W x 6"H, EA, \$100.65

## Shipping Cover Assembly

Shipping Cover Assembly is comprised of the following parts: Sealing Plates 2; Rubbergasket 1; Pin 1; Rivet 1; Retaining Ring 1; Cable Assembly 1; Cap 1

8115-00-245-8500, Silver Aluminum, Overall: 1" x 3-1/2", EA, \$79.47

## Foam Packaging Bags

Instapak Quick RT Foam Packaging Bags provide product protection for fragile, high value products; by expanding up to 27 times their original size. Bags save space because you expand them when you need them within seconds to form a custom fit protective foam cushion around your breakables.

8135-01-546-7622, Material Safety Data Sheet, 22 x 27", BX(contains 24 EA), \$235.91

## Table-Top Packaging System

NewAir I.B. Flex this small machine designed for workbench or table top use has a compact footprint of just 5.5 square feet and produces up to 90 feet per minute of on-demand inflatable packaging materials. Includes 25 foot electric cord. The machine uses 115VAC, 60Hz, 3 Amps.

**To be used with Sealed Air Inflatable Bubble Wrap P/Ns: 100568423, 100592860, 100568427, 100568452, 100567950, 100568428, 100568429, 100570284 and 100568453.**

3540-01-518-6568, Sealed Air Corp 1001WY-20, Grey and White, 31"L x 23"W x 20"H, AY, \$5,415.49

## Transport Case

Hardened Poly plastic Transport Case with 2-4 Wheels. Metal carrying handles. Closed by 2 straps with buckles. Designed to carry projector frame. Meets ATA 300 specifications.

7520-01-608-5381, Black, 12" W x 50" L x 18" D, EA, \$305.96

Transport Case is made of durable polypropylene, with double throw ABS latches, stainless steel pins, and automatic pressure equalization valves to balance the interior pressure while keeping the water out. The polymer o-ring provides a watertight seal. The double wide fold down handles make lifting easy. The locking metal lidstays keep the lid locked into an open position when needed.

**Interior Dimensions: 24.07"W x 47.57"L x 17.67"D. Water resistant, crush-proof and dust-proof. Stackable.**

8115-01-590-0295, 0550NF, Black, EA, \$858.33

## Shoring and Decking Beam

Shoring and Decking Beam for Tricon Type 1 and Type 2 containers. Engages on vertical E-track system. Working load limit 2,200 lbs. Adjustable from 73.53" to 84.53"

8115-01-619-4833, Sea Box SB6200, EA, \$124.98

## Shrink Tunnel Pallet Bag

Heat-shrinkable polyethylene bag is for use in shrink tunnels to secure loads on pallets. Furnished on a perforated, tear-off roll for 40 x 48" pallets. Weather resistant.

**For heavy-duty use.**

8105-00-191-3902, Material Safety Data Sheet, Clear, 50 x 42 x 65", RO(contains 32 EA), \$127.76

Federal Strategic Sourcing Initiative, 8105-00-025-1263, Material Safety Data Sheet, Clear, 50 x 42 x 76", RO(contains 32 EA), \$145.38

**For normal-duty use.**

8105-00-191-3701, Clear, 50 x 42 x 76", RO(contains 42 EA), \$169.51

8105-00-191-3776, Material Safety Data Sheet, Clear, 50 x 42 x 65", RO(contains 42 EA), \$142.31



## Strapping

Steel strapping is 0.375" wide x 0.020" thick. Packaged in coil form, nailless with a breaking strength of 600 lbs. minimum. ASTM-D-3953-97 and D3953-97, Type 1, Finish:B (regular duty zinc coated) Grade 2 steel.

*25% Postconsumer Material Recovered Material*

8135-00-283-0664, 0.375" W, CL(contains 100 LB), \$369.91

Regular duty steel strapping: 81346- ASTM D3953-87, Finish B (Galvanized, zinc coated) Grade 2 (Moderate coating).

*25% Postconsumer Material Recovered Material*

8135-00-286-8565, 0.625" W, CL(contains 100 LB), \$340.52

Strapping is 1 1/4" wide, 0.035" thick. Comes in coil, nailless with a 4,750-lb. minimum breaking strength. ASTM D 3953-87, Type 1, heavy duty, Grade A organic coated steel (painted).

*25% Postconsumer Material Recovered Material*

8135-00-531-7721, 1 1/4" W, CL(contains 100 LB), \$386.23

Nailless, regular-duty, ASTM D 3953-97 TYPE: 1 Regular Duty Coated Finish: A, Grade N Steel strapping has a nominal basis weight of 17.1 feet per pound. Minimum breaking strength of 1,380-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-281-4069, 3/4"W x 1/42" Thickness, CL(contains 100 LB), \$258.75

Nailless, regular-duty, ASTM D 3953-97 TYPE: 1 Regular Duty Coated Finish: B, Grade 2, Steel strapping has a nominal basis weight of 17.1 feet per pound. Minimum breaking strength of 1,380-lbs.

### Type 1, Grade 2.

*25% Postconsumer Material Recovered Material*

8135-00-283-0669, 3/4"W x 1/42" Thickness, CL(contains 100 LB), \$340.52

Nailless, regular-duty, organic coated, Grade-N steel strapping has a nominal basis weight of 19.6 feet per pound. Meets ASTM D 3953-87 Professional/Industrial Association Standard. Minimum breaking strength of 1,200-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-285-4748, 3/4"W x 1/50" Thickness, CL(contains 100 LB), \$251.85

Nailless, heavy-duty, zinc coated finish strapping meets ASTM 3953-87, Type I, Heavy Duty, Grade 2, Moderate Coating. Minimum breaking strength of 2,850-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-283-0670, 3/4"W x 1/29", CL(contains 60 LB), \$271.05

Nailless, regular-duty coil, organic steel coated finish strapping meets ASTM D 3953-87 Type 1. Minimum breaking strength of 800-lbs.

8135-00-285-4747, 1/2"W x 1/50" Thickness, CL(contains 100 LB), \$211.14

Nailless, heavy-duty, coated finish coil strapping. Bonded rayon cord. Meets ASTM D 3953 Type 1, Grade 3 steel. Minimum breaking strength of 765-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-956-2153, 9/16"W x 4,000'L x 1/41" Thickness, CL(contains 1400 YD), \$71.10

Nailless, regular-duty, zinc coated finish coil meets ASTM D 3953-97, Type 1, Grade 2 steel. Minimum breaking strength of 800-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-283-0666, 1/2"W x 1/50" Thickness, CL(contains 100 LB), \$369.91

Nailless, regular-duty, Finish A (organic coated) coil meets ASTM D 3953-97 Type 1, Grade N steel. Minimum breaking strength of 1,000-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-281-4071, 5/8"W x 1/50" Thickness, CL(contains 100 LB), \$258.75

Nailless, regular-duty, Finish B: zinc coated coil strapping meets ASTM D 3953-97 Type 1, Grade 2 steel. Minimum breaking strength of 1,000-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-283-0667, 5/8"W x 1/50" Thickness, CL(contains 100 LB), \$340.52

Nailless, regular-duty, zinc coated coil strapping meets ASTM D 3953-87 Type 1, Grade 2 steel. Minimum breaking strength of 1,200-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-283-0668, 3/4"W x 1/50" Thickness, CL(contains 100 LB), \$340.52

Nailless, heavy-duty, zinc coated coil strapping meets ASTM D 3953-97 Type 1, Grade 2 steel. Minimum breaking strength of 4,750-lbs.

*25% Postconsumer Material Recovered Material*

8135-00-283-0671, 1-1/4"W x 7/200" Thickness, CL(contains 100 LB), \$369.91

Nailless, regular-duty, plastic coated, woven cord strapping meets ASTM 3950 Type 1A standards. Minimum breaking strength of 600-lbs. Item is package in a coil.

*25% Postconsumer Material Recovered Material*

8135-00-956-2151, 1/2"W x 3900'L, CL(contains 3900 FT), \$59.80

## Steel Strapping

Corrosion resistant steel strapping. ASTM-D3953, Type 1, Finish B, Grade 2, Regular Duty. Minimum breaking strength of 750-lbs.

*25% Postconsumer Material Recovered Material*

8135-01-016-9995, 5/8" W x 200' L x 3/200" TH, RO(contains 200 FT), \$73.94

Wire Tie Steel Strapping is made of Steel Wire, Black Annealed, 16 Gage, and is 3-1/2 Lbs. Per Coil

8135-01-054-0738, 330' L x 1/4" TH, CL(contains 4 LB), \$12.08

Flat steel strapping. ASTM-D3953, Type 1, Finish B, Grade Stainless Steel, Regular Duty. Nailless. Not perforated.

8135-01-023-4126, 1/2" W x 200' L x 0.020" TH, RO(contains 200 FT), \$75.05

Stainless Steel Strapping is rated AISI 201 and ASTM D 3953. Nailless. Not Perforated.

*25% Postconsumer Material Recovered Material*

8135-00-245-9439, 5/8" W x 100' L x 0.030" TH, CL(contains 100 FT), \$73.94

Steel Strapping, ASTM D 3953-87 Class R, Finish B, Grade 2, Type D, Style II. Designed For Use In Acme Model C1A5, Signode C-5823 Or YC-5823. For use in Sealing Tool or Stretching/Sealing Machines.

*25% Postconsumer Material Recovered Material*

8135-00-239-5291, 5/8" W x 7/8" L x 3/200" TH, BX(contains 5000 EA), \$202.26

## Strapping Seal

Heavy Duty closed type steel strapping seals. Seal Style II, Class H, Finish B, Finish Grade 2 and Type D (double notch) IAW- ASTM D3953 and 81346-ASTM. For use in Sealing Tool or Stretching/Sealing Machines.

**For use with Machine models: C11D6,C17F635,or C18F635.**

*25% Postconsumer Material Recovered Material*

8135-00-239-5293, 3/4", BX(contains 2000 EA), \$125.09

Classified as ASTM 3953-87 Class H, Finish B, Grade 2, Type D, and Style 2. For use in Sealing Tool or Stretching/Sealing Machines.

*25% Postconsumer Material Recovered Material*

8135-00-290-1077, 1 1/4", BX(contains 1000 EA), \$118.68

Regular Duty snap-on or open steel strapping seal is 3/4" wide. For use with ACME C1A6, SIGNODE C-3423 or YC1-3425 sealing tool or stretching/sealing machines. ASTM D 3953-87 Class R, Seal Finish B, Finish grade 2, Type D, (Double Notch) Seal Style 1.

*25% Postconsumer Material Recovered Material*

8135-00-239-5288, 3/4"W x 3/200" Thickness, BX(contains 5000 EA), \$124.41

Regular Duty open steel strapping seal is 5/8" wide. For use with ACME C1A5, SIGNODE C-5823 or YC-5823 sealing tool or stretching sealing machines. ASTM D 3953-87 Class R, Finish B, Grade 2, Type D, Style 1 steel with zinc coating.

*25% Postconsumer Material Recovered Material*

8135-00-290-1086, 0.625"W x 0.015-0.023" Thickness, BX(contains 5000 EA), \$122.35

Regular Duty snap-on or open steel strapping seal is 1/2" wide. For use with ACME C1A4 or SIGNODE C-1223 or YC-1233 sealing tool or stretching/sealing machines. ASTM D 3953-87 Class R, Finish A, Type D, Style 1.

*25% Postconsumer Material Recovered Material*

8135-00-239-5308, 0.50" W x 1.00" L, BX(contains 5000 EA), \$101.48

Heavy Duty closed type steel strapping seals. Style II, Class H, Seal Finish B, Finish Grade 2 and Type D ( double notch). 81346-ASTM D and 3953-87. For use in Sealing Tool or Stretching/Sealing Machines.

**For use with: ACME 10D,10H,OR C11D10; SIGNODE C-1435 OR RCD-1435.**

8135-00-239-5294, BX(contains 1000 EA), \$118.68

## Steel Shipping Drum

Steel cylindrical drum stores and ships military materials. It can also be used as overpack for liquid or semiliquid hazardous materials for transportation by military aircraft when their containers do not meet the 15 psi internal pressure requirements. Reusable, leakproof drum has bolt and nut closure with locking ring and a removable recessed cover. Does not meet POP requirement.

**Drum holds 19 gallons; Gage size 18 USS Sheet Metal; Includes 2 expanding outward rolling hoops. MIL-D-6054**

8110-00-753-4643, 23-7/8 x 15-3/8" diameter, EA, \$565.50

## Steel Strapping Wing Clamp

Stainless Steel Clamp Wing Seals with Ears. Corrosion resistant.

8135-01-030-1634, 1.0 " L x 1/2" W, BX(contains 1000 EA), \$145.60

## Fuel Sampling Kit

Fuel Sampling Kit; Durable, reusable kit is designed for the shipment of aviation fuel samples.Kit contains four capped bottles, Amber or Clear color, with tags (32 oz. each), cushioning material, shipping container and tamperproof seal.

8115-00-719-4111, KT, \$635.38

## Container Assembly

Ship samples of petroleum fuel and lubricating oil. Fiberboard box has 1 tinplated inner container with a screw cap size 0.013" and a fixed bridge handle. Fitting space between containers is 0.125"; Top and bottom corrugated cushions. IAW ASTM 4306

8115-00-224-7935, 1-gal capacity; 12.00"L, EA, \$38.30

# Envelopes and Shipping Tags

## Preprinted Envelope

Includes a gummed flap that is cut high on diagonal seam to keep water-activated adhesive from damaging contents. Contains 20% Recovered Material, which includes 20% Postconsumer Material.

**Reads: "Official Business. Penalty for Private Use \$300".**

*Envelope is made of unbleached sulfate pulp paper with a basis weight of 28-lbs.*

Comprehensive Procurement Guideline Compliant

7530-00-767-5825, Light Brown or Kraft, 11 x 13", BX(contains 500 EA), \$190.31

7530-00-767-5756, Light Brown or Kraft, 10 x 15", BX(contains 500 EA), \$168.00

*Contains 20% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-767-5758, Light Brown or Kraft, 12 x 16", BX(contains 500 EA), \$155.14

*Envelope is made of unbleached sulfate pulp paper with a basis weight of 20-lbs.*

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7530-00-767-5729, Light Brown or Kraft, 4-1/8 x 9-1/2", BX(contains 500 EA), \$73.47

*Envelope is made of bleached white paper with a basis weight of 20-lbs.*

Comprehensive Procurement Guideline Compliant

7530-00-767-5709, White, 4-1/8 x 9-1/2", BX(contains 500 EA), \$52.13

## Unprinted Envelope

Features a gummed flap that is cut high to prevent water-activated adhesive from touching contents. Contains 30% Recovered Material, which includes 30% Postconsumer Material.

**Side-opening envelope is constructed of unbleached sulfate pulp paper.**

Comprehensive Procurement Guideline Compliant

7530-00-198-5876, Light Brown or Kraft, 4-1/8 x 9-1/2", BX(contains 500 EA), \$45.75

7530-00-286-6935, Light Brown or Kraft, 5-7/8 x 3-3/4", BX(contains 500 EA), \$40.25

7530-00-577-4849, Light Brown or Kraft, 9-1/2 x 12-1/2", BX(contains 500 EA), \$89.41

7530-00-242-1218, Light Brown or Kraft, 10 x 15", BX(contains 500 EA), \$92.30

7530-00-926-9000, Light Brown or Kraft, 11 x 13", BX(contains 500 EA), \$95.37

7530-00-286-6963, Light Brown or Kraft, 12 x 16", BX(contains 500 EA), \$129.31

*10% Recovered Material, Which Includes 10% Postconsumer Material*

7530-00-247-6069, Light Brown or Kraft, 9-1/2 x 12", BX(contains 500 EA), \$60.95

**Side-opening envelope is constructed of bleached white paper with a 20-lb. basis weight.**

Federal Strategic Sourcing Initiative, 7530-00-198-5873, White, 3-7/8 x 8-7/8", BX(contains 500 EA), \$25.31

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-286-6970, White, 4-1/8 x 9-1/2", BX(contains 500 EA), \$9.86

7530-01-152-5122, White, 4-5/16 x 8-11/16", BX(contains 500 EA), \$97.50

Plain, side-opening envelope does not include a window.

**Bleached white paper with a 24-lb. basis weight.**

*95% Recovered Material*

Comprehensive Procurement Guideline Compliant

7530-00-286-6971, White, 4-1/2 x 10-3/8", BX(contains 500 EA), \$59.39

Heavy-duty envelope has a metal clasp for extra security and a gummed flap.

*Contains 20% Recovered Material, Which Includes 20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-316-6584, Kraft, 9 x 12", BX(contains 100 EA), \$9.51

Federal Strategic Sourcing Initiative, 7530-01-316-6585, Kraft, 10 x 13", BX(contains 100 EA), \$20.95

Brown envelope with 24-lb. basis weight. Contains 10% Recovered Material, which includes 10% Postconsumer Material.

**B3 high cut diagonal seam.**

7530-01-042-7400, Light Brown or Kraft, 6-1/16 x 9-1/2", BX(contains 500 EA), \$53.24

Extra-large mailing envelope features survivor open-end expansion to ensure that your package will not burst open in the mail. V bottom. Contains 20% Recovered Material, which includes 20% Postconsumer Material.

**B3 high cut diagonal seam.**

Federal Strategic Sourcing Initiative, 7530-01-434-2255, White, 12 x 16", BX(contains 100 EA), \$135.19

## Plastic Envelope

Flexible plastic envelope is specially designed for USPS schedules, cards and documents. Has an open-end construction.

Federal Strategic Sourcing Initiative, 7510-00-782-6275, SKILCRAFT, AbilityOne, Clear, 8-3/4 x 11-1/4", PG(contains 25 EA), \$40.52

7510-00-782-6274, AbilityOne, Clear, 4-1/2 x 11-1/4", PG(contains 25 EA), \$27.61

## Padded Envelope

Shipping envelope protects publications, small parts, and other articles during mailing and handling with a cushioned plastic film lining. Made of doublewalled kraft paper with a flat bottom. Opens on one short side. Made from 100 percent recycled paper with 10 percent post consumer content. Bubble cushioning contains 10 percent recycled plastics. Contains 10% Recovered Material, which includes 10% Postconsumer Material.

**Cushioned envelope has closed-cell plastic bubble film liner and a self-stick, adhesive-coated sealing flap. Envelope is lightweight. The material thickness is a minimum of 0.125 inches. Size and minimum inside dimensions shown.**

*Load capacity is 13 oz. (360g).*

Comprehensive Procurement Guideline Compliant

8105-00-117-9860, SKILCRAFT, AbilityOne, 6" x 10", PG(contains 200 EA), \$46.29

*Load capacity is 1.4 lbs. (635g).*

Comprehensive Procurement Guideline Compliant

8105-00-117-9866, SKILCRAFT, AbilityOne, 7-1/4" x 12", PG(contains 100 EA), \$28.58

*Load capacity is 2 lbs. (900g).*

Comprehensive Procurement Guideline Compliant

8105-00-117-9869, SKILCRAFT, AbilityOne, 8-1/2" x 12", PG(contains 100 EA), \$31.46

*Load capacity is 2.4 lbs. (1.1kg).*

Comprehensive Procurement Guideline Compliant

8105-00-117-9870, SKILCRAFT, AbilityOne, 8-1/2" x 14-1/2", PG(contains 100 EA), \$39.63

*Load capacity is 3 lbs. (1.4kg).*

Comprehensive Procurement Guideline Compliant

8105-00-117-9872, SKILCRAFT, AbilityOne, 9-1/2" x 14-1/2", PG(contains 100 EA), \$43.52

*Load capacity is 4.2 lbs. (1.9kg).*

Comprehensive Procurement Guideline Compliant

8105-00-117-9879, SKILCRAFT, AbilityOne, 10-1/2" x 16", PG(contains 80 EA), \$40.35

*Load capacity is 7.2 lbs. (3.3kg).*

Comprehensive Procurement Guideline Compliant

8105-00-117-9881, SKILCRAFT, AbilityOne, 12-1/2" x 19", PG(contains 50 EA), \$37.43

*Load capacity is 10 lbs. (4.5kg).*

Comprehensive Procurement Guideline Compliant

8105-00-117-9886, SKILCRAFT, AbilityOne, 14-1/2" x 20", PG(contains 50 EA), \$39.28

Shipping envelope protects publications, small parts, and other articles during mailing and handling with a cushioned plastic film lining. Made of double-walled kraft paper with a flat bottom. Opens on one short side.

**Cushioned envelope features a padding of macerated paper. Features a self-adhesive coated sealing flap. Bags are preprinted with "From" and "To" followed by three lines for addressing. Size and minimum inside dimensions shown. The basis weight 40 lbs for first wall and 60-lbs for second wall. Contains 15% Postconsumer Material for Paper; 100% Postconsumer Material for Cushioning.**

*Load capacity is 10 lbs. (4.5kg).*

*Contains 15% Postconsumer Material for Paper 100% Postconsumer Material for Cushioning*

Comprehensive Procurement Guideline Compliant

8105-00-290-0340, SKILCRAFT, AbilityOne, 6" x 10", BX(contains 250 EA), \$70.48

8105-00-290-0342, SKILCRAFT, AbilityOne, 7-1/4" x 12", HD, \$33.64

8105-00-290-0343, SKILCRAFT, AbilityOne, 8-1/2" x 12", HD, \$35.63

8105-00-281-1168, SKILCRAFT, AbilityOne, 9-1/2" x 14-1/2", HD, \$44.21

8105-00-281-1436, SKILCRAFT, AbilityOne, 10-1/2" x 16", HD, \$49.43

8105-00-281-1167, SKILCRAFT, AbilityOne, 12-1/2" x 19", BX(contains 50 EA), \$30.18

8105-00-281-1169, SKILCRAFT, AbilityOne, 14-1/4" x 20", BX(contains 50 EA), \$36.28

Especially useful for shipping or storing small, delicate instruments and electronic components. Made of 3/16" -thick, closed-cell, bubble-style plastic cushioning material, in the 2nd wall, formed into a bag, with a zip lock seal closure. Does not include a liner. Pre-printed in the lower left hand corner: "REUSABLE - DO NOT DISCARD".

8105-00-137-9131, Transparent, 12 x 12", PG(contains 50 EA), \$49.33

## Return Materials Document Envelope

Flexible polyethylene envelope is colorless and features heat-sealed seams and a plastic zipper. Inside dimensions are 8-1/4" long and 5-1/2" wide; 0.006" thick. Reads: "Return Materials Document Envelope NSN 8105-00-334-4120".

Comprehensive Procurement Guideline Compliant

8105-00-334-4120, Transparent, 5-3/4" x 9-3/4", HD, \$35.60

## Packing List Envelope

Protects inventory control documents from rain, grease and dirt during storage and handling. Water-resistant envelope is made of polyethylene film and includes a self-adhering adhesive-coated back. The thickness is 0.003 inches, single wall

**Does not include a legend.**

8105-00-756-2710, Transparent, 3-11/16 x 7-1/2", MX, \$48.62

**Reads: "Material release/receipt documents enclosed".**

8105-00-224-8485, Bright Orange, 4-3/4 x 7", HD, \$25.07

**Reads: "Packing List Enclosed".**

8105-00-857-2247, Bright Orange, 4-3/4 x 7", HD, \$19.22

8105-00-139-1276, Bright Orange, 5" x 8-1/2", HD, \$20.18

8105-00-985-7221, Bright Orange, 8" x 9-1/2", HD, \$27.12

Tamper-resistant, side-loading waterproof envelopes have a self-adhesive backing that sticks to cardboard, wood, plastic, or metal. With a distinctive orange header that reads Packing List Enclosed in bold black font.

8105-01-674-9014, SKILCRAFT, AbilityOne, Clear, 4.5 x 5.5", PG(contains 100 EA), \$4.82

## Tear-Resistant Envelope

Tyvek lightweight envelope is tear- and water-resistant. Includes a protective strip over the self-adhesive flap. "Official Business" is printed in the upper left-hand corner in blue or black ink.

**End opening.**

Federal Strategic Sourcing Initiative, 7530-01-153-9699, White, 12 x 15-1/2", BX(contains 500 EA), \$66.01

## Transparent Envelope

Flexible protector is open-ended with a double safety fold. Perfect for cards, photographs, blueprints and papers. Bound with black plastic edging on three sides and features a 1/4" metal eyelet for hanging applications. The material thickness 0.007 inches; lip on open side is 0.75 inches.

7510-00-272-9804, Clear, 6-1/2 x 10-1/2", HD, \$87.45

Federal Strategic Sourcing Initiative, 7510-00-272-9805, SKILCRAFT, AbilityOne, Clear, 10 x 13", HD, \$99.38

7510-01-647-7926, SKILCRAFT, AbilityOne, Clear, 10 x 13", BX(contains 25 EA), \$26.23

Matte-finish plastic envelope is excellent for use with a ring binder. Sealed on three sides, envelope features a double safety fold and reinforced plastic edges on the open end. Material thickness 0.010 inches; lip on open side is 0.75 inches.

**Punched for use in three-ring binders.**

7510-00-687-2664, Clear, 5-1/2 x 9-1/4", HD, \$34.67

## Shipping Tag

Ideal for domestic shipping and transporting, this rectangular tag provides a sturdy marking surface and includes a polypropylene or synthetic tie.

**Paper tag with paper-reinforced 7/32" eyelet. Shipping tag thickness of 0.015 inches.**

8135-00-292-2354, Manila, 2-3/8 x 4-3/4", BX(contains 1000 EA), \$32.15

8135-00-292-2355, Manila, 2-5/8 x 5-1/4", BX(contains 1000 EA), \$39.26

8135-00-238-6917, Manila, 3-1/8 x 6-1/4", MX, \$51.03

8135-00-292-2351, Manila, 1-7/8 x 3-3/4", MX, \$33.33

**Furnished with a twine or polypropylene tie and a paper-reinforced 7/32" eyelet.**

8135-00-178-9151, White, 3-1/8 x 6-1/4", HD, \$14.05

Rectangular tag provides sturdy marking surface for use in shipping or transporting goods. The tag thickness is 0.006 inches Min to 0.008 Max.

**Cloth tag with metal-reinforced 7/32" eyelet.**

8135-00-292-2345, White, 2-5/8 x 5-1/4", MX, \$80.67

*(NFES #0216).*

8135-00-178-9193, White, 3-1/8" W X 6-1/4" L, BX(contains 1000 EA), \$139.27

## Mailing Tube

Untreated chipboard mailing tube is ideal for the shipment and storage of maps, blueprints, and drawings. The crush-resistant tube includes a tight-fitting, telescoping cover with metal ends and spiral-wound construction.

*80% Postconsumer Material***Comprehensive Procurement Guideline Compliant**

8110-00-291-0348, AbilityOne, Length: 42"; Diameter: 4-1/2", BX(contains 12 EA), \$138.00

# Packing Material

## Bubble Wrap

3/16 IN. INDUSTRIAL BUBBLE 24 IN. X 750 FT. ROLL; PERFORATED EVERY 12 IN.

8135-01-602-6306, S-398P, Pink, 750 FT L x 24 IN W x 3/16 IN D, BD(contains 2 EA), \$289.42

1/2 IN. INDUSTRIAL BUBBLE 24 IN. X 250 FT. ROLL; PERFORATED EVERY 12 IN. BUBBLE SIZE IS 0.500 INCHES.

8135-01-598-1648, BD(contains 2 EA), \$156.49

8135-01-599-3189, Pink, BD(contains 2 EA), \$174.11

Inflation bubble wrap, large perforated (3/4 in) inflated. For use on: NEW AIR I.B. EXPRESS MODEL 1001PFA04.

8135-01-640-9309, 100645486, 16"W x 1500'L, DZ, \$3,295.52

8135-01-640-9310, 100645489, 16" W x 2000' L, DZ, \$3,295.52

## Light Duty Bubble Wrap

Economy style bubble wrap for light duty protection. Perforated every 12". Bubble size is 0.1875 inches. 2 Rolls per bundle.

8135-01-599-3188, 24" W, BD(contains 2 EA), \$216.20

## Cushioning Material

PPP-C-1120 TY3CLAGR3. 2.0 Inches thick.

8135-00-543-6844, 24" W x 72" L, DZ, \$432.63

Cellulose Wadding. Meets: A-A-1898 GR2CLBST1

8135-00-664-6948, 20" W, RO(contains 104 FT), \$696.14

Flexible open cell plastic material. I.A.W. FED-STD-313 TYPE: 1, STYLE: A, CLASS 1, GRADE B. Two 500' rolls per bundle.

8135-01-087-3599, 24" x 500', BD(contains 1000 FT), \$632.17

Cellulose water resistant wadding material. I.A.W GR2CLBST3 SIZE B. 0.75 INCHES THICK.

8135-00-855-6969, 24" W, RO(contains 167 FT), \$167.77

Polyurethane packaging material. (IAW SPEC: TYPE 1 CLASS 2 GRADE C).

8135-00-935-6596, 77 L x 30 W x 2" H, SH, \$66.67

## Cushioning/Packing Material

Water Resistant, Medium Tensile Strength, Roll-Perforated, Cellulosic Cushioning Material. Grade II, Class B, Style 3. Thickness is 0.75 inches.

8135-00-855-6968, BX(contains 334 FT), \$302.22

Bubble Wrap cushioning material. PPP-C-795D CLASS 1. Thickness is 0.187 inches.

*30% Recovered Material, Which Includes 15% Postconsumer Material*

8135-00-926-8990, 12" W x 250' L, BD(contains 250 FT), \$170.90

8135-00-142-9005, 12" W x 500' L, BD(contains 4 EA), \$225.92

Plastic Polyurethane, IAW: Type 1, Class 2, Grade A and Category B.

8135-00-116-1443, 24" x 50' x 1", RO(contains 50 FT), \$307.25

Bubble Wrap cushioning material. PPP-C-795D CLASS 1. Thickness is 0.187 inches.

**Medium Thickness.**

*30% Recovered Material, Which Includes 15% Postconsumer Material*

8135-01-050-7970, 24" W x 375' L, BD(contains 375 FT), \$220.86

8135-00-142-9021, 48" W x 500' L, RO(contains 500 FT), \$225.92

PPP-C-1120 Type 4 Grade A, Color Coded Red-NO.211059.

8135-00-664-0057, 24" W x 6' L x 2" D, DZ, \$439.84

Flexible closed cell plastic film Bubble Wrap is Class 1 regular, and comes in roll form.

*30% Recovered Material, Which Includes 15% Postconsumer Material*

8135-00-142-9008, 500'L x 16"W x 1/8-1/4" Thick, BD(contains 3 EA), \$225.92

Resilient low density unicellular Polypropylene Foam, PPP-C-1797 TY1.

**Perforated every 12 inches.**

8135-01-008-8099, 72" W x 225' L, RO(contains 225 FT), \$402.57

8135-00-601-9221, 24" W x 225' L x 1/4" Thickness, BD(contains 3 EA), \$396.80

8135-00-129-9523, 24" W x 450' L x 1/8" Thickness, BD(contains 1350 FT), \$409.86

125 feet long by 24" wide and 1" thick. Water resistance quality is featured with a low water absorbency rating. Longitudinally compressed cellulose wadding. Grade 2, Class B.

Plastics Removal in Marine Environments

8135-00-808-6446, 125' L x 24" W x 1" Thick, BX(contains 125 FT), \$170.63

Cushioning is 1/4" wide by 225 feet long and comes in a roll. Material is water and fungus resistant with a low water absorbency rate. Made of polypropylene plastic and meets PPP-C 1797 Type 1 standards.

8135-00-300-4905, 225'L x 30" W, BD(contains 2 EA), \$396.80

Cellulosic cushioning material meets commercial item description A-A-1898C, Grade II (water resistant), Class B (Medium Tensile Strength), Style 1 (plain roll form).

8135-00-664-6958, 60'L x 20"W x 1" Thick, RO(contains 60 FT), \$136.49

Cushioning material is made of flexible, open-cell plastic film.

**Non-perforated with reinforcing top film, static dissipative.**

8135-01-087-3603, 375' L x 12" W x 1/4" Thick, BD(contains 4 EA), \$643.08

Flexible closed cell plastic film cushioning material.

*30% Recovered Material, Which Includes 15% Postconsumer Material*

8135-00-142-9004, Transparent, 250' L x 48" W x 1/2" Thick, RO(contains 250 FT), \$196.55

**Used for long-shipping cycle applications.**

*30% Recovered Material, Which Includes 15% Postconsumer Material*

8135-00-926-8991, 250' L x 24"W x 1/2" Thick, BD(contains 2 EA), \$196.55

Packaging material is made of flexible open cell plastic film and is used for cushioning and packaging applications. The item is static dissipative. It is not fire retardant or fungus resistant.

8135-01-057-3607, 500' L x 48" W x 0.25" Thick, RO(contains 500 FT), \$605.43

Plastic cushioning material.

8135-00-142-9016, 500"L x 24"W x 3/16" Thick, BD(contains 2 EA), \$225.92

## Cushioning/Packaging Material

Cushioning/Packaging Material flexible open cell plastic film. I.A.W: TY1STBCL2GRB.

8135-01-087-3602, 24" W x 375' L x 1/4" Thickness, BD(contains 750 FT), \$684.37

Plastic Polyurethane, IAW: Type 1 standard foam, Class 2 flexible, Grade B and Category B.

8135-00-116-1447, 24" x 50' x 2", RO(contains 50 FT), \$581.22

Thin bubble bag: Meets: PPP-C-795 CL2.

8135-01-234-6649, 24" W x 500' L x 3/16" Thickness, RO(contains 500 FT), \$186.07

Meets: IAW ASTM D 3575CL1GRA

8135-01-059-4636, 60" W x 450' L x 1/8" Thickness, RO(contains 450 FT), \$388.70

Plastic Polyethylene.

8135-01-175-7168, 24" W x 108" L x 1" Thickness, SH, \$65.55

## Cushioning Material (Anti-Static)

This 1/2 inch thick anti-static bubble wrap is made from flexible closed plastic film. (IAW SPEC # CLASS 2 - STATIC DISSIPATIVE).

8135-01-235-8057, 48" W x 250' L, EA, \$226.91

## Cushioning Material (Vermiculite)

Industrial untreated loose fill vermiculite. Cushioning material for packing hazardous chemicals or liquids. (I.A.W. A-A-52450 TYPE I GRADE 3). Volume Capacity is 4.00 cubic foot.

8135-01-324-2664, BG(contains 4.5 LB), \$77.49

## Packaging Material

Provides corrosion protection when used with ferrous, aluminum and aluminum-based alloys and components that contain zinc plate, cadmium, lead (up to 9%) and zinc-based (up to 30%) alloys. Packaging wrap is coated with vapor-release inhibitor.

**Heavy-duty material.**

*Opaque, laminated material is greaseproof, waterproof and moldable.*

8135-00-985-7242, 36" wide, RO(contains 100 FT), \$227.70

## Packaging Wrap

Provides corrosion protection when used with ferrous, aluminum and aluminum-based alloys and components that contain zinc plate, cadmium, lead (up to 9%) and zinc-based (up to 30%) alloys. Packaging wrap is coated with vapor-release inhibitor.

**Heavy-duty material.**

*Opaque, laminated material is greaseproof, waterproof and moldable.*

8135-00-664-0015, Material Safety Data Sheet, Width: 36", RO(contains 200 YD), \$882.37

## Polyethylene Foam Material

Material is flexible unicellular polyethylene foam. Packaging material is not flame or water resistant.

**Product is fungus resistant.**

*Type 1, Class 1, Grade A*

8135-00-397-2583, 9'L x 24"W x 1"Thick, EA, \$34.88

*Type 2, Class 1, Grade A.*

8135-00-180-5922, 60'L x 48"W x 1/2" Thick, RO(contains 60 FT), \$147.74

Packaging material is made of closed cell polyethylene foam. Item is used for general purpose cushioning and packaging applications in temperatures ranging from -65 to +158° F. Density is two lbs. per cubic foot. Item is not static dissipative, fire retardant, or fungus resistant.

8135-01-005-8974, 9' L x 24" W x 2" Thick, EA, \$49.09

## Plastic Sheeting

Normal impact-strength polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly resistant to water and moderately resistant to vapor. Low-slip type. (Note: Thickness is listed for identification purposes as nominal. Actual thickness may be less than listed.)

**Not for use in contact with food.**

8135-00-584-0610, SKILCRAFT, AbilityOne, Clear, Width: 8 ft., RO(contains 100 FT), \$26.81

Thickness: 0.004", 8135-00-584-0619, SKILCRAFT, AbilityOne, Clear, Width: 8 ft., 4"; Thickness: 0.002", RO(contains 200 FT), \$30.53

8135-00-579-6491, SKILCRAFT, AbilityOne, Black, Width: 10 ft.; Thickness: 0.006", RO(contains 100 FT), \$41.01

8135-00-579-6489, SKILCRAFT, AbilityOne, Clear, Width: 12 ft.; Thickness: 0.006", RO(contains 100 FT), \$53.28

8135-01-150-3052, AbilityOne, Clear, Width: 20 in.; Thickness: 0.001", RO(contains 5000 FT), \$52.12

**Not for use in contact with food.**

*(NFES #0143)*

8135-00-618-1783, SKILCRAFT, AbilityOne, Clear, Width: 16 ft., RO(contains 100 FT), \$61.57

Thickness: 0.006", (NFES #0144)

8135-00-579-6487, SKILCRAFT, AbilityOne, Black, Width: 20 ft.; Thickness: 0.006", RO(contains 100 FT), \$82.64

## Acetate Plastic Sheeting

Colorless cellulose-acetate sheet is used for covering desk blotters.

Measures 0.005" thick.

7510-01-269-2303, 24 x 37", EA, \$7.49

## Stretch Wrap Film

Machine wrap for the Mobilrap Pro80 is 80 gauge and is suitable for protecting large shipments, boxes or packages.

8135-01-386-2322, Width: 20", RO(contains 6000 FT), \$67.53

## Pallet Wrap

Normal impact-strength polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly resistant to water and moderately resistant to vapor. Low-slip type. (Note: Thickness is listed for identification purposes as nominal. Actual thickness may be less than listed.)

8135-01-321-4201, 30" W, RO(contains 5000 FT), \$112.99

8135-00-079-2415, 36" W, RO(contains 600 FT), \$1,380.00

## Plastic Wrap

Wrap it up in this flexible vinyl plastic film for general packaging in temperatures from 0 to 130° F. Waterproof and heat sealable.

**Not for use in contact with food.**

8135-00-050-7698, Clear, Width: 54"; Thickness: 0.020", RO(contains 50 YD), \$274.85

Clear plastic film is suitable for use in automated machines or for hand wrapping meats and produce. Comes rolled around a 3" core.

8135-01-015-4139, 17" wide, RO(contains 5000 FT), \$58.87

## Barrier Material

This plastic barrier material protects supplies during transportation and storage under all weather conditions. Also useful for all applications that require water vapor-proof, flexible, heat-sealable, low water vapor transmission packaging material.

**With non-woven backing.**

8135-00-282-0565, Material Safety Data Sheet, Width: 36", RO(contains 200 YD), \$215.54

**With woven backing.**

8135-01-015-2810, Material Safety Data Sheet, Width: 36", RO(contains 200 YD), \$517.80

This flexible, heat-sealable material features a smooth surface that protects supplies during transportation or storage. Greaseproof and waterproof, this material is acid-free and non-corrosive.

**Medium-duty type.**

8135-00-233-3871, Material Safety Data Sheet, Width: 36", RO(contains 200 YD), \$149.89

**Light-duty type.**

8135-00-224-8885, Material Safety Data Sheet, Width: 36", RO(contains 200 YD), \$148.86

**Electrostatic protective and electromagnetic shielding, heat sealable barrier material.**

8135-00-092-3220, Material Safety Data Sheet, Width: 36", RO(contains 200 YD), \$402.50

**Nonheat-sealable material has a stretchable, creped surface. Use it as a wrap to protect oily and soft preservatives on metal surfaces or to separate coated items in packaging.**

**Medium-duty type.**

8135-00-753-4661, Material Safety Data Sheet, Width: 36", RO(contains 100 YD), \$187.45

**Light-duty type.**

8135-00-753-4662, 36" wide., RO(contains 100 YD), \$147.20

8135-00-226-3124, 36" wide, RO(contains 200 YD), \$290.38

**Heat-sealable material has a nonstretchable, smooth surface. Use it to make packaging bags, sleeves, pouches and liners for fiberboard containers.**

**Medium-duty type.**

8135-00-292-9719, 36" wide, RO(contains 100 YD), \$108.87

8135-00-543-6574, 48" wide, RO(contains 100 YD), \$141.44

**Moldable, self-adhering material can be used as an outer wrap for sealed, preserved surfaces. Heavy-duty type.**

**With adhesive coating on nongreaseproof side only.**

8135-00-222-4027, 36" wide, RO(contains 100 YD), \$96.28

**With both sides adhesive coated.**

8135-00-292-9728, 36" wide, RO(contains 100 YD), \$293.25

8135-01-495-0660, 50" W, RO(contains 200 YD), \$539.92

This material is water vapor-proof, electrostatic protective and electrostatic and electromagnetic shielding, all in one.

8135-01-185-6816, 36" wide, RO(contains 150 FT), \$79.35

Meets: MIL-B-121TY1GRACL2.

8135-00-132-9589, Red, 36" W, RO(contains 200 YD), \$266.80

Scrim woven fabric meets: I.A.W. MIL-131K CL3

8135-01-019-4165, 12" W, RO(contains 200 YD), \$236.33

Waterproof kraft wrapping paper has a high degree of resistance to permeation by water vapor. Use as an interior wrap.

**For individual packages and light parts.**

**Consists of two layers of 30-lb kraft paper and one layer of 50-lb asphalt.**

8135-00-171-1559, 36" wide, RO(contains 200 YD), \$205.85

## Barrier Material (Grease Proof)

This flexible barrier material is grease proof, acid free and non-corrosive. Heat sealable (I.A.W. MIL-PRF-131 CL1) is self-adhering.

8135-01-499-5302, 72" W x 3600" L, EA, \$543.54



## Kraft Paper

Unbleached paper used as a wrapping for general, non-food purposes where a chemically neutral or vapor-proof barrier is not required. Paper roll has a 9" diameter.

### Basis weight: 30-lbs.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-160-7753, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 1636 FT), \$66.13

### Basis weight: 40-lbs.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-160-7757, SKILCRAFT, AbilityOne, Natural, Width: 24", RO(contains 1228 FT), \$41.26

8135-00-160-7762, SKILCRAFT, AbilityOne, Natural, Width: 48", RO(contains 1228 FT), \$77.56

8135-00-160-7759, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 1228 FT), \$64.11

### Basis weight: 50-lbs.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-160-7764, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 980 FT), \$61.24

### Basis weight: 60-lbs.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-160-7766, SKILCRAFT, AbilityOne, Natural, Width: 24", RO(contains 820 FT), \$37.81

8135-00-160-7768, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 820 FT), \$57.57

8135-00-160-7769, SKILCRAFT, AbilityOne, Natural, Width: 48", RO(contains 820 FT), \$71.52

### Basis weight: 70-lbs.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-160-7771, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 700 FT), \$53.62

### Basis weight: 80-lbs.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-160-7776, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 615 FT), \$54.56

Unbleached, fire-resistant paper used as a wrapping for general non-food purposes where some fire resistance is required. Paper roll has a 9" diameter. Contains 100% Recycled Material, Which Includes 30% Postconsumer Material

### Basis weight: 60-lbs.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8135-00-966-2532, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 300 YD), \$160.36

8135-00-966-2533, SKILCRAFT, AbilityOne, Natural, Width: 48", RO(contains 300 YD), \$215.56

Paper roll has a 9" diameter.

**Basis weight: 50-lbs.**

*Contains 25% Recovered Material, Which Includes 5% Postconsumer Material*

Plastics Removal in Marine Environments Comprehensive Procurement Guideline Compliant  
8135-00-973-1835, SKILCRAFT, AbilityOne, Natural, Width: 24", RO(contains 300 YD), \$108.39

## Wrapping Paper

General use wrap protects items from dust.

**Paper is flat with a basis weight of 30-lbs.**

8135-00-558-1242, Width: 36", RO(contains 600 FT), \$108.04

## Protective Paper

Contains Homogeneous Rubber And Pulp Paper With An External Vinyl Coating, Abrasive Resistant. Base Weight 192 Lb.

8135-00-654-9834, 48" W, RO(contains 30 YD), \$805.00

## Preservative Paper

Creped or embossed kraft paper is treated with a corrosion inhibitor for protecting and preserving metal and for general packaging. Light-duty quality.

8135-00-810-0481, Width: 36", RO(contains 200 YD), \$177.10

## Anti Static Bag

Electrostatic protective and electromagnetic shielding, heat sealable barrier material.

8105-01-353-2497, Olive Drab, 11" x 13", EA, \$39.21

8105-01-353-8808, transparent, 18.5" x 16", PG(contains 100 EA), \$113.85

## GENERAL PURPOSE CONTAINER MADE OF WOVEN TO HOLD VARIOUS MILITARY ITEMS

8105-01-437-0820, Black, 53" L X 10.5" W, EA, \$65.21

## Static Shielding Bags

Static Shielding Bags provide a static safe environment for sensitive electronic devices. Bag incorporates Faraday Cage Static Shielding protection. The bag has a A4 flat design, and heat sealable.

**Open top.**

8105-01-217-4312, 10 X12", BX(contains 100 EA), \$87.40

8105-01-218-5323, 18 x 18", BX(contains 100 EA), \$172.50

## Interior Packaging Bag

For interior packaging of items packed inside other containers, this heat-sealable plastic bag keeps items separate and protects contents from scratches. Features heavy-duty seams.

**Water vapor-proof and greaseproof.**

8105-00-269-4662, Transparent, 20 x 25", PG(contains 25 EA), \$108.10

# Tape

## Packaging Tape

This "original 100 MPH" high-strength waterproof tape can withstand temperatures between -65 to 160° F. Features a woven cloth backing for exterior sealing. 3" core diameter.

*12-month maximum shelf life (extendable).*

7510-00-074-5029, SKILCRAFT, AbilityOne, Red, Width: 4", RO(contains 60 YD), \$31.26

Seals a wide variety of packages. 36 rolls total per case.

*24-month maximum shelf life (extendable).*

7510-00-923-0591, Blue or Black, 4" wide, RO(contains 36 YD), \$101.72

Quality Waterproof Packaging Tape For Military Packaging And Other Demanding Applications.

*24-month maximum shelf life (extendable).*

7510-00-118-2489, Silver, 2", RO(contains 60 YD), \$25.76

Commercial grade, polypropylene package sealing tape pre-pack includes 6-rolls of tape. Features a polypropylene backing with hot melt synthetic rubber-resin adhesive which allows tape to stick instantly and hold tightly. Each tape has a 3" core and is 55 yards long.

**Tapes come with a red, grip dispenser.**

**3.1 mils. thick.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-579-6873, SKILCRAFT, AbilityOne, Transparent, Width: 2", PG(contains 6 EA), \$27.75

**Tapes come with a blue, pistol grip dispenser (NSN 7520-01-566-4139).**

**3.1 mils. thick.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-579-6872, SKILCRAFT, AbilityOne, Transparent, Width: 2", PG(contains 6 EA), \$32.96

**1.9 mils. thick.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-579-6871, SKILCRAFT, AbilityOne, Transparent, Width: 2", PG(contains 6 EA), \$16.03

**3.1 mils. thick.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-579-6874, SKILCRAFT, AbilityOne, Transparent, Width: 2", PG(contains 6 EA), \$24.46

This medium-strength tape is waterproof and weather-resistant. Features a plastic film backing. Tape is for general use in sealing fiberboard boxes and covering exterior labels. Has a 3" core. Meets ASTM D 5486, Type I, Class 2.

*18-month maximum shelf life (extendable).*

7510-00-663-3732, Transparent, Width: 1", RO(contains 72 YD), \$10.50

7510-00-266-6715, Transparent, Width: 2", RO(contains 60 YD), \$5.26

7510-00-281-2700, Transparent, Width: 3", RO(contains 60 YD), \$8.02

Weather- and water-resistant tape sports a flat, paper backing. Useful for closing and sealing fiberboard containers. Has a 3" core. Meets ASTM D 5486 TYPE V.

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-297-6655, SKILCRAFT, AbilityOne, Beige, Width: 2", RO(contains 120 YD), \$13.41

Federal Strategic Sourcing Initiative, 7510-00-297-6656, SKILCRAFT, AbilityOne, Beige, Width: 3", RO(contains 120 YD), \$21.76

Tape has a plastic film backing and is useful for sealing containers and attaching labels. Allows reading of labels when applied over them. Has a 3" core. Meets A-A-1684.

*12-month maximum shelf life (extendable).*

7510-01-425-6768, Transparent, Width: 2", RO(contains 330 FT), \$3.06

7510-00-073-6094, Transparent, Width: 4", RO(contains 72 YD), \$6.88

7510-00-073-6096, Transparent, Width: 6", RO(contains 72 YD), \$10.37

This tape is excellent for sealing containers in situations that require high strength and resistance to water, sunlight and other adverse elements. Includes a plastic film backing and can be used in temperatures ranging from -65 to 160° F. Has a 3" core. Meets ASTM D5486, TYPE: I, CLASS: 1.

(NFES #0395)

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-079-7906, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$4.01

(NFES #0396)

*12-month maximum shelf life (extendable).*

7510-00-079-7907, Tan, Width: 4", RO(contains 60 YD), \$11.36

7510-00-079-7905, SKILCRAFT, AbilityOne, Tan, Width: 3", RO(contains 60 YD), \$4.65

Box sealing tape is moisture resistant, features polypropylene film backing and glossy finish. Used for non-critical closure such as lightweight containers exposed to minimal distribution hazards.

(NFES #0396)

*18-month maximum shelf life (extendable).*

7510-01-317-4215, Material Safety Data Sheet, Transparent, Width: 2", RO(contains 55 YD), \$2.69

This "original 100 MPH" high-strength waterproof tape can withstand temperatures between -65 to 160° F. Features a woven cloth backing for exterior sealing. 3" core diameter.

**4" wide. Meets ASTM D5486 Type III.**

*12-month maximum shelf life (extendable).*

7510-00-074-4955, SKILCRAFT, AbilityOne, White, RO(contains 60 YD), \$31.26

## Pressure-Sensitive Tape

Premium commercial-grade, clear polypropylene, box-sealing pressure-sensitive tape comes with its own disposable dispenser, a serrated metal blade and a paperboard flap suitable for hanging on a display rack. This item features impact resistant reinforcement. Has a 1-1/2" core.

*12-month maximum shelf life (extendable).*

7510-01-383-7967, Transparent, Width: 2"; Length: 22.2 yds., PG(contains 6 EA), \$22.80

Floor safety marking tape made of heavy-duty poly vinyl with rubber adhesive sticks tight and removes cleanly. Resists abrasion, moisture, common solvents and weather. Ideal for indoor or outdoor marking of traffic areas, physical hazards, emergency zones, work sites, plus can be used for color coding. Flexible backing allows application to curved walls, ducts, low-hanging objects as well as floors. Conforms to ASTM-D 3330, 3759, 3652 standards.

*36-month maximum shelf life (extendable).*

7510-01-281-9769, Yellow, 1-1/2" W, RO(contains 36 YD), \$220.52

One-sided, paper crepe tape is heat-resistant to 250° F. Well suited for paint masking on aircraft, trucks and boats. Tape is lusterless and opaque.

*12-month maximum shelf life (extendable).*

7510-01-127-0648, White, 1" W, RO(contains 36 YD), \$1,035.64

7510-01-248-7514, White, 1.0" W, RO(contains 648 IN), \$116.48

*18-month maximum shelf life (extendable).*

7510-01-371-3236, Natural, Width: 1-1/2", RO(contains 60 YD), \$31.17

*24-month maximum shelf life (extendable).*

7510-00-019-4750, Colorless, 2"W, RO(contains 36 YD), \$266.75

High-performance adhesive designed to stick charges to wood, metal, glass and certain wall targets. Used adhere charges to targets during explosive entry and breaching. Double-sided adhesive. Cold resistant and water resistant.

*12-month maximum shelf life (extendable).*

7510-01-531-2399, Gray, 2.0" W x 200" L, RO(contains 50 FT), \$100.68

Multi-purpose tape for all your basic needs. Conforms to curved and irregular surfaces. Aggressive adhesive. Residue-free removal. Maintains color even with heavy abrasion. Meets A-A-1689, Type I, Class 2.

*18-month maximum shelf life (extendable).*

7510-00-355-7154, Brown, 2.0" W, RO(contains 36 YD), \$9.18

## Pressure Sensitive Paper Tape

Paper tape on a tear-resistant liner is useful for splicing, holding, laminating, bonding, mounting and die-cutting. Has a 3" core. Double-sided adhesive.

7510-00-634-1566, Off-white, 2" x 36 YDS, RO(contains 36 YD), \$18.39

## Pressure Sensitive Preservation Tape

The conformability and stain resistant properties of this black polyethylene tape offers excellent performance as an industrial and military preservation tape.

Moisture, oil, and heat resistant. Meets I.A.W SAE-AMS-T-22085 TYPE: 2.

*24-month maximum shelf life (extendable).*

7510-00-117-5520, Material Safety Data Sheet, 481, Black, 2" x 36 Yds, RO(contains 36 YD), \$77.76

## Pressure Sensitive Adhesive Tape (Double-sided)

Transparent, double sided transfer tape offers a thin profile combined with our high strength acrylic adhesive for a long-lasting bond. Liner provided. Temperature range is -40°F to 300°F.

*24-month maximum shelf life (extendable).*

7510-01-544-7041, 3.0" W, RO(contains 60 YD), \$139.10

## Pressure Sensitive Foam Tape

Thick closed-cell high-density foam helps seal out dust, light and moisture. Durable acrylic adhesive on one side of foam offers good aging and UV resistance.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-032-4082, Material Safety Data Sheet, Black, 1" x 36 Yds, RO(contains 36 YD), \$17.09

## Box Sealing Tape

Extra sturdy polyester backing resists abrasion, moisture and scuffing for lasting hold. Adhesive sticks quickly to a variety of materials. Securely closes double and triple walled corrugated cartons and fiberboard. Seals cartons weighing up to 150 lbs. 3 mil thickness.

*18-month maximum shelf life (extendable).*

8135-01-023-4348, 2" W, RO(contains 60 YD), \$26.28

## Sealing Tape

Opaque tape has a plastic film backing and seals against moisture. Also use for interior packaging and identification marking; nonprintable. Has a 3" core.

*18-month maximum shelf life (extendable).*

7510-00-134-8830, Yellow, 4" wide, RO(contains 36 YD), \$13.28

## Strapping Tape

Polyester filament-reinforced tape is suited for light-duty bundling and packaging. Use this low-tensile-strength tape when extra flexibility is needed. Has a 3" core. Meets ASTM: D5330, TYPE: I.

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-290-8035, Opaque, Width: 3/4", RO(contains 60 YD), \$5.33

*18-month maximum shelf life (extendable).*

7510-00-290-8036, Natural, Width: 1", RO(contains 60 YD), \$5.53

Fiberglass filament-reinforced tape is for closing full overlap or full telescope boxes, as well as general bundling and packaging. Also used for carton reinforcing, unitizing and holding applications. Has a 3 inch core. Meets ASTM D5330, TYPE II.

**Medium-tensile-strength tape (300 pounds per inch width) is transparent.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-802-8311, SKILCRAFT, AbilityOne, Natural, Width: 3/4", RO(contains 60 YD), \$4.05

*For dispenser, see NSN 7520-00-579-9053. (NFES #0222)*

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-582-4772, SKILCRAFT, AbilityOne, White, Width: 1", RO(contains 60 YD), \$4.09

Federal Strategic Sourcing Initiative, 7510-00-159-4450, SKILCRAFT, AbilityOne, White, Width: 2", RO(contains 60 YD), \$8.08

7510-00-582-4771, SKILCRAFT, AbilityOne, Transparent, Width: 1/2", RO(contains 60 YD), \$2.44

## Impact Stripping Tape

VHB tape that bonds to most higher surface energy substrates including metal, glass, and high surface plastics. This general purpose adhesive tape have firm acrylic foam core and 0.080 inch thickness. Solvent and impact resistant.

*12-month maximum shelf life (extendable).*

7510-01-300-2125, Green, 2" x 10 Yds, RO(contains 10 YD), \$50.32

7510-01-591-1923, 4955, White, 1.0" W x 36 YD L, BX(contains 9 EA), \$1,055.49

## Packing Tape

Effectively seals fiberboard boxes and paper wrapping. (Requires moistening with water before use.) Meets ASTM D 5749, Type II, Grade B.

**Made of non-reinforced, one-ply kraft paper.**

*Medium-duty tape has a 60-lb. basis weight. Non-strippable tape features a 1/2"-diameter core opening (minimum).*

8135-00-271-1446, Brown, Width: 2-1/2", RO(contains 600 FT), \$9.18

8135-00-270-8717, Brown, Width: 3", RO(contains 600 FT), \$34.27

**Two-ply paper tape is reinforced with fiberglass and laminated with nonasphaltic material.**

*Non-strippable tape features a 1/2"-diameter core opening (minimum). Not for use with food products. Meets A-A-1671, Type II, Class 2, Style B. Has 30-lb basis weight.*

*24-month maximum shelf life (extendable).*

8135-00-598-6097, Width: 3", RO(contains 450 FT), \$7.88

*Gummed tape that may be stripped easily from container. Safe for use with food products. Meets A-A-1671, Type II, Class I, Style A.*

8135-00-155-5473, Width: 3", RO(contains 375 FT), \$10.76

## Polyester Film Tape

This polyester film tape is ideal for protecting shipping container labels. Has a 3" core. Meets L-T-100, Type I.

*18-month maximum shelf life (extendable).*

7510-00-987-6661, Clear, Width: 3/4", RO(contains 72 YD), \$10.29

## Preservation and Sealing Tape

Intended for use in preservation and sealing of military vehicles, aircraft, missiles and other related equipment during handling, shipment and storage. Oil and weather-resistant plastic tape can be applied to clean, dry surfaces in all temperatures. Ideal for use with overcoating when unprotected outdoor storage is anticipated. Also may be used without overcoating when exposure to outdoor elements is not expected. Not intended for use on or near heat sources such as steam pipes or radiators. Have overall length that is 36" yards per roll and a 3" diameter core. Meets SAE-AMS-T-22085, Type II.

*24-month maximum shelf life (extendable).*

7510-01-652-5438, Material Safety Data Sheet, 481, Black, Width: 4.0", BX(contains 8 EA), \$670.79

7510-01-652-5436, Material Safety Data Sheet, 481, Black, Width: 3.0", BX(contains 12 EA), \$836.22

7510-01-652-5433, Material Safety Data Sheet, 481, Black, Width: 2", BX(contains 24 EA), \$1,115.16

7510-01-652-5429, Material Safety Data Sheet, 481, Black, Width: 1", BX(contains 36 EA), \$836.36

7510-00-926-8941, Black, 6" wide, RO(contains 36 YD), \$34.15

*12-month maximum shelf life (extendable).*

7510-01-652-5432, Material Safety Data Sheet, 481, Black, Width: 2.5", BX(contains 24 EA), \$635.39

## Packaging Tape with Dispenser

Secure packages with this ultra-clear, moisture resistant packaging tape that adheres easily to most surfaces. Easy-to-unwind tape includes dispenser with built-in blade to prevent sticking back on the roll, while clear-to-the-core design makes it easy to determine when it.

*24-month maximum shelf life (extendable).*

7510-01-675-8745, SKILCRAFT, AbilityOne, Clear, 1.88" W, RO(contains 22 YD), \$2.81

## Packaging Tape Dispenser

This heavy-duty box sealing hand held tape dispenser features pistol-grip design for center seam sealing of boxes. Dispenser is for use with tape from 1-1/2" up to 2" wide and 60 yards long with a 3" core. Adjustable tension controls tape unwind. Construction of dispenser is heavy-duty plastic and metal.

7520-01-317-3230, Natural, EA, \$12.58

Handheld packaging tape dispenser accommodates 3" core, 2" wide tapes. Retractable safety blade reduces cuts and injuries. High-impact plastic handle with pistol grip for easy form fit. Includes tape break for one-hand operation. Comes with one 30 yard roll of tape. Meets OSHA requirements.

Federal Strategic Sourcing Initiative, 7520-01-566-4139, SKILCRAFT, AbilityOne, Blue, EA, \$10.85

# Mailroom Supplies

## Heavy-Duty Travel Cart

Travel cart handles up to 250-lbs. with ease. Ideal for moving boxes, publications, luggage and more. Features a sturdy tubular steel frame and platform, elasticized safety cord. Oversized 6" diameter ball-bearing wheels. Padded, telescoping pull handle. Extended size: 15-1/2" W x 44-1/2" H x 19" D; Folded size: 15-1/2" W x 27" H x 6-1/2" D; Platform size: 12" x 12".

8460-01-490-7344, STB-3900007BLK or equal, Black and Chrome, EA, \$103.44

## Mail Cart

Carbon steel mail cart features a non-nesting design and two removable baskets. The top basket has adjustable snap-on file guide bars. Cart also has two swivel wheels and two fixed wheels.

**Upper basket measures 24" long, 17" wide and 11" high. Lower basket measures 24" long, 17" wide and 7" high.**

Federal Strategic Sourcing Initiative, 7290-00-260-1147, LS-3 or equal, 28" L x 17" W x 34" H, EA, \$280.17

**Upper basket measures 36" long, 17" wide and 11" high. Lower basket measures 36" long, 17" wide and 7" high.**

Federal Strategic Sourcing Initiative, 7290-00-893-7339, LS-4 or equal, 41-1/2" L x 21" W x 37" H, EA, \$317.39

## Hand Truck

This hand truck is portable and lightweight with either a collapsible, compact or fold-up design. The wheels are high-impact poly, steel or rubber, 4 to 8" in diameter. Capacity: 200 lbs.

Federal Strategic Sourcing Initiative, 3920-00-847-1305, 220649 or equal, EA, \$87.35

## Utility Apron

One-piece, bib-style apron comes in one size with two large pockets and one pen holder pocket. The polyester/cotton blend twill cloth apron closes with a buckle-secured neck strap and waist tie-tapes. Washable apron is suitable for wear by package handlers.

8415-01-482-1205, UW-A-24263 or equal, Royal Blue, 26" L, 24" W, EA, \$6.77

## Fingertip Moistening Compound

Tacky-finger compound makes handling paper hassle-free. The substance washes off and is packed in a container with a cover. Non-irritating, stainless, greaseless and odorless.

*12-month maximum shelf life (extendable).*

7510-00-604-4150, Material Safety Data Sheet, 1 oz., EA, \$16.45

# Clocks and Watches

## LCD Digital Clock

The LCD digital display clock's radiocontrolled movement keeps highly accurate time and is ideal for desktop or wall hanging. The display includes time in standard or military format, date, day of week, year and indoor temperature (in C° or F°). Also features dual alarms with snooze function. Includes foldout stand for convenient desktop display. Two AAA batteries required (not included).

*12-month maximum shelf life (not extendable).*

6645-01-661-1877, SKILCRAFT, AbilityOne, Silver with Black Detail, 9.75" x 7.25" x 1", EA, \$28.32

## Mini Desk Clock

Portable desk clock with rosewood case and a digital analog face, folds for carry in briefcase or pocket for travel.

This item is part of a desk set of matched rosewood office items. It contains a letter opener [7520-01-584-0879], a mini desk clock [6645-01-584-0892], a self-stick note holder [7520-01-584-0881], a business card holder [7510-01-584-0893], a 12" ruler [7510-01-516-9247], and the Illusion twist-action medium point ballpoint pen and 0.8mm mechanical pencil set [7520-01-458-3932].

6645-01-584-0892, SKILCRAFT, AbilityOne, EA, \$13.29

## Hardwood Logo Clock

Octagonal hardwood clock hangs flush against the wall. This 12-hour SKILCRAFT battery operated (single AA battery is not included) features radio controlled quartz movement and a white (non-yellowing) dial face with easy to read black arabic numbers and glass crystal with bezel. The black minute and hour hand and a brass second hand make this clock easy to read. Total diameter with wood casing 12".

6645-01-491-9825, SKILCRAFT, AbilityOne, Mahogany, 8-1/2" Diameter, EA, \$57.44

## Atomic Wall Clock

Round plastic clock hangs flush against the wall. This 12-hour SKILCRAFT Slimline battery operated (single AA battery is not included) features a sweep, red colored second hand, radio controlled quartz movement and a white (non-yellowing) dial face with easy to read black arabic numbers. The black minute and hour hands make this atomic clock easy to read.

6645-01-491-9814, SKILCRAFT, AbilityOne, Black, 12" Diameter, EA, \$47.22

6645-01-491-9809, SKILCRAFT, AbilityOne, Black, 8" Diameter, EA, \$34.05

6645-01-491-9832, SKILCRAFT, AbilityOne, Bronze, 12-3/4" Diameter, EA, \$39.46

## Atomic Hardwood Wall Clock

Radio-controlled atomic quartz-movement wall clock keeps accurate time to within one second of deviation every 30 million years and resets itself automatically for Daylight Savings changes in the spring and fall. Easy-to-read black Arabic numbers, white face, and mahogany case. Includes minute, hour and brass second hands. Uses one AA battery, not included.

6645-01-492-0373, SKILCRAFT, AbilityOne, Mahogany, 16" Diameter, EA, \$109.80

## Slimline Wall Clock

Round "Slimline" wall clock features quartz movement. Easy-to-read clock has black Arabic numerals, black minute and hour hands, white face, and a red sweep second hand. Hanging hardware is included. Requires one AA battery (not included).

The plastic clock frame is designed to biodegrade within an average of 2 years in a landfill environment. (reference ASTM D5511)

*30% Postconsumer Material*

EPA Recommended, Comprehensive Procurement Guideline Compliant

6645-01-389-7958, SKILCRAFT, AbilityOne, Black, Diameter: 8", EA, \$20.56

6645-01-046-8848, SKILCRAFT, AbilityOne, Bronze, Diameter: 8", EA, \$20.56

6645-01-389-7944, SKILCRAFT, AbilityOne, Black, Diameter: 12", EA, \$26.61

Comprehensive Procurement Guideline Compliant

6645-01-046-8849, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$26.61

## 12/24 Hour Wall Clock

Round 12/24-hour wall clock, makes two revolutions every 24 hours. Face is white; numbers, minute marks and hands are black; and second hand is red. Quartz movement provides accuracy to +/-1/3 second-per-day. Hanging hardware is included. Requires one AA battery (not included).

The plastic clock frame is designed to biodegrade within an average of 2 years in a landfill environment. (reference ASTM D5511)

*30% Postconsumer Material*

EPA Recommended, Comprehensive Procurement Guideline Compliant

6645-01-342-8199, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$26.46

## 24 Hour Wall Clock

Round, 24-hour wall clock makes one revolution every 24 hours. Face is white; numbers, minute marks and hands are black; and second hand is red. Quartz movement provides accuracy to +/-1/3 second-per-day. Hanging hardware is included. Requires one AA battery (not included).

**The plastic clock frame is designed to biodegrade within an average of 2 years in a landfill environment. (reference ASTM D5511)**

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

6645-01-342-5313, SKILCRAFT, AbilityOne, Bronze, Diameter: 8", EA, \$26.28

EPA Recommended, Comprehensive Procurement Guideline Compliant

6645-01-342-5314, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$30.62

## Hardwood Wall Clock

This hardwood, executive-style wall clock features quartz movement. Easy-to-read black numerals, minute markings, and hour and minute hands. Also features a brass second hand, a glass crystal, and a white face. Requires one AA battery (not included).

6645-01-421-6904, SKILCRAFT, AbilityOne, Mahogany Case, Diameter: 16", EA, \$86.11

## Electric Wall Clock

This round, electric, wall-mounted clock displays black Arabic numerals and minute marks. Other features are a non-yellowing white-faced plastic dial, a red sweep second hand, and a built-in hanging bracket. Includes a five-foot power cord.

**The plastic clock frame is designed to biodegrade within an average of 2 years in a landfill environment. (reference ASTM D5511)**

*30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

6645-00-514-3523, SKILCRAFT, AbilityOne, Bronze, Diameter: 8", EA, \$26.86

EPA Recommended, Comprehensive Procurement Guideline Compliant

6645-00-530-3342, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$29.42

## Self-Set Clock

Quartz clock is programmed to set itself automatically to daylight saving time without relying on a signal. Features black hour and minute hands, red second hand, and a shatter-resistant crystal. Clock includes a switch that permits user to select the "old schedule" (compliant with pre-2007 daylight saving time regulations), "new-schedule" (2007) or the "off" position. Includes hanging hardware. Requires one AA battery (not included). Three-year limited warranty.

6645-01-557-3153, SKILCRAFT, AbilityOne, Black, Diameter: 8", EA, \$25.05

6645-01-557-3148, SKILCRAFT, AbilityOne, Black, Diameter: 12", EA, \$31.62

6645-01-557-3149, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$31.62

Quartz clock is programmed to set itself automatically to daylight saving time, without relying on a signal. Features black Arabic numerals, black hour and minute hands, a red second hand, and a glass crystal. Clock features a switch that permits user to select the "old schedule" (pre-2007), "new-schedule" (2007) or the "off" position. Includes hanging hardware. Requires one AA battery (not included). Three-year limited warranty.

6645-01-557-4606, SKILCRAFT, AbilityOne, Mahogany Hardwood, Diameter: 16", EA, \$85.54

**Octagon-shaped clock with bezel.**

6645-01-557-4608, SKILCRAFT, AbilityOne, Mahogany Hardwood, Diameter: 8-1/2", EA, \$97.11

**Clock can include any Federal Agency Logo. Customer will be contacted for Logo information after order has been received.**

6645-01-557-4605, SKILCRAFT, AbilityOne, Mahogany Hardwood, Diameter: 12", EA, \$91.29

## Self-Set Wall Clock

Self-Set clocks are programmed to automatically set itself to Daylight Saving Time without the use of a signal. It is ideal for use in facilities where a radio signal may not reach radio-controlled clocks. Clocks have quartz movement with extremely accurate time and include a white dial with black Arabic numerals, black hour and minute hands... "Old Schedule", "New Schedule" and "Off" switch allows user to revert to former schedules compliant with 2007 Daylight Savings regulations. Hanging hardware included. Battery-operated movement uses one AA battery (not included).

*30% Postconsumer Material*

6645-01-623-8823, SKILCRAFT, AbilityOne, Black Plastic Body, 14.5" Diameter, EA, \$35.22

6645-01-623-8825, SKILCRAFT, AbilityOne, Black Plastic Body, 16.5" Diameter, EA, \$44.78

**Customizable clock, is available with Federal and Military logos.**

*30% Postconsumer Material*

6645-01-623-6230, SKILCRAFT, AbilityOne, Black Plastic Body, 16.5" Diameter, EA, \$50.53

6645-01-623-6231, SKILCRAFT, AbilityOne, Black Plastic Body, 14.5" Diameter, EA, \$40.97



## Wall Clock

Round slim design workstation clock features quartz movement, black Arabic numerals and minute marks, black hour and minute hands and a red sweep second hand. Uses one AA battery (not included). Hanging hardware included.

**Customizable clock, is available with Federal and Military logos.**

*30% Postconsumer Material*

6645-01-623-6232, SKILCRAFT, AbilityOne, Black Plastic Body, 14.5" Diameter, EA, \$37.26

6645-01-623-6233, SKILCRAFT, AbilityOne, Black Plastic Body, 16.5" Diameter, EA, \$46.44

6645-01-623-7483, SKILCRAFT, AbilityOne, Black Plastic Body, 14.5" Diameter, EA, \$31.51

6645-01-623-8824, SKILCRAFT, AbilityOne, Black Plastic Body, 16.5" Diameter, EA, \$40.69

12" Round Wall Clock with Agency/Military Logo, White dialface, Black Numbers, Minute Marks and Hands, Red Second Hand, Quartz Movement, Hanging Hardware Included, AA Battery required. Accurate to .33 seconds per day.

6645-01-456-6026, SKILCRAFT, AbilityOne, Black, 12" diameter, EA, \$32.36

6645-01-456-6018, SKILCRAFT, AbilityOne, Bronze, 12" diameter, EA, \$32.36

8" Round Wall Clock with Agency/Military Logo, White dialface, Black Numbers, Minute Marks and Hands, Red Second Hand, Quartz Movement, Hanging Hardware Included, AA Battery required. Accurate to .33 seconds per day.

6645-01-456-5008, SKILCRAFT, AbilityOne, Bronze, 8" diameter, EA, \$26.31

12" Round Hardwood Wall Clock, With Agency/Military Logo, White Dial Face, Black Numbers, Minute Marks and Hands, No Second Hand, Glass Dial Cover, Quartz Movement, 0.33 Seconds Per Day accuracy, Hanging Hardware included, AA Battery Required.

6645-01-456-6023, SKILCRAFT, AbilityOne, Walnut, 12" diameter, EA, \$67.50

Round 12/24-hour wall clock, makes two revolutions every 24 hours. Face is white; numbers, minute marks and hands are black; and second hand is red. Quartz movement provides accuracy to +/-1/3 second-per-day. Hanging hardware is included. Requires one AA battery (not included).

**Your agency logo is provided upon request.**

6645-01-456-6020, SKILCRAFT, AbilityOne, Bronze, 12" diameter, EA, \$32.21

6645-01-467-8478, SKILCRAFT, AbilityOne, Bronze, 8" diameter, EA, \$22.40

SKILCRAFT 18" black round wall clock, white dial, black numbers/minute marks/hands. Red sweep second hand, quartz movement, 0.33 seconds per day accuracy. Single AA battery required. Agency or Military logo available upon request.

6645-01-467-8479, SKILCRAFT, AbilityOne, Black, 18" diameter, EA, \$168.05

## Alarm Clock

Hand-wound, shelf-type alarm clock wakes user with a loud, 18-second (minimum) alarm. Includes Arabic numerals and minute markings on the face which is in a metal or plastic case. Spring-driven movement runs a minimum of 30 hours per winding.

6645-00-268-4042, Diameter: 4", EA, \$37.50

## Stopwatch

Push-button stopwatch with a minimum of seven jewel bearings to ensure split-second accuracy over an extended period. It starts, stops or returns to zero with a single touch and times 30-minute intervals in increments as small as 1/5 second. Watch features a corrosion-resistant metal, fiberglass or plastic rust-resistant case. Clear glass or plastic cover over white enamel on a metal surface with arabic numerals.

6645-00-250-4680, EA, \$109.25

Digital handheld stopwatch displays minutes, seconds and 1/100th seconds, to a maximum of 59 minutes, 59.99 seconds. Water, shock and dust resistant instrument includes an automatic rollover to zero function. Powered by one or two calculator/watch batteries (not included). Warranty from the contractor for parts and labor for two years. Features a large display and large grip buttons for ease of use.

**Designed with split-mode timing to freeze the split-time display while total timing continues. Has separate start/stop and reset controls.**

6645-01-106-4303, ST083009BK, 8.5L X 0.75W (IN), EA, \$14.37

## Chronograph Wristwatch

Watch features black face with both 12 and 24-hour dials. The stem-winding mechanism has a minimum 36 hour running time. Diver's wristwatch with black dial which includes 3 sub-dials; luminous hands and hour markers; day/date calendar; 0 to 60 outer uni-directional bezel; inner time ring with 1/100 minute and 1/5 second timing; water resistant to 300 meters/1,000 feet. Sapphire crystal; 25 jewel automatic movement; stainless steel case; 46MM diameter x 18MM thick. Screw-down crown and side pushers. Bracelet is vulcanized rubber with stainless steel buckle. Light sources for dial and hands are provided by self-lighting tritium tubes (activity between 26 to 30 millicuries). The watch is Swiss made and carries a three-year warranty.

*Available Upon Request: Strap Color (BK Rubber, Stainless, or set of both); Agency Engraving Update Part # to read: Marathon PN WW194014*

6645-01-544-0408, WW194014, EA, \$2,271.34

## Wristwatch

Manufactured in accordance with MIL-PRF-46374G, Type I, Class 4, this watch has 17-jewel mechanical movement. The stem-winding mechanism has a minimum 39-hour running time and is accurate to a minimum of 30 seconds a day. Stem for winding and setting time is located at the 3 o'clock position; movement stops when the stem is pulled out. This watch features a high-impact fibreshell with a waterproof and dustproof case. Black military face features both 12-and 24-hour timing with white numerals and a sweep second hand. Luminous hands and hour markings are powered by tritium tubes. This Swissmade watch comes with a black nylon mil-spec strap with buckle closure that adjusts to most wrist sizes. The strap is manufactured in accordance with MIL-S46383B, Type II. Product carries a two-year guarantee.

*Available Upon Request: Strap Color (SG, DT, BK, Stainless); Strap Length, (10", 11", 12"); Strap Width (16mm, 18mm, 20mm, and 22mm); Agency Engraving*

6645-00-066-4279, Marathon P/N WW194003, EA, \$180.73

## Navigator Wristwatch with Date

Manufactured in accordance with MIL-PRF-46374G, Type III, Class1 this high altitude wrist watch is perfect for pilots/parachuters and law enforcement. Features a bidirectional time zone, analogue dial with two time scale; water resistant to 6 ATM or atmospheres with a stop second high torque movement. This watch comes in fibreshell, with waterproof/dustproof high impact case with stainless steel engraved back. The black face features both 12 and 24 hour dials with luminous hands and hour marking, white numerals and sweep second hands. 41MM diameter x 13MM thickness. The luminous features are indicated by self-lighting tritium tubes. The strap is manufactured in accordance with MIL-S-46383B, Type III.

*Available Upon Request: Strap Color (SG, DT, BK); Strap Length, (10", 11", 12"); Strap Width (16mm, 18mm, 20mm, and 22mm); Dial Color (SG, DT, BK); Agency Engraving*

6645-01-544-9475, Marathon Marathon PN WW194013, Black/Stainless, EA, \$145.15

## Diver's Watch

Diver's wristwatch that features a watertight stainless steel case (316L), screw-in crown, easy-set date function, EOL (End of Life) indicator and a sapphire crystal. Watch is water resistant: 30 ATM (300m/1,000ft.) with tritium gas tube illumination and IAW ISO 6425. Swiss made 3 jewel automatic quartz movement; stainless steel case (316L); 41MM diameter x 14MM thick. Product also features unidirectional bezel (120 click), and comes with a vulcanized rubber strap with stainless steel buckle. High Torque quartz movement.

*Available Upon Request: Strap Color (BK Rubber, Stainless, or set of both); Dial Size (36MM, 41MM, 46MM); Agency Engraving*

6645-20-001-9382, Marathon P/N WW194007, EA, \$470.06

Diver's wristwatch features a watertight stainless steel case (316L), screw down crown, easy-set date function and sapphire crystal. Watch is water resistant: 30 ATM (300m/1,000ft.) with tritium gas tube illumination and IAW ISO 6425. Swiss made 25 jewel automatic movement; screw-in crown; stainless steel case (316L); 41MM diameter x 14MM thick. Product also features unidirectional bezel (120 click), and comes with a vulcanized rubber strap with stainless steel buckle. Self-winding ( minimum 36 hour running time), mechanical movement, 25 Jewels. White engraved US Government markings on the background and back of the watch.

*Available Upon Request: Strap Color (Rubber, Stainless, or set of both); Dial Size (36MM, 41MM); Multiple Language (English, French, Spanish); Agency Engraving*

6645-21-558-0133, Marathon P/N WW194006, EA, \$649.31

# FURNITURE AND FURNISHINGS

## IN THIS SECTION

Introduction.....	144
Office Furniture.....	145
Traditional Executive.....	145
Contemporary Executive.....	157
Seating.....	166
Height Adjustable Workstations.....	171
Metal Desks and Workstations.....	173
Filing and Storage.....	176
Dormitory and Quarters Furniture.....	185
Healthcare Furniture.....	190
Special Use Furniture.....	200

# Whether your agency is military or civilian, we're ready to support your furniture and furnishings requirements!

GSA's Integrated Workplace Acquisition Center has expanded the categories and styles of furniture and furnishings available through GSA Global Supply® to include the most in-demand furniture products. Each product line is awarded to be compatible in design so that they can be used together in offices and conference rooms. Every furniture item in this catalog is a GSA Global Supply item that therefore may be requisitioned, regardless of size, from GSA, because GSA has already conducted a competitive procurement that satisfies all Federal Acquisition Regulation (FAR) requirements, including environmental initiatives, trade agreement policies, socioeconomic goals, AbilityOne mandates, and executive orders.

See the recently added healthcare furniture in the What's New section at the front of this catalog. The healthcare furniture line is intended for use in hospitals and other medical facilities. The healthcare furniture is available in a variety of wood or metal finish options, and the seating is available in a variety of healthcare-grade upholstery.

## Delivery

For your convenience, all items in this publication are direct delivery from our industry partners, which provides faster delivery and lower prices to our customers. Delivery times vary by product line. The applicable delivery time for each NSN can be found by searching for the NSN at [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov) or at [www.gsaadvantage.gov](http://www.gsaadvantage.gov).

Most of the furniture and furnishing items are priced as FOB Destination, so there will be no additional freight charges. However, if the NSN is listed as FOB Origin at

[www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov), additional freight charges may apply. GSA prices also cover delivery of OCONUS orders for entry into the Defense Transportation System or designated freight forwarder for further routing overseas.

Basic freight is dock-to-dock. GSA prices do not include liftgate service or physically carrying freight up or down stairs (where delivery is to a floor other than the the loading dock, and there is not an available elevator). Customers may arrange for inside delivery or additional services when they need freight delivered beyond their loading docks, at an extra cost. These rates may be predicated on established contract pricing or may need to be negotiated on a case-by-case basis.

*Tip: For large orders and heavy furniture items, please make sure to include a point of contact and phone number for both the buyer and for delivery on your requisition in the event that questions arise about your delivery location or order. Because some furniture items are very heavy, providing a point of contact and phone numbers will help prevent costly delivery issues.*

If a particular situation warrants a need to contact a vendor or transportation company about your delivery or installation request, please contact the NCSC at 800-488-3111 or [ncscustomer.service@gsa.gov](mailto:ncscustomer.service@gsa.gov).

# Traditional Executive

Mix and match from our complete line of line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## Single Pedestal Desk

Single pedestal desk has a central locking system, recessed modesty panel, center drawer with a pull down front which can function as a drawer or a keyboard tray, dictation slide on the approach side, pencil drawer, box drawer and file drawer.

### *Right Pedestal Desk.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5154, Mahogany, Width: 66"; Depth: 30"; Height: 29", EA, \$1,919.94

7110-01-388-5212, Walnut, Width: 66"; Depth: 30"; Height: 29", EA, \$1,919.94

7110-01-383-8123, Mahogany, Width: 72"; Depth: 36"; Height: 29", EA, \$2,082.11

7110-01-383-8120, Walnut, Width: 72"; Depth: 36"; Height: 29", EA, \$2,082.11

### *Left Pedestal Desk.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5095, Mahogany, Width: 66"; Depth: 30"; Height: 29", EA, \$1,919.94

7110-01-388-5184, Walnut, Width: 66"; Depth: 30"; Height: 29", EA, \$1,919.94

7110-01-383-8116, Mahogany, Width: 72"; Depth: 36"; Height: 29", EA, \$2,082.11

7110-01-383-8107, Walnut, Width: 72"; Depth: 36"; Height: 29", EA, \$2,082.11

## Double Pedestal Desk

Double Pedestal Desk, is available in Full Chassis or Conference Style. Conference style desks have 6" overhang on the approach side. Both full chassis and conference style desks have a central locking system, recessed modesty panel, center drawer with a pull down front which can function as a drawer or a keyboard tray, dictation slide on the approach side, pencil drawer, box drawer and file drawer.

### *Full Chassis.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-7920, Mahogany, Width: 64"; Depth: 30"; Height: 30", EA, \$2,129.51

7110-01-654-7921, Walnut, Width: 64"; Depth: 30"; Height: 30", EA, \$2,129.51

7110-01-388-5123, Mahogany, Width: 72"; Depth: 36"; Height: 30", EA, \$2,991.55

7110-01-195-6419, Walnut, Width: 72"; Depth: 36"; Height: 30", EA, \$2,991.55

### *Conference Style.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-495-2786, Mahogany, Width: 72"; Depth: 36"; Height: 30", EA, \$2,198.13

7110-01-495-2785, Walnut, Width: 72"; Depth: 36"; Height: 29", EA, \$2,198.13

Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## “L-Shape” Desk

L-Shape desk has a central locking system, center drawer with a pull down front which can function as a drawer or a keyboard tray, dictation slide on the approach side, recessed modesty panels, pencil drawer, box drawer and file drawer. Articulating keyboard tray provided on the return and includes an interchangeable swivel mouse platform and palm support.

### *L-Shape, Right.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-383-8230, Mahogany, 66"w x 30"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$3,513.85

7110-01-195-6401, Walnut, 66"w x 30"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$3,513.85

7110-01-495-2816, Mahogany, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$3,676.02

7110-01-495-2815, Walnut, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$3,676.02

### *L-Shape, Left.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-383-8234, Mahogany, 66"w x 30"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$3,513.85

7110-01-195-6402, Walnut, 66"w x 30"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$3,513.85

7110-01-495-2818, Mahogany, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$3,676.02

7110-01-495-2817, Walnut, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$3,676.02

## “U-Shape” Desk

U-Shape desk has a central locking system, center drawer with a pull down front which can function as a drawer or a keyboard tray, dictation slide on the approach side, recessed modesty panels, pencil drawer, box drawer and file drawer. Articulating keyboard tray provided on the return and include an interchangeable swivel mouse platform and palm support. Desk and credenza include 1 pedestal each.

### *U-Shape Desk, Right.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8327, Mahogany, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$4,206.64

7110-01-654-8325, Walnut, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$4,206.64

7110-01-654-8322, Mahogany, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$4,388.35

7110-01-654-8324, Walnut, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$4,388.35

### *U-Shape Desk, Left.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8323, Mahogany, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$4,206.64

7110-01-654-8331, Walnut, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$4,206.64

7110-01-654-8329, Mahogany, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$4,388.35

7110-01-654-8326, Walnut, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza, EA, \$4,388.35

Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## Hutch Cabinet

Hutch cabinets are sized to be used with desks and credenzas within this furniture line and feature task light mounted to the underside of the hutch cabinet, tackable surface, and wire management. Hutch cabinets are available with open shelves and a variety of lockable hinged door style options.

*Overhead Storage Hutch with End Panels. Features lockable hinged doors, task lights mounted to the underside of the hutch cabinet, tackable surface, and wire management.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8343, Mahogany, 66" W x 15" D, EA, \$2,621.87

7110-01-654-8342, Walnut, 66" W x 15" D, EA, \$2,621.87

7110-01-417-0783, Mahogany, 72" W x 15" D, EA, \$2,766.58

7110-01-417-0782, Walnut, 72" W x 15" D, EA, \$2,766.58

*Hutch with wood panel doors.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8336, Mahogany, 66" W x 15" D, EA, \$2,061.32

7110-01-654-8334, Walnut, 66" W x 15" D, EA, \$2,061.32

7110-01-495-2800, Mahogany, 72" W x 15" D, EA, \$2,128.27

7110-01-495-2799, Walnut, 72" W x 15" D, EA, \$2,128.27

*Hutch with glass insert doors.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8341, Mahogany, 66" W x 15" D, EA, \$2,258.43

7110-01-654-8340, Walnut, 66" W x 15" D, EA, \$2,258.43

7110-01-495-2802, Mahogany, 72" W x 15" D, EA, \$2,327.04

7110-01-495-2801, Walnut, 72" W x 15" D, EA, \$2,327.04

*Hutch with antique brass finished metal grill insert doors.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8328, Mahogany, 66" W x 15" D, EA, \$2,512.09

7110-01-654-8339, Walnut, 66" W x 15" D, EA, \$2,512.09

7110-01-495-2796, Mahogany, 72" W x 15" D, EA, \$2,579.88

7110-01-495-2795, Walnut, 72" W x 15" D, EA, \$2,579.88

*Hutch with open shelves (no doors).*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8332, Mahogany, 66" W x 15" D, EA, \$1,447.95

7110-01-654-8330, Walnut, 66" W x 15" D, EA, \$1,447.95

7110-01-495-2798, Mahogany, 72" W x 15" D, EA, \$1,514.08

7110-01-495-2797, Walnut, 72" W x 15" D, EA, \$1,514.08

Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## Bookcase

**Bookcase, 4 Shelves.** The bookcase has three adjustable shelves and a fixed bottom shelf.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-388-5196, Mahogany, 34" W x 15" D x 4-High, EA, \$947.70  
 7110-01-195-6423, Walnut, 34" W x 15" D x 4-High, EA, \$947.70

**Bookcase, 5 Shelves.** The bookcase has three adjustable shelves, fixed bottom shelf, and fixed center shelf.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-383-8144, Mahogany, 34"W x 15"D x 5-High, EA, \$1,110.70  
 7110-01-383-8142, Walnut, 34"W x 15"D x 5-High, EA, \$1,110.70

**Bookcase with Glass Doors, 4 Shelves.** The bookcase has two hinged glass doors, three adjustable shelves and a fixed bottom shelf.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-388-5219, Mahogany, 34" W x 15" D x 4-High, EA, \$1,490.79  
 7110-01-195-6422, Walnut, 34" W x 15" D x 4-High, EA, \$1,490.79

## Lateral File Cabinet

Lateral file cabinets feature a central locking system, anti-tip drawer interlock mechanism, and two handles on each drawer front. Modular lateral files can be used in a file bank application. Lateral files shown with bookcase hutch feature decorative trim and therefore can not be used in a file bank application.

*Modular 4 Drawer Lateral File.*

Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-388-5069, Mahogany, Width: 36"; Depth: 22"; 4-High., EA, \$1,728.65  
 7110-01-246-3056, Walnut, Width: 36"; Depth: 22"; 4-High., EA, \$1,728.65

*Modular 2 Drawer Lateral File.*

Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-388-5044, Mahogany, Width: 36"; Depth: 22"; 2-High., EA, \$1,056.65  
 7110-01-246-3055, Walnut, Width: 36"; Depth: 22"; 2-High., EA, \$1,056.65

*2 Drawer Lateral File with Open Bookcase Hutch.*

Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-654-8335, Mahogany, 34"w x 20"d x 2-High Lateral File; 34"w x 15"d x 51"h Hutch, EA, \$1,856.31  
 7110-01-654-8333, Walnut, 34"w x 20"d x 2-High Lateral File; 34"w x 15"d x 51"h Hutch, EA, \$1,856.31

*2 Drawer Lateral File with Glass Door Bookcase Hutch.*

Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-654-8338, Mahogany, 34"w x 20"d x 2-High Lateral File; 34"w x 15"d x 51"h Hutch, EA, \$2,327.88  
 7110-01-654-8337, Walnut, 34"w x 20"d x 2-High Lateral File; 34"w x 15"d x 51"h Hutch, EA, \$2,327.88

## Mobile Computer Table

This mobile computer table has casters to allow easy movement within the office. The front casters have locks to prevent movement while in use. The table has a keyboard shelf or tray and wire management capabilities.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-388-5117, Mahogany, Width: 36"; Depth: 24"; Height: 30", EA, \$1,166.02  
 7110-01-195-6406, Walnut, Width: 36"; Depth: 24"; Height: 30", EA, \$1,166.02



Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## Table Desk with Center Drawer

Executive table desk with a center pull-out drawer conserves floor space in busy executive offices, courtrooms and conference rooms.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5159, Mahogany, Width: 60"; Depth: 30"; Height: 29", EA, \$934.81

7110-01-154-6985, Walnut, Width: 60"; Depth: 30"; Height: 29", EA, \$934.81

7110-01-388-5073, Mahogany, Width: 72"; Depth: 30"; Height: 29", EA, \$1,116.95

7110-01-155-7460, Walnut, Width: 72"; Depth: 30"; Height: 29", EA, \$1,116.95

## Wardrobe

2- Door Wardrobe Cabinet features (2) hinged lockable doors with one half having adjustable shelves and the other half to having a coat rod and shelf.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-383-8106, Mahogany, Width: 32"; Depth: 24", EA, \$2,771.16

7110-01-383-8102, Walnut, Width: 32"; Depth: 24", EA, \$2,771.16

## Wood Credenza

**Storage Credenza.** This credenza has two drawer sections and a closed center section with hinged doors, with a central locking system. The drawer sections have two box drawers and a file drawer. A grommet is provided to route wiring.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5197, Mahogany, Width: 72"; Depth: 22"; Height: 30", EA, \$1,942.81

7110-01-195-6426, Walnut, Width: 72"; Depth: 22"; Height: 30", EA, \$1,942.81

**Kneespace Credenza.** This credenza has a center knee space and two drawer pedestals with two storage drawers and a file drawer in each and features a central locking system. The open center knee space includes a drop-front center drawer which can function as a drawer or keyboard tray. A grommet is provided to route wiring.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5217, Mahogany, Width: 66"; Depth: 22"; Height: 30", EA, \$1,738.63

7110-01-195-6427, Walnut, Width: 66"; Depth: 22"; Height: 30", EA, \$1,738.63

7110-01-388-5129, Mahogany, Width: 72"; Depth: 22"; Height: 30", EA, \$1,887.91

7110-01-388-5118, Walnut, Width: 72"; Depth: 22"; Height: 30", EA, \$1,887.91

## Conference Room Presentation Board

Wall mounted presentation board has a solid wood frame with a white, dry erase board. This board includes doors to cover the marker board when it is not in use. Overall dimensions, when open, are 48" high and 96" wide. Doors have a fabric, tackable interior surface. Presentation board is available with or without pull-down projection screen.

*Presentation board with doors.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-495-2812, Mahogany, Width: 48"; Depth: 5"; Height: 48", EA, \$1,659.62

7110-01-495-2811, Walnut, Width: 48"; Depth: 5"; Height: 48", EA, \$1,659.62

*Presentation board with doors and pull-down projection screen.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-495-2814, Mahogany, Width: 48"; Depth: 5"; Height: 48", EA, \$1,963.60

7110-01-495-2813, Walnut, Width: 48"; Depth: 5"; Height: 48", EA, \$1,963.60

## Conference Table

Utilized-style rectangular table constructed of 1-3/16" particle board, topped with a walnut grain high impact plastic laminate and edged with walnut hardwood. The apron is made of 1" x 3" walnut veneer plywood with a top overhang on both ends of 2" to 14" and a side overhang of 2" to 8" (size of table determines size of overhang). Black steel legs are 1-1/2" x 1-1/2" with adjustable leg glide inserts. Compact design conserves floor space in busy executive office, courtrooms, and conference rooms. Delivery within 90-120 days.

7110-00-958-0780, AbilityOne, Walnut, 30" x 60", Seats 6, EA, \$478.73

7110-00-823-7675, AbilityOne, Walnut, 30" x 60", Seats 8, EA, \$522.20

7110-00-903-3061, AbilityOne, Walnut, 36" x 96", Seats 10, EA, \$803.70

7110-00-902-3052, AbilityOne, Walnut, 48" x 120", Seats 12, EA, \$872.56

Mix and match from our complete line of line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

**Conference room table is available as rectangular table with panel legs or round table with center column traditional style base.**

### *Rectangular Wood Conference Table - 96" Long.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5112, Mahogany, Width: 96"; Depth: 42"; Height: 30", EA, \$2,236.81

7110-01-154-6986, Walnut, Width: 96"; Depth: 42"; Height: 30", EA, \$2,236.81

### *Rectangular Wood Conference Table - 120" Long.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5132, Mahogany, Width: 120"; Depth: 48"; Height: 30", EA, \$3,194.48

7110-01-154-6987, Walnut, Width: 120"; Depth: 48"; Height: 30", EA, \$3,194.48

### *Rectangular Wood Conference Table - 144" Long.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5178, Mahogany, Width: 144"; Depth: 48"; Height: 30", EA, \$3,451.06

7110-01-154-6988, Walnut, Width: 144"; Depth: 48"; Height: 30", EA, \$3,451.06

### *Round Wood Conference Table with Center Column Traditional Style Base.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5063, Mahogany, 42" Diameter, EA, \$1,450.45

7110-01-388-5148, Walnut, 42" Diameter, EA, \$1,450.45

7110-01-388-5194, Mahogany, 48" Diameter, EA, \$1,606.80

7110-01-246-3065, Walnut, 48" Diameter, EA, \$1,606.80

## Coffee Table

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.**

### *Rectangular Coffee Table.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3723, Mahogany Finish, 42" W x 20" D x 18" H, EA, \$465.32

7110-01-622-3719, Walnut Finish, 42" W x 20" D x 18" H, EA, \$465.32

### *Square Coffee Table.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3717, Mahogany Finish, 36" W x 36" D x 16" H, EA, \$488.15

7110-01-622-3713, Walnut Finish, 36" W x 36" D x 16" H, EA, \$488.15

## End Table

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.**

### *End Table.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3706, Mahogany Finish, 20" W x 24" D x 22" H, EA, \$387.03

7110-01-622-3704, Walnut Finish, 20" W x 24" D x 22" H, EA, \$387.03

## Sofa Table

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.**

### *Sofa/Console Table.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3733, Mahogany Finish, 47" W x 18" D x 30" H, EA, \$537.36

7110-01-622-3725, Walnut Finish, 47" W x 18" D x 30" H, EA, \$537.36

## Corner Table

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.**

### *Corner Table.*

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3711, Mahogany Finish, 24" W x 21" D x 22" H, EA, \$398.66

7110-01-622-3708, Walnut Finish, 24" W x 21" D x 22" H, EA, \$398.66

## Armless Guest Chair

Traditional style armless straight, guest or side chair.

### Walnut Finish Wood Base.

- 7110-01-622-3238, Black Leather, 24" W x 26" D x 36" H, EA, \$785.24
- 7110-01-622-3235, Brown Leather, 24" W x 26" D x 36" H, EA, \$785.24
- 7110-01-622-3227, Burgundy Leather, 24" W x 26" D x 36" H, EA, \$785.24
- 7110-01-622-3231, Navy Blue Leather, 24" W x 26" D x 36" H, EA, \$785.24
- 7110-01-622-3181, Black Vinyl, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-3178, Brown Vinyl, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-3175, Burgundy Vinyl, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-4207, Navy Blue Vinyl, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-3192, Black Fabric, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-3188, Brown Fabric, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-3183, Burgundy Fabric, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-3185, Navy Blue Fabric, 24" W x 26" D x 36" H, EA, \$570.47

### Mahogany Finish Wood Base.

- 7110-01-622-4201, Black Leather, 24" W x 26" D x 36" H, EA, \$785.24
- 7110-01-622-4220, Brown Leather, 24" W x 26" D x 36" H, EA, \$785.24
- 7110-01-622-4213, Burgundy Leather, 24" W x 26" D x 36" H, EA, \$785.24
- 7110-01-622-3242, Navy Blue Leather, 24" W x 26" D x 36" H, EA, \$785.24
- 7110-01-622-4214, Black Vinyl, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-4212, Brown Vinyl, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-4206, Burgundy Vinyl, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-3176, Navy Blue Vinyl, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-4223, Black Fabric, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-4218, Brown Fabric, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-4215, Burgundy Fabric, 24" W x 26" D x 36" H, EA, \$570.47
- 7110-01-622-3186, Navy Blue Fabric, 24" W x 26" D x 36" H, EA, \$570.47

## Closed Arm Guest Chair

Traditional style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style straight side or guest features a closed arm design and walnut or mahogany finish wood frame.**

### Walnut Finish Wood Frame.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3292, Leather Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,033.11
- 7110-01-622-3289, Leather Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,033.11
- 7110-01-622-3282, Leather Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,033.11
- 7110-01-622-3285, Leather Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,033.11
- 7110-01-622-3378, Vinyl Upholstery, Black, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3379, Vinyl Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3383, Vinyl Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3377, Vinyl Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3783, Fabric Upholstery, Black, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3386, Fabric Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3384, Fabric Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3385, Fabric Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$755.71

### Mahogany Finish Wood Frame.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-4257, Leather Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,033.11
- 7110-01-622-4252, Leather Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,033.11
- 7110-01-622-4245, Leather Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,033.11
- 7110-01-622-3302, Leather Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,033.11
- 7110-01-622-4258, Vinyl Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-4263, Vinyl Upholstery, Black, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-4259, Vinyl Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3382, Vinyl Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-4261, Fabric Upholstery, Black, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-4260, Fabric Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-4266, Fabric Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$755.71
- 7110-01-622-3387, Fabric Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$755.71

## Open Arm Guest Chair

Traditional style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style straight side or guest features an open arm design with walnut or mahogany finish wood frame.**

### *Walnut Finish Wood Frame.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3221, Fabric Upholstery, Black, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3218, Fabric Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3225, Fabric Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3229, Fabric Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3391, Leather Upholstery, Black, 25"W x 26"D x 36"H, EA, \$865.78
- 7110-01-622-3390, Leather Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$865.78
- 7110-01-622-3388, Leather Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$865.78
- 7110-01-622-3389, Leather Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$865.82
- 7110-01-622-3215, Vinyl Upholstery, Black, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3210, Vinyl Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3207, Vinyl Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3213, Vinyl Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$629.53

### *Mahogany Finish Wood Frame.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-4209, Fabric Upholstery, Black, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-4204, Fabric Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-4205, Fabric Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3223, Fabric Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-4265, Leather Upholstery, Black, 25"W x 26"D x 36"H, EA, \$865.78
- 7110-01-622-4264, Leather Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$865.78
- 7110-01-622-4262, Leather Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$789.27
- 7110-01-622-3392, Leather Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$865.78
- 7110-01-622-4202, Vinyl Upholstery, Black, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-4200, Vinyl Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-4203, Vinyl Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$629.53
- 7110-01-622-3217, Vinyl Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$629.53

## High Back Executive Office Chair

Traditional style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style high back executive office chairs feature 5-star rotary wood base available in walnut or mahogany finish.**

### *Walnut Finish Wood Base.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-1767, Leather Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$1,277.41
- 7110-01-622-1766, Leather Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$1,277.41
- 7110-01-622-0455, Leather Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$1,277.41
- 7110-01-622-1765, Leather Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$1,277.41
- 7110-01-622-2868, Vinyl Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-1762, Vinyl Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-1761, Vinyl Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-1760, Vinyl Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-2848, Fabric Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-2845, Fabric Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-2841, Fabric Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-2842, Fabric Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$955.26

### *Mahogany Finish Wood Base.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-1811, Leather Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$1,277.41
- 7110-01-622-1770, Leather Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$1,277.41
- 7110-01-622-1768, Leather Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$1,277.41
- 7110-01-622-1769, Leather Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$1,277.41
- 7110-01-622-3773, Vinyl Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-3771, Vinyl Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-3769, Vinyl Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-2876, Vinyl Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-3785, Fabric Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-3781, Fabric Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-3779, Fabric Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$955.26
- 7110-01-622-2852, Fabric Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$955.26

## High Back with Head Roll

High back traditional style judge's chair with head roll.

### Walnut Finish Wood Base.

7110-01-622-2875, Black Leather, 30" W x 26" D x 43-46" H, EA, \$1,189.72

7110-01-622-2874, Brown Leather, 30" W x 26" D x 43-46" H, EA, \$1,189.72

7110-01-622-2869, Burgundy Leather, 30" W x 26" D x 43-46" H, EA, \$1,189.72

7110-01-622-2871, Navy Blue Leather, 30" W x 26" D x 43-46" H, EA, \$1,189.72

7110-01-622-3284, Black Vinyl, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3280, Brown Vinyl, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3275, Navy Blue Vinyl, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3299, Black Fabric, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3296, Brown Fabric, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3305, Burgundy Fabric, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3293, Navy Blue Fabric, 30" W x 26" D x 43-46" H, EA, \$905.60

### Mahogany Finish Wood Base.

7110-01-622-3279, Black Leather, 30" W x 26" D x 43-46" H, EA, \$1,189.72

7110-01-622-3273, Brown Leather, 30" W x 26" D x 43-46" H, EA, \$1,189.72

7110-01-622-3269, Burgundy Leather, 30" W x 26" D x 43-46" H, EA, \$1,189.72

7110-01-622-3300, Black Vinyl, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3295, Brown Vinyl, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3287, Burgundy Vinyl, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3290, Navy Blue Vinyl, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3315, Black Fabric, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3309, Brown Fabric, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3301, Burgundy Fabric, 30" W x 26" D x 43-46" H, EA, \$905.60

7110-01-622-3307, Navy Blue Fabric, 30" W x 26" D x 43-46" H, EA, \$905.60

## Mid Back Executive Office Chair

Traditional style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style mid back executive office chairs feature 5-star rotary wood base available in walnut or mahogany finish.**

### Walnut Finish Wood Base.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-2854, Leather Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$1,236.70

7110-01-622-2850, Leather Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$1,236.70

7110-01-622-2844, Leather Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$1,236.70

7110-01-622-2847, Leather Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$1,236.70

7110-01-622-2865, Vinyl Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-2861, Vinyl Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-2857, Vinyl Upholstery, Burgundy, 28" W x 26.5" D x 39-43" H, EA, \$914.55

7110-01-622-2858, Vinyl Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-2833, Fabric Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-2832, Fabric Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-2829, Fabric Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-2831, Fabric Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

### Mahogany Finish Wood Base.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3789, Leather Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$1,236.70

7110-01-622-3787, Leather Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$1,236.70

7110-01-622-3786, Leather Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$1,236.70

7110-01-622-2856, Leather Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$1,236.70

7110-01-622-3792, Vinyl Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-3791, Vinyl Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-3790, Vinyl Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-2872, Vinyl Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-3776, Fabric Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-3775, Fabric Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-3793, Fabric Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

7110-01-622-2837, Fabric Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$914.55

## Lounge Chair

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style executive lounge chairs with wood legs, measure approximately 34" wide x 34" deep x 34" high (overall).**

### *Walnut Finish Wood Legs.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3372, Leather Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$1,453.70
- 7110-01-622-3371, Leather Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$1,453.70
- 7110-01-622-3365, Leather Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$1,453.70
- 7110-01-622-3366, Leather Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$1,453.70
- 7110-01-622-3737, Vinyl Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3736, Vinyl Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3730, Vinyl Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3732, Vinyl Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3767, Fabric Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3764, Fabric Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3752, Fabric Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3759, Fabric Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$928.87

### *Mahogany Finish Wood Legs.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-4656, Leather Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$1,453.70
- 7110-01-622-4654, Leather Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$1,453.70
- 7110-01-622-4671, Leather Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$1,453.70
- 7110-01-622-3784, Leather Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$1,453.70
- 7110-01-622-4655, Vinyl Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-5469, Vinyl Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-4657, Vinyl Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3741, Vinyl Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-4662, Fabric Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-4659, Fabric Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-4661, Fabric Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$928.87
- 7110-01-622-3772, Fabric Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$928.87

## Two Seat Sofa

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style executive two place sofas with wood legs, measure approximately 55" wide x 28 1/2" deep x 33" high (overall).**

### *Walnut Finish Wood Legs.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3750, Leather Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,867.13
- 7110-01-622-3747, Leather Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,867.13
- 7110-01-622-3726, Leather Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,867.13
- 7110-01-622-3740, Leather Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,867.13
- 7110-01-622-3693, Vinyl Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3692, Vinyl Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3722, Vinyl Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3690, Vinyl Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3721, Fabric Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3718, Fabric Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3709, Fabric Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3712, Fabric Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82

### *Mahogany Finish Wood Legs.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-4667, Leather Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,867.13
- 7110-01-622-4666, Leather Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,867.13
- 7110-01-622-3755, Leather Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,867.13
- 7110-01-622-3763, Leather Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,867.13
- 7110-01-622-3710, Vinyl Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3695, Vinyl Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3703, Vinyl Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3700, Vinyl Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-4663, Fabric Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-4660, Fabric Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-4658, Fabric Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82
- 7110-01-622-3724, Fabric Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,188.82

## Three Seat Sofa

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

**Traditional style executive three place sofas with wood legs, measure approximately 77" wide x 28 1/2" deep x 33" high (overall).**

### *Walnut Finish Wood Legs.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3729, Leather Upholstery, Black, 77" W x 28 1/2" D x 33" H, EA, \$2,232.23
- 7110-01-622-3751, Leather Upholstery, Brown, 77" W x 28 1/2" D x 33" H, EA, \$2,232.23
- 7110-01-622-3743, Leather Upholstery, Burgundy, 77" W x 28 1/2" D x 33" H, EA, \$2,232.23
- 7110-01-622-3746, Leather Upholstery, Navy Blue, 77" W x 28 1/2" D x 33" H, EA, \$2,232.23
- 7110-01-622-3681, Vinyl Upholstery, Black, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3672, Vinyl Upholstery, Brown, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3686, Vinyl Upholstery, Burgundy, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3701, Vinyl Upholstery, Navy Blue, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3688, Fabric Upholstery, Black, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3720, Fabric Upholstery, Brown, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3715, Fabric Upholstery, Burgundy, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3716, Fabric Upholstery, Navy Blue, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17

### *Mahogany Finish Wood Legs.*

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3739, Leather Upholstery, Black, 77" W x 28 1/2" D x 33" H, EA, \$2,232.23
- 7110-01-622-3735, Leather Upholstery, Brown, 77" W x 28 1/2" D x 33" H, EA, \$2,232.23
- 7110-01-622-3731, Leather Upholstery, Burgundy, 77" W x 28 1/2" D x 33" H, EA, \$2,232.23
- 7110-01-622-3734, Leather Upholstery, Navy Blue, 77" W x 28 1/2" D x 33" H, EA, \$2,232.23
- 7110-01-622-3707, Vinyl Upholstery, Black, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3702, Vinyl Upholstery, Brown, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-624-1137, Vinyl Upholstery, Burgundy, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3687, Vinyl Upholstery, Navy Blue, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3697, Fabric Upholstery, Black, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3696, Fabric Upholstery, Brown, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3691, Fabric Upholstery, Burgundy, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17
- 7110-01-622-3694, Fabric Upholstery, Navy Blue, 77" W x 28 1/2" D x 33" H, EA, \$1,475.17



# Contemporary Executive

Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## Single Pedestal Desk

Single pedestal desk features locking storage with two (2) box drawers and one (1) file drawer.

*Desk with storage on right hand side.*

7110-01-677-8341, Cherry Wood Grain, 66" W x 30" D, EA, \$767.91

7110-01-677-8344, Maple Wood Grain, 66" W x 30" D, EA, \$767.91

7110-01-677-8338, Cherry Wood Grain, 72" W x 30" D, EA, \$801.11

7110-01-677-8340, Maple Wood Grain, 72" W x 30" D, EA, \$801.11

*Desk with storage on left hand side.*

7110-01-677-8335, Cherry Wood Grain, 66" W x 30" D, EA, \$767.91

7110-01-677-8336, Maple Wood Grain, 66" W x 30" D, EA, \$767.91

7110-01-677-8343, Cherry Wood Grain, 72" W x 30" D, EA, \$801.11

7110-01-677-8346, Maple Wood Grain, 72" W x 30" D, EA, \$801.11

## Double Pedestal Desk

Double pedestal desk features locking storage with two (2) box drawers and three (3) file drawers.

7110-01-677-8353, Cherry Wood Grain, 72" W x 30" D, EA, \$909.56

7110-01-677-8351, Maple Wood Grain, 66" W x 30" D, EA, \$877.20

7110-01-677-8345, Cherry Wood Grain, 66" W x 30" D, EA, \$877.20

7110-01-677-8355, Maple Wood Grain, 72" W x 30" D, EA, \$909.56

## Double Pedestal Bowfront Desk

Double pedestal desk features locking storage with two (2) box drawers and three (3) file drawers.

*Bowfront Desk.*

7110-01-677-8356, Cherry Wood Grain, 72" W x 30" D, EA, \$1,072.64

7110-01-677-8359, Maple Wood Grain, 72" W x 30" D, EA, \$1,072.64

Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## L-Shape Bowfront Desk

L-Shape pedestal bowfront desk workstation configuration features a locking storage bowfront pedestal with two (2) box drawers and (1) file drawer configuration and a return desk with two (2) locking file drawers.

*Left Handed Bowfront Desk (72"W x 30/36"D), Return Desk (48"W x 24"D)*

7110-01-677-9865, Cherry Wood Grain, 72"W x 84"W Overall, EA, \$1,485.81

7110-01-677-9864, Maple Wood Grain, 72"W x 84"W Overall, EA, \$1,485.81

*Right Handed Bowfront Desk (72"W x 30/36"D), Return Desk (48"W x 24"D)*

7110-01-677-9867, Cherry Wood Grain, 72"W x 84"W Overall, EA, \$1,485.81

7110-01-677-9868, Maple Wood Grain, 72"W x 84"W Overall, EA, \$1,485.81

## L-Shape Bowfront Desk with Hutch

L-Shape pedestal bowfront desk workstation configuration features a locking storage bowfront pedestal with two (2) box drawers and (1) file drawer configuration, a return desk with two (2) locking file drawers, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

*Left Handed Bowfront Desk (72"W x 30/36"D), Return Desk (48"W x 24"D), Hutch (48"W)*

7110-01-677-9861, Cherry Wood Grain, 72"W x 84"W Overall, EA, \$2,254.98

7110-01-677-9860, Maple Wood Grain, 72"W x 84"W Overall, EA, \$2,254.98

*Right Handed Bowfront Desk (72"W x 30/36"D), Return Desk (48"W x 24"D), Hutch (48"W)*

7110-01-677-9863, Cherry Wood Grain, 72"W x 84"W Overall, EA, \$2,254.98

7110-01-678-0518, Maple Wood Grain, 72"W x 84"W Overall, EA, \$2,254.98

## U-Shape Bowfront Desk

U-shape bowfront desk workstation configuration includes a single pedestal bowfront desk with two (2) box drawers and (1) file drawer, a bridge, and a credenza with two (2) file drawers. All storage is locking and keyed alike.

*Left Handed Bowfront Desk (72" W x 30/36" D), Bridge (48" W x 22" D), Credenza (72" W x 24" D).*

7110-01-678-2412, Cherry Wood Grain, 72"W x 108"W Overall, EA, \$1,897.72

7110-01-678-3060, Maple Wood Grain, 72"W x 108"W Overall, EA, \$1,897.72

*Right Handed Bowfront Desk (72" W x 30/36" D), Bridge (48" W x 22" D), Credenza (72" W x 24" D).*

7110-01-678-2416, Cherry Wood Grain, 72"W x 108"W Overall, EA, \$1,897.72

7110-01-678-2419, Maple Wood Grain, 72"W x 108"W Overall, EA, \$1,897.72

Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## U-Shape Bowfront Desk with Hutch

U-shape bowfront desk workstation configuration includes a single pedestal bowfront desk with two (2) box drawers and (1) file drawer, a bridge, a credenza with two (2) file drawers, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard. All storage is locking and keyed alike.

*Left Handed Bowfront Desk (72" W x 30/36" D), Bridge (48" W x 22" D), Credenza (72" W x 24" D), Hutch (72" W).*

7110-01-678-2402, Cherry Wood Grain, 72"W x 108"W Overall, EA, \$2,840.90

7110-01-678-2404, Maple Wood Grain, 72"W x 108"W Overall, EA, \$2,840.90

*Right Handed Bowfront Desk (72" W x 30/36" D), Bridge (48" W x 22" D), Credenza (72" W x 24" D), Hutch (72" W).*

7110-01-678-2406, Cherry Wood Grain, 72"W x 108"W Overall, EA, \$2,840.90

7110-01-678-3061, Maple Wood Grain, 72"W x 108"W Overall, EA, \$2,840.90

## L-Shape Peninsula Desk

L-Shape peninsula desk workstation configuration includes a peninsula desk with half modesty panel and black support column and a locking storage pedestal with two (2) box drawers and (1) file drawer configuration.

*Left Handed Peninsula Desk (66"W x 30"D), Return Desk (48"W x 24"D)*

7110-01-677-8867, Cherry Wood Grain, 66"W x 78"W Overall, EA, \$1,289.10

7110-01-677-8870, Maple Wood Grain, 66"W x 78"W Overall, EA, \$1,289.10

*Right Handed Peninsula Desk (66"W x 30"D), Return Desk (48"W x 24"D)*

7110-01-677-8871, Cherry Wood Grain, 66"W x 78"W Overall, EA, \$1,289.10

7110-01-677-8869, Maple Wood Grain, 66"W x 78"W Overall, EA, \$1,289.10

## L-Shape Peninsula Desk and Hutch

L-Shape peninsula desk workstation configuration includes a peninsula desk with half modesty panel and black support column, a locking storage pedestal with two (2) box drawers and (1) file drawer configuration, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

*Left Handed Pedestal Desk (66"W x 30"D), Return Desk (42"W x 24"D), Surface Mounted Hutch (72"W).*

7110-01-677-8873, Cherry Wood Grain, 66"W x 72"W Overall, EA, \$2,207.48

7110-01-677-8872, Maple Wood Grain, 66"W x 72"W Overall, EA, \$2,207.48

*Right Handed Pedestal Desk (66"W x 30"D), Return Desk (42"W x 24"D), Surface Mounted Hutch (72"W).*

7110-01-677-8856, Cherry Wood Grain, 66"W x 72"W Overall, EA, \$2,207.48

7110-01-677-9862, Maple Wood Grain, 66"W x 72"W Overall, EA, \$2,207.48

Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## U-Shape Peninsula Desk

U-shape peninsula desk workstation configuration features a peninsula desk with half modesty panel and black support column, a bridge, and a locking storage pedestal with two (2) box drawers and (1) file drawer configuration.

*Left Handed Peninsula Desk (66" W x 30" D), Bridge (48" W x 22" D), Credenza (66" W x 24" D).*

7110-01-678-2405, Cherry Wood Grain, 66"W x 102"W Overall, EA, \$1,691.77

7110-01-678-2407, Maple Wood Grain, 66"W x 102"W Overall, EA, \$1,691.77

*Right Handed Peninsula Desk (66" W x 30" D), Bridge (48" W x 22" D), Credenza (66" W x 24" D).*

7110-01-678-2408, Cherry Wood Grain, 66"W x 102"W Overall, EA, \$1,691.77

7110-01-678-2409, Maple Wood Grain, 66"W x 102"W Overall, EA, \$1,691.77

## U-Shape Peninsula Desk with Hutch

U-shape peninsula desk workstation configuration features a peninsula desk with half modesty panel and black support column, a bridge, a locking storage pedestal with two (2) box drawers and (1) file drawer configuration, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

*Left Handed Peninsula Desk (66" W x 30" D), Bridge (42" W x 22" D), Credenza (66" W x 24" D), Hutch (72" W).*

7110-01-678-1757, Cherry Wood Grain, 66"W x 96"W Overall, EA, \$2,621.49

7110-01-678-2410, Maple Wood Grain, 66"W x 96"W Overall, EA, \$2,621.49

*Right Handed Peninsula Desk (66" W x 30" D), Bridge (42" W x 22" D), Credenza (66" W x 24" D), Hutch (72" W).*

7110-01-678-1758, Cherry Wood Grain, 66"W x 96"W Overall, EA, \$2,621.49

7110-01-678-1760, Maple Wood Grain, 66"W x 96"W Overall, EA, \$2,621.49

## L-Shape Pedestal Desk

L-Shape pedestal workstation configuration features a pedestal desk with locking two (2) box drawers and (1) file drawer and a return desk with two (2) locking file drawers.

*Left Handed Pedestal Desk (66" W x 30" D), Return Desk (48" W x 24" D).*

7110-01-677-8858, Cherry Wood Grain, 66" x 78" Overall, EA, \$1,297.51

7110-01-677-8859, Maple Wood Grain, 66" x 78" Overall, EA, \$1,297.51

*Left Handed Pedestal Desk (72" W x 30" D), Return Desk (42" W x 24" D).*

7110-01-677-8863, Cherry Wood Grain, 72" x 72" Overall, EA, \$1,305.92

7110-01-677-8865, Maple Wood Grain, 72" x 72" Overall, EA, \$1,305.92

*Right Handed Pedestal Desk (66" W x 30" D), Return Desk (48" W x 24" D).*

7110-01-677-8862, Cherry Wood Grain, 66" x 78" Overall, EA, \$1,297.51

7110-01-677-8864, Maple Wood Grain, 66" x 78" Overall, EA, \$1,297.51

*Right Handed Pedestal Desk (72" W x 30" D), Return Desk (42" W x 24" D).*

7110-01-677-8860, Cherry Wood Grain, 72" x 72" Overall, EA, \$1,305.92

7110-01-677-8861, Maple Wood Grain, 72" x 72" Overall, EA, \$1,305.92

Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## L-Shape Pedestal Desk with Hutch

L-Shape pedestal workstation configuration features a pedestal desk with locking two (2) box drawers and (1) file drawer, a return desk with two (2) locking file drawers, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

*Left Handed Pedestal Desk (66" W x 30" D), Return Desk (42" W x 24" D), Surface Mounted Hutch (72" W).*

7110-01-677-8866, Cherry Wood Grain, 66" x 72" Overall, EA, \$2,215.89

7110-01-677-8868, Maple Wood Grain, 66" x 72" Overall, EA, \$2,215.89

*Right Handed Pedestal Desk (66" W x 30" D), Return Desk (42" W x 24" D), Surface Mounted Hutch (72" W).*

7110-01-677-9546, Cherry Wood Grain, 66" x 72" Overall, EA, \$2,215.89

7110-01-677-8855, Maple Wood Grain, 66" x 72" Overall, EA, \$2,215.89

## U-Shape Pedestal Desk

U-shape pedestal workstation configuration includes a locking storage pedestal desk with two (2) box drawers and one (1) file drawer, a bridge, and a credenza with two (2) locking file drawers.

*Left Handed Desk (66" W x 30" D), Bridge (48" W x 22" D), Credenza (66" W x 24" D).*

7110-01-678-2421, Cherry Wood Grain, 66"W x 102"W Overall, EA, \$1,700.17

7110-01-678-2423, Maple Wood Grain, 66"W x 102"W Overall, EA, \$1,700.17

*Right Handed Desk (66" W x 30" D), Bridge (48" W x 22" D), Credenza (66" W x 24" D).*

7110-01-678-2427, Cherry Wood Grain, 66"W x 102"W Overall, EA, \$1,700.17

7110-01-678-3059, Maple Wood Grain, 66"W x 102"W Overall, EA, \$1,700.17

## U-Shape Pedestal Desk with Hutch

U-shape pedestal workstation configuration includes a locking storage pedestal desk with two (2) box drawers and one (1) file drawer, a bridge, a credenza with two (2) locking file drawers, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

*Left Handed Desk (66" W x 30" D), Bridge (42" W x 22" D), Credenza (66" W x 24" D), Hutch (72" W).*

7110-01-678-2432, Cherry Wood Grain, 66"W x 100"W Overall, EA, \$2,629.90

7110-01-678-2434, Maple Wood Grain, 66"W x 100"W Overall, EA, \$2,629.90

*Left Handed Desk (72" W x 30" D), Bridge (42" W x 22" D), Credenza (72" W x 24" D), Hutch (72" W).*

7110-01-678-2422, Cherry Wood Grain, 72"W x 100"W Overall, EA, \$2,672.36

7110-01-678-2426, Maple Wood Grain, 72"W x 100"W Overall, EA, \$2,672.36

*Right Handed Desk (66" W x 30" D), Bridge (42" W x 22" D), Credenza (66" W x 24" D), Hutch (72" W).*

7110-01-678-2414, Cherry Wood Grain, 66"W x 100"W Overall, EA, \$2,629.90

7110-01-678-2418, Maple Wood Grain, 66"W x 100"W Overall, EA, \$2,629.90

*Right Handed Desk (72" W x 30" D), Bridge (42" W x 22" D), Credenza (72" W x 24" D), Hutch (72" W).*

7110-01-678-2401, Cherry Wood Grain, 72"W x 100"W Overall, EA, \$2,672.36

7110-01-678-2403, Maple Wood Grain, 72"W x 100"W Overall, EA, \$2,672.36

Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## Double Pedestal Office Grouping

Executive office furniture configuration includes matching double pedestal desk with two (2) box drawers and three (3) file drawers and surface mounted hutch with mounted task lighting and upholstered fabric tackboard. Also includes matching kneespace credenza with four (4) file drawers All storage is locking.

*Rectangular Desk (66" W x 30" D); 66" W Hutch; Credenza (66" W x 24" D).*

7110-01-677-9558, Cherry Wood Grain, EA, \$2,633.26

7110-01-677-9559, Maple Wood Grain, EA, \$2,633.26

*Bowfront Desk (72" W x 30/36" D), 72" W Hutch, Credenza (72" W x 24" D).*

7110-01-677-9553, Cherry Wood Grain, EA, \$2,922.02

7110-01-677-9554, Maple Wood Grain, EA, \$2,922.02

## Height Adjustable L-Shape Workstation

Height adjustable L-shape workstation configuration includes a freestanding height adjustable high pressure laminate top table with silver finish "T" leg base and return pedestal desk with locking storage. Table includes electrical adjustment and wire management with access to power, data and phone outlets below the worksurface. Return includes locking pedestal storage with (2) file drawers, one (1) half panel support leg and one (1) full panel support leg.

*Height Adjustable Table Dimensions: 66" W x 30" D, Left-Handed Return Dimensions: 48" W x 24" D*

7110-01-678-2425, Cherry Wood Grain, 66"W x 78"W Overall, EA, \$1,920.83

7110-01-678-2429, Designer White, 66"W x 78"W Overall, EA, \$1,920.83

7110-01-678-2077, Maple Wood Grain, 66"W x 78"W Overall, EA, \$1,920.83

*Height Adjustable Table Dimensions: 72" W x 30" D, Left-Handed Return Dimensions: 48" W x 24" D.*

7110-01-678-2420, Cherry Wood Grain, 72"W x 78"W Overall, EA, \$1,932.18

7110-01-678-2428, Designer White, 72"W x 78"W Overall, EA, \$1,932.18

7110-01-678-2424, Maple Wood Grain, 72"W x 78"W Overall, EA, \$1,932.18

*Height Adjustable Table Dimensions: 66" W x 30" D, Right-Handed Return Dimensions: 48" W x 24" D.*

7110-01-678-2433, Cherry Wood Grain, 66"W x 78"W Overall, EA, \$1,920.83

7110-01-678-2417, Designer White, 66"W x 78"W Overall, EA, \$1,920.83

7110-01-678-2413, Maple Wood Grain, 66"W x 78"W Overall, EA, \$1,920.83

*Height Adjustable Table Dimensions: 72" W x 30" D, Right-Handed Return Dimensions: 48" W x 24" D.*

7110-01-678-2430, Cherry Wood Grain, 72"W x 78"W Overall, EA, \$1,932.18

7110-01-678-2415, Designer White, 72"W x 78"W Overall, EA, \$1,932.18

7110-01-678-2431, Maple Wood Grain, 72"W x 78"W Overall, EA, \$1,932.18

Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## Height Adjustable Table

Freestanding height adjustable table features high pressure laminate top and silver finish "T" leg base. Table includes electrical adjustment and wire management with access to power, data and phone outlets below the worksurface.

7110-01-677-9551, Cherry Wood Grain, 66" W x 30" D, EA, \$1,315.16

7110-01-677-9548, Maple Wood Grain, 66" W x 30" D, EA, \$1,315.16

7110-01-677-9547, White, 66" W x 30" D, EA, \$1,315.16

7110-01-677-9550, Cherry Wood Grain, 72" W x 30" D, EA, \$1,326.51

7110-01-677-9552, Maple Wood Grain, 72" W x 30" D, EA, \$1,326.51

7110-01-678-0217, Designer White, 72" W x 30" D, EA, \$1,326.51

## Surface Mounted Hutch

Surface mounted hutch features mounted task lighting and upholstered fabric tackboard. Surface mounted hutch features mounted task lighting and upholstered fabric tackboard.

7110-01-677-8348, Cherry Wood Grain, 66" W, EA, \$912.08

7110-01-677-8350, Maple Wood Grain, 66" W, EA, \$912.08

7110-01-677-8352, Cherry Wood Grain, 72" W, EA, \$943.18

7110-01-677-8354, Maple Wood Grain, 72" W, EA, \$943.18

## Storage Credenza

Storage credenza features hinged lockable doors

7110-01-677-8360, Cherry Wood Grain, 66" W x 24" D, EA, \$892.33

7110-01-677-8364, Maple Wood Grain, 66" W x 24" D, EA, \$892.33

7110-01-677-8365, Cherry Wood Grain, 72" W x 24" D, EA, \$931.83

7110-01-677-8366, Maple Wood Grain, 72" W x 24" D, EA, \$931.83

## Bookcase

**2-High Bookcase.**

7110-01-677-8358, Cherry Wood Grain, 36" W, EA, \$381.23

7110-01-677-8362, Maple Wood Grain, 36" W, EA, \$381.23

**3-High Bookcase.**

7110-01-677-8363, Cherry Wood Grain, 36" W, EA, \$448.05

7110-01-677-8326, Maple Wood Grain, 36" W, EA, \$448.05

**5-High Bookcase.**

7110-01-677-8325, Cherry Wood Grain, 36" W, EA, \$562.80

7110-01-677-8327, Maple Wood Grain, 36" W, EA, \$562.80

Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

## Wardrobe Tower

Wardrobe tower features hinged door, coat rod and shelf.

*Left handed door.*

7105-01-677-8628, Cherry Wood Grain, 18" W x 24" D x 72" H, EA, \$654.01

7105-01-677-8629, Maple Wood Grain, 18" W x 24" D x 72" H, EA, \$654.01

*Right handed door*

7105-01-677-8630, Cherry Wood Grain, 18" W x 24" D x 72" H, EA, \$654.01

7105-01-677-8622, Maple Wood Grain, 18" W x 24" D x 72" H, EA, \$654.01

## Round Meeting Table

Round meeting tables feature high pressure laminate finish tops with silver metal finish "x" base.

7110-01-677-8329, Cherry Wood Grain, 36" Diameter, EA, \$595.58

7110-01-677-8328, Maple Wood Grain, 36" Diameter, EA, \$595.58

7110-01-677-8330, Cherry Wood Grain, 42" Diameter, EA, \$657.37

7110-01-677-8331, Maple Wood Grain, 42" Diameter, EA, \$657.37

## Rectangular Conference Table

Conference tables feature high pressure laminate tops and matching panel base. Panel base includes (1) silver finish power module with a minimum of 2 receptacles and 1 data port.

*Rectangular Conference Table.*

7110-01-677-8332, Cherry Wood Grain, 72" W x 36" D, EA, \$1,123.08

7110-01-677-8334, Maple Wood Grain, 72" W x 36" D, EA, \$1,123.08

## Boat-Shape Conference Table

Conference tables feature high pressure laminate tops and matching panel base. Panel base includes (1) silver finish power module with a minimum of 2 receptacles and 1 data port.

*Boat-Shape Conference Table.*

7110-01-677-8333, Cherry Wood Grain, 96" W x 42-48" D, EA, \$1,403.43

7110-01-677-8337, Maple Wood Grain, 96" W x 42-48" D, EA, \$1,403.43

7110-01-677-8339, Cherry Wood Grain, 120" D x 42-48" W, EA, \$2,267.17

7110-01-677-8342, Maple Wood Grain, 120" D x 42-48" W, EA, \$2,267.17

## Mobile Pedestal with Cushion Top

Mobile pedestal file features cushion top and can be used as guest seating. Locking storage includes one (1) box drawer and one (1) file drawer.

7110-01-677-8357, Cherry Wood Grain, 15 3/4" W x 19" D x 25 1/4" H, EA, \$474.54

7110-01-677-8361, Maple Wood Grain, 15 3/4" W x 19" D x 25 1/4" H, EA, \$474.54



Contemporary style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies but features furniture with a more modern design than the traditional. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Metal bases in the contemporary line of furniture are finished with an arctic silver powder coat.

## Corner Table

Contemporary style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

### *Corner Table*

7110-01-679-2664, Cherry Woodgrain, 24" W x 24" D x 20" H, EA, \$432.66

7110-01-679-2660, Maple Woodgrain, 24" W x 24" D x 20" H, EA, \$432.66

## Coffee Table

Contemporary style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

### *Coffee Table, Square*

7110-01-679-2668, Cherry Woodgrain, 36" W x 36" D x 15" H, EA, \$530.66

7110-01-679-2667, Maple Woodgrain, 36" W x 36" D x 15" H, EA, \$530.66

### *Coffee Table, Rectangular*

7110-01-679-2674, Cherry Woodgrain, 48" W x 22" D x 15" H, EA, \$506.05

7110-01-679-2670, Maple Woodgrain, 48" W x 22" D x 15" H, EA, \$506.05

## Console Table

Contemporary style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

### *Console Table*

7110-01-679-2677, Cherry Woodgrain, 48" W x 18" D x 28" H, EA, \$533.78

7110-01-679-2675, Maple Woodgrain, 48" W x 18" D x 28" H, EA, \$533.78

# Seating

Contemporary style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies but features furniture with a more modern design than the traditional. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Metal bases in the contemporary line of furniture are finished with an arctic silver powder coat.

## Lounge Chair

Contemporary style executive lounge chairs with metal legs, measure approximately 29" wide x 28 1/2" deep x 33" high (overall).

- 7110-01-679-2627, Leather Upholstery, Black, 29" W x 28 1/2" D x 33" H, EA, \$1,336.02
- 7110-01-679-2630, Leather Upholstery, Dark Grey, 29" W x 28 1/2" D x 33" H, EA, \$1,336.02
- 7110-01-679-2628, Leather Upholstery, Tan, 29" W x 28 1/2" D x 33" H, EA, \$1,336.02
- 7110-01-679-2629, Leather Upholstery, White, 29" W x 28 1/2" D x 33" H, EA, \$1,336.02
- 7110-01-679-2635, Vinyl Upholstery, Black, 29" W x 28 1/2" D x 33" H, EA, \$820.58
- 7110-01-679-2636, Vinyl Upholstery, Dark Grey, 29" W x 28 1/2" D x 33" H, EA, \$820.58
- 7110-01-679-2638, Vinyl Upholstery, Tan, 29" W x 28 1/2" D x 33" H, EA, \$820.58
- 7110-01-679-2640, Vinyl Upholstery, White, 29" W x 28 1/2" D x 33" H, EA, \$820.58
- 7110-01-679-2642, Fabric Upholstery, Black, 29" W x 28 1/2" D x 33" H, EA, \$820.58
- 7110-01-679-2644, Fabric Upholstery, Dark Grey, 29" W x 28 1/2" D x 33" H, EA, \$820.58
- 7110-01-679-2645, Fabric Upholstery, Tan, 29" W x 28 1/2" D x 33" H, EA, \$820.58
- 7110-01-679-2648, Fabric Upholstery, Patterned, 29" W x 28 1/2" D x 33" H, EA, \$820.58

## Two Seat Sofa

Contemporary style executive two place sofas with metal legs, measure approximately 51" wide x 28 1/2" deep x 33" high (overall).

- 7110-01-679-2651, Leather Upholstery, Black, 51" W x 28 1/2" D x 33" H, EA, \$1,697.55
- 7110-01-679-2654, Leather Upholstery, Dark Grey, 51" W x 28 1/2" D x 33" H, EA, \$1,697.55
- 7110-01-679-2657, Leather Upholstery, Tan, 51" W x 28 1/2" D x 33" H, EA, \$1,697.55
- 7110-01-679-2661, Leather Upholstery, White, 51" W x 28 1/2" D x 33" H, EA, \$1,697.55
- 7110-01-679-2663, Vinyl Upholstery, Black, 51" W x 28 1/2" D x 33" H, EA, \$1,066.22
- 7110-01-679-2666, Vinyl Upholstery, Dark Grey, 51" W x 28 1/2" D x 33" H, EA, \$1,066.22
- 7110-01-679-2669, Vinyl Upholstery, Tan, 51" W x 28 1/2" D x 33" H, EA, \$1,066.22
- 7110-01-679-2626, Vinyl Upholstery, White, 51" W x 28 1/2" D x 33" H, EA, \$1,066.22
- 7110-01-679-2625, Fabric Upholstery, Black, 51" W x 28 1/2" D x 33" H, EA, \$1,066.22
- 7110-01-679-2631, Fabric Upholstery, Dark Grey, 51" W x 28 1/2" D x 33" H, EA, \$1,066.22
- 7110-01-679-2622, Fabric Upholstery, Tan, 51" W x 28 1/2" D x 33" H, EA, \$1,066.22
- 7110-01-679-2632, Fabric Upholstery, Patterned, 51" W x 28 1/2" D x 33" H, EA, \$1,066.22

## Three Seat Sofa

Contemporary style executive three place sofas with metal legs, measure approximately 73" wide x 28 1/2" deep x 33" high (overall).

- 7110-01-679-2633, Leather Upholstery, Black, 73" W x 28 1/2" D x 33" H, EA, \$2,101.58
- 7110-01-679-2634, Leather Upholstery, Dark Grey, 73" W x 28 1/2" D x 33" H, EA, \$2,101.58
- 7110-01-679-2637, Leather Upholstery, Tan, 73" W x 28 1/2" D x 33" H, EA, \$2,101.58
- 7110-01-679-2639, Leather Upholstery, White, 73" W x 28 1/2" D x 33" H, EA, \$2,101.58
- 7110-01-679-2641, Vinyl Upholstery, Black, 73" W x 28 1/2" D x 33" H, EA, \$1,306.94
- 7110-01-679-2643, Vinyl Upholstery, Dark Grey, 73" W x 28 1/2" D x 33" H, EA, \$1,306.94
- 7110-01-679-3320, Vinyl Upholstery, Tan, 73" W x 28 1/2" D x 33" H, EA, \$1,306.94
- 7110-01-679-2646, Vinyl Upholstery, White, 73" W x 28 1/2" D x 33" H, EA, \$1,306.94
- 7110-01-679-2649, Fabric Upholstery, Black, 73" W x 28 1/2" D x 33" H, EA, \$1,306.94
- 7110-01-679-2652, Fabric Upholstery, Dark Grey, 73" W x 28 1/2" D x 33" H, EA, \$1,306.94
- 7110-01-679-2655, Fabric Upholstery, Tan, 73" W x 28 1/2" D x 33" H, EA, \$1,306.94
- 7110-01-679-2658, Fabric Upholstery, Patterned, 73" W x 28 1/2" D x 33" H, EA, \$1,306.94

Contemporary style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies but features furniture with a more modern design than the traditional. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Metal bases in the contemporary line of furniture are finished with an arctic silver powder coat.

## High Back Executive Office Chair

Contemporary style high back executive office chairs feature 5-star silver base.

- 7110-01-679-2673, Leather Upholstery, Black, 26" W x 26" D x 43-48" H, EA, \$944.98
- 7110-01-679-2647, Leather Upholstery, Dark Grey, 26" W x 26" D x 43-48" H, EA, \$944.98
- 7110-01-679-2650, Leather Upholstery, Tan, 26" W x 26" D x 43-48" H, EA, \$944.98
- 7110-01-679-2653, Leather Upholstery, White, 26" W x 26" D x 43-48" H, EA, \$944.98
- 7110-01-679-2656, Vinyl Upholstery, Black, 26" W x 26" D x 43-48" H, EA, \$760.18
- 7110-01-679-2659, Vinyl Upholstery, Dark Grey, 26" W x 26" D x 43-48" H, EA, \$760.18
- 7110-01-679-2662, Vinyl Upholstery, Tan, 26" W x 26" D x 43-48" H, EA, \$760.18
- 7110-01-679-2665, Vinyl Upholstery, White, 26" W x 26" D x 43-48" H, EA, \$760.18
- 7110-01-679-2672, Fabric Upholstery, Black, 26" W x 26" D x 43-48" H, EA, \$760.18
- 7110-01-679-2671, Fabric Upholstery, Dark Grey, 26" W x 26" D x 43-48" H, EA, \$760.18
- 7110-01-679-2676, Fabric Upholstery, Tan, 26" W x 26" D x 43-48" H, EA, \$760.18
- 7110-01-679-2679, Fabric Upholstery, Patterned, 26" W x 26" D x 43-48" H, EA, \$760.18

## Mid Back Executive Office Chair

Contemporary style mid back executive office chairs feature 5-star silver base.

- 7110-01-679-2678, Leather Upholstery, Black, 26" W x 26" D x 37-42" H, EA, \$811.64
- 7110-01-679-2680, Leather Upholstery, Dark Grey, 26" W x 26" D x 37-42" H, EA, \$811.64
- 7110-01-679-2681, Leather Upholstery, Tan, 26" W x 26" D x 37-42" H, EA, \$811.64
- 7110-01-679-2682, Leather Upholstery, White, 26" W x 26" D x 37-42" H, EA, \$811.64
- 7110-01-679-2695, Vinyl Upholstery, Black, 26" W x 26" D x 37-42" H, EA, \$682.78
- 7110-01-679-2696, Vinyl Upholstery, Dark Grey, 26" W x 26" D x 37-42" H, EA, \$682.78
- 7110-01-679-2698, Vinyl Upholstery, Tan, 26" W x 26" D x 37-42" H, EA, \$682.78
- 7110-01-679-2697, Vinyl Upholstery, White, 26" W x 26" D x 37-42" H, EA, \$682.78
- 7110-01-679-2699, Fabric Upholstery, Black, 26" W x 26" D x 37-42" H, EA, \$682.78
- 7110-01-679-2700, Fabric Upholstery, Dark Grey, 26" W x 26" D x 37-42" H, EA, \$682.78
- 7110-01-679-2701, Fabric Upholstery, Tan, 26" W x 26" D x 37-42" H, EA, \$682.78
- 7110-01-679-2702, Fabric Upholstery, Patterned, 26" W x 26" D x 37-42" H, EA, \$682.78

## Open Arm Guest Chair

Contemporary style guest features an open arm design and silver metal frame.

- 7110-01-679-2703, Leather Upholstery, Black, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$841.17
- 7110-01-679-2704, Leather Upholstery, Dark Grey, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$841.17
- 7110-01-679-2687, Leather Upholstery, Tan, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$841.17
- 7110-01-679-2685, Leather Upholstery, Dark Grey, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$841.17
- 7110-01-679-2686, Vinyl Upholstery, Black, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$647.88
- 7110-01-679-2690, Vinyl Upholstery, Dark Grey, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$647.88
- 7110-01-679-2692, Vinyl Upholstery, Tan, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$647.88
- 7110-01-679-2689, Vinyl Upholstery, White, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$647.88
- 7110-01-679-2691, Fabric Upholstery, Black, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$647.88
- 7110-01-679-2694, Fabric Upholstery, Dark Grey, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$647.88
- 7110-01-679-2623, Fabric Upholstery, Tan, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$647.88
- 7110-01-679-2624, Fabric Upholstery, Patterned, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$647.88

## High Back Task Chair with Adjustable Headrest

This line of office seating is fully ergonomic and features pneumatic height adjustment, adjustable lumbar support, seat slider, swivel tilt lock with tension control, and urethane padded arm rests. Seating comes standard with dual hard wheels for use on carpeted floors and are rated for 300 lb. weight capacity. Instruction booklet included with each chair.

### Mesh Back, Upholstered Seat

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-573-6539, Black, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$398.04

7110-01-598-1912, Blue, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$398.04

7110-01-573-6563, Gray, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$398.04

7110-01-630-5174, Red, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$398.04

### Fully Upholstered

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-630-5176, Black, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$404.58

7110-01-630-5175, Blue, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$404.58

7110-01-630-5173, Gray, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$404.58

7110-01-630-5157, Red, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$404.58

## High Back Task Chair with Integrated Headrest

This line of office seating is fully ergonomic and features pneumatic height adjustment, adjustable lumbar support, seat slider, swivel tilt lock with tension control, and urethane padded arm rests. Seating comes standard with dual hard wheels for use on carpeted floors and are rated for 300 lb. weight capacity. Instruction booklet included with each chair.

### Mesh Back, Upholstered Seat

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-630-5177, Black, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$345.64

7110-01-630-5178, Blue, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$345.64

7110-01-630-5180, Gray, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$345.64

7110-01-630-5181, Red, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$345.64

### Fully Upholstered

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-555-8491, Black, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$382.87

7110-01-555-8496, Blue, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$382.87

7110-01-555-8494, Gray, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$382.87

7110-01-555-8492, Red, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$382.87

## Mid Back Task Chair

This line of office seating is fully ergonomic and features pneumatic height adjustment, adjustable lumbar support, seat slider, swivel tilt lock with tension control, and urethane padded arm rests. Seating comes standard with dual hard wheels for use on carpeted floors and are rated for 300 lb. weight capacity. Instruction booklet included with each chair.

### Mesh Back, Upholstered Seat, Adjustable Arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-573-6559, Black, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$302.35  
 7110-01-598-1918, Blue, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$302.35  
 7110-01-573-6562, Gray, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$302.35  
 7110-01-630-5159, Red, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$302.35

### Fully Upholstered, Adjustable Arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-555-8495, Black, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$305.45  
 7110-01-555-8502, Blue, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$305.45  
 7110-01-555-8499, Gray, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$305.45  
 7110-01-555-8510, Red, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$305.45

### Mesh Back, Upholstered Seat, Fixed Arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-573-6556, Black, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$304.55  
 7110-01-598-4383, Blue, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$304.55  
 7110-01-573-6560, Gray, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$304.55  
 7110-01-630-5161, Red, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$304.55

### Fully Upholstered, Fixed Arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-630-5163, Black, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$300.71  
 7110-01-630-5172, Blue, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$300.71  
 7110-01-630-5164, Gray, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$300.71  
 7110-01-630-5165, Red, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$300.71

## 24/7 Intensive Use Task Chair

Intensive use 24/7 Task Chair with black upholstered seat and back features pneumatic height adjustments, adjustable lumbar support, seat slider, swivel tilt lock with tension control, 3" foam cushion and height adjustable arms with urethane padded arm rest. Seating comes standard with dual hard wheels for use on carpeted floors and attached instruction booklet details operation of chair. Rated for 400 Lb. weight capacity.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant  
 7110-01-630-5182, Black, 29" W x 26.5" D x 38-44" H (Overall), EA, \$400.75

## Guest Chair

Guest or side chair features four post legs and open arms.

### Fully Upholstered.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-587-1156, Black, 23" W x 22" D x 32" H (Overall), EA, \$186.92

7110-01-587-1157, Blue, 23" W x 22" D x 32" H (Overall), EA, \$186.92

7110-01-587-1159, Gray, 23" W x 22" D x 32" H (Overall), EA, \$186.92

7110-01-587-1160, Red, 23" W x 22" D x 32" H (Overall), EA, \$186.92

### Mesh Back, Upholstered Seat.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-573-6558, Black, 23" W x 22" D x 32" H (Overall), EA, \$190.36

7110-01-598-4109, Blue, 23" W x 22" D x 32" H (Overall), EA, \$190.36

7110-01-573-6561, Gray, 23" W x 22" D x 32" H (Overall), EA, \$190.36

7110-01-630-5179, Red, 23" W x 22" D x 32" H (Overall), EA, \$190.36

## Nesting Chair

Nesting chair with polyurethane back and upholstered seat features 4 post legs with casters and fixed arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-598-4111, Black, 23" W x 22" D x 32" H (Overall), EA, \$214.23

7110-01-598-4112, Blue, 23" W x 22" D x 32" H (Overall), EA, \$214.23

7110-01-598-4108, Gray, 23" W x 22" D x 32" H (Overall), EA, \$214.23

7110-01-630-5168, Red, 23" W x 22" D x 32" H (Overall), EA, \$214.23

## Kensington®/SKILCRAFT® SoleSaver Ergonomic Footrest

The Kensington®/SKILCRAFT® SoleSaver Ergonomic Footrest easily adjust for optimum relief of foot and back fatigue. Scratch-resistant, plastic, textured platform with a large 18" x 14" massaging, non-slip platform for enhanced stability. Non-slip rubber feet. Reduces leg pressure and helps improve circulation and posture. 30-degree tilt massage surface. 3 angle tilt settings (10°, 20°, and 30°) and 3 height settings from a minimum of 2.5" high to a maximum of 4.5" high.

7195-01-590-9070, AbilityOne, Gray, 18" W x 14" D x 2.5" to 4.5" H, EA, \$25.81

## Kensington®/SKILCRAFT® SoleMassage Ergonomic Footrest

The Kensington®/SKILCRAFT® SoleMassage Ergonomic Footrest features 5 height-adjustable setting up to 6.5" high and provides a tilt of up to 30 degrees. 17" x 13" scratch resistant, textured platform stimulates the nerve endings in the feet and is designed to invigorate and exercise ankles and improve circulation in the legs through a gentle rocking mechanism.

7195-01-590-9071, AbilityOne, Black, 17" W x 13" D x 6.5" H, EA, \$39.93

## Task Stool

Mid Back rotary stool with upholstered seat and back features pneumatic height height adjustments, adjustable lumbar support, seat slider, an adjustable footring and urethane padded fixed arms. Seating comes standard with dual hard wheels for use on carpeted floors.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-598-1896, Black, 26.25" W x 20-22" D x 47-56" H (Overall), EA, \$313.70

7110-01-598-1899, Blue, 26.25" W x 20-22" D x 47-56" H (Overall), EA, \$313.70

7110-01-598-1893, Red, 26.25" W x 20-22" D x 47-56" H (Overall), EA, \$313.70

# Height Adjustable Workstations

## Electric Powered Desktop Sit-Stand Workstation

Electric powered sit-to-stand desk riser is intended for federal agencies to be able to retrofit their existing fixed height work surfaces into adjustable standing height work surfaces. User can go from sitting to standing with just a push of a button. The work surface platform is large enough to accommodate keyboard, mousepad, and paper/notebook, which allows you to bring necessities with you when you stand. Lift ranges from 0 - 20 inches high. and lifts up to 80 lbs. come with standard 2" grommet holes. Each unit comes with 3 grommet holes to provide options for placement of your monitor, while also providing room to manage cables for phone/mouse/keyboard; not meant to hold multiple monitors with each grommet hole. Multiple monitor setups are possible by adding an optional monitor mounting post and VESA bracket, sold separately but not included with this NSN. Made in USA.

Low VOC

7110-01-653-5900, Versa Power Desktop , Black, 36"W x 24" D, EA, \$423.57

7110-01-653-5899, Versa Power Desktop , White, 36" W X 24"D, EA, \$425.73

### Cubicle Corner Desktop.

Low VOC

7110-01-659-7050, Versa Power Desktop , Black, 36" W x 33.25" D, EA, \$430.22

7110-01-659-7049, Versa Power Desktop , White, 36" W x 33.25" D, EA, \$430.22

## Sit-To-Stand Work Surface or Desktop

Adjustable work surface is intended for federal agencies to be able to retrofit their existing fixed height work surfaces into adjustable standing height work surfaces. The work surface platform is large enough to accommodate keyboard, mousepad, and paper/notebook, which allows you to bring necessities with you when you stand. Accommodates monitors up to 24" diagonal. Includes VESA compliant display mounting and includes cable management features to keep monitor cables organized and out of the way. While worksurfaces are designed to be freestanding, clamp mount or thru mount accessories are available, at no additional charge, upon request. Made in USA.

### Single Monitor, 20 lb. Load Capacity.

Low VOC

7110-01-653-6726, WINSTON , White, EA, \$488.15

7110-01-653-5903, WINSTON, Black, EA, \$502.03

### Dual Monitor, 26 lb. Load Capacity.

Low VOC

7110-01-653-7595, WINSTON , Black, EA, \$531.65

7110-01-653-5901, WINSTON , White, EA, \$517.03

## Stand Bias Workstation, Bar Height Unit

These fixed bar height units include fixed bar height table and stool with connected foot platform and second, free standing foot platform. These units are estimated to reduce sitting by approximately 2 hours per day.

*Cherry Laminate Top Table with Black Legs and NPS8500 Stool with Fabric Upholstered Seat and Back.*

Comprehensive Procurement Guideline Compliant

7110-01-668-1120, NPS8500 Stool, Black Fabric Seat, EA, \$2,453.08

7110-01-668-1121, NPS8500 Stool, Blue Fabric Seat, EA, \$2,453.08

7110-01-668-1119, NPS8500 Stool, Gray Fabric Seat, EA, \$2,453.08

*Maple Laminate Top Table with Silver Legs and NPS8500 Stool with Fabric Upholstered Seat and Back.*

Comprehensive Procurement Guideline Compliant

7110-01-668-1118, NPS8500 Stool, Black Fabric Seat, EA, \$2,522.24

7110-01-668-1123, NPS8500 Stool, Blue Fabric Seat, EA, \$2,522.24

7110-01-668-1124, NPS8500 Stool, Gray Fabric Seat, EA, \$2,522.24

*Cherry Laminate Top Table with Black Legs and NPS1500 Stool with Mesh Back and Fabric Upholstered Seat.*

Comprehensive Procurement Guideline Compliant

7110-01-668-1125, NPS1500 Stool, Black Fabric Seat, EA, \$2,388.19

7110-01-668-1129, NPS1500 Stool, Blue Fabric Seat, EA, \$2,388.19

7110-01-668-1133, NPS1500 Stool, Gray Fabric Seat, EA, \$2,388.19

*Maple Laminate Top Table with Silver Legs and NPS1500 Stool with Mesh Back and Fabric Upholstered Seat.*

Comprehensive Procurement Guideline Compliant

7110-01-668-1135, NPS1500 Stool, Black Fabric Seat, EA, \$2,457.35

7110-01-668-1137, NPS1500 Stool, Blue Fabric Seat, EA, \$2,457.35

7110-01-668-1140, NPS1500 Stool, Gray Fabric Seat, EA, \$2,457.35

## Stand Bias Workstation, Adjustable Height Unit

Adjustable height unit features electric 25 inch - 50 inch height adjustable table with 4 position memory controller, only available with type A (NEMA 1-15) plug; 120 volt 15 amp, supports up to 264 lbs, anti-collision technology, and adjusts at 1.6 in/sec.

*Cherry Laminate Top Table with Black Legs and NPS8500 Fabric Upholstered Seat and Back Chair.*

Comprehensive Procurement Guideline Compliant

7110-01-668-1142, NPS8500, Black Fabric Seat, EA, \$1,976.08

7110-01-668-1126, NPS8500, Blue Fabric Seat, EA, \$1,976.08

7110-01-668-1127, NPS8500, Gray Fabric Seat, EA, \$1,976.08

*Maple Laminate Top Table with Silver Legs and NPS8500 Fabric Upholstered Seat and Back Chair.*

Comprehensive Procurement Guideline Compliant

7110-01-668-1128, NPS8500, Black Fabric Seating, EA, \$1,938.29

7110-01-668-1130, NPS8500, Blue Fabric Seating, EA, \$1,938.29

7110-01-668-1131, NPS8500, Gray Fabric Seat, EA, \$1,938.29

*Cherry Laminate Top Table with Black Legs and NPS1500 Mesh Back and Upholstered Fabric Seat Chair.*

Comprehensive Procurement Guideline Compliant

7110-01-668-1132, NPS1500, Black Fabric Seat, EA, \$1,911.20

7110-01-668-1134, NPS1500, Blue Fabric Seat, EA, \$1,911.20

7110-01-668-1136, NPS1500, Gray Fabric Seat, EA, \$1,911.20

*Maple Laminate Top Table with Silver Legs and NPS1500 Mesh Back and Upholstered Fabric Seat Chair.*

Comprehensive Procurement Guideline Compliant

7110-01-668-1138, NPS1500, Black Fabric Seat, EA, \$1,873.41

7110-01-668-1139, NPS1500, Blue Fabric Seat, EA, \$1,873.41

7110-01-668-1141, NPS1500, Gray Fabric Seat, EA, \$1,873.41



# Metal Desks and Workstations

This line of metal desking features powder coated steel and high-pressure laminate tops available in a variety color and finishes, as well as metal rear and side modesty panels to conceal knee space. Welded construction makes this desk perfect for heavy duty office use.

## Single Pedestal Desk

**Single Pedestal Desk features one (1) metal box/file pedestal on the side of the knee space one (1) metal center drawer. File drawer accepts legal (side to side) or letter (front to back) hanging folders without the use of hang rails. Center drawer features a central locking system that can lock the drawer and pedestal.**

### *Left Single Pedestal Desk.*

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-149-1629, Beige with Walnut Grain Top, 45"W x 30"D x 29"H, EA, \$719.21

**Single-pedestal desk includes two drawers. Roomy storage drawer measures 11-1/2 x 22 x 4-1/2" and pulls out smoothly on nylon glides. File drawer measures 11-1/2 x 24 x 10" and features a spring-activated follower block and full progressive suspension.**

### *Left Single Pedestal Desk.*

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-149-1625, Black with Walnut Grain Top, 45"W x 30"D x 29"H, EA, \$719.21

7110-01-135-1990, Gray with White Top, 45"W x 30"D x 29"H, EA, \$719.21

7110-01-021-3609, Beige with Walnut Grain Top, 60"W x 30"D x 29"H, EA, \$719.21

7110-01-016-5642, Black with Walnut Grain Top, 60"W x 30"D x 29"H, EA, \$719.21

7110-01-136-1564, Gray with White Top, 60"W x 30"D x 29"H, EA, \$719.21

### *Conference Style Left Single Pedestal Desk with 6" Rear Overhang.*

EPA Recommended, Low VOC, Comprehensive Procurement Guideline

Compliant 7110-01-642-9856

Beige with Walnut Grain Top, 60"W x 30"D x 29"H, EA, \$683.48

7110-01-643-0782, Black with Walnut Grain Top, 60"W x 30"D x 29"H, EA, \$683.48

7110-01-642-9853, Gray with White Top, 60"W x 30"D x 29"H, EA, \$683.48

### *Right Single Pedestal Desk.*

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-149-1628, Beige with Walnut Grain Top, 45"W x 30"D x 29"H, EA, \$719.21

7110-00-149-1624, Black with Walnut Grain Top, 45"W x 30"D x 29"H, EA, \$719.21

7110-01-135-1996, Gray with White Top, 45"W x 30"D x 29"H, EA, \$719.21

7110-01-015-1361, Beige with Walnut Grain Top, 60"W x 30"D x 29"H, EA, \$634.42

7110-01-015-1362, Black with Walnut Grain Top, 60"W x 30"D x 29"H, EA, \$634.42

7110-01-135-1991, Gray with White Top, 60"W x 30"D x 29"H, EA, \$634.42

### *Conference Style Right Single Pedestal Desk with 6" Rear Overhang.*

EPA Recommended, Low VOC, Comprehensive Procurement Guideline

Compliant 7110-00-601-9851

Beige with Walnut Grain Top, 60"W x 36"D x 29"H, EA, \$592.79

7110-00-601-9850, Black with Walnut Grain Top, 60"W x 36"D x 29"H, EA, \$592.79

7110-01-642-9854, Gray with White Top, 60"W x 36"D x 29"H, EA, \$592.79

## Double Pedestal Desk

**Double Pedestal Desk has one (1) metal Box/File pedestal on the right side of the knee, one (1) metal Box/Box/Box pedestal on the left side of the knee space and a center drawer with a central locking system that can lock the drawer and pedestals. File Drawer accepts legal (side to side) or letter (front to back) hanging folders without the use of hang rails. This desk also features four (4) full height steel legs.**

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-149-1630, Beige with Walnut Grain Top, 60"W x 30"D x 29"H, EA, \$962.27

7110-00-149-1626, Black with Walnut Grain Top, 60"W x 30"D x 29"H, EA, \$962.27

7110-01-135-1992, Gray with White Top, 60"W x 30"D x 29"H, EA, \$962.27

### *Conference-Style Double Pedestal Desk with 6" Rear and Side Overhang.*

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-149-1631, Beige with Walnut Grain Top, 72"W x 36"D x 29"H, EA, \$579.14

7110-00-149-1627, Black with Walnut Grain Top, 72"W x 36"D x 29"H, EA, \$579.14

7110-01-135-1995, Gray with White Top, 72"W x 36"D x 29"H, EA, \$579.14

This line of metal desking features powder coated steel and high-pressure laminate tops available in a variety color and finishes, as well as metal rear and side modesty panels to conceal knee space. Welded construction makes this desk perfect for heavy duty office use.

## Pedestal Desk with Pedestal Return

Pedestal desk with pedestal return has metal box/file pedestals on the side of the knee space and a center drawer with a central locking system that can lock the drawer and pedestals. File drawers accept legal (side to side) or letter (front to back) hanging folders without the use of hang rails. This desk also features four (4) full height steel legs. Desk measures 60"W x 30"D x 29"H. Return measures 42"W x 18"D x 29"H.

### *Left Pedestal Desk with Right Pedestal Return.*

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-493-6760, Beige with Walnut Grain Top, 60"W x 72"D x 29"H, EA, \$633.42

7110-01-493-6759, Black with Walnut Grain Top, 60"W x 72"D x 29"H, EA, \$633.42

7110-01-642-9857, Gray with White Top, 60"W x 72"D x 29"H, EA, \$633.42

### *Right Pedestal Desk with Left Pedestal Return.*

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-493-6758, Beige with Walnut Grain Top, 60"W x 72"D x 29"H, EA, \$633.42

7110-01-493-6753, Black with Walnut Grain Top, 60"W x 72"D x 29"H, EA, \$633.42

7110-01-642-9858, Gray with White Top, 60"W x 72"D x 29"H, EA, \$633.42

## Credenza

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-128-0067, Beige with Walnut Grain Top, 60"W x 18"D x 29"H EA, \$393.65

7110-00-128-0065, Black with Walnut Grain Top, 60"W x 18"D x 29"H EA, \$393.65

7110-01-642-9859, Gray with White Top, 60"W x 18"D x 29"H EA, \$393.65

## Writing Desk/Table

Writing desk with high-pressure laminate top and four (4) full height steel legs has one (1) lockable metal center drawer.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-597-8027, Beige with Walnut Grain Top, 72"W x 36"D x 29"H, EA, \$358.11

7110-00-597-8023, Black with Walnut Grain Top, 72"W x 36"D x 29"H, EA, \$358.11

7110-01-642-9855, Gray with White Top, 72"W x 36"D x 29"H, EA, \$358.11

This line of metal modular workstations features powder coated metal storage, high-pressure laminate tops and include retractable keyboard with mouse pad. Storage, tops and fabric modesty panels are available in a variety color and finishes. Assembly required. Each workstation is delivered with detailed assembly instructions and can be assembled by the end-user. For information regarding outside installer rates to assemble your workstation(s), please email [furniture@gsa.gov](mailto:furniture@gsa.gov) at the time of order. Include your delivery location and quantity ordered in your email.

## L-Shape Workstation

L-Shaped workstation comes with two surface-mounted privacy screens, 72"W x 29"H. Worksurfaces are 72"W x 24"D and 48"W x 24"D and include half modesty panels. Workstation includes two freestanding pedestal cabinets with locking capabilities: one Box/Box/File configuration and one File/File configuration.

*Metal Storage: Black. Laminate Top: Speckled White with Black Edge Detail. Privacy Screen Fabric: Light Gray.*

Low VOC

7110-01-541-5626, 6' x 6', EA, \$1,807.97

*Metal Storage: Black. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.*

Low VOC

7110-01-541-6609, 6' x 6', EA, \$1,807.97

*Metal Storage: Light Gray. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.*

Low VOC

7110-01-541-6610, 6' x 6', EA, \$1,807.97

*Metal Storage: Black. Laminate Top: Walnut with Black Edge Detail. Privacy Screen Fabric: Light Gray.*

Low VOC

7110-01-608-8293, 6' x 6', EA, \$1,807.97

## L-Shape Workstation with Hutch

L-Shaped workstation comes with one surface-mounted privacy screen, 72"W x 29"H and a 72" W overhead storage hutch that includes task light. Both worksurfaces are 72"W x 24"D and include half modesty panels. Workstation includes one freestanding pedestal cabinet (Box/Box/File configuration), and a 36" two-drawer lateral file. All storage is locking.

*Metal Storage: Black. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.*

Low VOC

7110-01-541-6611, 6' x 8', EA, \$2,589.82

*Metal Storage: Light Gray. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.*

Low VOC

7110-01-541-6612, 6' x 8', EA, \$2,589.82

*Metal Storage: Black. Laminate Top: Speckled White with Black Edge Detail. Privacy Screen Fabric: Light Gray.*

Low VOC

7110-01-541-6616, 6' x 8', EA, \$2,589.82

*Metal Storage: Black. Laminate Top: Walnut with Black Edge Detail. Privacy Screen Fabric: Light Gray.*

Low VOC

7110-01-608-8279, 6' x 8', EA, \$2,589.82

## U-Shape Workstation

U-Shaped workstation comes with one surface-mounted privacy screen, 66"W x 29"H. Two worksurfaces are 72"W x 24"D and one is 42" W x 24" D. Worksurfaces include half modesty panels. Workstation includes two freestanding pedestal cabinets with locking capabilities: one Box/Box/File configuration and one File/File configuration. Includes a 72" W overhead storage hutch with task light and locking capabilities.

*Metal Storage: Black. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.*

Low VOC

7110-01-541-6604, 6' x 7.5', EA, \$2,757.32

*Metal Storage: Black. Laminate Top: Speckled White with Black Edge Detail. Privacy Screen Fabric: Light Gray.*

Low VOC

7110-01-541-6606, 6' x 7.5', EA, \$2,757.32

*Metal Storage: Light Gray. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.*

Low VOC

7110-01-541-6613, 6' x 7.5', EA, \$2,757.32

*Metal Storage: Black. Laminate Top: Walnut with Black Edge Detail. Privacy Screen Fabric: Light Gray.*

Low VOC

7110-01-608-8286, 6' x 7.5', EA, \$2,757.32

# Filing and Storage

## Lateral File Cabinet

Metal lateral file cabinets are made of powder coated steel and feature lock that comes with two (2) keys. Drawers are adjustable to accept legal (side to side) or letter (front to back) hanging folders. Includes one set with two keys.

### 2-Drawer High Lateral File.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-380-6438, Black, 30"W x 19"D, EA, \$605.62  
 7110-01-646-7762, Gray, 30"W x 19"D, EA, \$605.62  
 7110-01-646-7770, Sand, 30"W x 19"D, EA, \$605.62  
 7110-00-149-1641, Black, 36"W x 19"D, EA, \$602.30  
 7110-01-646-7764, Gray, 36"W x 19"D, EA, \$556.53  
 7110-00-149-1642, Sand, 36"W x 19"D, EA, \$556.53  
 7110-00-149-1643, Black, 42"W x 19"D, EA, \$661.18  
 7110-01-646-7769, Gray, 42"W x 19"D, EA, \$610.98  
 7110-00-149-1644, Sand, 42"W x 19"D, EA, \$610.98

### 3-Drawer High Lateral File.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3142, Black, 30"W x 19"D, EA, \$731.49  
 7110-01-666-3146, Gray, 30"W x 19"D, EA, \$731.49  
 7110-01-666-3147, Sand, 30"W x 19"D, EA, \$731.49  
 7110-01-666-3154, Black, 36"W x 19"D, EA, \$809.82  
 7110-01-666-3150, Gray, 36"W x 19"D, EA, \$809.82  
 7110-01-666-3149, Sand, 36"W x 19"D, EA, \$809.82  
 7110-01-666-3157, Black, 42"W x 19"D, EA, \$855.20  
 7110-01-666-3856, Gray, 42"W X 19"D, EA, \$855.20  
 7110-01-666-3155, Sand, 42"W x 19"D, EA, \$855.20

### 4-Drawer High Lateral File.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-646-7765, Black, 30"W x 19"D, EA, \$933.31  
 7110-01-646-7766, Gray, 30"W x 19"D, EA, \$933.31  
 7110-01-380-1438, Sand, 30"W x 19"D, EA, \$933.31  
 7110-00-149-2021, Black, 36"W x 19"D, EA, \$993.80  
 7110-01-646-7768, Gray, 36"W x 19"D, EA, \$993.80  
 7110-00-149-2022, Sand, 36"W x 19"D, EA, \$993.80  
 7110-00-149-2023, Black, 42"W x 19"D, EA, \$1,091.29  
 7110-01-646-7771, Gray, 42"W x 19"D, EA, \$1,091.29  
 7110-00-149-2024, Sand, 42"W x 19"D, EA, \$1,091.29

### 5-Drawer High Lateral File with (1) Top Roll-out Shelf and (4) Bottom Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-380-1428, Black, 30"W x 19"D, EA, \$1,164.55  
 7110-01-666-3866, Gray, 30"W x 19"D, EA, \$1,164.55  
 7110-01-666-3859, Sand, 30"W x 19"D, EA, \$1,164.55  
 7110-00-149-1660, Black, 36"W x 19"D, EA, \$1,241.16  
 7110-01-646-7758, Gray, 36"W x 19"D, EA, \$1,241.16  
 7110-00-149-1661, Sand, 36"W x 19"D, EA, \$1,241.16  
 7110-01-666-3873, Black, 42"W x 19"D, EA, \$1,362.91  
 7110-01-666-3846, Gray, 42"W x 19"D, EA, \$1,362.91  
 7110-01-666-3869, Sand, 42"W x 19"D, EA, \$1,362.91

## Lateral File with Laminate Top

Metal lateral file cabinets are made of powder coated steel and feature lock that comes with two (2) keys. Drawers are adjustable to accept legal (side to side) or letter (front to back) hanging folders. Includes one set with two keys.

### 2-Drawer High Lateral File with High Pressure Laminated Top.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3148, Black, 30"W x 19"D, EA, \$664.25

7110-01-666-3141, Gray, 30"W x 19"D, EA, \$613.71

7110-01-666-3145, Sand, 30"W x 19"D, EA, \$613.71

7110-00-149-1645, Black, 36"W x 19"D, EA, \$698.73

7110-01-666-3152, Gray, 36"W x 19"D, EA, \$645.52

7110-01-666-3144, Sand, 36"W x 19"D, EA, \$645.52

7110-01-666-3151, Black, 42"W x 19"D, EA, \$696.92

7110-01-666-3153, Gray, 42"W x 19"D, EA, \$697.31

7110-01-666-3156, Sand, 42"W x 19"D, EA, \$697.31

### 3-Drawer High Lateral File with High Pressure Laminated Top.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3159, Black, 30"W x 19"D, EA, \$825.11

7110-01-666-3160, Gray, 30"W x 19"D, EA, \$825.11

7110-01-666-3158, Sand, 30"W x 19"D, EA, \$825.11

7110-01-666-3162, Black, 36"W x 19"D, EA, \$872.55

7110-01-666-3163, Gray, 36"W x 19"D, EA, \$872.55

7110-01-666-3161, Sand, 36"W x 19"D, EA, \$872.55

7110-01-666-3164, Black, 42"W x 19"D, EA, \$948.93

7110-01-666-3143, Gray, 42"W x 19"D, EA, \$948.93

7110-01-666-3165, Sand, 42"W x 19"D, EA, \$948.93

## Lateral Filing and Storage Cabinet

Storage cabinet is made of powder coated steel and features integrated 2-door storage cabinet above 3 file drawers with lock that comes with two (2) keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3850, Black, 30"W x 19"D, EA, \$1,209.20

7110-01-666-3853, Gray, 30"W x 19"D, EA, \$1,209.20

7110-01-666-3847, Sand, 30"W x 19"D, EA, \$1,209.20

7110-01-666-3862, Black, 36"W x 19"D, EA, \$1,241.75

7110-01-666-3867, Gray, 36"W x 19"D, EA, \$1,241.75

7110-01-666-3860, Sand, 36"W x 19"D, EA, \$1,241.75

7110-01-666-3874, Black, 42"W x 19"D, EA, \$1,318.38

7110-01-666-3876, Gray, 42"W x 19"D, EA, \$1,318.38

7110-01-666-3871, Sand, 42"W x 19"D, EA, \$1,318.38

## Office Storage Cabinet

Metal storage cabinet is made of powder coated steel and features 2 integrated doors with lock that comes with two (2) keys.

### 2-High storage cabinet includes 1 adjustable shelf.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-3839, Black, 30" W x 18" D, EA, \$436.28

7125-01-666-3840, Gray, 30" W x 18" D, EA, \$436.28

7125-01-666-3838, Sand, 30" W x 18" D, EA, \$436.28

7125-01-666-3842, Black, 36" W x 18" D, EA, \$471.48

7125-01-666-3845, Gray, 36" W x 18" D, EA, \$471.48

7125-01-666-3843, Sand, 36" W x 18" D, EA, \$471.48

### 3-High storage cabinet includes 2 adjustable shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-3865, Black, 30" W x 18" D, EA, \$532.45

7125-01-666-3868, Gray, 30" W x 18" D, EA, \$532.45

7125-01-666-3863, Sand, 30" W x 18" D, EA, \$532.45

7125-01-666-3872, Black, 36" W x 18" D, EA, \$573.60

7125-01-666-3878, Gray, 36" W x 18" D, EA, \$573.60

7125-01-666-3870, Sand, 36" W x 18" D, EA, \$573.60

### 4-High storage cabinet includes 2 adjustable shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-3883, Black, 30" W x 18" D, EA, \$634.58

7125-01-666-3887, Gray, 30" W x 18" D, EA, \$634.58

7125-01-666-3881, Sand, 30" W x 18" D, EA, \$634.58

7125-01-666-3889, Black, 36" W x 18" D, EA, \$708.03

7125-00-764-5482, Gray, 36" W x 18" D, EA, \$708.03

7125-00-764-5744, Sand, 36" W x 18" D, EA, \$708.03

### 5-High storage cabinet includes 2 adjustable shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-3895, Gray, 30" W x 18" D, EA, \$913.73

7125-01-666-3891, Sand, 30" W x 18" D, EA, \$913.73

7125-01-666-3877, Black, 36" W x 18" D, EA, \$1,116.51

7125-01-666-3875, Gray, 36" W x 18" D, EA, \$1,116.51

7125-01-666-3898, Sand, 36" W x 18" D, EA, \$1,116.51

## Vertical File Cabinet

Vertical filing cabinet is made of powder coated steel and features lock that comes with two (2) keys.

### 2-drawers high.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-004-6695, Black, 15" W x 28" D, EA, \$416.94

7110-00-551-5489, Gray, 15" W x 28" D, EA, \$416.94

7110-00-985-5687, Sand, 15" W x 28" D, EA, \$416.94

7110-00-497-1420, Black, 18" W x 28" D, EA, \$480.90

7110-00-551-5493, Gray, 18" W x 28" D, EA, \$480.90

7110-00-764-5061, Sand, 18" W x 28" D, EA, \$480.90

### 3-drawers high.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3851, Black, 15" W x 28" D, EA, \$508.94

7110-01-666-3854, Gray, 15" W x 28" D, EA, \$508.94

7110-01-666-3848, Sand, 15" W x 28" D, EA, \$508.94

7110-01-666-3826, Black, 18" W x 28" D, EA, \$632.57

7110-01-666-3823, Gray, 18" W x 28" D, EA, \$632.57

7110-01-666-3858, Sand, 18" W x 28" D, EA, \$632.57

**4-drawers high.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3828, Black, 15"W x 28"D, EA, \$605.33  
 7110-01-666-3832, Gray, 15"W x 28"D, EA, \$605.33  
 7110-01-666-3829, Sand, 15"W x 28"D, EA, \$605.33  
 7110-01-666-3833, Black, 18"W x 28"D, EA, \$744.31  
 7110-01-666-3835, Gray, 18"W x 28"D, EA, \$744.31  
 7110-01-666-3834, Sand, 18"W x 28"D, EA, \$744.31

**5-drawers high.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3837, Black, 15"W x 28"D, EA, \$738.43  
 7110-00-286-3796, Gray, 15"W x 28"D, EA, \$738.43  
 7110-01-666-3836, Sand, 15"W x 28"D, EA, \$738.43  
 7110-00-286-3798, Black, 18"W x 28"D, EA, \$852.96  
 7110-00-497-2346, Gray, 18"W x 28"D, EA, \$852.96  
 7110-00-497-1829, Sand, 18"W x 28"D, EA, \$852.96

**Steel Bookcase**

Baked enamel finish on heavy-gauge steel. Welded for extra strength. Laminated walnut top. Chrome finished legs with adjustable leveling guides. Shelves adjust at 1/2" intervals.

7110-00-601-9823, AbilityOne, Black, 30" x 13" x 29-1/2", 3-Shelf, EA, \$200.13  
 7110-00-149-1621, AbilityOne, Parchment, 30" x 13" x 29-1/2", 2-Shelf, EA, \$200.13  
 7110-00-601-9821, AbilityOne, Black, 30" x 13" x 48", 3-Shelf, EA, \$235.75  
 7110-00-601-9822, AbilityOne, Parchment, 30" x 13" x 48", 3-Shelf, EA, \$247.54

**Bookcase**

Metal office bookcases feature adjustable shelves and are made of powder coated, minimum 22 gauge steel.

**2-high, 1 shelf.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3882, Black, 30"W x 15" D, EA, \$358.44  
 7110-01-666-3885, Gray, 30"W x 15" D, EA, \$358.44  
 7110-01-666-4701, Sand, 30"W x 15" D, EA, \$358.44  
 7110-01-666-3888, Black, 36"W x 15" D, EA, \$370.33  
 7110-01-666-3890, Gray, 36"W x 15" D, EA, \$370.33  
 7110-01-666-3886, Sand, 36"W x 15" D, EA, \$370.33  
 7110-01-666-3893, Black, 42"W x 15" D, EA, \$394.13  
 7110-01-666-3896, Gray, 42"W x 15" D, EA, \$394.13  
 7110-01-666-3892, Sand, 42"W x 15" D, EA, \$394.13

**3-high, 2 shelves.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3899, Black, 30"W x 15" D, EA, \$437.52  
 7110-01-666-3880, Gray, 30"W x 15" D, EA, \$437.52  
 7110-01-666-3897, Sand, 30"W x 15" D, EA, \$437.52  
 7110-01-666-3824, Black, 36"W x 15" D, EA, \$449.41  
 7110-01-666-3827, Gray, 36"W x 15" D, EA, \$449.41  
 7110-01-666-3884, Sand, 36"W x 15" D, EA, \$449.41  
 7110-01-666-3830, Black, 42"W x 15" D, EA, \$473.20  
 7110-01-666-3831, Gray, 42"W x 15" D, EA, \$473.20  
 7110-01-666-3825, Sand, 42"W x 15" D, EA, \$473.20

**5-high, 4 shelves.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-4276, Black, 30"W x 15" D, EA, \$692.99  
 7110-01-666-4261, Gray, 30"W x 15" D, EA, \$692.99  
 7110-01-666-4271, Sand, 30"W x 15" D, EA, \$692.99  
 7110-01-666-4263, Black, 36"W x 15" D, EA, \$712.59  
 7110-01-666-4265, Gray, 36"W x 15" D, EA, \$712.59  
 7110-01-666-4260, Sand, 36"W x 15" D, EA, \$712.59  
 7110-01-666-4264, Black, 42"W x 15" D, EA, \$718.92  
 7110-01-666-4266, Gray, 42"W x 15" D, EA, \$718.92  
 7110-01-666-4262, Sand, 42"W x 15" D, EA, \$718.92

**4-high, 3 shelves.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-4274, Black, 30"W x 15" D, EA, \$563.68  
 7110-01-666-4275, Gray, 30"W x 15" D, EA, \$563.68  
 7110-01-666-4273, Sand, 30"W x 15" D, EA, \$563.68  
 7110-01-666-4278, Black, 36"W x 15" D, EA, \$581.04  
 7110-01-666-4279, Gray, 36"W x 15" D, EA, \$581.04  
 7110-01-666-4277, Sand, 36"W x 15" D, EA, \$581.04  
 7110-01-666-4282, Black, 42"W x 15" D, EA, \$598.39  
 7110-01-666-4281, Gray, 42"W x 15" D, EA, \$598.39  
 7110-01-666-4280, Sand, 42"W x 15" D, EA, \$598.39

**Mobile Pedestal Filing Cabinet**

Mobile pedestal filing cabinet is made of powder coated, minimum 22 gauge steel and features castors for mobility.

**2 file drawers, cushion top.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3169, Black, 15"W x 22"D, EA, \$436.33  
 7110-01-666-3170, Gray, 15"W x 22"D, EA, \$436.33  
 7110-01-666-3168, Sand, 15"W x 22"D, EA, \$436.33

**1 box drawer, 1 file drawer.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3174, Black, 15"W x 22"D, EA, \$333.42  
 7110-01-666-3177, Gray, 15"W x 22"D, EA, \$333.42  
 7110-01-666-3171, Sand, 15"W x 22"D, EA, \$333.42

**2 file drawers.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3181, Black, 15"W x 22"D, EA, \$347.33  
 7110-01-666-3182, Gray, 15"W x 22"D, EA, \$347.33  
 7110-01-666-3179, Sand, 15"W x 22"D, EA, \$347.33



## Pedestal Filing Cabinet

Pedestal filing cabinet is made of powder coated, minimum 22 gauge steel and features 2 box drawers and 1 file drawer. Includes one set with two keys.

**2 box drawers, 1 file drawer.**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3176, Black, 15"W x 22"D, EA, \$309.13

7110-01-666-3178, Gray, 15"W x 22"D, EA, \$309.13

7110-01-666-3175, Sand, 15"W x 22"D, EA, \$309.13

**2 file drawers**

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3166, Black, 15"W x 22"D, EA, \$255.89

7110-01-666-3167, Gray, 15"W x 22"D, EA, \$255.89

7110-01-666-3180, Sand, 15"W x 22"D, EA, \$255.89

## Wardrobe

1-Door wardrobe is made of powder coated, minimum 22 gauge steel and features coat rod and adjustable shelf. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-665-0858, Black, 18"W x 18"D x 50"H, EA, \$460.53

7105-01-665-0855, Gray, 18"W x 18"D x 50"H, EA, \$433.29

7105-01-665-0852, Sand, 18"W x 18"D x 50"H, EA, \$433.29

7105-01-665-0843, Black, 18"W x 18"D x 64"H, EA, \$460.37

7105-01-665-0860, Gray, 18"W x 18"D x 64"H, EA, \$424.98

7105-01-665-0859, Sand, 18"W x 18"D x 64"H, EA, \$424.98

7105-01-665-0845, Black, 18"W x 18"D x 78"H, EA, \$468.40

7105-01-665-0842, Gray, 18"W x 18"D x 78"H, EA, \$468.40

7105-00-149-0505, Sand, 18"W x 18"D x 78"H, EA, \$468.40

Two-door wardrobe is made of powder coated, minimum 22 gauge steel and features top fixed shelf, coat rod. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-665-0876, Black, 30"W x 18"D x 50"H, EA, \$580.99

7105-01-665-0841, Gray, 30"W x 18"D x 50"H, EA, \$550.11

7105-01-665-0877, Sand, 30"W x 18"D x 50"H, EA, \$546.45

7105-00-782-9576, Black, 30"W x 18"D x 64"H, EA, \$585.38

7105-00-275-6224, Gray, 30"W x 18"D x 64"H, EA, \$554.83

7105-01-665-0846, Sand, 30"W x 18"D x 64"H, EA, \$550.94

2-Door wardrobe is made of powder coated, minimum 22 gauge steel and features top fixed shelf, 1/2 coat rod and 1/2 (4) adjustable shelves. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-665-0847, Black, 36"W x 18"D x 65"H, EA, \$599.59

7105-01-665-0848, Gray, 36"W x 18"D x 65"H, EA, \$570.07

7105-01-665-0844, Sand, 36"W x 18"D x 65"H, EA, \$565.51

7105-01-665-0850, Black, 36"W x 18"D x 78"H, EA, \$983.81

7105-01-665-0851, Gray, 36"W x 18"D x 78"H, EA, \$993.42

7105-01-665-0849, Sand, 36"W x 18"D x 78"H, EA, \$987.65

## Wardrobe Tower

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase with 1 adjustable shelf, full length door with coat rod, Box/Box/File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-664-7834, Black, 24"W x 24"D x 54"H, EA, \$1,166.35

7105-01-664-7837, Gray, 24"W x 24"D x 54"H, EA, \$1,153.20

7105-01-664-7830, Sand, 24"W x 24"D x 54"H, EA, \$1,156.34

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase with 1 adjustable shelf, full length door with coat rod, File/File Drawers. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-664-7832, Black, 24"W x 24"D x 54"H, EA, \$1,142.56

7105-01-664-7828, Gray, 24"W x 24"D x 54"H, EA, \$1,129.42

7105-01-664-7831, Sand, 24"W x 24"D x 54"H, EA, \$1,132.34

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase with 2 adjustable shelves, full length door with coat rod, File/File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-664-7833, Black, 24"W x 24"D x 64"H, EA, \$1,293.75

7105-01-664-7843, Gray, 24"W x 24"D x 64"H, EA, \$1,279.13

7105-01-664-7841, Sand, 24"W x 24"D x 64"H, EA, \$1,282.62

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase, 1 adjustable shelf, Box/Box/File Drawers. Includes one set of 2 keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-664-7840, Black, 15"W x 24" D x 51" H, EA, \$771.09

7105-01-664-7835, Gray, 15"W x 24" D x 51" H, EA, \$760.71

7105-01-664-7829, Sand, 15"W x 24" D x 51" H, EA, \$763.19

7105-01-664-7836, Black, 15"W x 24"D x 64"H, EA, \$840.21

7105-01-664-7845, Gray, 15"W x 24"D x 64"H, EA, \$828.85

7105-01-664-7838, Sand, 15"W x 24"D x 64"H, EA, \$831.50

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase, 1 adjustable shelf, File/File Drawers. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-664-7846, Black, 15"W x 24"D x 51"H, EA, \$746.14

7105-01-664-7844, Gray, 15"W x 24"D x 51"H, EA, \$736.28

7105-01-664-7839, Sand, 15"W x 24"D x 51"H, EA, \$738.50

7105-01-664-7848, Black, 15"W x 24"D x 64"H, EA, \$815.10

7105-01-664-7849, Gray, 15"W x 24"D x 64"H, EA, \$804.26

7105-01-664-7847, Sand, 15"W x 24"D x 64"H, EA, \$806.63

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase with 2 adjustable shelves, full length door with coat rod, Box/Box/File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-665-0869, Black, 24"W x 24"D x 64"H, EA, \$1,318.04

7105-01-665-0866, Gray, 24"W x 24"D x 64"H, EA, \$1,302.96

7105-01-664-7842, Sand, 24"W x 24"D x 64"H, EA, \$1,306.54

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features full length door with coat rod, hinged door insert, Box/Box/File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7105-01-665-0872, Black, 24"W x 24"D x 64"H, EA, \$1,563.75  
 7105-01-665-0871, Gray, 24"W x 24"D x 64"H, EA, \$1,546.04  
 7105-01-665-0870, Sand, 24"W x 24"D x 64"H, EA, \$1,550.23

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features full length door with coat rod, hinged door insert, 3 File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7105-01-665-0875, Black, 24"W x 24"D x 64"H, EA, \$1,378.88  
 7105-01-665-0874, Gray, 24"W x 24"D x 64"H, EA, \$1,362.74  
 7105-01-665-0873, Sand, 24"W x 24"D x 64"H, EA, \$1,366.78

## Clothing Locker

Clothing Locker features 4 coat hooks, a coat rod, and a hat shelf. Locker is made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7125-01-666-5408, Gray, 12"W x 12"D x 66"H, EA, \$1,147.36  
 7125-01-666-5410, Ivory, 12"W x 12"D x 66"H, EA, \$1,147.36  
 7125-01-666-5394, Gray, 12"W x 12"D x 78"H, EA, \$1,178.36  
 7125-01-666-5393, Ivory, 12"W x 12"D x 78"H, EA, \$1,178.36  
 7125-01-666-5412, Gray, 12"W x 15"D x 66"H, EA, \$1,209.66  
 7125-01-666-5395, Ivory, 12"W x 15"D x 66"H, EA, \$1,209.66  
 7125-01-666-5397, Gray, 12"W x 15"D x 78"H, EA, \$1,300.94  
 7125-01-666-5399, Ivory, 12"W x 15"D x 78"H, EA, \$1,300.94  
 7125-01-666-5396, Gray, 12"W x 18"D x 66"H, EA, \$1,302.11  
 7125-01-666-5398, Ivory, 12"W x 18"D x 66"H, EA, \$1,302.11  
 7125-01-666-5400, Gray, 12"W x 18"D x 78"H, EA, \$902.05  
 7125-01-666-5402, Ivory, 12"W x 18"D x 78"H, EA, \$902.05

## 2 Tier Locker with Legs

2 tier metal locker with legs features two individual lockers measuring 12 inches wide x 18 inches deep x 30" high each. Locker is made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7125-01-666-5401, Gray, Overall: 12"W x 18"D x 66"H, EA, \$1,237.00  
 7125-01-666-5403, Ivory, Overall: 12"W x 18"D x 66"H, EA, \$1,237.00

2 tier metal locker with legs features two individual lockers measuring 12 inches wide x 18 inches deep x 36" high each. Locker is made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant  
 7125-01-666-5404, Gray, Overall: 12"W x 18"D x 78"H, EA, \$1,277.41  
 7125-01-666-5406, Ivory, Overall: 12"W x 18"D x 78"H, EA, \$1,277.41

## Locker Unit with 4 Individual Lockers

Metal lockers include 4 individual lockers, each measuring 15 inches wide x 18 inches deep x 18 inches high. Lockers are made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-5409, Gray, Overall: 15"W x 18"D x 78"H, EA, \$884.42

7125-01-666-5411, Ivory, Overall: 15"W x 18"D x 78"H, EA, \$884.42

## Locker Unit with 6 Individual Lockers

Metal lockers include 6 individual lockers, 3 lockers per horizontal row. Individual lockers are 15 inches wide x 18 inches deep x 36 inches high. Lockers are made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-00-298-1926, Gray, Overall: 45"W x 18"D x 78"H, EA, \$884.42

7125-01-666-5407, Ivory, Overall: 45"W x 18"D x 78"H, EA, \$884.42

## Cell Phone Locker

Cell phone locker features label holder and lock for each individual locker. Locker is made of minimum 18 gauge powder coated steel.

### 15 Door Locker.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-7246, Black, 24"W x 9.25"D x 31"H, EA, \$1,073.09

7125-01-666-6855, Gray, 24"W x 9.25"D x 31"H, EA, \$1,073.09

7125-01-666-7245, Ivory, 24"W x 9.25"D x 31"H, EA, \$1,073.09

### 25 Door Locker.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-668-9093, Black, 37"W x 9.25"D x 31"H, EA, \$1,175.97

7125-01-668-9091, Gray, 37"W x 9.25"D x 31"H, EA, \$1,175.97

7125-01-668-9092, Ivory, 37"W x 9.25"D x 31"H, EA, \$1,175.97

### 36 Door Locker.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-7226, Black, 27"W x 9"D x 78"H, EA, \$1,260.27

7125-01-666-7247, Gray, 27"W x 9"D x 78"H, EA, \$1,260.27

7125-01-666-7227, Ivory, 27"W x 9"D x 78"H, EA, \$1,260.27

# Dormitory and Quarters Furniture

GSA Global Supply's popular and durable line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish and timeless and easy to maintain design. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captain's beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

## Bunk Bed

Single beds and bunk beds are capable of stacking with each other and are height adjustable requiring no tools for assembly. Beds include a steel spring deck, headboard and footboard. Each bed measures 84.5" L x 40.5" W x 36" H overall and accomodates XL Twin mattress (38" x 80").

### *Bunk Beds.*

Comprehensive Procurement Guideline Compliant  
7105-01-663-0786, Natural Oak, XL Twin, EA, \$559.07

### *Bunk Beds with (2) XL Twin Mattresses.*

Comprehensive Procurement Guideline Compliant  
7105-01-663-0787, Natural Oak, XL Twin, EA, \$815.33

*Bunk Beds with (2) XL Twin Mattresses and (2) Bed-in-a-Bag. 6 Piece USDA biopreferred bed-in-a-bag includes felt mattress pad with anchor bands, flat sheet, fitted sheet, pillow case, standard 20 oz fill pillow, and 66"x90" natural blanket.*

Comprehensive Procurement Guideline Compliant  
7105-01-663-0788, Natural Oak, XL Twin, EA, \$971.18

## Bunkable Single Bed

Single beds and bunk beds are capable of stacking with each other and are height adjustable requiring no tools for assembly. Beds include a steel spring deck, headboard and footboard. Each bed measures 84.5" L x 40.5" W x 36" H overall and accomodates XL Twin mattress (38" x 80").

### *Single Bed.*

Comprehensive Procurement Guideline Compliant  
7105-01-462-1062, Natural Oak, XL Twin, EA, \$279.54

### *Single Bed with XL Twin Mattress.*

Comprehensive Procurement Guideline Compliant  
7105-01-663-0784, Natural Oak, XL Twin, EA, \$407.66

*Single Bed with XL Twin Mattress and Bed-in-a-Bag. 6 Piece USDA biopreferred bed-in-a-bag includes felt mattress pad with anchor bands, flat sheet, fitted sheet, pillow case, standard 20 oz fill pillow, and 66"x90" natural blanket.*

Comprehensive Procurement Guideline Compliant  
7105-01-663-0785, Natural Oak, XL Twin, EA, \$485.59

GSA Global Supply's popular and durable line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish and timeless and easy to maintain design. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captain's beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

## Captain's Bed

Captain's Beds include (2) drawers, pop up bed frame for added storage, headboard storage, and bookcase. The bed deck locks in unison with the drawers below and include a lock hasp system. Bed measures 42" W X 96" L, features under bed ventilation, accommodates an XL twin mattress (38" x 80" ) and may be reversed for different room configurations.

### *Captain's Bed.*

Comprehensive Procurement Guideline Compliant

7105-01-663-0789, Natural Oak, XL Twin, EA, \$1,423.24

### *Captain's Bed with XL Twin Mattress.*

Comprehensive Procurement Guideline Compliant

7105-01-663-0790, Natural Oak, XL Twin, EA, \$1,551.36

*Captain's Bed with XL Twin Mattress and Bed-in-a-Bag. 6 Piece USDA biopreferred bed-in-a-bag includes felt mattress pad with anchor bands, flat sheet, fitted sheet, pillow case, standard 20 oz fill pillow, and 66" x 90" natural blanket.*

Comprehensive Procurement Guideline Compliant

7105-01-663-0791, Natural Oak, XL Twin, EA, \$1,629.29

## Underbed Drawer

Under bed drawer units fit under single bunkable beds and bunk beds and include a lock hasp system.

### *One (1) Drawer.*

Comprehensive Procurement Guideline Compliant

7105-01-462-1064, Natural Oak, 30" W X 22" D X 12.75" H, EA, \$161.92

### *Two (2) Drawer.*

Comprehensive Procurement Guideline Compliant

7105-01-462-1065, Natural Oak, 30" W X 22" D X 17" H, EA, \$197.12

## Chest of Drawers

All chests and nightstands have lock hasp systems on top drawer and include integrated handle, pull handle or knob.

### *Three Drawer Chest.*

Comprehensive Procurement Guideline Compliant

7105-01-462-1052, Natural Oak, 32" W X 20" D X 30" H, EA, \$281.86

Chests and nightstands are constructed of solid oak wood species and are part of a coordinating line of housing and dormitory furniture for use by military and civilian agencies. All chests and nightstands have lock hasp systems on top drawer and include integrated handle, pull handle or knob.

**All chests and nightstands have lock hasp systems on top drawer and include integrated handle, pull handle or knob.**

### *Four Drawer Chest.*

Comprehensive Procurement Guideline Compliant

7105-01-663-2829, Natural Oak, 32" W X 20" D X 38" H, EA, \$303.08

### *Five Drawer Chest.*

Comprehensive Procurement Guideline Compliant

7105-01-462-0845, Natural Oak, 32" W X 20" D X 48" H, EA, \$343.23

GSA Global Supply's popular and durable line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish and timeless and easy to maintain design. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captain's beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

## Wardrobe

Wardrobe features two (2) doors, hat shelf, clothes rod, two (2) drawers, and lock hasp system.

Comprehensive Procurement Guideline Compliant

7105-01-663-0796, Natural Oak, 36" W X 25" D X 72" H, EA, \$624.79

Two door wardrobe features hat shelf, clothes rod, towel bar, mirror and lock hasp system.

Comprehensive Procurement Guideline Compliant

7105-01-462-1054, Natural Oak, 36" W x 25" D x 72" H, EA, \$581.30

## Chest Insert for Wardrobe

Three drawer chest insert is for wardrobe NSN 7105-01-462-1054.

Comprehensive Procurement Guideline Compliant

7105-01-462-1051, Natural Oak, 22" W X 22" D X 26" H, EA, \$218.07

## Bookcase

3 shelf bookcase with adjustable shelves.

Comprehensive Procurement Guideline Compliant

7105-01-462-1057, Natural Oak, 30" W X 12" D X 36" H, EA, \$175.08

5 shelf bookcase with adjustable shelves.

Comprehensive Procurement Guideline Compliant

7105-01-462-0852, Natural Oak, 30" W X 14" D X 72" H, EA, \$227.92

## Nightstand

All chests and nightstands have lock hasp systems on top drawer and include integrated handle, pull handle or knob.

*One Drawer Nightstand.*

Comprehensive Procurement Guideline Compliant

7105-01-462-1049, Natural Oak, 23" W X 16" D X 23" H, EA, \$147.15

*Two Drawer Nightstand.*

Comprehensive Procurement Guideline Compliant

7105-01-462-1050, Natural Oak, 23" W X 16" D X 23" H, EA, \$170.94

## Entertainment Unit/TV Stand

Entertainment Unit/TV Stand.

Comprehensive Procurement Guideline Compliant

7105-01-663-0794, Natural Oak, 30" W X 24" D X 30" H, EA, \$271.49

GSA Global Supply's popular and durable line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish and timeless and easy to maintain design. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captain's beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

## Mirror

**Rectangular Wall Mounted Wood Framed Mirror. Mounting hardware is included.**

Comprehensive Procurement Guideline Compliant

7105-01-462-1048, Natural Oak, 28" W X 42" H, EA, \$91.79

## Single Pedestal Desk

**Single pedestal desk has one (1) pencil drawer, one (1) box/box/file pedestal. Includes grommet in rear of desk for wires.**

Comprehensive Procurement Guideline Compliant

7105-01-462-1053, Natural Oak, 42" W X 24" D X 30" H, EA, \$334.37

## End Table

End Table

Comprehensive Procurement Guideline Compliant

7105-01-663-0782, Natural Oak, 22" W X 26" D X 20" H, EA, \$144.88

## Study Table

Square Study Table.

Comprehensive Procurement Guideline Compliant

7105-01-663-0780, Natural Oak, 36" W X 36" D X 30" H, EA, \$202.75

## Coffee Table

Coffee Table

Comprehensive Procurement Guideline Compliant

7105-01-663-0781, Natural Oak, 48" W X 22" D X 18" H, EA, \$169.19

## Desk Chair

**Two position, armless, mid-back design chair features upholstered seat and back with wood frame construction.**

Comprehensive Procurement Guideline Compliant

7105-01-462-0966, Natural Oak, Black Fabric, 18" W X 22.5" D X 32.5" H, EA, \$146.38

7105-01-462-0982, Natural Oak, Black Vinyl, 18" W X 22.5" D X 32.5" H, EA, \$146.38

7105-01-462-0962, Natural Oak, Dark Blue Fabric, 18" W X 22.5" D X 32.5" H, EA, \$146.38

7105-01-462-0978, Natural Oak, Dark Blue Vinyl, 18" W X 22.5" D X 32.5" H, EA, \$146.38

**Sled base, armless, mid-back design desk chair features upholstered seat and back with wood frame construction.**

Comprehensive Procurement Guideline Compliant

7105-01-462-0918, Natural Oak, Black Vinyl, 18" W X 20" D X 31.5" H, EA, \$134.03

7105-01-462-0902, Natural Oak, Black Fabric, 18" W X 20" D X 31.5" H, EA, \$134.03

7105-01-462-0898, Natural Oak, Dark Blue Fabric, 18" W X 20" D X 31.5" H, EA, \$134.03

7105-01-462-0914, Natural Oak, Dark Blue Vinyl, 18" W X 20" D X 31.5" H, EA, \$134.03



GSA Global Supply's popular and durable line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish and timeless and easy to maintain design. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captain's beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

## Lounge Chair

### Lounge Chair

Comprehensive Procurement Guideline Compliant

7105-01-470-4603, Natural Oak, Black Fabric, 28" W X 32" D X 30" H, EA, \$494.95

7105-01-470-4586, Natural Oak, Black Vinyl, 28" W X 32" D X 30" H, EA, \$494.95

7105-01-470-4596, Natural Oak, Dark Blue Fabric, 28" W X 32" D X 30" H, EA, \$494.95

7105-01-470-4612, Natural Oak, Dark Blue Vinyl, 28" W X 32" D X 30" H, EA, \$494.95

## Two-Seat Sofa

### Two seat sofa.

Comprehensive Procurement Guideline Compliant

7105-01-470-5038, Natural Oak, Black Fabric, 52" W X 32" D X 30" H, EA, \$724.21

7105-01-470-5022, Natural Oak, Black Vinyl, 52" W X 32" D X 30" H, EA, \$724.21

7105-01-470-5036, Natural Oak, Dark Blue Fabric, 52" W X 32" D X 30" H, EA, \$724.21

7105-01-470-5018, Natural Oak, Dark Blue Vinyl, 52" W X 32" D X 30" H, EA, \$724.21

## Three-Seat Sofa

### Three Seat Sofa

Comprehensive Procurement Guideline Compliant

7105-01-470-5358, Natural Oak, Black Fabric, 75" W X 32" D X 30" H, EA, \$943.82

7105-01-470-5374, Natural Oak, Black Vinyl, 75" W X 32" D X 30" H, EA, \$943.82

7105-01-470-5338, Natural Oak, Dark Blue Fabric, 75" W X 32" D X 30" H, EA, \$943.82

7105-01-470-5373, Natural Oak, Dark Blue Vinyl, 75" W X 32" D X 30" H, EA, \$943.82

## SKILCRAFT® Coffee Table

Coffee table with rounded corners has a solid wood frame and legs with a matching plastic laminate top surface for durability and resistance to wear. Made in USA by KCARC and shipped fully assembled. . Delivery within 90-120 days.

7105-00-139-7573, AbilityOne, English Oak, 36" x 36" x 17", Square, Laminated Top, EA, \$395.21

7105-01-462-1067, AbilityOne, Natural Oak Finish, 36" x 36" x 17", Square Top, EA, \$426.48

7105-00-139-7601, AbilityOne, English Oak, 48" x 22" x 17", Rectangular, Laminated Top, EA, \$317.35

7105-01-462-1068, AbilityOne, Natural Oak Finish, 48" x 22" x 17", Rectangular Top, EA, \$331.79

## SKILCRAFT® Lamp Table

Table with rounded corners has a solid wood frame and legs with a matching plastic laminate top surface for durability and resistance to wear. Made in USA by KCARC and shipped fully assembled. Delivery within 90-120 days.

7105-00-139-7600, AbilityOne, English Oak, 27" x 27" x 21", Laminated Top, EA, \$319.86

7105-01-462-1070, AbilityOne, Natural Oak Finish, 27" x 27" x 21", EA, \$340.34

## SKILCRAFT® End Table

Table with rounded corners has a solid wood frame and legs with a matching plastic laminate top surface for durability and resistance to wear. Made in USA by KCARC and shipped fully assembled. Delivery within 90-120 days.

7105-00-139-7598, AbilityOne, English Oak, 26" x 18" x 21", Laminated Top, EA, \$236.26

7105-01-462-1069, AbilityOne, Natural Oak Finish, 26" x 18" x 21", EA, \$241.87

# Healthcare Furniture

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Bedside Cabinet

Tops and fronts of patient room bedside cabinets are made of Thermoformed Vinyl, the body material is Laminate, and are locking. They feature four dual wheel casters with at least two lockable casters, removable and field replaceable drawers and doors, full extension glides with bumpers to soften the sound of closing, and venting. All drawers also include liners. Coordinating dressers and wardrobe towers are also available. 19.75" W x 19.75" D x 30" H

### *Three Drawer Bedside Cabinet with Gallery Rail.*

7105-01-682-9725, Light Maple Wood Finish, 19.75"W x 19.75"D x 30"H, EA, \$709.08

7105-01-682-9728, Platinum Gray Finish, 19.75"W x 19.75"D x 30"H, EA, \$709.08

7105-01-682-9727, See expanded color options, 19.75"W x 19.75"D x 30"H, EA, \$709.08

### *Three Drawer Bedside Cabinet with Spill Groove.*

7105-01-652-8445, Light Maple Wood Finish, 19.75"W x 19.75"D x 30"H, EA, \$649.32

7105-01-682-9729, Platinum Gray Finish, 19.75"W x 19.75"D x 30"H, EA, \$649.32

7105-01-682-9726, See expanded color options, 19.75"W x 19.75"D x 30"H, EA, \$649.32

### *Single Drawer Bedside Cabinet with Left Door and Gallery Rail.*

7105-01-682-9730, Light Maple Wood Finish, 19.75"W x 19.75"D x 30"H, EA, \$557.85

7105-01-682-9731, Platinum Gray Finish, 19.75"W x 19.75"D x 30"H, EA, \$557.85

7105-01-682-9732, See expanded color options, 19.75"W x 19.75"D x 30"H, EA, \$557.85

### *Single Drawer Bedside Cabinet with Left Door and Spill Groove.*

7105-01-683-0163, Light Maple Wood Finish, 19.75"W x 19.75"D x 30"H, EA, \$498.10

7105-01-683-0154, Platinum Gray Finish, 19.75"W x 19.75"D x 30"H, EA, \$498.10

7105-01-683-0155, See expanded color options, 19.75"W x 19.75"D x 30"H, EA, \$498.10

### *Single Drawer Bedside Cabinet with Right Door and Gallery Rail.*

7105-01-683-0156, Light Maple Wood Finish, 19.75"W x 19.75"D x 30"H, EA, \$557.85

7105-01-683-0157, Platinum Gray Finish, 19.75"W x 19.75"D x 30"H, EA, \$557.85

7105-01-683-0158, See expanded color options, 19.75"W x 19.75"D x 30"H, EA, \$557.85

### *Single Drawer Bedside Cabinet with Right Door and Spill Groove.*

7105-01-683-0159, Light Maple Wood Finish, 19.75"W x 19.75"D x 30"H, EA, \$498.10

7105-01-683-0160, Platinum Gray Finish, 19.75"W x 19.75"D x 30"H, EA, \$498.10

7105-01-683-0161, See expanded color options, 19.75"W x 19.75"D x 30"H, EA, \$498.10

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Three Drawer Dresser

Tops and fronts of patient room dressers are made of Thermoformed Vinyl, the body material is Laminate, and are locking. They feature metal legs with leveling glides, removable and field replaceable drawers, full extension glides with bumpers to soften the sound of closing, and venting. All drawers also include liners. Coordinating bedside cabinets and wardrobe towers are also available.

7105-01-683-0855, Light Maple Wood Finish, 31.75"W x 19.75"D x 30"H, EA, \$841.80

7105-01-683-0856, Platinum Gray, 31.75"W x 19.75"D x 30"H, EA, \$841.80

7105-01-683-2154, See expanded color options, 31.75"W x 19.75"D x 30"H, EA, \$841.80

## Wardrobe Tower

Fronts of Patient Room wardrobe towers are made of Thermoformed Vinyl. The top and body material is Laminate, they are available in one and two door options, and are locking. They feature metal legs with leveling glides, one fixed top shelf with closet rod, removable and field replaceable doors, bumpers on doors to soften the sound of closing, and venting. Coordinating bedside cabinets and dressers are also available.

### *Right Door Wardrobe.*

7105-01-683-0860, Light Maple Wood Finish, 23.25"W x 19.75"D x 70"H, EA, \$897.85

7105-01-683-1403, Platinum Gray, 23.25"W x 19.75"D x 70"H, EA, \$897.85

7105-01-683-1404, See expanded color options, 23.25"W x 19.75"D x 70"H, EA, \$897.85

### *Left Door Wardrobe.*

7105-01-683-1405, Light Maple Wood Finish, 23.25"W x 19.75"D x 70"H, EA, \$897.85

7105-01-683-0863, Platinum Gray, 23.25"W x 19.75"D x 70"H, EA, \$897.85

7105-01-683-0866, See expanded color options, 23.25"W x 19.75"D x 70"H, EA, \$897.85

### *Double Door Wardrobe.*

7105-01-683-0868, Light Maple Wood Finish, 35.25"W x 23.25"D x 70"H, EA, \$1,104.60

7105-01-683-1406, Platinum Gray, 35.25"W x 23.25"D x 70"H, EA, \$1,104.60

7105-01-683-1407, See expanded color options, 35.25"W x 23.25"D x 70"H, EA, \$1,104.60

## Overbed Table

Overbed tables contain a solid surface top constructed of thermoformed vinyl with raised edge to contain spills. Tables feature offset metal column base with casters and pneumatic height adjustment range of at least 11" high to 30" - 41". The maximum weight capacity is 100 lbs.

### *Overbed Table with Rectangular Shaped Top.*

7105-01-652-8444, Light Maple Wood Finish, 30"W x 16"D x 27-43"H, EA, \$531.94

7105-01-683-0149, Platinum Gray, 30"W x 16"D x 27-43"H, EA, \$531.94

7105-01-683-0150, See expanded color options, 30"W x 16"D x 27-43"H, EA, \$531.94

### *Overbed Table with Kidney Shaped Top.*

7105-01-683-0151, Light Maple Wood Finish, 30"W x 16"D x 27-43"H, EA, \$531.94

7105-01-683-0152, Platinum Gray, 30"W x 16"D x 27-43"H, EA, \$531.94

7105-01-683-0153, See expanded color options, 30"W x 16"D x 27-43"H, EA, \$531.94

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Patient Recliner

Patient recliners are available as stationary or mobile with right flip down arm or left flip down arm options. Stationary recliners have glides. Mobile recliners have a central locking caster system and push bar. All recliners feature black urethane arm caps, footrest/leg support, recliner control, removable upholstery covers, removable and field replaceable cushions, moisture barrier within the seat cushion, and a cleanout space between the back and the seat cushion. All recliners also come with an IV pole and holder and drainage bag/utility holder especially for healthcare environments. Maximum weight capacity is 300 lbs.

### *Mobile Patient Recliner with Left Flip Down Arm.*

7105-01-683-2385, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,487.77

7105-01-683-2384, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,487.77

7105-01-683-2389, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,317.51

7105-01-683-2390, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,317.51

7105-01-683-2391, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,487.77

### *Mobile Patient Recliner with Right Flip Down Arm.*

7105-01-683-2402, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,487.77

7105-01-683-2403, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,487.77

7105-01-683-2388, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,317.51

7105-01-683-2387, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,317.51

7105-01-683-2386, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,487.77

### *Stationary Patient Recliner with Left Flip Down Arm.*

7105-01-683-2397, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,059.46

7105-01-683-2398, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,059.46

7105-01-683-2399, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$2,888.67

7105-01-683-2401, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$2,888.67

7105-01-683-2400, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,059.46

### *Stationary Patient Recliner with Right Flip Down Arm.*

7105-01-683-2155, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,059.46

7105-01-683-2392, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,059.46

7105-01-683-2393, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$2,888.67

7105-01-683-2395, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$2,888.67

7105-01-683-2396, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,059.46

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation. Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Trendelenburg Recliner

Trendelenburg recliners allow individuals to recline to a position where the body is flat and feet are elevated above the head. These trendelenburg recliners are available as stationary or mobile with right flip down arm or left flip down arm options. Stationary recliners have glides. Mobile recliners have a central locking caster system and pushbar. All recliners feature black urethane arm caps, footrest/leg support, recliner control, removable upholstery covers, removable and field replaceable cushions, moisture barrier within the seat cushion, and a cleanout space between the back and the seat cushion. All recliners also come with an IV pole and holder and drainage bag/utility holder especially for healthcare environments. Maximum weight capacity is 300 lbs.

### *Mobile Trendelenburg Recliner with Left Flip Down Arm. (Central Locking Casters System)*

7105-01-683-0142, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,506.27

7105-01-683-0143, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,506.27

7105-01-683-3770, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,336.01

7105-01-683-3023, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,336.01

7105-01-683-3771, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,506.27

### *Mobile Trendelenburg Recliner with Right Flip Down Arm. (Central Locking Casters System)*

7105-01-683-0137, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,506.27

7105-01-683-0138, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,506.27

7105-01-683-0139, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,336.01

7105-01-683-0140, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,336.01

7105-01-683-0141, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,506.27

### *Stationary Trendelenburg Recliner with Left Flip Down Arm. (Glides, No Casters)*

7105-01-683-3017, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,077.98

7105-01-683-3021, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,077.98

7105-01-683-0162, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$2,907.71

7105-01-683-0136, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$2,907.71

7105-01-683-2156, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,077.98

### *Stationary Trendelenburg Recliner with Right Flip Down Arm. (Glides, No Casters)*

7105-01-683-3018, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,077.98

7105-01-683-3019, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,077.98

7105-01-683-3022, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$2,907.71

7105-01-683-3025, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$2,907.71

7105-01-683-3020, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,077.98

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Glider

Patient gliders with closed arm design and black urethane arm caps, have a concealed gliding mechanism and a cleanout space between the back and the seat cushion. Removable and field replaceable cushions also have a moisture barrier within the seat cushion and removable fabric covers. The maximum weight capacity is 350 lbs.

7105-01-682-9889, Blue Fabric, 28"W x 28"D x 43.5"H, EA, \$1,218.34  
 7105-01-683-0145, Mocha Fabric, 28"W x 28"D x 43.5"H, EA, \$1,218.34  
 7105-01-683-0146, Blue Vinyl, 28"W x 28"D x 43.5"H, EA, \$1,111.00  
 7105-01-683-0147, Mocha Vinyl, 28"W x 28"D x 43.5"H, EA, \$1,111.00  
 7105-01-683-0148, See expanded color options, 28"W x 28"D x 43.5"H, EA, \$1,218.34

## Single Seat Sleeper

Single seat sleeper is fully upholstered with arms and black urethane arm caps. Sleeper features a cleanout space between the back and the seat cushion and has a moisture barrier within the seat and inside back cushion. Stationary sleepers have glides. Mobile recliners have locking casters. Sleeper in a closed position is 35"W x 38"D x 39"H. Extended, the sleeping surface depth is 87" and width is 35".

### *Mobile single sleeper with locking casters.*

7105-01-683-0853, Blue Fabric, 35"W x 38"D x 39"H, EA, \$2,423.35  
 7105-01-683-0857, Mocha Fabric, 35"W x 38"D x 39"H, EA, \$2,423.35  
 7105-01-683-0858, Blue Vinyl, 35"W x 38"D x 39"H, EA, \$2,185.40  
 7105-01-683-0859, Mocha Vinyl, 35"W x 38"D x 39"H, EA, \$2,185.40  
 7105-01-683-1402, See expanded color options, 35"W x 38"D x 39"H, EA, \$2,423.35

### *Stationary single sleeper with glides.*

7105-01-683-0871, Blue Fabric, 35"W x 38"D x 39"H, EA, \$2,395.85  
 7105-01-683-0875, Mocha Fabric, 35"W x 38"D x 39"H, EA, \$2,395.85  
 7105-01-683-0854, Blue Vinyl, 35"W x 38"D x 39"H, EA, \$2,159.47  
 7105-01-683-0852, Mocha Vinyl, 35"W x 38"D x 39"H, EA, \$2,159.47  
 7105-01-683-0850, See expanded color options, 35"W x 38"D x 39"H, EA, \$2,395.85

## Two Seat Sleeper

Two seat sleeper is fully upholstered with arms and black urethane arm caps. Sleeper features a cleanout space between the back and the seat cushion and has a moisture barrier within the seat and inside back cushion. Stationary sleepers have glides. Mobile recliners have locking casters. Sleeper in a closed position is 54"W x 38"D x 39"H. Extended, the sleeping surface depth is 87" and width is 54".

### *Mobile two seat sleeper with locking casters.*

7105-01-683-0469, Blue Fabric, 54"W x 38"D x 39"H, EA, \$2,983.32  
 7105-01-683-0861, Mocha Fabric, 54"W x 38"D x 39"H, EA, \$2,983.32  
 7105-01-683-0864, Blue Vinyl, 54"W x 38"D x 39"H, EA, \$2,690.91  
 7105-01-683-0867, Mocha Vinyl, 54"W x 38"D x 39"H, EA, \$2,690.91  
 7105-01-683-0869, See expanded color options, 54"W x 38"D x 39"H, EA, \$2,983.32

### *Stationary two seat sleeper with glides.*

7105-01-683-0460, Blue Fabric, 54"W x 38"D x 39"H, EA, \$2,955.82  
 7105-01-683-0462, Mocha Fabric, 54"W x 38"D x 39"H, EA, \$2,955.82  
 7105-01-683-0465, Blue Vinyl, 54"W x 38"D x 39"H, EA, \$2,664.47  
 7105-01-683-0466, Mocha Vinyl, 54"W x 38"D x 39"H, EA, \$2,664.47  
 7105-01-683-0467, See expanded color options, 54"W x 38"D x 39"H, EA, \$2,955.82

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation. Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Three Seat Sleeper

Three seat sleeper is fully upholstered with arms and black urethane arm caps. Sleeper features a cleanout space between the back and the seat cushion and has a moisture barrier within the seat and inside back cushion. Stationary sleepers have glides. Mobile recliners have locking casters. Sleeper in a closed position is 78"W x 34.5"D x 34.5"H. Extended, the sleeping surface depth is 28.75" and width is 72".

### *Mobile three seat sleeper with locking casters.*

- 7105-01-683-0870, Blue Fabric, 78"W x 34.5"D x 34.5"H, EA, \$2,979.04
- 7105-01-683-0872, Mocha Fabric, 78"W x 34.5"D x 34.5"H, EA, \$2,979.04
- 7105-01-683-0873, Blue Vinyl, 78"W x 34.5"D x 34.5"H, EA, \$2,609.96
- 7105-01-683-0874, Mocha Vinyl, 78"W x 34.5"D x 34.5"H, EA, \$2,609.96
- 7105-01-683-0876, See expanded color options, 78"W x 34.5"D x 34.5"H, EA, \$2,979.04

### *Stationary three seat sleeper with glides.*

- 7105-01-683-0879, Blue Fabric, 78"W x 34.5"D x 34.5"H, EA, \$2,979.04
- 7105-01-683-0878, Mocha Fabric, 78"W x 34.5"D x 34.5"H, EA, \$2,979.04
- 7105-01-683-0877, Blue Vinyl, 78"W x 34.5"D x 34.5"H, EA, \$2,609.96
- 7105-01-683-0862, Mocha Vinyl, 78"W x 34.5"D x 34.5"H, EA, \$2,609.96
- 7105-01-683-0865, See expanded color options, 78"W x 34.5"D x 34.5"H, EA, \$2,979.04

## Exam Stool

Backless round revolving exam stool features a round vinyl upholstered cushion seat, moisture barrier within the seat cushion, pneumatic height adjustment, five star base and soft casters. Seat can be adjusted from 15.1' - 20.3" from floor.

- 7110-01-683-0851, Black, 22.3w x 22.3d x 15.1-20.3h.; Seat Width: 16.8", EA, \$276.78

## High Back Patient Chair

High back patient chairs with wall saver design have open arms with black urethane arm caps. Chairs feature a cleanout space between the back and seat cushion, removable upholstery covers, removable and field replaceable cushions and a moisture barrier. Chair frames have an anti-microbial finish and glides. The chairs coordinate with other patient room seating within this line including recliners, gliders and sleepers.

### *Beech Wood Chair Frame.*

- 7105-01-683-1762, Blue Fabric, 25"W x 27"D x 43.5"H, EA, \$965.43
- 7105-01-683-1764, Mocha Fabric, 25"W x 27"D x 43.5"H, EA, \$965.43
- 7105-01-683-1765, Blue Vinyl, 25"W x 27"D x 43.5"H, EA, \$818.96
- 7105-01-683-1768, Mocha Vinyl, 25"W x 27"D x 43.5"H, EA, \$818.96
- 7105-01-683-1162, See expanded color options, 25"W x 27"D x 43.5"H, EA, \$965.43

### *Silver Metallic Finish Chair Frame.*

- 7105-01-683-1769, Blue Fabric, 25"W x 27"D x 43.5"H, EA, \$721.72
- 7105-01-683-1771, Mocha Fabric, 25"W x 27"D x 43.5"H, EA, \$721.72
- 7105-01-683-1773, Blue Vinyl, 25"W x 27"D x 43.5"H, EA, \$636.05
- 7105-01-683-1789, Mocha Vinyl, 25"W x 27"D x 43.5"H, EA, \$636.05
- 7105-01-683-1161, See expanded color options, 25"W x 27"D x 43.5"H, EA, \$721.72

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers (NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation. Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Single Seat Arm Chair

Single seat waiting room arm chairs are designed to coordinate and have the ability to be ganged with waiting room two seat chair, three seat chair, and bariatric arm chair. Ganging accessory and any hardware necessary to be connected by the end user without the use of tools is included. The chair frame features open arms with black urethane arm caps, glides, wall saver design, and an anti-microbial finish. Chair also has a removable seat cushion, cleanout space between the back and the seat cushion, and a moisture barrier within the seat cushion. Maximum weight capacity is 350 lbs.

### *Beech Wood Chair Frame.*

7105-01-683-1792, Blue Fabric, 25"W x 27"D x 34.25"H, EA, \$671.06

7105-01-683-1793, Mocha Fabric, 25"W x 27"D x 34.25"H, EA, \$671.06

7105-01-683-1794, Blue Vinyl, 25"W x 27"D x 34.25"H, EA, \$585.92

7105-01-683-1795, Mocha Vinyl, 25"W x 27"D x 34.25"H, EA, \$585.92

7105-01-683-1159, See expanded color options, 25"W x 27"D x 34.25"H, EA, \$671.06

### *Silver Metallic Finish Chair Frames.*

7105-01-683-1796, Blue Fabric, 25"W x 28"D x 34.5"H, EA, \$564.25

7105-01-683-1797, Mocha Fabric, 25"W x 28"D x 34.5"H, EA, \$564.25

7105-01-683-1798, Blue Vinyl, 25"W x 28"D x 34.5"H, EA, \$499.20

7105-01-683-1800, Mocha Vinyl, 25"W x 28"D x 34.5"H, EA, \$499.20

7105-01-683-1156, See expanded color options, 25"W x 28"D x 34.5"H, EA, \$564.25

## Two Seat Chair

Two seat waiting room arm chairs are designed to coordinate and have the ability to be ganged with waiting room single seat chair, three seat chair, and bariatric arm chair. Ganging accessory and any hardware necessary to be connected by the end user without the use of tools is included. The chair frame features open arms with black urethane arm caps, glides, wall saver design, and an anti-microbial finish. Chair also has removable seat cushions, cleanout space between the back and the seat cushion, and a moisture barrier within the seat cushion. Maximum weight capacity is 350 lbs. per seat.

### *Beech Wood Chair Frame.*

7105-01-683-1783, Blue Fabric, 46.5"W x 27"D x 34.25"H, EA, \$1,129.55

7105-01-683-1784, Mocha Fabric, 46.5"W x 27"D x 34.25"H, EA, \$1,129.55

7105-01-683-1785, Blue Vinyl, 46.5"W x 27"D x 34.25"H, EA, \$976.21

7105-01-683-1786, Mocha Vinyl, 46.5"W x 27"D x 34.25"H, EA, \$976.21

7105-01-683-1157, See expanded color options, 46.5"W x 27"D x 34.25"H, EA, \$1,129.55

### *Silver Metallic Finish Chair Frame.*

7105-01-683-1787, Blue Fabric, 46.5"W x 28"D x 34.5"H, EA, \$1,023.53

7105-01-683-1788, Mocha Fabric, 46.5"W x 28"D x 34.5"H, EA, \$1,023.53

7105-01-683-1790, Blue Vinyl, 46.5"W x 28"D x 34.5"H, EA, \$893.99

7105-01-683-1791, Mocha Vinyl, 46.5"W x 28"D x 34.5"H, EA, \$893.99

7105-01-683-1154, See expanded color options, 46.5"W x 27"D x 34.5"H, EA \$1,023.53



Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation. Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Three Seat Chair

Three seat waiting room arm chairs are designed to coordinate and have the ability to be ganged with waiting room single seat chair, two seat chair, and bariatric arm chair. Ganging accessory and any hardware necessary to be connected by the end user without the use of tools is included. The chair frame features open arms with black urethane arm caps, glides, wall saver design, and an anti-microbial finish. Chair also has removable seat cushions, cleanout space between the back and the seat cushion, and a moisture barrier within the seat cushion. Maximum weight capacity is 350 lbs. per seat.

### *Beech Wood Chair Frame.*

- 7105-01-683-1763, Blue Fabric, 68"W x 27"D x 34.25"H, EA, \$1,628.77
- 7105-01-683-1766, Mocha Fabric, 68"W x 27"D x 34.25"H, EA, \$1,628.77
- 7105-01-683-1767, Blue Vinyl, 68"W x 27"D x 34.25"H, EA, \$1,400.34
- 7105-01-683-1770, Mocha Vinyl, 68"W x 27"D x 34.25"H, EA, \$1,400.34
- 7105-01-683-1151, See expanded color options, 68"W x 27"D x 34.25"H, EA, \$1,628.77

### *Silver Metallic Finish Chair Frame.*

- 7105-01-683-1772, Blue Fabric, 68"W x 28"D x 34.5"H, EA, \$1,462.00
- 7105-01-683-1774, Mocha Fabric, 68"W x 28"D x 34.5"H, EA, \$1,462.00
- 7105-01-683-2394, Blue Vinyl, 68"W x 28"D x 34.5"H, EA, \$1,267.93
- 7105-01-683-1775, Mocha Vinyl, 68"W x 28"D x 34.5"H, EA, \$1,267.93
- 7105-01-683-1153, See expanded color options, 68"W x 28"D x 34.5"H, EA, \$1,462.00

## Bariatric Arm Chair

Bariatric waiting room arm chairs are designed to coordinate and have the ability to be ganged with waiting room single seat chair, two seat chair, and three seat chair. Ganging accessory and any hardware necessary to be connected by the end user without the use of tools is included. The chair frame features open arms with black urethane arm caps, glides, wall saver design, and an anti-microbial finish. Chair also has removable seat cushions, cleanout space between the back and the seat cushion, and a moisture barrier within the seat cushion. Maximum weight capacity is 500 lbs.

### *Beech Wood Chair Frame.*

- 7105-01-683-1754, Blue Fabric, 34"W x 27"D x34.25"D, EA, \$918.00
- 7105-01-683-1755, Mocha Fabric, 34"W x 27"D x34.25"D, EA, \$918.00
- 7105-01-683-1753, Blue Vinyl, 34"W x 27"D x34.25"D, EA, \$770.99
- 7105-01-683-1756, Mocha Vinyl, 34"W x 27"D x34.25"D, EA, \$770.99
- 7105-01-683-1158, See expanded color options, 34"W x 27"D x34.25"D, EA, \$918.00

### *Silver Metallic Finish Chair Frame.*

- 7105-01-683-1757, Blue Fabric, 34"W x 28"D x34.5"D, EA, \$702.79
- 7105-01-683-1758, Mocha Fabric, 34"W x 28"D x34.5"D, EA, \$702.79
- 7105-01-683-1759, Blue Vinyl, 34"W x 28"D x34.5"D, EA, \$601.79
- 7105-01-683-1760, Mocha Vinyl, 34"W x 28"D x34.5"D, EA, \$601.79
- 7105-01-683-1160, See expanded color options, 34"W x 28"D x34.5"D, EA, \$702.79

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Hip Chair

The hip chair is 23"-26" H and is from the same line as all other waiting room seating chairs. The hip chair frame has open arms with black urethane arm caps and features wall saver design, a non skid footrest, removable and field replaceable cushions, moisture barrier within seat cushion, cleanout space between back and seat cushion, and glides. Maximum weight capacity is 300 lbs.

### *Beech Wood Chair Frame.*

7105-01-683-1799, Blue Fabric, 25"W x 28.25"D x 40"H, EA, \$832.34

7105-01-683-1776, Mocha Fabric, 25"W x 28.25"D x 40"H, EA, \$832.34

7105-01-683-1777, Blue Vinyl, 25"W x 28.25"D x 40"H, EA, \$772.58

7105-01-683-1778, Mocha Vinyl, 25"W x 28.25"D x 40"H, EA, \$772.58

7105-01-683-1155, See expanded color options, 25"W x 28.25"D x 40"H, EA, \$832.34

### *Silver Metallic Finish Chair Frame.*

7105-01-683-1779, Blue Fabric, 25"W x 30.75"D x 40.5"H, EA, \$757.78

7105-01-683-1780, Mocha Fabric, 25"W x 30.75"D x 40.5"H, EA, \$757.78

7105-01-683-1781, Blue Vinyl, 25"W x 30.75"D x 40.5"H, EA, \$690.62

7105-01-683-1782, Mocha Vinyl, 25"W x 30.75"D x 40.5"H, EA, \$690.62

7105-01-683-1152, See expanded color options, 25"W x 30.75"D x 40.5"H, EA, \$690.62

## Freestanding End Table

Freestanding end tables feature square laminate tops and glides on the table legs.

### *Wood Table Base.*

7105-01-683-0468, Light Maple Wood Finish, 22"W x 22"D x 16"H, EA, \$377.54

7105-01-683-0472, Platinum Gray, 22"W x 22"D x 16"H, EA, \$377.54

### *Silver Metallic Finish Table Base.*

7105-01-683-0473, Light Maple Wood Finish, 22"W x 22"D x 16"H, EA, \$222.09

7105-01-683-0449, Platinum Gray, 22"W x 22"D x 16"H, EA, \$222.09

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture). All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email [furniture@gsa.gov](mailto:furniture@gsa.gov) to add needed services or expanded finish and upholstery color options to your order. View expanded color options in our product line brochure at [www.gsa.gov/healthcarefurniture](http://www.gsa.gov/healthcarefurniture).

## Attached End Table

Attached end tables are non-handed and attach to waiting room single seat, two seat, three seat and nariatric chairs. Attachment hardware is included. Tables feature laminate tops and glides on table legs.

### *Wood Table Base.*

7105-01-683-0451, Light Maple Wood Finish, 22"W x 22"D x 16"H, EA, \$301.40

7105-01-683-2157, Platinum Gray, 22"W x 22"D x 16"H, EA, \$301.40

### *Silver Metallic Finish Table Base.*

7105-01-683-0450, Light Maple Wood Finish, 22"W x 22"D x 16"H, EA, \$255.39

7105-01-683-0452, Platinum Gray, 22"W x 22"D x 16"H, EA, \$255.39

## Attached Connecting Table

Attached connecting laminate top table is non-handed. This table does not have legs as it is intended to attach between waiting room single, two seat, three seat or bariatric chairs. Attachment hardware is include.

7105-01-683-0454, Light Maple Wood Finish, 22"W x 22"D, EA, \$216.80

7105-01-683-0456, Platinum Gray, 22"W x 22"D, EA, \$216.80

## Coffee Table

Rectangular coffee table features laminate top and glides on table legs.

### *Wood Table Base.*

7105-01-683-0458, Light Maple Wood Finish, 42"W x 22"D x 16"H, EA, \$488.59

7105-01-683-0459, Platinum Gray, 42"W x 22"D x 16"H, EA, \$488.59

### *Silver Metallic Finish Table Base.*

7105-01-683-0463, Light Maple Wood Finish, 42"W x 22"D x 16"H, EA, \$305.62

7105-01-683-0464, Platinum Gray, 42"W x 22"D x 16"H, EA, \$305.62

# Mobile Military Field Desks

## Field Desk

Portable field desk with single attachable work surface and six drawers is for field use by the Armed Forces for typing, writing and storing records. The desk is made of durable, waterproof, lightweight blowmolded plastic and folds into one shipping container. Six drawers: Two shallow (padlock for extra security), two deep, two file sizes. Includes a folding chair load rated to 300 lbs., which can be folded and stored in the lid in seconds.

Comprehensive Procurement Guideline Compliant

7110-00-656-1110, Olive Drab, Collapsed Dimensions: 30" L X 21" W X 28.5" D, Extended Dimensions: 61.40" L X 28.5" H X 28"D., EA, \$1,090.53

Dual table field desk and is designed for field use by the Armed Forces. The desk is made of durable, waterproof, lightweight blowmolded plastic and folds into one durable shipping container to become mobile. Six drawers: Two shallow (padlock for extra security), two deep, two file sizes. Includes two folding chair load rated to 300 lbs., which can be folded and stored in the lid in seconds.

Comprehensive Procurement Guideline Compliant

7110-01-559-9642, Olive Drab, Collapsed Dimensions: 34" L X 24.9" W X 28.50" D, Extended Dimensions: 102" L X 28.50" H X 28.50" D, EA, \$1,251.18

# Folding Chairs and Tables

## SKILCRAFT® Folding Chair

Folding chair functions as temporary seating both indoors and outdoors. Tubular steel frame without arms is enamel-painted and has sturdy, durable construction. Form-fitting steel seat and back have four legs capped with non-slip rubber feet. Smoothly and quietly folds from front to back into compact unit and readily stacks in a freestanding pile. When folded, chair is 34" to 40" long. When open, seat sets 16" to 19" from the floor. 1150 lb. weight capacity.

7105-00-269-8463, AbilityOne, Gray, Unpadded Seat and Back, EA, \$52.44

7105-00-663-8475, AbilityOne, Gray, Padded Seat and Back, EA, \$68.55

Commercial grade folding chair for indoor and outdoor use. Ergonomically contoured and light weight. This chair is produced with blow molded, high density, polyethylene seat and back with powder coated heavy gauge steel frame and leg assemblies to provide a lightweight, durable, and portable design. Chair has an extra wide seat for comfort and nests for easy storage. Resists dents, scratches, and scuffs. Plastic feet will not mar floors. Sold in a case of 4 chairs. Limited 5 year warranty. 19 inches W x 16 inches D x 33 1/2 inches H/open dimensions, 350 lb weight capacity.

7105-01-576-6180, AbilityOne, Platinum, BX(contains 4 EA), \$213.03

7105-01-663-7984, AbilityOne, Espresso Brown, BX(contains 4 EA), \$211.63

7105-01-663-7983, AbilityOne, Charcoal, BX(contains 4 EA), \$223.17

Durable SKILCRAFT® Blow-Molded Folding Tables are commercial grade and made of high density polyethylene plastic with contemporary beveled, radius edged tops. Powder coated heavy gauge steel tubing legs with non mar plastic capped feet to protect floors. Lightweight and highly portable; Legs fold into underside cavity for safe storage and easy transport. For use indoors or outdoors. Tables clean easily and resist dents, scratches, rust, stains, and warping. Stated weight capacities refer to even weight distribution. Tops are made with approximately 35 percent pre consumer recycled content and all parts are recyclable at end of life. 15 year limited warranty. Tables meets ANSI/BIFMA standards. Made in the U.S.A. TAA and Berry Amendment compliant.

## Adjustable Height Folding Table

7195-01-618-3864, SKILCRAFT, AbilityOne, Charcoal Gray, 30" L x 20" D x 25 - 28" H (25 lb. Weight Capacity) EA, \$55.20

7110-01-671-6416, SKILCRAFT, AbilityOne, Platinum, 72" L x 30" D x 25" - 35" H (600 lb. Weight Capacity) EA, \$273.24

## Utility Table with Folding Legs

7195-01-618-3865, SKILCRAFT, AbilityOne, Charcoal Gray, 72" L x 18" D x 29" H (250 lb. Weight Capacity) EA, \$144.50

7195-01-618-3867, SKILCRAFT, AbilityOne, Charcoal Gray, 60" L x 18" D x 29" H (250 lb. Weight Capacity), EA, \$123.82

## Rectangular Folding Table

7105-01-576-6177, SKILCRAFT, AbilityOne, Platinum, 48" L x 24" W x 29" H (600 lb. Weight Capacity), EA, \$109.35

7110-01-671-6417, SKILCRAFT, AbilityOne, Platinum, 60" L x 30" D x 29" H (1200 lb. Weight Capacity) EA, \$133.09

7195-01-618-3866, SKILCRAFT, AbilityOne, Charcoal Gray, 72" L x 30" D x 29" H (1200 lb. Weight Capacity) EA, \$238.56

7105-01-576-6178, SKILCRAFT, AbilityOne, Platinum, 72" L x 30" D x 29" H (1200 lb. Weight Capacity), EA, \$238.79

7110-01-671-6418, SKILCRAFT, AbilityOne, Charcoal Gray, 96" L 30" D x 29" H (1200 lb. Weight Capacity) EA, \$374.15

7105-01-576-6179, AbilityOne, Platinum, 96" L x 30" W x 29" H (1200 lb. Weight Capacity) EA, \$374.15

## Round Folding Table

7195-01-618-3861, SKILCRAFT, AbilityOne, Charcoal Gray, 60" W x 29" H (600 lb. Weight Capacity) EA, \$362.37

## Bi-Fold Folding Table

**Bi-fold table folds in half for more compact storage.**

7110-01-671-6415, SKILCRAFT, AbilityOne, Platinum, 72" L x 30" D x 29" H (250 lb. Weight Capacity), EA, \$162.85

7195-01-618-3862, SKILCRAFT, AbilityOne, Charcoal Gray, 60" L x 30" D x 29" H (250 lb. Weight Capacity), EA, \$170.31

## Picnic Table

Lightweight, easy-to-move table is made of blow-molded plastic resin and sturdy steel frame with durable powder-coated finish. Table is resistant to water, stains, scratches and impact. For indoor or outdoor use. Commercial picnic table can support 600 lbs. evenly distributed. PLEASE NOTE: This picnic table does not have folding legs.

7195-01-618-3863, AbilityOne, Charcoal Gray, 72" L x 30" D x 29" H, EA, \$421.93

# Industrial Storage

## Open Storage Shelf

Open shelf storage unit is constructed of steel reinforced, washable and scratch and dent resistant blow molded high density polyethylene plastic. Includes heavy duty polypropylene uprights for increased stability, trim caps and wall anchor. Features 180 lb. capacity per shelf and easy snap together assembly.

7125-01-667-2785, AbilityOne, Black, 32" W x 13" D x 54" H, EA, \$69.00

7125-01-667-2783, AbilityOne, Charcoal, 32" W x 13" D x 54" H, EA, \$69.00

7125-01-667-2784, AbilityOne, Platinum, 32" W x 13" D x 54" H, EA, \$69.00

7125-01-667-2787, AbilityOne, Charcoal, 36" W x 18" D x 74" H, EA, \$134.23

7125-01-667-2786, AbilityOne, Platinum, 36" W x 18" D x 74" H, EA, \$134.23

## Open Shelving Storage

Industrial open shelving storage unit features adjustable shelves and is made of powder coated, minimum 18 gauge steel. Minimum Capacity 725 Lbs.

**6 shelves.**

Low VOC, Comprehensive Procurement Guideline Compliant

7125-00-558-0011, Gray, 48"W x 24"D x 75"H, EA, \$459.59

**8 shelves.**

Low VOC, Comprehensive Procurement Guideline Compliant

7125-00-559-6378, Gray, 36"W x 24"D x 87"H, EA, \$448.90

## Closed Back Shelving Storage

Industrial closed storage unit with doors features 6 adjustable shelves and integral lock. Storage unit is made of powder coated, minimum 18 gauge steel. Minimum Capacity 725 Lbs.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-5405, Black, 36"W x 18"D x 78"H, EA, \$1,001.81

7125-00-269-8534, Gray, 36"W x 18"D x 78"H, EA, \$1,001.81

7125-01-666-6184, Sand, 36"W x 18"D x 78"H, EA, \$1,001.81

Industrial closed back shelving storage unit features 8 adjustable shelves and is made of powder coated, minimum 18 gauge steel. Minimum Capacity 725 Lbs.

**8 shelves.**

Low VOC, Comprehensive Procurement Guideline Compliant

7125-00-270-7720, Gray, 36"W x 24"D x 87"H, EA, \$973.58

# Hazmat Storage

## Flammable Liquids Safety Storage Cabinet

18-gauge steel storage cabinet in yellow powder coated enamel finish features flammable warning in red lettering, 3-point locking, ventilation feature, and grounding attachment. Meets NFPA Code 30 and OSHA requirements.

**45 Gallon Capacity. 2 Manual Closing Doors. 2 Adjustable Shelves.**

10%

Low VOC

7125-01-044-2590, Yellow, Height: 65"; Depth: 43"; Width: 18", EA, \$1,114.99

**45 Gallon Capacity. Self-Closing Sliding Door. 2 Adjustable Shelves.**

10%

Low VOC

7125-01-035-3023, Yellow, EA, \$1,868.57

**30 Gallon Capacity. 2 Manual Closing Doors.**

10%

Low VOC

7125-01-084-6954, EA, \$890.33

**45 Gallon Capacity. 2 Self-Closing Doors. 2 Adjustable Shelves.**

10%

Low VOC

7125-01-084-6955, Yellow, EA, \$1,249.57

**12 Gallon Capacity; Single Manual Closing Door.**

10%

Low VOC

7125-01-516-8766, EA, \$682.26

**60 Gallon Capacity. 2 Manual Closing Doors.**

10%

Low VOC

7125-01-621-4848, Yellow, EA, \$1,342.45

# Key Cabinets

## Key Cabinet

Key cabinet is made of steel and designed to be wall mounted. The cabinet includes a hinged locking door, a non-removable hinge pin, label holders, numbered labels and key tags, and a key identification system. Cabinet can be locked, ensuring the security of important keys. Includes two keys.

### Cabinet holds up to 95 keys.

Low VOC, Comprehensive Procurement Guideline Compliant  
7125-00-285-3049, UNICOR, AbilityOne, Gray, EA, \$115.17

### Cabinet holds up to 70 keys.

Low VOC, Comprehensive Procurement Guideline Compliant  
7125-00-132-8973, UNICOR, AbilityOne, Gray, EA, \$121.60

### Hold up to 30 keys.

Low VOC, Comprehensive Procurement Guideline Compliant  
7125-01-151-5435, UNICOR, AbilityOne, Gray, EA, \$49.76



# HOUSEWARES AND CLEANING

**IN THIS SECTION**

Paper Products.....206  
Soaps and Laundry .....211  
Cleaning Supplies.....222  
Trash Cans and Liners .....258  
Personal Care .....266  
Kitchen and Breakroom Supplies.....268  
Bed and Bath.....282  
Appliances .....290

# Paper Towels

## Paper Towels

Heavyweight paper towels are designed for use in bathroom dispensers.

**Single-fold towels are 99 square inches overall. Fold depth: 5-1/2".**

*For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 22 lbs to 30 lbs (24" x 36" per 500 sheets)*

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-262-7178, SKILCRAFT, AbilityOne, Natural, 9-1/4"W, BX(contains 4000 EA), \$30.19

**Wide, multi-fold towels are 85 square inches overall. Fold depth: 3-1/8".**

*For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 22 lbs to 30 lbs (24" x 36" per 500 sheets)*

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-291-0389, Natural, 9-1/4"W, BX(contains 4000 EA), \$19.61

Single-fold, unbleached kraft paper towel has a 5-1/2 inch deep fold and is 9-1/4 inches wide.

*For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)*

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-359-0798, SKILCRAFT, AbilityOne, 9-1/4" W x 5-1/2" L, BX(contains 4000 EA), \$43.92

8540-01-494-0911, SKILCRAFT, AbilityOne, 9-1/4" W x 5-3/8" L, BX(contains 4000 EA), \$35.40

**Navy Pack. For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8540-01-055-6134, SKILCRAFT, AbilityOne, 9-1/4"W, BX(contains 4000 EA), \$45.89

C-fold kraft paper towel has a 4 inch deep fold and is 10-1/4" W.

**For use with paper towel dispenser 4510-00-585-6305.**

**Basis weight is 22 lbs to 30 lbs (24" x 36" per 500 sheets)**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-291-0392, SKILCRAFT, AbilityOne, Natural, 10-1/4"W, BX(contains 2400 EA), \$31.66

**Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-494-1900, SKILCRAFT, AbilityOne, Natural, 10-1/4"W, BX(contains 1400 EA), \$19.78

**Chlorine-free. Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)**

*100% Postconsumer Material Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

8540-01-494-0909, SKILCRAFT, AbilityOne, White, 10-1/4" W, BX(contains 2400 EA), \$34.09

Non-perforated paper towels on a roll.

*40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-462-5333, Natural, 7-7/8" W x 400' L BX(contains 12 EA), \$24.87

8540-01-378-1315, White, 8" W x 800' L BX(contains 12 EA), \$70.19

Center-pull 2-ply perforated paper towel has one-handed, touch-free dispensing which provides a hygienic alternative to classic paper towel dispensers. Wound on a 2.25" core.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-590-9069, SKILCRAFT, AbilityOne, White, 8-1/4" W x 600' L, BX(contains 6 EA), \$40.59

Heavy duty maintenance wiper resists tearing, stands up to solvents and is low-linting. Textured for softness. Cellulose/polyester blend.

**125 towels per pop-up container, 6 containers per box, 750 towels total.**

Federal Strategic Sourcing Initiative, 7920-01-436-8325, N-A115IDB or equal, 16.75"L x 9.75"W, BX(contains 750 EA), \$76.76

All purpose single-ply paper roll towel is ideal for restroom use. Processed chlorine free.

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-592-3323, SKILCRAFT, AbilityOne, White, 8" x 600', BX(contains 12 EA), \$47.16

All purpose single-ply paper roll towel is ideal for restroom use. Made using 100% recycled content with a minimum 40% post-consumer fibers. Processed chlorine free.

*100% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-592-3021, SKILCRAFT, AbilityOne, White, 8" x 350', BX(contains 12 EA), \$29.30

8540-01-592-3324, SKILCRAFT, AbilityOne, White, 8" x 800', BX(contains 6 EA), \$32.46

This all purpose single-ply non-perforated paper towel is perfect choice for busy restrooms. With a 22 lb basis weight wound on a 2" core and is made from an Elemental Chlorine Free Bleaching (ECF) process.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

8540-01-591-5823, SKILCRAFT, AbilityOne, Natural, Width: 7 7/8" X 800', BX(contains 6 EA), \$27.09

8540-01-591-5146, SKILCRAFT, AbilityOne, Natural, Width: 7 7/8" X 600', BX(contains 12 EA), \$40.57

## Wiping Towels, Light Duty (Single-Ply)

Disposable wiping towel for cleaning, polishing, and wiping surfaces that are wet, dry or oily.

**With a 11-lb. basis weight, this towel absorbs up to 275 percent of its weight in water and up to 150 percent of its weight in oil.**

**Box contains 60 dispenser packages containing 280 towels per dispenser for a total of 16,800 towels.**

*Contains 55% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-00-721-8884, AbilityOne, White or Natural, 4-1/2 x 8" (35 sq. in.), BX(contains 16800 EA), \$112.91

**Box contains 18 packages of 280 towels for a total of 5,040.**

*Contains 55% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-00-682-6710, AbilityOne, White or Natural, 8-1/2 x 14-1/4" (120 sq. in.), BX(contains 5040 EA), \$76.83

**Box contains 18 packages of 140 towels for a total of 2,520.**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-00-543-6492, AbilityOne, White or Natural, 15 x 16-3/4" (245 sq. in.), BX(contains 2520 EA), \$75.05

## Wiping Towels, Medium Duty (Three-Ply)

Disposable wiping towel for cleaning, polishing, and wiping surfaces that are wet, dry or oily.

**This towel absorbs up to 450 percent of its weight in water and up to 275 percent of its weight in oil. Embossed or creped to facilitate wiping utility.**

**Box contains 18 packages of 50 towels for a total of 900.**

*Contains 40% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-00-823-6931, AbilityOne, White or Natural, 13 x 13" (172 sq. in.), BX(contains 900 EA), \$57.25

## Wiping Towels, Medium Duty (Four-Ply)

Disposable wiping towel for cleaning, polishing, and wiping surfaces that are wet, dry or oily.

**Multi-ply towel is reinforced with nylon fibers, making it suitable for cleaning up oil and water.**

**93 percent biodegradable.**

*Contains 55% Recovered Material, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant Federal Strategic Sourcing Initiative, 7920-00-823-9773, AbilityOne, White or Natural, 12-5/8" x 12-5/8" (185 sq. in.), MX, \$80.44

*40%, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-00-823-9772, AbilityOne, White or Natural, 12-5/8" x 16-12-5/8" (235 sq. in.), MX, \$64.97

## MultiFold Paper Towel

This C-fold paper towel, features three-panel multi-fold and are made of 100 percent recycled fibers and free of processed chlorine. TAA-compliant towels measure 9.25 x 3 inches folded and open to 9.25 x 9.5 inches. Fits most multifold dispensers.

**250 towels per pack, 16 packs per box.**

Comprehensive Procurement Guideline Compliant

8540-01-677-0076, SKILCRAFT, AbilityOne, 9.25 x 3", BX(contains 4000 EA), \$25.16

## Paper Towel Dispenser

Dispenses individual hand towels easily from bottom slot. The dispenser has a lock and key with a front opening hinged door panel that automatically locks when the door is closed, or is provided with an optional deadbolt key lock. Includes holes on back for wall mounting and a fill indicator to show quantity of towels remaining.

**Holds 350 single-fold towels measuring 9-1/4 x 5-1/2" folded.**

**For use with paper towels, (single-fold) 8540-00-262-7178, 8540-01-359-0798, 8540-01-055-6134 and (wide fold) 8540-00-291-0389.**

Federal Strategic Sourcing Initiative, 4510-00-224-8549, B-263 or Equal, White, EA, \$21.11

# Toilet Paper and Toilet Seat Covers

## Toilet Paper

Perforated embossed 4" wide toilet tissue rolls are individually wrapped and packaged 96 per box. Environmentally friendly and sustainable, this product is Processed Chlorine Free (PCF) and septic-safe. There are no added inks, dyes or fragrances.

### Single-ply with 500 sheets per roll.

#### **Basis Weight 10 lbs +/- 10 %**

*30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-630-8728, SKILCRAFT, AbilityOne, Length: 3750", BX(contains 96 EA), \$61.35

8540-01-630-8729, SKILCRAFT, AbilityOne, White, Length: 1875", BX(contains 96 EA), \$56.34

Toilet tissue consists of 4.5" x 4.5" perforated sheets wound around a core. Uncompressed rolls are individually wrapped.

### Single-Ply.

#### **Basis Weight: 10 Lbs**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-359-0764, Unbleached, Length: 4,500" per roll, BX(contains 96 EA), \$56.95

Toilet tissue consists of 4" x 4" perforated sheets wound around a core. Uncompressed rolls are individually wrapped.

### Single-ply.

#### **Basis weight: 10-lbs. (NFES #0142)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-530-3770, SKILCRAFT, AbilityOne, White, Length: 4,800", BX(contains 80 EA), \$61.80

### Two-ply.

#### **Basis weight: 17 lbs.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-380-0690, SKILCRAFT, AbilityOne, White, Length: 2,200", BX(contains 80 EA), \$53.83

Toilet tissue consists of 4" x 4" perforated sheets wound around a core. Roll length 2,200" Uncompressed rolls are individually wrapped.

### Two-ply with 500 sheets per roll and 40 rolls per box.

#### **Basis weight: 18 lbs**

*30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-554-7678, SKILCRAFT, AbilityOne, White, BX(contains 40 EA), \$28.99

Comes in compressed rolls. Single-ply toilet tissue consists of 4" wide unperforated single sheets wound around a core. Packaged in waterproof containers for use by the Navy and the U.S. Forest Service.

### Single-ply with 500 sheets per roll.

#### **Basis Weight 11 lbs +/- 10 %**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8540-01-055-6094, SKILCRAFT, AbilityOne, White, Length: 4,500", BX(contains 48 EA), \$66.70

Jumbo single-ply toilet tissue consists of 3.5" wide unperforated single sheets wound around a core.

### Single-Ply with 500 sheets per roll.

#### **Basis Weight 11 lbs +/- 10 %**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-378-6218, White, Length: 4,000', BX(contains 6 EA), \$34.50

Jumbo roll toilet paper is the perfect choice for high-traffic restroom areas. Consists of unperforated sheets wound around a 3.3" core.

### Single-ply.

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-590-9072, SKILCRAFT, AbilityOne, White, Outside Diameter 9.00" x Width 3.70", BX(contains 12 EA), \$36.97

### Two-ply.

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-590-9073, SKILCRAFT, AbilityOne, White, Outside Diameter 9.00" x Width 3.70", BX(contains 12 EA), \$32.35

8540-01-590-9068, SKILCRAFT, AbilityOne, White, Outside Diameter 12.00" x Width 3.70", BX(contains 6 EA), \$32.35

## Toilet Seat Cover

Disposable tissue paper cover has a tear-out center. Quarter-folded to 7" wide and 10" long for use in toilet seat cover dispenser NSN 4510-01-327-9405.

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-965-5790, White, 14-3/4 x 17-1/4", PG(contains 200 EA), \$3.47

## Toilet Seat Cover Dispenser

For dispensing quarter-fold paper toilet seat covers. Plastic cabinet mounts on a vertical surface. For use with Toilet Seat Cover NSN 8540-00-965-5790.

4510-01-327-9405, 381-P4 or equal, White, EA, \$14.84

## Toilet Paper Holder

Cabinet houses 3 rolls of commercial toilet paper. Concealed supply roll drops into place when first roll is exhausted. Closure panel locks automatically or comes with tumbler lock and key.

**Vertical surface mount; fasteners holes on slots of corners. Comes with hardware for installing.**

*Stainless steel and plastic cabinet has a satin finish.*

Federal Strategic Sourcing Initiative, 4510-00-752-9065, 303 or equal, 5-1/4" D x 5-5/8" W x 15-3/8" H, EA, \$215.32

Single-roll dispenser for use in public restrooms includes fasteners for surface mounting.

**Two metal support brackets hold spring-action metal or plastic roller. Brackets conceal mounting hardware.**

4510-00-203-2721, 01-9408 or equal, EA, \$3.25

# Napkins

## Table Napkins

Standard paper napkin is ideal for general table or hospital use.

**Single-ply napkin is used with table napkin dispenser NSN 7350-00-205-0928.**

**Basis Weight 12.50 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-285-7001, SKILCRAFT, AbilityOne, White, Unfolded: 9.875" W x 9.875" L, BX(contains 10000 EA), \$86.25

**Single-ply**

**Basis Weight 12.50 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8540-01-056-2897, SKILCRAFT, AbilityOne, White, 9.875" W x 9.875" L 10000 EA), BX(contains, \$126.50

**Two-ply dinner napkin is folded eight times.**

**Basis Weight 20 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-279-7777, SKILCRAFT, AbilityOne, White, Unfolded: 14.50" W x 14.50" L, BX(contains 3000 EA), \$88.19

**Three-ply embossed dinner-size napkin is folded eight times.**

**Basis Weight 10.5 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-276-7570, SKILCRAFT, AbilityOne, White, Unfolded: 272 sq. in., BX(contains 2000 EA), \$108.54

## Biodegradable Table Napkins

Standard paper napkin is ideal for general table or hospital use.

**Three-ply napkin is used with table napkin dispenser NSN 7350-00-205-0928.**

**Basis Weight 13 lbs (24" x 36" per 500 sheets)**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-276-7569, SKILCRAFT, AbilityOne, White, Unfolded: 16" W x 16" L, BX(contains 6000 EA), \$89.85

## Table Napkin Dispenser

Corrosion-resisting stainless steel dispenser is for table use and holds 125-150 paper napkins folded 3-1/2 x 7" (minimum). Napkins can be stored and withdrawn from front or rear opening. Spring-loaded plates keep napkins neat. Has non-marking rubber feet.

7350-00-205-0928, SLNH001 or equal, EA, \$6.60

# Facial Tissues

## Facial Tissues

Soft, absorbent tissue comes in folded, two-ply sheets.

**Each box contains 200 tissues.**

**Basis Weight is 19 lbs +/- 10 % (24" x 36" per 500 sheets)**

*Contains 10% Recovered Material, Which Includes 10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-632-1023, SKILCRAFT, AbilityOne, White, 66 sq. in., BX(contains 200 EA), \$1.58

8540-00-281-8360, SKILCRAFT, AbilityOne, White, 66 sq. in., PG(contains 6 EA), \$10.56

8540-00-793-5425, SKILCRAFT, AbilityOne, White, 66 sq. in., PG(contains 12 EA), \$10.78

**Each box contains 100 tissues.**

**19 lbs +/- 10 % (24" x 36" per 500 sheets)**

*Contains 10% Recovered Material, Which Includes 10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-01-632-1024, SKILCRAFT, AbilityOne, White, 66 sq. in., BX(contains 100 EA), \$0.81

**Each box contains 44 tissues.**

**Basis Weight is 19 lbs +/- 10 % (24" x 36" per 500 sheets)**

*Contains 10% Recovered Material, Which Includes 10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8540-00-900-4891, White, 40 sq. in., BX(contains 200 EA), \$43.92

# Bags

## Grocery Bags

Heavyweight, paper bag is perfect for most items. Basis weight 75-lbs. IAW UU-B-36, Type I, Grade B

*Contains 5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-022-1319, Natural, 12 x 7 x 17", BE(contains 400 EA), \$59.75

Popular-weight, paper bag for normal use by commissaries and shops. Dimensions are approximate.

**No. 1/2 bag has a capacity of 29 cu. in.**

**Basis weight 30-lbs.**

*5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-281-1156, Natural, 3 x 1-3/4 x 5-7/8", BE(contains 10000 EA), \$150.05

**No. 2 bag has a capacity of 81 cu. in.**

**Basis weight 30-lbs.**

*Contains 5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-281-1158, Natural, 4-1/4 x 2-3/8 x 8-1/8", BE(contains 6000 EA), \$91.07

**No. 5 bag has a capacity of 187 cu. in.**

**Basis weight 35-lbs.**

*5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-281-1163, Natural, 5-1/2 x 3-3/8 x 10-3/4", BE(contains 3000 EA), \$87.58

**No. 8 bag has a capacity of 298 cu. in.**

**Basis weight 35-lbs.**

*Contains 5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-281-1425, Natural, 6-1/4 x 3-3/4 x 12-3/4", BE(contains 2000 EA), \$63.11

**No. 12 bag has a capacity of 424 cu. in.**

**Basis weight 40-lbs.**

*Contains 5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-271-1485, Natural, 7 x 4-1/2 x 13-7/8", BE(contains 1000 EA), \$42.41

**No. 20 bag has a capacity of 686 cu. in.**

**Basis weight 40-lbs.**

*Contains 5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-286-7308, Natural, 8-1/8 x 6 x 14-3/8", BE(contains 1000 EA), \$40.40

**1/4 barrel bag has a capacity of 1746 cu. in.**

**Basis weight 60-lbs.**

*Contains 5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-543-7169, Natural, 11 x 7 x 23-1/4", BE(contains 250 EA), \$51.61

## Shopping Bag

Heavy-duty shopping bag accommodates multiple packages and features two twisted-paper handles (3.500 inches from top of bag) for easy carrying. Made of 65-lb. kraft paper, this bag is designed for repeated use.

*Contains 5% Recovered Material, Which Includes 5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-857-2250, Natural, 17" x 13" x 7", BD(contains 250 EA), \$68.87

# Bar Soaps

## Antibacterial Deodorant Bar Soap

Antibacterial deodorant hand and body soap. Rinses clean with a fresh scent and rich lather.

**Bars are furnished unwrapped.**

Federal Strategic Sourcing Initiative, 8520-01-490-7324, 2245599 or equal, Size: 2-1/2 oz., BX(contains 200 EA), \$65.79

## Bar Soap

Antibacterial deodorant hand and body soap. Rinses clean with a fresh scent and rich lather.

**Milled and mildly perfumed or unscented.**

*Bars come individually wrapped.*

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-00-129-0803, 82757 or equal, Size: 3-3/4 oz., BX(contains 72 EA), \$60.07

Mildly scented soap is formulated for use in soft water. Excellent for bathing, shaving, and hand washing.

**Bars come individually wrapped.**

*48-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-00-551-0375, 00095-2 or equal, Size: 1/2 to 1 oz., MX, \$146.27

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-00-531-6484, 06907 or equal, Size: 5 oz., HD, \$104.35

High-quality, mildly scented soap is non-medicated and provides extra softness with skin conditioners.

**Regular sized bars.**

*Bars come individually wrapped.*

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-411-0628, PGC12346 or equal, Size: 3 to 3-1/2 oz., BX(contains 72 EA), \$51.97

# Hand Cleaners and Sanitizers

## Antibacterial Hand Soap

Micrell antibacterial soap in a pouch. With a quick acting anti-microbial agent to kill germs in seconds. Pleasant fragrance is non-irritating and leaves hands feeling soft and refreshed.

**Box contains 12, (800-mL) pouches. For use with Gojo P/N 9721-12 wall dispenser.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-522-0829, 1799-12 or Equal, AbilityOne, BX(contains 12 EA), \$127.91

**Box contains eight, (1000-mL) pouches. For use with Gojo P/N 2125-06 wall dispenser.**

*36-month maximum shelf life (not extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 8520-01-522-0834, 1805-08 or Equal, AbilityOne, BX(contains 8 EA), \$91.70

**Box contains four, (2000-mL) pouches. For use with Gojo P/N 2225-08 wall dispenser.**

*36-month maximum shelf life (not extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 8520-01-522-0831, 1812-04 or Equal, AbilityOne, BX(contains 4 EA), \$82.20

Antibacterial lotion soap. Contains an anti-microbial agent and effective degreaser.

**Lightly scented, non-irritating formula.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-490-7370, 9759-12 or equal, 12 oz. Pump Bottle, BX(contains 12 EA), \$48.49

## Anti-Microbial Soap

Anti-microbial pearlescent liquid soap has a gentle germ-fighting formula.

**Box contains 12, (800 mL). For use with Maintex MTX Handi-Fresh dispenser.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-415-2925, 2327031 or equal, White Pearlescent, BX(contains 12 EA), \$56.69

## Hand Soap

Mild lotion soap is PH balanced for skin care and formulated for frequent and general use. Gently removes light soil, leaving hands clean and refreshed.

*36-month maximum shelf life (extendable).*

BiopREFERRED

8520-01-660-2068, Material Safety Data Sheet, 40-H-S-12 or Equal, AbilityOne, Clear/Colorless, 8 oz pump bottle, BX(contains 12 EA), \$30.68

8520-01-660-2067, Material Safety Data Sheet, 40-H-S-4 or Equal, AbilityOne, Clear/Colorless, 1 liter refill, BX(contains 4 EA), \$30.22

Mild cleansing lotion soap. Gently removes light soil leaving hands clean and refreshed. PH-balanced for skin care and formulated for frequent and general use. Pink, synthetic detergent formula.

**Box contains 12, (12-oz) pump bottles.**

Federal Strategic Sourcing Initiative, 8520-01-522-0839, 1751-12 or Equal, AbilityOne, Pink, BX(contains 12 EA), \$61.48

**Box contains 12, (800-mL) pouches per box. For use with wall dispenser NSNs 4510-01-521-9867 and 4510-01-521-9868.**

Federal Strategic Sourcing Initiative, 8520-01-378-3090, 1720-12 or Equal, AbilityOne, BX(contains 12 EA), \$88.61

**Box contains eight, (1000-mL) pouches. For use with wall dispenser NSNs 4510-01-521-9869 or 4510-01-521-9872.**

Federal Strategic Sourcing Initiative, 8520-01-522-0838, 1737-08 or Equal, AbilityOne, BX(contains 8 EA), \$79.10

**Box contains four, (2000-mL) pouches. For use with wall dispenser NSNs 4510-01-521-9871 and 4510-01-521-9873.**

Federal Strategic Sourcing Initiative, 8520-01-522-0837, 1744-04 or Equal, AbilityOne, BX(contains 4 EA), \$81.34

Mild liquid hand soap with a honey-almond fragrance removes soil on hands. Box contains 6, (750 mL) containers.

**For use with Ecolab Digiclean Dispenser.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-521-4206, 6123671 or equal, BX(contains 6 EA), \$88.81

## Liquid Hand Soap

Cream hand soap with lanolin is for use in standard 800-mL soap dispensers.

**Box contains 12, (800-mL) bags.**

Federal Strategic Sourcing Initiative, 8520-01-381-1914, 997345 or equal, BX(contains 12 EA), \$62.14

Liquid hand soap is biobased and formulated to quickly emulsify. PH balanced with mild detergents and moisturizers for general cleaning of hands. Can be used in all liquid soap dispenser and central dispensing systems with no dilution.

*24-month maximum shelf life (extendable).*

BiopREFERRED

Federal Strategic Sourcing Initiative, 8520-01-432-2618, Material Safety Data Sheet, 1064098 or Equal, AbilityOne, 1 GL, BX(contains 4 EA), \$36.87

Gentle and efficient liquid soap contains 15 percent coconut oil. Soap is specially formulated to be dispensed from liquid soap dispensers undiluted without clogging or dripping. Mildly scented. Biobased content of 64 percent.

**For use with Soap Dispenser NSN 4510-00-203-2707.**

*24-month maximum shelf life (extendable).*

BiopREFERRED

Federal Strategic Sourcing Initiative, 8520-00-228-0598, Material Safety Data Sheet, SKILCRAFT 1064013, AbilityOne, 1 gal., BX(contains 6 EA), \$79.40



## Hand Cleaner

Lotion formula biobased hand cleaner has a lime scent and contains pumice scrubbing particles for cleaning industrial soils, dirt and grease.

**One gallon bottle with pump dispenser.**

Biopreferred

8520-01-647-1708, Material Safety Data Sheet, SKILCRAFT, 3143-0192 or equal, AbilityOne, BX(contains 4 EA), \$93.58

**1/2 gallon bottle with a pump dispenser.**

*36-month maximum shelf life (extendable).*

Biopreferred

8520-01-647-1707, Material Safety Data Sheet, 3143-0191 or equal, AbilityOne, BX(contains 6 EA), \$74.50

A mild foam soap and lotion formula for general hand cleaning.

**For use with foam dispenser NSNs 4510-01-551-2864 or 4510-01-551-2865.**

**Box contains three, (1250-mL) containers.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-556-2577, SKILCRAFT, 1056-03 or equal, AbilityOne, BX(contains 3 EA), \$71.95

**Box contains two, (1200-mL) bottles.**

*36-month maximum shelf life (extendable).*

Biopreferred

8520-01-649-2724, Material Safety Data Sheet, 3143-0180 or equal, AbilityOne, Plum fragrance, BX(contains 2 EA), \$54.83

8520-01-649-2723, Material Safety Data Sheet, SKILCRAFT, 3143-0181 or equal, AbilityOne, Pomeberry fragrance, BX(contains 2 EA), \$54.23

Smooth, orange foaming handwash with germ-killing power in an orange blossom fragrance.

**For use with foam dispenser NSNs 4510-01-551-2864 or 4510-01-551-2865.**

**Box contains three, (1250-mL) containers.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-556-2576, SKILCRAFT, 1070-03 or equal, AbilityOne, BX(contains 3 EA), \$81.01

Heavy-duty hand cleaner is 64% biobased with natural scrubbing ingredients for removing grease and grime. For industrial and institutional use.

**For use with dispenser 4510-01-441-2117.**

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 8520-01-425-5328, 318524 or equal, 1 GL, BX(contains 4 EA), \$124.84

Hand cleaner is a quick-acting lotion formula containing pumice scrubbing particles for cleaning industrial soils, medium dirt and grease. Contains baby oil and an orange citrus formula with lanolin, aloe, and JoJoba to help protect hands.

**One-gallon bottle with pump dispenser.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-458-0767, 1935-04 or equal, AbilityOne, 1-gl, BX(contains 4 EA), \$101.46

**One-half gallon bottle with pump dispenser.**

Federal Strategic Sourcing Initiative, 8520-01-522-0840, 1942-06 or equal, AbilityOne, 1/2-gallon container, BX(contains 6 EA), \$84.57

Heavy-duty hand cleaner removes ink, grease, adhesive, varnish, hydraulic fluids, carbon, and other tough industrial soils. Fortified with emollients to prevent drying and cracking.

Federal Strategic Sourcing Initiative, 8520-01-371-0047, 14106 or equal, Coconut scented, 4.0-lb tub, BX(contains 6 EA), \$93.28

Heavy duty hand cleaner containing surfactants, lanolin, and scrubbers. Works with or without water to remove grease, oil, and dirt from hands. Non-toxic and non-flammable.

Low VOC

8520-01-370-4284, R/1212C14.55PD or Equal, Tube Size: 8 oz., BX(contains 12 EA), \$29.78

Heavy duty hand cleaner in a one-gallon pump bottle. Contains no harsh chemicals, petroleum solvents or ammonia. Fortified with lanolin, glycerin and other skin conditioners. Contains fine pumice for a deep clean. Works with or without water to remove grease, oil and dirt from hands. Non-toxic and non-flammable.

Low VOC

Federal Strategic Sourcing Initiative, 8520-01-370-2162, 25219 or Equal, 1 gal., BX(contains 4 GL), \$68.39

Waterless hand cleaner with aloe vera can be used with or without water. Cleaner with biobase, removes grime, grease, carbon, asphalt, graphite, tar, flux, oil, cements, most inks and adhesives.

**Box contains four, one-gallon containers with four pump dispensers.**

*Approved for shipboard use, IAW A-A-59978.*

*24-month maximum shelf life (extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 8520-01-555-2902, AbilityOne, 1 gal., BX(contains 4 GL), \$120.57

**Contains pumice. Approved for shipboard use, IAW A-A-59978.**

*24-month maximum shelf life (extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 8520-01-555-2891, AbilityOne, 1 gal., BX(contains 4 GL), \$114.59

Foaming antibacterial hand soap has a plum fragrance and is enriched with moisturizers, natural extracts and skin conditioners. USDA Biobased certified.

**For use with ADX-0046 wall dispenser.**

**Box contains 3 (1250 ml) pouches refills.**

*24-month maximum shelf life (not extendable).*

Biopreferred

8520-01-640-7213, Material Safety Data Sheet, 3143-0171 or Equal, AbilityOne, BX(contains 3 EA), \$62.47

Foaming hand soap and shower wash; offers a luxurious foam lather and a pleasant citrus ginger fragrance. Enriched with moisturizers, natural extracts and skin conditioners. USDA Biobased certified.

**For use with ADX-0046 wall dispenser.**

**Box contains 3 (1250 ml) pouches refills.**

*24-month maximum shelf life (not extendable).*

Biopreferred

8520-01-640-6481, Material Safety Data Sheet, 3143-0172 or Equal, AbilityOne, BX(contains 3 EA), \$53.54

Foaming soap contains aloe and vitamin E and has a tropical fragrance.

**Box contains six, 1000 mL bags.**

Federal Strategic Sourcing Initiative, 8520-01-574-6494, Material Safety Data Sheet, 997337 or equal, BX(contains 6 EA), \$87.77

## Hand Cleaner (Waterless)

Waterless cream hand cleaner designed to remove grease and industrial soils from hands. Cream is odorless or mildly scented, and exhibits no odors characteristic of ammonia or kerosene. Will not irritate skin.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-00-082-2146, Material Safety Data Sheet, 1109-12 or equal., 14 oz., BX(contains 12 EA), \$41.71

### Cream formula.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-00-782-3509, Material Safety Data Sheet, 1115-06 or equal, 5 lb container, BX(contains 6 EA), \$78.72

## Industrial Hand Soap

Pumice soap in cake form removing oil, grease and other heavy occupational soils from hands. Individual cakes of soap may be provided wrapped or unwrapped.

*24-month maximum shelf life (extendable).*

8520-00-550-6417, Lava Bar Soap or equal, 6 oz., HD, \$73.70

## Industrial Hand Soap (Pumice)

This special compound of soap and mineral abrasives removes oil, grease and ground-in dirt, making it perfect for hand-cleaning in industrial settings. Non-medicated grit paste.

*24-month maximum shelf life (extendable).*

8520-00-634-1594, 13100 or equal, CO(contains 3 LB), \$21.79

## Soap Dispenser

Wall mounted lotion soap and shampoo dispenser accepts 800-mL Gojo lotion soap and shampoo refills. One hand push operation and portion control. For use with 8520-01-378-3090 and 8520-01-522-0836.

**For multi-pack of 12 each, order NSN 4510-01-521-9867.**

Federal Strategic Sourcing Initiative, 4510-01-521-9868, 1959-01- or Equal, AbilityOne, EA, \$18.77

Wall mounted lotion soap and shampoo dispenser accepts 1000-mL Gojo lotion soap and shampoo refills. One hand push operation and portion control. For use with 8520-01-522-0833 and 8520-01-522-0838.

**For multi-pack of six each, order NSN 4510-01-521-9869.**

Federal Strategic Sourcing Initiative, 4510-01-521-9872, SKILCRAFT 1966-01 or equal, AbilityOne, EA, \$18.38

Wall mounted lotion soap and shampoo dispenser accepts 2000-mL Gojo lotion soap and shampoo refills. One hand push operation and portion control. For use with 8520-01-522-0832 and 8520-01-522-0837.

**For multi-pack of eight each, order NSN 4510-01-521-9873.**

Federal Strategic Sourcing Initiative, 4510-01-521-9873, SKILCRAFT 1980-08 or equal, AbilityOne, BX(contains 8 EA), \$147.27

Federal Strategic Sourcing Initiative, 4510-01-521-9871, SKILCRAFT 1980-01 or equal, AbilityOne, EA, \$18.72

Hand-operated dispenser delivers measured amounts of soap. Screws and brackets are included for mounting dispenser on the wall. For use with liquid soaps, dispensed using a pump action design.

4510-00-203-2707, 1DYD1 or equal, Capacity: 10 fl. oz. min., EA, \$7.92

Wall mounted hand sanitizer dispenser accepts 1000-mL Gojo Purell/SKILCRAFT hand sanitizer refills. One hand push operations and portion control. For use with NSNs 8520-01-522-0828, 8520-01-5622-0840 and 8520-01-522-3888.

Federal Strategic Sourcing Initiative, 4510-01-521-9866, SKILCRAFT 1973-01 or equal, AbilityOne, EA, \$19.13

Federal Strategic Sourcing Initiative, 4510-01-521-9870, SKILCRAFT 1973-06 or equal, AbilityOne, BX(contains 6 EA), \$117.12

## Foam Soap Dispenser

Wall dispenser accepts 1250-mL Gojo foam soap refill pouches. One hand push operation and portion control. For use with refill pouch NSNs 8520-01-556-2576 and 8520-01-556-2577.

Federal Strategic Sourcing Initiative, 4510-01-551-2865, SKILCRAFT 1032-01 or equal, AbilityOne, EA, \$17.21

Federal Strategic Sourcing Initiative, 4510-01-551-2864, SKILCRAFT 1032-06 or equal, AbilityOne, BX(contains 6 EA), \$106.33

## Hand Foam Dispenser

Wall mounted hand sanitizer dispenser accepts 1200-mL Gojo foaming hand sanitizer refills. One hand push operation and portion control. For use with NSN 8520-01-556-2834.

Federal Strategic Sourcing Initiative, 4510-01-551-2867, SKILCRAFT 1049-01 or equal, AbilityOne, EA, \$18.87

Federal Strategic Sourcing Initiative, 4510-01-551-2866, SKILCRAFT 1049-06 or equal, AbilityOne, BX(contains 6 EA), \$103.09

## Hand Sanitizer

Purell instant hand sanitizer contains moisturizers and Vitamin E. Kills 99.99 percent of most common germs that may cause illness, in as little as 15 seconds. Use anytime, anyplace, without water or towels. Leaves hands feeling refreshed without stickiness or residue.

*36-month maximum shelf life (not extendable).*

8520-01-490-7365, Material Safety Data Sheet, 3659-12 or equal, 12 oz Pump, BX(contains 12 EA), \$66.18

Federal Strategic Sourcing Initiative, 8520-01-490-7358, Material Safety Data Sheet, 9651-24 or equal, 4.25 oz, BX(contains 24 EA), \$44.13

Purell instant hand sanitizer foam kills 99.99 percent of most germs. Meets the USDA BioPreferred Program Biobased Content Standards.

**For use with ADX-0045 wall dispenser.**

**Box Contains 3 (1200-ml) pouches refills.**

*24-month maximum shelf life (not extendable).*

8520-01-640-9622, Material Safety Data Sheet, SKILCRAFT 3143-0170 or equal, BX(contains 3 EA), \$88.45, Biopreferred

8520-01-640-6482, Material Safety Data Sheet, 3143-0169 or equal, AbilityOne, BX(contains 3 EA), \$95.12

Purell instant hand sanitizer Gel has a pleasant fragrance, and is non-toxic, dye-free, and hypoallergenic. Contains moisturizers. Kills 99.99 percent of most common germs that may cause illness, in as little as 15 seconds. Use anytime, anyplace, without water or towels. Leaves hands feeling refreshed without stickiness or residue.

**Has a minimum biobased content of 73%.**

*36-month maximum shelf life (not extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 8520-01-522-0835, Material Safety Data Sheet, SKILCRAFT, 1867-24 or equal, AbilityOne, 2 oz, BX(contains 24 EA), \$79.83

Instant hand sanitizer has a pleasant fragrance, and is non-toxic, dye-free, and hypoallergenic. Contains moisturizers. Use when soap or water is not available. Leaves hands feeling refreshed without stickiness or residue.

**For use with Gojo P/N 9621-12 wall dispenser.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-522-0830, Material Safety Data Sheet, SKILCRAFT, 1843-12 or equal, AbilityOne, 800 mL, BX(contains 12 EA), \$160.33

**For use with the following wall dispensers NSN's 4510-01-521-9870 or 4510-01-521-9866.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-522-0828, Material Safety Data Sheet, 1850-08 or equal, AbilityOne, 1000 mL, BX(contains 8 EA), \$110.99

Foaming hand sanitizer has a quaternary and alcohol formula with a mild odor. For use with Ecolab DigiSan Dispenser p/n 92632007.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-566-2392, Material Safety Data Sheet, 23674 or Equal, 750 mL, BX(contains 6 EA), \$111.89

Purell gel instant hand sanitizer, active ingredient 62 percent ethyl alcohol and 73 percent biobased. May be used without water or towels. FDA approved.

*36-month maximum shelf life (not extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 8520-01-579-3825, Material Safety Data Sheet, AbilityOne, 2 liter, BX(contains 4 EA), \$120.29

Purell instant hand sanitizer foam kills 99.99 percent of most germs. Thick, rich foam clings to your hands, contains moisturizers.

**For use with dispenser NSNs 4510-01-551-2866 or 4510-01-551-2867.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-556-2834, Material Safety Data Sheet, 1063-03 or equal, AbilityOne, 1200 ml, BX(contains 3 EA), \$97.64

Purell instant hand sanitizer with Aloe has a pleasant fragrance, and is non-toxic, dye-free, and hypoallergenic. Contains a unique blend of ethyl alcohol, and specially formulated moisturizers. Sanitizes hands when soap and water are not available, leaving hands feeling soft and refreshed without a sticky or tacky residue.

**Box contains 24, (4-oz.) squeeze bottles.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-522-3886, Material Safety Data Sheet, 1911-24 or equal, AbilityOne, BX(contains 24 EA), \$86.99

**Box contains 12, (12-oz) pump bottles.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-522-3887, Material Safety Data Sheet, 3143-0074 or equal, AbilityOne, BX(contains 12 EA), \$87.89

**Box contains 12 ea pouches. Can be used with wall dispensers, GOJO PN:9621-12.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-522-3885, Material Safety Data Sheet, 1898-12 or equal, AbilityOne, 800 mL, BX(contains 12 EA), \$157.08

**Box contains 8 each 1000ML pouches. Can be used with wall dispensers, NSNs 4510-01-521-9866 and 4510-01-521-9870.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 8520-01-522-3888, Material Safety Data Sheet, 1904-8 or Equal, AbilityOne, BX(contains 8 EA), \$124.27

## Antibacterial Towelettes

Waterless antibacterial hand cleaning towels leave hands clean and refreshed with no residue. Contains 60 perforated pre-moistened sheets in a plastic container.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-423-1120, Material Safety Data Sheet, 346806 or equal, 10-1/4 x 11-3/4", BX(contains 6 EA), \$114.51

## Cleaning Towelettes

High-strength, pre-moistened disposable hand cleaning towels are specially formulated to remove grease, grime, oil and ink without irritating skin.

**Contains 130 pre-moistened towels in a pop-up plastic container.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-504-8866, Material Safety Data Sheet, 6298-04 or equal, Citrus fragrance, 9-1/4 x 10", BX(contains 4 EA), \$98.80

## White Board Towelettes

Soft absorbent pre-moistened towelettes, treated for cleaning white marking boards. Eliminates ghosting, shadowing, residues, stains and stubborn marks.

**BX of (12) each pop-up dispensers with fifty towelettes per pop-up dispenser.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-454-1159, Material Safety Data Sheet, AbilityOne, 6.3" x 6.25", BX(contains 12 EA), \$67.90

## Marker Board Towelettes

Towelettes are designed to clean and restore white marker boards by removing ghosting, stubborn stains, shadowing and grease stains. Container has 50 pre-moistened 6 x 9" sheets in a re-sealable pop-up container.

Federal Strategic Sourcing Initiative, 7930-01-419-5178, Material Safety Data Sheet, 81850 or equal, White, BX(contains 6 EA), \$59.66

## Towelettes

Hand cleaning towels provide fast, easy, and effective one-step hand cleaning. Dissolves adhesives, caulk, epoxy, ink and dye, paint, and sealant, tar, urethane, wax, and polyurethane. Pre-moistened perforated towel is treated with grease-cutting, soil lifting formulation and skin conditioners. Requires no rinsing or drying. Self-dispensing container with handle allows one-at-a time dispensing.

**Box contains 6 containers with 72 towels per container.**

8520-01-422-2216, Material Safety Data Sheet, 42272 or equal, Citrus fragrance, 10" x 12", BX(contains 6 EA), \$79.64

Paper towelettes are pre-moistened, non-alcohol formula with a cleansing solution, allowing for quick cleansing of ordinary soils from hands, face and body without soap or water. Free of any objectionable odor. Comes pre-folded in individual, sealed packets.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-615-6021, Material Safety Data Sheet, NIC D11055 or equal, 5 x 7-3/4", BX(contains 1000 EA), \$33.02

## Hand-Cleaning Towelettes

Heavy-duty pre-moistened wipes with Glycerin and Aloe. Box contains 12, pop-up dispensers with 50 towelettes per dispenser.

8520-01-454-1144, AbilityOne, 6.3 x 6.25", BX(contains 12 EA), \$69.95

# Dishwashing Detergents

## Dishwashing Detergent

Detergent is concentrated, nonabrasive, stable, single-phase liquid compound. It is mildly perfumed, free of any objectionable odor, sediments and suspended particles. This product has 26 percent synthetic detergents. Dissolves in hard water.

**Detergent contains low alkalinity and a mild perfume.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-00-880-4454, Material Safety Data Sheet, 1064011 or equal, AbilityOne, 1 gal., BX(contains 6 EA), \$73.04

Federal Strategic Sourcing Initiative, 7930-00-899-9534, Material Safety Data Sheet, 1064012 or equal, AbilityOne, CN(contains 5 GL), \$72.65

Solid Power XL is a concentrated detergent, for use in a wide range of soil and water conditions. For use with Ecolab Wash Max Dispenser.

**Approved for shipboard use.**

*36-month maximum shelf life (extendable).*

7930-01-152-7072, Material Safety Data Sheet, Ecolab 6100185, 9 LB capsules, BX(contains 4 EA), \$92.16

Concentrated solid detergent dissolves greasy, heavy soils. Safe for cleaning all types of dishes, glassware, pots, pans and silverware. For use with the Ecolab Solitaire Dispenser.

**Box contains four, 5-lb. capsules.**

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-177-5119, Material Safety Data Sheet, Solitaire 17301 or equal, BX(contains 4 EA), \$156.32

## Dishwashing Compound

Detergent designed for manual washing of pots and pans with advanced grease cutting power. Contains a combination of nonionic and anionic surfactants specially formulated to provide more aggressive grease-cutting ability under heavy soil conditions.

**Box contains 2, (3-lb) containers.**

Federal Strategic Sourcing Initiative, 7930-01-494-0067, Material Safety Data Sheet, 10362 or equal, BX(contains 2 EA), \$94.17

## Liquid Dishwashing Soap

Concentrated antibacterial liquid dishwashing detergent is designed for hand washing dishes, pots, pans, and other kitchenware.

Federal Strategic Sourcing Initiative, 7930-01-490-7282, Material Safety Data Sheet, Joyfull-8/38 oz or equal, 38 fl. oz., BX(contains 8 EA), \$55.45

## Griddle Cleaning System

Quick Clean Griddle System Kit. Scotch-Brite starter kit No. 710; Kit contains 3.2-ounce packets of Quick Clean Liquid, NSN 7930-01-487-6098 (10 each), multi-purpose pad holder, NSN 7920-01-487-5023 (one each), griddle polishing pads, NSN 7920-00-891-7537 (10 each), squeegee, NSN 7920-01-487-5024, 7" blade (one each).

**Kit includes an instructional video to demonstrate the proper use of the Scotch Brite Quick Clean System. Replacement Quick Clean Liquid available in one quart containers, NSN 7930-01-488-5450.**

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-487-6099, Material Safety Data Sheet, AbilityOne, KT, \$98.40

## Squeegee Blade

Scotch-Brite Squeegee blade No. 410, is specially designed for use with Scotch Brite Quick Clean Griddle System. Flexible, heat resistant 7 inch rubber blade is attached to a long handle for safe removal of liquid residue from griddle surface.

Federal Strategic Sourcing Initiative, 7920-01-487-5024, AbilityOne, EA, \$29.77

## Liquid Griddle Cleaner

Scotch-Brite Quick Clean Griddle Liquid is safe for use on food contact surfaces. Loosens and lifts carbonized grease and food soils. Contains no caustic soda, strong chemical odors, or irritating fumes.

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-487-5022, Material Safety Data Sheet, AbilityOne, 3.2 oz. packet, BX(contains 40 EA), \$72.48

Federal Strategic Sourcing Initiative, 7930-01-487-6098, Material Safety Data Sheet, AbilityOne, 3.2 oz. packet, BX(contains 60 EA), \$124.26

Federal Strategic Sourcing Initiative, 7930-01-488-5450, Material Safety Data Sheet, AbilityOne, 1 qt., BX(contains 4 EA), \$79.42

# Laundry Cleaning

## Laundry Destainer

Solid oxygen-based de-stainer provides gentle, color-safe stain removal. Ideal for shirt laundries and whites. Destains without chlorine. Effective in high-alkaline environments. For use with Ecolab's Solid System III dispensing equipment.

*24-month maximum shelf life (extendable).*

### Low VOC

Federal Strategic Sourcing Initiative, 7930-01-418-1439, Material Safety Data Sheet, 6101753 or equal, 3 lb capsule, BX(contains 2 EA), \$84.41

## Laundry Detergent, Liquid

Concentrated biobased liquid laundry detergent packaged with a dispensing pump for accurate dispensing. Formulated to be safe for all fabrics and work in all water temperatures. Suitable for use in laundry, vehicle washing, floor mopping and as a spray and wipe cleaner. Capable of cleaning 128 wash loads per gallon. Does not contain optical brighteners.

*24-month maximum shelf life (extendable).*

### Biopreferred

Federal Strategic Sourcing Initiative, 7930-01-412-0535, Material Safety Data Sheet, 530039 or equal, 1 gl, BX(contains 4 EA), \$76.78

## Liquid Dishwashing Detergent

Pot and pan cleaner is a highly concentrated liquid for hand washing of pots, pans, cooking utensils, dishes and glassware.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-151-1124, Material Safety Data Sheet, Joyfull-01 or Equal, 1 gl, BX(contains 4 EA), \$58.38

## Laundry Detergent

Mild, low-sudsing liquid detergent launders cotton, wool and synthetics in soft, hard or seawater. Non-phosphate formula contains non-ionic surfactants and may be used in liquid detergent dispensing systems.

### IAW A-A-50153

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-045-3517, Material Safety Data Sheet, Liq-Laun-55 or equal, DR(contains 55 GL), \$394.74

Industrial use laundry souring and neutralizer agent that controls the final rinse PH. Unique formula has iron controlling agents. This item has a very aggressive acid product which should be used with care to prevent linen from burning. For use in Solid System III dispenser.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-436-7911, Material Safety Data Sheet, 6101757 or equal, 6 lb capsule, BX(contains 2 EA), \$154.66

Controlled-sudsing detergent is used to laundering military battle uniforms. Comes in granular or tablet form and does not contain optical brighteners or dyes.

**Heavy-duty, low-phosphate detergent is ideal for washing cottons, cotton/polyester blends, and synthetic fabrics.**

*24-month maximum shelf life (extendable).*

7930-00-929-1220, Material Safety Data Sheet, Det-Laund-TYI or Equal, CO(contains 50 LB), \$134.38

Brite White laundry detergent is an enzyme-powered laundry detergent that offers excellent stain removal while reducing the need for pre-soaking, pre-spotting and even bleaching. Pre-measured, water-soluble packets are easy to use and eliminates tough malodors, leaving clothes smelling fresh and clean.

**Box contains 250, 1.2-oz packets per container.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-494-2986, Material Safety Data Sheet, 61502222 or equal, AbilityOne, BX(contains 250 EA), \$156.41

Laundry detergent does not contain optical brighteners and is packaged in water soluble packets that are premeasured to do one load of laundry. Removes stains and has effective odor counteractant agents.

**Box contains 50 each, 3/4 ounce pre-measured water soluble packets.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-597-6009, Material Safety Data Sheet, 176-56 or Equal, AbilityOne, BX(contains 50 EA), \$40.70

Synthetic detergent/bleach is suitable for shipboard laundering of cotton, synthetic and bleached fabrics in fresh or seawater. IAW Navy NCTRF/PD 11-85C.

*24-month maximum shelf life (extendable).*

7930-01-236-7280, Material Safety Data Sheet, Kln-N-Brite or equal, CO(contains 40 LB), \$51.75

## Laundry Detergent, Powdered, with Bleach

Powdered laundry detergent contains color safe bleach and removes tough stains, whitens whites and keeps colors bright. Does not contain phosphates and is harmless to septic tanks. Each box provides 95 standard uses.

*12-month maximum shelf life (not extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 7930-01-490-7301, Material Safety Data Sheet, XLD or equal, AbilityOne, 214 oz, PG(contains 2 EA), \$93.15

## Laundry Detergent, High Efficiency (HE)

High efficiency (HE) laundry detergent. Specifically formulated to work in high efficiency (HE) clothes washers. Packaged in water soluble packets that are premeasured to do one load of laundry. Low sudsing, removes stains, and has effective odor counteracting agents.

**Box contains 100 each, 3/4 ounce pre-measured water soluble packets.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-597-6010, Material Safety Data Sheet, XLD 417 HE or equal, AbilityOne, BX(contains 100 EA), \$69.34

## Laundry Detergent, Non-Chlorine Bleach

Laundry detergent is concentrated containing bleach and enzymes for brighter whites and colors. Lemon fragrance.

**Box contains 50, (2 oz) packets.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-367-0988, Material Safety Data Sheet, XLD 131 or equal, AbilityOne, BX(contains 50 EA), \$46.67

## Laundry Detergent, Small Loads

Laundry detergent for small loads that is gentle on fine fabrics. Works effectively in hot or cold water to lift out tough dirt and stains. Lemon scented and phosphate free.

**Box contains 100, (1 oz) packets.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-367-2907, Material Safety Data Sheet, XLD 117-30 or equal, AbilityOne, BX(contains 100 EA), \$75.52

## Laundry Detergent, Standard Loads

Laundry detergent for standard loads that is gentle on fine fabrics. Works effectively in hot or cold water to lift out tough dirt and stains. Lemon scented, bleach and phosphate free.

**Box contains 50, (2 oz) packets.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-367-2908, Material Safety Data Sheet, 117-56 or Equal, AbilityOne, BX(contains 50 EA), \$44.44

## Bleach

Organic chlorine dry bleach is intended for direct addition to the laundry wheel in field and industrial laundry operations. Not intended as a disinfectant for water, fruit or vegetables.

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6850-00-063-2843, Material Safety Data Sheet, CHL-DRY-BLCH-050 or Equal, DR(contains 50 LB), \$126.36



# Laundry Room Accessories

## Laundry Bag

Laundry nets are intended for use in laundries when washing items of clothing.

Laundry net is made of nylon or polyester and features two brass grommets at the top that can be joined together by Laundry Pin NSN 3510-00-222-1457 (sold separately).

Federal Strategic Sourcing Initiative, 3510-00-273-9738, AbilityOne, White, 12" W x 22" L, DZ, \$41.36

Federal Strategic Sourcing Initiative, 3510-00-273-9739, AbilityOne, White, 24" W x 36" L, DZ, \$90.42

## Iron

Electric iron is specifically designed for the Navy. Operates on 125v, 15 amp and 50-60 Hz. Features a 16 AWG, three-conductor cord with an integral ground terminal installed in the male plug. This product is authorized and complies with the requirements established by the NAVSEA Safety Office. Designed primarily for shipboard usage. UL Standards 1005, 498 and 817.

**Has three settings: Spray, steam and dry.**

7290-01-369-7966, BBMC GSI-1 or equal, EA, \$62.47

Electric iron has a fingertip dial for fabric and temperature control and a heel rest. Operates on 120v, 60-cycle power. UL Standard 1005.

**Provides steam, spray or dry heat. Features multiple steam vents, water tank, water gauge, push-button spray, button nook and auto shutoff.**

7290-00-148-7068, F67E or equal, EA, \$20.87

## Ironing Board

Standard household ironing board has a vented, finished-metal top. Height is adjustable, and the board folds flat for out-of-the-way storage. Comes with a foam-backed fiber pad cover. Teflon or silicone aluminum coating cover. Legs are capped to protect floors and prevent slipping.

Federal Strategic Sourcing Initiative, 7290-00-663-7300, 6544-1910 or equal, Length: 54", EA, \$37.20

## Clothes Hanger

Standard-design hanger includes shoulder support and trouser bar. Fits a 1-1/2" diameter hanging bar.

**Light-duty, one-piece steel wire hanger is coated with enamel.**

Federal Strategic Sourcing Initiative, 7290-00-125-9069, N621J83, or equal, Width: 15-3/4" minimum, BX(contains 500 EA), \$78.54

# Washroom Supplies

## Air Freshener

This odor-neutralizing air freshener counteracts offensive odors in hospitals, sick rooms, lavatories, kennels, aircrafts, or any public building. Ideal for institutional and industrial use. Has a mild, pleasant odor. Contains no formaldehyde.

*24-month maximum shelf life (extendable).*

### Low VOC

Federal Strategic Sourcing Initiative, 6840-00-721-6055, Material Safety Data Sheet, 75400 or equal, AbilityOne, 14 oz., BX(contains 12 EA), \$37.11

## Air Freshener Refill

Meter Mist refill is an aerosol metered odor counteractant. Each refill is capable of controlling odors in rooms 20 x 30 feet. Compatible with the Meter Mist 3000 Plus (4510-01-426-4187) and Meter Mist 3000 Select dispensers or equal.

### Low VOC

Federal Strategic Sourcing Initiative, 6840-01-368-4789, Material Safety Data Sheet, 0744-001 or equal, AbilityOne, Springtime Garden scent, 7 oz., DZ, \$82.87

Federal Strategic Sourcing Initiative, 6840-01-429-5864, Material Safety Data Sheet, 0744-004 or equal, AbilityOne, French Vanilla scent, 7 oz., DZ, \$77.63

Federal Strategic Sourcing Initiative, 6840-01-368-4787, Material Safety Data Sheet, 0744-003 or equal, AbilityOne, Green Apple scent, 7 oz, DZ, \$82.87

Federal Strategic Sourcing Initiative, 6840-01-368-4785, Material Safety Data Sheet, 0744-002 or equal, AbilityOne, Peach scent, 7 oz., DZ, \$79.67

Federal Strategic Sourcing Initiative, 6840-01-425-8232, Material Safety Data Sheet, 0744-005 or equal, AbilityOne, Smoke Screen (Mtn. Air) scent, 7 oz., DZ, \$77.35

Federal Strategic Sourcing Initiative, 6840-01-459-8263, Material Safety Data Sheet, 0744-008 or equal, AbilityOne, Mandarin Orange, 7 oz., DZ, \$82.68

## Deodorant Dispenser

Aerosol dispenser automatically controls odors and freshens air with three operation settings; day, night, and 24-hour, with a variable spray pattern. 5 to 25 minutes per cycle provides coverage without excessive overspray. Indicator light informs when unit is operating and aerosol needs to be replaced.

**For use with air freshener refills NSNs: 6840-01-368-4785, 6840-01-368-4787, 6840-01-368-4789, 6840-01-425-8232, 6840-01-429-5864 and 6840-01-459-8263.**

Federal Strategic Sourcing Initiative, 4510-01-426-4187, 788801 or equal, AbilityOne, EA, \$49.14

## Electronic Air Freshener

Air filtration and odor-eliminating unit provides the power of HEPA air filtration combined with the exclusive odor-eliminating membrane in a sleek, compact size. Also contains a computer monitor that signals when the filter and air freshener cartridge needs to be replaced. LED indicator light with status alarm function; 2-speed blower; 72" power cord; wall hanging holes for mounting.

**Refill cartridges for the Optimum 3000 Air Freshener, are 4460-01-443-4896 (Lemon Fragrance) and 4460-01-443-4897 (Potpourri Fragrance) or equal.**

4460-01-443-4895, Optimum 3000 or equal, 13" L x 5-1/4" W x 4-5/8" H, EA, \$355.71

## Air Freshener Cartridge

Air freshener refill cartridge for Optimum 3000, or equal air freshener. Includes a filter.

4460-01-443-4896, 80-2310 or equal, Lemon fragrance, SE, \$43.13

4460-01-443-4897, 80-2320 or equal, Potpourri fragrance, SE, \$43.13

## Porcelain Cleaner

Mild abrasive, multipurpose cleaner used for cleaning bathrooms and kitchens. Safe for use on aluminum, fiberglass, plastics and appliance enamel.

**Contains bleach.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-356-9206, Material Safety Data Sheet, 01602 or equal, 24 oz. bottle, BX(contains 9 EA), \$43.10

## Toilet Bowl Cleaner

Toilet cleaner is effervescent and formulated with detergents and other cleaning agents to attack urinary salts. Releases a blue foaming action and pleasant fragrance.

**Box contains 100, (14 gram) water soluble packets.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-367-0987, Material Safety Data Sheet, XLD 130 or equal, AbilityOne, BX(contains 100 EA), \$35.25

Concentrated aircraft lavatory system cleaner and deodorizer. Capable of cleaning and deodorizing the complete lavatory system. Deodorizes up to 15 hours. Cleans and removes sludge and scale from tanks, pump filters and pumps.

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-436-7958, Material Safety Data Sheet, MBQC07 or equal, CN(contains 7 GL), \$1,034.60

Federal Strategic Sourcing Initiative, 7930-01-420-3593, Material Safety Data Sheet, MBQL01 or equal, DR(contains 55 GL), \$1,139.00

## Toilet Cleaner/Deodorizer

Combination toilet bowl cleaner and bathroom deodorizer contains a non-para, environmentally friendly cake. Toilet deodorizer clips under toilet bowl rim. Lasts for 1000 flushes. Compliant with all state and federal regulations.

**Individually packaged and sealed in a cellophane bag.**

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-382-9138, Material Safety Data Sheet, 174501 or equal, BX(contains 24 EA), \$86.12

## Scale Remover

Mildly acidic blend of nontoxic, biodegradable, organic compounds which safely removes calcium carbonate scales and encrustations. Effectively removes and inhibits scales in sanitary lines, without attacking materials of construction, equipment, enzymatic or microbiotic treatments. Approved in accordance with MIL-PRF-32217.

6850-01-574-8506, Material Safety Data Sheet, 8 lb container, BX(contains 6 EA), \$378.14

## Toilet Bowl and Bathroom Cleaner

All-purpose bathroom cleaner contains blend of mineral acids, emulsifiers, detergents, and corrosion inhibitors to remove rust, scum, hard water deposits and stains. For use on porcelain, ceramic, chrome, aluminum and stainless steel fixture surfaces.

*36-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-423-1145, Material Safety Data Sheet, 184611 or equal, 32 oz. bottle, BX(contains 12 EA), \$105.90

## Toilet Brush

This sturdy toilet brush cleans wash basins, toilets and finished bed pans. The handle features a hole for convenient hanging.

**Straight brush head has tampico or polypropylene bristles. Light-duty brush is 5-1/4" long and 3-1/2" wide; hardwood or plastic handle is 14" long.**

Federal Strategic Sourcing Initiative, 7920-00-234-9317, 9317 or equal, EA, \$4.28

**The curved brush head reaches inside surfaces easily. Bristles are secured by twisted wire. Horse collar-shaped. With a 14" hardwood or plastic handle. Brush is 5-1/2" long and 4-1/2" wide.**

Federal Strategic Sourcing Initiative, 7920-00-772-5800, AbilityOne, EA, \$3.74

*White polypropylene filament bristles.*

Federal Strategic Sourcing Initiative, 7920-00-141-5450, AbilityOne, EA, \$3.10

## Toilet Swab

Flexible plastic sleeve slides over swab head to prevent splashing and to shield hands from direct contact with cleaning solution. Chemical-resistant swab has a head made of polyester fiber yarn and a 10" molded plastic handle.

7920-00-492-5971, 280105 or equal, White, EA, \$2.10

## Urinal Screen Deodorizer

Round urinal screen is environmentally friendly. Anti-splash texture provided greater surface area coverage. Screen is flexible for a proper fit to nearly any urinal contour and is safe for use in waterless urinals. Lasts for 30-45 days.

Low VOC

6840-01-666-0471, Material Safety Data Sheet, AbilityOne, Melon Mist fragrance, Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$25.85

6840-01-666-0472, Material Safety Data Sheet, AbilityOne, Mango Bay fragrance, Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$25.85

## Deodorant Toilet Cake

Environmentally friendly, non-para, 1.5 ounce deodorant cake that eliminates unpleasant odors. Non-para cake is contained in a plastic holder that clips under the rim of a toilet bowl. Lasts for 1,500 flushes or 30 days. Product is compliant with all state and federal regulations.

Low VOC

Federal Strategic Sourcing Initiative, 6840-00-664-6610, Material Safety Data Sheet, AbilityOne, CO(contains 12 EA), \$31.62

## Urinal Deodorant Cake

Environmentally friendly non-para, deodorant cake that eliminates unpleasant odors. Compressed, cake-style toilet deodorant counteracts odors. Each cake emits a mild, pleasant odor. Lasts for 1,000 flushes or 30 days. Product is compliant with all state and federal regulations.

**For use in urinals; does not have a holder.**

Low VOC

Federal Strategic Sourcing Initiative, 6840-00-246-6438, Material Safety Data Sheet, 4-UB-DZ or equal, Cake Size: 3 oz., CO(contains 12 EA), \$14.02

## Urinal Deodorant Kit

Environmentally friendly urinal screen kit contains one 2.5 ounce, non-para cake; one plastic urinal screen; and one latex glove. The screen conforms to the shape of the urinal protecting the drain from debris and eliminates unpleasant odors. Lasts for 1,500 flushes or 30 days. Non-para product is compliant with all state and federal regulations.

Low VOC

Federal Strategic Sourcing Initiative, 6840-01-451-9189, Material Safety Data Sheet, AbilityOne, DZ, \$45.09

## Drain Odor Control

Bio-enzymatic drain maintainer and waste digester used for keeping drain lines and grease traps clean and free of organic waste and odors. Bio-based, low VOC actually "eats" urine and grease. Formula 66, enzyme digester with instant and residual odor control. USDA approved bio-based product.

*12-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-399-2720, Material Safety Data Sheet, 160023 or equal, 1 qt., BX(contains 12 EA), \$52.21

# Cleaning Liquids, Powders and Sprays

## Glass Cleaner

Biobased glass cleaner capable of cleaning away soil, smudges, grease and finger prints without streaking. Capable of being used on glass and plastic surfaces. Compatible with the JAWS (Just Add Water) Dispensing System.

**The kit includes six 32 ounce, empty reusable bottles, with trigger sprayers and 12 concentrated, pre-measured (two ounce), drop in refill cartridges.**

*Glass and Hard Surface Cleaner starter kit or equal.*

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-600-5747, Material Safety Data Sheet, AbilityOne, KT, \$55.29

**Box contains 12 concentrated, pre-measured (two ounce), drop-in, refill cartridges.**

*Glass and hard Surface Cleaner refill cartridges or equal.*

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-600-5748, Material Safety Data Sheet, AbilityOne, BX(contains 12 EA), \$24.19

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

**Non-streaking cleaner for windows, glass and mirrors as well as stainless steel, chrome, aluminum, ceramic and plastic. Low flow for use in filling spray bottles. Each two liter bottle yields 30 ready-to-use gallons.**

*Approved for aboard ship use.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-381-5826, Material Safety Data Sheet, 23357 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$312.07

BioRenewable glass cleaner contains 75 percent biobased material. Ready-to-use formula cleans windows, mirrors, glass and Plexiglass. Contains no ammonia.

**Box contains 12, (32-oz.) containers and 12 trigger sprayers.**

*Approved for shipboard use, IAW A-A-60010*

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-555-2898, Material Safety Data Sheet, 3239 or equal, AbilityOne, 1 qt., BX(contains 12 EA), \$68.98

BioRenewable glass cleaner contains 81 percent biobased material. Concentrated formula cleans and polishes any hard surface not harmed by water such as window glass, panes and sills, mirrors, countertops, chrome, and glass. Removes tough stains such as grease, smoke, oils, tape residue, food stains, dust and dirt. Contains no ammonia. For general cleaning use 2 ounces per gallon of water.

**Approved for shipboard use, IAW A-A-60010**

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-555-3384, Material Safety Data Sheet, 3835 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$77.17

Ready to use liquid glass cleaner is biobased and non-flammable. May be used for cleaning and polishing of glass surfaces, plastics, ceramics, chrome, painted surfaces and stainless steel.

**Type I - RTU (manually pumped, non-aerosol)**

*Approved for shipboard use, IAW A-A-60010*

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-326-8110, Material Safety Data Sheet, AbilityOne, 16 oz. bottle, DZ, \$36.83

Glass cleaner is concentrated with an ammoniated formula that provides one step cleaning even in hard water. Effective on grease, smoke film and hardened hair spray. Product is ready to use and anti-fogging.

**Type II - Concentrated**

*Approved for shipboard use, IAW A-A-60010*

*24-month maximum shelf life (extendable).*

Low VOC

7930-01-379-5378, Material Safety Data Sheet, Ecolab 6111227 or equal, BX(contains 2.5 GL), \$47.29

Ready to use anti-fogging liquid glass cleaner is biobased and non-flammable. May be used for cleaning and polishing of glass surfaces, plastics, ceramics, chrome, painted surfaces and stainless steel.

**Type I - RTU (manually pumped, non-aerosol)**

*Approved for shipboard use, IAW A-A-60010*

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-00-901-2088, Material Safety Data Sheet, AbilityOne, 1 gal., BX(contains 6 EA), \$52.10

Glass Pro foaming aerosol cleans glass and stainless steel and other hard surfaces.

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-513-6864, Material Safety Data Sheet, AbilityOne, 164000 or equal, 19 oz. aerosol, BX(contains 12 EA), \$58.97

## Porcelain Cleaner

Biobased cleaner capable of cleaning away soil, body oils, and mineral deposits from fiberglass, tile, chrome, and plastics. Effectively cleans grout and ceramic floors. Compatible with the JAWS (Just Add Water) Dispensing System.

**The kit includes six 32 ounce, empty reusable bottles, with trigger sprayers and 12 concentrated, pre-measured (two ounce), drop in refill cartridges.**

*Tile Grout and Bathroom Cleaner Starter Kit or equal.*

*36-month maximum shelf life (extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 7930-01-600-5750, Material Safety Data Sheet, AbilityOne, KT, \$49.24

**Box contains 12 concentrated, pre-measured (two ounce), drop-in, refill cartridges.**

*Tile Grout and Bathroom Cleaner Refill Cartridges or equal.*

*36-month maximum shelf life (extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 7930-01-600-5751, Material Safety Data Sheet, AbilityOne, BX(contains 12 EA), \$24.48

Concentrated, deodorizing, one-step cleaner perfect for cleaning soap scum in shower stalls, bath tubs, toilet bowls, wash basins and other similar surfaces.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-359-9229, Material Safety Data Sheet, CJ06 or equal, 1 gal., BX(contains 4 EA), \$53.85

Mild abrasive, multipurpose cleaner used for cleaning bathrooms and kitchens. Safe for use on aluminum, fiberglass, plastics and appliance enamel.

**Contains bleach.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-356-9206, Material Safety Data Sheet, 01602 or equal, 24 oz. bottle, BX(contains 9 EA), \$43.10

## Multi-Purpose Cleaner

Biobased hard surface multipurpose cleaner. Capable of cleaning ink, grease, and grime. Cleans appliance interiors and exteriors, floors, laminates, range hoods, and solid surface countertops. Compatible with the JAWS (Just Add Water) Dispensing System.

**The kit includes six 32 ounce, empty reusable bottles, with trigger sprayers and 12 concentrated, pre-measured (two ounce), drop in refill cartridges.**

*Multipurpose Cleaner Starter Kit or equal.*

*36-month maximum shelf life (extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 7930-01-600-5754, Material Safety Data Sheet, AbilityOne, KT, \$48.66

**Box contains 12 concentrated, pre-measured (two ounce), drop-in, refill cartridges.**

*Multipurpose Cleaner Refill Cartridges or equal.*

*36-month maximum shelf life (extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 7930-01-600-5753, Material Safety Data Sheet, AbilityOne, BX(contains 12 EA), \$25.45

BioRenewable TriBase multi-purpose cleaner contains 70 percent biobased material. Concentrated formula cleans glass, mirrors, floors, walls, restroom and kitchen surfaces and tile.

**Approved for shipboard use, IAW A-A-60008**

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-555-2901, Material Safety Data Sheet, 3830 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$94.44

## Deodorizer

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

**Deodorizer is intended to be diluted. Long-lasting rug and room freshener/deodorizer leaves a fresh, clean scent. Low flow for use in filling spray bottles. Each two liter bottle yields 30 ready-to-use gallons.**

*3M Twist 'n Fill Deodorizer #13L. Fresh Scent.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-412-1033, Material Safety Data Sheet, TNF13L or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$781.22

**Long-lasting rug and room freshener/deodorizer leaves a clean scent. Low flow for use in filling spray bottles. Each two liter bottle yields 36 ready-to-use gallons.**

*3M Twist 'n Fill Deodorizer #14L. Mountain Spice fragrance.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-412-1034, Material Safety Data Sheet, TNF14L or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$856.29

## Food Service Degreaser

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

**Cleaning compound removes food and oily soils from hard surfaces such as walls, floors, tables, and vinyl. Safe for stainless steel, ceramic tile, painted surfaces, chrome, plastic, and quarry tile. High flow for use in filling buckets. Each two liter bottle yields 123 ready-to-use gallons. Intended to be diluted.**

*3M Twist 'n Fill Food Service Degreaser #7H.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-381-5936, Material Safety Data Sheet, TNF7H or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$470.27

## Sanitizer and Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

**Multi-surface sanitizer and cleaner for use on walls, floors and other hard, nonporous surfaces. Safe for sanitizing food contact surfaces. Low flow for use in filling spray bottles. Each two liter bottle yields 107 ready-to-use gallons.**

*3M Twist 'n Fill Sanitizer and Cleaner #16L.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-412-1036, Material Safety Data Sheet, TNF16L or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$129.93

## General-Purpose Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

**High-performance, all purpose cleaner can be used to clean floors, walls and other non-porous surfaces. High flow for use in filling buckets. Each two liter bottle yields 35 ready-to-use gallons.**

*3M Twist 'n Fill General-Purpose Cleaner #8H.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-381-5834, Material Safety Data Sheet, 19212 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$220.36

## Multi-Surface Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

**Formulated to remove grease, marks, soils and stains from both hard and soft surfaces; may be used on carpets and upholstery. Low flow for use in filling spray bottles. Each two liter bottle yields seven ready-to-use gallons.**

*3M Twist 'n Fill Multi-Surface Cleaner #2L.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-381-5997, Material Safety Data Sheet, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$276.16

## Disinfectant Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Rinse-free, EPA-registered, hospital germicide for disinfecting and cleaning non-critical items. Kills Hepatitis B virus (HBV), HIV, MRSA, VRE, Herpes Simplex I and II and other pathogens. Complies with OSHA's blood borne pathogen standard for disinfecting surfaces soiled with blood or other potentially infectious body fluids. High flow for use in filling buckets. Each two liter bottle yields 180 ready-to-use gallons.

*3M Twist 'n Fill Disinfectant Cleaner #25H.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-549-8191, Material Safety Data Sheet, 23550 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$330.68

## Floor Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

No-rinse cleaner can be used in automatic scrubber or with mop to clean washable hard floors. Will not dull or damage floor finishes. High flow for use in filling buckets. Each two liter bottle yields 207 ready-to-use gallons.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-381-5897, Material Safety Data Sheet, 20200 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$333.21

Versatile, low-foaming cleaner for use in automatic scrubbers or in mop-on applications. Formulated for scrubbing before recoating as well as cleaning before burnishing and daily cleaning. High flow for use in filling buckets. Each two liter bottle yields 137 ready-to-use gallons.

*3M Twist 'n Fill Floor Cleaner #24H.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-549-8189, Material Safety Data Sheet, 23553 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$372.71

## Floor Stripper

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Low-odor, low-foaming, 5-minute stripper for floor sealers, floor finish buildup and finishes hardened by frequent burnishing. Each two liter bottle yields 11 ready-to-use gallons.

*3M Twist 'n Fill Floor Stripper #22H.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-549-8190, Material Safety Data Sheet, 23555 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$383.86

## Bathroom Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

One-step disinfectant, cleaner, fungicide, mildew stat, virucide and deodorizer. The mild acid cleaner removes soap scum and scale from bathroom surfaces including plastic, porcelain, ceramic, fiberglass, floors and fixtures. Low flow for use in filling spray bottles. Each two liter bottle yields 27 ready-to-use gallons.

*3M Twist 'n Fill Bathroom Cleaner #4L.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-381-5820, Material Safety Data Sheet, 19204 or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$880.53

Disinfectant bathroom cleaner for bowls, urinals, and other hard surfaces including ceramic tile, plastic, stainless steel, fiberglass, and marble. Low flow for use in filling spray bottles. Each two liter bottle of concentrate yields 61 ready-to-use gallons.

*3M Twist 'n Fill Bathroom Cleaner #15L.*

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-436-8083, Material Safety Data Sheet, 20787 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$813.46

BioRenewable ready-to-use athroom cleaner is used in toilet bowls, shower rooms (floors and walls), urinals, porcelain, ceramic, fiberglass and similar hard, non-porous surfaces. Heavy duty ready to use formula, for general and light duty. One foam sprayer per box.

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-555-2900, Material Safety Data Sheet, 353003 or equal, AbilityOne, 1 qt., BX(contains 12 EA), \$93.05

## Graffiti Remover SAC

BioRenewable ready-to-use graffiti remover is a soy and corn biobased product. Removes typical graffiti markings, paint, marker, ink, crayon and pencil. Takes away scuff marks, wax residue and adhesives. Generally applied with solvent resistant sprayer, sponge, brush or cloth. Contains 50 percent bio-based material.

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-555-2899, Material Safety Data Sheet, 307104 or equal, AbilityOne, 1 gal., BX(contains 4 GL), \$170.47

**Box contains 12, (32-oz.) containers and three solvent resistant sprayers.**

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-555-3382, Material Safety Data Sheet, 3171 or equal, AbilityOne, 32 oz. bottle, BX(contains 12 EA), \$127.80

## Multi-Purpose Germicidal Cleaner

Perfect for removing carbon, dirt, ink, petroleum residues, cooking fats, and fresh paint. This multi-purpose cleaner is non-toxic, non-flammable, and non-combustable. Can be used on most surfaces like plastics, metal, fiberglass, rubber, and porcelain. Not recommended for wood or wool surfaces. Kills viruses within 30 seconds, kills bacteria within 45 seconds, and kills fungi within three minutes of contact.

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-600-1717, Material Safety Data Sheet, 26801 or equal, 1 gal, BX(contains 4 EA), \$76.61

**Comes in a trigger spray bottle.**

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-393-6747, Material Safety Data Sheet, 26825 or equal, 22 oz. bottle, BX(contains 12 EA), \$60.13

Federal Strategic Sourcing Initiative, 7930-01-346-5280, Material Safety Data Sheet, 26832 or equal, 32 oz., bottle, BX(contains 12 EA), \$71.54

## Industrial Multi-Purpose Cleaner (Earth Soap)

Concentrated cleaner is environmentally friendly and formulated to dissolve dirt, grease, grime and other hard-to-remove soils from most hard, washable surfaces. Makes up to 5 gallons.

*48-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-471-2724, Material Safety Data Sheet, 27955 or equal, DR(contains 55 GL), \$830.56

## Multi-Purpose Detergent

General-purpose detergent/odor counteractant in pre-measured, water-soluble packets. For use where regular maintenance procedures requires the removal of heavy soil. No residues, extra steps or rinsing.

**Box contains two pails, that consist of 90, (1/2 oz.) packets in each pail for a total of 180.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-494-0905, Material Safety Data Sheet, 61181087 or equal, AbilityOne, BX(contains 180 EA), \$40.28

## Non-Streaking Cleaner

Heavy duty aerosol cleaner capable of removing grease, oil, finger marks, tobacco smoke and a variety of other oil and water soluble soils on contact. Premium-grade cleaner for use on all surfaces not harmed by water. Capable of cleaning windows, windshields, mirrors, tinted windows and Plexiglass.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-294-5523, Material Safety Data Sheet, 009801 or equal, 20 oz. aerosol can, DZ, \$63.18

## Oven Cleaner

Heavy-duty, alkaline aerosol cleaner is excellent for removing baked-on grease and carbonized soil deposits from grills, ovens, fryers, stainless steel, and other kitchen equipment. Can be used on vertical and horizontal surfaces.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-00-459-2247, Material Safety Data Sheet, Grill-OV-DZ, 16 to 20 oz. or equal, BX(contains 12 EA), \$53.41

## Tile Cleaner

Mildly-acidic cleaner, ready-to-use. Cleans porcelain, ceramic tile and related surfaces.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-00-664-7483, Material Safety Data Sheet, Husky 302 or equal, QT, \$5.64



## Disinfectant

Disinfectant is used in hospitals, offices, pet care areas, motels, institutions and industrial areas. Effective against staphylococcus, pseudomonas, mycobacterium, tuberculosis and specific viruses.

*24-month maximum shelf life (extendable).*

### Low VOC

Federal Strategic Sourcing Initiative, 7930-01-380-8495, Material Safety Data Sheet, 4334104 or equal, 14 oz. aerosol, BX(contains 12 EA), \$59.08

Cleans, disinfects and deodorizes in one easy step. For use in hospitals, nursing homes, schools, homes and food processing establishments. Product can be used to treat hard non-porous surfaces such as walls, floors, sink tops, toilet bowls, chairs, tables, telephones, restroom and shower stalls.

### Low VOC

Federal Strategic Sourcing Initiative, 7930-01-513-9967, Material Safety Data Sheet, 4334103 or equal, 19 oz. aerosol, BX(contains 12 EA), \$62.53

Aerosol disinfectant-deodorant; inactivates HIV-1 (AIDS virus) and Herpes Simplex Types 1 and 2 viruses on pre-cleaned environmental surfaces or objects previously soiled with blood or body fluids. Kills TB, salmonella, paratyphoid B, streptococcus, canine-related and other viruses. Controls mold and mildew.

### Low VOC

Federal Strategic Sourcing Initiative, 6840-01-410-8860, Material Safety Data Sheet, 351500 or equal, 20 oz. aerosol, BX(contains 12 EA), \$74.12

## Disinfectant-Cleaner

This concentrated formula cleans, disinfects and deodorizes. Also kills odor-causing bacteria on hard, non-porous surfaces such as basins, tubs and showers. Dissolves wax buildup, grease and grime from floors. Contains 19.9 percent pine oil (for heavy-duty cleaning) and has a fresh clean scent.

### IAW-A-A-2793

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6840-01-342-4143, Material Safety Data Sheet, AbilityOne, 1 liter, BX(contains 24 EA), \$241.55

Disinfectant detergent is a phosphate-free concentrate formulation designed to provide effective cleaning, disinfection and deodorizing for hospitals. Can be used on floors, walls, tables, chairs, sink tops and bed frames. Excellent for controlling the hazard of cross-contamination. One pouch makes one gallon of cleaner.

**Box contains 100, (1/2 oz.) pouches.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6840-01-367-2914, Material Safety Data Sheet, XLD 120, AbilityOne, BX(contains 100 EA), \$46.44

## Disinfectant Pre-Moistened Towelettes

One step germ-killing disinfectant and deodorizing wipe. Janitorial grade disinfectant for use on non-porous surfaces and effective against Salmonella Choleraesuis, Staphylococcus aureus, Herpes simplex virus 1 and 2, HIV-1 and a number of other virus and bacteria. Textured wipe loosens and absorbs contaminants to ensure a clean and disinfected surface. Not intended for use as a general purpose cleaner and deodorizer. For office equipment and shared work surfaces, use 7930-01-454-1139.

**Contains 6 pop-up containers per box, 50 wipes per container.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6840-01-411-9963, Material Safety Data Sheet, Express Wipe-41 or equal, 6" x 8", BX(contains 6 EA), \$48.76

## Disinfectant (Calcium Hypochlorite)

Technical grade calcium hypochlorite contains 65 percent available chlorine. Use as a disinfectant and algicide. Effective for chlorinating pool water, keeps pool in sanitary condition and protects pool against growth of bacteria and algae. Also used as a germicide in the food industry. EPA registered/labeled in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). Manufactured in accordance with ASTM E1229.

**Box contains one dozen, (3-3/4-lb.) containers for a total of 45 lbs.**

*24-month maximum shelf life (not extendable).*

6840-00-242-4770, Material Safety Data Sheet, CAL-HYPO-CS or equal, BX(contains 45 LB), \$115.29

6840-00-255-0472, Material Safety Data Sheet, Rite-Kem or Equal, DR(contains 100 LB), \$160.99

## Disinfectant-Detergent

General-use janitorial disinfectant is ideal for cleaning and deodorizing urinals, bathrooms, shower stalls, and animal quarters. Effective against intestinal bacteria. Concentrated cleaner contains at least 60 percent pine oil and 10 percent soap. Rinses easily and leaves a clean-smelling scent. Must be diluted before use. (Not intended for use in medical facilities.)

*36-month maximum shelf life (extendable).*

### Low VOC

Federal Strategic Sourcing Initiative, 6840-00-687-7904, Material Safety Data Sheet, AbilityOne, 1 qt, BX(contains 24 EA), \$291.03

Federal Strategic Sourcing Initiative, 6840-00-584-3129, Material Safety Data Sheet, AbilityOne, 1 gal., BX(contains 6 EA), \$193.17

Federal Strategic Sourcing Initiative, 6840-00-551-8346, Material Safety Data Sheet, AbilityOne, DR(contains 55 GL), \$1,394.61

## General Purpose Detergent

Corrosion inhibited, concentrated anionic detergent for use in manual and ultrasonic cleaning. Free rinsing and suitable for use on glassware, metals, plastics, ceramic, porcelain, rubber and fiberglass. Granular and free flowing without caking.

**Box contains 9 ea, 4 lb containers.**

Federal Strategic Sourcing Initiative, 7930-01-198-6050, Material Safety Data Sheet, 1104 or equal, BX(contains 9 EA), \$408.75

Ready to use no rinse formula removes food soils, soap scum, lubricants, grease, grime, smoke and vapor deposits. Use on hrd, non-porous surfaces.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-00-056-8144, Material Safety Data Sheet, 00889 or equal, 32 oz. bottle, BX(contains 12 EA), \$54.39

Concentrated detergent for manual washing of pots and pans. Pre-measured, water-soluble packets delivers superior grease-cutting and long-lasting suds.

**Box contains 2 dispenser boxes, that consist of 90, (1/2-oz) packets in each box for a total of 180.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-494-2987, Material Safety Data Sheet, 12227 or equal, AbilityOne, 1/2-oz packet, BX(contains 180 EA), \$115.77

## Liquid Detergent

Water-soluble, non-ionic detergent is for heavy-duty general-purpose cleaning. Effective in removing grease, oil and dirt from a variety of surfaces. Dilute with either fresh or sea water. MIL- D-16791G, Type I.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-00-282-9699, Material Safety Data Sheet, AbilityOne, 1 gallon, BX(contains 6 EA), \$218.82

Federal Strategic Sourcing Initiative, 7930-00-985-6911, Material Safety Data Sheet, 1064007 or equal, AbilityOne, CN(contains 5 GL), \$181.41

## Biodegradable Cleaner and Degreaser

Ready-to-use general purpose cleaner that is suitable for use on grease, dirt, soap scum, food stains and fingerprints. Liquid detergent contains no phosphates, abrasives, or dyes and is non-flammable.

**Comes in a spray-pump dispenser.**

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-00-357-7386, Material Safety Data Sheet, AbilityOne, 22 oz. bottle, BX(contains 12 EA), \$28.68

## Degreaser

Removes grease and grime from engines, machinery, asphalt, and garage floors. Water-based and ready-to-use degreaser. Non-flammable

**32 ounce Pump-Spray Bottles**

*48-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-383-7926, Material Safety Data Sheet, 22732 or equal, 32 oz., BX(contains 12 EA), \$75.66

## Cleaner and Degreaser

Ready-to-use general purpose cleaner that is suitable for use on grease, dirt, soap scum, food stains and fingerprints. Liquid detergent contains no phosphates, abrasives, or dyes and is non-flammable.

**Comes in a spray-pump dispenser.**

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-00-926-5280, Material Safety Data Sheet, AbilityOne, 16 oz. bottle, BX(contains 48 EA), \$135.19

**Useful for refilling dispensers.**

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-00-068-1669, Material Safety Data Sheet, AbilityOne, 1/2 gal., BX(contains 6 EA), \$29.30

Federal Strategic Sourcing Initiative, 7930-00-177-5243, Material Safety Data Sheet, AbilityOne, 1 gal., BX(contains 6 EA), \$47.74

Concentrated, d'limonene based, aqueous emulsion cleaner. Contains surfactants to clean soils, heavy grease, oils, carbonized deposits, tar, lubes, waste fats, and rubber marks. Contains no petroleum hydrocarbons or chlorinated materials.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-350-7035, Material Safety Data Sheet, 185015 or equal, DR(contains 55 GL), \$587.97

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-314-6133, Material Safety Data Sheet, 185915 or equal, DR(contains 55 GL), \$576.60

Concentrated all purpose degreaser and cleaner is suitable for use in critical cleaning applications.

*36-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-418-1151, Material Safety Data Sheet, 19024 or equal, 24 oz spray bottles, BX(contains 12 EA), \$95.49

Concentrated heavy-duty liquid cleaner is completely water soluble. Safe for use on copper, mild steels, admiralty brass, 304 and 316 stainless steels, plexiglas, HD polyethylene, HD polypropylene, PVC, fiberglass, Buna N, teflon and viton. Use in a steam cleaner, hot water washer, or apply manually.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-412-2377, Material Safety Data Sheet, CL 9805 or equal, CN(contains 5 GL), \$56.94

## Goo Gone

A citrus and petrolum based material for multiple cleaning applications. Removes tar, tape residue, blood, lipstick, mascara, crayon, bumper stickers, gum, oil, grease, labels and stickers, and shoe polish. Works on most surfaces including carpet, upholstery, clothing, wood and cement.

### Low VOC

Federal Strategic Sourcing Initiative, 7930-01-490-7283, Material Safety Data Sheet, 2112 or equal, QT, \$11.75

## Stainless Steel Polish

Stainless steel cleaner and polish is a concentrated liquid that is effective in cleaning stainless steel, chrome, Formica, aluminum, Plexiglas, tile, vinyl and enameled surfaces. Concentrated (12-parts water/1-part polish). Contains no silicone, acid or wax. Non-flammable.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-360-8050, Material Safety Data Sheet, CJ01 or equal, 1 gal., BX(contains 4 EA), \$101.63

## All-Purpose Cleaner

Concentrated and biobased, this general purpose cleaner/degreaser removes grease, oil, and dirt from bare and painted surfaces. Can be diluted to suit specific cleaning jobs.

*36-month maximum shelf life (extendable).*

### Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 7930-01-373-8849, Material Safety Data Sheet, 1064089 or equal, AbilityOne, 22 oz trigger spray bottle, BX(contains 12 EA), \$70.74

Federal Strategic Sourcing Initiative, 7930-01-373-8848, Material Safety Data Sheet, 1064092 or equal, AbilityOne, 1 gal., BX(contains 6 EA), \$76.15

Federal Strategic Sourcing Initiative, 7930-01-373-8844, Material Safety Data Sheet, 1064091 or equal, AbilityOne, DR(contains 55 GL), \$732.75

Federal Strategic Sourcing Initiative, 7930-01-373-8845, Material Safety Data Sheet, 1064090 or equal, AbilityOne, CN(contains 5 GL), \$81.53

General purpose detergent is a concentrated cleaning compound that may be used on floors, walls, and most surfaces. Free rinsing and deodorizing with a fresh lemon scent. One pouch makes 3 gallons.

### Box contains 100, (1/2 oz.) packets.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-367-2965, Material Safety Data Sheet, 301 or equal, AbilityOne, BX(contains 100 EA), \$40.61

All-purpose cleaner, cleans without alkaline to save the shine of high gloss finishes. Cleaner needs no rinsing.

### Box contains 100, (1/2 oz.) packets.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-367-2909, Material Safety Data Sheet, 110 or equal, AbilityOne, BX(contains 100 EA), \$42.23

## Desk and Office Cleaner

Aerosol foam cleaner with a fruity scent is suitable to clean desk tops, cabinets, business machines, painted surfaces, office furniture and luggage. Removes dust, ink smudges and fingerprints without leaving oily or sticky residues and without streaking. Spray-on and wipe-off to leave a clean shine.

### Low VOC

Federal Strategic Sourcing Initiative, 7930-01-411-8931, Material Safety Data Sheet, 1001583 or equal, 15 oz., BX(contains 12 EA), \$68.62

## Office Cleaner

Aerosol cleaner with foaming action that removes dust, dirt, and other liquid stains from office furniture, desk tops, cabinets, bookcases, shelves, painted and plastic surfaces. Leaves behind no residue, non-oily and non-sticky.

*36-month maximum shelf life (extendable).*

### Low VOC

Federal Strategic Sourcing Initiative, 7930-01-512-8969, Material Safety Data Sheet, 184000 or equal, AbilityOne, 18 oz. aerosol, BX(contains 12 EA), \$48.48

## Furniture Polish

Furniture polish effectively protects wood furniture and other surfaces. Picks up dust, shines, and polishes all in one step. Leaves no polish or waxy buildup and adds a like-new sheen to cabinets, paneling, baseboards, vinyl, leather, and fine wood furniture.

*36-month maximum shelf life (extendable).*

### Low VOC

Federal Strategic Sourcing Initiative, 7930-01-381-3491, Material Safety Data Sheet, 301168 or equal, 14.2 oz. aerosol, BX(contains 6 EA), \$46.11

## Scouring Powder

Scouring powder is suitable for cleaning porcelain surfaces and general kitchen use. Not intended for use on glass, stainless steel, plastic or other materials that may be scratched.

**Does not contain any bleaching agent.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-294-1115, Material Safety Data Sheet, Scour-1115 or equal, 14 oz., DZ, \$35.84

**Contains chlorine bleach to aid in removing stains.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-00-721-8592, Material Safety Data Sheet, CPC14278CT or equal, 21 oz. can, BX(contains 30 EA), \$45.58

Formulated for cleaning highly polished glass, tile and other vitreous surfaces. Will not scratch or streak. (Not intended for use on plastic surfaces.)

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-294-1116, Material Safety Data Sheet, Scour-1116 or equal, 14 oz. can, DZ, \$32.94

## Cleaning Compound

Fast evaporating, nonflammable and nonconductive cleaner that penetrates and cleans without leaving a residue. Removes dirt, moisture, dust, flux, and oxides from electronic or precision equipment.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-436-7971, Material Safety Data Sheet, 04016 or equal, 15 oz. aerosol can, BX(contains 12 EA), \$139.22

## Cleaning Compound/Solvent Detergent

Concentrated, multi-purpose colloid cleaner. Compatible with the Gaylord wash down systems. Safe for use on metal, wood, glass, fabric, plastic, porcelain, rubber, tile and vinyl.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-436-7897, Material Safety Data Sheet, G510-EF or equal, 1 GL, BX(contains 4 EA), \$79.61

# Floor Care

## Floor Wax

This water emulsion-based formula floor wax brings a highly polished look to heavy traffic areas. Durable, slip and soil resistant and non-water spotting. For use on non-wood floors and sealed wood floors.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-00-141-5888, Material Safety Data Sheet, Super-SH-18-05 or equal, CO(contains 5 GL), \$68.59

Federal Strategic Sourcing Initiative, 7930-00-205-2870, Material Safety Data Sheet, SH-18-1GL or equal, GL, \$16.55

## Floor Wax Stripper

This non-ammoniated liquid concentrate removes water-emulsion floor finish and floor wax from linoleum, vinyl-asbestos, asphalt tile, and other impermeable floor surfaces.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-00-045-6912, Material Safety Data Sheet, HIL00150 or equal, CO(contains 5 GL), \$59.63

Concentrated heavy duty stripper. Removes tough build-ups and burnished finishes. Non-ammoniated, phosphate-free and pleasantly scented. Not for use on unsealed wood, cork, linoleum or painted surfaces.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-380-8469, Material Safety Data Sheet, 95115940 or equal, AbilityOne, 1gal., BX(contains 4 EA), \$52.12

## Floor Stripper

Concentrated heavy duty stripper. Removes tough build-ups and burnished finishes. Non-ammoniated, phosphate-free and pleasantly scented. Not for use on unsealed wood, cork, linoleum or painted surfaces.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-380-8381, Material Safety Data Sheet, 04576 or equal, AbilityOne, CO(contains 5 GL), \$65.50

## Floor Cleaner

Ammoniated floor cleaner is ideal for daily cleaning and degreasing of quarry tile, concrete, and other hard surfaces. Compatible with Ecolab Oasis cleaning chemical dispensing system.

*24-month maximum shelf life (extendable).*

Low VOC

7930-01-379-5696, Material Safety Data Sheet, Oasis 115XP or equal, 2-1/2 gal., BX(contains 2.5 GL), \$44.25

Can be used for daily cleaning of all resilient floor surfaces. Unique odor counteractant formulation and neutral pH provides a fresh, clean fragrance with a sparkling clean appearance. Use with hot or cold, hard or soft water. The cleaning and emulsifying power enables it to easily maintain resilient floor surfaces. Does not leave a film or haze and does not require rinsing. Pre-measured packets come in two recyclable containers,

**Box contains two pails, that consist of 90, (1/2-oz) packets in each pail for a total of 180.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-418-1104, Material Safety Data Sheet, 61501409 or equal, AbilityOne, BX(contains 180 EA), \$63.02

Concentrated high performance general-purpose cleaner removes various soils from water-safe hard surfaces including floors, walls, counter tops, sinks and other ceramics surfaces. Cleaner has a fresh citrus scent and leaves a shine.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-436-7991, Material Safety Data Sheet, 04518 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$75.57

Federal Strategic Sourcing Initiative, 7930-01-436-8039, Material Safety Data Sheet, 04516 or equal, AbilityOne, CN(contains 5 GL), \$73.06

## Floor Finish

Durable floor finish intended for use in heavy foot traffic areas on vinyl, vinyl composition, vinyl asbestos, asphalt tile, rubber, and linoleum. It resists scuffing, black heel marks, scarring, dirt penetration and rubber marks. Not for use on wood or cork floors.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-380-8387, Material Safety Data Sheet, 04651 or equal, AbilityOne, CO(contains 5 GL), \$96.04

Federal Strategic Sourcing Initiative, 7930-01-380-8447, Material Safety Data Sheet, 04649 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$82.62

Floor wax has a durable finish. Good mark resistance.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-380-8406, Material Safety Data Sheet, 5120888 or equal, AbilityOne, CN(contains 5 GL), \$127.22

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-380-8450, Material Safety Data Sheet, 04059 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$115.66

Carefree Ultra Finish is an easy-to-apply floor finish/sealer that is formulated to work with any maintenance method and equipment on all types of floors. Responds beautifully to conventional high-speed or UHS maintenance procedures. Recommended for use on all resilient and non-resilient floors, including vinyl, vinyl composition, vinyl asbestos, asphalt tile, rubber, terrazzo, slate brick, unglazed ceramic or quarry tile, honed marble and honed granite.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-486-5067, Material Safety Data Sheet, 5432 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$105.38

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-410-8562, Material Safety Data Sheet, 5431 or equal, AbilityOne, CN(contains 5 GL), \$104.91

Highly durable and detergent-resistant finish is formulated for use on non-wood and sealed wood floors.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-183-8585, Material Safety Data Sheet, HIL0052207 or equal, CO(contains 5 GL), \$53.60

## Floor Gloss Restorer

Spray Buff maintainer produces a brilliant shine while removing scuffs, scratches, ground-in dirt and black heel marks. Leaves a glossy, durable, slip resistant finish.

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-380-8365, Material Safety Data Sheet, 04116 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$80.79

## Floor Sealer

Water-based finish that is formulated especially for the maintenance of asphalt plank floor. This unique combination of acrylic polymers, plasticizers and black pigment penetrates, beautifies and protects the porous asphalt plank surface. One gallon will provide an adequate coat for 500 to 800 square feet of asphalt flooring.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-412-2402, Material Safety Data Sheet, 184335 or equal, CN(contains 5 GL), \$174.65

## Cleaning Compound

Concentrated and biobased, this general purpose cleaner/degreaser removes grease, oil and dirt from bare and painted surfaces. Can be diluted to suit specific cleaning jobs.

*36-month maximum shelf life (extendable).*

Biopreferred, Low VOC

7930-01-631-1931, Material Safety Data Sheet, Power Green or equal, AbilityOne, BT(contains 22 OZ), \$4.74

7930-01-631-3702, Material Safety Data Sheet, Power Green or equal, 1 GL, GL, \$9.21

## Sweeping Compound

This sawdust mixture improves sweeping performance of brooms and brushes. It also helps reduce airborne dust during sweeping. User simply spreads mixture on the floor and sweeps along to collect dust and dirt from cracks and hard-to-reach places.

**Sawdust-sand-mineral oil compound is designed for use on wood, steel and other flooring that is not varnished, sealed, painted or waxed.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-00-132-5265, Material Safety Data Sheet, Sweep-TYI-100 or equal, CO(contains 100 LB), \$62.52

**Sawdust-wax base compound is designed for use on composition and resilient floors where sand and oil are unsuitable.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-00-291-0410, Material Safety Data Sheet, Sweep TYIII-100 or equal, CO(contains 100 LB), \$74.89

**Sawdust-sand-water-wax emulsion compound is designed for use on floor areas in machine shops, garages or warehouses. Helps remove oil stains or slicks and will not spot or stain.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-00-633-9849, Material Safety Data Sheet, Sweep-TYII-100 or equal, CO(contains 100 LB), \$67.43

## Absorbent Material

Heavy weight mat roll absorbs 41 gallons and is perforated every 10 inches. Absorbs water, oil and solvents. Ideal for large volumes of liquid spills or when you plan to leave mat in place for an extended period.

Federal Strategic Sourcing Initiative, 7930-01-455-9536, Material Safety Data Sheet, UQ150-FF or equal, 30" W, RO(contains 150 FT), \$151.61

Absorbent mat pad absorbs water, oils, acids/bases, coolants and solvents. Ideal for large volumes of liquid or when you plan to leave mat in place for an extended period. Flame resistant; 100 pads absorb up to 24 gallons.

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7930-01-363-8631, Material Safety Data Sheet, MAT 203 or equal, 15"W x 20"L, BG(contains 100 EA), \$80.74

Low dusting granular clay/silicate calcite type material will soak up oil, grease and water. Simply scatter the porous, absorbent compound around grease racks and other exceptionally dirty areas, then sweep up. Eliminates slipping dangers.

Federal Strategic Sourcing Initiative, 7930-00-269-1272, Material Safety Data Sheet, NGT-269-1272 or equal, CO(contains 44 LB), \$30.38

Low dusting clay granular absorbent comprised of 10-20 percent amorphous silicates and 80-90 percent fullers earth. Soaks up to 90-percent of it's own weight.

Federal Strategic Sourcing Initiative, 7930-01-380-4783, Material Safety Data Sheet, I01050G40 or equal, BG(contains 50 LB), \$23.28

Spill proof pans keep messy drips off your floors. Each polypropylene pan holds 3/4 gallon of oil, water, coolants and solvents. Low profile, 3" clearance. Wide base prevents tipping. Absorbents inside pan holds liquid.

*25% Recycled Plastic*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7930-01-316-6008, Material Safety Data Sheet, 2410PP or equal, 10.5" L x 10.5" W x 3" D, BX(contains 24 EA), \$165.65

Absorbent sock composed of amorphous mineral silicates, absorbs water and oil based spills. Non-hazardous, inert and non-toxic.

Federal Strategic Sourcing Initiative, 7930-01-353-6415, Material Safety Data Sheet, 600 or equal, 4" x 48", BX(contains 15 EA), \$82.23

## Push Broom

Floor sweeping brush consists of a hardwood or plastic block set with 3"-long bristles. The block has Acme-threaded holes on both sides for inserting a handle.

**Soft bristles made of 100 percent horsehair or fine polyester filament make the brush suitable for sweeping smooth interior wood, concrete or tile floors without scratching. Light duty push broom.**

*Handle not included.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-243-3407, AbilityOne, Length: 18", EA, \$16.36

**Bristles made of polypropylene make the brush suitable for medium and rough floor sweeping.**

7920-00-965-4886, 515-18" or Equal, Length: 18", EA, \$8.32

**Bristles made of 50 percent horsehair and 50 percent tampico or polypropylene fiber make the brush suitable for sweeping rough concrete and other floor surfaces.**

*Handle not included.*

7920-00-292-2365, 164-14 or equal, Length: 14", EA, \$8.57

Federal Strategic Sourcing Initiative, 7920-00-292-2367, AbilityOne, Length: 18", EA, \$15.94

Federal Strategic Sourcing Initiative, 7920-00-264-4638, AbilityOne, Length: 30", EA, \$28.73

**Heavy-duty polypropylene filament floor sweeping brush. The brush is suitable for use on concrete floors, such as those in garages.**

*Handle not included.*

7920-00-292-2360, Length: 24", EA, \$10.95

Push-style broom designed for sweeping rough surfaces such as warehouse floors and sidewalks. Brush has 6" long bristles made of Palmyra stalks.

**Two 3/4" tapered holes accommodate a tapered handle (not included). (Use with Handle NSNs 7920-00-177-5106 or 7920-00-141-5452).**

Federal Strategic Sourcing Initiative, 7920-00-267-2967, AbilityOne, Length: 16", EA, \$12.57

Push-style broom designed for street sweeping has 6"-long bristles made of brown polypropylene.

**Two 3/4" tapered holes accommodate a tapered handle (not included). (Use with Handle NSNs 7920-00-177-5106 or 7920-00-141-5452).**

Federal Strategic Sourcing Initiative, 7920-01-554-7100, AbilityOne, Brown, Length: 16", EA, \$13.08

Floor sweeping brush consists of a hardwood or plastic block set with 3"-long bristles. The block has Acme-threaded holes on both sides for inserting a handle.

**Soft bristles made of 100 percent horsehair or fine polyester filament make the brush suitable for sweeping smooth interior wood, concrete or tile floors without scratching. Light duty push broom.**

*Handle not included.*

Federal Strategic Sourcing Initiative, 7920-00-292-2363, 305-30 or equal, Length: 30", EA, \$17.90

Push broom for use on rough surfaces with 24 inch solid hardwood block and 60 inch black metal handle. Comes with a flexible elastomer connector. Brush filaments consist of 3.75 inch stiff polypropylene fibers. Sweeps light gravel, nails, dirt and leaves.

7920-01-630-1595, AbilityOne, EA, \$34.64

Push broom for use on medium surfaces with 24 inch solid hardwood block and 60 inch black metal handle. Comes with a flexible elastomer connector. Brush filaments consist of 3.25 inch minimum solvent resistant polypropylene fibers. Sweeps medium to rough surfaces.

7920-01-630-3062, AbilityOne, EA, \$34.64

Push broom for use on smooth surfaces with 24 inch solid hardwood block and 60 inch black metal handle. Comes with a flexible elastomer connector. Brush filaments consist of 3.25 inch minimum soft polypropylene fibers with "Split-tips" for fine sweeping.

7920-01-630-3063, AbilityOne, EA, \$34.64

## Extension Handle

Aluminum, telescoping extension handle includes an adjustable tube that allows extension from 6 to 12 feet. A plastic sleeve insulates the shaft, and one end is Acme threaded. Attaches directly to brush or paint roller and is used for cleaning, painting, or washing high surfaces. Tension locknut secures tubes in extended position at any point. Plastic cap or handgrip covers handle end.

May be used with 7920-00-490-6046 (Aircraft Cleaning Kit).

Federal Strategic Sourcing Initiative, 7920-00-926-5146, 612 or equal, EA, \$31.75

## Steel Utility Handle

This extruded steel utility handle, for use with various tools such as squeegees, push brooms and paint rollers, etc., is vinyl-coated and has a round, nylon threaded end piece. The handle is capped with a molded plastic swivel-type hanger.

May be used with 7920-00-490-6046 (Aircraft Cleaning Kit).

Federal Strategic Sourcing Initiative, 7920-01-460-8614, AbilityOne, Length 60"; Diameter: 15/16", EA, \$4.37

## Wooden Utility Handle

Wood handle is for use with various tools such as squeegees, push brooms, and paint rollers.

**Tapered end.**

Federal Strategic Sourcing Initiative, 7920-00-177-5106, AbilityOne, Length: 54"; Diameter: 15/16", EA, \$4.80

Federal Strategic Sourcing Initiative, 7920-00-141-5452, AbilityOne, Length: 54"; Diameter: 1-1/8", EA, \$5.69

**Acme threaded end with metal ferrule.**

May be used with 7920-00-490-6046 (Aircraft Cleaning Kit).

Federal Strategic Sourcing Initiative, 7920-00-263-0328, AbilityOne, Length: 60"; Diameter: 15/16", EA, \$5.12

## Wood Handle

Wood handle is 15/16-inch in diameter. Handle is designed to be used with squeegees, push brooms and paint rollers.

**Tapered end.**

Federal Strategic Sourcing Initiative, 7920-01-512-4961, AbilityOne, 54" handle, BX(contains 3 EA), \$13.94

**With metal ferrule.**

Federal Strategic Sourcing Initiative, 7920-01-512-4967, AbilityOne, 60" handle, BX(contains 3 EA), \$15.49



## Lobby Broom

Lobby-style broom has a 28" wooden handle and flagged polypropylene fiber head. Ergonomically designed for use with the lobby dustpan 7290-01-460-6663.

Federal Strategic Sourcing Initiative, 7920-01-572-7349, AbilityOne, EA, \$5.15

## Upright Tilt-Angle Broom

Tilt angle upright broom has yellow plastic angle cut and flagged (feathered) bristles set into a lacquered hardwood or plastic block head. The painted tubular steel handle screws into the broom head. The handle is capped with a molded plastic hanger. Overall broom length is 52".

Federal Strategic Sourcing Initiative, 7920-01-458-8208, AbilityOne, EA, \$9.41

## Upright Broom

This small, warehouse-type broom is suitable for light-duty sweeping in households, schools, barracks and offices. Made of corn fiber and measures 11 to 12" wide and 15 to 16" long.

Federal Strategic Sourcing Initiative, 7920-00-292-4375, 44547 or equal, 42" handle, EA, \$8.93

This large, upright warehouse-type broom is suitable for heavy-duty sweeping of rough, uneven floors. Made of corn fiber and measures 12 to 14" wide and 17 to 18" long.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-291-8305, 70308 or equal, 41" handle, EA, \$8.87

Heavy-duty upright broom has a black polypropylene fiber head with a black plastic cover. The handle is black vinyl coated metal. The broom head is 13-1/2" high by 10" wide. Overall broom length is 56".

Federal Strategic Sourcing Initiative, 7920-01-460-6658, AbilityOne, EA, \$12.04

## Work Surface Brush

This counter and workbench dusting brush features bristles that are composed of 50 percent horsehair and 50 percent polystyrene or tampico bristles. Handle is 5" long.

**Bristled end is 8" long and 1-3/4" wide.**

Federal Strategic Sourcing Initiative, 7920-00-178-8315, AbilityOne, EA, \$11.04

**Bristled end is 8" long and 3-1/4" wide.**

7920-00-240-6358, EA, \$15.25

Brush is designed for removing coarse dirt and chips from work areas. Has 2"-long tampico fiber bristles and an 9"-long brush body. Round, tapered handle is made of lacquered wood.

Federal Strategic Sourcing Initiative, 7920-00-165-7277, 7277 or equal, Length: 12", EA, \$6.26

## Scrub Brush

This strong, versatile brush is excellent for scrubbing benches and decks. Bristles are 2" long and are made of palmyra fiber or polypropylene filament. Both sides of the hardwood block are drilled for insertion of a 1-1/8"-diameter tapered handle.

7920-00-240-7171, 7171 or equal, 9-3/4"L x 2-1/2"W x 3-1/4" Thick, EA, \$16.54

Scrub brush is designed for the manual scrubbing of floors. Consists of a hardwood or commercially acceptable plastic block set with 1-3/16"-long polypropylene fiber bristles. (This brush is not designed to accommodate a handle).

Federal Strategic Sourcing Initiative, 7920-00-240-7174, AbilityOne, 2-1/2" x 7-11/16", EA, \$4.46

Perfect for general household scrubbing, tampico fiber bristles have a smooth-finished wood or molded-plastic block. Shaped to fit comfortably in the hand. Bristles are 1-1/8" long.

Federal Strategic Sourcing Initiative, 7920-00-282-2470, AbilityOne, 2-3/4 x 10-3/4 x 3/4", EA, \$7.20

## Tube Wire Brush

Equipped with stainless steel bristles, this brush attacks tough jobs. One end of its twisted-wire handle has a 1"-diameter ring for hanging.

**Handle is 4-1/2" long, bristle brush part is 1-1/2" long, for a total of 6".**

Federal Strategic Sourcing Initiative, 7920-00-900-3586, 84-S250 or equal, PG(contains 12 EA), \$14.37

## Wire Brush

For use in removing paint, rust and acid stains, this brush has a curved block, wooden handle, straight rectangular face and stainless steel filler. Bristled part is 1-1/2" long and handle is approximately 6-1/2" long.

Federal Strategic Sourcing Initiative, 7920-01-195-5355, 44167 or equal, EA, \$1.71

This versatile brush is perfect for descaling stainless and aluminum welds and for removing rust, oxidation and corrosion. Brush features a curved, wooden handle and stainless steel bristles.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-01-604-3307, 30SS or equal, Brush: 1-1/4"; Overall: 7-3/4", DZ, \$15.76

## Scratch Brush

Wire scratch brush has a curved handle with a straight rectangular face and brass filament. Head length 2-1/8"; Block is wood or plastic.

Federal Strategic Sourcing Initiative, 7920-01-011-9429, 18B or equal, Overall length: 8-1/2", DZ, \$26.33

## Wire Scratch Brush

Platers' fine brass wire with wooden shoe type handle block.

**Overall length 10", brush part length 4-3/4", brass wire filler, 1 inch trim, 1-1/16 inch brush area width, 4 X 18 wire rows.**

Federal Strategic Sourcing Initiative, 7920-00-044-4857, 44119 or equal, EA, \$7.61

## Whisk Broom

Great for quick clean-up jobs! This whisk broom is constructed of securely stitched corn fibers and features a wire-wrapped handle that is capped with a ring for easy hanging.

Federal Strategic Sourcing Initiative, 7920-00-240-6350, AbilityOne, Length: 10", EA, \$6.26

## Dustpan

Household-style open dustpan has a dirt-retaining ridge parallel to the front edge. Dustpan can be hung on the wall for convenient storage.

**Sheet steel and a corrosion-resistant finish with a 4" handle. Measures 11-13" across the front and 7" deep.**

Federal Strategic Sourcing Initiative, 7290-00-224-8308, AbilityOne, EA, \$8.12

**Plastic with a 3-1/2" handle. Measures 11-1/2" across the front and 7" deep.**

Federal Strategic Sourcing Initiative, 7290-00-616-0109, AbilityOne, EA, \$5.41

This durable, lightweight dustpan is ideal for sweeping without having to bend over. The injection-molded, 12 x 11" plastic hopper swings freely or snap locks into upright position. Attached to 32" extruded aluminum handle. Use with lobby broom 7920-01-572-7349.

Federal Strategic Sourcing Initiative, 7290-01-460-6663, AbilityOne, EA, \$21.11

## Flat Mop Handle

Flat mop tool with a universal swivel, includes a 43" aluminum handle which expands up to 75".

**Use with microfiber flat mop NSN 7920-01-565-4597 and 7920-01-565-4598.**

Federal Strategic Sourcing Initiative, 7920-01-565-4595, AbilityOne, 16" frame, EA, \$24.94

**Use with microfiber flat mop NSN 7920-01-565-4596 and 7920-01-565-4599.**

Federal Strategic Sourcing Initiative, 7920-01-565-4600, AbilityOne, 24" frame, EA, \$33.87

## Microfiber Wet Mop Pad

Microfiber mop pad is designed to attract and grab dust particles. Pad is reusable and washable. Designed for wet mopping. Microfiber base cloth is 80 percent polyester, 20 percent nylon.

**Each pad weighs 4.7 oz. each. Use with mop handle NSN 7920-01-565-4600.**

Federal Strategic Sourcing Initiative, 7920-01-565-4596, AbilityOne, Blue, 5 x 24 x 1/2", BX(contains 12 EA), \$101.53

## Microfiber Flat Dry Mop Pad

Microfiber mop pad is designed to attract and grab dust particles. This reusable and washable pad is used prior to wet mopping. Microfiber base cloth is 80 percent polyester, 20 percent nylon.

**Each pad weighs 3.3 oz each. Use with mop handle NSN 7920-01-565-4595.**

Federal Strategic Sourcing Initiative, 7920-01-565-4598, AbilityOne, Yellow, 5 x 18 x 3/4", BX(contains 12 EA), \$83.94

**Each pad weighs 4.8 oz each. Use with mop handle NSN 7920-01-565-4600.**

Federal Strategic Sourcing Initiative, 7920-01-565-4599, AbilityOne, Yellow, 5 x 24 x 3/4", BX(contains 12 EA), \$103.74

## Flat Mop Tool

3M/Skilcraft Easy Scrub tool holds 15 oz of cleaning solution in the handle. Corrosion resistant aluminum handle is 54" in length with a push button dispensing system at the top of the handle. Includes a rigid 16" x 4" pad holder attached to the handle by means of a universal swivel.

Federal Strategic Sourcing Initiative, 7920-01-574-8715, AbilityOne, Green/Black, EA, \$139.46

Easy Scrub tool has a top mounted, detachable squeeze bottle with a 11-1/2 oz capacity. Cleaning solution is dispensed through the handle. Brushed aluminum handle (two piece) has a positive locking means preventing warp or wobble, and is adjustable from 38" to 59-1/2". Includes a rigid 16" x 4-1/4" pad holder attached to the handle by means of a universal swivel.

Federal Strategic Sourcing Initiative, 7920-01-574-8718, AbilityOne, Black/Green, EA, \$82.63

## Flat Mop Starter Kit

Easy Scrub Starter Kit includes: One Easy Scrub tool with 16" pad holder NSN 7920-01-574-8715; 10 white border microfiber pads, 18" NSN 7920-01-574-9447; and one bottle with quick fill pouring spout, 64 oz.

Federal Strategic Sourcing Initiative, 7920-01-574-8716, AbilityOne, KT, \$297.13

Easy Scrub Express Starter Kit includes: One Easy Scrub Express tool with 16" pad holder NSN 7920-01-574-8718; two white border microfiber pads with scribbling stripes, 18"; 12 bottles, 11-1/2 oz; caddy; pour jug, 1/2 gallon; training DVD; three sheets blank labels; and labeling cd template.

Federal Strategic Sourcing Initiative, 7920-01-574-9146, AbilityOne, KT, \$213.00

## Microfiber Flat Mop Pad

Micro Fiber flat mop pad is white with green scrubbing stripes on the bottom for tough build-up on floors. Machine washable and bleach safe. Intended to be used to wet mop smooth floors.

**Green border. Intended to be used to wet mop smooth floors.**

*Use with flat mop tools 7920-01-574-8715 or 7920-01-574-8718.*

Federal Strategic Sourcing Initiative, 7920-01-574-9445, AbilityOne, 18", BX(contains 10 EA), \$121.66

**Red border.**

*Use with flat mop tools 7920-01-574-8715 or 7920-01-574-8718.*

Federal Strategic Sourcing Initiative, 7920-01-574-9446, AbilityOne, 18", BX(contains 10 EA), \$115.30

**White border.**

*Use with flat mop tools 7920-01-574-8715 or 7920-01-574-8718.*

Federal Strategic Sourcing Initiative, 7920-01-574-9447, AbilityOne, 18", BX(contains 10 EA), \$122.76

**Blue border.**

*Use with flat mop tools 7920-01-574-8715 or 7920-01-574-8718.*

Federal Strategic Sourcing Initiative, 7920-01-574-9448, AbilityOne, 18", BX(contains 10 EA), \$117.77

## Dust Mop

Washable dust mop head with looped-end cotton yarns is designed for use with a five inch wide frame with rounded ends.

**Includes both mop handle, frame and mop head.**

*Has a four foot wooden handle and a four foot extension for cleaning hard-to-reach places. Wire frame has rounded ends and measures 22-1/2"L x 3-1/2"W with mop head. For use with replacement Dust Mop head 7920-00-205-0488.*

Federal Strategic Sourcing Initiative, 7920-00-616-2493, AbilityOne, EA, \$29.91

*Mop head measures 30 x 9-1/2" with yarn extended. Has a 53" wooden handle and an oval wire frame with tapered ends that measures 22-1/4 x 3-3/8". For use with replacement Dust Mop head 7920-00-205-0488.*

Federal Strategic Sourcing Initiative, 7920-00-205-0484, AbilityOne, EA, \$19.13

## Dust Mop Head

Designed for sweeping smooth, bare, dry floors. Mop head is fully washable and has 100 percent looped-end cotton yarn sewn onto durable white polyester backing. Keyhole opening makes changing heads easy. Multiple ties secure head to frame. Washable looped-end cotton yarn mop head is designed for use on the oval wire frames with tapered ends.

**Designed for use on 5 x 18" oval wire frames. Overall sweep size is 13" wide, 26" long. For use with Dust Mop Handle 7920-00-998-2485.**

Federal Strategic Sourcing Initiative, 7920-00-998-2482, AbilityOne, Natural, EA, \$10.75

**Designed for use on 5 x 24" oval wire frames with rounded ends. Overall sweep size is 13" wide, 32" long. For use with Dust Mop Handle 7920-00-998-2486.**

Federal Strategic Sourcing Initiative, 7920-00-998-2483, AbilityOne, Natural, EA, \$13.65

**Designed for use on 5 x 36" oval wire frames with rounded ends. Overall sweep size is 13" wide, 44" long. For use with Dust Mop Handle 7920-00-851-0140.**

Federal Strategic Sourcing Initiative, 7920-00-998-2484, AbilityOne, Natural, EA, \$19.67

**Designed for use on 5 x 48" oval wire frame with rounded ends. Overall sweep size is 13" wide, 56" long. For use with Dust Mop Handle 7920-00-851-0142.**

Federal Strategic Sourcing Initiative, 7920-00-851-0141, AbilityOne, Natural, EA, \$21.93

**Overall sweep size is 30" wide, 9-1/2" long. Fits frame size 3 x 22". For use with Dust Mop handle 7920-00-205-0484.**

Federal Strategic Sourcing Initiative, 7920-00-205-0488, AbilityOne, Natural, EA, \$11.22

## Dust Mop Handle and Frame

Enamel-coated, tubular steel dust mop handle (dust mop head not included) with hand grip, is 60" long and 7/8" in diameter. Assembly also includes a universal swivel-action frame on which the dust mop head is mounted.

**For use with replacement Dust Mop Head 7920-00-851-0141.**

Federal Strategic Sourcing Initiative, 7920-00-851-0142, AbilityOne, Size: 48 x 5" frame, BX(contains 6 EA), \$135.10

## Dusting Mop

Dusting mop compatible with microfiber disposable cloths that capture dirt, dust and hair and clean wood, vinyl, ceramic, electronic, and other hard surfaces. Head rotates to clean hard-to-reach places like ceiling fans, under furniture and in corners.

**50 inches long mop handle with a 10 x 4.5" head. Compatible with the Swiffer refill cloths NSN 7920-01-490-7274.**

Federal Strategic Sourcing Initiative, 7920-01-490-7273, 09060 or equal, EA, \$16.13

## Electrostatic Sweeper Refill Cloths

Refill cloths for Swiffer Sweeper NSN 7920-01-490-7273. Unscented dry refill sheets cleans wood, vinyl, ceramic and other hard surfaces.

Federal Strategic Sourcing Initiative, 7920-01-490-7274, 33407 or equal, BX(contains 32 EA), \$10.52

## Sponge Mop

Wet sponge mop features an integral double-roller wringer and a foam-covered handle. Head is 12" wide with a 52" long padded metal handle.

**12" steel roller mop with replaceable/refillable snap-on cellulose mop head. Features an ergonomic, high-handle mounted lever that operates the head rollers and enables mess-free wringing. For replacement refill sponge mop head see NSN 7920-01-383-7927.**

Federal Strategic Sourcing Initiative, 7920-01-383-7799, AbilityOne, EA, \$26.34

Cellulose sponge mop can be used for washing floors and other surfaces. Handle includes an integral squeeze mechanism that is used to remove excess water from the sponge. Mop head size; 8-1/4 x 2 x 1-1/4"

**Sponge Mop refill NSN 7920-00-471-2876.**

Federal Strategic Sourcing Initiative, 7920-00-432-7117, AbilityOne, 36" handle, BX(contains 6 EA), \$47.93

Federal Strategic Sourcing Initiative, 7920-00-728-1167, AbilityOne, 46" handle, BX(contains 6 EA), \$46.58

## Sponge Mop Refill

Replacement mop head slips in and out without tools.

**Sponge head refill is a 12" yellow cellulose sponge mop head with black metal bracket designed for the industrial steel mop. Used with NSN 7920-01-383-7799.**

Federal Strategic Sourcing Initiative, 7920-01-383-7927, AbilityOne, EA, \$10.33

## Twist-Wring Mop

String yarn twist-wring wet mop. Cotton yarn head has center band. The twist mop has plastic hardware and a 54" white painted metal handle. The mophead is twist wring by a plastic slide collar. For replacement mop head see NSN 7920-01-448-0220.

Federal Strategic Sourcing Initiative, 7920-01-448-0218, AbilityOne, EA, \$13.32

## Microfiber Tube Mop

Looped end tubed microfiber material with a 6-inch head. Use to wet mop smooth floors. Reusable and washable.

7920-01-660-1489, AbilityOne, Blue, 9.5" x 21" mop surface, EA, \$12.90

7920-01-660-1490, AbilityOne, Green, 9.5" x 21" mop surface, EA, \$15.58

## Wet Mop Head, Deck

This cotton yarn mop is a classic for swabbing floors and decks. Twine is used to firmly and permanently attach four-ply yarns to the 60"-long, fixed wooden handle. (Wringer and Bucket Set sold separately as NSN 7920-00-263-8528.)

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-224-8726, AbilityOne, Length: 17", EA, \$14.96

## Wet Mop Head

Mop head is composed of cotton and synthetic yarns. Mop head is intended for heavy-duty use that requires frequent washing.

Federal Strategic Sourcing Initiative, 7920-01-437-8636, AbilityOne, Natural, Weight: 16 oz., EA, \$13.99

Federal Strategic Sourcing Initiative, 7920-01-437-9810, AbilityOne, Natural, Weight: 24 oz., EA, \$16.97

Mop head for wet mopping has narrow, 1-1/4"-wide cotton twill headband.

**Full-length yarns of four- or five-ply cotton-rayon are folded in half and sewn onto headband.**

*Mop head has 200 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-926-5493, AbilityOne, Weight: 16 oz., EA, \$10.25

*Mop head has 225 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-926-5494, AbilityOne, Weight: 20 oz., EA, \$12.06

*Mop head has 250 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-926-5495, AbilityOne, Weight: 24 oz., EA, \$13.70

*Mop head has 275 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-926-5496, AbilityOne, Weight: 27 oz., EA, \$14.75

**Yarn is four-ply, high grade cotton/synthetic blend with untaped ends.**

*Mop head has 240 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-205-0425, AbilityOne, Weight: 20 oz., EA, \$4.94

*Mop head has 335 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-205-0426, AbilityOne, Weight: 32 oz., EA, \$7.22

**Yarn is eight-ply, high-grade cotton/synthetic blend with untaped ends.**

*Mop head has 90 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-141-5549, AbilityOne, Weight: 12 oz., EA, \$3.81

*Mop head has 100 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-171-1148, AbilityOne, Weight: 16 oz., EA, \$4.46

*Mop head has 165 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-141-5544, AbilityOne, Weight: 32 oz., EA, \$7.83

*Mop head has 120 strands minimum of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-141-5550, AbilityOne, Weight: 20 oz., EA, \$5.19

*Mop head has 130 strands of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-141-5547, AbilityOne, Weight: 24 oz., EA, \$6.29

*Mop head has 140 strands minimum of yarn.*

Federal Strategic Sourcing Initiative, 7920-00-141-5548, AbilityOne, Weight: 27 oz., EA, \$6.61

Snowite mop head with cut-ends designed to spread waxes and other floor finishes. Finishing mop is a four-ly made of 60 percent rayon and 40 percent polyester/acrylic yarn with a 5-1/2" nylon mesh headband.

**Medium duty.**

Federal Strategic Sourcing Initiative, 7920-01-512-4969, AbilityOne, White, BX(contains 12 EA), \$76.69

**Heavy duty.**

Federal Strategic Sourcing Initiative, 7920-01-512-4970, AbilityOne, White, BX(contains 12 EA), \$104.70

Finishing mop, four-ply synthetic looped end blue/white yarn, for all floors. Use with any type of mop handle.

Federal Strategic Sourcing Initiative, 7920-01-513-3290, AbilityOne, Size: Medium, BX(contains 12 EA), \$97.36

Federal Strategic Sourcing Initiative, 7920-01-513-3300, AbilityOne, Size: Large, BX(contains 12 EA), \$120.54

Economical four-ply cotton blend mop head has a 1-inch headband. Ideal for general cleaning. For use with any type of mop handle. Mop head is not washable.

Federal Strategic Sourcing Initiative, 7920-01-513-3310, AbilityOne, Natural, Size: #12, BX(contains 12 EA), \$34.85

Federal Strategic Sourcing Initiative, 7920-01-513-3316, AbilityOne, Natural, Size: #16, BX(contains 12 EA), \$47.65

Federal Strategic Sourcing Initiative, 7920-01-513-3297, AbilityOne, Natural, Size: #20, BX(contains 12 EA), \$47.35

Federal Strategic Sourcing Initiative, 7920-01-513-3317, AbilityOne, Natural, Size: #24, BX(contains 12 EA), \$64.54

Federal Strategic Sourcing Initiative, 7920-01-513-3298, AbilityOne, Natural, Size: #32, BX(contains 12 EA), \$68.65

## Waxing and Finishing Wet Mop Head

Open-head style finishing wet mop head with looped end yarns is made of four-ply 60 percent rayon, 40 percent poly/acrylic yarns. The headband is made of mesh fabric. Tailbands are 1/2" woven tape.

Federal Strategic Sourcing Initiative, 7920-01-460-7906, AbilityOne, Length: 20", EA, \$10.55

## Wet Mop Handle

Mop handle is designed for use with a wet-cleaning mop head. It includes a tightening device that firmly holds the steel plate of the mop head against a steel wire bail. (Tightening device is a combination screw and wing nut type).

### Features a wooden handle.

Federal Strategic Sourcing Initiative, 7920-00-205-1168, AbilityOne, Length: 54"; Diameter: 1-1/8", EA, \$8.02

Federal Strategic Sourcing Initiative, 7920-00-267-1218, AbilityOne, Length: 60"; Diameter: 1-1/8", EA, \$9.90

Wooden mop handle is designed for use with a wet-cleaning mop head. It is sturdily built with a rust-resistant steel spring-lever fixture that holds the mop head.

Federal Strategic Sourcing Initiative, 7920-00-205-1170, AbilityOne, Length: 60"; Diameter: 1-1/8", EA, \$9.28

Clip-type handle holds a wet-cleaning mop head with steel-head fixture with a spring-action clip. The removable spring-yoke bale is made of spring-steel wire. The yoke holds mop head in a groove on the metal head and locks into tabs on side of head. Handle is made of steel covered with a plastic sleeve; handle end is covered with a rubber or vinyl cap.

Federal Strategic Sourcing Initiative, 7920-00-781-5247, 4060 or equal, Length: 60"; Diameter: 7/8", EA, \$48.82

## Mop Handle

Made of molded lightweight fiberglass material. Will not rust, foster bacterial growth or scratch furniture or baseboards like metal heads. Polylock jaw-type clamp with a rotating plastic collar. Rotate the plastic collar and the jaw opens, allowing easy insertion and release of mop head without direct hand contact.

Federal Strategic Sourcing Initiative, 7920-01-452-2030, AbilityOne, 54" handle, BX(contains 12 EA), \$169.78

Federal Strategic Sourcing Initiative, 7920-01-452-2029, AbilityOne, 60" handle, BX(contains 12 EA), \$183.98

Quick drop mop handle is easy to load. Heavy-duty molded plastic head with a lever for releasing mop head eliminates the handling of a dirty mop.

### Made of wood.

Federal Strategic Sourcing Initiative, 7920-01-513-3309, AbilityOne, Length: 57", BX(contains 12 EA), \$117.35

### Made of vinyl coated metal.

Federal Strategic Sourcing Initiative, 7920-01-564-7770, AbilityOne, Length: 57", BX(contains 12 EA), \$95.15

### Handle made of fiberglass.

Federal Strategic Sourcing Initiative, 7920-01-513-3311, AbilityOne, Length: 57", BX(contains 12 EA), \$128.95

## Bucket and Caddy Cleaning Kit

Five piece bucket and caddy cleaning kit includes a 4-gallon plastic bucket with handle; a plastic storage caddy with handle; an all-purpose scrubber brush; a 20" x 23" highly absorbent shammy cleaning cloth; and a utility scrub brush.

7240-01-647-1014, AbilityOne, KT, \$26.86

## Wet Mop Bucket

Galvanized steel bucket is oval-shaped with tapered sides. Mounted on a spider-type chassis with four ball-bearing swivel casters with 1-7/8" wheels. Can be used in conjunction with a mop wringer.

Federal Strategic Sourcing Initiative, 7920-00-926-5244, 2103 or equal, Capacity: 26 qt., EA, \$114.72

## Wet Mop Wringer

Wringer fits over rim of mop bucket so that water squeezed from mop returns to bucket. Steel-coated wringer resists corrosion that might occur as a result of normal use.

**Gear-and-rack-type mechanism utilizes downward pressure on mop head to squeeze out excess water. Wringer is designed for mop head capacities of 8-16 ounces.**

Federal Strategic Sourcing Initiative, 7920-00-682-6861, 1021 or equal, EA, \$101.05

## Wet Mop Wringer and Bucket Set

This 26- to 35-quart plastic mopping bucket features four swivel casters and a metal bail. A plastic sideward press wringer accommodates 12- to 32-ounce mop heads and has a metal handle. Wringer is removable from the bucket.

Federal Strategic Sourcing Initiative, 7920-01-343-3776, AbilityOne, Yellow, OT, \$86.37

Gear-and-rack-type set is intended for heavy-duty cleaning chores. Set consists of an oval, zinc-coated, steel bucket and a downward-pressure squeeze wringer. Bucket is mounted on spider chassis with four swivel casters. Rubber bumper protects walls and baseboards. Operate by hand. (Wet mop sold separately as NSN 7920-00-224-8726.)

**Wringer dimensions: 8-7/8 x 5-1/2 x 6-1/8".**

Federal Strategic Sourcing Initiative, 7920-00-263-8528, 2000/260 or equal, Capacity: 26 qt., OT, \$271.55

## Wet Floor Sign

Plastic sign features two-sided bilingual (English/Spanish) "Caution Wet Floor" warning printed in black on high visibility yellow. Ideal for narrow spaces, folds flat for easy transport or to fit on a janitorial cart.

9905-01-588-2362, AbilityOne, 12" W x 26" H, EA, \$13.98

## Electric Floor Polisher

Floor polisher uses 17-inch brushes. Includes three polishing brushes and two scrubbing brushes. Metal chassis. Handle has a height of 48 inches and can be positioned at an angle of 45 or 60 degrees. Two 3.5" non-marking wheels and non-marking bumpers. 50-foot power cord. Operates at 120 Volts AC, 60 Hz. Conforms to UL 561.

7910-00-985-6797, L19E or equal, EA, \$1,104.20

Electric floor polisher operates at 1100 rpm and will accommodate a 20" diameter pad. Designed for continuous duty, polisher has a non-marking bumper, dual safety switch levers, wear indicator light to eliminate motor burnout and a 50' three-conductor power cord with integral ground fault circuit interrupter. Operates on 115V AC, 60-Hz single-phase power.

**Approved for use aboard U.S. Navy ships.**

Federal Strategic Sourcing Initiative, 7910-01-386-3666, Protector 9000 or equal, EA, \$1,513.51

## Electric Floor Burnisher

Low normal running current of 10 amps. Pad rotates at 1,000 rpms minimum. Provided with a 50' power cord. Operates on 120VAC, 60-Hz power.

Federal Strategic Sourcing Initiative, 7910-01-364-2170, DC-21-1170 or equal, Diameter: 20", EA, \$1,071.17



## Vacuum Cleaner

Upright vacuum cleaner with wheels is for dry pickup. Conforms to UL standards.

**Includes a 30' 3-conductor power cord, 8-foot stretch hose, 11-inch crevice tool, 12-inch wand, and an upholstery/dusting tool. Operates on 120 volt AC, 60-Hz, single-phase power.**

Federal Strategic Sourcing Initiative, 7910-00-720-5536, CH53005 or equal., EA, \$219.84

Canister-type model with wheels has a 1-1/2" diameter telescopic wand assembly, and one 7 foot crushproof hose assembly. Includes one deluxe floor brush, one upholstery nozzle, one dusting brush, and one crevice tool.

*Operates on 115VAC, 60 Hz power, single phase.*

Federal Strategic Sourcing Initiative, 7910-00-550-9123, SC3683D or equal, EA, \$139.29

Vertical-tank vacuum cleaner is for light commercial use. Continuous-duty model is furnished with a minimum of a floor tool; crevice tool; wand assembly; squeegee tool; crushproof hose assembly, 120" minimum in length; automatic shutoff assembly; and any necessary attachments for conversion from dry to wet pickup. Cord storage brackets are provided. Conforms to UL standards.

**For wet or dry pickup. Wheel mounted. Includes a 24' 3-conductor power cord.**

*5-gallon capacity. Operates on 120v AC, 60-Hz power.*

Federal Strategic Sourcing Initiative, 7910-00-550-9120, B160420 or equal, EA, \$461.30

Explosion proof and dust ignition proof, electric vacuum cleaner designed for use in Class I, Group D, and Class II, Groups E, F and G conditions, as defined in NFPA 70. For wet or dry pickup. Wheel mounted, with static dissipative conductive wheels. Stainless steel tank, with dry recovery capacity of 10 gallons, and wet recovery capacity of 12.5 gallons. 9 amps, vacuum of 69 inches H<sub>2</sub>O, airflow of 132 CFM, HEPA filtration, suction inlet of 1.5", static dissipative tools and accessories consisting of floor tool, crevice tool, round brush, conical nozzle, extension wand and 10-foot hose. 50' three-conductor cord without plug (check local code for acceptable plug), single phase.

**Operates on 120VAC, 60-Hz power.**

Federal Strategic Sourcing Initiative, 7910-00-526-1959, 110251A or equal, EA, \$7,901.35

Vacuum cleaner has a 10 GL capacity and is for dry pickup. Suitable for continuous use and furnished with a brush tool, crevice tool, wand and a crushproof hose. Operates on 120v 60 Hz power.

Federal Strategic Sourcing Initiative, 7910-00-720-5541, B160414 or equal, EA, \$593.05

Upright vacuum cleaner with a 7.0 amp motor. Features a 4-position carpet height adjuster, disposable paper bag, 4' crush resistant hose and a 20' power cord. Attachments included. Operates on 120 VAC, 60Hz power, single phase.

Federal Strategic Sourcing Initiative, 7910-01-420-0590, SC5713D or equal, EA, \$271.28

Vacuum cleaner has a 10 GL capacity and is for wet or dry pickup. Suitable for continuous use and furnished with an 11-inch floor tool, 9-inch crevice tool, 12-inch floor squeegee tool, 48-inch wand assembly, and a 10' crushproof hose assembly with 1-1/2-inch diameter. Operates on 120v 60 Hz power. Conforms to UL standards.

**For wet or dry pickup. Wheel mounted. Includes a 24' 3-conductor power cord.**

Federal Strategic Sourcing Initiative, 7910-00-550-9111, 110776A or equal, EA, \$893.61

## Electric Vacuum Cleaner

HEPA vacuum cleaner is suitable for use in vacuuming dry non-flammable hazardous materials, including dry asbestos dust and fibers. A 3-stage filter system includes a Dacron filter bag, polyester pre-filter, and a HEPA filter. Wheel mounted with a 5 GL capacity and a 10' crush-proof hose with vacuum attachments and 25' power cord. Minimum 1 HP motor. Operates at 120V AC, 60-Hz.

**Suitable for use with 7910-01-337-5689 (Pullman Ermator paper bag filter).**

Federal Strategic Sourcing Initiative, 7910-01-084-8854, B160419 or equal, EA, \$849.01

## Pneumatic Vacuum Cleaner

Mobile Fuel Sump Recovery Unit can be towed at road speeds up to 35 MPH. Unit weighs 2,000 lbs and has a tow bar with steering linkage and brake assembly, and four 15" pneumatic tires. Vacuum power head with a single venturi source, and noise limited to 80 dbA. Anti-sparking inlet, liquid cut-off with copper float ball, integral flame arrestor, and a 3/4" x 25' high pressure static conductive hose. Internal filter, 275 GL carbon steel collection tank, 2" drain valve, static grounding reel with 50-ft ground wire. Maximum air flow 100 SCFM, requires compressed air at minimum 35 SCFM @ 60 PSI, maximum 70 SCFM @ 60 PSI. Compressed air connection 1/2" ID NPT female.

Federal Strategic Sourcing Initiative, 7910-01-198-3913, 747-04 or equal, Yellow, EA, \$24,594.65

Portable vacuum cleaner is designed for use with Clayton Dustmaster Dustless Sanding Systems. The ULPA filtering system, filters 99.999% of airborne particles at 0.12 microns. Internal manifold permits connection to as many as three simultaneous users. Includes 5" locking casters that are designed for uneven surfaces and can withstand outdoor conditions, including flight line operations. Safe-filter-change feature prevents re-introduction of dust and pollutants into the atmosphere during filter changes. Operates on 75 CFM input air @ 90 PSI.

Federal Strategic Sourcing Initiative, 7910-01-520-6436, DM-104 or equal, EA, \$6,391.11

Pneumatic wet/dry vacuum cleaner has a 15 GL tank with a 10 GL collection capacity. Includes a foam impact filter, HEPA filter cartridge, 10' hose, double-curved aluminum wand, 14" squeegee tool, 11" crevice tool, and a 3" brush tool. Wheel mounted. Operates on 45 CFM input air @ 80 PSI.

Federal Strategic Sourcing Initiative, 7910-01-400-0928, 110869 or equal, EA, \$2,808.48

Pneumatic wet/dry vacuum cleaner has a 15 GL tank with a 10 GL collection capacity. Includes impact filter, microfilter, and detachable trolley assembly. Three-stage filter system allows for liquid or dry pick-up with no filter change or adjustment.

Federal Strategic Sourcing Initiative, 7910-01-483-5302, 01799600 or equal, 24" L x 21-1/2" W x 37-1/2" H, EA, \$3,890.52

## Vacuum Bag

Multi-layered vacuum bags, incorporating patented air channels, 4 mil thick, inter-connecting air channels, minimum of 13 channels per inch, can be as many as 30 inch, material specifications: heat sealable internal layer of LLDPE (linear low density polyethylene) and outer oxygen barrier layer of nylon; 3 mil polyethylene and 1 mil nylon

8105-01-381-6365, 8"W x 20"H, PG(contains 2 EA), \$27.66

# Spill-Containment

## Absorbent Pillow

Pillow is capable of absorbing both water and oil based spills. Absorbent material is composed of amorphous mineral silicates. All ingredients are non-toxic, non-hazardous, inert and non-biodegradable. Each pillow is 10 x 18 x 2 inches.

Federal Strategic Sourcing Initiative, 7930-01-353-6414, Material Safety Data Sheet, 640 or equal, BX(contains 20 EA), \$138.29

## Floor Machine Pad

Floor maintenance pads are used for buffing, scrubbing, cleaning, stripping, burnishing and polishing floors, Suitable for mounting on power driven, rotary disk type floor machines. Operates up to 350 RPM. CID A-A-3004

**Measures 11/16" thick, with a scored, removable, 3-3/8"-diameter center hole.**

*Designed for buffing.*

Federal Strategic Sourcing Initiative, 7910-00-820-9898, AbilityOne, Tan, Diameter: 20", BX(contains 5 EA), \$41.02

Floor maintenance pads used for buffing, scrubbing, cleaning, stripping, burnishing and polishing floors. Suitable for mounting on power driven, rotary disk type floor machines. Spray operation from 150 to 750 RPM. Polyester or blended with nylon. Pad has a scored or removable center hole 3-3/8" in diameter and is 7/8" thick. CID A-A-3004.

*Designed for polishing.*

Federal Strategic Sourcing Initiative, 7910-01-092-8503, AbilityOne, White, Diameter: 20", BX(contains 5 EA), \$29.62

Floor maintenance pads used for buffing, scrubbing, cleaning, stripping, burnishing, and polishing floors, suitable for mounting on power driven, rotary disk type floor machines that are rated up to 350 RPM. The floor pads shall be in accordance with Commercial Item Description A-A-3004.

**Measures 11/16" thick, with a scored, removable, 3-3/8"-diameter center hole.**

*Designed for stripping.*

Federal Strategic Sourcing Initiative, 7910-00-820-9912, AbilityOne, Black, Diameter: 20", BX(contains 5 EA), \$45.41

Combo burnishing pad used for rotary disk floor machine operating at 2,500 RPM and above. Made of polyester and natural hair blend. For use on resilient tile, terrazzo, marble and ceramic tile floors. Pad is 1" thick with a 3-3/8" center hole.

Federal Strategic Sourcing Initiative, 7910-01-363-6975, AbilityOne, Ivory, Diameter: 20", BX(contains 5 EA), \$36.84

# Cleaning and Wiping Cloths

## Cleaning Cloth

Disposable, non-woven cleaning cloth.

**This non-abrasive, reusable cloth is ideal for cleaning, polishing and wiping. Made of knitted nylon or polyester, cloth is rectangular with a minimum width of 10". (Not intended for use on large plastic surfaces.) CID A-A-59323A**

*Low lint cleaning cloth for general-purpose cleaning (not clean room standards), is highly absorbent.*

7920-00-044-9281, 3479 or equal, White, 200 to 310 sq. in., BX(contains 10 LB), \$36.83

*Low-lint cleaning cloth for clean room use, is moderately absorbent.*

7920-00-165-7195, 3480 or equal, White, 200 to 310 sq. in., BX(contains 10 LB), \$48.19

**Light-duty cloth is untreated; use for dusting or wiping and washing.**

7920-00-401-8034, 150 sq. in., HD, \$48.76

**Heavy-duty high-strength cloth is untreated; quickly absorbs large amounts of oil or water; 10" minimum width.**

Federal Strategic Sourcing Initiative, 7920-00-292-9204, 150 sq. in., MX, \$129.88

**Made of 100 percent virgin cotton cloth that is scoured not bleached. IAW SAE-AMS 3819. For cleaning operations where low residual surface contamination levels are required.**

Federal Strategic Sourcing Initiative, 7920-01-004-7847, AbilityOne, 21 x 10", RO(contains 100 SH), \$17.20

Three-ply soft paper towel is highly absorbent and non-abrasive. Designed for cleaning and polishing soft plastic surfaces using non-abrasive liquid cleaning solutions or water without scratching the surface.

**Box contains three pop-up dispenser packages containing 90 towels for a total of 270 towels.**

*40%, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-01-448-7052, AbilityOne, 15-1/4 x 16-1/2", BX(contains 270 EA), \$21.01

**Box contains fifteen pop-up dispenser packages containing 90 towels for a total of 1,350 towels.**

*40%, Which Includes 40% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-00-965-1709, AbilityOne, White, 15-1/4 x 16-1/2", BX(contains 1350 EA), \$100.11

Wiping rags in various sizes are made from all-purpose white cotton (T-shirt knit) material. Comes in a convenient dispenser box.

Federal Strategic Sourcing Initiative, 7920-01-454-1147, AbilityOne, White, BX(contains 5 LB), \$17.32

Non-woven cloths can be used with solvents in clean-up of ink, grease and oil. Excellent for aircraft and mechanical applications. Disposable cloths come in a dispenser box. Type 1 - untreated; Class 7 - Aircraft solvent wiper.

**Unit of issue is a box containing 18 dispenser boxes, each box contains 150 cloths for a total of 2,700 cloths.**

7920-01-180-0556, 8938 or equal., White, 8-3/4 x 8-3/4", BX(contains 2700 EA), \$253.00

High performance industrial weight cloth; provides excellent dust, oil and water pick-up; unique pattern design of bi-component micro fibers and knit construction. Lint free and streak-free. Non-scratching for use on delicate surfaces.

**Use for dusting, fingerprints and grease, wash and reuse.**

7920-01-482-6040, 2011 or equal, Blue, 12 x 14", BX(contains 50 EA), \$91.86

**Use for dusting, fingerprints or grease, wash and reuse.**

Federal Strategic Sourcing Initiative, 7920-01-482-6043, AbilityOne, Blue, 12 x 12-1/2", PG(contains 5 EA), \$21.95

**For lens cleaning. Wash and reuse.**

7920-01-648-6104, AbilityOne, Blue, 6 X 7", PG(contains 3 EA), \$2.84

## Wiping Towels (Four-Ply)

These heavy-duty, non-woven wiping cloths feature soft, absorbent cellulose layers sandwiched between layers of non-interlaced rayon fibers. Both the base material and the reinforcement fibers decompose in landfills and salt water, making them environment-friendly and decomposable. Also, because the fibers are not interlaced, they will not pose a hazard to wildlife before decomposing. Base cloth is made from recycled material.

*40%, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-01-370-1364, AbilityOne, 160 Sq In, BX(contains 400 EA), \$38.85

Federal Strategic Sourcing Initiative, 7920-01-370-1365, AbilityOne, 215 Sq In, BX(contains 400 EA), \$47.63

## Wiping Towels, Medium Duty (Four-Ply)

Use this paper wiper for cleaning plastic surfaces, countertops, appliances, and mirrors. Folded and boxed for "pop-up" one-at-a-time removal.

**Industrial wiping.**

*40%, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7920-01-448-7053, AbilityOne, 10 x 16-1/2", BX(contains 150 EA), \$14.58

Disposable, non-woven cleaning cloth.

**Pop-up, two-ply double recycled cellulose wipers are excellent for use in hospitals, kitchens, maintenance shops, and other areas requiring highly absorbent wipers.**

*Postconsumer Material*

Federal Strategic Sourcing Initiative, 7920-01-454-5879, AbilityOne, 16 x 20", BX(contains 150 EA), \$54.43

## Shop Towels

Absorbent, reusable and disposable red shop towels for industrial cleaning. Suitable for cleaning shop equipment, tools, machinery and for automotive use. Made of 100 percent cotton. Box contains 24 bundles of 12 for a total of 288 towels.

Federal Strategic Sourcing Initiative, 7920-01-454-1148, AbilityOne, Red, 15 x 15", BX(contains 288 EA), \$107.24

## Wiping Towels

Multipurpose 100 percent cotton terry towels are highly absorbent. Each box contains 24 bundles with 12 towels per bundle for a total of 288 towels.

Federal Strategic Sourcing Initiative, 7920-01-454-1150, AbilityOne, White, 16 x 19", BX(contains 288 EA), \$220.72

## Machinery Wiping Towels

Disposable, non-woven cleaning cloth is highly absorbent and can be used for food services, general maintenance, and other general cleaning purposes. Made with two-ply Durable Recrepe (DRC) construction with a mesh reinforcement.

Federal Strategic Sourcing Initiative, 7920-01-570-3636, AbilityOne, 9-3/4" x 16-3/4", BX(contains 150 EA), \$30.53

## Cloth

100 percent cotton terry cloth. Bleached white, woven with single loop pile, excellent for a wiping cloth. 8.7-oz., per square yard.

**Each bolt contains 50 yards plus or minus five yards. Bolt may contain no more than two pieces with no piece less than 10 yards.**

Federal Strategic Sourcing Initiative, 8305-00-205-3065, UNICOR, White, Width: 36"; Length: 50 yds., BO(contains 50 YD), \$212.46

## Cotton Muslin

Plain weave cotton muslin.

**Bleached white muslin weighs 2.7 oz. per square yard. Each bolt contains 40 yards plus or minus 5 yards. Bolt may contain no more than two pieces with no piece less than 15 yards.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 8305-00-170-9472, 9562406161 or equal, Width: 36", BO(contains 40 YD), \$207.91

## Flannel Cloth

Cotton flannel, napped on both sides. Plain weave lightweight cotton flannel cloth; 4-oz., per square yard. Can be used as polishing or cleaning cloth for aircraft windscreens and canopies.

Federal Strategic Sourcing Initiative, 8305-00-913-5817, FL400 or equal, Baby Blue, 45" wide, BO(contains 50 YD), \$200.07

## Textile Tape

Non-elastic woven tape for general purpose use.

**Plain weave, flat, polyester textile tape.**

8315-01-463-5853, 4635853 or equal, White, Width: 2", RO(contains 167 YD), \$27.85

## Solvent Cleaning Cloth

Heavy-duty spun-lace, low-lint reusable wiper can be used with solvents in clean-up of inks, grease and oil. Cloth is interfolded and is excellent for use in aerospace, metal fabrication, printing presses, and painting. Type 1 - Untreated; Class 7 - Aircraft solvent wiper.

**Unit of issue box is a case containing eight dispensers, 100 wipes per dispenser for a total of 800 cloths.**

Federal Strategic Sourcing Initiative, 7920-01-180-0557, AbilityOne, White, 16-3/4 x 19-1/4", BX(contains 800 EA), \$245.49

Durable, reusable, absorbent non-woven wipers that stay strong for better cleaning and long lasting performance. The wipers will clean oil, grime, and solvents and are ideal for all manufacturing, maintenance and repair. Made with Kimberly-Clark high-tech HYDROKNIT® WYPALL X70 Fast Absorbing Material. The wipers are packaged a minimum of 174 per box for dispensing.

Federal Strategic Sourcing Initiative, 7920-01-512-2412, AbilityOne, White, 11 x 16-1/2", BX(contains 174 EA), \$34.15

## Polishing Cloth

Soft scratch-free cloth polishes and dusts surfaces such as glass, acrylic, metal, chrome, wood, paint, auto interior and exterior, office equipment, furniture and more. 100 percent white cotton flannel cloth is washable and reusable, cloth features bound edges and a soft finish. Both sides are lightly napped.

Federal Strategic Sourcing Initiative, 7920-00-205-1656, AbilityOne, 17 x 21", PG(contains 12 EA), \$15.05

## Polishing Pad

Versatile polishing material contains non-toxic chemicals for shining tarnished aluminum surfaces to a high luster. Excellent for removing corrosion, tar, grease and stains caused by exhausts and petroleum products. Primarily for use on aluminum aircraft surfaces, this pad also polishes copper, brass, steel and chromium plating. Leaves a protective coating; contains ash. Packaged in a sealed can.

Federal Strategic Sourcing Initiative, 7920-00-823-9818, Material Safety Data Sheet, 30837 or equal, CN(contains 2 LB), \$22.08

## Cleaning Pad

White cleaning pad eraser made of melamine sponge foam. The pad is capable of removing stains, scuff marks, and dirt from walls, floors, doors and other surfaces.

7920-01-667-2781, AbilityOne, White, 4.6 x 2.4 x 1.0T, PG(contains 4 EA), \$3.96

## Wiping Cloth

Highly absorbent disposable towel non-abrasive and non-woven. Made of durable 100 percent treated polypropylene, these towels are great for any rough cleaning job.

Federal Strategic Sourcing Initiative, 7920-01-177-3633, AbilityOne, Blue, 11-1/2 x 16", BX(contains 150 EA), \$31.80

**Box contains 6 dispenser boxes of 50 towels each for a total of 300 towels.**

Federal Strategic Sourcing Initiative, 7920-01-233-0483, AbilityOne, Blue, 11-1/2 x 16-1/2", BX(contains 300 EA), \$71.30

For general shop use medium-duty, non-woven cellulose absorbent towel. Applications range from spill clean up to general cleaning and dusting. Comes in a convenient dispenser box.

**Minimum surface area of 165 square inches and a minimum side dimension of 9.5 inches; 1.75 oz. per yard, weight 500 percent water absorption and 500 percent oil absorption.**

Federal Strategic Sourcing Initiative, 7920-00-532-8543, AbilityOne, BX(contains 400 EA), \$48.37

**Minimum surface area of 338 square inches and a minimum side dimension of 13.0 inches; 1.75 oz. per yard, weight 500 percent water absorption and 500 percent oil absorption.**

Federal Strategic Sourcing Initiative, 7920-00-519-1912, AbilityOne, BX(contains 200 EA), \$50.13

Clean machinery and mechanical components with this plain-weave cotton cloth, with finished edges. Reusable after laundering, towel is bleached or unbleached as available. Weighs 4.5 oz per square yard.

Federal Strategic Sourcing Initiative, 7920-00-260-1279, AbilityOne, 16-1/2 x 18", BX(contains 50 EA), \$64.55

For tough industrial jobs. Twill-weave, cotton jean cloth, bleached and lint free. Cloth weighs 4.8 oz per square yard.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-634-2408, CJ99300 or equal, 9 x 9", PG(contains 300 EA), \$57.56

Economical, environmentally friendly alternative to Terry Cloth Machinery Wiping Towels. The cloth is a low-lint, highly absorbent, soft, marine degradable 100 percent hydro entangled white rayon. It comes 250 linear yards on a 3" inside diameter core roll wrapped in Kraft paper and packed in a fiberboard box.

Federal Strategic Sourcing Initiative, 7920-01-463-4653, AbilityOne, Width: 18", RO(contains 250 YD), \$263.18

Soft and absorbent, this sanitized rag wipes machinery and equipment surfaces clean of water, grease and oil. Cloth contains cotton fiber mixed with synthetic fabrics. Measures at least 9" wide with a minimum area of 200 square inches. (The 50 pound bale is compressed to less than 3-1/2 cubic feet).

**For general-purpose wiping, lightweight rag is made from mixed color remnants, mill ends and reclaimed fabrics. (2 to 7 oz. per square yard)**

Plastics Removal in Marine Environments

7920-00-148-9666, Assorted Colors, BE(contains 50 LB), \$30.87

**For use where a higher-quality wiping rag is required, this lightweight rag is made from sheets, shirts, pillowcases and similar materials. (2 to 7 oz. per square yard).**

Plastics Removal in Marine Environments

7920-00-205-3570, White, BE(contains 50 LB), \$44.05

**For heavy-duty wiping, rag is made from mixed color remnants, mill ends, and reclaimed fabrics (3 to 10 oz. per square yard).**

Plastics Removal in Marine Environments

7920-00-205-1711, 1711 or equal, Assorted Colors, BE(contains 50 LB), \$28.18

## Cheesecloth

Plain-weave, bleached cotton cheesecloth remnants are great for general-purpose wiping and polishing.

**Commercial Grade No. 10 (light weight).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 8305-01-125-0725, AbilityOne, White, 35" wide, PG(contains 5 YD), \$5.41

**Commercial Grade No. 50 (medium weight).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 8305-00-205-3496, AbilityOne, White, Width: 35", PG(contains 10 YD), \$7.82

Federal Strategic Sourcing Initiative, 8305-00-205-3495, AbilityOne, White, Width: 35", BO(contains 100 YD), \$67.90

**Commercial Grade No. 90 (heavy weight).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 8305-00-262-3321, AbilityOne, White, Width: 35", BO(contains 50 YD), \$54.71

# Brushes, Sponges and Cleaning Tools

## Sponge

This durable and absorbent sponge is intended for general cleaning with commercial detergents, soaps and cleaning agents. Soft and pliable when wet, sponge is made of regenerated cellulose. Not for use with solvents, acid or alkaline solutions.

**Sponge is compressed by 80 percent for increased storage efficiency.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-240-2555, AbilityOne, Natural, 3-5/8 x 5-3/4 x 1-3/4", PG(contains 12 EA), \$31.17

**Uncompressed form.**

Federal Strategic Sourcing Initiative, 7920-00-633-9906, AbilityOne, Natural, 4-1/4 x 6-1/2 x 2-1/8", BX(contains 60 EA), \$194.44

Federal Strategic Sourcing Initiative, 7920-00-559-8463, AbilityOne, Green, 3-5/8 x 5-3/4 x 1-3/4", BX(contains 60 EA), \$121.93

Federal Strategic Sourcing Initiative, 7920-00-559-8464, AbilityOne, Yellow, 3-5/8 x 5-3/4 x 1-3/4", BX(contains 60 EA), \$131.01

Federal Strategic Sourcing Initiative, 7920-00-633-9928, AbilityOne, Natural, 2-3/4 x 4-3/8 x 1-3/8", BX(contains 60 EA), \$58.25

Federal Strategic Sourcing Initiative, 7920-00-884-1115, AbilityOne, Natural, 4-1/4 x 6-1/4 x 2-1/8", EA, \$3.61

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-884-1116, AbilityOne, Natural, 3-5/8 x 5-3/4" x 1-3/4", BX(contains 60 EA), \$144.70

## Scrubber Sponge

Cellulose sponge with nylon scrubber material is for heavy-duty cleaning, scouring, scrubbing and shining. The sponge side is suitable for damp wiping and cleaning.

7920-01-663-4340, AbilityOne, Yellow/Green, 4.25" L x 2.75" W x 0.70" T, PG(contains 3 EA), \$2.38

Federal Strategic Sourcing Initiative, 7920-01-566-4130, AbilityOne, Yellow/Green, 6.25" L x 3.25" W x 0.75" T, PG(contains 3 EA), \$3.89

Polyurethane sponge with nylon scrubber material is for gentle household cleaning and shining. The scrubber side is suitable for cleaning bathroom surfaces such as sinks, tubs, toilet bowls, shower doors and tile. The sponge side is suitable for damp wiping countertops and for kitchen use in dishwashing, glassware, flatware and other items that do not need scrubbing to clean.

Federal Strategic Sourcing Initiative, 7920-01-463-2977, AbilityOne, Green, 4-3/4" L x 3" W x 3/4" T, BX(contains 12 EA), \$7.50

## Grill Cleaning Kit

Complete kit includes griddle pad holder, 20 griddle screens and a scouring pad. Screen is 5-1/4 x 4" abrasive-coated fiberglass and pad is 5-1/4 x 4 x 1/2" abrasive-coated nylon mat.

**For use with replacement screens (7920-01-162-6064) and replacement pads (7920-00-891-7537).**

Federal Strategic Sourcing Initiative, 7920-01-222-7798, AbilityOne, 5-1/2 x 4 x 1/2", KT, \$17.65

## Griddle Scouring Pad

Abrasive-coated nylon mat pad is ideal for cleaning griddles and other hard-to-clean cooking surfaces.

**Can be used with Pad Holder 7920-01-222-7798.**

Federal Strategic Sourcing Initiative, 7920-00-891-7537, AbilityOne, 5-1/4 x 4 x 1/2", BX(contains 60 EA), \$40.62

## Griddle Screen Scouring Pad

Abrasive-coated griddle screen scouring pad is made of fiberglass.

**Can be used with Pad Holder 7920-01-222-7798.**

Federal Strategic Sourcing Initiative, 7920-01-162-6064, AbilityOne, 5-1/2 x 4", BX(contains 200 EA), \$57.64

## Scouring Pad

This synthetic foam sponge features an aluminum oxide abrasive on one side, making it great for heavy-duty scrubbing. (Does not contain soap).

7920-00-655-5290, AbilityOne, 4-1/2 x 3 x 1/2", DZ, \$10.66

Non-woven nylon pad is coated with very fine-grade aluminum oxide abrasive.

Federal Strategic Sourcing Initiative, 7920-00-045-2940, AbilityOne, Maroon, 6 x 9 x 3/8", BX(contains 20 EA), \$19.33

Designed for light-duty cleaning jobs, this non-toxic pad contains a fine abrasive coating that safely cleans cooking utensils and food storage containers. Resistant to hot water, solvents, and detergents.

**Customers that require PRIME packaging - order NSN 7920-01-499-1617 (PRIME packaged, scouring pad).**

Federal Strategic Sourcing Initiative, 7920-00-753-5242, AbilityOne, 6 x 9-1/2 x 1/4", PG(contains 10 EA), \$3.30

Heavy-duty pad made of stainless steel is ideal for scrubbing pots, pans, cooking utensils, sinks and tables.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-926-5176, AbilityOne, Diameter: 4"; Thickness: 1-3/4", DZ, \$16.94

## Scouring Brick

Pumice stone brick is for scouring burned food and carbon from grills and griddles without marring the surface. For use with holder 7920-00-058-2242.

Federal Strategic Sourcing Initiative, 7920-00-291-1237, AbilityOne, Gray, 3x3x6, EA, \$9.79

## Scrub Brush

Curved, plastic block brush is ideal for scrubbing kitchen pots and pans. With hole molded in block for hanging and 1-3/8"-long synthetic bristles.

7920-00-061-0037, 365015 or equal, 6 x 2-1/2 x 3/4", EA, \$8.67

Kitchen utensils and equipment are easily scrubbed with this handy brush. Consists of a molded plastic or wood block with 5" fingertip handle, 1-1/4"-long polyimide filament bristles, and a round hole in handle for convenient hanging.

Federal Strategic Sourcing Initiative, 7920-00-061-0038, AbilityOne, Natural, 3 x 3-3/4", EA, \$6.63

Scrub brush is designed for the manual scrubbing of floors. Consists of a hardwood or commercially acceptable plastic block set with 1-3/16"-long polypropylene fiber bristles. (This brush is not designed to accommodate a handle).

Federal Strategic Sourcing Initiative, 7920-00-240-7174, AbilityOne, 2-1/2" x 7-11/16", EA, \$4.46

This strong, versatile brush is excellent for scrubbing benches and decks. Bristles are 2" long and are made of palmyra fiber or polypropylene filament. Both sides of the hardwood block are drilled for insertion of a 1-1/8"-diameter tapered handle.

7920-00-240-7171, 7171 or equal, 9-3/4"L x 2-1/2"W x 3-1/4" Thick, EA, \$16.54

Perfect for general household scrubbing, tampico fiber bristles have a smooth-finished wood or molded-plastic block. Shaped to fit comfortably in the hand. Bristles are 1-1/8" long.

Federal Strategic Sourcing Initiative, 7920-00-282-2470, AbilityOne, 2-3/4 x 10-3/4 x 3/4", EA, \$7.20

Scrub steam kettles and other kitchen equipment with ease. Brush consists of a 36"-long plastic handle attached to a plastic, cylindrical block. Has 1-1/4"-long plastic bristles.

Federal Strategic Sourcing Initiative, 7920-00-959-3842, EA, \$16.48

## Wire Brush

For use in general light scrubbing and paint removal. Features a 1-3/8" brush, a 7-3/4" curved handle, and brass filler.

Federal Strategic Sourcing Initiative, 7920-01-604-3309, 44189 or equal, DZ, \$17.48

This steel-wire brush scrubs away acid stains, paint, and rust.

**Bristles made of corrosion resistant steel wire are arranged in 4 x 16 rows and are 1" long. Offset shoe handle of wood or molded plastic. For brushing monel, aluminum or stainless steel.**

Federal Strategic Sourcing Initiative, 7920-00-269-1259, AbilityOne, 10-1/2 x 1 x 5/8", EA, \$4.81

**Bristles made of carbon steel wire are arranged in 4 x 16 rows and are 1-1/8" long. Offset shoe handle made of wood. This brush may also be used for cleaning pipe threads and welds.**

Federal Strategic Sourcing Initiative, 7920-00-282-9246, AbilityOne, 10-1/2 x 1 x 5/8", EA, \$3.93

**Bristles made of carbon steel wire are arranged in 4 x 18 rows and are 1-1/8" long. Wooden or molded plastic rocker block has an integral curved handle.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-291-5815, AbilityOne, 13-3/4 x 1-1/4 x 3/8", EA, \$5.67

Wire brush features bristles made of copper beryllium alloy for use in descaling metal, masonry and wood. Also effective for roughing rubber, leather and other materials; spark proof.

**Wooden rocker block with curved handle holds 1-1/4"-long bristles arranged in 3 x 19 rows. Brush measures 13-1/2" long overall.**

Federal Strategic Sourcing Initiative, 7920-00-255-5135, AbilityOne, BX(contains 12 EA), \$204.81



## Radiator Brush

Brush is specially designed for dusting and cleaning household radiators. Brush body is 7-7/8" long and 1-1/8" wide, with 2-1/8" long, 100 percent horsehair bristles. Features a one-piece wood-block body and handle.

Federal Strategic Sourcing Initiative, 7920-00-233-3737, 3737 or equal, Length: 24", EA, \$7.49

## Tool Cleaning Brush

Clean machinery, hand tools, weapons and parts with this round brush. Unbleached tampico fiber bristles are firmly set in epoxy resin to resist deterioration or loosening by solvents. Brush body is 2-7/8" long and is cone-shaped to provide a pointed tip when cleaning small areas. It has a 1"-diameter corrosion-resistant metal ferrule and 6.5"-long varnished hardwood or plastic tapered handle.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-205-2401, 40036 or equal, Length: 10.5", EA, \$4.73

## Squeegee

Squeegee wipes floors when wet. Consists of a hardwood or composite block with a rubber blade. Has a 1-1/8" tapered hole for mounting handle (not included). Replaceable rubber blade is held securely in groove by flat-head screws. (For use with tapered Wooden Utility Handle 7920-00-141-5452).

**Heavy-duty type.**

7920-00-224-8339, Length: 12", EA, \$18.60

**Light-duty type.**

Federal Strategic Sourcing Initiative, 7920-00-530-5740, 5740 or equal, Length: 24", EA, \$7.53

## Window Squeegee

Window-wiping squeegee has a tapered socket in the handle to accept a tapered end wooden utility handle (not included).

**Features a double blade set in a brass frame.**

*(Use with NSNs handles, 7920-00-177-5106 or 7920-00-141-5452).*

Federal Strategic Sourcing Initiative, 7920-00-577-4744, AbilityOne, Width: 10", EA, \$22.22

Federal Strategic Sourcing Initiative, 7920-00-577-4745, AbilityOne, Width: 12", EA, \$23.21

Federal Strategic Sourcing Initiative, 7920-00-577-4746, AbilityOne, Width: 16", EA, \$25.97

## Disposable Gloves

Disposable polyethylene gloves are powder-free, latex and sulphur-free. An ideal glove for food preparation, small parts handling, and for healthcare use. Non-sterile gloves are designed to fit either hand with a circumference of 8.5 to 9.0" (Contains no latex). Complies with FDA regulation.

8415-01-392-8448, AbilityOne, Size: Medium, BX(contains 100 EA), \$1.31

## Disposable Nitrile Gloves

Disposable nitrile ambidextrous gloves are powder-free and latex-free. Gloves fit tightly for a comfortable grip that reduces fatigue. Industrial-grade suitable for general-purpose use. 4 mil thick, 9-1/2" in length.

8415-01-492-0176, AbilityOne, Size: Small, BX(contains 100 EA), \$15.10

8415-01-492-0179, AbilityOne, Size: Medium, BX(contains 100 EA), \$15.10

8415-01-492-0178, AbilityOne, Size: Large, BX(contains 100 EA), \$15.10

8415-01-492-0180, AbilityOne, Size: Extra-Large, BX(contains 100 EA), \$15.10

## Spray Bottle

Plastic spray bottle features a trigger-type atomizer cap with a flexible plastic tube. Spray is adjustable by turning the nozzle on the attached cap. Bottle is marked in cubic centimeters and ounces (up to 354.84cc or 12 oz.).

*100% Recycled Plastic, Which Includes 50% Postconsumer Material*

8125-00-488-7952, SKILCRAFT, AbilityOne, Capacity: 16 fl. oz., EA, \$1.87

Used for a range of liquids, this plastic applicator bottle features trigger spray nozzle that is adjustable (spray/off/stream). Made of translucent high density polyethylene with no metal balls or springs. Bottle is marked in one or two ounce gradations.

*100% Recycled Plastic, Which Includes 50% Postconsumer Material*

8125-01-577-0210, SKILCRAFT, AbilityOne, Capacity: 24 fl. oz., PG(contains 3 EA), \$6.05

8125-01-577-0212, SKILCRAFT, AbilityOne, Capacity: 32 fl. oz., EA, \$2.16

Plastic bottle is oblong shaped and has a spray opening and a removable cap.

8125-00-782-4000, 8-oz capacity, PG(contains 36 EA), \$138.00

## Pipe Cleaner

Wire-core, cotton-tuft cleaner has hundreds of common uses.

9920-00-292-9946, AbilityOne, Overall length: 6", BX(contains 1344 EA), \$27.09

## Microfiber Duster

Mini duster has a blue recyclable polypropylene handle with a closed loop, polypropylene microfiber head made from fine fiber yarn. Leaves no residue of lint or dust. Machine washable. Microfiber head: 5" x 7".

Federal Strategic Sourcing Initiative, 7920-01-586-8009, AbilityOne, Overall: 12", EA, \$6.15

Flexible wand duster has a plastic handle with an extended steel core sandwiched by polypropylene foam. Closed loop, recyclable polypropylene microfiber sleeve is made from fine fiber yarn and leaves no residue of lint or dust. Machine washable.

Federal Strategic Sourcing Initiative, 7920-01-586-8010, AbilityOne, 23" x 3-1/2" x 2", EA, \$10.75

## Microfiber Dust Sleeve

Micro fiber replacement sleeve for microfiber flexible duster NSN 7920-01-586-8010. Closed loop, recyclable polypropylene micro fiber sleeve is made from fine fiber yarn and leaves no residue of lint or dust. Machine washable.

*Postconsumer Material*

Federal Strategic Sourcing Initiative, 7920-01-586-8011, AbilityOne, White, 18" x 3-1/2" x 2", EA, \$6.11

## Easy Trap Duster

Non-woven disposable sheets have a double side usage and are perforated at six inches for easy use.

**Eight inches wide by 125 feet long, on a perforated roll, for a total of 250 sheets.**

Federal Strategic Sourcing Initiative, 7920-01-598-9089, AbilityOne, Green and White, BX(contains 250 SH), \$87.72

**Five inches wide by 125 feet long, on two perforated rolls, for a total of 500 sheets.**

Federal Strategic Sourcing Initiative, 7920-01-598-9090, AbilityOne, Green and White, BX(contains 2 EA), \$111.15

**Five inches wide by 30 feet long, on a perforated roll, for a total of 60 sheets in a dispenser box.**

Federal Strategic Sourcing Initiative, 7920-01-598-9091, AbilityOne, Green and White, EA, \$17.16

**Eight inches wide by 30 feet long, on a perforated roll, for a total of 60 sheets in a dispenser box.**

Federal Strategic Sourcing Initiative, 7920-01-598-9092, AbilityOne, Green and White, EA, \$25.67

# Automotive Care

## Air Freshener

Pine-scented, tree shaped freshener provides immediate and long lasting effectiveness against odors. Hangs freely from any knob or handle.

6840-01-397-3065, Material Safety Data Sheet, U1P-10101 or equal, BX(contains 24 EA), \$23.14

## Chassis Brush

Brush features 2-3/8"-long polypropylene bristles and a hardwood or plastic material handle. Use for heavy duty scrubbing on vehicle parts with grease solvents.

Federal Strategic Sourcing Initiative, 7920-00-255-7536, AbilityOne, Length: 19-1/2", EA, \$7.90

## Snow/Ice Scraper

Light-duty plastic ice scraper features a plastic handle and stiff plastic bristles.

Federal Strategic Sourcing Initiative, 7920-01-383-8023, AbilityOne, EA, \$6.01

## Carbon-Removing Compound

This liquid compound can be added to a soak tank to soften and facilitate removal of carbon, gum and other surface contaminants from automotive pistons, carburetors, fuel pumps. Also great for engine assemblies that have been pre-cleaned with degreasing solvent. This ready-to-use cleaning agent contains monoethanolamine and ethers. Does not remove rust or corrosion. Caution: Avoid contact with skin. P-C-111D Type II.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6850-00-281-3042, Material Safety Data Sheet, 0374-001 or equal, AbilityOne, DR(contains 55 GL), \$898.54

## Deicing Fluid

Loosens and melts thin layers of ice from windshields and windows and prevents further icing. Safe for vehicle finishes, this convenient spray also de-ices locks. (Contents are flammable.)

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6850-00-835-0484, Material Safety Data Sheet, 0344-000 or equal, AbilityOne, 14 oz., aerosol can, BX(contains 12 EA), \$59.59

## Hand Cleaner

Heavy duty hand cleaner containing surfactants, lanolin, and scrubbers. Works with or without water to remove grease, oil, and dirt from hands. Non-toxic and non-flammable.

Low VOC

Federal Strategic Sourcing Initiative, 8520-01-370-4284, R/1212C14.55PD or Equal, Tube Size: 8 oz., BX(contains 12 EA), \$29.78

Heavy duty hand cleaner in a one-gallon pump bottle. Contains no harsh chemicals, petroleum solvents or ammonia. Fortified with lanolin, glycerin and other skin conditioners. Contains fine pumice for a deep clean. Works with or without water to remove grease, oil and dirt from hands. Non-toxic and non-flammable.

Low VOC

Federal Strategic Sourcing Initiative, 8520-01-370-2162, 25219 or Equal, 1 gal., BX(contains 4 GL), \$68.39

## Road/Sidewalk Salt

Ice-melter consists of pelleted calcium chloride. Great for sidewalks, driveways, or parking areas. Leaves no unsightly residue. Starts working instantly, even in sub-zero temperatures. Sprinkle lightly 2-4 ounces per square yard and remove melted slush immediately.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7930-01-398-0997, Material Safety Data Sheet, 997370 or equal, CO(contains 40 LB), \$55.97

# Aircraft Specialty

## Aircraft Brush

Designed specifically for cleaning aircraft exteriors, this brush can also be used to apply metal cleaners and brightening agents to metal surfaces. The brush consists of a 1-3/4" high, 5-3/8" diameter round block with bristles firmly secured to it. The block includes two 3/4"-diameter Acme thread holes for mounting the finished hardwood handle, which is approximately six feet long. The brush body is 2-1/2" in length and 5-1/2" in diameter.

**Bristles are made of 50 percent nylon and 50 percent tampico fibers.**

Federal Strategic Sourcing Initiative, 7920-00-051-4384, AbilityOne, White, EA, \$24.44

## Aircraft Cleaning Kit

This kit is designed for scrubbing aluminum aircraft exteriors. The kit consists of a concave, swivel-type applicator head; four cleaning and polishing pads (2 ea, 3/8" thick, type 1 and two 1" thick, type 2, A-A-3100).

May be used with the following Acme threaded handles, 7920-00-926-5146 (Extension Handle), 7920-01-460-8614 (Steel Utility Handle) or 7920-00-263-0328 (Wooden Utility Handle).

**Replacement pads 7920-00-151-6120 and 7920-00-171-1534.**

Federal Strategic Sourcing Initiative, 7920-00-490-6046, AbilityOne, KT, \$33.38

## Road/Sidewalk Deicer

Ice melting pellets quickly melt ice and snow on steps, sidewalks, driveways, parking lots and loading docks. Pellets contain concentrated ingredients that release 37 percent more heat than ordinary calcium chloride compounds.

Federal Strategic Sourcing Initiative, 7930-01-412-0984, Material Safety Data Sheet, 149446 or equal, DR(contains 35 LB), \$69.55

Fast-acting ice melt has deicing capabilities that result in a longer-lasting residual coating action that goes beyond the current snow storm. Effective to -20 deg F. Non-toxic and non-corrosive to metal and concrete. Safe for use on leather or carpet.

Federal Strategic Sourcing Initiative, 7930-01-412-2434, Material Safety Data Sheet, SU050P or equal, BX(contains 50 LB), \$56.17

## Aircraft Cleaning and Polishing Replacement Pad

White, non-woven, non-metallic, and non-abrasive, polyester material is ideal for washing and scrubbing painted or unpainted aircraft exteriors.

**Polishing pad.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-171-1534, AbilityOne, White, 6 x 12 x 1", PG(contains 10 EA), \$8.66

**Cleaning pad.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-151-6120, AbilityOne, White, 6 x 12 x 3/8", PG(contains 10 EA), \$9.53

## Aircraft Cleaning Pad Holder

Conformable curved pad holder for use with 3M, 6 x 12", Scotch-Brite cleaning sheets NSN 7920-01-519-4736. Flexible, concave shaped hook & loop holder designed to be used with chemical cleaners. Holder has a swivel attachment which accepts a threaded broom handle.

Federal Strategic Sourcing Initiative, 7920-01-519-4735, 048011-05717 or equal, EA, \$50.83

# Pails and Buckets

## Utility Pail

Round utility pail is made of polyethylene plastic and has a tapered bottom for easy stacking.

**Includes a snap-on lid and a removable, corrosion-resistant metal bail handle with a plastic sleeve.**

*PN 3826 (pail) and PN 2287 (lid) or equal.*

Federal Strategic Sourcing Initiative, 7240-01-094-4305, White or Gray, Capacity: 5 gal., EA, \$11.66

**Includes a snap-on airtight lid and a galvanized steel metal bail handle with a plastic handgrip.**

Federal Strategic Sourcing Initiative, 7240-01-411-0581, White, Capacity: 7 gal., EA, \$23.29

All-purpose galvanized utility pail is leakproof and tapered for easy stacking. Top edge of pail is reinforced.

**Heavyweight with a galvanized steel bail handle. No pouring lip.**

Federal Strategic Sourcing Initiative, 7240-00-160-0455, 1214GS or equal, Capacity: 14 qt., EA, \$15.15

**Pail is lightweight. No pouring lip.**

Federal Strategic Sourcing Initiative, 7240-00-274-3875, 1212GS or equal, 12 qt capacity, DZ, \$130.73

Round utility pail is made of molded polyethylene plastic and features one-quart graduations conveniently marked on the inside. Tapered sides for easy stacking. Rim curls outward to improve rigidity.

**Includes a galvanized steel bail handle. No pouring lip.**

Federal Strategic Sourcing Initiative, 7240-00-061-1163, AbilityOne, Capacity: 5 qt., EA, \$4.12

**Includes a galvanized steel bail handle and has a pouring lip.**

Federal Strategic Sourcing Initiative, 7240-00-060-6006, AbilityOne, Capacity: 10 qt., EA, \$5.77

Federal Strategic Sourcing Initiative, 7240-00-246-1097, AbilityOne, Capacity: 12 qt, EA, \$8.39

Rigid neoprene or nitrile rubber pail has vertical reinforcing ribs on the outside for additional strength and rigidity. Features 1/2-Gal graduations conveniently marked on the inside. Top inside diameter is 11-1/2". Suitable for jet fuel and other similar fuels and lubricants. Highly resistant to oil, heat, light and oxidation. Rim curls outward to improve rigidity with a 1.5" vertical skirt.

**Includes a non-sparking brass or rubber coated stainless steel bail and a pouring lip.**

7240-01-150-0716, NPL77-12AG or Equal, Capacity: 3 gal., EA, \$37.26

# Waste Receptacles

## Wastebasket

Rectangular, molded plastic waste receptacle is ideal for use in offices, military housing or other personal living quarters. Features rounded corners at each edge.

### Capacity 3.5 gallons.

*20% Postconsumer Material*

Federal Strategic Sourcing Initiative, 7520-01-005-9136, Beige, 8" W x 11" L x 12-1/2" H, EA, \$8.33

Classic round steel wastebasket features an enamel finish.

### Designed for individual use.

Federal Strategic Sourcing Initiative, 7520-00-285-5416, Brown, Top Diameter: 13"; Bottom Diameter: 10.50"; Height: 14.50", EA, \$33.72

Federal Strategic Sourcing Initiative, 7520-00-281-5911, Gray, Top Diameter: 13"; Bottom Diameter: 10.50"; Height: 14.50", EA, \$20.70

### Extra capacity for lobby use.

7520-00-205-1857, Gray, Top Diameter: 16", Bottom Diameter: 14"; Height: 29", EA, \$44.85

## Trash Can

Leakproof can is made of rigid, molded polyethylene plastic. A foot pedal activates the hinged lid of the container. (Not for use with flammable waste.)

Federal Strategic Sourcing Initiative, 7240-00-499-8031, 1883554 or equal, Natural or White, Capacity: 4 gal., EA, \$93.19

Steel receptacle is intended for collection of laundry or trash. Tapered top has two independently operating, self-closing, spring-hinged doors, each labeled "PUSH." Top is attached to the body by two heavy-duty hinges. Can is designed with four hooks, one at each inside corner, for hanging a removable cotton liner bag (included). The cotton liner bag supports a plastic liner for trash or may be used alone for towels and linens.

Federal Strategic Sourcing Initiative, 7240-00-634-0133, UNICOR, White, 18 x 18 x 34-1/2", EA, \$282.86

One-piece, watertight trash can made of polyethylene plastic has smooth surfaces for easy cleaning. Trash can has two diametrically positioned handles, a lid with a handle for easy removal, and a means for locking the lid securely to the receptacle.

**Diameter: 15-1/2"; Height: 17-1/2".**

Federal Strategic Sourcing Initiative, 7240-00-965-4427, Gray, Capacity: 10 gal., EA, \$28.76

**Diameter: 22"; Height: 28".**

Federal Strategic Sourcing Initiative, 7240-00-819-7735, 8632-92GRA or equal, Gray, Capacity: 32 gal., EA, \$39.85

**Diameter: 24"; Height: 32". Item consists of the container (PN FG264360GRAY) and the lid (PN FG264560GRAY).**

Federal Strategic Sourcing Initiative, 7240-00-139-7521, Gray, Capacity: 44 gal., EA, \$62.20

**Detachable undercarriage has 4, 3" swivel casters that fasten securely to trash can.**

**Diameter: 22"; Height: 28". Item consists of the can (PN FG263200GRAY), the lid (PN FG263100GRAY), and the undercarriage (PN 264000).**

Federal Strategic Sourcing Initiative, 7240-00-151-6629, Gray, Capacity: 32 gal., EA, \$86.35

**Diameter: 24"; Height: 32". Item consists of the container (PN FG264360GRAY), the cover/lid (PN FG264560GRAY), and the undercarriage/dolly (PN 2640).**

Federal Strategic Sourcing Initiative, 7240-00-151-6630, Gray, Capacity: 44 gal., EA, \$139.72

Square, enameled can has a hinged cover with foot pedal operation. Made of corrosion-resistant steel with a rigid plastic liner. Unit is 14.25" H x 10.5" W. IAW UL 32.

7240-00-634-0001, FGST7EPLWH or equal, White, Capacity: 4 gallon maximum, EA, \$93.98

Trash and garbage can, with handles and corrugated sides, is made of rust-resistant galvanized steel. Top and bottom rims are reinforced with steel-bands. Comes without a cover.

**Outside diameter at top rim is 20-7/8".**

**For use with trash/garbage can cover NSN 7240-00-161-1143.**

Federal Strategic Sourcing Initiative, 7240-00-160-0440, 90146HDC or equal, Capacity: 32 gal., EA, \$46.22

**Capacity: 24 gallons. Height: 23.50". Diameter: 19.50".**

**For use with trash/garbage can cover NSN 7240-00-161-1147.**

Federal Strategic Sourcing Initiative, 7240-00-160-0441, WHD24C or equal, EA, \$46.45

## Trash and Garbage Can

Trash and garbage can with bail and corrugated sides is made of rust-resistant galvanized steel. Top and bottom rims are reinforced with steel bands. Comes without a cover.

**Outside diameter at top rim is 14-13/16".**

**For use with trash/garbage can cover NSN 7240-00-161-1150.**

Federal Strategic Sourcing Initiative, 7240-00-160-0438, DP6110-2 or equal, Capacity: 10 gal., BD(contains 6 EA), \$205.66

# Bags and Liners

## Trash Bag

This heavy-duty, premium-quality plastic bag features strong puncture- and tear-resistance and includes closure ties.

**The 25 to 30 gallon size has a 75-lb. load capacity. Overall perimeter: "60.00"**

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-183-9767, Clear, 30 x 36", BX(contains 250 EA), \$38.64

**The 32-gallon size has a 75-lb. load capacity. Fully opened bag perimeter: "66.00" minimum**

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-183-9769, SKILCRAFT, AbilityOne, Dark Brown or Green, 33 x 39", 1.22 mil, BX(contains 125 EA), \$37.04

**The 34-gallon size has a 75-lb. load capacity. Fully opened bag perimeter: "64.00" minimum**

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-150-6256, SKILCRAFT, AbilityOne, Clear, 32 x 44", 1.25 mil, BX(contains 125 EA), \$38.18

**The 57-gallon size has a 75-lb. load capacity. Fully opened bag perimeter: "72.00" minimum**

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-183-9764, Dark Brown or Green, 36 x 58", BX(contains 100 EA), \$16.45

**The 71-gallon size has a 75-lb. load capacity. Fully opened bag perimeter: "76.00" minimum. In accordance with AA-3174, Plastic, Polyolefin, Type 2, Class 1, Grade A, Finish 1 Single Wall**

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-759-0794, Clear, 38 x 65", BX(contains 50 EA), \$19.84

**The 125-gallon size has a 75-lb. load capacity. Minimum open bag perimeter: "138.00"**

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-145-0163, Clear, 69 x 57", BX(contains 100 EA), \$57.48

Plastic premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears and does not include closure ties.

**Medium-duty bag. Fully opened bag perimeter: "80.00" minimum**

*The 6-gallon size has a 15-lb. load capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-184-7159, Clear, 20 W x 21" L, BX(contains 500 EA), \$17.13

*The 10-gallon size has a 15-lb. load capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-195-8730, SKILCRAFT, AbilityOne, Clear, 24 x 23", 0.78 mil, BX(contains 250 EA), \$17.40

*The 32-gallon size has a 50-lb. load capacity. (NFES #0021)*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-183-9768, AbilityOne, Clear, 33 x 39", 0.78 mil, BX(contains 125 EA), \$25.87

**Heavy-duty. Over all perimeter: "40.00"**

*The 10-gallon size has a 25-lb. load capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-200-0195, Clear, 24 x 24", BX(contains 100 EA), \$6.96

*The 12-gallon size has a 50-lb. load capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-299-8532, Clear, 20 x 40", BX(contains 100 EA), \$7.46

Plastic premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears and includes closure ties.

**Medium-duty bag. Fully opened bag perimeter: "80.00" minimum**

*The 58-gallon size has a 51-lb. load capacity.*

*20% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-726-5607, Clear, 40 x 48", BX(contains 125 EA), \$28.66

Less expensive than a premium-quality bag, this general use bag should be used for items other than sharp edged refuse; wear tearing may occur.

**Heavy-duty bag does not include closure ties.**

*The 33-gallon size has a 45-lb. load capacity.*

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0941, Natural, 33 x 39", BX(contains 250 EA), \$23.29

*The 33-gallon size has a 45-lb. load capacity.*

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-175-5532, Natural, 33 x 40", BX(contains 250 EA), \$19.88

*The 36-gallon size has a 75-lb. load capacity.*

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3236, Natural, 33 x 44", BX(contains 250 EA), \$25.38

*The 47-gallon size has a 75-lb. load capacity.*

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3238, Natural, 37 x 45", BX(contains 200 EA), \$35.03

***The 58-gallon size has a 75-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3237, Natural, 40 x 48", BX(contains 250 EA), \$32.38

***The 59-gallon size has a 75-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3239, Natural, 36 x 60", BX(contains 200 EA), \$30.93

**Medium-duty bag does not include closure ties.*****The 7 to 10 gallon size has a 45-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0944, Natural, 24 x 25", BX(contains 500 EA), \$12.30

***The 33-gallon size has a 45-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0942, Natural, 33 x 39", BX(contains 500 EA), \$47.01

**Light-duty bag is suitable for office trash. Includes closure ties.*****The 7-gallon size has a 15-lb. load capacity.****10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-330-7264, Clear, 20 x 22", BX(contains 500 EA), \$12.59

**Light-duty bag is suitable for office trash. Does not include closure ties.*****The 7-gallon size has a 15-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3233, Natural, 20 x 24", BX(contains 2000 EA), \$32.05

***The 7 to 10-gallon size has a 15-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-175-5533, Natural, 24 x 24", BX(contains 1000 EA), \$18.34

***The 7 to 10-gallon size has a 25-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0945, Natural, 24 x 25", BX(contains 500 EA), \$9.15

***The 14-gallon size has a 15-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3234, Natural, 24 x 34", BX(contains 1000 EA), \$26.62

***The 33-gallon size has a 45-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0943, Natural, 33 x 39", BX(contains 500 EA), \$31.57

***The 37-gallon size has a 25-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-579-8451, SKILCRAFT, AbilityOne, Clear, 36 x 38", 0.5 mil, BX(contains 100 EA), \$18.62

Environmentally friendly trash bags are made from 70 percent low-density recycled plastic.

**10 - 15 gallon waste capacity***70% Postconsumer Recycled Plastic*

8105-01-662-6361, SKILCRAFT, AbilityOne, Clear, 23" W x 31" L 0.3 mil, BX(contains 1000 EA), \$50.30

**23 gallon waste capacity***70% Postconsumer Recycled Plastic*

8105-01-662-6362, SKILCRAFT, AbilityOne, Clear, 28" W x 45" L 0.5 mil, BX(contains 250 EA), \$30.18

**32 gallon waste capacity***70% Postconsumer Recycled Plastic*

8105-01-662-7122, SKILCRAFT, AbilityOne, Clear, 33" W x 39" L, BX(contains 250 EA), \$30.54

**44 gallon waste capacity***70% Postconsumer Recycled Plastic*

8105-01-662-7124, SKILCRAFT, AbilityOne, Clear, 33" W x 47" L, BX(contains 250 EA), \$38.40

**40 - 45 gallon waste capacity***70% Postconsumer Recycled Plastic*

8105-01-662-7928, SKILCRAFT, AbilityOne, Clear, 40" W x 46" L, BX(contains 100 EA), \$19.81

Plastic premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears and does not include closure ties.

**20-gal size has a 50-lb load capacity.**

8105-00-070-9496, Clear, 30 x 30", BX(contains 100 EA), \$55.66

Polyethylene plastic garbage bag

**40-45 gallon capacity.**

8105-01-589-5233, Black, 40 x 48", BX(contains 50 EA), \$41.86

**55-gallon capacity.**

8105-01-589-5232, Black, 36 X 60", BX(contains 75 EA), \$39.93

Paper bag is used for lining waste receptacles.

**12-lb. load capacity.***5% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8105-01-284-2923, SKILCRAFT, AbilityOne, 12 x 9 x 19", BE(contains 200 EA), \$99.19

**50-lb. load capacity.***5% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8105-01-284-2924, SKILCRAFT, AbilityOne, 18 x 12 x 36", BE(contains 50 EA), \$62.32



## Plastic Bag

Light-duty plastic bag is designed to hold up to 25-lbs. Looped twisted wire closures included.

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-989-2376, Black, 40 x 30", BX(contains 50 EA), \$11.57

Clear plastic top opening bag. 1000 per box.

8105-01-532-6918, Clear, 10" W x 15" L, BX(contains 1000 EA), \$39.10

Single wall plastic bag.

8105-01-521-2119, Black, 30 x 40", PG(contains 25 EA), \$14.92

Plastic polyethylene single wall with interlocking seal.

8105-01-088-5803, Clear, 13 W x 18" L, MX, \$126.50

Use this flat, polyethylene bag without gussets for general-purposes such as packaging and lining waste receptacles. Do not use for food items.

**Light-duty bag has a heat-seal closure.**

8105-00-702-7177, Clear, 12 x 5", HD, \$67.22

## Plastic Bag with Velcro Flap

Single wall plastic bag with 2 in. Velcro closure.

8105-01-569-2113, Black, 11" W x 6.5" L, EA, \$44.65

## Plastic Barrier Bag

Meets: MIL-DTL-117 TY ICLHST2. - BARRIER MATERIAL, MIL-B-81705, TYPE III, FLEXIBLE, TRANSPARENT, WATERPROOF, ELECTROSTATIC PROTECTIVE AND SHIELDING.

8105-01-120-3376, 10 x 8", HD, \$5.26

## Recycled Plastic Bag

Environmentally friendly trash bags are made from 100 percent low-density recycled plastic. Made with tubular construction and a star seal bottom.

**Medium-duty bag has a seven to 10 gallon capacity.**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-386-2289, SKILCRAFT, AbilityOne, 24 x 24", 1.0 mil, BX(contains 250 EA), \$23.35

**Medium-duty bag has a 33-gallon capacity.**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

8105-01-386-2312, SKILCRAFT, AbilityOne, 33 x 40", 1.3 mil, BX(contains 100 EA), \$25.07

**Heavy-duty. Over all perimeter: "40.00"**

**33-gallon capacity.**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-386-2323, SKILCRAFT, AbilityOne, 33 x 40", 1.5 mil, BX(contains 100 EA), \$22.21

**60-gallon capacity.**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-386-2410, SKILCRAFT, AbilityOne, Black/Brown, 36 x 58", 1.5 mil, BX(contains 100 EA), \$47.98

8105-01-386-2399, SKILCRAFT, AbilityOne, Black/Brown, 38 x 60", 1.5 mil, BX(contains 100 EA), \$50.08

**40 to 45-gallon capacity.**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-386-2329, SKILCRAFT, AbilityOne, Black/Brown, 40 x 48", 1.5 mil, BX(contains 100 EA), \$39.54

**56-gallon capacity.**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-386-2362, SKILCRAFT, AbilityOne, Black/Brown, 43 x 49", 1.5 mil, BX(contains 100 EA), \$35.65

**65-gallon capacity.**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-386-2428, SKILCRAFT, AbilityOne, Black/Brown, 50 x 51", 1.5 mil, BX(contains 100 EA), \$56.06

**Medium-duty bag has a 20- to 30-gallon capacity.**

*Contains 100% Recovered Material, Which Includes 30% Postconsumer Material*

8105-01-386-2290, SKILCRAFT, AbilityOne, 30 x 39", 1.35 mil, BX(contains 100 EA), \$18.66

## Low Density Liner

High puncture and tear resistant bag. Works well for waste with sharp or jagged edges.

### Light-duty bag.

#### 7-10 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1351, SKILCRAFT, AbilityOne, Clear, 24 x 24", 0.35 mil, BX(contains 250 EA), \$21.78

### Medium-duty bag. Fully opened bag perimeter: "80.00" minimum

#### 16 gallon capacity.

10% Postconsumer Material

8105-01-658-9832, SKILCRAFT, AbilityOne, Clear, 24 x 32", BX(contains 500 EA), \$25.62

#### 20-30 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1352, SKILCRAFT, AbilityOne, Clear, 30" W x 36" L, 0.5 mil, BX(contains 250 EA), \$23.92

#### 33-gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1350, SKILCRAFT, AbilityOne, Clear, 33 x 40", 0.5 mil, BX(contains 250 EA), \$28.81

#### 40-45 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1354, SKILCRAFT, AbilityOne, Clear, 40 x 48", 0.6 mil, BX(contains 250 EA), \$39.07

#### 55-60 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1367, SKILCRAFT, AbilityOne, Clear, 38" W x 60" L, BX(contains 100 EA), \$23.74

### Heavy-duty. Over all perimeter: "40.00"

#### 33-gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1353, SKILCRAFT, AbilityOne, Clear, 33 x 40", 0.7 mil, BX(contains 250 EA), \$32.76

#### 40-45 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1362, SKILCRAFT, AbilityOne, Clear, 40 x 46", 0.8 mil, BX(contains 125 EA), \$19.61

#### 55-60 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1371, SKILCRAFT, AbilityOne, Clear, 38 x 60", 1 mil, BX(contains 100 EA), \$29.65

#### 20-30 gallon capacity.

8105-01-517-1346, SKILCRAFT, AbilityOne, Clear, 30 x 36", 0.7 mil, BX(contains 250 EA), \$28.12

### Extra heavy-duty bag.

#### 33 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1355, SKILCRAFT, AbilityOne, Clear, 33 x 40", 1.5 mil, BX(contains 100 EA), \$26.38

#### 55-60 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1373, SKILCRAFT, AbilityOne, Clear, 38 x 60", 1.5 mil, BX(contains 100 EA), \$36.86

#### 33 gallon capacity.

8105-01-517-1357, SKILCRAFT, AbilityOne, Blue, 33 x 39", 1.5 mil, BX(contains 100 EA), \$26.42

## High Density Liner

General purpose liner made of high density polyethylene plastic.

### Medium-duty bag. Fully opened bag perimeter: "80.00" minimum

#### 20-30 gallon capacity.

10% Postconsumer Material

8105-01-517-1368, SKILCRAFT, AbilityOne, Natural, 38" W x 58" L, BX(contains 500 EA), \$37.95

#### 40-45 gallon capacity.

10% Postconsumer Material

8105-01-517-1345, SKILCRAFT, AbilityOne, Natural, 40 x 48", 10 microns, BX(contains 250 EA), \$30.81

#### 33-gallon capacity.

10% Postconsumer Material

8105-01-517-1343, SKILCRAFT, AbilityOne, Natural, 33 x 40", 9 microns, BX(contains 250 EA), \$20.57

**Light-duty bag.****4 gallon capacity.***10% Postconsumer Material*

8105-01-517-0803, SKILCRAFT, AbilityOne, Natural, 17 x 18", 9 microns, BX(contains 2000 EA), \$36.80

**7-10 gallon capacity.***10% Postconsumer Material*

8105-01-517-1363, SKILCRAFT, AbilityOne, Natural, 24 x 24", 9 microns, BX(contains 1000 EA), \$32.55

**12-16 gallon capacity.***10% Postconsumer Material*

8105-01-517-1365, SKILCRAFT, AbilityOne, Natural, 24 x 33", 8 microns, BX(contains 1000 EA), \$38.34

**Heavy-duty. Over all perimeter: "40.00"****20-30 gallon capacity.***10% Postconsumer Material*

8105-01-517-1366, SKILCRAFT, AbilityOne, Natural, 30 x 37", 12 microns, BX(contains 500 EA), \$41.97

**40-45 gallon capacity.***10% Postconsumer Material*

8105-01-517-1344, SKILCRAFT, AbilityOne, Natural, 40 x 48", 12 microns, BX(contains 250 EA), \$30.75

**55-60 gallon capacity.***10% Postconsumer Material*

8105-01-517-1347, SKILCRAFT, AbilityOne, Natural, 38 x 60", 12 microns, BX(contains 200 EA), \$36.97

**33-gallon capacity.***10% Postconsumer Material*

8105-01-517-1349, SKILCRAFT, AbilityOne, Natural, 33 x 40", 12 microns, BX(contains 250 EA), \$27.45

**Trash Bag, Retail Pack**

High quality heavy duty liner is made of 100 percent recycled resins. Box features a convenient carrying handle.

**Heavy-duty. Over all perimeter: "40.00"****33-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-3667, SKILCRAFT, AbilityOne, Black or Brown, 33 x 39", BX(contains 25 EA), \$7.57

**Extra heavy-duty.****40-45 gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-3669, SKILCRAFT, AbilityOne, Black or Brown, 40 x 46", BX(contains 15 EA), \$7.42

**60-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-3668, SKILCRAFT, AbilityOne, Black or Brown, 38 x 58", BX(contains 20 EA), \$9.27

**Degradable Plastic Bag**

Degradable plastic bag is puncture and tear resistant. Totally degradable when disposed of as litter in landfills or when buried in soil.

**33-gallon capacity, heavy-duty.***12-month maximum shelf life (extendable); 10% Postconsumer Material*

8105-01-567-9526, Natural, 33 x 39", BX(contains 100 EA), \$25.06

**55-gallon capacity, heavy-duty.***12-month maximum shelf life (extendable); 10% Postconsumer Material*

8105-01-567-9524, Natural, 36 x 58", BX(contains 100 EA), \$41.39

**Degradable Can Liner**

Degradable liner is a linear low-density bag that is puncture and tear resistant. Totally degradable when disposed of as litter in landfills or when buried in soil.

**13-gallon capacity, medium-duty.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-560-4934, SKILCRAFT, AbilityOne, White, 24 x 30", 0.7 mil, BX(contains 120 EA), \$12.09

**25 lb load capacity.***10% Postconsumer Material*

8105-01-362-0029, 23 x 24", BX(contains 250 EA), \$13.31

**30-gallon capacity, heavy-duty.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-560-4930, SKILCRAFT, AbilityOne, Brown, 30 x 36", 0.8 mil, BX(contains 60 EA), \$10.78

**33-gallon capacity, extra-heavy.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-560-4932, SKILCRAFT, AbilityOne, Green, 33 x 40", 1.1 mil, BX(contains 40 EA), \$10.35

**39-gallon capacity, extra-heavy.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-560-4933, SKILCRAFT, AbilityOne, Brown, 33 x 44", 1.1 mil, BX(contains 40 EA), \$11.44

## Trash Liner, Coreless Roll

High-density, perforated can liners combine high quality with the convenience of an easy-to-dispense individual roll. Coreless roll saves storage space.

### Medium-duty.

#### *20 to 30-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-557-4972, SKILCRAFT, AbilityOne, Natural, 30 x 37", 0.7 mil, BX(contains 500 EA), \$36.10

Low-density, coreless roll liner combines high quality with easy to use individual roll. Perforated for easy dispensing.

### Heavy-duty.

#### *33-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1377, SKILCRAFT, AbilityOne, Gray, 33 x 39", 0.7 mil, BX(contains 250 EA), \$31.61

#### *44-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1376, SKILCRAFT, AbilityOne, Gray, 36 x 50", 0.7 mil, BX(contains 250 EA), \$21.61

#### *55-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1359, SKILCRAFT, AbilityOne, Gray, 41 x 58", 0.7 mil, BX(contains 100 EA), \$25.75

*10% Postconsumer Material*

8105-01-517-1356, SKILCRAFT, AbilityOne, Clear, 36 x 58", 0.7 mil, BX(contains 100 EA), \$21.93

#### *60-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1360, SKILCRAFT, AbilityOne, Gray, 36 x 58", 0.7 mil, BX(contains 100 EA), \$21.85

### Heavy-duty. Over all perimeter: "40.00"

#### *40-45 gallon capacity.*

8105-01-517-1378, SKILCRAFT, AbilityOne, Clear, 40" W x 46" L, 0.7 mil, BX(contains 250 EA), \$25.70

#### *55-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1358, SKILCRAFT, AbilityOne, Gray, 36 x 58", 1.1 mil, BX(contains 100 EA), \$30.30

#### *56-gallon capacity.*

*10% Postconsumer Material*

8105-01-517-1361, SKILCRAFT, AbilityOne, Gray, 42 1/2 x 48", 0.7 mil, BX(contains 100 EA), \$25.59

### Extra Heavy-duty.

#### *60-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1364, SKILCRAFT, AbilityOne, Gray, 38 x 58", 1.1 mil, BX(contains 100 EA), \$31.51

#### *40-45 gallon capacity.*

*10% Postconsumer Material*

8105-01-517-1379, SKILCRAFT, AbilityOne, Clear, 40" W x 46" L, 1.1 mil, BX(contains 100 EA), \$30.58

### Medium-duty.

#### *20-30 gallon capacity.*

*10% Postconsumer Material*

8105-01-517-1375, SKILCRAFT, AbilityOne, Clear, 30 x 36", 0.7 mil, BX(contains 500 EA), \$29.33

High-density, coreless roll can liner combines high quality with easy to use individual roll. Perforated for easy dispensing.

### Light-duty bag.

#### *7-10 gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1369, SKILCRAFT, AbilityOne, Natural, 20 x 22", 6 microns, BX(contains 2000 EA), \$45.31

#### *4-7 gallon capacity.*

*10% Postconsumer Material*

8105-01-517-1374, SKILCRAFT, AbilityOne, Natural, 7" W x 18" L, 0.7 mil, BX(contains 2000 EA), \$41.01

#### *10-15 gallon capacity.*

*10% Postconsumer Material*

8105-01-517-1372, SKILCRAFT, AbilityOne, Natural, 24 x 33", 6 microns, BX(contains 1000 EA), \$35.64

### Medium-duty.

#### *10-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1370, SKILCRAFT, AbilityOne, Natural, 24 x 24", 8 microns, BX(contains 1000 EA), \$35.48

### Heavy-duty.

#### *45-gallon capacity.*

*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-557-4984, SKILCRAFT, AbilityOne, Natural, 40" W x 48" L, 12 microns, BX(contains 250 EA), \$34.47

**33-gallon capacity.***10% Postconsumer Material*

8105-01-557-4983, SKILCRAFT, AbilityOne, Natural, 33" W x 40" L, 12 microns, BX(contains 250 EA), \$26.40

**Extra heavy-duty.****20 to 30-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-557-4973, SKILCRAFT, AbilityOne, Natural, 30" W x 37" L, 16 microns, BX(contains 250 EA), \$42.58

**Compostable Trash Bag**

Compostable bags for the collection of green bin organic waste disposal and commercial composting. Heat and moisture accelerates the degradation process. These compostable products meet the stringent requirements of ASTM D6400 and carry the USCC and BPI certifications. Commercial degradation is 10 to 45 days and commercial biodegradation is less than six months.

**13-gallon capacity, heavy-duty.***12-month maximum shelf life (not extendable).*

8105-01-568-1545, SKILCRAFT, AbilityOne, Green, 24 x 30", 0.85 mil, BX(contains 45 EA), \$17.54

**64-gallon capacity, heavy-duty.***12-month maximum shelf life (not extendable).*

8105-01-568-1547, SKILCRAFT, AbilityOne, Green, 48 x 60", 0.85 mil, BX(contains 30 EA), \$40.32

**48-gallon capacity, heavy-duty.***12-month maximum shelf life (not extendable).*

8105-01-568-1548, SKILCRAFT, AbilityOne, Green, 42 x 48", 0.85 mil, BX(contains 40 EA), \$34.48

**32-gallon capacity, heavy-duty.***12-month maximum shelf life (not extendable).*

8105-01-568-1544, SKILCRAFT, AbilityOne, Green, 33 x 48", 0.85 mil, BX(contains 50 EA), \$39.01

**Trash Compactor Bag**

Heavy resin square bags for use in MP-60 Trash Compactors.

8105-01-369-7953, 25 x 56", RO(contains 80 EA), \$74.61

**Repellent Trash Bag**

Insect repellent/antimicrobial garbage bags. Pest guard bags repel insects and discourages rodents.

**Non-Toxic and safe for food handling. Recycled content (EPA Item meets EO 13101)****55 Gallon, Medium-duty***30% Postconsumer Material*

8105-01-534-6826, SKILCRAFT IBF-5520K, AbilityOne, Black, 37 X 52", 2.00 mil, BX(contains 65 EA), \$28.31

**30 Gallon capacity, Heavy-duty***30% Postconsumer Material*

8105-01-534-6830, SKILCRAFT IBF-3020K, AbilityOne, Black, 33 X 40". 2.00 mil, BX(contains 90 EA), \$30.52

8105-01-534-6828, SKILCRAFT IBF-3020C, AbilityOne, Clear, 33 X 40", 2.00 mil, BX(contains 90 EA), \$33.41

**35 Gallon capacity, Heavy-duty***30% Postconsumer Material*

8105-01-534-6822, SKILCRAFT IBF-3520K, AbilityOne, Black, 33 X 45", 2.00 mil, BX(contains 80 EA), \$30.52

**45 Gallon capacity, Regular-duty***30% Postconsumer Material*

8105-01-534-6819, SKILCRAFT IBF-4520K, AbilityOne, Black, 40 X 45", 2.00 mil, BX(contains 65 EA), \$28.55

**Odor Barrier Bag**

Bags provide an odor barrier for the containment of food-contaminated plastic waste in shipboard applications where at-sea disposal of plastics is prohibited. Pressure sensitive adhesive closure.

**Filled bags are intended to remain aboard ship for prolonged periods of time in consonance with naval deployments.**

Federal Strategic Sourcing Initiative, 7240-01-411-0584, AbilityOne, 24" W x 27" L, BX(contains 100 EA), \$491.95

Federal Strategic Sourcing Initiative, 7240-01-411-0585, AbilityOne, 36" W x 50" L, BX(contains 50 EA), \$565.61

This single wall 0.005" thick flexible odor barrier bag is intended to be used for the containment of food-contaminated plastic waste in shipboard applications where at-sea disposal of plastics is prohibited. Contains the food-contaminated brick end product generated by the compress/melt unit of the Navy developed plastic processor. In accordance with MIL-PRF-29597, Type II, Class 2, Size B.

8105-01-392-6510, Clear, 24 x 27", RO(contains 100 EA), \$60.87

**Waste Receptacle Bag**

The 3-Mil plastic waste bags are specially designed to fit the SEM Fan Evacuation Systems listed below. For use with: F13, F034, F112 and J708 Jet Vac. Also used for Central Shredding Systems including: Model 420 & Model 428 w/rear discharge.

8105-01-399-4814, Clear, 36 W x 60" H, BX(contains 50 EA), \$61.98

## Submarine Wetbag

Natural canvas duct bag used in accordance with MIL-DTL-32240 meets the requirements for the submarine webbag for use with trash disposal units installed aboard U.S. Navy submarines. Used with pre-packed hard cannister 5342-00-371-8594.

**8.5 oz capacity.**

8105-01-532-6920, SKILCRAFT, AbilityOne, Natural, 25-1/2"H x 14-1/2"W, BD(contains 25 EA), \$165.60

## Burn Bag

Entire surface of self-opening bag is printed with 1/4" red and white stripes, separated by blank spaces.

**Bag No. 1/4 (1746 cu. in. capacity).**

*40% Postconsumer Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant  
8105-00-262-7363, 21 1/2" L x 12" W x 7" tuck width, BE(contains 250 EA), \$66.07

# Personal Care

## Comb

Style hair easily with this plastic comb. Features half coarse and half fine teeth.

Federal Strategic Sourcing Initiative, 8530-01-293-1384, MDS137007 or equal, AbilityOne, Black, Length: 6-3/4 to 7-1/2", BX(contains 144 EA), \$56.10

Federal Strategic Sourcing Initiative, 8530-01-293-1385, MDS137005 or equal, AbilityOne, Black, Length: 4-1/2 to 5", BX(contains 144 EA), \$53.21

## Foam Soap Dispenser

Wall mounted foam soap dispenser made of ABS plastic with a sight window to indicate when dispenser is empty. Reservoir can be removed for easy cleaning. Mounts on wall with adhesive backing or screws (not included). Unique foam pump prevents leaks and drips. For use with BioRenewables Lite'n Foamy Liquid Hand Cleaner NSNs 8520-01-555-2903.

Federal Strategic Sourcing Initiative, 4510-01-551-1194, 4510015511194, AbilityOne, 9-3/4" H x 4" D x 4-1/2" W, EA, \$39.43

## Nail and Hand Brush

Brush consists of 9/16" stiff synthetic bristles in a square-end hardwood block.

Federal Strategic Sourcing Initiative, 7920-00-619-9162, Length: 4 x 1-3/4", BX(contains 12 EA), \$35.21

## Barber's Kit

A grooming essential for military personnel in the field. Barber's kit includes electric clipper (with speeds of 1700 to 2900 strokes per minute). Set includes various detachable blades and a size 0 manual clipper plus blade set; barber cloths (2 ea), combs (2 ea), shears (2 ea), disposable razors (80 ea), shaving cream (4-1/2 oz.), soap (2 ea), germicide (2 ea), disinfectant tray (1 ea), soapbox (1 ea), and a plastic case with a nesting tray. Electric clipper operates on 115v AC/DC power.

3590-00-058-1837, 99005 or equal, 16" L x 9-1/2" W x 8" H, KT, \$485.42

## Hair Clippers

Electric clipper cuts and trims hair. Set contains a detachable cutter head, size 000 blade, and a container of oil. Operates on 120v, 60 hz.

3590-00-892-4525, 63700 or equal, EA, \$101.83

## Hand Cleaner

Lite'n Foamy Sunflower Fresh is a BioRenewable foaming hand, hair and body wash, formulated with 85 percent biobased ingredients. It has a pH designed to be gentle on the skin and is boosted with aloe vera to increase the moisture on the skin.

**For use with foam soap dispenser NSN 4510-01-551-1194.**

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 8520-01-555-2903, Material Safety Data Sheet, AbilityOne, Sunflower Fragrance, 1 gal., BX(contains 4 EA), \$100.15

**Dispenser NSN 4510-01-551-1194 included.**

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 8520-01-555-3732, Material Safety Data Sheet, 330504 or Equal, AbilityOne, Sunflower Fragrance, GL, \$50.39

## Moisturizing Lotion

Moisturizing lotion formulated for healthcare patients and staff. Lotion is formulated with Shea Butter to leave skin and hands feeling soft and smooth. Product is hypo-allergic.

*36-month maximum shelf life (not extendable).*

Biopreferred

Federal Strategic Sourcing Initiative, 8510-01-490-7318, Material Safety Data Sheet, 4235-12 or equal, 16 oz. Pump Bottle, BX(contains 12 EA), \$95.28

## Insect Repellent

Controlled-release lotion provides protection from insects for up to 20 hours. Contains 20 percent DEET encapsulated in a sub-micron protein for slow release.

*48-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6840-01-463-5455, Material Safety Data Sheet, SP-524N or equal, BT(contains 4 OZ), \$5.30

This lotion-like repellent is effective against mosquitoes, gnats, fleas, biting flies and chiggers. Contains a minimum of 25 percent active ingredients (minimum 17 percent DEET).

*48-month maximum shelf life (extendable).*

6840-01-003-9589, Material Safety Data Sheet, SP533 or equal, CO(contains 3 OZ), \$6.31

Easy to apply while keeping your hands repellent free. Provides protection from biting insects. Contains 20-30 percent DEET.

Federal Strategic Sourcing Initiative, 6840-01-490-6693, Material Safety Data Sheet, SRA-12M or equal, Unscented, 6 oz. aerosol, BX(contains 12 EA), \$83.60

## Disposable Razor

Lightweight, disposable, plastic safety razor has a stainless steel blade with plastic protective cap.

**Twin blade.**

Federal Strategic Sourcing Initiative, 8530-01-615-6022, 4250 or equal, BX(contains 500 EA), \$76.76

## Shaving Cream

Brushless type shaving cream. Smooth white cream works well on all skin types.

*36-month maximum shelf life (extendable).*

8520-01-303-4038, Clinique2oz or equal, Tube Size: 2 oz., DZ, \$24.33

8520-01-303-4039, Barbasol5oz or equal, Tube Size: 5 oz., DZ, \$46.29

## Toiletries Kit

Ideal for a short term trip or stay. Consists of personal sizes of basic items. Kit contains shampoo/body wash (2 oz.), conditioner (2 oz.), hand/body lotion (2 oz.), fluoride toothpaste (0.85 oz.), wrapped toothbrush (1), shaving cream (0.85 oz.), twin-edge plastic razor (1), and a plastic comb. Packed in a plastic bag. (Unit of issue is box that contains 12 individual kits.)

Federal Strategic Sourcing Initiative, 8530-01-490-7372, AbilityOne, BX(contains 12 EA), \$64.62

## Toothbrush

Plastic-handled toothbrush with soft nylon bristles. Designed for everyday use. Each toothbrush is individually wrapped.

**Straight handle.**

*Child-size brush measures 5-3/8" in length.*

Federal Strategic Sourcing Initiative, 8530-01-293-1388, AbilityOne, BX(contains 144 EA), \$51.78

*Adult-size tooth brush measures 6" in length.*

Federal Strategic Sourcing Initiative, 8530-01-293-1387, AbilityOne, DZ, \$5.94

## Toothpaste

When used in a normal manner, the toothpaste will not cause injury or irritation to teeth or gums.

**Contains fluoride.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-303-4037, AbilityOne, Tube Size: 3 oz., DZ, \$15.38

**Fluoride-free.**

*24-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-303-6438, AbilityOne, Tube Size: 1-1/2 oz., DZ, \$12.77

# Bowls, Pots and Pans

## Cooking Pot

Seamless, stainless steel pot is for general-purpose cooking and can be used in field kitchens. Round pot has steel, riveted handles.

IAW U.S. Army Natick Drawing 2-9-35.

*Does not have a cover.*

7330-00-292-2306, Capacity: 10 gal, EA, \$85.15

## Saucepan

Stainless steel round saucepan has a welded pan handle with a hole for hanging and comes with a cover with a strap handle.

Capacity: 7-1/2 quart.; Diameter 9-1/2".

7330-00-240-2137, SSP-7 or equal, Depth: 5-3/4", EA, \$46.46

## Baking Pan

Aluminum alloy baking pan has two drop-chest handles. Pan is reinforced with two stainless steel or tinned steel straps that extend lengthwise along the outside bottom and up the end walls. Pan has an open bead for added strength.

**Pan without clips can be used as a top with Pan NSN 7330-00-634-4494 to form a double roaster, or it can be used separately.**

7330-00-286-8069, 24 x 18 x 4-1/2", 29 QT, EA, \$82.44

Extra-heavy-duty aluminum pan can be used with a gasoline range in a field kitchen for baking and roasting. It has four drop-chest, riveted, stainless steel wire handles. (For use with Baking Pan Cover NSN 7330-00-263-8516.)

**Does not have a cover.**

7330-00-485-7376, 68391 or equal, 20-7/8 x 17-3/8 x 7", EA, \$165.20

Seamless, aluminum baking or roasting pan is a component of a field kitchen range outfit. It is rectangular with two tin-plated, riveted, clip-mounted, folding loop handles. Five dimples on bottom act as feet to support pan.

IAW U.S. Army Drawing 2-9-137.

7330-00-272-2589, Field Range Pan or equal, 19-7/8" L x 16-1/2" W x 1-3/8" D, EA, \$28.98

Extra-heavy-duty aluminum pan can be used with a gasoline range in a field kitchen for baking and roasting. Features four drop-chest, riveted, stainless steel wire handles.

**Consists of a pan with a cover that can be used as a griddle.**

7330-00-263-8504, 68390 or equal, 20-7/8 x 17-3/8 x 7", 42 QT, EA, \$186.02

## Baking Pan Cover

Extra-heavy-duty aluminum baking pan cover can be used on a gasoline range in field kitchens. Also can be used as a griddle. (For use with Baking Pan 7330-00-485-7376).

7330-00-263-8516, 68392 or equal, 21-5/8 x 18-1/8 x 2", EA, \$159.57

## Cake Pan

One-piece, round aluminum cake pan has tapered sides for nesting. Rolled beaded edge facilitates handling.

7330-00-205-3150, CPT9x1.5 or equal, Diameter: 9"; Depth: 1-1/2", BX(contains 12 EA), \$92.38

## Cookie Sheet

Made of seamless aluminum alloy, this cookie sheet is ideal for a variety of uses. Features rolled edges.

7330-00-633-8905, 9001 or equal, 25-3/4 x 17-3/4 x 1", EA, \$15.87



# Cutlery

## Cook's Knife

Knife features a stamped, stainless steel 10" blade, and a plastic or aluminum handle. Conforms to NSF standards.

7340-00-488-7950, AbilityOne, Overall Length: 14-1/2", EA, \$12.84

Knife has a stainless steel 12" blade with plastic handle.

7340-00-223-7771, AbilityOne, Black, Overall Length: 17" handle, BX(contains 6 EA), \$93.14

## Paring Knife

Short-bladed, 3-1/4"-long, stainless steel knife affords control and maneuverability in peeling and trimming operations. Comes with a plastic handle. Conforms to NSF standards.

Plastics Removal in Marine Environments

7340-00-488-7939, AbilityOne, Overall Length: 7", EA, \$4.78

## Slicing Knife

This scalloped blade knife features a stainless steel 12" blade, and a plastic handle. Conforms to NSF standards.

7340-00-680-0863, AbilityOne, EA, \$14.89

Slicing knife features a stainless steel 6" blade, and a plastic handle.

7340-00-680-2758, AbilityOne, BX(contains 6 EA), \$59.14

## Boning Knife

Stainless steel blade efficiently de-bones meat and fish. Blade measures 6" long and is connected to a durable, plastic handle. Conforms to NSF standards.

Plastics Removal in Marine Environments

7340-00-197-1271, AbilityOne, Overall Length: 10", EA, \$8.55

# Food Handling and Storage

## Waxed Paper

Use this general-purpose, bleached wet-waxed paper in galleys, bakeries and commissaries. Also use for overwrapping wax-dipped packages.

8135-00-264-3826, Width: 24", RO(contains 3000 FT), \$148.00

8135-00-281-9086, Width: 18", RO(contains 1228 FT), \$88.55

## Aluminum Foil

This non-toxic aluminum foil is suitable for cooking and food storage. Comes in a self-dispensing box with a convenient cutting edge.

8135-00-822-9433, Width: 12" Thickness: 0.0007", RO(contains 1800 FT), \$92.05

8135-00-724-0552, Width: 15" Thickness: 0.0010", RO(contains 1000 FT), \$57.25

8135-00-724-0551, Width: 18" Thickness: 0.0010", RO(contains 500 FT), \$34.03

8135-00-721-9725, Width: 18" Thickness: 0.0010", RO(contains 1000 FT), \$65.39

8135-00-952-7188, Width: 24" Thickness: 0.0010", RO(contains 1000 FT), \$90.41

## Plastic Wrap

This clear plastic film, in a cutter carton, is designed for household and related uses. It is soft and self-clinging, making it ideal for packaging food and other products.

**Non-perforated.**

8135-00-754-2692, 12" W x 1,000' L, RO(contains 1000 FT), \$7.88

**Perforated.**

8135-00-021-5865, Sheet Size: 24 x 28", RO(contains 400 SH), \$14.49

Clear plastic film is suitable for use in automated machines or for hand wrapping meats and produce. Comes rolled around a 3" core.

**Non-perforated.**

8135-00-838-0122, Width: 15"; Thickness: 0.0006", RO(contains 5000 FT), \$52.27

8135-00-476-5268, Width: 18"; Thickness: 0.0005", RO(contains 6800 FT), \$95.07

## Plastic Bag

General-purpose, flat, polyethylene bag includes a reusable interlocking seal closure.

*25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 8105-00-837-7753, SKILCRAFT, AbilityOne, 4" W x 4" L, Thickness: 2mm, MX, \$25.70

Federal Strategic Sourcing Initiative, 8105-00-837-7754, SKILCRAFT, AbilityOne, 6" W x 6" L, Thickness: 2mm, MX, \$33.57

Federal Strategic Sourcing Initiative, 8105-00-837-7755, SKILCRAFT, AbilityOne, 8" W x 8" L, Thickness: 2mm, MX, \$51.52

Federal Strategic Sourcing Initiative, 8105-00-837-7756, SKILCRAFT, AbilityOne, 10" W x 10" L, Thickness: 2mm, BX(contains 500 EA), \$40.08

Federal Strategic Sourcing Initiative, 8105-00-837-7757, SKILCRAFT, AbilityOne, 12" W x 12" L, Thickness: 2mm, BX(contains 500 EA), \$46.63

## Sandwich Bag

Flat-style plastic bag comes in a dispenser box. Meets FDA requirements.

Federal Strategic Sourcing Initiative, 8105-00-773-7581, Clear, 6-1/2 x 5-1/2", BX(contains 1000 EA), \$2.85

## Odor Barrier Bag

Bags provide an odor barrier for the containment of food-contaminated plastic waste in shipboard applications where at-sea disposal of plastics is prohibited. Pressure sensitive adhesive closure.

**Filled bags are intended to remain aboard ship for prolonged periods of time in consonance with naval deployments.**

Federal Strategic Sourcing Initiative, 7240-01-411-0584, AbilityOne, 24" W x 27" L, BX(contains 100 EA), \$491.95

Federal Strategic Sourcing Initiative, 7240-01-411-0585, AbilityOne, 36"W x 50" L, BX(contains 50 EA), \$565.61

## Grocery Bag

Popular-weight, paper bag for normal use by commissaries and shops. Dimensions are approximate.

**No. 25 bag has a capacity of 763 cu. in.**

*5% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 8105-00-281-1429, Natural, 8-1/4 x 5-1/4 x 17-7/8", BE(contains 1000 EA), \$57.36

## Lunch Carton

Paperboard lunch carton is strong enough to hold up to 20 pounds of food. This manila-lined box features a one-piece fold-tuck top which is glued on the bottom and sides. Box is not water-resistant.

*Contains 100% Recovered Material, Which Includes 40% Postconsumer Material*

8115-00-527-2302, 6" W x 10" L x 4" D, BX(contains 150 EA), \$83.90

## Grocery Cart

Chrome- or zinc-plated steel cart has a center tray that lifts to convert from a produce cart to a stock truck. Features a front bumper, two rubber semi-pneumatic tires and two skids. Minimum dimensions are shown.

**19" W x 28-1/2" D x 40" H overall.**

Federal Strategic Sourcing Initiative, 7290-00-104-4725, KNM04010 or equal, EA, \$406.01

# Cooking and Serving Utensils and Accessories

## Can Opener

Manual can opener opens any size can up to and including No. 10 round.

**Portable hand held model is designed for household use and is wing operated with a feed wheel. IAW A-A-52206 Type 1 Class 2 Grade A.**

7330-00-272-2591, DCSNO581 or equal, Length: 5-1/2", EA, \$6.50

Manual can opener opens any size can up to and including No. 12 round.

**Table-mounted model is hand crank operated and has a table clamp and bracket for tables up to 3" thick. Heavy duty with a cutting knife. IAW A-A-52206 Type 3.**

7330-00-205-3151, 12200 or equal, EA, \$109.25

Table-mounted hand crank-operated can opener with stainless steel construction and a reversible cutting blade.

**Clamp on base.**

7330-01-411-9789, 15020 or equal, EA, \$429.69

**Bolt-on base.**

7330-01-411-9788, S-11 or equal, EA, \$494.31

## Measuring Cup

Baker's-type measuring cup is made of aluminum alloy with an anodized finish. Seamless cup has a flanged pouring lip and a strap handle. Graduated in four equal divisions.

7330-00-264-5368, 68352 or equal, Size: 2, Capacity: 4 qt., EA, \$38.40

Rigid, pitcher-type measuring cup for general domestic and institutional use. Cup is leakproof, with loop handle on side opposite pouring lip.

**One-piece plastic cup has lightly embossed 2-oz graduations on the side.**

Federal Strategic Sourcing Initiative, 7240-00-138-7984, 3036 or equal, Natural, Capacity: 1 pt., BX(contains 12 EA), \$39.79

## Colander

For use in messes, field kitchens and galleys. Bottom and sides are perforated to allow liquids to drain. Bowl-shaped utensil has a rounded top edge, an attached base and two loop handles. Corrosion resisting steel.

**Made of stainless steel.**

7330-00-266-7453, T1343 or equal, Capacity: 14 to 17 qt., EA, \$24.73

## Food Scoop

Non-mechanical scoop is used for transferring bulk foods. The scoop is 8" long and 5" diameter. Conforms to NSF standards.

**Made of stainless steel, with a handle welded to the body of the scoop.**

7330-00-153-9760, 92110 or equal, Overall Length: 12", EA, \$94.51

## Whisk

French style stainless steel whisk has seven to eight bow wires firmly attached to the inside of the handle. Conforms to NSF International.

7330-00-815-1458, AE1458 or equal, Length: 16"; Diameter: 2-3/4", EA, \$16.05

## Food Scraper

Scrapes food from plates or dishes before washing. It has a tapered, rubber blade with rounded corners. Blade is 4-5/8" ( $\pm 1/4$ ") X 3" ( $\pm 1/4$ "), handle is 8-7/8" ( $\pm 1/2$ "). NSF Certified.

7330-00-680-2636, 2636 or equal, Natural, Overall Length: 13-5/8", DZ, \$37.47

## Food Turner

From flipping burgers to serving lasagna, the food turner proves to be a valuable utensil. For use in dining halls or galleys. Features a hole in the handle for hanging. Conforms to NSF standards.

**Solid, stainless steel turner has a smooth finish and a blade measuring 4-1/2" x 3-3/4".**

7330-00-256-2158, ROY 4804 or equal, Length: 21", EA, \$7.91

## Ladle

Stainless steel scoop serves and transfers food in small or large portions. Long, offset handle has a hanging hook. Solid bowl does not have a pouring lip.

7330-00-254-4793, 58620 or equal, Length: 12"; Capacity: 2 oz., EA, \$17.24

7330-00-680-0865, 58440 or equal, Length: 14"; Capacity: 4 oz., EA, \$12.43

7330-00-248-1153, 58480 or equal, Length: 16"; Capacity: 8 oz., EA, \$13.96

## Cake Knife

Stainless steel knife cuts and serves pies and cakes. Features an offset blade and a plastic handle with a thumb grip.

5-6" blade.

7340-00-272-9586, 48083 or equal, Length: 9-11", EA, \$13.86

## Ice Cream Scoop

Mechanical scoop dishes up ice cream and other foods. Features a thumb-activated, gear-operated blade in its bowl that ejects food. Bowl is corrosion-resistant and handle is made of colored plastic. Conforms to NSF standards.

6 scoops make a quart.

7330-00-197-1280, 47139 or equal, White, EA, \$22.61

## Food Service Apron

Clear vinyl apron with bib and neckband can be cleaned easily. Grommets on each side of the waistline secure 30" tie tapes.

8415-00-899-3026, AbilityOne, Frosty Clear, Length: 42";Width: 34", EA, \$10.42

Washable, reusable, white cotton drill cloth food service apron. White cotton tie tapes secure apron at the waist. All apron edges are either selvage or hem finish.

**Bib-style apron. Has white cotton tape neck band.**

Plastics Removal in Marine Environments

8415-01-045-0587, AbilityOne, White, Length: 35"; Width: 26", PG(contains 12 EA), \$85.30

8415-00-634-0205, AbilityOne, White, Length: 42"; Width: 32", Waist-style apron., PG(contains 10 EA), \$86.14

Plastics Removal in Marine Environments

8415-00-051-1173, AbilityOne, White, Length: 30"; Width: 32", PG(contains 10 EA), \$64.23

## Plastic Apron

Disposable apron is made of polyethylene or spun-bonded olefin. Suitable for use in medical or food service applications. Supplied in a dispenser box with 100 aprons on a tear-off roll.

**Bib-style item includes waist ties and a neckband.**

8415-00-222-8074, AP-PE-BX-MED or equal, Opaque White, 28 x 44", HD, \$8.05

## Laboratory Apron

Rubber coated laboratory apron. Use to protect clothing from chemical splashes. Bib-style apron has neck and waist tie tapes secured to grommets. Made of cotton cloth and coated on both sides with synthetic rubber.

8415-00-634-5023, AbilityOne, Black, 35 x 45", EA, \$35.77

## Chef's Cap

This skull (round crown) or overseas (peaked front and back) style cap is made of paper and features an adjustable head size from 6-7/8 to 7-1/2". For use by food servers in cafeterias, restaurants, and soda fountains.

8415-00-634-2410, Classy Cap #100 or Equal, White, BX(contains 1000 EA), \$36.22

## Oven Mitt

Insulated oven mitt protects hands and wrists from heat. Made of resin-treated, terry knit cotton with an insulated liner. Pre-shrunk and washable.

Plastics Removal in Marine Environments

7330-00-379-4439, AbilityOne, 8-1/2 x 11-1/2", EA, \$5.54

## Dishcloth/Towel

Bleached white, plain weave cotton towel intended for drying glassware. Red or blue woven checks or stripes. Hemmed or selvage edges.

7210-00-205-3483, 10165-DSCLTH or Equal, White, 30 x 15", DZ, \$23.18

Clean up kitchen areas with the help of this cotton dishcloth or towel. In white, crash-weave, cotton fabric with hemmed or selvage edges.

**White towel with narrow red stripes within an inch of the edges of the cloth.**

Plastics Removal in Marine Environments

7210-00-171-1144, KT-Towel-RS or equal, 36" L x 16-1/2" W, DZ, \$20.70

## Beverage Stirrers

Smooth, wooden stirrers are odorless and tasteless. Handy for stirring beverages, such as coffee and tea. Meets FDA requirements.

Plastics Removal in Marine Environments

7340-00-753-5565, R810 or equal, Natural, 5-1/4 x 1/4", BX(contains 1000 EA), \$2.98

## Funnel

General purpose galvanized steel funnel has a flexible 14" spout and 70 mesh removable brass strainer.

Federal Strategic Sourcing Initiative, 7240-00-559-7364, 495 or equal, Capacity: 1 qt., BX(contains 12 EA), \$84.85

## Drum Funnel

Round vented steel funnel intended for use with 55-gallon drums storing hazardous waste. Funnel can be mounted on drum with a 2" NPT bung opening using the 2" NPT threaded neck. Drum can be sealed with the funnel in place. Furnished with lockable latches. Locks not included.

**11.25" diameter, 13" high, 18-gauge steel; weighs 14-lbs.**

Federal Strategic Sourcing Initiative, 7240-01-426-1569, DRM1125-BK-NPT or equal, Powdercoat Black, EA, \$372.60

## Toothpicks

Hardwood toothpicks, a necessity in the kitchen and after dining, are odorless and tasteless. Meets FDA requirements.

**Round or square centered round-style toothpicks.**

**16 Individual boxes of 800 each.**

7350-00-838-3919, R820SQ or equal, 2-3/4", PG(contains 16 EA), \$22.99

## Salt and Pepper Shaker

Shaker features a heavy glass body and a stainless steel or aluminum threaded cap.

Plastics Removal in Marine Environments

7350-00-680-2630, G106 or equal, Clear, Capacity: 2 oz., EA, \$4.54

## Serving Tray

Leakproof cafeteria tray has a smooth finish and radius corners. Not intended for direct contact with food.

**Laminated fiberglass tray is chip and dent resistant.**

**Has a rectangular shape.**

7350-00-926-6180, 1814DFG030 or equal, Natural, 18 x 14", DZ, \$170.32

# Pitchers and Jugs

## Insulated Pitcher

Plastic, tapered pitcher has a handle and a detachable hinged lid and holds hot or cold beverages. Features insulated filling between the plastic liner and the outer shell. (Note: this item is not dishwasher-safe).

7350-00-680-2770, F3022/40 or equal, Capacity: 1 qt., EA, \$23.28

## Vacuum Bottle

Narrow-mouth thermos features a threaded plastic stopper, screw-on cap, stainless steel inner shell and carrying handle. Meets FDA requirements.

**Stainless steel or painted carbon steel exterior.**

7330-00-634-6555, 9617001900 or equal, Capacity: 1 qt., EA, \$15.97

7330-00-285-4299, ABT6007-600 or equal, Capacity: 2 qt., EA, \$26.31

## Water Cooler

Heavy-duty, five-gallon beverage cooler features two no-pinch carrying handles; dispenser valve; and a wide-mouth screw-on lid. Meets OSHA requirements. Fits standard cooler racks.

7330-01-449-2319, 158400104 or equal, Hi-Viz, EA, \$36.23

Heavy-duty, five-gallon beverage cooler features two large grip side handles, cup dispenser bracket, drip-proof recessed spigot, with a wide-mouth pressure-fit double wall lid. Cord is attached to the lid with foamed-in-place insulation. Meets OSHA requirements. Fits standard cooler racks.

7330-01-449-2318, 451 or equal, Hi-Viz, EA, \$45.93

## Water Bottle

Plastic bottle is used for water coolers and dispensers. Holds five gallons.

8125-00-132-9566, 5 Gal, EA, \$101.85

# Disposable Flatware

## Dining Packet

For use with in-flight lunchboxes. Each packet contains: white plastic knife, fork and spoon; 6" plastic drinking straw; two-ply, 17" paper napkin; wash-and-dry paper towel; salt and pepper packets; two round, wooden toothpicks. This practical assortment is sealed in a sanitary cellophane envelope.

7360-01-167-2610, AbilityOne, BX(contains 200 EA), \$111.32

## Individual Flatware Set

High-impact set is excellent for use during picnics or with military rations. Smooth-finished flatware is made of high-impact, modified polystyrene and can be discarded after use. Set contains a 5" knife, fork and spoon in an easy-to-open cellophane bag. Heat-tolerant utensils are free of objectionable taste and odor.

7360-00-634-4800, AbilityOne, Tan/Sand, BX(contains 10 EA), \$3.67

## Biobased Flatware Set

Lightweight biobased disposable flatware. Made of 50 percent wheat based resin (biobased) and 50 percent polypropylene, this flatware is heat tolerant and environmentally friendly. Meets FDA requirements.

Individual flatware set contains a 6-1/2" picnic knife, 6" picnic fork and 5-5/8" picnic tea spoon in an easy-to-open bag.

Biopreferred

7360-01-564-3560, AbilityOne, Wheat, BX(contains 400 EA), \$83.46

## Biobased Flatware

Lightweight biobased disposable flatware. Made of 50 percent wheat based resin (biobased) and 50 percent polypropylene, this flatware is heat tolerant and environmentally friendly. Meets FDA requirements.

Individually wrapped.

*Picnic fork.*

Biopreferred

7340-01-564-1884, AbilityOne, Wheat, Length: 6", MX, \$67.26

*Picnic knife.*

Biopreferred

7340-01-564-1886, AbilityOne, Wheat, Length: 6-1/2", MX, \$62.11

*Picnic tea spoon.*

Biopreferred

7340-01-564-1889, AbilityOne, Wheat, Length: 5-5/8", MX, \$62.95

**Picnic fork.**

Biopreferred

7340-01-564-1888, AbilityOne, Wheat, Length: 6", HD, \$7.88

**Picnic knife.**

Biopreferred

7340-01-564-1885, AbilityOne, Wheat, Length: 6-1/2", HD, \$6.98

**Picnic tea spoon.**

Biopreferred

7340-01-564-1887, AbilityOne, Wheat, Length: 5-5/8", HD, \$7.88

## Plastic Flatware

Medium weight polystyrene disposable flatware.

### **Picnic fork.**

7340-01-438-7392, AbilityOne, White, Length: 6-1/8", MX, \$27.75

### **Picnic knife.**

7340-01-438-9241, AbilityOne, White, Length: 6-5/8", MX, \$25.99

### **Picnic spoon.**

7340-01-438-7391, AbilityOne, White, Length: 5-3/4", MX, \$27.75

For use with field rations, flatware is heat tolerant and meets FDA requirements.

### **Individually wrapped. Heavy-duty flatware stands up to rough use.**

#### *Fork.*

7340-01-379-5524, AbilityOne, White, Length: 6", MX, \$54.00

#### *Knife.*

7340-01-379-8840, AbilityOne, White, Length: 6-3/4", MX, \$50.37

#### *Teaspoon.*

7340-01-382-0538, AbilityOne, White, Length: 5-3/4", MX, \$48.53

### **Heavy-duty flatware stands up to rough use.**

#### *Fork.*

7340-00-022-1315, AbilityOne, White, Length: 6-1/8", HD, \$5.84

#### *Knife.*

7340-00-022-1316, AbilityOne, White, Length: 6-1/2", HD, \$5.84

#### *Spoon.*

7340-00-022-1317, AbilityOne, White, Length: 5-3/4", HD, \$6.20

### **High-impact flatware is durable.**

#### *Fork.*

7340-00-205-3342, AbilityOne, Tan/Sand, Length: 5", HD, \$8.26

#### *Knife.*

7340-00-205-3187, AbilityOne, Tan/Sand, Length: 5", HD, \$5.70

### **High-impact flatware is durable. (NFES #000497)**

#### *Spoon.*

7340-00-170-8374, AbilityOne, Tan/Sand, Length: 5-3/4", HD, \$6.95

# Silverware

## Stainless Steel Flatware

Plain flatware with a bright, mirrored finish is made of stainless steel.

**Standard-weight flatware is for use in general food service installations; graded construction. "Windsor pattern".**

*Table fork has four tines.*

Plastics Removal in Marine Environments

7340-00-241-8169, 2332SFRSA or equal, Length: 7", BX(contains 24 EA), \$33.04

*Table knife has a serrated edge, a tapered blade and a round point.*

Plastics Removal in Marine Environments

7340-00-060-6057, 2332KPTA or equal, Length: 8-3/4", BX(contains 24 EA), \$73.28

*Soup spoon.*

Plastics Removal in Marine Environments

7340-00-688-1055, 2332SSBLA or equal, Length: 5-11/16", BX(contains 24 EA), \$45.92

*Tablespoon has a flat handle and is commonly used as a serving spoon.*

Plastics Removal in Marine Environments

7340-00-205-3341, 2332SSTBA or equal, Length: 8-3/8", BX(contains 24 EA), \$66.53

*Teaspoon has a flat handle.*

Plastics Removal in Marine Environments

7340-00-205-3340, 2332SSTSA or equal, Length: 6", BX(contains 24 EA), \$37.96

*Dessert spoon.*

Plastics Removal in Marine Environments

7340-00-241-8171, 2332SSDEA or equal, Length: 7-1/4", BX(contains 24 EA), \$46.47

## Silver-Plated Flatware

Silver-plated flatware has a brilliant finish; the ornamental Kings pattern appears clearly and distinctly on each piece. For use in officers' mess and executive dining rooms. Flatware matches the high quality of that used in hotels and restaurants.

**Forks come in a variety of styles.**

*Salad fork.*

7340-00-235-5042, 1013SFSLF or equal, Length: 6-7/8 x 1-1/16", DZ, \$105.95

*Table fork.*

7340-00-229-9477, 1013SFDNF or equal, Length: 8 x 1-1/8", DZ, \$129.04

*Dessert fork.*

7340-00-229-9475, 1013SFDEF or equal, Length: 7 x 1-1/16", DZ, \$98.44

**Knives have stainless steel blades.**

*Table knife.*

7340-00-235-5013, 1013SKPSF or equal, Length: 9-3/16", DZ, \$211.47

*Dessert knife.*

7340-00-229-9479, 1013SKDEF or equal, Length: 8-3/8", DZ, \$211.47

**Spoons come in a variety of styles.**

*Iced tea spoon.*

7340-00-235-5021, 1013SSITF or equal, Length: 7-1/2 x 1-3/16", DZ, \$92.48

*Soup spoon.*

7340-00-235-5023, 1013SSRBF or equal, Length: 7 x 1-7/8", DZ, \$106.70

*Tablespoon is commonly used as a serving spoon.*

7340-00-235-5027, 1013SSTBF or equal, Length: 8-7/16 x 1-7/8", DZ, \$148.00

*Teaspoon.*

7340-00-235-5029, 1013SSTSF or equal, Length: 5-7/8 x 1-1/4", DZ, \$91.93



# Disposable Dinnerware

## Breakroom Convenience Pack

Office Pack contains: Nine inch paper plates (50 each), seven inch plates (50 each), 8-oz hot/cold cups (100 each), 8-fold 2-ply napkins (150 each), heavy duty forks (48 each), heavy duty spoons (48 each), heavy duty knives (24 each) and three 10-gallon trash bags. All packed in a sturdy, sanitary, corrugated reusable box. Box measures 17-5/8" x 24" x 4-9/16".

7350-01-483-8988, AbilityOne, EA, \$41.31

## Field Convenience Pack

Field Pack contains: round uncompartmented, paper plates, 7" white (50 each); rectangular 5-compartment trays, tan 12.5" x 8.5" (50 ea); hot paper cups with biobased lining, 16 oz white (100 ea); cup lids, 16 oz (100 ea); disposable paper food cups with biobased lining, 12 oz white (50 ea); dining packets containing biobased knife, fork, spoon, salt, pepper, napkin, and sugar (50 ea); napkins in a sealed closure bag, 2-ply white (150 ea); and heavy duty, high density trash bags, 60-gallon clear (5 ea). All packed in a sturdy, sanitary, corrugated reusable box.

7350-01-646-1759, AbilityOne, EA, \$83.81

## Foam Cup

Disposable, molded polystyrene foam cup is round and smooth, with a rounded edge and tapered sides for staking. Holds hot contents up to 178 degrees.

**Tall-style cup without handle or lid is for hot or cold liquids.**

7350-00-721-9003, 6J6 or equal, Capacity: 6 oz., BX(contains 1000 EA), \$21.80

7350-00-082-5741, 8J8 or equal, Capacity: 8 oz., BX(contains 1000 EA), \$29.80

7350-00-926-1661, 10J10 or equal, Capacity: 10 oz., BX(contains 1000 EA), \$28.28

**Tall-style cup without handle is for hot or cold liquids. Has a tight-fitting, plastic lid.**

*I A W A - A - 2595 A*

7350-00-914-5089, Capacity: 8 oz., BX(contains 1000 EA), \$47.38

7350-00-914-5088, Capacity: 10 oz., BX(contains 1000 EA), \$48.92

## Paper Tableware

Round disposable biobased paper cup is odorless and leakproof along with compostable

**Wax coated or plastic coated, both sides.**

*Tall-style cup without handle or lid is for cold liquids.*

7350-01-645-7876, AbilityOne, White, Capacity: 32 oz., BX(contains 500 EA), \$74.34

7350-01-645-7875, AbilityOne, White, Capacity: 21 oz., BX(contains 1000 EA), \$87.00

7350-00-641-4587, AbilityOne, White, Capacity: 5 oz., BX(contains 2500 EA), \$107.50

7350-00-281-3211, AbilityOne, White, Capacity: 6 oz., BX(contains 2500 EA), \$105.86

7350-00-641-4589, AbilityOne, White, Capacity: 7 oz., BX(contains 2500 EA), \$123.06

7350-00-641-4590, AbilityOne, White, Capacity: 8 oz., BX(contains 2500 EA), \$127.31

7350-00-641-4593, AbilityOne, White, Capacity: 9 oz., BX(contains 2500 EA), \$121.65

7350-00-641-4591, AbilityOne, White, Capacity: 10 oz., BX(contains 2400 EA), \$162.67

7350-00-641-4592, AbilityOne, White, Capacity: 12 oz., BX(contains 2500 EA), \$168.33

*Squat-style cup without handle or lid is for cold liquids.*

7350-00-641-4523, AbilityOne, White, Capacity: 16 oz., BX(contains 1000 EA), \$74.85

**Cup is moisture-resistant stock or plastic coated.**

*Squat-style cup without handle or lid is for hot foods.*

7350-00-641-4518, AbilityOne, White, Capacity: 12 oz., BX(contains 1200 EA), \$104.86

Features a plastic coating on the inner surface.

*Tall-style cup with handle is for hot liquids. Does not have a lid.*

7350-00-205-1182, AbilityOne, White, Capacity: 6 oz., BX(contains 1000 EA), \$66.69

7350-00-988-6498, AbilityOne, White, Capacity: 8 oz., BX(contains 1000 EA), \$77.80

*Tall-style, plastic-lined cup without handle or lid is for use with hot liquids.*

7350-00-290-0588, AbilityOne, White, Capacity: 6 oz., BX(contains 2000 EA), \$98.59

7350-00-162-3006, AbilityOne, White, Capacity: 8 oz., BX(contains 2000 EA), \$106.09

7350-01-411-5265, AbilityOne, Tan or Sand, Capacity: 9 oz., BX(contains 1800 EA), \$80.93

7350-00-641-4519, AbilityOne, White, Capacity: 10 oz., BX(contains 1000 EA), \$67.90

7350-00-641-4517, AbilityOne, White, Capacity: 12 oz., BX(contains 1000 EA), \$69.31

7350-00-641-4576, AbilityOne, White, Capacity: 16 oz., BX(contains 1000 EA), \$79.52

## Biobased Disposable Cup

Round disposable biobased paper cup is odorless and leakproof along with compostable. IAW-A-A-2577B

**Lined on the inside with Polymer Polylactide (PLA), a corn starch derivative.**

*Tall-style cup without handle or lid is for cold liquids.*

Biopreferred

7350-01-645-7874, AbilityOne, White, Capacity: 21 oz., BX(contains 1000 EA), \$140.04

## Paper Tableware

Round, uncompartmented plate is made of pressed board paper. Plate has standard rigidity.

**Round, uncompartmented plate is made of molded pulp paper.**

7350-00-290-0593, AbilityOne, White, Diameter: 6-1/2"; Depth: 1/2", BX(contains 1000 EA), \$68.33

7350-00-290-0594, AbilityOne, White, Diameter: 9"; Depth: 3/4", BX(contains 500 EA), \$52.34

**Round, uncompartmented plate is made of pressed board paper. Plate has standard rigidity.**

7350-00-899-3054, AbilityOne, White, Diameter: 6"; Depth: 1/2", BX(contains 1000 EA), \$48.07

7350-00-899-3055, AbilityOne, White, Diameter: 7"; Depth: 1/2", BX(contains 1000 EA), \$66.53

7350-00-899-3056, AbilityOne, White, Diameter: 9"; Depth: 3/4", BX(contains 1000 EA), \$83.46

**Three-compartment plate has one main compartment that covers 50 percent of plate and two smaller compartments, each covering 25 percent of plate. Compartment dividers are one-half as high as plate rim.**

*Rectangular plate, made of pressed board paper or molded pulp fiber provides extra resistance to water and grease.*

7350-00-926-9233, AbilityOne, White, 8 x 10"; Depth: 7/8", BX(contains 500 EA), \$80.63

*Round plate of molded pulp paper provides extra resistance to water and grease.*

7350-01-263-6700, AbilityOne, White, Diameter: 10-1/4"; Depth: 7/8", BX(contains 500 EA), \$80.41

*Round plate, made of molded pulp paper, provides extra resistance to water and grease. Packaged in a unitized waterproof container for U.S. Navy use.*

Plastics Removal in Marine Environments

7350-01-263-6701, AbilityOne, White, Diameter: 10-1/4"; Depth: 7/8", BX(contains 500 EA), \$97.99

Disposable bowl is made of molded pulp paper.

Biopreferred

7350-01-332-2111, AbilityOne, Beige or White, Capacity: 12 oz., BX(contains 1000 EA), \$87.43

Round disposable biobased paper cup is odorless and leakproof along with compostable

**Cup is moisture-resistant stock or plastic coated.**

*Squat-style cup without handle or lid is for hot foods.*

7350-00-641-4520, VS508-2050 or equal, White, Capacity: 8 oz., BX(contains 1000 EA), \$66.38

7350-00-290-0586, AbilityOne, White, Capacity: 16 oz., BX(contains 500 EA), \$55.17

## Mess Tray

Disposable mess tray (clam shell) is made of wood pulp paper. Hinged lid with a slot for closing. Biobased.

**Three-compartment.**

BiopREFERRED

7350-01-664-6905, AbilityOne, White, 8" x 8"; 3" deep, BX(contains 200 EA), \$72.63

7350-01-664-6909, AbilityOne, White, 9" x 9"; 3" deep, BX(contains 200 EA), \$85.42

**Single compartment.**

BiopREFERRED

7350-01-664-6906, AbilityOne, White, 6" x 6"; 3" deep, BX(contains 400 EA), \$85.03

7350-01-664-6907, AbilityOne, White, 9" x 9"; 3" deep, BX(contains 200 EA), \$85.33

7350-01-664-6908, AbilityOne, White, 8" x 8"; 3" deep, BX(contains 200 EA), \$68.55

Three-compartment, disposable tray (clam shell) is made of polystyrene plastic foam. Rectangular shape with a hinged lid and slot closing.

7350-01-080-8842, SN203 or equal, White, 10 x 9-1/2 x 3", BX(contains 200 EA), \$19.23

Biobased disposable mess tray is water and grease-resistant, nesting design. Meets FDA requirements.

**Five compartment, rectangular mess tray is made of wood pulp paper.**

*Twenty-five trays per bag, twenty bags per box.*

BiopREFERRED

7350-01-411-5266, AbilityOne, Tan or Sand, 12-1/2 x 8-1/2", BX(contains 500 EA), \$114.25

7350-01-012-8787, AbilityOne, White or Natural, 12-1/2 x 8-1/2", BX(contains 500 EA), \$112.63

## Table Napkins

Standard paper napkin is ideal for general table or hospital use.

**Single-ply napkin for use with junior dispenser 7350-00-205-0928.**

*Contains 30% Recovered Material, Which Includes 30% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 8540-00-965-4691, SKILCRAFT, AbilityOne, White, Unfolded: 94-1/2 sq. in., BX(contains 10000 EA), \$65.68

## Table Napkin Dispenser

Stainless steel dispenser is for table use and holds 125-150 paper napkins folded 3-1/2 x 7" (minimum).

Napkins can be stored and withdrawn from front or rear opening. Spring-loaded plates keep napkins neat.

Has non-marking rubber feet.

7350-00-205-0928, SLNH001 or equal, EA, \$6.60

## Towelettes

Paper towelettes are pre-moistened, non-alcohol formula with a cleansing solution, allowing for quick cleansing of ordinary soils from hands, face and body without soap or water. Free of any objectionable odor. Comes pre-folded in individual, sealed packets.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-615-6021, NIC D11055 or equal, 5 x 7-3/4", BX(contains 1000 EA), \$33.02

## Drinking Straws

For hot or cold liquids, this jumbo-sized plastic straw is non-toxic, latex-free and individually wrapped.

Meets FDA requirements.

**Flexible section 2" from the top of the straw allows it to bend without breaking.**

*48-month maximum shelf life (extendable).*

7350-00-444-1323, DXEJW74, or equal, White or Clear, Length: 7-3/4"; Diameter: 1/4", PG(contains 400 EA), \$2.38

# China and Dinnerware

## Plastic Tableware

Ideal for dining halls, hospitals and institutions because items stack easily, create little dish clatter, and resist chipping, heat and fading. Rugged yet lightweight tableware is made of melamine plastic with fabric filler. May be sterilized at temperatures up to 180° F. Meets FDA requirements and conforms to NSF standards.

**Bowl may be used for soup, cereal or salad.**

Plastics Removal in Marine Environments 7350-01-036-5427, 16XB-S or equal, Sahara Sand, Capacity: 16 oz., DZ, \$20.19

**General-purpose eating bowl with sloping sides holds up to 17 oz. of food.**

Plastics Removal in Marine Environments

7350-00-251-8746, 17XB-T or equal, Mottled Tan, Diameter: 5-3/4"; Height: 2-9/16", DZ, \$21.46

**Drinking cup with handle and straight, tapered sides holds 10 oz.**

Plastics Removal in Marine Environments

7350-00-223-7760, 10XC-T or equal, Mottled Tan, Diameter: 3-7/16"; Height: 3-3/8", DZ, \$22.06

7350-01-036-3769, 10XC-S or equal, Sahara Sand, Diameter: 3-7/16"; Height: 3-3/8", DZ, \$22.06

**Drinking tumbler with straight, tapered sides holds 10 oz.**

7350-00-223-7836, 10XT-T or equal, Mottled Tan, Diameter: 3"; Height: 4-3/8", DZ, \$18.88

Plastics Removal in Marine Environments

7350-01-036-3770, 10XT-S or equal, Sahara Sand, Diameter: 3"; Height: 4-3/8", DZ, \$18.88

**Dinner plate.**

7350-01-036-5429, 9XP-S or equal, Sahara Sand, Diameter: 9", DZ, \$38.11

Made of tough, virtually unbreakable, chip-proof plastic, lightweight tableware is easy to handle. Fade proof quality keeps items looking new. Components stack compactly and may be washed and sterilized at high temperatures.

**Dinner plate.**

7350-00-205-3219, 10XP-S or equal, Sahara Sand, Diameter: 10", DZ, \$22.63

**Bowl may be used for soup, cereal or salad.**

7350-00-205-3220, 16XB1-S or equal, Sahara Sand, Capacity: 16 oz., DZ, \$13.58

## Mess Tray

Ideal for dining halls, hospitals and institutions because items stack easily, create little dish clatter, and resist chipping, heat and fading. Rugged yet lightweight tableware is made of melamine plastic with fabric filler. May be sterilized at temperatures up to 180° F. Meets FDA requirements and conforms to NSF standards.

**Five-compartment mess tray has a hardened surface to resist knife scratches.**

Plastics Removal in Marine Environments

7350-00-144-4989, 5XTT or equal, Mottled Tan, 13-7/8 x 10-3/4 x 1", DZ, \$56.13

## China Tableware

This reliable, restaurant-grade tableware is made of vitrified china.

Trimmed with gold and blue lines and the Navy seal, this medium-weight tableware has the official look appropriate for the Flag Officers' mess. (Not for microwave use).

### *Bread and butter plate.*

Plastics Removal in Marine Environments

7350-00-271-1701, 201QM or equal, White, Diameter: 6-1/4", BX(contains 36 EA), \$563.48

### *Dinner plate.*

Plastics Removal in Marine Environments

7350-00-271-1704, 408QM or equal, White, Diameter: 10", BX(contains 24 EA), \$475.30

### *Soup or cereal bowl.*

Plastics Removal in Marine Environments

7350-00-271-1705, 251QM or equal, White, Diameter: 7", BX(contains 36 EA), \$715.98

### *Cup serves coffee or tea.*

Plastics Removal in Marine Environments

7350-00-272-9359, 111QM or equal, White, Capacity: 7-1/2 oz., BX(contains 36 EA), \$626.89

### *Saucer.*

Plastics Removal in Marine Environments

7350-00-272-9529, 282QM or equal, White, Diameter: 6", BX(contains 36 EA), \$572.45

With anchor design and narrow blue band with line, this hotel-weight tableware is for use in Navy officers' mess.

### *Bread and butter plate.*

Plastics Removal in Marine Environments

7350-00-192-1932, 201QM1 or equal, White, Diameter: 6-1/4", BX(contains 36 EA), \$306.14

### *Dinner plate.*

Plastics Removal in Marine Environments

7350-00-192-1933, 408QM1 or equal, White, Diameter: 10", BX(contains 24 EA), \$304.77

### *Soup or cereal bowl.*

Plastics Removal in Marine Environments

7350-00-222-3288, 251QM1 or equal, White, Diameter: 7", BX(contains 36 EA), \$477.73

This heavy-duty, undecorated tableware features a glazed finish and is chip-resistant. Withstands thermal shock.

### *Salad plate or bread and butter plate.*

7350-01-256-1086, 21200 or equal, White, Diameter: 6-1/2", BX(contains 36 EA), \$84.56

### *Dinner plate.*

7350-01-256-1087, 22400 or equal, White, Diameter: 9", BX(contains 24 EA), \$100.79

### *Soup or cereal bowl is 2" deep.*

7350-01-256-1091, 19500 or equal, White, Diameter: 5-1/2", BX(contains 36 EA), \$148.72

### *Drinking mug holds 10-1/2 oz.*

7350-01-256-1093, 98200 or equal, White, Height: 3-1/2", BX(contains 36 EA), \$206.59

### *Oval serving platter with curved sides.*

7350-01-256-1085, 26300 or equal, White, 9 x 11-1/2 x 1", DZ, \$104.96

## Drinking Glass

Durable, heat-treated tumbler resists chipping and breaking. Particularly suitable for hospitals or for other regular use, this glass is single-bulge style and has smoothed edges. Made of lime, borosilicate, or lead-flint glass.

7350-00-689-5383, 1906HT, or equal, Capacity: 12 oz.; Height: 5-1/8", BX(contains 72 EA), \$161.12

# Bedding

## Box Spring

Item	NSN	Size	Color/Type	Source	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Box Spring	7210-01-228-5735	75 x 38 x 7-3/4"	Twin	AbilityOne	Mattress 7210-01-228-5726, Pad 7210-01-306-3247	FOB	EA	\$178.24
Box Spring	7210-01-228-5736	75 x 54 x 7-3/4"	Full	AbilityOne	Mattress 7210-01-228-5727, Pad 7210-01-417-5531	FOB	EA	\$219.06
Box Spring	7210-01-291-9511	80 x 38 x 7-3/4"	Twin Extra Long	AbilityOne	Mattress 7210-01-292-2551	FOB	EA	\$184.14
Box Spring	7210-01-228-5738	80 x 38 x 7-3/4"	Twin	AbilityOne	Mattress 7210-01-228-5729, Pad 7210-01-306-3251	FOB	PR	\$290.10
Box Spring	7210-01-291-9512	80 x 53 x 7-3/4"	Full	AbilityOne	Mattress 7210-01-292-2552	FOB	EA	\$227.45
Box Spring	7210-01-228-5737	80 x 60 x 7-3/4"	Queen	AbilityOne	Mattress 7210-01-228-5728, Pad 7210-01-417-5532	FOB	EA	\$259.68
Box Spring "Dormitory/Barracks Style"	7210-01-163-3444	75 x 36 x 6-1/2"	Twin	Unicor	Mattresses 7210-00-139-6424 and 7210-01-076-1086	FOB	EA	\$111.11
Box Spring "Dormitory/Barracks Style"	7210-00-582-7540	75 x 38 x 6-1/2"	Twin or bunk	Unicor	Mattresses 7210-00-139-6411, 7210-01-076-1088, and 7210-01-076-1089	FOB	EA	\$111.11
Box Spring "Dormitory/Barracks Style"	7210-00-110-8104	80 x 38 x 6-1/2"	Twin Extra Long	Unicor	Mattresses 7210-00-110-8102, 7210-01-075-8359, and 7210-01-076-9029	FOB	EA	\$111.11
Box Spring "Hospitality Style A"	7210-01-324-3848	75 x 36 x 6-1/2"	Twin	Unicor	Mattress 7210-01-324-3851, Pad 7210-01-306-3244	FOB	EA	\$121.96
Box Spring "Hospitality Style A"	7210-01-324-8803	75 x 38 x 6-1/2"	Twin or Bunk Box Spring	Unicor	Mattresses 7210-01-324-7988 and 7210-01-325-2313, Pad 7210-01-306-3247	FOB	EA	\$120.60
Box Spring "Hospitality Style A"	7210-01-324-8805	75 x 53 x 6-1/2"	Full	Unicor	Mattress 7210-01-324-7989, Pad 7210-01-417-5531	FOB	EA	\$132.80
Box Spring "Hospitality Style A"	7210-01-324-8804	80 x 38 x 6-1/2"	Twin Extra Long	Unicor	Mattresses 7210-01-324-6948 and 7210-01-324-8812, Pad 7210-01-306-3251, Blanket 7210-01-054-7911	FOB	EA	\$127.37
Box Spring "Hospitality Style A"	7210-01-324-7977	80 x 36 x 6-1/2"	Twin Extra Long	Unicor	Mattresses 7210-01-324-6946 and 7210-01-324-6947, Pad 7210-01-306-3250	FOB	EA	\$127.37
Box Spring "Hospitality Style A"	7210-01-324-7978	80 x 53 x 6-1/2"	Full Extra Long	Unicor	Mattresses 7210-01-324-6949 and 7210-01-324-8813, Pad 7210-01-417-5530	FOB	EA	\$151.75
Box Spring "Hospitality Style A"	7210-01-324-8806	80 x 60 x 6-1/2"	Queen	Unicor	Mattress 7210-01-324-7990 and 7210-01-325-2315, Pad 7210-01-417-5532	FOB	EA	\$155.83
Box Spring "Hospitality Style B"	7210-01-324-8807	75 x 36 x 6-1/2"	Twin	Unicor	Mattresses 7210-01-324-6950 and 7210-01-325-2295	FOB	EA	\$120.60
Box Spring "Hospitality Style B"	7210-01-324-8808	80 x 36 x 6-1/2"	Twin Extra Long	Unicor	Mattresses 7210-01-324-6951 and 7210-01-325-2296, Pad 7210-01-306-3250	FOB	EA	\$120.60
Box Spring "Hospitality Style B"	7210-01-325-0611	75 x 38 x 6-1/2"	Twin	Unicor	Mattresses 7210-01-324-6952 and 7210-01-325-3696, Pad 7210-01-306-3247	FOB	EA	\$120.60
Box Spring "Hospitality Style B"	7210-01-325-0613	80 x 53 x 6-1/2"	Full Extra Long	Unicor	Mattresses 7210-01-324-7984 and 7210-01-325-2299, Pad 7210-01-417-5530	FOB	EA	\$132.80
Box Spring "Hospitality Style B"	7210-01-325-3698	80 x 38 x 6-1/2"	Twin Extra Long	Unicor	Mattress 7210-01-324-7982 and 7210-01-325-2297, Pad 7210-01-306-3251	FOB	EA	\$120.60

## Felt Bed Mattress

Item	NSN	Size	Color/Type	Source	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Felt Bed Mattress "Institutional Bunk Style"	7210-00-139-6517	72-1/2 x 26 x 4"	Bunk	Unicor	Pad 7210-00-230-1041	FOB	EA	\$90.78
Felt Bed Mattress "Institutional Bunk Style"	7210-00-139-6538	77 x 28 x 4"	Bunk	Unicor	Pad 7210-00-230-1041	FOB	EA	\$95.37
Felt Bed Mattress "Institutional Bunk Style"	7210-00-139-6555	78 x 31 x 4"	Bunk	Unicor	NA	FOB	EA	\$93.50
Felt Bed Mattress "Institutional Bunk Style"	7210-01-417-9691	79 x 26 x 4"	Bunk	Unicor	NA	FOB	EA	\$93.50
Felt Bed Mattress "Institutional Bunk Style"	7210-01-417-9694	76 x 25 x 4"	Bunk	Unicor	NA	FOB	EA	\$86.72
Felt Bed Mattress "Infirmary Bunk Style"	7210-01-417-9701	79 x 26 x 4"	Bunk	Unicor	NA	FOB	EA	\$81.31
Felt Bed Mattress "Infirmary Bunk Style"	7210-01-417-9696	74 x 28 x 4"	Bunk	Unicor	NA	FOB	EA	\$86.72
Felt Bed Mattress "Infirmary Bunk Style"	7210-01-417-9705	75 x 36 x 4"	Bunk	Unicor	NA	FOB	EA	\$96.57

## Innerspring Mattress

Item	NSN	Size	Color/Type	Source	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Innerspring Mattress	7210-01-228-5726	75 x 38 x 8-1/2"	Twin	AbilityOne	Box Spring 7210-01-228-5735, Pad 7210-01-306-3247	FOB	EA	\$230.56
Innerspring Mattress	7210-01-228-5727	75 x 53 x 8-1/2"	Full	AbilityOne	Box Spring 7210-01-228-5736, Pads 7210-01-417-5532 and 7210-00-753-3042	FOB	EA	\$242.14
Innerspring Mattress	7210-01-292-2551	80 x 38 x 8-1/2"	Twin Extra Long	AbilityOne	Box Spring 7210-01-291-9511, Pad 7210-01-306-3251	FOB	EA	\$240.42
Innerspring Mattress	7210-01-292-2552	80 x 53 x 8-1/2"	Full Extra Long	AbilityOne	Box Spring 7210-01-291-9512, Pad 7210-01-417-5530	FOB	EA	\$323.39
Innerspring Mattress	7210-01-228-5728	80 x 60 x 8-1/2"	Queen	AbilityOne	Box Spring 7210-01-228-5737, Pad 7210-01-417-5532, Fitted Sheet 7210-01-417-9698, Flat Sheet 7210-01-458-7212	FOB	EA	\$274.00
Innerspring Mattress	7210-01-228-5729	80 x 76 x 8-1/2"	King	AbilityOne	Box Spring 7210-01-228-5738 (PR)	FOB	EA	\$318.80
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-077-9358	78 x 36 x 6-1/2"	Twin Extra Long	Unicor		FOB	EA	\$120.60
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-8730	76 x 29 x 6-1/2"	Bunk	Unicor	Pad 7210-01-306-3243	FOB	EA	\$115.18
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-139-6424	75 x 36 x 6-1/2"	Twin Narrow	Unicor	Box Spring 7210-01-163-3444, Pad 7210-01-306-3244	FOB	EA	\$109.32
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-1086	75 x 36 x 6-1/2"	Twin Narrow	Unicor	Box Spring 7210-01-163-3444, Pad 7210-01-306-3244	FOB	EA	\$120.60
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-139-6411	75 x 38 x 6-1/2"	Twin or Bunk	Unicor	Box Spring 7210-00-582-7540, Pad 7210-01-306-3247	FOB	EA	\$120.24
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-1089	75 x 38 x 6-1/2"	Twin or Bunk	Unicor	Box Spring 7210-00-582-7540, Pad 7210-01-306-3247	FOB	EA	\$121.96
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-1088	75 x 38 x 6-1/2"	Twin	Unicor	Box Spring 7210-00-582-7540, Pad 7210-01-306-3247	FOB	EA	\$121.96

## Innerspring Mattress, continued

Item	NSN	Size	Color/ Type	Source	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-139-6434	75 x 53 x 6-1/2"	Full	Unicor	Box Spring 7210-00-582-7541, Pads 7210-00-753-3042 and 7210-01-417-5531	FOB	EA	\$155.83
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-177-3627	76 x 29 x 6-1/2"	Twin	Unicor	Pad 7210-01-306-3243	FOB	EA	\$121.22
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-205-3585	76 x 29 x 6-1/2"	Bunk	Unicor	Pad 7210-01-306-3243	FOB	EA	\$113.83
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-177-1491	78 x 36 x 6-1/2"	Twin Narrow Extra Long	Unicor	Pad 7210-01-306-3250	FOB	EA	\$121.96
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-716-0706	78 x 36 x 6-1/2"	Twin	Unicor	Pad 7210-01-306-3250	FOB	EA	\$124.40
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-205-3534	78 x 39 x 6-1/2"	Twin Extra Long	Unicor	Pad 7210-01-883-8492	FOB	EA	\$128.73
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-1084	78 x 39 x 6-1/2"	Twin	Unicor		FOB	EA	\$120.92
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-177-1496	79 x 39 x 6-1/2"	Twin Extra Long	Unicor		FOB	EA	\$124.66
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-075-8358	80 x 36 x 6-1/2"	Twin Extra Long	Unicor	Pads 7210-01-761-1470 and 7210-01-306-3250	FOB	EA	\$121.96
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-139-6428	80 x 36 x 6-1/2"	Twin Narrow Extra Long	Unicor	Pads 7210-00-761-1470 and 7210-01-306-3250	FOB	EA	\$128.54
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-9029	80 x 38 x 6-1/2"	Twin Narrow Extra Long	Unicor	Box Spring 7210-00-110-8104, Pad 7210-01-306-3251, Flat Sheet 7210-01-116-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$121.96
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-075-8359	80 x 38 x 6-1/2"	Twin Extra Long	Unicor	Box Spring 7210-00-110-8104, Pad 7210-01-306-3251, Flat Sheet 7210-01-116-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$121.96
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-110-8102	80 x 38 x 6-1/2"	Twin Extra Long	Unicor	Box Spring 7210-00-110-8104, Pad 7210-01-306-3251, Flat Sheet 7210-01-116-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$121.96
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-110-8103	80 x 53 x 6-1/2"	Full Extra Long	Unicor	Pad 7210-01-417-5530	FOB	EA	\$170.73
Innerspring Mattress "Hospital Style"	7210-01-138-8177	75 x 36 x 6-1/2"	Twin Narrow	Unicor		FOB	EA	\$127.16
Innerspring Mattress "Hospital Style"	7210-00-529-3709	80 x 36 x 6-1/2"	Twin Extra Long	Unicor	Pads 7210-00-761-1470 and 7210-01-306-3250	FOB	EA	\$132.80
Innerspring Mattress "Hospitality Style A"	7210-01-324-3851	75 x 36 x 9"	Twin	Unicor	Box Spring 7210-01-324-3848, Pad 7210-01-306-3244	FOB	EA	\$142.28
Innerspring Mattress "Hospitality Style A"	7210-01-324-7988	75 x 38 x 9"	Twin or Bunk	Unicor	Box Spring 7210-01-324-8803, Pad 7210-01-306-3247	FOB	EA	\$142.28
Innerspring Mattress "Hospitality Style A"	7210-01-325-2313	75 x 38 x 9"	Twin or Bunk	Unicor	Box Spring 7210-01-324-8803, Pad 7210-01-306-3247	FOB	EA	\$142.28
Innerspring Mattress "Hospitality Style A"	7210-01-324-7989	75 x 53 x 9"	Full	Unicor	Box Spring 7210-01-324-8805, Pad 7210-00-753-3042 or 7210-01-417-5531, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$166.67
Innerspring Mattress "Hospitality Style A"	7210-01-324-6946	80 x 36 x 9"	Twin Extra Long	Unicor	Box Spring 7210-01-324-7977, Pad 7210-01-306-3250	FOB	EA	\$142.28
Innerspring Mattress "Hospitality Style A"	7210-01-324-6947	80 x 36 x 9"	Twin Extra Long	Unicor	Box Spring 7210-01-324-7977, Pad 7210-01-306-3250	FOB	EA	\$142.28



## Innerspring Mattress, continued

Item	NSN	Size	Color/ Type	Source	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Innerspring Mattress "Hospitality Style A"	7210-01-324-8812	80 x 38 x 9"	Twin Extra Long	Unicor	Box Spring 7210-01-324-8804, Pad 7210-01-306-3251, Flat Sheet 7210-01-119-6416, Fitted Sheet 7210-01-417-9688, Blanket 7210-00-054-7911	FOB	EA	\$142.28
Innerspring Mattress "Hospitality Style A"	7210-01-324-6948	80 x 38 x 9"	Twin Extra Long	Unicor	Box Spring 7210-01-324-8804, Pad 7210-01-306-3251, Flat Sheet 7210-01-119-6416, Fitted Sheet 7210-01-417-9688, Blanket 7210-00-054-7911	FOB	EA	\$135.19
Innerspring Mattress "Hospitality Style A"	7210-01-324-6949	80 x 53 x 9"	Full Extra Long	Unicor	Box Spring 7210-01-324-7978, Pad 7210-01-417-5530 Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$192.42
Innerspring Mattress "Hospitality Style A"	7210-01-324-8813	80 x 53 x 9"	Full Extra Long	Unicor	Box Spring 7210-01-324-7978, Pad 7210-01-417-5530, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$192.42
Innerspring Mattress "Hospitality Style A"	7210-01-324-7990	80 x 60 x 9"	Queen	Unicor	Box Spring 7210-01-324-8806, Pad 7210-01-417-5532, Flat Sheet 7210-01-458-7212, Fitted Sheet 7210-01-417-9698	FOB	EA	\$193.13
Innerspring Mattress "Hospitality Style A"	7210-01-325-2315	80 x 60 x 9"	Queen	Unicor	Box Spring 7210-01-324-8806, Pad 7210-01-417-5532, Flat Sheet 7210-01-458-7212, Fitted Sheet 7210-01-417-9698	FOB	EA	\$203.25
Innerspring Mattress "Hospitality Style B"	7210-01-324-6950	75 x 36 x 8"	Twin	Unicor	Box Spring 7210-01-324-8807, Pad 7210-01-306-3244	FOB	EA	\$124.66
Innerspring Mattress "Hospitality Style B"	7210-01-325-2295	75 x 36 x 8"	Twin	Unicor	Box Spring 7210-01-324-8807, Pad 7210-01-306-3244	FOB	EA	\$124.66
Innerspring Mattress "Hospitality Style B"	7210-01-324-6952	75 x 38 x 8"	Twin	Unicor	Box Spring 7210-01-325-0611, Pad 7210-01-306-3247	FOB	EA	\$127.37
Innerspring Mattress "Hospitality Style B"	7210-01-325-3696	75 x 38 x 8"	Twin	Unicor	Box Spring 7210-01-325-0611, Pad 7210-01-306-3247	FOB	EA	\$127.37
Innerspring Mattress "Hospitality Style B"	7210-01-324-6951	80 x 36 x 8"	Twin Extra Long	Unicor	Box Spring 7210-01-324-8808, Pad 7210-01-306-3250	FOB	EA	\$127.37
Innerspring Mattress "Hospitality Style B"	7210-01-325-2296	80 x 36 x 8"	Twin Extra Long	Unicor	Box Spring 7210-01-324-8808, Pad 7210-01-306-3250	FOB	EA	\$121.04
Innerspring Mattress "Hospitality Style B"	7210-01-325-2297	80 x 38 x 8"	Twin Extra Long	Unicor	Box Spring 7210-01-325-3698, Pad 7210-01-306-3251, Flat Sheet 7210-01-119-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$130.08
Innerspring Mattress "Hospitality Style B"	7210-01-324-7982	80 x 38 x 8"	Twin Extra Long	Unicor	Box Spring 7210-01-325-3698, Pad 7210-01-306-3251, Flat Sheet 7210-01-119-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$124.50
Innerspring Mattress "Hospitality Style B"	7210-01-325-2299	80 x 53 x 8"	Full Extra Long	Unicor	Box Spring 7210-01-325-0613, Pad 7210-01-417-5530, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$166.67
Innerspring Mattress "Hospitality Style B"	7210-01-324-7984	80 x 53 x 8"	Full Extra Long	Unicor	Box Spring 7210-01-325-0613, Pad 7210-01-417-5530, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$166.67

## Mattress Cover/Pad/Protector

Item	NSN	Dimensions	Color	Source	Icon	U/I	Price
Mattress Cover	7210-00-883-8492	82-1/2 x 43-1/2"	White		Plastics Removal in Marine Environments	EA	\$15.66
Mattress Pad	7210-01-306-3249	75 x 63"	White	AbilityOne		BX (6 EA)	\$177.88
Mattress Pad	7210-01-417-5531	75 x 53"	White	AbilityOne		BX (6 EA)	\$169.88
Mattress Pad	7210-01-306-3244	75 x 36"	White	AbilityOne		BX (6 EA)	\$157.03
Mattress Pad	7210-00-227-1526	75 x 36"	White	AbilityOne		BX (18 EA)	\$389.59
Mattress Pad	7210-01-306-3247	75 x 38"	White	AbilityOne		BX (6 EA)	\$158.29
Mattress Pad	7210-00-753-3042	75 x 52"	White	AbilityOne		DZ	\$333.40
Mattress Pad	7210-01-306-3250	80 x 36"	White	AbilityOne		BX (6 EA)	\$160.07
Mattress Pad	7210-01-306-3251	80 x 38"	White	AbilityOne		BX (6 EA)	\$161.41
Mattress Pad	7210-01-417-5532	80 x 60"	White	AbilityOne		BX (6 EA)	\$217.39
Mattress Pad	7210-01-306-3246	84 x 36"	White	AbilityOne		BX (6 EA)	\$152.17
Mattress Protector	7210-00-761-1470	81 x 36 x 6-1/2"	White or Clear			BX (6 EA)	\$56.52

## Bed Linen/Sheets

Item	NSN	Dimensions	Color	Source	Icon	U/I	Price
Bed Sheet	7210-01-119-6415	96 x 66" (Twin)	White	Unicor	Plastics Removal in Marine Environments	DZ	\$64.40
Bed Sheet	7210-01-119-6416	102 x 66" (Twin XLong)	White	Unicor	Plastics Removal in Marine Environments	DZ	\$67.85
Bed Sheet	7210-01-119-6417	102 x 81" (Full)	White	Unicor	Plastics Removal in Marine Environments	DZ	\$75.90
Bed Sheet	7210-01-168-4473	106 x 72" (Twin XLong)	White	Unicor	Plastics Removal in Marine Environments	DZ	\$83.11
Bed Sheet	7210-00-844-9113	114 x 72" (Twin)	Gray-Green		Plastics Removal in Marine Environments	DZ	\$77.87

## Pillow/Pillowcase/Protector

Item	NSN	Dimensions	Color	Source	Icon	U/I	Price
Pillow	7210-00-682-6601	15 x 11"	White, (Travel Size)	AbilityOne		BX (10 EA)	\$39.04
Pillow	7210-01-395-7921	26 x 20" (Std)	White	AbilityOne		EA	\$8.49
Pillow	7210-00-894-1144	26 x 20" (Std)	White	AbilityOne		EA	\$11.32
Pillow	7210-01-417-5533	26 x 20" (Std)	White	AbilityOne		EA	\$20.19
Pillow	7210-01-448-9432	26 x 20" (Std)	White	AbilityOne		EA	\$14.67
Pillow	7210-01-515-1069	26 x 20" (Std)	Blue	AbilityOne		PG (12 EA)	\$142.24
Pillow	7210-00-205-3205	28 x 21" (Std)	Blue/White	AbilityOne			\$18.26
Pillowcase	7210-00-259-9004	27-1/2 x 20-1/2" (Std)	White	AbilityOne		DZ	\$38.19
Pillowcase	7210-00-259-8897	32-1/2 x 20-1/2" (Qn)	White	AbilityOne	Plastics Removal in Marine Environments	DZ	\$41.02
Pillowcase	7210-00-259-9005	32-1/2 x 22-1/4" (Qn)	White	AbilityOne	Plastics Removal in Marine Environments	DZ	\$41.73
Pillowcase, Disposable	7210-00-883-8494	17 x 12"	White, (Travel Size)		Plastics Removal in Marine Environments	PG (100 EA)	\$48.62
Pillow Protector	7210-00-958-9118	27 x 20" (Std)	White or Clear				\$32.58

## Bedspreads/Blankets

Item	NSN	Dimensions	Color	Source	Icon	U/I	Price
Bedspread	7210-01-488-9183	88 x 56" (Twin)	Fed Std 595 No. 30475 (Tan)	AbilityOne	Plastics Removal in Marine Environments	EA	\$44.29
Bedspread	7210-01-488-9185	103 x 63" (Twin)	Fed Std 595 No. 30475 (Tan)	AbilityOne	Plastics Removal in Marine Environments	EA	\$51.62
Bedspread	7210-01-488-9184	103 x 63" (Twin)	Fed Std 595 No. 35183 (Blue)	AbilityOne	Plastics Removal in Marine Environments	EA	\$51.62
Bedspread	7210-01-488-9186	103 x 63" (Twin)	Fed Std 595 No. 25240 (Lt. Blue)	AbilityOne	Plastics Removal in Marine Environments	EA	\$49.17
Bedspread	7210-01-488-9180	103 x 76" (Twin)	Fed Std 595 No. 30475 (Tan)	AbilityOne	Plastics Removal in Marine Environments	EA	\$56.61
Bedspread	7210-01-488-9181	103 x 76" (Twin)	Fed Std 595 No. 35183 (Blue)	AbilityOne	Plastics Removal in Marine Environments	EA	\$56.61
Blanket	7210-00-054-7911	90 x 66" (Twin)	White			DZ	\$93.28
Blanket	7210-00-177-4986	96 x 72"	Multi-colored			DZ	\$221.43

# Bath Linens and Furnishings

## Hand Towel

Huck-weave cotton hand towel.

**Solid without a stripe. Hemmed or selvage edges.**

Plastics Removal in Marine Environments

7210-00-243-1019, 30-250ST-N-W or Equal, White, 35 x 16-1/2", DZ, \$20.70

Bleached white cotton terry-cloth hand towel with hemmed or selvage edges.

**Minimum-weight: 3 lbs. per dozen.**

Plastics Removal in Marine Environments

7210-01-051-5839, 16x27NEWTErr or Equal, White, 27 x 16", DZ, \$20.70

## Bath Towel

Single-loop cotton terry-cloth bath towel with hemmed or selvage edges.

**Minimum-weight: 5.5 lbs. per dozen. "US" marked in 1-inch black letters on one end.**

Plastics Removal in Marine Environments

7210-01-051-5837, UNICOR, White, 40 x 20", DZ, \$27.60

## Washcloth

Single-loop cotton terry-cloth washcloth with hemmed or selvage edges.

**Minimum-weight: 11 oz. per dozen.**

Plastics Removal in Marine Environments

7210-01-129-0120, UNICOR, White, 12 x 12", DZ, \$6.61

**Minimum-weight: 16 oz. per dozen.**

Plastics Removal in Marine Environments

7210-00-718-8325, UNICOR, White, 12 x 12", DZ, \$7.48

## Shower Mat

Rubber or plastic mat is flexible and has a patterned, non-slip surface. Perforated to encourage drainage.

*Postconsumer Material Recovered Material*

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

7220-00-634-1601, 67471601 or equal, Light Gray, 20" x 20", EA, \$13.40

## Shower Curtain

One panel vinyl shower curtain is mildew and fungus resistant. Includes a reinforced hem and rust-proof metal or plastic grommets or embossed heat sealed grommets.

7230-00-247-1280, AbilityOne, Opaque White, 78 x 36", EA, \$11.75

7230-00-849-9839, AbilityOne, Opaque White, 72 x 36", EA, \$10.82

7230-00-849-9838, AbilityOne, Opaque White, 72 x 72", EA, \$15.58

7230-00-205-1762, AbilityOne, Transparent/Colorless, 72 x 50", EA, \$12.55

## Shower Curtain Hook

Spring-clip-style hooks attach easily to shower rods up to 1" in diameter. Made of chrome-plated steel.

Plastics Removal in Marine Environments

7230-00-252-3394, 30571 or equal, Length: 2-5/8 to 3", BX(contains 100 EA), \$6.56

## Urinal Floor Mat

Disposable slip resistant mat is for use around urinals to neutralize odors and control stains. Synthetic rubber or plastic mat is impregnated with a fresh scent for odor control.

Federal Strategic Sourcing Initiative, 7220-01-586-3333, Material Safety Data Sheet, AbilityOne, Charcoal Gray, 17.5" L x 20.5" W x 1/4" T, BX(contains 6 EA), \$71.73

## Toilet Floor Mat

Disposable slip resistant mat is for use around toilets to neutralize odors and control stains. Synthetic rubber or plastic mat is impregnated with a fresh scent for odor control.

Federal Strategic Sourcing Initiative, 7220-01-586-3334, Material Safety Data Sheet, AbilityOne, Charcoal Gray, 22" L x 22" W x 1/4" T, BX(contains 6 EA), \$67.96

## Toilet Seat

Solid plastic seat has a smooth, glossy surface with plastic bumpers on the underside. Mounting and hinge hardware included.

**Open-front, elongated-rim seat fits standard commercial toilet bowls. Self-sustaining metal or stainless steel hinges hold seat firmly in upright position. Seat does not have a cover.**

4510-00-247-1370, 1955CT-047 or equal, Black, EA, \$32.66

# Heating, Venting and Cooling

## Circulating Fan

Beat the heat with this high-velocity, two-speed fan. Use on the floor, desk or wall as an air circulator. It may also be used in the window for exhaust or intake purposes. The plastic blades circulate a minimum of 2600 CFM of air in any direction at a 180-degree tilt. The tubular frame has a safety guard. This fan is free from radio interference. Operates on 110 to 120 volts AC 60-cycle power and has a 10-foot-long, three-conductor cord and plug. Conforms to UL standards.

### Minimum 2600 cfm air flow.

Federal Strategic Sourcing Initiative, 4140-00-961-5480, Blade: 14" Dia., EA, \$139.12

Stay cool with this column-mounted, two-speed (minimum) pedestal fan that adjusts to heights up to 96". Head of fan tilts 5° below and 15° above horizontal. A safety guard completely covers the metal or rigid plastic blade assembly. Fan operates on 115V AC, 60-Hz power and has a three-conductor 10-foot power cord. Conforms to UL standards.

**Oscillates a minimum of 80° and can be locked at any point on that oscillation range.**

*Fan provides 8050 cfm air flow.*

Federal Strategic Sourcing Initiative, 4140-01-278-1527, Blade: 30" Dia., EA, \$522.12

Keep cool with this three-speed oscillating fan. Features on-off switch and low, medium, and high speeds. Wall or desk mount; oscillates 80°; converts from wall to desk with no tools. Made with three impact-resistant plastic blades and a three-wire eight-foot electrical supply cord with an integral ground. Operates on 115V AC, 60-Hz, single-phase power. Conforms to UL standards.

### Minimum 2000 cfm air flow.

Federal Strategic Sourcing Initiative, 4140-00-256-9912, Blade: 12" Dia., EA, \$38.54

### Minimum 4000 cfm air flow.

Federal Strategic Sourcing Initiative, 4140-00-851-9319, Blade: 16" Dia., EA, \$47.33

## Space Heater

Portable electric unit heats small rooms or areas. Features a convenient carrying handle and a protective grill. Automatic thermostat control with a "positive off" feature.

**Baseboard-style, low silhouette heater is natural convection type. Includes rod-type elements with heat-radiating metal fins. Automatic thermostat control ranges from 45 to 120° F.**

*Fan operates on 120V AC, 1000w power. In the event that the unit is tipped over, an automatic switch immediately turns the unit off. Includes a three-prong plug, 15-amp rated plug and cord. (Product dimensions may vary by manufacturer.) NEMA configuration 5-15P. Heater conforms to UL Standard 1042.*

Federal Strategic Sourcing Initiative, 4520-00-865-5939, 47-1/2" W, 6-1/2" H, 4-1/4" D, EA, \$84.73

Upright-style heater comes in handy for small rooms or small areas. Features a fan-forced for heat circulation. Heater includes a positive on-off manual switch and "off" position marked on thermostat.

*Fan operates on 120V AC power. In the event that the unit is tipped over, an automatic switch immediately turns the unit off. Includes a three-prong plug, 15-amp rated plug and cord. (Product dimensions may vary by manufacturer.) NEMA configuration 5-15P. Heater conforms to UL Standard 1278.*

4520-00-555-8696, 31TR33 or equal, EA, \$48.89

*Fan operates on 240V AC power. Adjustable automatic thermostat control ranges from 60 to 90° F. Includes a three-prong plug, 20-amp rated plug and cord. Heater does not include a tip-over switch. (Product dimensions may vary by manufacturer.) NEMA configuration 6-20P. Heater conforms to UL Standard 1278.*

4520-00-540-2038, H474TMC or equal, EA, \$165.83

# Water Coolers and Fountains

## Office Water Cooler

Fresh water at your fingertips. Bubbler-style drinking water dispenser gives a stream of water that arches from the outlet to the drain pan. Attaches to normal, pressurized water supply pipe. Electrically cooled unit has a self-closing faucet and is encased in a steel cabinet. With corrosion-resistant fittings and a three-wire cord. Operates on 110 to 120 volts AC, 60-Hz power. Meets UL and industry standards. Certified lead free by the manufacturer.

EPA WaterSense

Federal Strategic Sourcing Initiative, 4110-00-255-8760, 12" W x 12" D x 41-1/2" H, 9-1/2 gph Draw., EA, \$935.03

## Sodium Chloride (Salt)

Excellent for use in water-softening and -conditioning units. (Note: User should follow manufacturer's recommendation for the type of sodium chloride to use in a particular water-softening unit).

Also ideal for removing ice and snow from walking surfaces. Salt is in large granules (rock, solar or evaporated) and has a minimum purity level of 97.5 percent. A-A-694, Type I.

Federal Strategic Sourcing Initiative, 6810-00-227-0437, Material Safety Data Sheet, NGT-227-0437 or equal, BG(contains 80 LB), \$66.68

## **ADVERTISEMENT**

### **PRODUCTS WITH A PURPOSE**

When you choose SKILCRAFT® products and other products provided through the AbilityOne® Program, you get more than quality. You help create jobs for thousands of skilled and dedicated people who are blind or have significant disabilities right here in America. Making the smart choice has never been easier.

Created with pride by Americans who are blind or have significant disabilities



# SAFETY PRODUCTS

## **IN THIS SECTION**

Personal Protection and Supplies . . . . .	294
Medical and First Aid . . . . .	295
Protective Gear . . . . .	298
Signs, Reflectors and Identifiers. . . . .	301
Mats and Matting. . . . .	305
Security Cabinets. . . . .	311

# Personal Protection and Supplies

## Fire Extinguisher

Designed for extinguishing small fires. Ratings are based on UL 711 testing, which uses the following classes: Class A: Wood and paper fires; Class B: Flammable liquid fires; Class C: Can be used in the presence of charged electrical circuits. Weights noted are the approximate amount of extinguishing agent with which charged extinguishers are supplied. Please note that multi-purpose phosphate and bicarbonate leaves a powdery residue that can damage delicate instruments.

**Dry chemical for class A:B:C: Type fires (multi-purpose phosphate).**

*Rating is 1A:10B:C with a 2-1/2 lb. charge. Has stored pressure and is refillable. DOT/USCG approved vehicle/marine mounting bracket is included.*

4210-01-245-9850, Material Safety Data Sheet, 13315 or equal, EA, \$32.40

*Rating is 4A:60B:C with a 10-lb. charge. Has stored pressure and is refillable. Wall mounting bracket is included.*

4210-00-889-2491, Material Safety Data Sheet, 11340 or equal, EA, \$126.04

*Rating is 10A:120B: C: with a 20-lb. charge. Has stored pressure and is refillable. Wall-mounting bracket included.*

4210-00-889-2492, Material Safety Data Sheet, 12120 or equal, EA, \$112.47

**Dry chemical for class B:C type fires (potassium bicarbonate).**

*Rating is 10B:C with 2-1/2-lb. charge. Has stored pressure and is refillable. Vehicle mounting bracket is included.*

4210-00-965-1105, Material Safety Data Sheet, 13515 or equal, EA, \$35.60

*Rating is 20B:C with a 5-lb. charge. Has stored pressure and is refillable. Vehicle mounting bracket is included.*

4210-00-775-0127, Material Safety Data Sheet, 25914 or equal, EA, \$72.02

*Rating is 80B:C with a 10-lb. charge. Has stored pressure and is refillable. Wall mounting bracket is included.*

4210-00-965-1107, Material Safety Data Sheet, 11740 or equal, EA, \$115.00

**Carbon dioxide (CO2) fire extinguisher. UL 154. USCG approved for marine use.**

*Rating is 5B:C with a 5-lb. charge. USCG approved mounting bracket is included.*

4210-00-595-1777, Material Safety Data Sheet, 45100 or equal, EA, \$170.27

## Smoke Detector

Battery-powered smoke detector for residential application features solid state circuitry with test capability for smoke sensing and alarm with automatic reset. Includes hardware for ceiling or wall mounting and 9 volt battery.

**Photoelectric type.**

*48-month maximum shelf life (not extendable).*

6350-01-094-4171, PR700AB or equal, EA, \$15.08

## Blanket

This heavyweight, twill blanket is woven from blended yarns consisting of a minimum of 80 percent wool, a minimum of 10 percent nylon, and a maximum of 10 percent rayon, cotton and other fibers. Edges are finished with over-edge stitching with thread matching the fabric color.

**Plastics Removal in Marine Environments**

7210-00-205-2804, WBHG84 or equal, Heather, 84 x 66", EA, \$16.40

## Sand Bag

Mildew-resistant single wall, sand bag is intended for use in the construction of field fortifications and flood-control structures. Opens at one end with tie string closure.

**Made of jute or kenaf burlap.**

*Textile Weight 10 oz. per sq. yd, Load capacity 50 lbs*

8105-00-285-4744, Brown or Green, 14"W x 26"H, HD, \$89.35

**Mildew Resistant; Made of osnaburg cotton (one piece)**

*Textile Weight 6.8 oz. per sq. yd, load capacity 44 lbs*

8105-00-965-2509, SKILCRAFT, AbilityOne, Natural, 14"W x 26"H, HD, \$351.65

**Army Combat Uniform Digital Camouflage (ACU). No seams, double stitching on the bottom of bag with UV1600 coating and 38" long strings attached. Made of polypropylene in army combat uniform pattern. One hundred bags per package.**

*Textile Weight 80.00 GSM (0.262 OZ / Per Square Foot)*

Federal Strategic Sourcing Initiative, , 8105-01-568-1328, SKILCRAFT, AbilityOne, Digital Camouflage, 17"W x 27"H, HD, \$53.13

# First Aid

## First Aid Kit

First aid kit is suitably equipped for all users. Kit contains: antiseptic kit; two body fluids barrier kits; 25 bandages (woven adhesive); 12 knuckles bandages; 16 butterfly closure bandages; two elastic bandage rolls; triangular bandage; two pairs of non-latex, powder free gloves; three rolls of adhesive tape; four 4x4 moleskin bagged; chemical cold pack; eye wash solution; one 1/2 ounce bar of soap; one bottle of calamine lotion; 15 (2-pack) aspirin tablets; 15 (2-pack) acetaminophen tablets; two patient information tags; forceps; paramedic shears; two antiseptic towelettes; lead pencil. Includes instructions for mouth-to-mouth barrier use, first aid manual, and contents list. Type II; Small Crew

### 8 to 10 Person first aid kit.

*24-month maximum shelf life (not extendable).*

6545-00-656-1093, AbilityOne, KT, \$70.05

Emergency water resistant kit is geared toward users with minimal first aid skills and background. Includes products for treating burns, cuts, scrapes, sprains, and other first aid needs. Includes a quick-reference first aid handbook.

Kit includes: rescue blanket; five butterfly bandages (large or medium); five 4" x 4" sterile gauze pads; five 3" x 3" sterile gauze pads; five knuckle bandages; five fingertip bandages; triple antibiotic (0.5 gram); burn dressing (8" x 8"); five cotton-tipped applicators; thermometer with case; five thermometer sheathes; wire splint; two finger splints; two bulky bandages (4 x 4 yds.); oval eye pad; two combine pads (5" x 9"); five adhesive bandages (1" x 3"); large cold pack; adhesive tape (1" x 10 yds.); 4" splinter forceps; 7-1/2" shears (Para-Med); two tongue blade bulk; first aid manual; penlight; six zip-lock bags (6" x 9"); five antiseptic wipes; zippered nylon or vinyl carrying bag. (Note: a quantity of four 4" x 4" or larger burn dressings may be provided in lieu of the 8" x 8" size.)

### 8 Person first aid kit.

6545-01-465-1846, 900-106 or Equal, AbilityOne, KT, \$68.18

Kit includes: three 54" x 80" emergency blankets; six rescue blankets; 100 butterfly bandages (large or medium); 200 4" x 4" sterile gauze pads; 200 4" x 4" non-sterile gauze pads; two 2" stretch-gauze bandage; three 3" stretch-gauze bandages; three 4" stretch-gauze bandages; four 4" x 4 yards bulky bandages; six oval-shaped eye pads; two 16-oz. eye wash refills; four multi-trauma dressings; six 5" x 9" combine pads; six 18" cardboard arm splints; six 18" cardboard wrist splints; six 24" cardboard leg splints; four triangular bandages; three 3" x 5 yards elastic bandages; three 4" x 5 yards elastic bandages; 100 1" x 3" adhesive bandages; eight large cold packs; six 1" x 10 yards adhesive tape; two 2" x 10 yards adhesive tape; six 50-count packages of facial tissues; two 4" splinter forceps; two 7-1/2" para-med shears; six bulk tongue blades; one first-aid manual; two penlights; 12 6" x 9" resealable bags; 100 antiseptic wipes; one 3" x 5" pad of paper; one writing pen; 50 2.1" x 1.5" info pads; two alkaline D-cell batteries; one flashlight (requires two D-cell batteries); zippered nylon or vinyl carrying bag. (Please note that additional 2" or 3" stretch gauze bandages may be supplied in place of the 4" size. In this case, you will receive an amount equal in measurement to the 4" bandage.)

### 50 Person first aid kit.

6545-01-465-1823, AbilityOne, KT, \$309.27

Kit includes: four rescue blankets; 25 butterfly bandages (large or medium); 100 4" x 4" sterile gauze pads; 200 4" x 4" non-sterile gauze pads; two 2" stretch-gauze bandages; two 3" stretch-gauze bandages; two 4" stretch-gauze bandages; three 4" x 4 yards bulky bandages; four oval-shaped eye pads; four 5" x 9" combine pads; two triangular bandages; two 3" x 5 yards elastic bandages; two 4" x 5 yards elastic bandages; 64 1" x 3" adhesive bandages; two large cold-packs; three rolls of 1" x 10 yards adhesive tape; two rolls of 2" x 10 yards adhesive tape; two 50-count packages of facial tissues; 4" splinter forceps; one 7-1/2" para-med shears; four bulk tongue blades; one first-aid manual; one penlight; six 6" x 9" resealable bags; 100 antiseptic wipes; zippered nylon or vinyl carrying bag. (Please note that additional 2" or 3" stretch gauze bandages may be provided in lieu of the 4" size. In this case, you will receive an amount equal in measurement to the 4" bandage).

### 15 Person first aid kit.

6545-01-465-1800, AbilityOne, KT, \$131.85

## First Aid Kit (Automobile)

Commercial kit is designed to be kept in an automobile. Kit includes: two 1" x 10 yards of gauze bandages (in rolls); 1" x 2-1/2 yards roll of adhesive tape; six 3" x 3" sterile gauze pads; 12 1" x 3" adhesive bandages; bulk tourniquet; 1-oz. bottle of PVP solution; two paper cups; two packages of ammonia inhalants; two 1/4-oz. burn ointment; scissors; package of 40" triangular bandages; first-aid guide (single sheet); user instructions. Comes with a metal carrying case.

6545-00-664-5313, 900-5313 or Equal, AbilityOne, KT, \$26.39

## First Aid Kit (Small Office)

Small offices will find all the components necessary to handle minor medical emergencies in this kit. Consists of: 32 adhesive 1" x 3" bandages; 1" x 2-1/2 yds. adhesive tape on core; 12 gauze pads 2" x 2"; two 1" x 10-yds. gauze bandage; 2" x 10 yds. gauze bandage; 3" x 10 yds. gauze bandage; six eye pads; 40" triangular bandage in a poly bag; foil packet burn cream; 1/2-oz. bottle of antiseptic; 1/2-oz. cotton; three ammonia inhalant pads; ten loose latex, powder-free gloves; scissors. Includes first aid guide (single sheet) and label that reads "This Kit Contains Latex." Comes in a metal case.

**25 Person first aid kit.**

6545-00-663-9032, 129032 or Equal, AbilityOne, KT, \$35.78

# Medical Supplies

## Rite in the Rain EMS Notebook

Ensure that your patient's vital stat data is protected with top spiral bound on the 3 inch side, cover material: Polydura.

7530-01-536-2656, 112, Yellow, 3" x 5 1/4", EA, \$3.62

## Disposable Nitrile Gloves

Disposable nitrile ambidextrous gloves are powder-free and latex-free. Gloves fit tightly for a comfortable grip that reduces fatigue. Industrial-grade suitable for general-purpose use. 4 mil thick, 9-1/2" in length.

8415-01-492-0176, AbilityOne, Size: Small, BX(contains 100 EA), \$15.10

8415-01-492-0179, AbilityOne, Size: Medium, BX(contains 100 EA), \$15.10

8415-01-492-0178, AbilityOne, Size: Large, BX(contains 100 EA), \$15.10

8415-01-492-0180, AbilityOne, Size: Extra-Large, BX(contains 100 EA), \$15.10

## Disposable Gloves

Disposable polyethylene gloves are powder-free and sulphur-free. An ideal glove for food preparation, small parts handling, and for healthcare use. Non-sterile gloves are designed to fit either hand with a circumference of 8.5 to 9.0" (Contains no latex). Complies with FDA regulation.

8415-01-392-8448, AbilityOne, Size: Medium, BX(contains 100 EA), \$1.31

## Adhesive Bandage

Plastic adhesive bandages intended for minor injuries. 1" x 3" strips are suitable for use in first aid kits. Flesh colored.

6510-01-464-0369, G106 or equal, PG(contains 100 EA), \$1.15

## Applicator (Cotton Swab)

Cotton-tipped wooden applicator is disposable and packaged in an autoclavable bag. Non-sterile applicator has a diameter of 3/16".

6515-01-464-0432, 806WC or Equal, 6" Wooden Shaft, PG(contains 100 EA), \$1.33

## Motion Sickness Bag

One-piece bag made of leakproof plastic comes with a plastic-coated wire tie. Comes folded in an envelope that reads: "MOTION SICKNESS BAG". Cubic Capacity 220.5 cubic inches.

Federal Strategic Sourcing Initiative, 8105-00-835-7212, SKILCRAFT , AbilityOne, Opaque, 6-1/8 x 12", MX, \$249.48

## Pilot Relief Bag

Disposable, unisex mil-spec vinyl relief bags are compact, lightweight and easily stored. Leak-proof with airtight sealing system that traps waste and odor. This individually poly bagged relief unit has a capacity of 500cc and comes with a moist towelette.

**Features absorbent hydrophilic granulated powder.**

Federal Strategic Sourcing Initiative, 8105-00-922-9469, SKILCRAFT , AbilityOne, 7" W X 12" L X 0.5" Thick, EA, \$8.77

## Infectious Waste Collection Isolation Bag

Bags are color coded and printed with "Infectious Waste" identifier in English and Spanish. Linear low density bags have a multi-layered star seal.

**Extra heavy-duty bag.**

*Rack bag capacity.*

Federal Strategic Sourcing Initiative, 8105-01-517-3662, SKILCRAFT, AbilityOne , Red, 30-1/2 x 43", 3 mil, BX(contains 50 EA), \$23.26

*50-55 gallon capacity.*

Federal Strategic Sourcing Initiative, 8105-01-517-3664, SKILCRAFT, AbilityOne , Red, 37 x 50", 3 mil, BX(contains 25 EA), \$24.37

## Non-Contagious Linen Collection Isolation Bag

Non-contagious linen collection bags are not imprinted. Linear low-density bags have a multi-layered star seal.

**Heavy-duty.**

*Rack bag capacity 70-lbs.*

Federal Strategic Sourcing Initiative, 8105-01-517-3665, SKILCRAFT, AbilityOne , Blue, 30-1/2 x 43", 1.2 mil, BX(contains 100 EA), \$26.91

## Sample/Specimen Shipping Container Assembly

These packages are designed for hazardous materials in packing groups I, II and III for transport by cargo air, highway, rail and sea (passenger air for packing group III materials). One quart cans with epoxy phenolic lining and welded side seams are tested to an internal pressure of 95 kPa. Each shipper includes an Armlock ring, expanded polystyrene end caps for cushioning and a pre-assembled fiberboard box. Shipper includes an Armlock ring to secure the paint can lid, expanded polystyrene end caps for cushioning, and pre-assembled fiberboard box.

8115-01-192-0935, 5.25" W x 6.5" H x 5.25" D, EA, \$54.71

## Dog Tag Machine

Heavy-duty embosser or debosser for military dog tags and medical alert tags

7490-01-664-3607, CIM MDT500 HE, 19"W x 19.5"L x 10.5"H, EA, \$7,503.00

Portable manual embosser or debosser for military dog tags and medical alert tags. No power required for operation. Easy to carry handle and lightweight 28 lbs design.

7490-00-688-9866, CIM M10-HE, 11"W x 14.5"L x 17.5"H, EA, \$3,007.56

Semi-Automatic embosser or debosser for military dog tags and medical alert tags. Operated via included keyboard or PC. Includes status indicator lights and emergency stop button for safe operation.

7490-01-632-8035, CIM ME1000, 25"W X 29"L X 15"H, EA, \$10,700.00

# Head and Hearing Protection

## Safety Goggles

Safety-type goggles provide eye protection against small flying particles of dust, chips and machine cuttings. Molded plastic flexible frame has clear plastic lenses and an adjustable elastic webbing headband. Goggles are ventilated to reduce fogging and can be worn over eyeglasses. Complies with ANSI Z87.1.

### Plastics Removal in Marine Environments

4240-00-052-3776, UNICOR, Clear, PR, \$3.46

Wrap around style goggles for use as primary eye protection while performing any job that can possibly produce eye-damaging debris. Indirect ventilated goggles permit the passage of air and may prevent the direct passage of liquids from chemical splash hazards. Goggles consist of a polycarbonate plastic lens with a soft outer molded plastic frame and may be worn over most prescription glasses. Replaceable lens and adjustable elastic headband. Minimum 99 percent UV protection. Meets ANSI Z87.1

### Plastics Removal in Marine Environments

4240-01-292-2818, UNICOR, Clear, PR, \$6.59

## Safety Helmet

Helmet complies with ISEA/ANSI Z89.1 - American National Standard for Industrial Head Protection. Type I - Helmet is intended to reduce the force of impact resulting from a blow only to the top of the head. Class E - Electrical helmet is intended to reduce danger of contact exposure to high-voltage conductors. Samples are proof-tested at 20,000 volts (phase to ground). Helmet is equipped with suspension system, headband, adjustable nape and chin straps. Fits hat sizes 6-1/2 to 8".

**Helmet style: Cap, front peak without headlamp clips.**

### Plastics Removal in Marine Environments

8415-00-935-3132, AbilityOne, Blue, EA, \$8.37

8415-00-935-3140, AbilityOne, Yellow, EA, \$8.37

8415-00-935-3139, AbilityOne, White, EA, \$8.37

## Welder's Helmet

Full-coverage welder's face shield protects the head and neck from welding splatter and radiant energy. Features a 4.25" x 2" flip-up shade plate holder. Helmet includes headgear that can rotate up out of the way. No.10 shade plate and clear cover plate included. ANSI Z87.1

4240-00-540-0623, F706 or Equal, EA, \$44.89

## Face Shield

For use when cutting, grinding or chipping wood or metal or when handling hazardous liquids, pathogenic viruses or chemicals. Non-irritating, adjustable locking headgear includes a vulcanized fiber crown protector. Clear plastic 9" x 18" window tilts up to provide clear view when protection is not required. Made of corrosion-resistant metal parts and slow-burning plastic parts. Note: Face shield is not for primary protection and should always be used with goggles. ANSI Z87.1.

### Plastics Removal in Marine Environments

4240-00-542-2048, UNICOR, EA, \$9.79

## Disposable Particulate Respirator

Lightweight, low-profile design provides worker comfort and minimizes interference with eye protection. NIOSH N95 protection provides protection against non-oil particulates and is 95 percent efficient. Designed to function as a one-size-fits-all respirator to include adjustable straps and a pre-shaped metal noseband for customized nasal contour adjustment.

**Includes an exhalation valve.**

4240-01-492-0177, BX(contains 10 EA), \$36.80

**Does not have an exhalation valve.**

4240-01-463-5449, BX(contains 20 EA), \$77.05

## Head Lamp

LED headlamp operates on three AAA alkaline batteries (included). Rotary bezel switch, adjustable cloth strap for use directly on the head, heavy-duty rubber strap for use with a helmet. Beam direction adjusts vertically from straight ahead to 30 degrees downward. Minimum light output 54 lumens, minimum runtime 10 hours, waterproof. Approved for use in hazardous locations in accordance with National Fire Protection Association Code 70 (National Electrical Code) Class I, II, and III, Division 1, Groups A, B, C, D, E, F and G, Temperature Class T4 conditions. For replacement batteries see NSNs 6135-01-446-8308 (PG/4) or 6135-00-826-4798 (PG/12).

6230-01-615-6035, 2690 or equal, EA, \$26.45

# Clothing and Accessories

## Lumbar Support

Ergonomically designed lumbar support belt that helps to provide greater comfort and lessen the chance of back strain. Features non-conductive flexible stays to ensure lumbar support. Breathable lightweight construction reduces skin irritation and discomfort. The support belt has a Velcro closure over abdominal area for a safer lift, with adjustable, detachable safety suspenders.

**Fits 25" to 30" waist.**

6515-01-463-5340, 1650-S or equal, Black, EA, \$13.10

**Fits 29" to 38" waist.**

6515-01-418-5404, OK-1000S Medium or equal, Black, EA, \$41.40

**Fits 35" to 44" waist.**

6515-01-413-9293, OK-1000S Large or equal, Black, EA, \$41.40

**Fits 42" to 46" waist.**

6515-01-411-0627, 1650-2XL or equal, Black, EA, \$13.10

**Fits 46" to 52" waist.**

6515-01-411-0626, 1650-3XL or equal, Black, EA, \$13.10

## Rubber Gloves

These multi-purpose rubber gloves are made of 0.018" thick, cotton flock lined, natural rubber latex. Features an embossed grip on palm and fingers. Not designed for chemical warfare, electrical, or surgical activities.

8415-01-463-5927, GRFY-MD-1 76358351161 or equal, Yellow, Size: 8, Medium; Length: 13", DZ, \$11.39

8415-01-463-5934, GRFY-LG-1 76358351162 or equal, Yellow, Size: 9, Large; Length: 13", DZ, \$11.39

8415-01-463-5928, GRFY-XL-1 76358351163 or equal, Yellow, Size: 10, X-Large; Length: 13", DZ, \$11.39

## High Visibility Vest

Safety vest is made of mesh base material. The open mesh design of body fabric is designed for high visibility in all light conditions while being light weight and allowing air circulation. The vest is designed as an outer garment to be worn over shirts, coats, or jackets and is not intended to provide weather protection.

Safety vest slips over-the-head with side closures.

*The vest is composed of fluorescent orange polyester mesh base material with 1.5" silver 3M Scotchlite reflective striping and silver reflective edge binding. Hook and loop is matching fluorescent orange. ANSI 107-2015, Class 2 compliant.*

8415-01-598-4865, AbilityOne, Fluorescent Orange, One Size Fits All, EA, \$32.03

*The vest is fluorescent lime green polyester mesh base material with 1.5" silver 3M Scotchlite reflective striping. Neck and edge binding is in matching fluorescent lime green. ANSI 107-2015, Class 2 compliant.*

8415-01-598-4872, AbilityOne, Fluorescent Lime Green, One Size Fits All, EA, \$30.20

**Safety vest with hook and loop front closure designed with six pockets and four pencil pockets in the front along the hem line.**

*The vest is fluorescent lime green polyester mesh base material with 1.5" silver 3M Scotchlite reflective striping. Vest edge binding is in matching fluorescent lime green. ANSI 107-2015, Class 2 compliant.*

8415-01-598-4867, AbilityOne, Fluorescent Lime Green, Medium, EA, \$30.76

8415-01-598-4868, AbilityOne, Fluorescent Lime Green, Large, EA, \$30.76

8415-01-598-4870, AbilityOne, Fluorescent Lime Green, Extra-Large, EA, \$30.76

**Safety vest has front hook and loop closure.**

*The vest has fluorescent orange polyester mesh base material with 2" yellow 3M Scotchlite reflective striping. ANSI/ISEA 107-2015, Class 2 compliant.*

8415-01-598-4873, AbilityOne, Fluorescent Orange, One Size Fits All, EA, \$25.46

*The vest is fluorescent yellow polyester mesh base material with 2" yellow 3M Scotchlite reflective striping. ANSI/ISEA 107-2015, Class 2 compliant.*

8415-01-598-4875, AbilityOne, Fluorescent Lime Yellow, One Size Fits All, EA, \$25.46

**Front hook and loop closure.**

*The vest is fluorescent lime yellow mesh base material with 2" silver 3M Scotchlite reflective striping with non-closure internal pocket. ANSI 107-2015, Class 3 compliant.*

8415-01-598-4877, AbilityOne, Fluorescent Lime Yellow, Medium, EA, \$31.50

8415-01-598-4880, AbilityOne, Fluorescent Lime Yellow, Large, EA, \$31.50

8415-01-598-4881, AbilityOne, Fluorescent Lime Yellow, Extra-Large, EA, \$31.50

Safety vest is made of mesh base material and is flame resistant. The open mesh design of body fabric is designed for high visibility in all light conditions while being light weight and allowing air circulation. The vest is designed as an outer garment to be worn over shirts, coats, or jackets and is not intended to provide weather protection.

**Safety vest has front hook and loop closure.**

*The vest is fluorescent lime green polyester mesh base material with 1.5" silver 3M Scotchlite reflective striping. Neck and edge binding is in matching fluorescent lime green. ANSI 107-2015, Class 2 compliant.*

8415-01-664-0164, AbilityOne, Fluorescent Lime Green, Large, EA, \$80.06

8415-01-664-0167, AbilityOne, Fluorescent Lime Green, Extra-Large, EA, \$80.06

## High-Visibility Safety Clothing

High-visibility clothing for daytime and nighttime safety.

### Safety vest.

*Fluorescent nylon mesh safety vest provides high visibility for daytime and nighttime safety. Features 7 neon yellow and silver reflective stripes (two over the shoulders, one across the front, one across back, three across back panel). Possesses a long back panel for extra safety. Hook/loop side fastener adjusts girth.*

8415-01-464-6612, AbilityOne, Fluorescent Orange, EA, \$33.59

*Vinyl-coated fluorescent mesh safety vest specifically designed for military personnel wearing field packs. The over-the-head vest features two 1-1/2"-wide silver-white reflective horizontal stripes on both the front and back. Vest includes an attached reflective waist belt that closes in front with hook and loop fasteners. All edges are enclosed with binding.*

8415-00-177-4974, AbilityOne, Fluorescent Orange, EA, \$32.69

*Soft, vinyl coated, flame resistant mesh safety vest has two 1-1/2"-wide yellow reflective horizontal stripes on the front and on the back. Vest sides close with black elastic straps. Vest front closes with two hook-and-loop fasteners.*

8415-01-394-0216, AbilityOne, Fluorescent Orange, EA, \$20.75

### Sash and belt.

*Adjustable over-the-shoulder sash conjoins to the two-inch wide elastic belt that adjusts from 28" to 54" and fastens with a plastic quick-release buckle. Sash and belt have a silver retro-reflective band between two neon orange fluorescent bands.*

8465-01-444-2530, GFLR033498 or equal, Neon Orange, Length: 28 to 54"; Width: 2", EA, \$8.05

*Adjustable over-shoulder sash. Two-inch wide elastic belt adjusts from 28" to 54" and fastens with a plastic quick release buckle. Sash and belt have a silver retro-reflective bands consisting of 3M Scotchlite between two neon yellow fluorescent bands.*

8465-01-444-9043, GFLR055452 or equal, Neon Yellow, Length: 28 to 54"; Width: 2", EA, \$8.05

### Belt.

*The two-inch wide elastic belt adjusts from 28" to 54" and fastens with a plastic quick release buckle. Belt features a silver retro-reflective band between two neon orange fluorescent bands.*

8465-01-444-2531, GFLR026971 or equal, Neon Orange, Length: 28 to 54"; Width: 2", EA, \$5.98

*The two-inch wide elastic belt adjusts from 28" to 54" and fastens with a plastic quick release buckle. Belt features a silver retro-reflective bands consisting of 3M Scotchlite reflective material between two neon yellow fluorescent bands.*

8465-01-444-1493, GFLR027978 or equal, Neon Yellow, Length: 28 to 54"; Width: 2", EA, \$5.98

**Helmet band.** Features a silver and white reflective strip. Fits to helmet with elastic strips.

8415-00-177-4978, AbilityOne, Width: 1", EA, \$4.57

**Legband** has a fabric base. Features silver and white reflective strips with adjustable Velcro fasteners.

8465-00-177-4975, AbilityOne, Length: 16"; Width: 2-1/4", PR, \$12.66

Mesh safety vest has an extended triangular-shaped retro-reflective yellow vinyl rear tail and two yellow vinyl retro-reflective strips running from the front bottom hem, over each shoulder, into the back tail trim. Vest sides close with adjustable elastic straps with release buckles. Vest front closes with hook and loop fasteners.

8415-01-444-1495, GFLR012684 or equal, Fluorescent Orange, EA, \$15.52

## Lightstick (Chemlight)

Chemical lights, commonly known as Chemlights, are a source of light. These lightsticks are good for emergency, safety and signaling uses. They provide safe, effective light without heat, sparks or flame. To activate, a user bends the plastic lightstick, breaking the inner glass vial. Chemicals from the broken glass vial mix with chemicals from the plastic tube to deliver a light-creating chemical reaction. Self-contained, compact and waterproof.

**Super high intensity; Average life rating: 5 minutes.**

*24-month maximum shelf life (not extendable).*

6260-01-247-0363, AbilityOne, Orange, Length: 6", BX(contains 10 EA), \$20.54

**High intensity. Average life rating: 30 minutes.**

*48-month maximum shelf life (not extendable).*

6260-01-230-8601, AbilityOne, Red, Length: 6", BX(contains 10 EA), \$20.54

6260-01-247-0368, AbilityOne, White, Length: 6", BX(contains 10 EA), \$16.88

Federal Strategic Sourcing Initiative, 6260-01-074-4230, AbilityOne, Yellow, Length: 6", BX(contains 10 EA), \$16.88

**Average life rating: 3 hours.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-195-9752, 9-97520PF or equal, Infrared, Length: 6", BX(contains 10 EA), \$41.52

**Average life rating: 6 hours.**

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-00-106-7478, AbilityOne, Green, Length: 4", BX(contains 100 EA), \$127.44

Federal Strategic Sourcing Initiative, 6260-01-282-7630, AbilityOne, Orange, Length: 4", BX(contains 100 EA), \$139.52

**Average life rating: 8 hours.**

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-178-5560, AbilityOne, Blue, Length: 6", BX(contains 10 EA), \$16.76

Federal Strategic Sourcing Initiative, 6260-01-218-5146, AbilityOne, White, Length: 6", BX(contains 10 EA), \$16.88

6260-01-265-0614, AbilityOne, Blue, Length: 15", BX(contains 5 EA), \$57.12

6260-01-247-0367, AbilityOne, White, Length: 15", BX(contains 5 EA), \$61.20

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-396-1704, 9-17040PF or equal, Infrared, Length: 6", BX(contains 10 EA), \$53.56

**Average life rating: 12 hours.**

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-195-9753, AbilityOne, Orange, Length: 6", BX(contains 10 EA), \$20.54

Federal Strategic Sourcing Initiative, 6260-01-247-0362, AbilityOne, Green, Length: 15", BX(contains 5 EA), \$54.25

6260-01-265-0612, AbilityOne, Red, Length: 15", BX(contains 5 EA), \$61.20

6260-01-265-0613, AbilityOne, Yellow, Length: 15", BX(contains 5 EA), \$60.98



# Signs, Reflectors and Identifiers

## Information and Safety Data Sheet Center (SDS)

Information and Safety Data Sheet (SDS) Center is designed to provide basic Globally Harmonized System (GHS) information and easy access to Safety Data Sheets. The GHS information center includes an 24" W x 18" H wall mountable board made of durable hard plastic that prominently displays GHS label elements, hazard communication information and SDS information. Also included is a highly visible yellow 2" organizer binder with a front insert that reads "Safety Data Sheets" in bold red print and A-Z dividers that help organize information for easy access. Inside pockets on front and back of binder add extra storage space. A 36" plastic chain is attached to each binder to retain binder in to wall rack. Includes sturdy, wall mount, wire rack conveniently stores organizing binder. Organizer binder holds 375 safety data sheets, 2 inches wide. Mounting hardware is included.

**Printed 24" W x 18" H, with Binder and Rack.**

Federal Strategic Sourcing Initiative, 7510-01-623-6238, SKILCRAFT, AbilityOne, EA, \$138.41

## SDS Information Organizer Kit

Organize and store your safety data sheets (SDS) in the Globally Harmonized System (GHS) Information Organizer Kit. Kit includes a 2" highly visible yellow organizing binder with a front insert that reads "Safety Data Sheets" in bold red print, inside pockets on front and back of binder add extra storage space and A-Z dividers that help organize information for easy access. A 36" plastic chain is attached to binder to retain binder to wall rack. A sturdy, wall mount, wire rack conveniently stores organizing binder. Organizer binder holds 375 safety data sheets. Mounting hardware is included.

**Accommodates 8-1/2" x 11" sheets.**

**Basis Weight: 3.6 pounds**

Federal Strategic Sourcing Initiative, 7510-01-623-6239, SKILCRAFT, AbilityOne, Yellow, EA, \$39.59

## Safety Data Sheet Organizer

Safety Data Sheet Organizer helps you organize and store critical safety data sheets (SDS) information. Holds up to 375 sheets. Kit includes a 2" highly visible yellow organizing binder with a front insert that reads "Safety Data Sheets" in bold red print, inside pockets on front and back of binder for added storage space, and A-Z dividers that help organize information for easy access. A durable 36" plastic chain is attached to each binder to retain binder to rack. Organizer binder holds 375 safety data sheets.

**Accommodates 8-1/2" x 11" Sheets.**

**Basis Weight: 2.35 pounds**

Federal Strategic Sourcing Initiative, 7510-01-623-6240, SKILCRAFT, AbilityOne, Yellow, EA, \$21.85

## System Safety Data Sheet Center

Globally Harmonized System Data Sheet Center. (GHS) includes everything you need to organize your safety data sheet information including; 20" H x 14" W sign bold printed with "Safety Data Sheet Center" easily identifies SDS information location, 2" highly visible yellow organizing binder with a front insert that reads "Safety Data Sheets" in bold red print, inside pockets on front and back of binder add extra storage space, and A-Z dividers that help organize information for easy access. A durable 36" plastic chain is attached to binder to retain binder to wall rack in place. Sturdy, wall mount, wire rack conveniently stores organizing binders. Organizer binder holds 375 safety data sheets, 2 inches wide. Mounting hardware is included.

**Red 20"H x 14"W sign with Binder and Rack.**

Federal Strategic Sourcing Initiative, 7510-01-623-6845, SKILCRAFT, AbilityOne, EA, \$66.90

## Regulatory Sign

Regulatory signs help keep roads safe. Made of aluminum, all signs comply with U.S. Department of Transportation specifications for standard highway signs. Features standard, engineer-grade reflectivity.

**Inscription- "STOP" in white on a red background.**

*Contains 25% Recovered Material, Which Includes 25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

9905-00-721-8734, CPC/S3030R11HA or Equal, Diameter: 30" (octagon), EA, \$33.28

## Sign

Non-reflectORIZED sign includes a red, white and blue shield on a cream background.

**Inscription- "U.S. PROPERTY - NO TRESPASSING".**

*Contains 80% Recovered Material, Which Includes 80% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

9905-00-559-2971, 101572 or equal, 11-7/16 x 13-1/2", EA, \$60.92

Sign symbol 3M diamond grade sheeting 8" x 4" ; Inscription - CO2.

*24-month maximum shelf life (not extendable).*

9905-01-462-6971, Red, PG(contains 10 EA), \$141.54

Sign symbol 3M diamond grade sheeting 8" x 4"; Inscription; AFFF.

*24-month maximum shelf life (not extendable).*

9905-01-462-6965, Red, PG(contains 10 EA), \$141.54

Sign symbol 3M diamond grade sheeting 8" x 8"; Inscription- Red Cross Sign (+ plus).

*24-month maximum shelf life (not extendable).*

9905-01-462-6770, Red, PG(contains 10 EA), \$217.78

Sign symbol, 3M diamond grade sheeting 12" x 4" Right Arrow; EXIT.

*24-month maximum shelf life (not extendable).*

9905-01-462-6247, 3MN119PL or Equal, Red, PG(contains 10 EA), \$180.29

Sign symbol 3M Diamond grade sheeting 12" x 4" Left Arrow; EXIT.

*24-month maximum shelf life (not extendable).*

9905-01-462-6249, 3MN118PL or Equal, Red, PG(contains 10 EA), \$190.55

## Reflector Assembly

Plastic reflector has a metal flanged housing and is used on vehicles, structures or road hazards to alert approaching drivers.

9905-00-205-2795, 40162 or equal, Red, PG(contains 10 EA), \$52.43

9905-00-202-3639, 40163 or equal, Amber, PG(contains 10 EA), \$52.43

## Traffic Cone

Plastic or rubber cone is ideal for marking roadwork, helping to prevent accidents. Square-base cones can be used for marking line painting or serving as an emergency blockade.

*Contains 50% Recovered Material*

Comprehensive Procurement Guideline Compliant

9905-00-424-9829, 274-9 or equal, Red-Orange, Height: 18", BX(contains 10 EA), \$119.01

9905-00-527-4997, 274-10 or equal, Red-Orange, Height: 28", BX(contains 5 EA), \$117.91

## Inspection Card Holder

Vinyl card holder has a clear front with a thumb notch for easy access. Also includes a 1/4" reinforced hole for hanging.

7510-00-155-5174, AbilityOne, Clear, 2-5/16 x 3-3/8", PG(contains 12 EA), \$10.68

## Key Tag

Blank tag is designed for key indexing systems. Consists of a fiber working tag with a snap hook and a steel-wire key holder. In accordance with ASTM D710 commercial grade.

9905-00-245-7826, AbilityOne, Red, 1-1/4" L; 1-1/4" W, BX(contains 100 EA), \$15.15

## Marker Tag

General-use round tag features a 3/16" hole at the top for mounting. U.S. Army Signal Corps drawing number SC-B-26496.

9905-00-537-7730, 4Z7293 or equal, Diameter: 1-5/8", PG(contains 50 EA), \$45.37

Intended for tactical use for line identification on field wires and cables. Plastic tag has 12" steel wire fastening.

**Thickness: 1/64".**

9905-00-537-8956, AbilityOne, Green, 1-5/8 x 3-1/4", BD(contains 50 EA), \$20.52

9905-00-537-8954, AbilityOne, Red, 1-5/8 x 3-1/4", BD(contains 50 EA), \$20.52

9905-00-537-8957, AbilityOne, White, 1-5/8 x 3-1/4", BD(contains 50 EA), \$20.52

9905-00-537-8955, AbilityOne, Yellow, 1-5/8 x 3-1/4", BD(contains 50 EA), \$20.52

## Marking Flag

Plastic marking flag has a steel staff and is used to mark underground utilities, communications, or boundaries.

**Flag is 4" long, 5" wide, and 0.0035" thick.**

*21" steel staff.*

9905-01-661-2139, AbilityOne, Red, BX(contains 100 EA), \$8.84

9905-01-661-2140, AbilityOne, Yellow, BX(contains 100 EA), \$8.84

9905-01-661-2151, AbilityOne, Fluorescent Pink, BX(contains 100 EA), \$8.84

9905-01-661-2152, AbilityOne, Orange, BX(contains 100 EA), \$8.84

9905-01-661-2150, AbilityOne, Fluorescent Orange, BX(contains 100 EA), \$8.84

**Flag is 2.5" long, 3.5" wide, and 0.0035" thick.**

*21" steel staff.*

9905-01-661-2143, AbilityOne, Fluorescent Orange, BX(contains 100 EA), \$8.13

9905-01-661-2144, AbilityOne, Fluorescent Pink, BX(contains 100 EA), \$8.13

9905-01-661-2153, AbilityOne, Yellow, BX(contains 100 EA), \$8.13

9905-01-661-2145, AbilityOne, Orange, BX(contains 100 EA), \$8.13

9905-01-661-2146, AbilityOne, Red, BX(contains 100 EA), \$8.13

*15" steel staff.*

9905-01-661-2147, AbilityOne, Yellow, BX(contains 100 EA), \$8.25

9905-01-661-2148, AbilityOne, Red, BX(contains 100 EA), \$8.25

9905-01-661-2149, AbilityOne, Orange, BX(contains 100 EA), \$8.25

## Surveyor's Flagging Ribbon

Vinyl flagging ribbon is colorfast and will withstand extreme climate changes.

9905-01-458-2057, Artic Blue, 100' L x 1-3/16" W, BX(contains 12 EA), \$8.76

9905-01-458-1192, Artic Red, 100' L x 1-3/16" W, BX(contains 12 EA), \$8.76

9905-01-458-2058, Artic Yellow, 100' L x 1-3/16" W, BX(contains 12 EA), \$8.76

## Barricade Tape

Mark off restricted areas with this easy to read barricade tape. Lightweight tape is non-adhesive and made of a premium grade polyethylene material. The tape can be tied, stapled or nailed. Comes in a dispenser box to prevent the tape from unraveling during use or storage.

**CRIME SCENE DO NOT CROSS in black letters.**

9905-01-665-3314, AbilityOne, Yellow, 3 mil thick; 3" wide, RO(contains 1000 FT), \$18.75

**CAUTION DO NOT ENTER in black letters.**

9905-01-665-3315, AbilityOne, Yellow, 3 mil thick; 3" wide, RO(contains 1000 FT), \$18.75

**POLICE LINE DO NOT CROSS in black letters.**

9905-01-665-3316, AbilityOne, Yellow, 3 mil thick; 3" wide, RO(contains 1000 FT), \$17.69

## Floor Safety Tape

Floor safety marking tape made of heavy-duty poly vinyl with rubber adhesive sticks tight and removes cleanly. Resists abrasion, moisture, common solvents and weather. Ideal for indoor or outdoor marking of traffic areas, physical hazards, emergency zones, work sites, plus can be used for color coding. Flexible backing allows application to curved walls, ducts, low-hanging objects as well as floors. Conforms to ASTM-D 3330, 3759, 3652 standards.

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-617-4251, SKILCRAFT, AbilityOne, Black/ Yellow Stripe, 2" W, RO(contains 36 YD), \$6.32

Federal Strategic Sourcing Initiative, 7510-01-617-4257, SKILCRAFT, Yellow, 2" W, RO(contains 36 YD), \$4.78

## Warning Tape

Weather resistant yellow and black striped caution tape. Printable.

*12-month maximum shelf life (extendable).*

7510-01-412-0533, Yellow/Black, 2.0" W, RO(contains 36 YD), \$11.50

# Mats and Matting

## Chair Mat

Transparent mat is made from Polyvinylchloride (PVC) material and plant-based plasticizers and is USDA certified biobased. Mat protects floors and carpets from wheel damage while allowing swivel chairs to move with ease.

**Features molded cleats on underside to prevent shifting. Without lip.**

*For use on high pile carpet.*

7220-01-656-8318, AbilityOne, Clear, 60" L x 46" W x 0.220" T, EA, \$130.13

*For use on low and medium pile carpet.*

7220-01-656-8330, AbilityOne, Clear, 60" L x 60" W x 0.150" T, EA, \$97.55

**Features molded cleats on underside to prevent shifting and a centered lip on the width dimension. Lip measures 20" wide x 12" deep. Overall dimensions include lip.**

*For use on high pile carpet.*

7220-01-656-8994, AbilityOne, Clear, 53" L x 45" W x 0.220" T, EA, \$99.68

7220-01-656-8315, AbilityOne, Clear, 60" L x 46" W x 0.150" T, EA, \$76.94

*For use on low and medium pile carpet.*

7220-01-656-8327, AbilityOne, Clear, 53" L x 45" W x 0.150" T, EA, \$65.76

7220-01-656-8326, AbilityOne, Clear, 36" L x 48" W x 0.150" T, EA, \$49.79

**Features a centered lip on the width dimension. Lip measures 20" wide x 12" deep. Overall dimensions include lip.**

*For use on hard surface floors.*

7220-01-656-8320, AbilityOne, Clear, 53" L x 45" W x 0.110" T, EA, \$56.89

**Features a centered lip on the width dimension. Lip measures 25" wide x 12" deep. Overall dimensions include lip.**

*For use on hard surface floors.*

7220-01-656-8321, AbilityOne, Clear, 53" L x 45" W x 0.110" T, EA, \$55.10

7220-01-656-8324, AbilityOne, Clear, 60" L x 46" W x 0.110" T, EA, \$63.73

**Features molded cleats on underside to prevent shifting and a centered lip on the width dimension. Lip measures 25" wide x 12" deep. Overall dimensions include lip.**

*For use on high pile carpet.*

7220-01-656-8317, AbilityOne, Clear, 60" L x 46" W x 0.220" T, EA, \$131.47

*For use on low and medium pile carpet.*

7220-01-656-8329, AbilityOne, Clear, 60" L x 46" W x 0.150" T, EA, \$76.82

7220-01-656-8328, AbilityOne, Clear, 53" L x 45" W x 0.150" T, EA, \$65.68

**Without lip.**

*For use on hard surface floors.*

7220-01-656-8322, AbilityOne, Clear, 60" L x 46" W x 0.110" T, EA, \$67.63

7220-01-656-8325, AbilityOne, Clear, 60" L x 60" W x 0.110" T, EA, \$75.93

Transparent polyvinylchloride (PVC) plastic mat protects floors and carpets from wheel damage while allowing swivel chairs to move with ease. Features rounded corners and molded cleats on underside to prevent shifting.

**Features a centered lip on the width dimension. Lip measures 20" wide x 12" deep. Overall dimensions include lip.**

*For use over low- to medium-pile carpet.*

Federal Strategic Sourcing Initiative, 7220-00-457-6046, AbilityOne, Clear, 48" D x 36" W x 0.145" T, EA, \$64.78

Federal Strategic Sourcing Initiative, 7220-00-457-6054, AbilityOne, Clear, 53" D x 45" W x 0.145" T, EA, \$74.03

*For use over medium- to high-pile carpet.*

Federal Strategic Sourcing Initiative, 7220-01-305-3062, AbilityOne, Clear, 53" D x 45" W x 0.22" T, EA, \$119.00

**Does not have a lip. For use over low- to medium-pile carpet.**

Federal Strategic Sourcing Initiative, 7220-00-151-6518, AbilityOne, Clear, 60" L x 60" W x 0.145" T, EA, \$125.41

Transparent Polyvinylchloride (PVC) plastic mat protects office floors and carpets from wheel damage while allowing swivel chairs to move with ease. Features a single lip measuring 25" wide x 12" deep, and is pressure embossed on one side and smooth on the other side.

**For use on carpet or hard surfaces.**

Federal Strategic Sourcing Initiative, 7220-01-471-0913, AbilityOne, Clear, 53" L x 45" W x 0.110" T, EA, \$91.75

## Floor Mat

Industrial deck-plate, anti-fatigue mat with slip resistant diamond pattern texture. Polyvinyl Chloride (PVC) foam backing fused to deck plate surface.

### Hard-top deck plate.

7220-01-667-3562, AbilityOne, Black with 2 yellow stripes, 2' x 3' x 0.563" T, EA, \$58.26  
 7220-01-667-3561, AbilityOne, Black with 4 yellow stripes, 2' x 3' x 0.563" T, EA, \$67.09  
 7220-01-667-3560, AbilityOne, Black with 2 yellow stripes, 3' x 5' x 0.563" T, EA, \$130.98  
 7220-01-667-3564, AbilityOne, Black with 4 yellow stripes, 3' x 5' x 0.563" T, EA, \$151.36  
 7220-01-667-3565, AbilityOne, Black with 2 yellow stripes, 3' x 8' x 0.563" T, EA, \$227.04  
 7220-01-667-3568, AbilityOne, Black with 4 yellow stripes, 3' x 8' x 0.563" T, EA, \$269.35  
 7220-01-667-3566, AbilityOne, Black with 2 yellow stripes, 3' x 12' x 0.563" T, EA, \$312.19  
 7220-01-667-3567, AbilityOne, Black with 4 yellow stripes, 3' x 12' x 0.563" T, EA, \$365.10  
 7220-01-667-3569, AbilityOne, Black, 2' x 3' x 0.563" T, EA, \$49.83  
 7220-01-667-3570, AbilityOne, Black, 3' x 5' x 0.563" T, EA, \$130.43  
 7220-01-667-3571, AbilityOne, Black, 3' x 8' x 0.563" T, EA, \$212.26  
 7220-01-667-3563, AbilityOne, Black, 3' x 12' x 0.563" T, EA, \$291.49  
 Federal Strategic Sourcing Initiative, 7220-01-582-6231, AbilityOne, Black, 36" L x 24" W x 0.562" T, EA, \$60.45  
 Federal Strategic Sourcing Initiative, 7220-01-582-6223, AbilityOne, Black, 60" L x 36" W x 0.562" T, EA, \$127.63  
 Federal Strategic Sourcing Initiative, 7220-01-582-6226, AbilityOne, Black with Yellow Border, 36" L x 24" W x 0.562" T, EA, \$55.55  
 Federal Strategic Sourcing Initiative, 7220-01-582-6229, AbilityOne, Black with Yellow Border, 60" L x 36" W x 0.562" T, EA, \$142.68

3M Nomad Scraper Matting 6050 features anti-skid backing and is made of vinyl loops that trap and hold dirt, hiding it from view. Matting surface stays clean to help prevent tracking of dirt.

Federal Strategic Sourcing Initiative, 7220-01-411-2979, 26187 or Equal, AbilityOne, Chestnut Brown, 3 x 5 ft, EA, \$120.36  
 Federal Strategic Sourcing Initiative, 7220-01-411-1515, 26445 or Equal, AbilityOne, Slate Gray, 3 x 5 ft, EA, \$152.74  
 Federal Strategic Sourcing Initiative, 7220-01-411-2980, 26189 or Equal, AbilityOne, Chestnut Brown, 4 x 6 ft, EA, \$228.47

Indoor wiper floor mat medium duty. Top fibers are 100 percent recycled Polyethylene Terephthalate (P.E.T.).

Federal Strategic Sourcing Initiative, 7220-01-582-6220, AbilityOne, Gray, 60" L x 36" W x 0.312" T, EA, \$59.20  
 Federal Strategic Sourcing Initiative, 7220-01-582-6225, AbilityOne, Gray, 72" L x 48" W x 0.312" T, EA, \$102.48

Wiper scraper floor mat, medium duty. Backing is nitrile/rubber blend and top fibers are 100% recycled Polyethylene Terephthalate (P.E.T.).

Federal Strategic Sourcing Initiative, 7220-01-582-6224, AbilityOne, Gray, 60" L x 36" W x 0.375" T, EA, \$101.76  
 Federal Strategic Sourcing Initiative, 7220-01-582-6222, AbilityOne, Gray, 72" L x 48" W x 0.375" T, EA, \$172.15

Ribbed vinyl anti-fatigue mat light duty. Closed-cell Polyvinyl Chloride (PVC) sponge matting.

Federal Strategic Sourcing Initiative, 7220-01-582-6228, AbilityOne, Gray, 36" L x 24" W x 0.375" T, EA, \$23.42  
 Federal Strategic Sourcing Initiative, 7220-01-582-6230, AbilityOne, Gray, 60" L x 36" W x 0.375" T, EA, \$54.13

Vinyl loop, Scraper/Wiper floor mat for light to medium traffic.

Federal Strategic Sourcing Initiative, 7220-01-582-6241, AbilityOne, Black, 60" L x 36" W x 0.625" T, EA, \$131.10  
 Federal Strategic Sourcing Initiative, 7220-01-582-6240, AbilityOne, Black, 72" L x 48" W x 0.625" T, EA, \$227.31  
 Federal Strategic Sourcing Initiative, 7220-01-582-6242, AbilityOne, Gray, 72" L x 48" W x 0.625" T, EA, \$244.21

Medium duty scraper mat with rubber molded finger-tip design.

Federal Strategic Sourcing Initiative, 7220-01-582-6243, AbilityOne, Black, 72" L x 36" W x 0.625" T, EA, \$98.65  
 Federal Strategic Sourcing Initiative, 7220-01-582-6244, AbilityOne, Black, 32" L x 24" W x 0.625" T, EA, \$36.58

Loop-twist outdoor scraper mat for medium or heavy traffic.

Federal Strategic Sourcing Initiative, 7220-01-582-6246, AbilityOne, Gray, 60" L x 36" W x 0.312" T, EA, \$69.99  
 Federal Strategic Sourcing Initiative, 7220-01-582-6245, AbilityOne, Gray, 72" L x 48" W x 0.312" T, EA, \$90.00

Heavy duty finger-tip design floor mat.

Federal Strategic Sourcing Initiative, 7220-01-582-6247, AbilityOne, Black, 32" L x 24" W x 0.625" T, EA, \$53.81  
 Federal Strategic Sourcing Initiative, 7220-01-582-6248, AbilityOne, Black, 72" L x 36" W x 0.625" T, EA, \$164.82

## Floor Matting

Floor matting is fire retarding with a diamond plate texture, urethane finish.

### Color: Blue

7220-01-470-9466, P400 or equal, 60"L x 72"W, RO(contains 60 FT), \$2,035.50

## Ribbed Floor Matting

Slip-resistant runner or vinyl matting is intended for use on stairs or as a floor covering. For general use in hospitals, ships, laboratories and other buildings.

### Has a pyramid pattern surface.

Federal Strategic Sourcing Initiative, 7220-00-034-7225, 1710 or equal, Black, 48" W x 1/8" T, RO(contains 25 YD), \$375.08

### Has a ribbed surface.

Federal Strategic Sourcing Initiative, 7220-00-753-2981, 67462981 or equal, Black, 24" W x 1/8" T, RO(contains 10 YD), \$74.46

7220-00-753-2982, 67462982 or equal, Black, 36" W x 1/8" T, RO(contains 10 YD), \$52.34

Federal Strategic Sourcing Initiative, 7220-00-254-4240, 6746424 or equal, Black, 36" W x 1/8" T, RO(contains 25 YD), \$299.12

7220-00-965-4769, 67464769 or equal, Black, 24" W x 3/16" T, RO(contains 25 YD), \$127.95

Federal Strategic Sourcing Initiative, 7220-00-965-4699, 67464699 or equal, Black, 36" W x 3/16" T, RO(contains 25 YD), \$496.86

## Insulating Floor Matting (Dielectric)

Synthetic rubber or vinyl matting is excellent as a safety measure to protect against accidental exposure to electrical charges (up to 30,000 volts). The fire-resistant mat covers floors around electrical equipment and circuits. Underside features a roughened or imprinted surface. MIL-DTL-15562.

### Runner-type matting

7220-00-267-4630, 67454630 or equal, Blue, 36" W x 1/8" T, RO(contains 25 YD), \$289.62

7220-00-255-0765, DIMEX 255-0765 or equal, Black, 24" W x 1/8" T, RO(contains 25 YD), \$228.85

### Runner type matting has a raised diamond pattern surface.

7220-01-057-1897, 67451897 or equal, Gray, 36" W x 3/16" T, RO(contains 25 YD), \$347.77

7220-01-056-1944, 67451944 or equal, Green, 36" W x 3/16" T, RO(contains 25 YD), \$347.77

### Wall-to-wall matting has a smooth surface and a marbled or mottled pattern. Matting is intended for permanent installation by cementing over entire exposed floor surface.

7220-01-024-9039, 67459039 or equal, Beige, Marbleized, 36" W x 1/8" T, RO(contains 25 YD), \$405.94

7220-01-024-9040, 67459040 or equal, Blue, Marbleized, 36" W x 1/8" T, RO(contains 25 YD), \$405.94

7220-01-025-1695, 67452695 or equal, Green, Marbleized, 36" W x 1/8" T, RO(contains 25 YD), \$405.94

## Standing Floor Mat (Anti-Fatigue)

Anti-fatigue mat is for people who are on their feet for long periods of time. Mat relieves fatigue associated with vibrations and standing. Smooth uni-cellular foam base is bonded to a solid rubber or plastic covering. MIL-M-910

*75% Postconsumer Recycled Plastic Contains 100% Recovered Material*

Comprehensive Procurement Guideline Compliant

7220-00-292-2096, RH-3036 or Equal, Black, 36" L x 30" W x 1/2" T, EA, \$54.03

## Doormat

Heavy duty mat is suitable for commercial, institutional and industrial entryways. Natural coir (coconut husk) fiber mat has a nonskid vinyl backing. The brush-like pile surface cleans dirt and moisture from shoes.

Federal Strategic Sourcing Initiative, 7220-01-386-6722, 40303 or Equal, AbilityOne, Natural Tan, 18" L x 30" W x 5/8" T, EA, \$18.22

Useful in entryways to remove dirt from shoes. Made from recycled tires, this quality mat will not damage or mar floors. This reversible mat features corrosion-resistant cross-wires, which make it flexible and easy to roll for storage.

*80% Postconsumer Material Contains 85% Recovered Material*

Comprehensive Procurement Guideline Compliant

7220-00-238-8852, 59H30LX18WX5/8T or Equal, AbilityOne, Natural, 30" L x 18" W x 5/8" T, EA, \$35.36

7220-00-224-6486, 50LX24Wx5/8T or Equal, AbilityOne, Natural, 50" L x 24" W x 5/8" T, EA, \$71.59

## Deck Covering

Deck Covering, Lightweight, Fine-Textured, Slip-Resistant, Tape.

- 7220-01-667-1399, AbilityOne, Clear, 1" x 60', RO(contains 60 FT), \$36.29
- 7220-01-667-1409, AbilityOne, Clear, 12" x 60', RO(contains 60 FT), \$334.95
- 7220-01-667-1398, AbilityOne, Clear, 2" x 60', RO(contains 60 FT), \$63.93
- 7220-01-667-1406, AbilityOne, Clear, 4" x 60', RO(contains 60 FT), \$118.37
- 7220-01-667-1408, AbilityOne, Clear, 6" x 60', RO(contains 60 FT), \$172.65
- 7220-01-667-1410, AbilityOne, Clear, 3/4" x 17", BX(contains 50 EA), \$41.40
- 7220-01-667-1405, AbilityOne, Clear, 6" x 24", BX(contains 10 EA), \$68.37

## Non-skid Tread

Non-metallic, non-skid tread, safety-walk (TM), 710 black coarse, 1 inch radius, rounded corners

- 7220-01-579-6880, AbilityOne, Black, 24" W x 24" L nominal, BX(contains 10 EA), \$665.25
- 7220-01-579-6875, AbilityOne, Black, 24" W x 24" L nominal, BX(contains 31 EA), \$665.25
- 7220-01-579-6877, AbilityOne, Black, 36" W x 24" L nominal, BX(contains 21 EA), \$665.25
- 7220-01-579-6876, AbilityOne, Black, 36" W x 36" L nominal, BX(contains 14 EA), \$665.25
- 7220-01-579-6870, AbilityOne, Black, 48" W x 60" L nominal, BX(contains 6 EA), \$665.25

## Non-skid Tread Nonmetallic

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common.

- 7220-01-658-8040, AbilityOne, Gray, 12 in x 30 ft, RO(contains 30 FT), \$158.33
- 7220-01-658-8041, AbilityOne, Gray, 18 in x 30 ft, RO(contains 30 FT), \$236.06

## Peel-and-Stick General Purpose Tapes and Treads

Mineral-coated, slip-resistant material adhered by a durable resin to a pressure-sensitive adhesive backed plastic film. Peel-and-stick nonskid general purpose tapes and treads are slip-resistant, intended for light to heavy shoe-traffic areas, highly durable to withstand the rigors of equipment traffic and low profile to help reduce trip hazard. Product applications include: flat surfaces, steps, stairways, entrances, ramps, ladders, lawn equipment, snowmobiles, scooters, construction machinery and vehicles.

- 7220-01-648-0995, Safety-Walk 610, AbilityOne, Black, 3/4 IN. X 24 IN., BX(contains 50 EA), \$35.66
- 7220-01-648-0999, Safety-Walk 610, AbilityOne, Black, 3/4 IN. X 60 FT., BX(contains 4 EA), \$56.74
- 7220-01-648-0990, Safety-Walk 630, AbilityOne, Yellow, 1 IN. X 60 FT., BX(contains 4 EA), \$82.39
- 7220-01-648-1004, Safety-Walk 610, AbilityOne, Black, 1 IN. X 60 FT., BX(contains 4 EA), \$80.30
- 7220-01-648-0988, Safety-Walk 630, AbilityOne, Yellow, 2 IN. X 60 FT., BX(contains 2 EA), \$89.57
- 7220-01-648-0997, Safety-Walk 610, AbilityOne, Black, 2 IN. X 60 FT., BX(contains 2 EA), \$79.99
- 7220-01-648-0993, Safety-Walk 630, AbilityOne, Yellow, 4 IN. X 60 FT., RO(contains 60 FT), \$88.47
- 7220-01-648-1000, Safety-Walk 610, AbilityOne, Black, 4 IN. X 60 FT., RO(contains 60 FT), \$80.13
- 7220-01-648-0998, Safety-Walk 610, AbilityOne, Black, 5-1/2" X 5-1/2", BX(contains 50 EA), \$50.89
- 7220-01-650-5922, Safety-Walk 610, AbilityOne, Black, 6 IN. X 24 IN., BX(contains 50 EA), \$109.05
- 7220-01-648-0987, Safety-Walk 630, AbilityOne, Yellow, 6 IN. X 24 IN., BX(contains 50 EA), \$219.36
- 7220-01-648-1007, Safety-Walk 610, AbilityOne, Black, 6 IN. X 60 FT., RO(contains 60 FT), \$117.84
- 7220-01-648-1008, Safety-Walk 610, AbilityOne, Black, 12 IN. X 60 FT., RO(contains 60 FT), \$231.84
- 7220-01-648-1009, Safety-Walk 610, AbilityOne, Black, 18 IN. X 60 FT., RO(contains 60 FT), \$345.93
- 7220-01-648-1011, Safety-Walk 610, AbilityOne, Black, 24 IN. X 60 FT., RO(contains 60 FT), \$461.86
- 7220-01-648-1013, Safety-Walk 610, AbilityOne, Black, 36 IN. X 60 FT., RO(contains 60 FT), \$690.07
- 7220-01-648-1015, Safety-Walk 610, AbilityOne, Black, 48 IN. X 60 FT., RO(contains 60 FT), \$919.90



## Peel-and-Stick Conformable Tapes and Treads

High-friction, mineral-coated, slip-resistant material that has a special pressure-sensitive adhesive backed aluminum film that conforms around corners and adheres to irregular surfaces. Peel-and-stick nonskid tapes and treads are conformable, slip-resistant, and intended for irregular or contoured surfaces in light to heavy shoe-traffic areas. This conformable nonskid material is available in a safety yellow color for high visibility and easy identification of hazard areas. Product applications include: stairs, ladders, loading ramps, platforms, irregular surfaces like diamond plating or flat surfaces with rivets or screw heads.

7220-01-648-1019, Safety-Walk 530, AbilityOne, Yellow, 1 IN. X 60 FT., BX(contains 4 EA), \$119.13

These conformable slip resistant tapes and treads are comprised of minerals adhered by a durable resin to a pressure sensitive adhesive backed aluminum film. Designed to conform around irregular surfaces, such as grated metal. Easy to install, and perfect on ships, stairs, ladders, loading ramps, platforms, warehouse floors, vehicles, irregular surfaces, and other areas where slipping is common.

7220-01-658-7597, AbilityOne, Black, 36 in x 60 ft, RO(contains 60 FT), \$1,013.10

These conformable slip resistant tapes and treads are comprised of minerals adhered by a durable resin to a pressure sensitive adhesive backed aluminum film. Designed to conform around irregular surfaces, such as grated metal. Easy to install, and perfect on ships, stairs, ladders, loading ramps, platforms, warehouse floors, vehicles, irregular surfaces, and other areas where slipping is common. 4 per box.

7220-01-658-7596, AbilityOne, Black, 1 in x 60 ft Roll, BX(contains 4 EA), \$125.48

High-friction, mineral-coated, slip-resistant material that has a special pressure-sensitive adhesive backed aluminum film that conforms around corners and adheres to irregular surfaces. Peel-and-stick nonskid tapes and treads are conformable, slip-resistant, and intended for irregular or contoured surfaces in light to heavy shoe-traffic areas. This conformable nonskid material is available in a safety yellow color for high visibility and easy identification of hazard areas. Product applications include: stairs, ladders, loading ramps, platforms, irregular surfaces like diamond plating or flat surfaces with rivets or screw heads.

7220-01-648-1018, Safety-Walk 510, AbilityOne, Black, 2 IN. X 60 FT., BX(contains 2 EA), \$133.83  
 7220-01-648-1023, Safety-Walk 530, AbilityOne, Yellow, 2 IN. X 60 FT., BX(contains 2 EA), \$118.74  
 7220-01-648-1020, Safety-Walk 510, AbilityOne, Black, 4 IN. X 60 FT., RO(contains 60 FT), \$133.81  
 7220-01-648-1010, Safety-Walk 530, AbilityOne, Yellow, 4 IN. X 60 FT., RO(contains 60 FT), \$111.04  
 7220-01-648-1014, Safety-Walk 510, AbilityOne, Black, 5-1/2" X 5-1/2", BX(contains 50 EA), \$68.74  
 7220-01-648-1779, Safety-Walk 530, AbilityOne, Yellow, 6 IN. X 24 IN., BX(contains 50 EA), \$285.11  
 7220-01-648-1016, Safety-Walk 510, AbilityOne, Black, 6 IN. X 24 IN., BX(contains 50 EA), \$358.42  
 7220-01-648-1021, Safety-Walk 510, AbilityOne, Black, 6 IN. X 60 FT., RO(contains 60 FT), \$198.71  
 7220-01-648-1012, Safety-Walk 530, AbilityOne, Yellow, 6 IN. X 60 FT., RO(contains 60 FT), \$167.44  
 7220-01-648-1022, Safety-Walk 510, AbilityOne, Black, 12 in. x 60 ft., RO(contains 60 FT), \$393.02  
 7220-01-648-1005, Safety-Walk 510, AbilityOne, Black, 18 IN. X 60 FT., RO(contains 60 FT), \$537.99  
 7220-01-648-1006, Safety-Walk 510, AbilityOne, Black, 24 IN. X 60 FT., RO(contains 60 FT), \$665.80

## Peel-and-Stick Medium Duty Tapes and Treads

Soft textured, non-mineral, medium resilient surface bonded to a pressure-sensitive adhesive backed plastic film. Peel-and-stick nonskid tapes and treads are medium duty resilient, slip-resistant and intended for barefoot or show-traffic areas. Product applications include: locker rooms, around hot tubs and pools, boats, personal watercraft, water skies, exercise equipment, and conveyers.

7220-01-648-1781, Safety-Walk 310, AbilityOne, Black, 1" X 60', BX(contains 4 EA), \$121.85  
 7220-01-648-1002, Safety-Walk 370, AbilityOne, Gray, 1 in. X 60 ft., BX(contains 4 EA), \$121.85  
 7220-01-648-1782, Safety-Walk 310, AbilityOne, Black, 2" x 60", BX(contains 2 EA), \$121.85  
 7220-01-646-1673, Safety-Walk 370, AbilityOne, Gray, 2" X 60', RO(contains 60 LF), \$121.85  
 7220-01-648-1003, Safety-Walk 370, AbilityOne, Gray, 4 IN. X 60 FT., RO(contains 60 FT), \$121.85  
 7220-01-648-1773, Safety-Walk 310, AbilityOne, Black, 4 in X 60 ft, RO(contains 60 FT), \$130.87  
 7220-01-648-1001, Safety-Walk 370, AbilityOne, Gray, 6 IN. X 24 IN., BX(contains 50 EA), \$290.35  
 7220-01-648-1778, Safety-Walk 310, AbilityOne, Black, 6" x 24", BX(contains 50 EA), \$311.58  
 7220-01-648-1769, Safety-Walk 370, AbilityOne, Gray, 6 IN. X 60 FT., RO(contains 60 FT), \$159.16  
 7220-01-648-1774, Safety-Walk 310, AbilityOne, Black, 6 in. x 60 ft., RO(contains 60 FT), \$170.80  
 7220-01-648-1775, Safety-Walk 310, AbilityOne, Black, 12 IN. X 60 FT, RO(contains 60 FT), \$337.03  
 7220-01-648-1771, Safety-Walk 370, AbilityOne, Gray, 12 IN. X 60 FT., RO(contains 60 FT), \$314.71  
 7220-01-648-1776, Safety-Walk 370, AbilityOne, Gray, 18 IN. X 60 FT., RO(contains 60 FT), \$470.60  
 7220-01-648-1780, Safety-Walk 310, AbilityOne, Black, 18 IN. X 60 FT, RO(contains 60 FT), \$502.84  
 7220-01-648-1770, Safety-Walk 370, AbilityOne, Gray, 24 IN. X 60 FT., RO(contains 60 FT), \$627.09  
 7220-01-648-1765, Safety-Walk 310, AbilityOne, Black, 24 IN. X 60 FT., RO(contains 60 FT), \$671.19  
 7220-01-648-1767, Safety-Walk 310, AbilityOne, Black, 36 IN. X 60 FT., RO(contains 60 FT), \$1,007.40  
 7220-01-648-1772, Safety-Walk 370, AbilityOne, Gray, 36 IN. X 60 FT., RO(contains 60 FT), \$939.92  
 7220-01-648-1766, Safety-Walk 310, AbilityOne, Black, 48 IN. X 60 FT., RO(contains 60 FT), \$1,341.12  
 7220-01-648-1777, Safety-Walk 370, AbilityOne, Gray, 48 IN. X 60 FT., RO(contains 60 FT), \$1,252.73

## Peel-and-Stick Coarse Tapes and Treads

Extra-large mineral particle and durable construction material that provides additional slip resistance in extreme conditions. Peel-and-stick nonskid tapes and treads are coarse, slip-resilient and intended for extreme, heavy traffic areas. The extra-large abrasive mineral particles help provide a stable slip-resistant surface even in the presence of water or oil. The high performance adhesive creates an excellent bond to most surfaces while the open abrasive pattern resists clogging and reduces clean up time. Product applications include: construction vehicles, ship and plane decks, trains, semi-trailers, oily wet areas, platforms and ramps, machine shops, agriculture and forestry equipment, recreational vehicles.

7220-01-648-0983, Safety-Walk 710, AbilityOne, Black, 4 IN. X 30 FT. 30 FT), RO(contains 30 FT), \$60.94

7220-01-648-0984, Safety-Walk 710, AbilityOne, Black, 6" x 24", BX(contains 25 EA), \$153.29

7220-01-648-0982, Safety-Walk 710, AbilityOne, Black, 6 IN. X 30 FT., RO(contains 30 FT), \$89.06

7220-01-648-0986, Safety-Walk 710, AbilityOne, Black, 12 IN. X 30 FT., RO(contains 30 FT), \$174.35

7220-01-648-0989, Safety-Walk 710, AbilityOne, Black, 18 IN. X 30 FT., RO(contains 30 FT), \$262.87

7220-01-648-0994, Safety-Walk 710, AbilityOne, Black, 24 IN. X 30 FT., RO(contains 30 FT), \$347.23

7220-01-658-7601, AbilityOne, Black, 1 in x 30 ft Roll, BX(contains 4 EA), \$55.53

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 4 per box.

7220-01-658-7590, AbilityOne, Gray, 1 in x 30 ft Roll, BX(contains 4 EA), \$55.53

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 31 per box.

7220-01-658-7591, AbilityOne, Gray, 2 ft x 2 ft Roll, BX(contains 31 EA), \$654.30

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 21 per box.

7220-01-658-7592, AbilityOne, Gray, 3 ft x 2 ft Roll, BX(contains 21 EA), \$654.30

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 10 per box.

7220-01-658-7594, AbilityOne, Gray, 3 ft x 4 ft Roll, BX(contains 10 EA), \$654.30

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 14 per box.

7220-01-658-7593, AbilityOne, Gray, 3 ft x 3 ft Roll, BX(contains 14 EA), \$654.30

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common.

7220-01-658-8036, AbilityOne, Gray, 36 in x 30 ft, RO(contains 30 FT), \$639.84

7220-01-658-7602, AbilityOne, Black, 48 in x 30 ft, RO(contains 30 FT), \$639.84

7220-01-658-7600, AbilityOne, Black, 36 in x 30 ft, RO(contains 30 FT), \$475.25

7220-01-658-8037, AbilityOne, Gray, 6 in x 30 ft, RO(contains 30 FT), \$81.09

7220-01-658-8039, AbilityOne, Gray, 6 in x 24 in Roll, BX(contains 25 EA), \$139.47

7220-01-658-8042, AbilityOne, Gray, 24 in x 30 ft, RO(contains 30 FT), \$314.19

7220-01-658-8043, AbilityOne, Gray, 36 in x 30 ft, RO(contains 30 FT), \$475.25

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 2 per box.

7220-01-658-7599, AbilityOne, Black, 2 in x 30 ft Roll, BX(contains 2 EA), \$55.53

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 25 per box.

7220-01-658-8038, AbilityOne, Gray, 4 in x 30 ft, RO(contains 30 FT), \$55.53

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 6 per box.

7220-01-658-7595, AbilityOne, Gray, 4 ft x 5 ft Roll, BX(contains 6 EA), \$654.30

## Gymnastic Mat

Three-panel folding tumbling mat (accordion type); vinyl covered polyurethane foam filled tumbling mat with Velcro on both 4 foot ends.

7830-00-242-4340, Resilite SRFM2001 or equal, 6' L x 4' W x 2" T, EA, \$156.26

Tumbling mat has a vinyl covered polyurethane foam filling with Velcro on 5 ft. end. 18 oz/sq yard vinyl covering on both sides. Has a thickness of 1-1/4 inches to 2 inches.

7830-00-242-4341, 23150 or equal, 10 ft. L x 5 ft. W, EA, \$288.33

## Recreational Kit

Recreational kit consisting of the following sports gear; 2 Soccer Balls, size 5 FIFA approved, 36 Baseballs, NCAA approved, 4 Baseball Bats, wood, assorted weights, 8 Softball Bats, wood, assorted weights, 8 Fielder's baseball gloves, all leather, 2 First Baseman's baseball gloves, all leather, 1 Catcher's mitt, all leather, 4 Catcher's masks, with throat protectors, 2 Catcher's body protectors, 1 Pair - Catcher's leg guards, 2 Footballs, NCAA approved, 1 Set Horseshoes, four horseshoes, 2 lb 8 oz each, in 2 colors, 2 Horseshoe stakes, solid steel, 24 in. minimum length, pointed on one end, 4 Pair - 14 ounce boxing gloves, 2 Boxer's head guard, military style, 8 Boxer's mouthpiece, 2 Volleyball nets, 1 Ball pump with 2 needles.

7810-00-271-1762, REC #1 or Equal, KT, \$1,466.25

# Non-Weapon and Non-Shipboard Storage Cabinets

## Class 5 - Legal Size

Uninsulated filing cabinets are GSA-approved for the storage of secret and confidential information, along with class 1 & 2 controlled substances, monetary funds and precious metals. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry and 10 man-minutes against forced entry. (Federal Specification AA-F-358)

**Style 1 lock - Kaba Mas X-10**

**Style 2 lock - S&G 2740B**

**Style 1 & 2 locks are IAW Federal Specification FF-L-2740**

### SINGLE LOCK DESIGN

One lock controls all drawers (SL)

<b>Two (2) Drawer - Legal Size (Size I)</b>			
Maximum Outside Dimension: 30-5/8"H x 20-7/8"W x 33-1/2"D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1195 lbs. Shipping Cube: 43.33 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-082-6111	Gray	SL1	\$6,077.15
7110-01-015-2850	Black	SL1	\$6,078.57
7110-01-012-8739	Parchment	SL1	\$6,077.15
7110-01-614-5420	Gray	SL2	\$5,780.11
7110-01-614-5422	Black	SL2	\$5,781.52
7110-01-614-5441	Parchment	SL2	\$5,780.11

<b>Four (4) Drawer - Legal Size (Size III)</b>			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1195 lbs. Shipping Cube: 43.33 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-082-6112	Gray	SL1	\$9,109.99
7110-01-012-8740	Black	SL1	\$9,109.99
7110-01-012-8741	Parchment	SL1	\$9,109.99
7110-01-614-5430	Gray	SL2	\$8,812.94
7110-01-614-5434	Black	SL2	\$8,812.94
7110-01-614-5440	Parchment	SL2	\$8,812.94

### MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

<b>Two (2) Drawer - Legal Size (Size I)</b>			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 720 lbs. Shipping Cube: 24.38 cu. Ft.			
NSN	Color	Lock Style	Price
7110-01-563-1694	Gray	ML1	\$8,292.54
7110-01-563-1696	Black	ML1	\$8,292.54
7110-01-563-1687	Parchment	ML1	\$8,292.54
7110-01-614-5427	Gray	ML2	\$7,698.45
7110-01-614-5429	Black	ML2	\$7,698.45
7110-01-614-5426	Parchment	ML2	\$7,698.45

<b>Four (4) Drawer - Legal Size (Size III)</b>			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1280 lbs. Shipping Cube: 43.33 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1689	Gray	ML1	\$15,587.05
7110-01-563-1699	Black	ML1	\$15,587.05
7110-01-563-1700	Parchment	ML1	\$15,587.05
7110-01-614-5423	Gray	ML2	\$14,398.87
7110-01-614-5424	Black	ML2	\$14,398.87
7110-01-614-5425	Parchment	ML2	\$14,398.87

## Class 6 - Letter Size

Filing cabinets are GSA-approved for the storage of secret, top-secret and confidential information. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry. No forced entry requirements. (Federal Specification AA-F-358)

**Style 1 lock - Kaba Mas X-10**

**Style 2 lock - S&G 2740B**

**Style 1 & 2 locks are IAW Federal Specification FF-L-2740**

### SINGLE LOCK DESIGN

One lock controls all drawers (SL)

<b>Two (2) Drawer - Letter Size (Size X)</b>			
Maximum Outside Dimension: 30-5/8" H x 17-7/8" W x 24" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 275 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-309-1970	Gray	SL1	\$3,450.00
7110-01-309-1971	Black	SL1	\$3,450.00
7110-01-309-1972	Parchment	SL1	\$3,450.00
7110-01-614-5390	Gray	SL2	\$3,363.75
7110-01-614-5396	Black	SL2	\$3,363.75
7110-01-614-5398	Parchment	SL2	\$3,363.75

<b>Four (4) Drawer - Letter Size (Size II)</b>			
Maximum Outside Dimension: 58-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 465 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-309-1957	Gray	SL1	\$4,801.25
7110-01-309-1958	Black	SL1	\$4,801.25
7110-01-309-1959	Parchment	SL1	\$4,801.25
7110-01-614-5431	Gray	SL2	\$4,623.00
7110-01-614-5370	Black	SL2	\$4,623.00
7110-01-614-5375	Parchment	SL2	\$4,623.00

<b>Five (5) Drawer - Letter Size (Size IV)</b>			
Maximum Outside Dimension: 58-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 520 lbs. Shipping Cube: 26.9 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-309-1962	Gray	SL1	\$5,209.50
7110-01-309-1963	Black	SL1	\$5,209.50
7110-01-309-1964	Parchment	SL1	\$5,209.50
7110-01-614-5388	Gray	SL2	\$5,198.00
7110-01-614-5393	Black	SL2	\$5,198.00
7110-01-614-5402	Parchment	SL2	\$5,198.00

### MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

<b>Two (2) Drawer - Letter Size (Size X)</b>			
Maximum Outside Dimension: 30-5/8" H x 17-5/8" W x 24" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 295 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1685	Gray	ML1	\$4,600.00
7110-01-563-1693	Black	ML1	\$4,600.00
7110-01-563-1691	Parchment	ML1	\$4,600.00
7110-01-614-5404	Gray	ML2	\$4,557.82
7110-01-614-5410	Black	ML2	\$4,557.82
7110-01-614-5407	Parchment	ML2	\$4,557.82

<b>Four (4) Drawer - Letter Size (Size II)</b>			
Maximum Outside Dimension: 58-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 530 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1697	Gray	ML1	\$8,901.00
7110-01-563-1688	Black	ML1	\$8,901.00
7110-01-563-1692	Parchment	ML1	\$8,901.00
7110-01-614-5366	Gray	ML2	\$8,745.72
7110-01-614-5378	Black	ML2	\$8,745.72
7110-01-614-5386	Parchment	ML2	\$8,366.25

<b>Five (5) Drawer - Letter Size (Size IV)</b>			
Maximum Outside Dimension: 58-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 585 lbs. Shipping Cube: 26.9 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-309-1994	Gray	ML1	\$10,722.97
7110-01-309-1995	Black	ML1	\$10,722.97
7110-01-309-1996	Parchment	ML1	\$10,722.97
7110-01-614-5406	Gray	ML2	\$10,751.26
7110-01-614-5411	Black	ML2	\$10,751.26
7110-01-614-5413	Parchment	ML2	\$10,751.26

## Class 6 - Legal Size

Filing cabinets are GSA-approved for the storage of secret, top-secret and confidential information. Protection for 30 man-minutes against covert entry and 20 man-hours against surreptitious entry. No forced entry requirements. (Federal Specification AA-F-358)

**Style 1 lock - Kaba Mas X-10**

**Style 2 lock - S&G 2740B**

**Style 1 & 2 locks are IAW Federal Specification FF-L-2740**

### SINGLE LOCK DESIGN

One lock controls all drawers (SL)

<b>Two (2) Drawer - Legal Size (Size I)</b>			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 295 lbs. Shipping Cube: 20.66 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-920-9342	Gray	SL1	\$3,138.60
7110-01-015-4638	Black	SL1	\$3,138.60
7110-01-015-4639	Parchment	SL1	\$3,138.60
7110-01-614-5428	Gray	SL2	\$2,899.55
7110-01-614-5432	Black	SL2	\$2,899.55
7110-01-614-5433	Parchment	SL2	\$2,899.55

<b>Four (4) Drawer - Legal Size (Size III)</b>			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 475 lbs. Shipping Cube: 35.85 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-920-9343	Gray	SL1	\$4,155.87
7110-01-015-4266	Black	SL1	\$4,155.87
7110-01-050-6060	Parchment	SL1	\$4,155.87
7110-01-614-5369	Gray	SL2	\$3,916.82
7110-01-614-5377	Black	SL2	\$3,916.82
7110-01-614-5387	Parchment	SL2	\$3,916.82

<b>Five (5) Drawer - Legal Size (Size V)</b>			
Maximum Outside Dimension: 58-1/2" H x 20-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 530 lbs. Shipping Cube: 39.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-919-9193	Gray	SL1	\$4,649.66
7110-01-015-6099	Black	SL1	\$4,649.66
7110-01-015-6100	Parchment	SL1	\$4,649.66
7110-01-614-5389	Gray	SL2	\$4,410.61
7110-01-614-5395	Black	SL2	\$4,410.61
7110-01-614-5400	Parchment	SL2	\$4,410.61

### MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

<b>Two (2) Drawer - Legal Size (Size I)</b>			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 335 lbs. Shipping Cube: 20.66 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-029-5767	Gray	ML1	\$4,437.85
7110-01-029-8055	Black	ML1	\$4,437.85
7110-01-030-9009	Parchment	ML1	\$4,437.85
7110-01-614-5435	Gray	ML2	\$4,030.75
7110-01-614-5437	Black	ML2	\$4,030.75
7110-01-614-5438	Parchment	ML2	\$4,030.75

<b>Four (4) Drawer - Legal Size (Size III)</b>			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1195 lbs. Shipping Cube: 43.33 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1698	Gray	ML1	\$8,464.00
7110-01-563-1690	Black	ML1	\$8,464.00
7110-01-563-1683	Parchment	ML1	\$8,464.00
7110-01-614-5383	Gray	ML2	\$7,432.21
7110-01-614-5379	Black	ML2	\$7,432.21
7110-01-614-5394	Parchment	ML2	\$7,432.21

<b>Five (5) Drawer - Legal Size (Size V)</b>			
Maximum Outside Dimension: 58-1/2" H x 20-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 610 lbs. Shipping Cube: 39.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-029-0389	Gray	ML1	\$10,519.05
7110-01-029-8059	Black	ML1	\$10,519.05
7110-01-029-8058	Parchment	ML1	\$10,519.05
7110-01-614-5417	Gray	ML2	\$9,142.50
7110-01-614-5352	Black	ML2	\$9,187.17
7110-01-614-5358	Parchment	ML2	\$9,187.17

## Class 6 - Special Size

Filing cabinets are GSA-approved for the storage of secret, top-secret and confidential information. Protection for 30 man-minutes against covert entry and 20 man-hours against surreptitious entry. No forced entry requirements. (Federal Specification AA-F-358)

**Style 1 lock - Kaba Mas X-10**

**Style 2 lock - S&G 2740B**

**Style 1 & 2 locks are IAW Federal Specification FF-L-2740**

### SINGLE LOCK DESIGN

One lock controls all drawers (SL)

#### One (1) Drawer – Special Size (Size VII)

Designed for use in mobile or transportable tactical communication assemblages where through installation they will become an integral part of the assemblage. Not recommended as items of office furniture.

Outside Dimension: 12-3/8" H x 15-1/2" W x 17-1/8" D  
 Drawer Dimensions: 10-1/8" H x 12-1/4" W x 13" D  
 Approximate Shipping Weight: 105 lbs.  
 Shipping Cube: 5.69 cu. ft.

NSN	Color	Lock Style	Price
7110-00-919-9214	Gray	SL1	\$2,300.00
7110-01-015-3196	Black	SL1	\$2,300.00
7110-01-018-4301	Parchment	SL1	\$2,300.00
7110-01-614-5371	Gray	SL2	\$2,179.25
7110-01-614-5439	Black	SL2	\$2,179.25
7110-01-614-5392	Parchment	SL2	\$2,179.25
7110-01-614-5374	Gray	SL 2937*	\$1,610.00
7110-01-614-5385	Black	SL 2937*	\$1,610.00
7110-01-614-5380	Parchment	SL 2937*	\$1,610.00

#### Field Safes - One (1) Drawer – Special Size (Size VIII)

Specially designed and constructed for use by Military Units in the field. Comes with protective shield for the lock and carrying handles on the front and rear.

Outside Dimension: 12-3/8" H x 15-1/2" W x 17-1/8" D  
 Drawer Dimensions: 10-1/8" H x 12-1/4" W x 24" D  
 Approximate Shipping Weight: 125 lbs.  
 Shipping Cube: 5.69 cu. ft.

NSN	Color	Lock Style	Price
<b>SINGLE LOCK</b>			
7110-00-919-9306	Gray	SL 2937*	\$1,753.75
7110-01-015-2851	Black	SL 2937*	\$1,753.75
7110-01-015-2852	Parchment	SL 2937*	\$1,753.75
<b>DUAL LOCK</b> - Two separate combination locks - must dial the correct combination on both locks to open the drawer.			
7110-01-264-8483	Gray	ML 2937*	\$3,018.75
7110-01-309-2011	Black	ML 2937*	\$3,018.75
7110-01-309-2012	Parchment	ML 2937*	\$3,018.75

#### Two (2) Drawer – Special Size (Size VI)

Outside Dimension: 27" H x 20-7/8" W x 20" D  
 Approximate Shipping Weight: 260 lbs.  
 Shipping Cube: 14.3 cu. ft.

NSN	Color	Lock Style	Price
7110-00-919-9213	Gray	SL1	\$2,886.40
7110-01-016-5802	Black	SL1	\$2,886.40
7110-01-015-6101	Parchment	SL1	\$2,886.40
7110-01-614-5359	Gray	SL2	\$2,817.50
7110-01-614-5381	Black	SL2	\$2,817.50
7110-01-614-5361	Parchment	SL2	\$2,817.50
7110-01-614-5355	Gray	SL 2937*	\$2,281.60
7110-01-614-5382	Black	SL 2937*	\$2,281.60
7110-01-614-5367	Parchment	SL 2937*	\$2,281.60

### MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

#### Two (2) Drawer – Special Size (Size VI)

Drawer Dimensions: 10-1/4" H x 12-1/4" W x 16-1/2" D  
 Approximate Shipping Weight: 300 lbs.  
 Shipping Cube: 14.3 cu. ft.

NSN	Color	Lock Style	Price
7110-01-563-1695	Gray	ML1	\$4,233.15
7110-01-563-1686	Black	ML1	\$4,233.15
7110-01-563-1684	Parchment	ML1	\$4,233.15
7110-01-614-5384	Gray	ML2	\$4,048.00
7110-01-614-5376	Black	ML2	\$4,048.00
7110-01-614-5368	Parchment	ML2	\$4,048.00
7110-01-614-5365	Gray	ML 2937*	\$3,162.50
7110-01-614-5401	Black	ML 2937*	\$3,162.50
7110-01-614-5372	Parchment	ML 2937*	\$3,162.50

*\*Lock in accordance with Federal Specification FF-L-2937.*

# Shipboard Filing Cabinets

## Class 6S - Shipboard Filing Cabinets

Filing cabinets are GSA-approved for the storage of secret, top-secret and confidential information. Protection for 30 man-minutes against covert entry and 20 man-hours against surreptitious entry. No forced entry requirements. (Federal Specification AA-F-358)

**Style 1 lock - Kaba Mas X-10**

**Style 2 lock - S&G 2740B**

**Style 1 & 2 locks are IAW Federal Specification FF-L-2740**

*These containers are intended primarily for use on DoD ships where, through installation, they will become an integral part of the assemblage. These containers are designed specifically for Naval application where mounting to the floor or deck are required for life safety and security. They are not recommended as items of office furniture.*

### SINGLE LOCK DESIGN

One lock controls all drawers (SL)

<b>Two (2) Drawer - Letter Size (Size X)</b>			
Maximum Outside Dimension: 34-5/8" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 263 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5837	Gray	SL1	\$3,141.04
7110-01-614-5363	Gray	SL2	\$3,189.27

<b>Two (2) Drawer - Legal Size (Size I)</b>			
Maximum Outside Dimension: 34-5/8" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 288 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5822	Gray	SL1	\$2,831.05
7110-01-614-5405	Gray	SL2	\$2,704.48

<b>Four (4) Drawer - Letter Size (Size II)</b>			
Maximum Outside Dimension: 62-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 427 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5824	Gray	SL1	\$4,497.54
7110-01-614-5412	Gray	SL2	\$4,389.02

### MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

<b>Two (2) Drawer - Letter Size (Size X)</b>			
Maximum Outside Dimension: 34-5/8" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 283 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5373	Gray	ML1	\$4,497.54
7110-01-614-5364	Gray	ML2	\$4,304.62

<b>Two (2) Drawer - Legal Size (Size I)</b>			
Maximum Outside Dimension: 34-5/8" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 208 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5408	Gray	ML1	\$4,249.89
7110-01-614-5409	Gray	ML2	\$3,997.76

<b>Four (4) Drawer - Letter Size (Size II)</b>			
Maximum Outside Dimension: 62-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 467 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5414	Gray	ML1	\$8,305.49
7110-01-614-5415	Gray	ML2	\$7,722.99

**SINGLE LOCK DESIGN**

One lock controls all drawers (SL)

**Four (4) Drawer – Legal Size (Size III)**

Maximum Outside Dimension: 62-1/2" H x 20-7/8" W x 28" D  
 Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D  
 Approximate Shipping Weight: 452 lbs.  
 Shipping Cube: 23.5 cu. ft.

NSN	Color	Lock Style	Price
7110-01-606-5836	Gray	SL1	\$3,516.39
7110-01-614-5419	Gray	SL2	\$3,390.33

**Five (5) Drawer – Letter Size (Size IV)**

Maximum Outside Dimension: 62-1/2" H x 17-5/8" W x 28" D  
 Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D  
 Approximate Shipping Weight: 452 lbs.  
 Shipping Cube: 28.5 cu. ft.

NSN	Color	Lock Style	Price
7110-01-606-5834	Gray	SL1	\$4,702.52
7110-01-614-5354	Gray	SL2	\$4,829.13

**Five (5) Drawer – Legal Size (Size V)**

Maximum Outside Dimension: 62-1/2" H x 20-7/8" W x 28" D  
 Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D  
 Approximate Shipping Weight: 540 lbs.  
 Shipping Cube: 28.5 cu. ft.

NSN	Color	Lock Style	Price
7110-01-606-5833	Gray	SL1	\$3,819.27
7110-01-614-5356	Gray	SL2	\$3,693.20

**MULTIPLE LOCK DESIGN**

One lock on each drawer (ML)

**Four (4) Drawer – Legal Size (Size III)**

Maximum Outside Dimension: 62-1/2" H x 20-7/8" W x 28" D  
 Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D  
 Approximate Shipping Weight: 512 lbs.  
 Shipping Cube: 23.5 cu. ft.

NSN	Color	Lock Style	Price
7110-01-614-5436	Gray	ML1	\$8,104.38
7110-01-614-5418	Gray	ML2	\$7,600.12

**Five (5) Drawer – Letter Size (Size IV)**

Maximum Outside Dimension: 62-1/2" H x 17-5/8" W x 28" D  
 Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D  
 Approximate Shipping Weight: 512 lbs.  
 Shipping Cube: 28.5 cu. ft.

NSN	Color	Lock Style	Price
7110-01-614-5357	Gray	ML1	\$10,270.03
7110-01-614-5353	Gray	ML2	\$9,528.48

**Five (5) Drawer – Legal Size (Size V)**

Maximum Outside Dimension: 62-1/2" H x 20-7/8" W x 28" D  
 Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D  
 Approximate Shipping Weight: 620 lbs.  
 Shipping Cube: 28.5 cu. ft.

NSN	Color	Lock Style	Price
7110-01-614-5360	Gray	ML1	\$9,994.55
7110-01-614-5362	Gray	ML2	\$9,364.23



# Weapons Containers

## Class 5W - Weapons Containers

Cabinets are GSA-approved for use in storing weapons. Protection for 10 man-minutes against forced entry. These containers are not intended to store classified materials.

*These containers are designed for the secure storage of handguns, pistols of most calibers and ammunition. All containers come standard with the S&G 2937 lock.*

### SINGLE LOCK DESIGN

One lock controls all drawers (SL)

<b>Two (2) Drawer – Legal Size (Size I)</b>			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 590 lbs. Shipping Cube: 14.0 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5831	Gray	SL 2937*	\$5,122.38
7110-01-606-5835	Black	SL 2937*	\$5,122.38
7110-01-606-5832	Parchment	SL 2937*	\$5,122.38

<b>Four (4) Drawer – Legal Size (Size III)</b>			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 980 lbs. Shipping Cube: 24.9 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5829	Gray	SL 2937*	\$8,155.54
7110-01-606-5826	Black	SL 2937*	\$8,155.54
7110-01-606-5830	Parchment	SL 2937*	\$8,155.54

### MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

<b>Two (2) Drawer – Legal Size (Size I)</b>			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 610 lbs. Shipping Cube: 14.0 cu. Ft.			
NSN	Color	Lock Style	Price
7110-01-614-5416	Gray	ML 2937*	\$6,383.13
7110-01-614-5397	Black	ML 2937*	\$6,383.13
7110-01-614-5391	Parchment	ML 2937*	\$6,383.13

<b>Four (4) Drawer – Legal Size (Size III)</b>			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1040 lbs. Shipping Cube: 24.9 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5421	Gray	ML 2937*	\$11,768.24
7110-01-614-5399	Black	ML 2937*	\$11,768.24
7110-01-614-5403	Parchment	ML 2937*	\$11,768.24

Filing cabinets are GSA-approved for the storage of small amounts of Risk Category II, III and IV Arms, Ammunitions and Explosives AA & E). Protection for 10 man-minutes against forced entry.

**These containers are not intended to store classified materials.**

*These containers are designed for the secure storage of rifles, pistols of most calibers, riot shotguns and shoulder fired automatic weapons and ammunitions. All containers come standard with the S&G 2937 lock.*

*Optional accessories available.*

<b>Empty Cabinet</b>			
Outside Dimension: 51-3/4" H x 22" W x 39" D Inside Dimensions: 48-1/2" H x 18-1/4" W x 35-1/2" D Approximate Shipping Weight: 1080 lbs. Shipping Cube: 36.1 cu. ft. Style B - Without channel base assembly			
NSN	Color	Lock Style	Price
7110-01-476-2954	Gray	SL 2937*	\$6,189.78

*\*Lock in accordance with Federal Specification FF-L-2937.*

# General Purpose Containers

## Class 5 - General Purpose Containers

Filing cabinets are GSA-approved for the storage of secret and confidential information, along with class 1 & 2 controlled substances, monetary funds and precious metals. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry and 10 man-minutes against forced entry. (Federal Specification AA-F-363)

**Style 1 lock - Kaba Mas X-10**

**Style 2 lock - S&G 2740B**

**Style 1 & 2 locks are IAW Federal Specification FF-L-2740**

*Empty cabinets are equipped with vertical channels for the installation of optional equipment.*

*Will accommodate postal unit interiors, computer data interiors and shelves for general storage along with postal records.*

*Optional accessories available.*

<b>Empty Cabinet</b> <b>Type II - Without hangers and suspension</b> <b>Type B - Without channel base assembly</b> Size IV - 28-1/2" H x 23-1/4" W x 24"D Approximate Shipping Weight: 520 lbs Shipping Cube: 14.7 cu.ft.			
NSN	Color	Lock Style	Price
7110-01-309-2032	Gray	SL1	\$4,926.30
7110-01-309-2033	Black	SL1	\$4,926.30
7110-01-309-2034	Parchment	SL1	\$4,926.30
7110-01-614-5809	Gray	SL2	\$4,792.29
7110-01-614-5812	Black	SL2	\$4,792.29
7110-01-614-5829	Parchment	SL2	\$4,792.29

<b>Empty Cabinet</b> <b>Type II - Without hangers and suspension</b> <b>Type B - Without channel base assembly</b> Size II - 43-1/2" H x 35-3/4" W x 26-3/4"D Approximate Shipping Weight: 520 lbs Shipping Cube: 14.7 cu.ft.			
NSN	Color	Lock Style	Price
7110-00-928-8689	Gray	SL1	\$8,504.25
7110-01-614-5814	Black	SL1	\$8,504.25
7110-01-614-5816	Parchment	SL1	\$8,504.25
7110-01-614-5808	Gray	SL2	\$8,369.70
7110-01-614-5813	Black	SL2	\$8,369.70
7110-01-614-5832	Parchment	SL2	\$8,369.70

## Class 6 - General Purpose Containers

Filing cabinets are GSA-approved for the storage of secret and confidential information. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry. (Federal Specification AA-F-363)

*Optional accessories available.*

### SINGLE LOCK DESIGN

One lock controls all drawers (SL)

<b>Empty Cabinet</b> <b>Type I - With hangers and suspension</b> <b>Type B - Without channel base assembly</b> Size I - 51-1/4" H x 22" W x 39" D Approximate Shipping Weight: 1040 lbs Shipping Cube: 36.1 cu.ft.			
NSN	Color	Lock Style	Price
7110-01-614-5817	Gray	SL1	\$4,496.50
7110-01-614-5824	Black	SL1	\$4,496.50
7110-01-614-5834	Parchment	SL1	\$4,496.50
7110-01-614-5818	Gray	SL2	\$4,496.50
7110-01-614-5826	Black	SL2	\$4,496.50
7110-01-614-5836	Parchment	SL2	\$4,496.50

<b>Empty Cabinet</b> <b>Type II - Without hangers and suspension</b> <b>Type B - Without channel base assembly</b> Size III - 57-1/2" H x 22-1/2" W x 38-5/8" D Approximate Shipping Weight: 1230 lbs Shipping Cube: 50.26 cu.ft.			
NSN	Color	Lock Style	Price
7110-01-614-5822	Gray	SL1	\$4,164.15
7110-01-614-5827	Black	SL1	\$4,164.15
7110-01-614-5835	Parchment	SL1	\$4,164.15
7110-01-614-5823	Gray	SL2	\$4,164.15
7110-01-614-5831	Black	SL2	\$4,164.15
7110-01-614-5837	Parchment	SL2	\$4,164.15

<b>Empty Cabinet</b> <b>Type II - Without hangers and suspension</b> <b>Type B - Without channel base assembly</b> Size I - 43-1/2" H x 35-3/4" W x 26-3/4" D Approximate Shipping Weight: 1040 lbs Shipping Cube: 36.1 cu.ft.			
NSN	Color	Lock Style	Price
7110-00-931-0771	Gray	SL1	\$4,105.50
7110-01-019-0408	Black	SL1	\$4,105.50
7110-01-024-5958	Parchment	SL1	\$4,105.50
7110-01-614-5819	Gray	SL2	\$4,598.16
7110-01-614-5820	Black	SL2	\$4,598.16
7110-01-614-5821	Parchment	SL2	\$4,598.16

# Map and Plan Containers

## Class 5 - Map and Plan Containers

Filing cabinets are GSA-approved for the storage of secret and confidential information, along with class 1 & 2 controlled substances, monetary funds and precious metals. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry and 10 man-minutes against forced entry. (Federal Specification AA-F-363)

**Style 1 lock - Kaba Mas X-10**

**Style 2 lock - S&G 2740B**

**Style 1 & 2 locks are IAW Federal Specification FF-L-2740**

*Optional accessories available.*

**Type I - With hangers and suspension  
(comes with plan hold rack assembly)  
Type B - Without channel base assembly**

Size I -51-1/4" H x 22" W x 39" D  
Approximate Shipping Weight: 1230 lbs  
Shipping Cube: 50.26 cu.ft.

NSN	Color	Lock Style	Price
7110-01-614-5801	Gray	SL1	\$7,970.14
7110-01-614-5802	Black	SL1	\$7,970.14
7110-01-614-5804	Parchment	SL1	\$7,970.14
7110-01-614-5803	Gray	SL2	\$7,836.13
7110-01-614-5805	Black	SL2	\$7,836.13
7110-01-614-5815	Parchment	SL2	\$7,836.13

**Type II - Without hangers and suspension  
(comes with plan hold rack assembly)  
Type B - Without channel base assembly**

Size I -51-1/4" H x 22" W x 39" D  
Approximate Shipping Weight: 1230 lbs  
Shipping Cube: 50.26 cu.ft.

NSN	Color	Lock Style	Price
7110-00-931-0770	Gray	SL1	\$7,044.87
7110-01-017-3546	Black	SL1	\$7,044.87
7110-01-017-3547	Parchment	SL1	\$7,044.87
7110-01-614-5810	Gray	SL2	\$6,904.49
7110-01-614-5828	Black	SL2	\$6,904.49
7110-01-614-5830	Parchment	SL2	\$6,904.49

## **ADVERTISEMENT**

### **PRODUCTS WITH A PURPOSE**

When you choose SKILCRAFT® products and other products provided through the AbilityOne® Program, you get more than quality. You help create jobs for thousands of skilled and dedicated people who are blind or have significant disabilities right here in America. Making the smart choice has never been easier.

Created with pride by Americans who are blind or have significant disabilities

# TOOLS AND HARDWARE

## IN THIS SECTION

Automotive .....	322	Power Tools and Accessories.....	400
Chisels, Punches and Scrapers.....	330	Saws.....	414
Clamps and Vises.....	333	Scissors, Shears, Snips and Cutters ..	416
Construction and Building Supplies ..	335	Screwdrivers .....	421
Electrical and Electronic Tools.....	337	Shovels, Picks, Bars and Rakes.....	433
Files .....	342	Sockets and Attachments.....	439
Hammers.....	344	Taps, Dies, Reamers and Extractors..	454
Hardware .....	349	Tool Kits .....	460
Knives .....	374	Tool Storage Units .....	463
Marking Tools .....	383	Twist Drills and Boring Tools.....	466
Measuring Tools.....	385	Wrenches.....	473
Pliers.....	394	Outdoor Equipment .....	489

# Jacks and Accessories

## Hand Jack (Hydraulic)

This self contained, hand operated, hydraulic jack performs a wide variety of lifting, straightening, shoring, bracing and bending applications. Use it for general industrial and automotive maintenance, construction, fabrication and material handling in shops and factories. Jack is an integral unit consisting of a pump, ram and reservoir. Furnished with a jack handle.

5120-00-595-8396, 8 Tons, Collapsed 9-1/2" H, Extended 17-7/8" H., EA, \$155.80

### IAW U. S. Army Tank Automotive Command Drawing 1240061.

Federal Strategic Sourcing Initiative, 5120-01-374-0532, 12420061-001, 8 Tons, Collapsed 11-1/2" H, Extended 23" H. -50° F to 120° F., EA, \$189.14

Federal Strategic Sourcing Initiative, 5120-01-146-8096, 96AB018 or equal., 12 Tons, Collapsed 8-1/2" H, Extended 17-1/8" H., EA, \$105.21

Federal Strategic Sourcing Initiative, 5120-00-224-7330, 12 Tons, Collapsed 9-1/8" H, Extended 16-1/2" H., EA, \$112.48

Federal Strategic Sourcing Initiative, 5120-01-351-2074, 20 Tons, Collapsed 10-13/16" H, Extended 20-3/16" H, EA, \$183.22

Federal Strategic Sourcing Initiative, 5120-00-188-1788, 20 Tons, Collapsed 11-1/4" H, Extended 16-7/16" H., EA, \$183.94

Federal Strategic Sourcing Initiative, 5120-00-188-1790, 30 Tons, Collapsed 11-1/4" H, Extended 16" H., EA, \$523.27

## Hydraulic Hand Jack Kit

Kit includes a portable, hand operated, hydraulic type jack, a hand pump with a release valve, a remote ram and a hose for attaching the ram to the pump, a 6 foot hose with quick disconnect couplings and a lever type handle. Comes in a plastic, wooden or metal case. Operating manual included.

Jack has a 37 cu in. reservoir. Attachments include serrated or grooved saddle, threaded toe lift to fit ram cylinder, plunger base, ram (body) base, chain pull plate, (2) 8 foot chains with 3/8" diameter link cross section with a hook on one end, (2) female threaded couplings and male threaded extension tubes (10" to 12", 18" to 20" and 24" to 30" L, plus extra tubes totaling 60" L).

5120-00-595-8387, 20 Tons, Collapsed 12" H, Extended 77" H., KT, \$1,415.71

## Hydraulic Pump and Ram Set

This set ensures that the pump and ram you select are properly sized and matched to provide maximum efficiency and service life. All sets come with 6 feet of hydraulic hose equipped with a quick disconnect coupling, a single acting push type ram, hand operated pump with a flat mounted base and a jack handle.

5120-00-293-0077, 20 Tons, Collapsed 11-1/2" H, Extended 16-1/4" H., EA, \$611.80

## Hand Jack (Scissors)

This scissors hand jack is used exclusively on the Hummer vehicles. Extended height: 18"; Collapsed height: 6-21/64".

5120-01-430-3123, 5939822L or 006762 or equal, 3 Ton, Extended Height: 18", Retracted Height: 6-21/64", EA, \$135.70

## Tool Bag (Jack)

These tool bags are for use when you can't bring the full mobile tool cabinet to the job. Perfect for a few tools and parts. Described by: (Pockets, Dimensions, Material).

**This tool satchel is made of Polyamide or Polyester material. Used to house a vehicle jack.**

Federal Strategic Sourcing Initiative, 5140-01-429-6945, Black, 1, 22-3/4" L x 26" W, Nylon., EA, \$43.24

## Jack Extension Handle

Extension jack handle for utility truck. Made of steel. IAW U.S. Army Tank Automotive Command Drawing 12447040 Rev B.

Federal Strategic Sourcing Initiative, 5120-01-429-6065, 15" L., EA, \$15.96

## Mechanical Jack Handle

IAW US Army Tank Automotive Drawing 12447041.

Federal Strategic Sourcing Initiative, 5120-01-429-8137, Universal Tool and Stamping 001493 or equal, EA, \$10.67

## Leveling Support Jack

IAW US Army, Natick Research and Development Center drawing 5-4-2866, Rev E, and Parts List, Rev B.

Federal Strategic Sourcing Initiative, 5120-01-368-8316, EA, \$2,611.11

Hydraulic jack for leveling support.

Federal Strategic Sourcing Initiative, 5120-01-609-8721, 20,000 lbs, 17-1/2" to 42-1/2"., EA, \$1,083.81

## Lug Nut Wrench

These heavy duty tire wrenches are for removing wheel lug nuts and are made of a heat treated and hardened drop forged steel alloy. GGG-W-644.

**Type 2:** This one piece, double ended lug nut wrench is a straight design with single hole at each end by the hexagonal socket openings. This is for a removable slip in handle. (Handle not included.)

*Exception to spec. Has a 1-1/2" hexagonal socket and a 13/16" square socket. Handle Supplied.*

Federal Strategic Sourcing Initiative, 5120-00-316-9217, 17" L min, Size #9., EA, \$48.25

**Type 1:** This one piece, quad ended lug nut wrench is a cross design and the angle between any two adjacent arms will be 90°.

Federal Strategic Sourcing Initiative, 5120-00-541-3186, 20" L, 3/4" x 13/16" x 7/8" x 15/16", 6 Point, Size #3., EA, \$56.20

*Has 1-1/16, 1-1/4 and 1-1/2" hexagonal sockets and a 13/16" square socket.*

Federal Strategic Sourcing Initiative, 5120-00-203-4766, 27" L, Size #10., EA, \$90.54

**Type 2:** This one piece, double ended lug nut wrench is a straight design with single hole at each end by the hexagonal socket openings. This is for a removable slip in handle. (Handle not included.)

*Has a 1-3/4" hexagonal socket and a 31/32" square socket.*

Federal Strategic Sourcing Initiative, 5120-01-070-8386, 29" L, Size #10., EA, \$64.50

## Automotive Lug Nut Wrench

To be used for lug nut removal on M969 series tanker trailers. Wrenching Sizes: 24mm and 33mm. Steel.

Federal Strategic Sourcing Initiative, 5120-01-514-3465, 50939001 or equal., 16" L., EA, \$38.86

## Tire Lug Nut Wrench

Shank is bent at 75 to 80° to form a 17" handle with a flat-tip screwdriver type end. Wrench opening is 7/8" hexagon. Test load: 1620 in.-lbs. minimum when used as a lug wrench; 1800 in.-lbs. when used as a jack handle.

Federal Strategic Sourcing Initiative, 5120-01-156-7296, EA, \$7.08

## Tire Tread Gage

Use to measure the depth of remaining tire tread in 1/32" graduations. Made of brass, tool measures 4" L. Base is 3" L x 7/16" W. Flat brass probe slides within steel casing.

Federal Strategic Sourcing Initiative, 5210-00-019-3050, EA, \$21.85

## Tire Valve Repair Tool

For use on tire valve stems and cores, this tool rethreads internal and external threads and installs and removes valve cores.

Federal Strategic Sourcing Initiative, 5120-00-308-3809, GA143A or equal., EA, \$1.15

# Mechanical

## Stud Remover and Setter Set

Stud Remover. This compact stud remover will fit into hard to reach areas and loosen hard to turn studs. Made of high grade, heat treated alloy steel.

Medium range. Stud capacities are 1/4 - 20, 1/4 - 28, 5/16 - 18, 5/16 - 24, 3/8 - 16, 3/8 - 24, 7/16 - 14, 7/16 - 20, 1/2 - 13, 1/2 - 20, 9/16 - 12, 9/16 - 18, 5/8 - 11 and 5/8 - 18.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-390-8586, CG515B or equal., SE, \$426.17

## Deflator Valve Tool

For deflating high-pressure equipment, tires, shock struts, accumulators and air bottles; also for venting or removing valve cores safely to pressures up to 3500 psi. Steel tool consists of a body, stem and cap. Overall length is 2.

Federal Strategic Sourcing Initiative, 5120-00-223-8653, EA, \$41.89

## Tire Valve Core Inserter/Remover

Screwdriver style steel inserter installs and removes standard bore tire valve cores. Has a hexagonal handle measuring 2-3/4" L x 5/16" W flats. Working end is 0.173" in diameter and 1/2" L, with a slot that is 1/16" W x 1/16" D.

Federal Strategic Sourcing Initiative, 5120-00-541-4687, 3-1/4" L., EA, \$3.29

## Retrieving Tool (Magnetic)

These tools are used in the retrieval of items in inaccessible areas.

Federal Strategic Sourcing Initiative, 5120-01-335-1374, Telescoping: 5-7/8" - 25-9/16" L, Rigid, Chrome., EA, \$3.64

Federal Strategic Sourcing Initiative, 5120-01-335-1376, Telescoping: 16-3/4" - 26-3/4" L, Flexible Head., EA, \$13.13

Federal Strategic Sourcing Initiative, 5120-01-399-9286, Telescoping: 16-3/4" - 26-3/4" L, Flexible Head., EA, \$13.26

Federal Strategic Sourcing Initiative, 5120-01-336-5536, Telescoping: 16-3/4 to 26-3/4" L., EA, \$10.20

Federal Strategic Sourcing Initiative, 5120-01-335-1377, 21" L, Flexible., EA, \$12.92

Federal Strategic Sourcing Initiative, 5120-00-850-6313, 33" L, Flexible., EA, \$10.54

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-545-4268, Telescoping: 13-1/2" - 27" L, Rigid., EA, \$8.90

## Magnetic Retrieving Tool Kit

This inspection and retrieving tool kit includes the flexible Snake Light, an inspection mirror that telescopes from 10" - 14", a magnetic retrieving tool that telescopes from 6" to 25-1/2" and a flexible retrieving spring claw. Components are provided in a heavy duty waterproof tool pouch with tool holders and belt loops.

Federal Strategic Sourcing Initiative, 5180-01-412-8437, KT, \$36.28

## Oil Filter Wrench

These oil filter wrenches have either a steel band, strap or form fitting type.

**End-gripping-style steel wrench removes disposable oil filters from automotive engine blocks. Clamp is self-adjusting and self-locking. Has a 1/2 or 3/8 square female drive. Distance across the flats of the hexagonal nut is 1 or 7/8. Wrench is operated by a socket or box wrench (not included).**

Federal Strategic Sourcing Initiative, 5120-00-865-0933, 1/2" Square Drive., EA, \$11.26

## Battery Terminal Clamp Puller

For lifting and pulling cable clamp from battery terminal without damaging battery posts. Has two steel, spring-loaded jaws. T-type sliding handle turns forcing screw, which drives jaw mechanism.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-944-4268, 54150 or equal., EA, \$18.30

## Mechanical Puller

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

**Reversible two jaw type with external and internal gripping. Furnished with a suitable spring locking arrangement and forcing screw point protector or removal point.**

Federal Strategic Sourcing Initiative, 5120-01-486-2111, 2" and 4" L, 1-1/4" - 6" L., EA, \$20.24

**Two jaw type has external gripping and a double ended grip.**

Federal Strategic Sourcing Initiative, 5120-00-595-9304, 3-1/4" L, 0" - 6" L., EA, \$36.12

**Three jaw type has external gripping, automatic jaws and a combination yoke. Each jaw has a double ended grip.**

Federal Strategic Sourcing Initiative, 5120-00-490-4283, 1026 or equal., 3-1/4" L, 0" - 6" L. 5/8" Square Screw Head., EA, \$59.29

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-595-9305, 5-1/2" L, 0" - 8" L., EA, \$66.10

**For use on clutch pilot bearing and in close quarters. Consists of U-shaped steel body, head, yoke, yoke screw, forcing nut and two pairs of jaws. Yoke screw has either a hexagonal head or a T-handle. Comes with head guide.**

Federal Strategic Sourcing Initiative, 5120-00-449-3769, 1-1/8" L, 25/64" - 1-1/4" L., EA, \$28.61

**Two jaw type has external gripping and a single ended grip.**

Federal Strategic Sourcing Initiative, 5120-00-288-7710, 5-1/8" L, 0" - 7" L. 5/8" Square Screw Head., EA, \$42.78

**Three jaw type has external gripping and a single ended grip.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-516-3120, 5-1/2" L, 0" - 6" L. 5/8" Square Screw Head., EA, \$44.29



## Mechanical Puller (Jaw)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Federal Strategic Sourcing Initiative, 5120-01-486-2143, 4229JB, 4-15/64" L, 10 Ton., EA, \$21.00

Federal Strategic Sourcing Initiative, 5120-01-209-6515, 4230RJ or equal., Reach: 2-3/4", 10 Ton., EA, \$17.28

## Mechanical Puller (Kit)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Federal Strategic Sourcing Initiative, 5180-01-486-2208, J4235A or equal., KT, \$1,464.70

## Mechanical Puller (Crossarm)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Federal Strategic Sourcing Initiative, 5120-01-486-2133, J4205B., EA, \$28.73

Federal Strategic Sourcing Initiative, 5120-01-486-2135, J4206SC or equal., EA, \$27.03

## Mechanical Puller (Leg)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

**Set of (3) jaws for inside and outside pulls. Use for slide hammer-type puller. Made of hardened steel with a chrome-plated finish.**

Federal Strategic Sourcing Initiative, 5120-00-340-2010, 3-5/16" L, 0 to 5-1/8" Outside x 1-1/4" to 2-7/8" Inside., SE, \$12.09

**Long narrow type: 10" L x 7/8" W, 7-3/16" reach.**

Federal Strategic Sourcing Initiative, 5120-01-486-2082, EA, \$27.68

**7-1/8" and 4-11/16" Dual-Reach Jaw Puller Replacement Part. 10" overall length.**

Federal Strategic Sourcing Initiative, 5120-01-486-2081, J4016A., EA, \$27.68

## Mechanical Puller (Step Plate Set)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

**Set contains (11) pieces in sizes: 3/4 X 1, 7/8 X 1-1/8, 1 X 1-1/4, 1-1/8 X 1-3/8, 1-1/4 X 1-5/8, 1-3/8 X 1-3/4, 1-1/2 X 1-7/8, 1-5/8 X 2, 1-3/4 X 2-1/8, 1-7/8 X 2-3/8 and 2 X 2-1/2" Diameters.**

Federal Strategic Sourcing Initiative, 5120-01-486-2087, SE, \$103.58

## Mechanical Puller (Yoke)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

**The yoke is 11/32 inch L x 2 inches H. It has an Internal Thread Size: 5/8 inch-12 Acme and an External Thread Size: 7/8 inch-14 UNF.**

Federal Strategic Sourcing Initiative, 5120-01-486-2209, EA, \$44.36

## Universal Puller Kit

Kit includes one slide rod, one 2-3/4 lb slide hammer, one adjusting cone, one three-jaw yoke, one two-jaw yoke, three yoke pins with retainer balls or three bolts and three nuts, one steel crossarm of rectangular cross section with a centrally located threaded hole for the slide rod, one single jaw, six outside jaws, six inside jaws and six reversible jaws. Comes with a carrying case.

Federal Strategic Sourcing Initiative, 5180-00-313-9496, KT, \$148.17

## Mechanical Finger

For retrieving screws, washers, nuts, bolts and pins from difficult places. Consists of housing, plunger, coil spring and retracting jaws. The plunger activates tempered spring steel jaws with a 13/16" jaw opening. The external coil spring returns the plunger to a closed position. Steel or brass tubing housing.

**Flexible midsection is spiral-wound armored cable.**

Federal Strategic Sourcing Initiative, 5120-01-380-8971, 26-3/4" L, Reach: 23-1/2"., EA, \$8.53

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-629-6258, 17-1/2" L, Reach: 14-7/8"., EA, \$10.78

**Rigid midsection is made of steel or brass tubing.**

Federal Strategic Sourcing Initiative, 5120-00-288-8716, 10-1/2" L, Reach: 8"., EA, \$11.97

## Bearing Puller Attachment

For use with two jaw, external gripping and two leg bearing pullers. Consists of top and bottom blocks, cap screws and nuts. Jaw has external gripping. In accordance with GSA Purchase Description 5120-00-595-8424 dated 05/26/99.

**Jaw has a 3/8 to 4-1/4 spread range and 8-long screws; 4-1/4 wide inside.**

Federal Strategic Sourcing Initiative, 5120-00-595-8424, EA, \$51.12

## Body Repair (Surfacing Body Spoon)

These hardened, specialty body repair spoons are designed for dispersing the force of a body hammer blow over a wider area, wedging and prying between panels and striking panels in confined spaces, or for use as a dolly in a confined, hard to reach spaces. The body spoons come in 6 styles, light dinging, surfacing, medium crown, combination, spoon dolly and double end driving spoon. The body has a corrosion-preventive coating and a square or round integral handle. B107.400 Cat 56.

**This low crown spoon is for spring hammering, slapping and finishing. It can be placed on high ridges of metal for pounding and used between two pieces of metal to pry back into shape.**

Federal Strategic Sourcing Initiative, 5120-00-595-9558, 2-1/4 lbs, 10-3/8" L., EA, \$28.98

## Cylinder Bore Honing Unit

Portable unit has a spring-loaded abrasive hone. Glaze-breaking type is for reconditioning straight and stepped cylinder walls of internal combustion engines. For use with power drills. Drive shank fits drills with 1/4 or 1/2 chucks. Consists of rotating assembly of two or more spring-loaded arms with self-adjusting shoes. MIL-C-82069.

**Has a 2- to 7-diameter capacity. Includes spread limiter to facilitate insertion and removal.**

Federal Strategic Sourcing Initiative, 5130-00-991-0699, EA, \$28.17

## Nose Assembly

Crimp Nose Assembly, Seven inch, 0.032 inch Diameter Safety Cable: Seven inch length Crimp nose assembly, when used with Daniels # SCT320 installation tool. Crimps 0.032 inch diameter safety cable ferrules and cuts excess safety cable flush with the applied ferrule.

**The crimp nose attaches to the Tool Frame by use of two(2) 8-32 socket cap screws. The Crimp nose shall be rotatable and can be latched into one of four positions at 90 degree intervals.**

Federal Strategic Sourcing Initiative, 5120-01-413-8724, DMC SCTN32-7 or equal., EA, \$262.59

## Fastener Removal Nose Assembly

For thread size 10 high profile Deutsch Turn-Loc fasteners.

Federal Strategic Sourcing Initiative, 5120-01-159-4362, 1-3/4" L, 10-32., EA, \$1,402.35

## Fastener Installation Tool

For use on AVK Series A-K, A-L, A-P, and A-O inserts.

Federal Strategic Sourcing Initiative, 5120-01-528-5343, AA184-1032, 10 - 32 UNF., EA, \$12.30

## Captive Screw Nose Assembly

Used for High Profile Floating Installation Applications. Captive screw nose assembly for Turn-LOC Fasteners. Installing tool is made of steel.

Federal Strategic Sourcing Initiative, 5120-01-158-6616, 1-3/4" L x 15/16" Dia., 10-32 THD., EA, \$737.26

## Inspection Mirror

Chromium or nickel plated steel mirror comes with handle and angle adjustment mechanism. Reflecting surface is free from distortion and blind spots. Enables clear visual examination of locations otherwise difficult or impossible to view directly. Mirror has silvered glass.

**Has a rectangular glass mirror. Spring loaded mirror for one handed operation has plunger actuated angle adjustment and may be locked into any angle from 90° to 180°.**

Federal Strategic Sourcing Initiative, 5120-01-399-9301, Telescoping: 11-1/4" - 15-1/2" L, Mirror: 3-1/2" x 2-1/8", EA, \$9.10

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-278-9926, 11" L, Mirror: 1-1/2" x 1-1/4", EA, \$4.49

Federal Strategic Sourcing Initiative, 5120-00-618-6902, 16" L, Mirror: 2-5/8" x 1-3/4", EA, \$12.74

**Circular mirror has silvered glass and a metal back. Ball swivel joint mirror has a secure knurled handgrip. Ball joint adjustment holds mirror in preset position or angle.**

Federal Strategic Sourcing Initiative, 5120-01-335-1572, GA295 or equal., Telescoping: 10" - 14" L, Mirror: 2-1/4" D., EA, \$9.69

**Circular mirror comes with a knurled telescoping handle and ball swivel joint angle adjustment mechanism. Mirror has a secure handgrip. Ball joint adjustment holds mirror in preset position or angle.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-618-6901, Telescoping: 12" - 34" L, Mirror: 3-3/4", EA, \$10.42

**Circular mirror has silvered glass and a metal back. Ball swivel joint mirror has a secure knurled handgrip. Ball joint adjustment holds mirror in preset position or angle.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-278-8257, Telescoping: 9" to 15" L, Mirror: 2-1/4", EA, \$5.53

Federal Strategic Sourcing Initiative, 5120-01-313-4096, 7" L, Mirror: 1-1/4", EA, \$3.73

**Has a rectangular glass mirror. Spring loaded mirror for one handed operation has plunger actuated angle adjustment and may be locked into any 360° angle.**

Federal Strategic Sourcing Initiative, 5120-01-335-2518, Telescoping: 11-1/4" - 15-1/4" L, Mirror: 3-1/2" x 2-1/8", EA, \$15.92

Federal Strategic Sourcing Initiative, 5120-01-474-5087, 11" L, Mirror: 1-1/2" x 1-3/16", EA, \$14.84

Federal Strategic Sourcing Initiative, 5120-01-428-8005, Telescoping: 11-1/4" - 15-1/4" L, Mirror: 3-1/2" L x 2-1/8" W", EA, \$8.15

Federal Strategic Sourcing Initiative, 5120-01-335-1571, PTM157 or equal., Telescoping: 4-1/2" - 17" L, Mirror: 2" x 1", EA, \$10.65

**Oval mirror has silvered glass and a metal back. Has a ball swivel joint mirror that holds mirror in preset position or angle and a handgrip.**

Federal Strategic Sourcing Initiative, 5120-01-399-9302, 8-3/4" L, Mirror: 1" x 2" Diameter., EA, \$6.22

**IAW GSA Purchase Description 5120-01-313-4097.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-313-4097, 8" L, Mirror: 1", EA, \$4.63

## Vehicle Track Connection Tool

IAW U.S. Army Tank Automotive Command Drawing 12252120 Rev C.

5120-01-016-2149, EA, \$496.80

A fixture used to pull together two track ends of a full tracked vehicle, for the purpose of connection.

**IAW U.S. Department of the Army, Army Ordnance Corp drawing number 8741739, Rev B.**

*Supplied with a handle.*

5120-00-605-3926, EA, \$519.28

**In accordance with U.S. Army Tank Automotive Command Drawing 12284900.**

5120-01-086-8472, EA, \$457.91

## Terminal Clamp Spreader

For use on storage batteries, steel tool consists of a post cleaner on the inner surface of one handle and a reamer. A 90 deg. offset is at tool's head.

Federal Strategic Sourcing Initiative, 5120-00-611-7525, 10-1/2oz. 7-1/2" L., EA, \$13.28

# General Automotive Supplies

## Antifreeze

All-purpose coolant is perfect for year-round light-duty use in cars and trucks. Liquid cooling systems (including aluminum block engines) protects against freezing, boiling and corrosion. When properly diluted coolant gives protection to -60° F. Conforms to ASTM Standard No. D3306.

*36-month maximum shelf life (extendable).*

6850-00-664-1409, Material Safety Data Sheet, A-18830255 or equal, DR(contains 55 GL), \$808.86

6850-00-664-1403, Material Safety Data Sheet, A-18830200N or equal, GL, \$22.03

## Penetrating Fluid

Penetrating fluid penetrates deeply to loosen corroded or rusted parts, nuts, screws and hinges without causing damage. This non-toxic fluid contains no mineral oil. Use on cold or hot surfaces.

*24-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 6850-00-973-9091, Material Safety Data Sheet, 0354-000 or Equal, AbilityOne, 10-oz, aerosol can, BX(contains 12 EA), \$64.32

## Carbon-Removing Compound

This liquid compound can be added to a soak tank to soften and facilitate removal of carbon, gum and other surface contaminants from automotive pistons, carburetors, fuel pumps. Also great for engine assemblies that have been pre-cleaned with degreasing solvent. This ready-to-use cleaning agent contains monoethanolamine and ethers. Does not remove rust or corrosion. Caution: Avoid contact with skin. P-C-111D Type II.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6850-00-965-2332, Material Safety Data Sheet, 0374-000 or Equal, AbilityOne, CN(contains 5 GL), \$84.71

## Military Can Cradle

Tripod cradle is designed to securely hold a 5-gallon can for easy dispensing of fuel. IAW US Army Drawing 5-4-5868.

Federal Strategic Sourcing Initiative, 7240-01-318-5222, AbilityOne, EA, \$146.32

## Drip Pan, Aircraft

Superflex drip pans are made of double fiber woven reinforced rubber for maximum strength and durability. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

**Containment pan has interlocking sides. Pans are intended for drip containment. Intended as an aircraft drip pan.**

4940-01-535-7654, PB36-10 or Equal, 36" L x 36" W x 2" H, PG(contains 10 EA), \$784.55

## Drip Pan

Superflex drip pans are made of double fiber woven reinforced rubber for maximum strength and durability. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

4940-01-490-2455, PB3-10 or Equal, Capacity: 3 gallon; 17-1/2" diameter, PG(contains 10 EA), \$153.26

4940-01-490-2463, PB6-10 or Equal, Capacity: 6-1/2 gallon; 14" diameter, PG(contains 10 EA), \$297.36

4940-01-490-2470, PB15-10 or equal, Capacity: 15 gallon; 26-1/4" diameter, PG(contains 10 EA), \$390.44

## Drip Pan with Chain

Superflex drip pans are made of double fiber woven reinforced rubber for maximum strength and durability. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

**Includes a 6 foot chain with eyelet for attaching pan to equipment.**

4940-01-504-5270, PB3C-10 or equal, Capacity: 3 gallon; 17-1/2" diameter, PG(contains 10 EA), \$221.49

4940-01-504-5273, PB6C-10 or equal, Capacity: 6-1/2 gallon; 14" diameter, PG(contains 10 EA), \$391.79

4940-01-505-0680, PB15C-10 or equal, Capacity: 15 gallon; 26-1/4" diameter, PG(contains 10 EA), \$475.65

## Drip Pan with Chock Block

Superflex drip pans are made of double fiber woven reinforced rubber for maximum strength and durability. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

**Drip pan includes a six-foot chain attached to a wheel chock block.**

4940-01-535-7651, PB3CB-10 or equal, Capacity: 3 gallon; 17-1/2" diameter, PG(contains 10 EA), \$543.54

4940-01-535-7653, PB6CB-10 or equal, Capacity: 6-1/2 gallon; 14" diameter, PG(contains 10 EA), \$607.15

4940-01-535-7652, PB15CB-10 or equal, Capacity: 15 gallon; 26-1/4" diameter, PG(contains 10 EA), \$744.53

## Gasoline Can

Cylindrical-shaped, enamel-coated metal can is designed for temporary storage or handling of gasoline and other flammable liquids. Domed top complete with handle. Conforms to UL standards.

**Features a 9" flexible metal spout and a separate valve opening for filling. Safety is enhanced by openings fitted with flame arresters.**

*Galvanized steel can.*

Federal Strategic Sourcing Initiative, 7240-00-222-3084, 7210120 or equal, Red with yellow band, Capacity: 1 gal., EA, \$88.75

*Terne metal can.*

Federal Strategic Sourcing Initiative, 7240-00-240-6958, SC2050 or equal, Red with yellow band, Capacity: 5 gal., EA, \$89.66

## Transmission Funnel

Transmission funnel comes with filter screen.

Federal Strategic Sourcing Initiative, 5120-01-460-7645, GA96B., 30" L., EA, \$2.37

## First Aid Kit (Automobile)

Commercial kit is designed to be kept in an automobile. Kit includes: two 1" x 10 yards of gauze bandages (in rolls); 1" x 2-1/2 yards roll of adhesive tape; six 3" x 3" sterile gauze pads; 12 1" x 3" adhesive bandages; bulk tourniquet; 1-oz. bottle of PVP solution; two paper cups; two packages of ammonia inhalants; two 1/4-oz. burn ointment; scissors; package of 40" triangular bandages; first-aid guide (single sheet); user instructions. Comes with a metal carrying case.

6545-00-664-5313, 900-5313 or Equal, AbilityOne, KT, \$26.39

## Traffic Cone

Plastic or rubber cone is ideal for marking roadwork, helping to prevent accidents. Square-base cones can be used for marking line painting or serving as an emergency blockade.

*Contains 50% Recovered Material*

Comprehensive Procurement Guideline Compliant

9905-00-424-9829, 274-9 or equal, Red-Orange, Height: 18", BX(contains 10 EA), \$119.01

9905-00-527-4997, 274-10 or equal, Red-Orange, Height: 28", BX(contains 5 EA), \$117.91

## Decal Applicator

Applicator is used when more flexibility is required. The softer material, allowing for molding around contours and corrugations. Constructed with tapered edges and rounded corners.

Federal Strategic Sourcing Initiative, 5120-00-628-5569, 3M PA1-B or equal, Blue, 4" L x 2-3/4" W, Plastic., BX(contains 25 EA), \$20.72

# Cleaning

## Battery Brush

Combination tool has an external brush for removing corrosion and dirt from battery cable clamps and an internal brush for cleaning terminal posts. Comes in a metal or plastic case.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-926-5175, EA, \$3.77

## Chassis Brush

Brush features 2"-long polypropylene bristles and a hardwood or polypropylene handle. Use for heavy duty scrubbing and cleaning vehicle parts using industrial solvents.

Federal Strategic Sourcing Initiative, 7920-00-255-7536, AbilityOne, Length: 19-1/2", EA, \$7.90

## Snow/Ice Scraper

Combination tool removes light snow and ice from vehicle windows. Heavy-duty plastic ice scraper features a 19-1/4"-long black plastic handle and 2" orange bristles.

Federal Strategic Sourcing Initiative, 7920-01-383-8023, AbilityOne, EA, \$6.01

## Hand Cleaner

Heavy duty hand cleaner containing surfactants, lanolin, and scrubbers. Works with or without water to remove grease, oil, and dirt from hands. Non-toxic and non-flammable.

Low VOC

8520-01-370-4284, R/1212C14.55PD or Equal, Tube Size: 8 oz., BX(contains 12 EA), \$29.78

Heavy duty hand cleaner in a one-gallon pump bottle. Contains no harsh chemicals, petroleum solvents or ammonia. Fortified with lanolin, glycerin and other skin conditioners. Contains fine pumice for a deep clean. Works with or without water to remove grease, oil and dirt from hands. Non-toxic and non-flammable.

Low VOC

Federal Strategic Sourcing Initiative, 8520-01-370-2162, 25219 or Equal, 1 gal., BX(contains 4 GL), \$68.39

Heavy-duty hand cleaner is 64% biobased with natural scrubbing ingredients for removing grease and grime. For industrial and institutional use.

**For use with dispenser 4510-01-441-2117.**

*24-month maximum shelf life (extendable).*

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 8520-01-425-5328, 318524 or equal, 1 GL, BX(contains 4 EA), \$124.84

Hand cleaner is a quick-acting lotion formula containing pumice scrubbing particles for cleaning industrial soils, medium dirt and grease. Contains baby oil and an orange citrus formula with lanolin, aloe, and JoJoba to help protect hands.

**One-half gallon bottle with pump dispenser.**

Federal Strategic Sourcing Initiative, 8520-01-522-0840, 1942-06 or equal, AbilityOne, 1/2-gallon container, BX(contains 6 EA), \$84.57

**One-gallon bottle with pump dispenser.**

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 8520-01-458-0767, 1935-04 or equal, AbilityOne, 1-gl, BX(contains 4 EA), \$101.46

## Goo Gone

A citrus powered, environmentally safe solution multiple cleaning applications. Removes tar, tape residue, blood, lipstick, mascara, crayon, bumper stickers, gum, oil, grease, labels and stickers, and shoe polish. Works on most surfaces including carpet, upholstery, clothing, wood and cement.

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-490-7283, Material Safety Data Sheet, 2112 or equal, QT, \$11.75

## Degreaser

Removes grease and grime from engines, machinery, asphalt, and garage floors. Aqueous-based and ready-to-use degreaser. Non-flammable

*48-month maximum shelf life (extendable).*

Low VOC

Federal Strategic Sourcing Initiative, 7930-01-383-7926, Material Safety Data Sheet, 22732 or equal, 32 oz. btl., BX(contains 12 EA), \$75.66

## Soda Ash (Anhydrous Sodium Carbonate)

This granular or powder compound is ideal in washing processes that require a moderately strong, alkaline material. Has an apparent density of 42 to 70 lb/cu ft.

*36-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6810-00-233-1715, Material Safety Data Sheet, Soda-Ash-100 or equal, DR(contains 100 LB), \$134.17

# Chisels, Punches and Scrapers

## Punches (Pin)

These punches are used for marking metals, driving/removing pins and rivets and aligning holes. ASME B107.410 Cat 48.

**Class 5: Pin (Drive).** For driving and removing such things as pins and keys after initial movement by a starting punch.

- Federal Strategic Sourcing Initiative, 5120-01-430-8273, 1/16" Point, 4" L., EA, \$4.09
- Federal Strategic Sourcing Initiative, 5120-01-335-1435, 1/16" Point, 3-5/32" L., EA, \$4.41
- Federal Strategic Sourcing Initiative, 5120-01-430-8278, 5/32" Point, 5-1/4" L., EA, \$3.62
- Federal Strategic Sourcing Initiative, 5120-01-399-9948, 7/32" Point, 6-3/8" L., EA, \$3.66
- Federal Strategic Sourcing Initiative, 5120-01-430-8282, 1/8" Point, 5" L., EA, \$3.39
- Federal Strategic Sourcing Initiative, 5120-01-335-1409, 3/32" Point, 4-1/4" L., EA, \$5.55
- Federal Strategic Sourcing Initiative, 5120-01-335-1410, 1/8" Point, 4-3/4" L., EA, \$3.85
- Federal Strategic Sourcing Initiative, 5120-01-434-9199, 1/4" Point, 5-3/4" L, Oxide., EA, \$4.17
- Federal Strategic Sourcing Initiative, 5120-00-293-0793, 5/16" Point, 4" L, Knurled., EA, \$4.76
- Federal Strategic Sourcing Initiative, 5120-01-335-1416, 3/8" Point, 6" L, Copper Alloy., EA, \$14.95

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-752-9030, 1/16" Point, 6" L., EA, \$4.87
- Federal Strategic Sourcing Initiative, 5120-00-240-6082, 1/16" Point, 4" L, Knurled Grip., EA, \$3.78
- Federal Strategic Sourcing Initiative, 5120-00-242-3435, 3/32" Point, 4" L, Knurled., EA, \$3.47
- Federal Strategic Sourcing Initiative, 5120-00-242-5966, 1/8" Point, 4" L, Knurled., EA, \$3.66
- Federal Strategic Sourcing Initiative, 5120-00-240-6104, 5/32" Point, 4" L, Knurled., EA, \$3.94
- Federal Strategic Sourcing Initiative, 5120-00-293-0791, 3/16" Point, 4" L, Knurled., EA, \$3.74
- Federal Strategic Sourcing Initiative, 5120-00-293-0792, 7/32" Point, 4" L, Knurled., EA, \$4.34
- Federal Strategic Sourcing Initiative, 5120-00-240-6083, 1/4" Point, 4" L, Knurled., EA, \$4.71
- Federal Strategic Sourcing Initiative, 5120-00-273-0001, 3/8" Point, 4" L., EA, \$6.26

## Drift Pin

These drift pins are used for aligning and sizing holes after the use of a drift punch. For hand use only. Described by (Diameter, Length, Material) B107.410 Cat 48.

**Type 3 Drift Pin: Pin used for aligning and sizing holes in metal and other materials.**

- Federal Strategic Sourcing Initiative, 5120-00-505-5918, 7/8", 7-3/4" L, Brass., EA, \$44.76
- Federal Strategic Sourcing Initiative, 5120-00-239-0035, 1/4", 4" L, Brass., EA, \$12.01

## Drive Pin Punch

IAW Army Ordnance Corps, Rock Island Arsenal Drawing Number 8407289, Rev A.

- Federal Strategic Sourcing Initiative, 5120-00-840-7289, 0.055", 4-5/8" L x 5/8" dia., EA, \$14.81

## Drive Pin Punch (Special)

IAW Army Ordnance Corps, Rock Island Drawing Number 8407288, Rev A. Body length: 1-1/8" (straight); Point size: 0.070".

- Federal Strategic Sourcing Initiative, 5120-00-840-7288, 5-1/8" L., EA, \$20.55

## Drive Pin Punch (Non-Sparking/Non-Magnetic)

In accordance with Department of Army Quartermaster Corps, Q.M. Research and Engineering Command Drawing Number 12-1-14-3/4, Rev A.

- Federal Strategic Sourcing Initiative, 5120-00-239-0038, 10" L., EA, \$19.18

## Punches (Drift, Lining-Up)

These punches are used for marking metals, driving/removing pins and rivets and aligning holes. ASME B107.410 Cat 48.

**Class 4: Drift (Lining-Up).** For aligning and sizing holes in metals and other materials.

- Federal Strategic Sourcing Initiative, 5120-01-399-9389, 3/32" Point, 10-5/8" L., EA, \$10.22
- Federal Strategic Sourcing Initiative, 5120-01-593-0558, 3/16" Point, 10" L., EA, \$6.07
- Federal Strategic Sourcing Initiative, 5120-01-434-9827, 3/16" Point, 10" L, Oxide., EA, \$9.27
- Federal Strategic Sourcing Initiative, 5120-00-240-8896, 7/32" Point, 8" L., EA, \$9.11
- Federal Strategic Sourcing Initiative, 5120-01-626-5254, 1/2" Point, 8" L, Brass., EA, \$11.90
- Federal Strategic Sourcing Initiative, 5120-01-601-5161, 1/2" Point, 7" L., EA, \$23.20
- Federal Strategic Sourcing Initiative, 5120-01-601-5162, 1/4" Point, 4" L, Brass., EA, \$7.52
- Federal Strategic Sourcing Initiative, 5120-01-430-9955, 3/4" Point, 8" L, Knurled, Copper Alloy, Non-sparking., EA, \$24.71

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-240-8898, 1/8" Point, 8" L., EA, \$10.26
- Federal Strategic Sourcing Initiative, 5120-00-293-0448, 3/16" Point, 8" L., EA, \$11.21
- Federal Strategic Sourcing Initiative, 5120-00-240-8894, 5/16" Point, 8" L., EA, \$11.70

## Punches (Starting)

These punches are used for marking metals, driving/removing pins and rivets and aligning holes. ASME B107.410 Cat 48.

**Class 8: Starting.** For loosening such things as frozen pins and keys.

- Federal Strategic Sourcing Initiative, 5120-00-240-6092, 1/16" Point, 4" L., EA, \$2.91
- Federal Strategic Sourcing Initiative, 5120-01-434-9215, 1/8" Point, 5" L., EA, \$3.26
- Federal Strategic Sourcing Initiative, 5120-01-434-9828, 3/16" Point, 5" L., EA, \$3.26
- Federal Strategic Sourcing Initiative, 5120-00-242-3434, 20003 or equal., 1/4" Point, 5-1/2" L., EA, \$4.30
- Federal Strategic Sourcing Initiative, 5120-01-434-9165, 3/32" Point, 4-1/2" L., EA, \$3.88

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-242-3433, 1/8" Point, 4-1/2" L., EA, \$3.37
- Federal Strategic Sourcing Initiative, 5120-00-293-1408, 3/16" Point, 5" L., EA, \$5.55
- Federal Strategic Sourcing Initiative, 5120-00-223-0989, 3/8" Point, 6" L., EA, \$10.03

## Blacksmiths Tools (Punch)

These tools are normally used by blacksmiths for cutting, necking and breaking steel or metals of the same general nature, smoothing and finishing flat forgings, necking, grooving and drawing down forgings, setting down metal to form a square corner, cutting and trimming forgings, holding bolts while forming the bends, punching, clearing and enlarging holes in hot forgings and for shaping, sizing and smoothing round forgings. GGG-T-563.

**Type 7: Punch, Handled. Class 1: Round.**

- Federal Strategic Sourcing Initiative, 5120-00-197-9473, 16" L, Punch: 6-1/2" L, 1/4" End., EA, \$98.51

## Punches (Backing-Out, Blacksmith's)

These punches are used for marking metals, driving / removing pins and rivets and aligning holes. ASME B107.410 Cat 48.

**Class 1: Backing-Out (Blacksmith's).** For backing out and driving such things as rivets and pins. Head is attached to a handle for use.

- Federal Strategic Sourcing Initiative, 5120-01-430-9839, 4" L, 1/4" Point, Knurled, Copper., EA, \$5.22

## Punches (Center)

These punches are used for marking metals, driving/removing pins and rivets and aligning holes. ASME B107.410 Cat 48.

**Class 3: Center. For marking by indentation to start drills in metals and other materials.**

- Federal Strategic Sourcing Initiative, 5120-01-434-9600, 1/8" Point, 5" L., EA, \$4.64
- Federal Strategic Sourcing Initiative, 5120-01-041-1613, 3/32" Point, 4" L, Knurled Shank., EA, \$8.96
- Federal Strategic Sourcing Initiative, 5120-01-430-8483, 1/4" Point, 4-1/4" L., EA, \$3.90
- Federal Strategic Sourcing Initiative, 5120-01-399-9955, 5/32" Point, 5-5/8" L., EA, \$6.40
- Federal Strategic Sourcing Initiative, 5120-01-335-1463, 5/16" Point, 7" L., EA, \$5.57
- Federal Strategic Sourcing Initiative, 5120-01-399-9951, 3/8" Point, 4-7/8" L., EA, \$6.02
- Federal Strategic Sourcing Initiative, 5120-01-335-1462, 3/16" Point, 6" L., EA, \$3.99

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-293-3512, 1/8" Point, 4" L., EA, \$4.75
- Federal Strategic Sourcing Initiative, 5120-00-293-3510, 5/64" Point, 3-1/4" L., EA, \$3.05
- Federal Strategic Sourcing Initiative, 5120-00-293-3509, 5/32" Point, 4" L., EA, \$2.67

Automatic, adjustable-type punch makes distinct impressions on steel, brass, aluminum and wood. Strikes a blow when hand pressure is applied to handle. Screw cap adjusts the force of the stroke. Consists of a high-grade tool steel point, a metal body and a spring-loaded mechanism. Knurled body is brass, steel or aluminum alloy with a corrosion-resistant finish. Replaceable point can be resharpened.

- Federal Strategic Sourcing Initiative, 5120-00-595-9471, 3-1/8" L, 3/8" Dia., EA, \$7.67
- Federal Strategic Sourcing Initiative, 5120-00-595-9470, 4-1/2" L, 1/2" Dia., EA, \$10.17
- Federal Strategic Sourcing Initiative, 5120-00-293-3466, 5" L, 1/2" Dia., EA, \$8.35

## Punch and Die Set (Knockout)

This punch, die and drivescrew punch holes in sheet metal, plastic, hard rubber and leather. Operate punch by tightening the drivescrew. Die cuts with shearing action. Made of hardened-steel alloy and permanently marked with size. GGG-P-836.

**Type 2: Heavy duty (conduit).**

*Set contains (4) pieces. 1/2", 3/4", 1 and 1-1/4". Ball bearing drive nut, 10 gage mild steel cutting capacity, can be operated with wrench, ratchet or hydraulic drivers.*

- Federal Strategic Sourcing Initiative, 5110-00-555-8497, SE, \$225.37

## Punch Set (Drive Pin)

These punch sets are used for marking metals, driving and removing pins, rivets and aligning holes. ASME B107.410 Cat 48.

**Class 5: Pin (Drive). For driving and removing such things as pins and keys after initial movement by a starting punch.**

*Set contains (9) pieces in point sizes: 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8". Furnished in a box, wrap or roll.*

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-883-3003, 4" L., SE, \$17.18

## Metalworking Chisel and Punch Kit

Chisel and punch kit contains (20) components: (5) cold flat chisels (3/8, 1/2, 5/8, 3/4 and 7/8 inch), (6) pin punches (3/32, 1/8, 5/32, 3/16, 1/4 and 5/16 inch), (6) starter punches (3/32, 1/8, 5/32, 3/16, 1/4 and 5/16 inch), (2) solid center punches (1/8 and 7/32 inch) and (1) chisel gauge. Made of tempered, high quality steel and furnished in a roll.

- 5180-00-055-7042, KT, \$89.62

## Chisels (Blacksmith's Cold)

These chisels are used for cutting and shaping metals. They come in (6) classes: Cape, Cold, Concave Splitting, Diamond Point, Half Round and Blacksmith's Cold. Made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

**Class 6: Blacksmith's Cold. For general purpose cutting and shaping. Head is attached to a handle for use.**

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5110-00-221-1075, 22-1/2" L, 1-13/32" Cut, Wood Handle., EA, \$80.31

## Chisels (Cold)

These chisels are used for cutting and shaping metals. They come in (6) classes: Cape, Cold, Concave Splitting, Diamond Point, Half Round and Blacksmith's Cold. Made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

**Class 2: Cold. For general purpose cutting and shaping.**

- Federal Strategic Sourcing Initiative, 5110-01-434-9884, 7" L, 3/4" Cut, 5/8" Hex Shank., EA, \$4.91

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5110-00-234-1927, 4" L, 1/4" Cut, 3/16" Hex Shank., EA, \$5.68
- Federal Strategic Sourcing Initiative, 5110-00-242-3457, 5" L, 3/8" Cut, 5/16" Hex Shank., EA, \$2.79
- Federal Strategic Sourcing Initiative, 5110-00-186-7107, 5-3/4" L, 1/2" Cut, 7/16" Hex Shank., EA, \$6.86
- Federal Strategic Sourcing Initiative, 5110-00-221-8132, 6" L, 5/8" Cut, 1/2" Hex Shank, Oxide., EA, \$7.75
- Federal Strategic Sourcing Initiative, 5110-00-236-3272, 6-1/2" L, 3/4" Cut, 5/8" Hex Shank., EA, \$4.38
- Federal Strategic Sourcing Initiative, 5110-00-234-1944, 8" L, 1" Cut, 7/8" Hex Shank, Oxide., EA, \$12.24

## Chisels (Cape)

These chisels are used for cutting and shaping metals. They come in (6) classes: Cape, Cold, Concave Splitting, Diamond Point, Half Round and Blacksmith's Cold. Made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

**Class 1: Cape. For cutting grooves and keyways.**

- Federal Strategic Sourcing Initiative, 5110-00-240-6031, 36" L, 1" Cut, 1" Hex Shank., EA, \$38.77

## Chisels (Half Round)

These chisels are used for cutting and shaping metals. They come in (6) classes: Cape, Cold, Concave Splitting, Diamond Point, Half Round and Blacksmith's Cold. Made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

**Class 5: Half-Round. For cutting grooves.**

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5110-00-222-2117, 5-1/2" L, 1/4" Cut, 3/8" Hex Shank., EA, \$5.51

## Chisel (Bricklayers)

These chisels are used for specifically scoring and cutting brick, stone, cinder or masonry blocks. Described by (Cut edge and Length) B107.410 Cat 50.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-233-9110, 4", 6-3/4" - 7-1/4" L, Steel., EA, \$14.07

## Wood Chisel (Butt)

These woodworker's style chisels are excellent for patternmaker, cabinetmaker and interior trim carpenter use. Both side edges are beveled the full length of the blade and are perfect for making rough and finish cuts in all types of wood. B107.410 Cat 44.

**Type 2: Wood.**

Federal Strategic Sourcing Initiative, 5110-00-585-8430, Blade: 2-1/2" L x 1-1/4" W., EA, \$11.62

Federal Strategic Sourcing Initiative, 5110-00-585-8431, Blade: 2-1/2" L x 1-1/2" W., EA, \$13.48

Federal Strategic Sourcing Initiative, 5110-00-585-8427, Blade: 2-1/2" L x 1/2" W., EA, \$8.98

Federal Strategic Sourcing Initiative, 5110-00-585-8428, Blade: 2-1/2" L x 3/4" W., EA, \$9.13

Federal Strategic Sourcing Initiative, 5110-00-585-8433, Blade: 5" L x 1/4" W., EA, \$9.57

Federal Strategic Sourcing Initiative, 5110-00-585-8432, Blade: 5" L x 2" W., EA, \$15.21

## Wood Chisel (Firmer)

These woodworker's style chisels are excellent for patternmaker, cabinetmaker and interior trim carpenter use. Both side edges are beveled the full length of the blade and are perfect for making rough and finish cuts in all types of wood. B107.410 Cat 44.

**Type 2: Wood.**

Federal Strategic Sourcing Initiative, 5110-00-640-5419, Blade: 3" L x 1" W., EA, \$9.44

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-640-5423, Blade: 3" L x 1-1/2" W., EA, \$15.15

## Wood Chisel Set

These woodworker's style chisel sets are excellent for patternmaker, cabinetmaker and interior trim carpenter use. Both side edges are beveled the full length of the blade and are perfect for making rough and finish cuts in all types of wood. B107.410 Cat 44.

**This set consists of (6) wood working chisels. (5) firmer type chisels in widths: 1/4", 1/2", 3/4", 1" and 1-1/2" and (1) butt type chisel: 1-1/4" W.**

Federal Strategic Sourcing Initiative, 5110-00-449-6907, Blades: 2-1/2" - 3" L., SE, \$88.08

## Chisel Set (Metalworking)

These chisel sets are used for cutting and shaping metals and are made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

**Set consists of (5) cold chisels in widths of: (1/2", 5/8", 3/4", 7/8" and 1"), The set is furnished in a fabric or plastic wrap or roll with ties or a snap fastener.**

Federal Strategic Sourcing Initiative, 5110-00-357-5593, 5-3/4" - 8" L., SE, \$43.01

## Chisel and Plane Sharpener

Use sharpener with an oil stone or any abrasive surface. Has a spring clamp capacity up to 2-5/8" W blades and chisels. Has a sturdy die cast frame and threaded adjustable rollers.

Federal Strategic Sourcing Initiative, 5110-00-524-8681, 809, Chisel and Plane Blade Sharpener., EA, \$23.52

## Leather Punch Set

Saddlers use this steel hand punch on leather or similar materials. GGG-P-833

**Type 1- Cutting (Drive), Class B - Circular, Style 1- Double Bow.**

*Set consists of the following sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16" and 5/8".*

Plastics Removal in Marine Environments

5110-00-449-7313, SE, \$32.52

## Razor Blade Glass Scraper

An indispensable tool for removing unwanted materials from glass and other smooth surfaces. Blade is completely retractable and corrosion resistant. Encasement houses one single edged razor blade at a time. Blade lock feature provides added safety. Supplied with five single edged replacement blades.

Federal Strategic Sourcing Initiative, 5110-00-997-4237, 1-5/8" W x 1/4" Thick., EA, \$1.58

## Ship Scraper (Ship Bottom)

Use on ship bottoms. Scraping edge is ground to a double-beveled chisel edge. Handle socket with rivets mounts to flat, square blade. Tapered end of well-proportioned wooden handle fits tapered bore in socket.

Plastics Removal in Marine Environments

5110-00-240-3094, Scraping: 36" L x 2" W., EA, \$10.95

## Rasp Holder and Blade

Like a conventional plane, this rasp has a metal alloy body (11-3/8" L x 1/4" W) with a plastic or hardwood handle. Tension screw holds blade in position. Comes with 10" double sided reversible blade.

Federal Strategic Sourcing Initiative, 5110-00-941-2707, EA, \$16.86

## Putty Knife

Use for efficiency in scraping, glazing work and application of wood fillers and putty like materials. Described by (Blade Length x Width, Flexibility).

Federal Strategic Sourcing Initiative, 5120-01-601-5160, 8" L x 1-1/2" W, Stiff., EA, \$1.99

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-221-1536, 3-1/2" L x 1-1/4" W, Flexible., EA, \$4.04

Federal Strategic Sourcing Initiative, 5110-00-223-8827, 7-3/4" L x 3" W, Flexible., EA, \$6.39

Federal Strategic Sourcing Initiative, 5110-00-221-1538, 7-3/4" L x 3" W, Stiff., EA, \$7.73

Federal Strategic Sourcing Initiative, 5120-00-294-4605, 3-1/2" L x 1-1/4" W, Semi-Flexible., EA, \$3.37

## Putty Knife (Screwdriver Type)

Use for efficiency in scraping, glazing work and application of wood fillers and putty like materials. Described by (Blade Length x Width, Flexibility).

Federal Strategic Sourcing Initiative, 5110-01-400-1164, 12" L x 1-1/2" W, Rigid., EA, \$16.64



# Clamps

## C Clamp

Clamp consists of a forged steel frame and a steel screw. Used for clamping and holding materials in a fixed position. Features a smooth, flat, round anvil. Steel swivel is securely attached to the adjusting screw. Non-removable handle is inserted through the outer end of the adjusting screw. Described by (Opening Range, Throat Depth, Load Rating).

Federal Strategic Sourcing Initiative, 5120-00-241-2973, 0" - 2", 1-9/16" D, 12500 Lbs., EA, \$103.55

Federal Strategic Sourcing Initiative, 5120-00-529-3744, 0" - 4-1/2", 2-7/16" D, 20000 Lbs., EA, \$199.24

Federal Strategic Sourcing Initiative, 5120-00-203-6437, 0" - 10", 3-1/2" D, 6000 Lbs., EA, \$93.49

Federal Strategic Sourcing Initiative, 5120-00-180-0848, 0" - 10", 5-3/8" D, 6200 Lbs., EA, \$71.94

Federal Strategic Sourcing Initiative, 5120-00-180-0849, 0" - 12", 5-5/8" D, 8000 Lbs., EA, \$176.89

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-180-0905, 402-C or equal., 0" - 2", 1-3/4" D, 2700 Lbs., EA, \$17.33

Federal Strategic Sourcing Initiative, 5120-00-180-0907, 0" - 3", 2-3/8" D, 3500 Lbs., EA, \$20.43

Federal Strategic Sourcing Initiative, 5120-00-180-0908, 0" - 4", 2-1/4" D, 3700 Lbs., EA, \$29.00

Federal Strategic Sourcing Initiative, 5120-00-180-0897, 0" - 6", 3-1/8" D, 27500 Lbs., EA, \$161.49

Federal Strategic Sourcing Initiative, 5120-00-180-0909, 0" - 6", 2-3/4" D, 4500 Lbs., EA, \$36.04

Federal Strategic Sourcing Initiative, 5120-00-840-3358, 0" - 8", 2-1/4" D, 12500 Lbs., EA, \$78.74

Federal Strategic Sourcing Initiative, 5120-00-249-7494, 0" - 8", 3" D, 31250 Lbs., EA, \$226.64

Federal Strategic Sourcing Initiative, 5120-00-203-6436, 0" - 8", 3-1/4" D, 5200 Lbs., EA, \$44.48

## Spring Clamp

A spring operated, plain handle clamp. Made of heavy duty tempered steel, light weight jaws and is chrome plated.

Federal Strategic Sourcing Initiative, 5120-01-121-5023, 2" Opening, 6" L Jaw., EA, \$3.70

## Spreader and Clamp Tool

Quick grip clamping tool/spreader. Bar clamp features one hand operation and converts into a spreader quickly and easily. The quick change multi-position jaw can be positioned anywhere on the bar making even the most challenging clamping or spreading task a snap. Features a 50" clamping capacity and spreading range from 7-1/2 to 58-5/8".

5120-01-490-6490, EA, \$48.06

## Hose Strapping Tool

Use for applying metal strapping to pliable tubing when attaching it to rigid tubing. Also use when splicing electric welding cable, tying conduit or cable to pipelines or girders and making cable line taps.

**Applies and cuts steel strapping from 3/8 to 3/4" wide and from 0.025 to 0.030" thick. Develops tension up to 2250 lbs. With 3-1/2" head travel.**

Plastics Removal in Marine Environments

5120-00-278-9925, EA, \$99.56

## Vise Grip (C Clamp)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.24

Type: 2 (Clamp), Class: 1 ('C' clamp), Style: A (Fixed).

Federal Strategic Sourcing Initiative, 5120-00-731-2862, 4" Opening, 2-5/8" Throat., EA, \$15.29

Type: 2 (Clamp), Class: 1 ('C' clamp), Style: B (Fixed, with swivel pads).

Federal Strategic Sourcing Initiative, 5120-01-431-6283, 10" Opening, 15-1/2" Throat., EA, \$58.19

## Vise Grip Pliers (Straight Jaw)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.24

Type 1: Locking pliers, Class 1: Straight jaws, Style A: Without cutters

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-287-2512, 3/8" W, 7" L, Oxide., EA, \$15.70

## Quick Adjusting Screw Clamp (Heavy Duty)

These heavy duty bar clamps allow for quick and easy adjusting. Used in commercial metalworking, heavy fabricating and in industrial welding applications as well as in professional woodworking. They have forged steel or iron heads, jaws and a hardened steel adjusting screw. The smooth surface jaws are perpendicular to pipe or bar. With hand adjustable fixtures.

Federal Strategic Sourcing Initiative, 5120-00-180-2936, 4036 or equal., Capacity: 36", EA, \$36.32

# Vises

## Multi Position Vise

This multi position vise is for use in manufacturing and maintaining of mechanical and electronic parts and assemblies. This vise is intended for light bench work which requires multi positioning and quick locking means. Vise consists of a base and work holding head. The work holding head can swivel 360° in a horizontal plane, tilt downward 90° from a level position and be locked in any desired position. Base has holes for convenient mounting to a work bench. A-A-51123.

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-991-1907, Jaw 2-1/2" to 3" W, 1-1/2" D, 2-1/2" Opening., EA, \$64.91

## Bench Vise (Clamp Base)

Utility bench vise for small, light holding operations. Cast iron or forged body and jaws. Two steel guide rods allow for easy opening and closing. Yoke style screw clamp mounts vise to bench tops having a thickness of 1/2" to 1-7/8".

Federal Strategic Sourcing Initiative, 5120-00-243-1372, Opens 2-1/4", Jaw: 2-1/2" W x 1-1/4" D. Stationary., EA, \$65.25

Federal Strategic Sourcing Initiative, 5120-00-221-1122, Opens 2-1/4", Jaw: 2-1/2" W x 1" D. Swivel., EA, \$54.32

## Combination Bench and Pipe Vise

Use combination vise as a machinist's vise or for holding pipes or rods. Replaceable V-shaped alloy steel pipe jaws are serrated and heat treated. Main jaw facings are hardened steel and serrated. Swivel base rotates to any position and has a positive locking mechanism. Swivel base plate has three mounting holes.

Federal Strategic Sourcing Initiative, 5120-00-188-1182, Jaw 3-1/2" W, Opening 3", Capacity: 1/4 to 2-1/2"., EA, \$436.07

Federal Strategic Sourcing Initiative, 5120-00-293-0110, Jaw 6" W, Opening 8", Capacity: 1/4" to 6"., EA, \$1,412.64

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-223-1951, Jaw 4-1/2" W, Opening 5", Capacity: 1/4 to 3-1/2"., EA, \$626.48

Federal Strategic Sourcing Initiative, 5120-00-243-9072, Jaw 5" W, Opening 6", Capacity: 1/4" to 4-1/2"., EA, \$976.84

## Machinist's Vise

This cast or forged steel machinist's vise is for machine shop use. The jaws are milled parallel and have replaceable hardened steel serrated jaws. The swivel base has three mounting holes and rotates to any position and has a positive locking mechanism.

### Plastics Removal in Marine Environments

5120-00-293-1439, 204 or equal, Jaw 4" W, Opening 6"., EA, \$511.75

Federal Strategic Sourcing Initiative, 5120-00-221-1117, Jaw 5" W, Opening 8"., EA, \$569.98

Federal Strategic Sourcing Initiative, 5120-00-223-1945, Jaw 6" W, Opening 9"., EA, \$1,003.18

Federal Strategic Sourcing Initiative, 5120-00-180-0681, Jaw 3" W, Opening 4"., EA, \$312.47

## Pin Vise

For hand or machine use, vise holds files, taps, small drills and other small, round items securely. One end has a knurled handle made of hollow metal, the other end has a chuck with three or four jaws and a knurled sleeve. Hollow extends full length. Made of chrome or nickel plated tool steel.

Federal Strategic Sourcing Initiative, 5120-01-367-7116, 50608 or equal., 0" to 1/8" chuck capacity, 3-7/8" L., EA, \$72.07

## Pipe Vise (Chain)

Chain vises permit the holding of irregular shapes, pipe or tubing. Ideal for maintenance shops, electricians and plumbers. The vise has a forged or cast base, hardened steel jaws, forked drop handle, convenient pipe rest, steel chain and bender. Forked drop handle is placed above the bench top level. Has three mounting holes for easy bench mounting.

Federal Strategic Sourcing Initiative, 5120-00-180-0670, BC4A or equal, Size: 1/8" to 4"., EA, \$224.66

## Portable Tripod Stand Vise

These sturdy tripod stand vises provide a portable workbench for on-the-job pipe cutting and threading. The unit consists of three legs, base, triangle tool tray and vise. Legs can be removed or folded for easy carrying and setup. Base has built-in pipe benders and pipe rest for supporting work.

**Includes steel or iron legs and base for heavy duty shop use.**

Federal Strategic Sourcing Initiative, 5120-00-293-1108, Pipe Capacity: 1/4" to 4"., EA, \$462.64

These sturdy tripod stand vises provide a portable workbench for on-the-job pipe cutting and threading. The unit consists of three legs, base, triangle tool tray and vise. Legs can be removed or folded for easy carrying and setup. Base has built-in pipe benders and pipe rest for supporting work. A-A-3050

**Includes steel or iron legs and base for heavy duty shop use.**

*Pipe benders for 1/2" and 3/4" pipe or conduit are provided in base.*

Federal Strategic Sourcing Initiative, 5120-00-892-4952, Pipe Capacity: 1/8" to 2-1/2"., EA, \$591.75

## Printed Circuit Board Vise

Vise holds printed circuit boards. Crossbars accommodate circuit boards up to 6" x 6". Has spring loaded gripping jaw(s). Vise features tilt angle adjustment, height adjustment and quick board rotation for easy component insertion and soldering.

Federal Strategic Sourcing Initiative, 5120-00-330-7602, EA, \$102.78

## Vise Jaw Caps

Used to protect the jaw faces of a vise and provide a secure hold.

Federal Strategic Sourcing Initiative, 5120-00-246-4746, 10325., 2-1/2" W, Aluminum or Copper Alloy., PR, \$40.11

Federal Strategic Sourcing Initiative, 5120-00-221-1506, 4" W, Aluminum, Copper Alloy or Plastic., PR, \$46.77

# Construction and Building Supplies

## Trowel (Cement)

Trowel is ideal for applying cement to joints of bricks. Blade is made of high-carbon tool steel that is smoothly ground. Has an aluminum, plastic or wooden handle.

Federal Strategic Sourcing Initiative, 5120-00-224-4748, Blade: 14" L x 4" W x 0.025" T., EA, \$30.21

## Trowel (Margin)

Margin trowel is for applying plaster in confined areas. Wing tip, high carbon tool steel blade is smoothly ground and has a welded handle socket. Use to pick up soft cement, mastic paste or plaster and to spread or smooth it. Has an aluminum, plastic or wooden handle.

Federal Strategic Sourcing Initiative, 5120-00-009-3743, 8" L x 2" W, 4-1/2" Handle., EA, \$17.54

## Wood Plane (Jack)

This hand operated bench plane smooths and finishes woodwork. The high carbon steel cutter blade can be adjusted latitudinally and longitudinally. The hand plane has a smooth bottom, cast iron body, hardwood handle and knob.

Federal Strategic Sourcing Initiative, 5110-00-224-7911, Adjustable Cutter, 2" W Cut, 14" L., EA, \$102.87

## Clinch Locknut

For installation in aluminum or soft sheet steel assemblies. Thread size; .1120; installation hole diameter; .184 minimum - .186 maximum. Minimum C' bore diameter (for flush mount only) .501. Clinch nuts are permanently self-retained, self-locking fasteners.

Federal Strategic Sourcing Initiative, 5120-00-711-7456, EA, \$156.19

## Divider (Spring)

Machinists and sheet metalworkers scribe lines and lay out work using this heat treated tool steel. Consists of circular band spring, two rectangular legs, threaded steel rod with knurled adjusting nut, thumb attachment on top of circular band and fulcrum joint stud. Legs taper to sharp points. Corrosion resistant coating.

Has a solid adjustment nut.

Federal Strategic Sourcing Initiative, 5210-00-263-0376, Size: 8", EA, \$20.32

## Fastener Installation Tool

This tool is used to do the installation of the captive screws which attach the ball mats in the cargo loading areas. Consists of handle assembly and nosepiece for thread size 10 captive screws, full flare. IAW Deutsch Fastener Corp. drawing number S-1065.

Federal Strategic Sourcing Initiative, 5120-00-169-3003, H8603-10 or equal., AY, \$1,507.25

## Fastener Removal Tool Adapter

Tool for Turn-Loc captive screws that are spring loaded for fixed or floating installations.

Federal Strategic Sourcing Initiative, 5120-00-005-1024, Kearfott or Huck C200039507 or RN7505-8 or equal, EA, \$650.36

## Cap Installing Tool

Consists of handle assembly and nosepiece for thread size 8 captive screws and turn-loc fasteners.

Federal Strategic Sourcing Initiative, 5120-01-015-1422, EA, \$1,531.20

## Tube Bender (Worm Gear)

These hand operated portable benders provide a smooth bend without marring or deforming tubing. Used for cold bending of round metal tubing used in aircraft hydraulic systems, instrument control lines, fuel and oil lines on engines, refrigeration, plumbing, heating and other installations. Not for use on heavy steel tubing.

Federal Strategic Sourcing Initiative, 5120-00-595-8190, 1/4" to 3/4" Tube Bender, Case., EA, \$1,687.14

## Electrical Coating

Fast-drying sealer is compatible with plastic electrical tape insulation. Also provides protection against moisture and corrosion. Comes in a can with brush mounted inside top lid.

24-month maximum shelf life (extendable).

Low VOC

Federal Strategic Sourcing Initiative, 5970-00-962-3335, Material Safety Data Sheet, CN(contains 15 OZ), \$38.89

## Acoustic Paneling (Ceiling Tile)

Reduce room noise by absorbing and muffling sound waves. This mineral wool composition board is designed to be used as a ceiling panel to reduce noise. Washable painted surface provides a decorative interior finish. ASTM E1264 Type III Form 2.

5640-01-065-6769, BET-197 or equal, 48" L x 24" W x 5/8" T, PG(contains 8 EA), \$42.03

## Deck Covering

Self-adhering tread has a silicon carbide particle-coated fabric that provides a non-slip surface. The adhesive-coated back has a removable protective covering to prevent contamination of adhesive prior to use. Adheres to clean, dry surfaces without wrinkling, breaking or lifting. Non-corrosive, lightweight, and resistant to detergents.

Approved for shipboard use IAW MIL-PRF-24667, Type XI Composition PS.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7220-00-205-0389, AbilityOne, Black, 24" L x 6" W x .08" T, BX(contains 10 EA), \$26.98

## Dropcloth

Polyethylene plastic dropcloth is for general protection during painting. Dropcloth is flammable. Average thickness measures 0.002".

8340-00-068-7908, AbilityOne, Clear, 9' x 12', EA, \$6.99

Dropcloth is for general protection of floors, carpets and furniture from paint, plaster and texturing drippings and from dust.

**The butyl-coated dropcloth is made of heavyweight butyl-coated sheeting. It is made from full pieces or from large piece panels double stitched together with flat seams. Edges are finished with double stitched hems or selvage edges.**

8340-01-448-7002, 80321 or equal, 9' x 12', EA, \$24.14

**The cloth dropcloth is made of heavyweight bleached or unbleached absorbent cloth such as duck, twill, sateen, uncut cord. It is made from full pieces or from large piece panels double stitched together with flat seams. Edges are finished with double stitched hems or selvage edges.**

8340-01-448-7004, 58903 or equal, 12' x 15', EA, \$40.12

Unbleached cotton duck dropcloth is intended for general protection during painting, including for use on floors. Ultra-absorbent drop cloth has a hemmed or selvage edge. Weight: 9-1/4 oz. per sq. yd.

Plastics Removal in Marine Environments

8340-00-205-1911, UNICOR, Natural, 10' x 12', EA, \$48.20

## Portable Collapsible Wall

Collapsible sidewalls with counterbalanced outside locking supports; folds so you can drive your truck or forklift in the unit. Holds 748 gallons. For use under storage tanks, tote tanks, pillow tanks or pallets loaded with drums. Inside dimensions 10' x 10' x 1' ; Overall outside dimensions accounting for straps: 12' x 12' folded dimensions 2.5"W x 2.6"L x 10"H

Federal Strategic Sourcing Initiative, 7930-01-438-6461, PAK793 or equal, EA, \$1,663.98

# Alignment and Crimping Tools

## Wire Termination Crimping Tool

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

### Type 2: Tools that produce a formed termination.

Federal Strategic Sourcing Initiative, 5120-00-596-9313, M22520/5-01 and 5-100, Tool and Die. 11" L., EA, \$451.23

Federal Strategic Sourcing Initiative, 5120-00-132-6913, M22520/5-01, EA, \$301.71

### Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-165-3912, M22520/1-01, Consists of a frame only. 9-3/4" L., EA, \$336.41

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-165-3910, M22520/2-01, Consists of a frame only. 7-1/2" L., EA, \$292.10

## Terminal Crimping Tool

These crimp tools feature a rugged construction and assures repeatability and durability. Crimp tools for each and every different application.

Federal Strategic Sourcing Initiative, 5120-01-372-5753, 10 - 22 AWG., EA, \$41.04

Federal Strategic Sourcing Initiative, 5120-01-101-6683, 1005 or equal., 10 - 22 AWG, 9-3/4" L., EA, \$37.06

## Crimping Tool (Pliers Style)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

### Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-293-2319, MIL-DTL-22520/38, Pliers Style. 10 - 22 AWG., EA, \$245.02

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-120-8721, M22520/37-01, 12 - 26 AWG., EA, \$168.60

## Crimping Tool (Turret Head Assembly)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

### Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-016-6382, M22520/1-02, 12 to 26 AWG., EA, \$112.90

## Crimping Tool (Positioner)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

### Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-017-3827, M22520/2-07, 22 - 28 AWG., EA, \$71.41

Federal Strategic Sourcing Initiative, 5120-00-017-3927, M22520/2-09, 22 - 28 AWG., EA, \$71.41

## Crimping Tool (Die)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

### Type 2: Tools that produce a formed termination.

Federal Strategic Sourcing Initiative, 5120-00-126-0860, M22520/5-100, 10 - 12 AWG and 14 - 26 AWG., EA, \$193.52

## Crimping Tool Kit

Consists of (12) insulated types of solderless terminals and wire connectors, and a crimping tool furnished in a plastic box. Box dimensions, 11" W x 6-5/8" D X 1-7/8" H with 13 labeled compartments. Designed to crimp a broad range of terminals and connectors.

Federal Strategic Sourcing Initiative, 5180-01-123-8949, 4X258, KT, \$45.16

## Crimping Tool (Multi-Purpose)

Multi-purpose crimping tool manually crimps insulated solderless terminals and splices sizes #22 to #10 AWG, cuts and strips wire sizes #22 to #10 AWG and cuts bolts sizes #10 to #4.

The terminal crimping section of the tool has a nest of jaws capable of crimping #12 to #10 terminals in one jaw and #22 to #14 terminals in the other jaw(s). The bolt shearing section of the tool has five threaded holes for bolts sizes #10-24, #10-32, #8-32, #6-32 and #4-4. The wire cutting section of the tool has a 1/4" long, minimum, cutting jaw.

*The wire stripping section of the tool has six cavities for wire sizes 10, 12, 14, 16, 18, and 20-22 AWG. The tool is made of heat treated tool steel and has insulated cushioned grip handles. Closed width: 2-1/2".*

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-278-2423, 1001 or equal., 8-1/2" L., EA, \$33.13

# Electrical Contact Insertion and Removal Tools

## Crimping Tool (Positioner)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

### Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-165-3913, M22520/2-02, 20 - 26 AWG., EA, \$66.11

## Crimping Tool Die

These HX4 dies are designed to crimp various sizes and types of ferrules, coaxial connectors, contacts, splices and terminal lugs to cables and wires. The interchangeable dies may be installed and locked in place with pins.

Federal Strategic Sourcing Initiative, 5120-01-361-9342, Y778 or equal, 0.344" x 0.5" Die Closure., EA, \$489.32

## Wire Termination Crimping Tool

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

### Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-133-1747, M22520/7-01, Green, Consists of a frame only., EA, \$345.71

## Electrical Contact Inserter and Remover

These installing and removal tools are for installing and removing electrical contacts used in connectors and other electrical and electronic components.

**Remove and install size 22 contacts, Deutsch P/Ns 2841-5-9000 (pin) and 2803-4-000 (socket) from Deutsch type RE, RSM and RTK connectors with this combination tool. Color coded with a yellow installing tip and a white removal tip.**

Federal Strategic Sourcing Initiative, 5120-00-757-7653, M15570-22-1 or equal., Yellow/White, EA, \$3.09

## Electrical Contact Tool (Installing)

These installing and removal tools are for installing and removing electrical contacts used in connectors and other electrical and electronic components. MIL-I-81969.

**Type 1: Installing Tool. Class 1: Front Release of Contacts. Composition A: Metal.**

Federal Strategic Sourcing Initiative, 5120-01-230-1506, M81969/33-01., Red, Contact Size: #20., EA, \$95.80

**Type 1: Installing Tool. Class 2: Rear Release of Contacts. Composition A: Metal.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-177-6967, M81969/08-05, Red, Contact Size: #20., EA, \$89.66

Federal Strategic Sourcing Initiative, 5120-00-251-9503, M81969/08-01, Green, Contact Size: #22M and 22M., EA, \$77.32

Federal Strategic Sourcing Initiative, 5120-00-137-9140, M81969/08-03, Brown, Contact Size: #22., EA, \$95.59

**Type 1: Installing Tool. Class 1: Front Release of Contacts. Composition C: Combination Metal and Plastic.**

Federal Strategic Sourcing Initiative, 5120-00-079-4599, M81969/17-04, Blue, Contact Size: #16., EA, \$55.73

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-079-4598, M81969/17-03., Red, Contact Size: #20., EA, \$40.64

## Electrical Contact Tool (Removing)

These installing and removal tools are for installing and removing electrical contacts used in connectors and other electrical and electronic components. MIL-I-81969.

**Type 2: Removal Tool. Class 1: Front Release of Contacts. Composition A: Metal.**

Federal Strategic Sourcing Initiative, 5120-01-230-1507, M81969/34-01, Red, Contact Size: #20., EA, \$109.52

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-930-7503, M81969/20-01, Green, Contact Size: #16 and 20., EA, \$64.49

**Type 2: Removal Tool. Class 1: Front Release of Contacts. Composition C: Combination Metal and Plastic.**

Federal Strategic Sourcing Initiative, 5120-00-133-0144, M81969/14-06, Red, Contact Size: #8., EA, \$2.37

Federal Strategic Sourcing Initiative, 5120-00-079-4602, M81969/19-01, Blue, Contact Size: #16., EA, \$56.02

Federal Strategic Sourcing Initiative, 5120-00-079-4601, M81969/19-06, Red, Contact Size: #20., EA, \$53.92

Federal Strategic Sourcing Initiative, 5120-00-177-7029, M81969/03-01, Yellow, Contact Size: #23., EA, \$96.58

**Type 2: Removal Tool. Class 2: Rear Release of Contacts. Composition A: Metal.**

Federal Strategic Sourcing Initiative, 5120-00-103-9708, M81969/8-10, Yellow and White, Contact Size: #12., EA, \$87.39

Federal Strategic Sourcing Initiative, 5120-01-335-8716, M81969/8-206., Red, White and Black., Contact Size: #20., EA, \$93.41

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-409-5206, M81969/08-08, Blue White and Black., Contact Size: #16., EA, \$94.49

Federal Strategic Sourcing Initiative, 5120-00-177-6966, M81969/08-06, Red and White, Contact Size: #20., EA, \$94.61

Federal Strategic Sourcing Initiative, 5120-00-146-6558, M81969/08-02, Green and White, Contact Size: #22M., EA, \$88.10

**Type 2: Removal Tool. Class 2: Rear Release of Contacts. Composition C: Combination Metal and Plastic.**

Federal Strategic Sourcing Initiative, 5120-00-148-9845, M81969/30-07, Yellow, Contact Size: #12., EA, \$80.88

## Electrical Contact Remover

These installing and removal tools are for installing and removing electrical contacts used in connectors and other electrical and electronic components.

**IAW Raychem Part Number D659-0001 design.**

Federal Strategic Sourcing Initiative, 5120-01-117-4979, D659-0001, EA, \$10.06

**Impact-type tool is for removing size 20 contacts (ITT Cannon P/Ns 038820-001 and 038819-0001) from Cannon-type DPGM connectors. Has a red aluminum alloy or plastic handle and housing and a stainless steel probe.**

Federal Strategic Sourcing Initiative, 5120-00-987-0785, DRK36 or equal., EA, \$120.59

Federal Strategic Sourcing Initiative, 5120-01-599-6252, Contact Size: #16 and #18., EA, \$8.45

**IAW ITT Cannon drawing 070064-0000, Rev. A.**

Federal Strategic Sourcing Initiative, 5120-00-963-7661, DRK38 or equal., EA, \$103.62

## Electrical Contact Tool (Installing and Removing)

These installing and removal tools are for installing and removing electrical contacts used in connectors and other electrical and electronic components. MIL-I-81969.

**Type 3: Combination Installing and Removal Tool. Class 1: Front Release of Contacts. Composition B: Plastic.**

Federal Strategic Sourcing Initiative, 5120-00-132-6328, M81969/16-01, Red/White, Contact Size: #20., EA, \$5.48

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-915-4587, M81969/14-11, Red/White, Contact Size: #20., EA, \$1.28

**Type 3: Combination Installing and Removal Tool. Class 2: Rear Release of Contacts. Composition B: Plastic.**

Federal Strategic Sourcing Initiative, 5120-00-157-3138, M81969/14-04, Yellow/White, Contact Size: #12., EA, \$0.48

Federal Strategic Sourcing Initiative, 5120-01-335-8733, MIL-I-81969/14-03, Blue/White, Contact Size: #16., EA, \$2.23

Federal Strategic Sourcing Initiative, 5120-00-132-0396, M81969/39-01, Green/White, Contact Size: #20., EA, \$2.20

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-915-4588, M81969/14-03, Blue/White, Contact Size: #16., EA, \$1.22

Federal Strategic Sourcing Initiative, 5120-01-330-3822, M81969/14-10, Red/Orange, Contact Size: #20., EA, \$0.86

Federal Strategic Sourcing Initiative, 5120-00-132-5808, M81969/16-04, Green/White, Contact Size: #22., EA, \$4.08

Federal Strategic Sourcing Initiative, 5120-00-018-0575, M81969/14-01, Green/White, Contact Size: #22D and 22M., EA, \$0.58

**Type 3: Combination Installing and Removal Tool. Class 2: Rear Release of Contacts. Composition C: Combination Metal and Plastic.**

Federal Strategic Sourcing Initiative, 5120-00-132-5739, M81969/01-02, Red / White, Contact Size: #20., EA, \$5.44

Federal Strategic Sourcing Initiative, 5120-01-111-1125, M81969/01-03., Blue / White, Contact Size: #16., EA, \$5.32

Federal Strategic Sourcing Initiative, 5120-00-132-5791, M81969/1-01, Green / White, Contact Size: #22., EA, \$6.81

**Component of tool kit DMC286-01, DMC386MOD1, DMC476, DMC664A. Connector series AMP RME ITT Cannon CC, DD,DC, DRA, MIL-C-24308 Souriau 8360.**

Federal Strategic Sourcing Initiative, 5120-01-361-9408, Contact Size: #20., EA, \$91.72

## Terminal Junction Block Remover

This Terminal Junction System (TJS) components are used for interconnection of wiring and incorporation of passive components. These environment resistant components have in common the use of crimp type external pin contacts or crimp type external socket contacts. This family of TJS components is designed to operate continuously over a temperature range of -65°C to 200°C, using any combination of temperatures generated by the electrical load and ambient temperature so that the maximum internal hot spot, combined temperature, will not exceed the maximum specified for the class. AS81714

**Tweezer type removal tool is made of stainless steel and has two pair of tines.**

Federal Strategic Sourcing Initiative, 5120-01-232-0023, M81714/69-02., EA, \$54.58

Federal Strategic Sourcing Initiative, 5120-01-097-5219, M81714/69-01., EA, \$30.98

## Removal Tool (Screwdriver Style)

Screwdriver-style tool removes electrical contacts from connectors. Corrosion-resistant steel plunger retracts into the shank. Has a plastic or aluminum handle, a corrosion-resistant steel probe, and 2 pounds of plunger force. Comes with a protective cap.

**Contact size: Amp Type II, III and Submin Coax No. 8 thru 20.**

Federal Strategic Sourcing Initiative, 5120-00-020-5926, 305183 or equal., EA, \$19.83

## Removal Tool Kit

Specifically for removing electrical contacts. Consists of four interchangeable steel removers with threaded ends for attaching to separate aluminum handle. Removers store in handle when not in use. For contact size 16 pin, 12 and 16 socket, 20 pin and 20 socket. Includes handle and cap assembly. IAW GSA drawing 765-3688.

Federal Strategic Sourcing Initiative, 5120-00-765-3688, SE, \$142.63

## Alignment Tool (Electronic Equipment)

Screwdriver type alignment tool that is used for adjustment of electronic circuits. The handles, or bodies, are made of nonconductive material so as to reduce to a minimum the change in radio frequency inductance or capacitance in the circuits under adjustment.

**Has two projecting plastic flat screwdriver tips that are 1/32" thick on both ends. One end is 5/32" dia and the other end is 1/4" dia.**

Federal Strategic Sourcing Initiative, 5120-00-778-6241, 7" L., EA, \$3.46

**IAW Department of the Army Signal Corps Laboratory drawing number SC-B-98203 rev A.**

Federal Strategic Sourcing Initiative, 5120-00-293-2081, 6-7/8" L., EA, \$0.59

**Has two metallic, flat screwdriver tips: one recessed about 1/8" for No. 6 screw and the other projecting about 1/8". Tips are 1/8" W and 0.015" T. Body diameter is 7/32".**

Federal Strategic Sourcing Initiative, 5120-00-288-7781, 6-1/8" L., EA, \$2.55

## Lamp Extractor

Lamp extractor is used for holding and removing miniature lamps. Tool consists of a 1/2-diameter brass knurled tube with a rubber plug cemented in each end. Each plug has a 3/16-diameter hole. Tool is 1-3/4 long.

Federal Strategic Sourcing Initiative, 5120-00-505-5477, EA, \$26.04

# Special-Purpose Tools

## Electrical Connector Pliers

Designed for loosening and tightening threaded lock collar of electrical connectors. Plastic jaw inserts prevent marring of the gripping surface of the collar. Jaw opening is 3/4 to 2-1/2" with a minimum of four jaw positions. ASME B107.27

Federal Strategic Sourcing Initiative, 5120-01-380-9000, Opening: 3/4" To 2-1/2", 9-3/4" L., EA, \$22.02

Federal Strategic Sourcing Initiative, 5120-01-601-5166, Opening: 3/4" To 2-1/2", 10" L., EA, \$17.57

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-624-8065, Opening: 3/4" To 2-1/2", 9" L., EA, \$19.70

## Electrical Conduit Bender

Portable bender is hand operated. One-piece metal head consists of curved bending fulcrum, extended gripping jaw and a stud or socket for attaching an ordinary piece of pipe as a handle. Does not include a handle.

**Bends 1/2" metallic electrical tubing.**

Federal Strategic Sourcing Initiative, 5120-00-618-6898, EA, \$42.16

**Bends 3/4" metallic electrical tubing.**

Federal Strategic Sourcing Initiative, 5120-00-618-6899, EA, \$63.33

## Fuse Puller

Inserts and removes cartridge fuses in electrical circuits up to 600V. Firmly grips fuse body for smooth, one handed operation. W-P-796

**Type 1: Laminated construction, Size 2: 1/2" through 1-1/4" fuse diameter range.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9456, 34-002 or equal., Size #2., EA, \$17.58

**Type 1: Laminated construction, Size 3: 1" through 2-1/2" fuse diameter range.**

Federal Strategic Sourcing Initiative, 5120-00-243-2776, Size #3., EA, \$33.55

**Type 1: Laminated construction, Size 1: 1/4" through 1/2" fuse diameter range.**

Federal Strategic Sourcing Initiative, 5120-00-224-9453, Size #1., EA, \$11.52

## Safety Cable Tool

.032 Rotary Safe-T-Cable Tool w/ 7" Nose.

Federal Strategic Sourcing Initiative, 5120-01-463-7117, EA, \$559.16

The tool is used to tension the safety cable to a preset tension between the items to be secured, then crimp a retaining ferrule onto the cable and then cut the remaining leftover cable.

**.032 Tool with 7" nose**

Federal Strategic Sourcing Initiative, 5120-01-440-5129, SCT327 or equal., Red, EA, \$616.80

## Cable Grip

For holding taut and pulling wires, cables and wire rope. The rust resistant steel grips are ruggedly constructed to withstand continuous service. Pulling shackle or clevis activates opening and closing of jaws and is designed to accommodate a hoist or sling hook for use with a block and tackle.

**Parallel jaws have bronze lined, smooth surfaces. Tool has flat, round or "V" shaped gripping surfaces.**

Federal Strategic Sourcing Initiative, 5120-00-238-4436, Capacity: 0.162" to 0.552", 8000 Lbs Safe Load., EA, \$454.15

Federal Strategic Sourcing Initiative, 5120-00-224-2661, Capacity: 1/2" to 3/4", 15000 Lbs Safe Load., EA, \$644.11

**Eccentric jaws consist of one integral jaw with grip body and one movable jaw with eccentric or cam type action.**

Federal Strategic Sourcing Initiative, 5120-00-262-1872, Capacity: 1/8" to 1/2", 5000 Lbs Safe Load., EA, \$165.92

## Cable Cutter - Armored

Cuts lead sheathed armored cable. Has cushion grip handles, a 3/4" capacity and is 8" L.

Federal Strategic Sourcing Initiative, 5110-01-068-5253, EA, \$25.42

## Cable Cutter (Groping Hook Guide)

Compound lever type cable cutter has rigid heads and center cut style. The jaws can be removed for sharpening or replacement. Adjustment compensates for wear. Rubber stops prevent pinching. Insulated handles protect operator from high voltages (up to 5,000v). Groping hook guide consists of a double hook extending 1-7/8" beyond the cutting head. A-A-52208.

Federal Strategic Sourcing Initiative, 5110-00-541-6730, 20-1/2" L., Capacity: 3/8", EA, \$240.27



## Cable Preparation Tools (Stripper)

A reliable and effective way to prepare coaxial cable for cable TV, satellite, datacom, A/V and security feeds.

The stripper has a 3/8- to 1-3/4" -diameter cable capacity for use on armored and unarmored electrical cable sheath. Neatly removes insulation up to 1/8" thick without damaging conductors. Stripper is equipped with adjustable toggle handle, adjustable locking handle, cable rest and adjustable cutting mechanism. Cutter has replaceable blade and a positive locking depth adjustment. Body frame is made of forged or pressed steel.

*The cutting blades shall have a sufficient number of adequately spaced grooves to accommodate the range of wire sizes specified.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-238-7696, EA, \$177.73

## Plastic Strap Installing Tool

For installing plastic cable tie-down straps. Has a pistol grip, tension adjustment and a cutoff device. Includes instruction plate. AS81306

Use for installing MS 3367-3 and MS 3367-6 plastic tie-down straps. Nose is 0.710" wide. Slot is 0.083 to 0.088" wide. MS 90387-2.

Federal Strategic Sourcing Initiative, 5120-00-937-5438, MS90387-2, EA, \$507.20

Use for installing MS 3367-1, -2, -4 and -5 and MS 3368-1, -2, -3, -4 and -5 plastic tie-down straps. Nose is 0.63" wide. Slot is 0.055 to 0.063" wide.

Federal Strategic Sourcing Initiative, 5120-00-781-7891, MS90387-1, EA, \$250.19

## Watchmakers Blower

Hand operated blower is for removing dirt from small instruments. Has a plastic, metal or rubber squeeze bulb and air pressure nozzle.

Federal Strategic Sourcing Initiative, 5120-00-254-4612, 4" L, 1" Dia., EA, \$37.36

# Wire Strippers

## Wire Stripper (Manually Operated)

Used for removing at least 3/4" L of insulation from general purpose solid and stranded wires. The tool provides a smooth, clean cut without nicking or marring wire. The high quality hardened steel blades are replaceable. The body is made of forged or pressed steel. Equipped with a spring loaded handle and serrated gripping jaws.

Particularly suited for use on aircraft ignition and electrical cable, as well as on general purpose solid and stranded wires. Has pivot handles and automatic stop return.

Federal Strategic Sourcing Initiative, 5110-00-246-0975, 10 - 18 AWG and AN, 6-1/4" L., EA, \$13.12

Federal Strategic Sourcing Initiative, 5110-00-063-3037, 10 - 25 AWG, 5" L, Comfort Grip., EA, \$6.59

Federal Strategic Sourcing Initiative, 5110-01-377-2180, 16 to 26 AWG, EE Teflon Insulation (1000V), EA, \$202.88

Federal Strategic Sourcing Initiative, 5110-00-126-0804, 16 to 26 AWG, 7-3/4" L., EA, \$221.47

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-268-4224, 8 - 22 AWG and AN, 7-1/4" L., EA, \$17.89

Use on Polytetrafluoroethylene (PTFE) insulation (200°C, 600V). Equipped with blade size 2E. Has pivot handles. Short stop latch and wire stop assembly are provided unassembled with the main wire stripper body.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-177-7286, 16 - 26 AWG, 7-1/4" L., EA, \$160.74

## Wire Strippers/Cutters

These wire cutters/strippers are used by rotating it around the insulation while applying pressure in order to make a cut around the insulation. The body has various grooves for different wire sizes. Used for manually removing insulation from general purpose solid and stranded wires. Comfort grip handles. Described by (AWG range, Wire type). B107.37

Type: II (Wire cutters/strippers, flat jaws and handles), Class: 1 (Small frame, strippers forward of pivot, nonadjustable, with spring and lock optional).

Federal Strategic Sourcing Initiative, 5110-01-019-1772, Yellow Handles, 26 - 28 AWG, Solid and Stranded., EA, \$13.57

Federal Strategic Sourcing Initiative, 5110-00-472-2343, 28 - 30 AWG, Solid and Stranded., EA, \$55.84

Federal Strategic Sourcing Initiative, 5110-01-563-4373, 10 - 18 AWG, Solid and Stranded., EA, \$25.96

Type II: Wire cutters/strippers, flat jaws and handles. Class 3: wire cutter/strippers large frame, rear of pivot.

Federal Strategic Sourcing Initiative, 5110-01-367-3831, 10 - 22 AWG, Solid and Stranded, Comfort Grip., EA, \$22.13

Federal Strategic Sourcing Initiative, 5110-01-437-2038, 10 - 18 AWG, Solid and Stranded, Comfort Grip., EA, \$35.48

## Wire Stripper (Replacement Blades)

Replacement blades for wire strippers.

Federal Strategic Sourcing Initiative, 5110-01-380-9346, 16 to 26 AWG., SE, \$107.34

# Files

## File (American Pattern - Mill)

Mill File (Regular). This file is for sharpening mill or circular saws and for general use. The width is tapered for 1/3 of length to point and the thickness is uniform. A-A-2316

### Class 2: Regular, Style: Smooth cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-243-7965, 6" L x 5/8" W x 1/8" Thick., EA, \$4.39

Federal Strategic Sourcing Initiative, 5110-00-241-9138, 10" L x 1" W x 3/16" Thick., EA, \$8.18

### Class 2: Regular, Style: Bastard cut.

Federal Strategic Sourcing Initiative, 5110-01-430-1526, 6" L x 5/8" W x 1/8" Thick., EA, \$2.90

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-241-9132, 6" L x 5/8" W x 1/8" Thick., EA, \$2.84

Federal Strategic Sourcing Initiative, 5110-00-242-5387, 14" L x 1-11/32" W x 1/4" Thick., EA, \$11.71

## File (American Pattern - Regular Round)

Regular Round File. This file is used to enlarge and round out circular openings or concave surfaces. The width is tapered for 1/3 of length to point. A-A-2318.

### Type 1: Bastard Cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-234-6557, 12" L x 1/2" W., EA, \$8.48

Federal Strategic Sourcing Initiative, 5110-00-234-6554, 10" L x 3/8" W., EA, \$6.46

### Type 3: Smooth Cut.

Federal Strategic Sourcing Initiative, 5110-01-599-5184, 8" L x 19/64" W., EA, \$5.56

## File (American Pattern - Regular)

Hand File (Regular). File is for filing flat surfaces and for filing close to shoulders. File width and thickness are uniform. One edge is safe (uncut). A-A-2313

### Type 2: Second Cut.

Federal Strategic Sourcing Initiative, 5110-00-156-0054, 8" L x 13/16" W., EA, \$7.67

### Type 3: Smooth Cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-156-0059, 10" L x 1" W., EA, \$30.04

## File (American Pattern - Half Round)

Half Round. This file is most often used by machinists, machinery builders and repair personnel when rapid material removal is required. The width is tapered for 1/3 of length to point. These files are characterized by hardened, uniform teeth and conventional tang for attaching a wooden handle. Forged from carbon alloy steel. A-A-2312

### Type 1: Bastard cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-241-9147, 6" L x 5/8" W x 5/32" T., EA, \$6.40

Federal Strategic Sourcing Initiative, 5110-00-241-9150, 8" L x 3/4" W x 7/32" T., EA, \$4.79

### Type 2: Second cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-241-9148, 6" L x 5/8" W x 5/32" T., EA, \$3.86

Federal Strategic Sourcing Initiative, 5110-00-241-9151, 8" L x 3/4" W x 7/32" T., EA, \$7.67

## File (American Pattern - Taper)

Taper File. File is for sharpening standard handsaws and other saws having 60° angled teeth. Triangular shaped and tapered on all sides at least 1/3 of length to point. File is single cut on all surfaces and edges or corners to maintain saw gullets. A-A-2321

### Type 2: Slim.

Federal Strategic Sourcing Initiative, 5110-00-234-6528, 6" L x 3/8" W., EA, \$3.04

## File (American Pattern - Flat)

The flat file is most often used by machinists, machinery builders and repair personnel when rapid material removal is required. Double cut on top and bottom. The files are uniform in width and thickness from approximately the midpoint to the heel of the file. These files are characterized by hardened, uniform teeth and conventional tang for attaching a wooden handle. Forged from carbon alloy steel. A-A-2311

### Type 1: Bastard Cut.

Federal Strategic Sourcing Initiative, 5110-00-234-6539, 12" L x 1-3/16" W., EA, \$8.68

### Type 2: Second Cut.

Federal Strategic Sourcing Initiative, 5110-00-234-6534, 8" L x 13/16" W., EA, \$6.63

### Type 3: Smooth Cut.

Federal Strategic Sourcing Initiative, 5110-00-203-4935, 8" L x 13/16" W., EA, \$6.24

Federal Strategic Sourcing Initiative, 5110-00-249-2850, 10" L x 1" W., EA, \$9.84

## File (American Pattern - 3 Square)

Three Square File. This file is for filing internal angles more acute than the right angle, clearing out corners, filing taps and cutters in an annealed state. It is triangular shaped and tapered on all sides at least one third of length to point. A-A-2322.

### Type 2: Second cut.

Federal Strategic Sourcing Initiative, 5110-01-601-5159, 8" L x 5/8" W., EA, \$7.67

### Type 3: Smooth cut.

Federal Strategic Sourcing Initiative, 5110-01-542-3028, 4" L x 1/2" W., EA, \$3.26

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-241-9160, 6" L x 1/2" W., EA, \$5.44

## File (Swiss Pattern)

Precision craftsmen, jewelers, tool and die makers and instrument part finishers use Swiss pattern files for finishing delicate and intricate parts. These files are made in much finer cuts, which vary from No. 00 (the coarsest) to No. 6 (the finest).

**Half-Round File. File is double cut on both flat and half-round surfaces. Width and thickness are tapered to a pointed end. Cut No. 2.**

Federal Strategic Sourcing Initiative, 5110-01-657-4266, Needle #0 Cut, 6-1/4" L x 3/32" W., EA, \$6.20

Federal Strategic Sourcing Initiative, 5110-00-239-3269, Half Round #2 Cut, 6-1/4" L x 7/32" W., EA, \$6.20

**Round File. File is double cut and tapers to a point. Cut No. 2.**

Federal Strategic Sourcing Initiative, 5110-00-245-4177, Round #2 Cut, 6" L x 1/8" Dia., EA, \$4.56

**Three Square File.** File is triangular, double cut on all flat surfaces and tapered to a pointed end.

Federal Strategic Sourcing Initiative, 5110-00-239-7590, 3 Square #2 Cut, 6-1/4" L x 5/32" Dia., EA, \$6.20

**Flat File.** File is double cut on both flat surfaces and single cut on both square edges. Width is tapered to a pointed end and the thickness is uniform.

Federal Strategic Sourcing Initiative, 5110-00-156-0063, Flat #2 Cut, 6-1/4" L x 7/32" W., EA, \$6.20

**Square File.** File is double cut on three sides and double cut or safe (uncut) on the fourth side. Tapered to pointed end.

Federal Strategic Sourcing Initiative, 5110-00-239-7602, Square #2 Cut, 6-1/4" L x 7/64" W., EA, \$6.20

**Knife File.** File is double cut on flat surfaces and safe (uncut) on edge. Tapers to a pointed end. Has wedge shaped cross section.

Federal Strategic Sourcing Initiative, 5110-00-156-0065, Knife #2 Cut, 6-1/4" L x 7/32" W., EA, \$5.68

**Marking File.** File is double cut on half-round side and is safe (uncut) on flat side. Tapered to a point.

Federal Strategic Sourcing Initiative, 5110-00-245-4165, Marking #2 Cut, 6" L x 7/32" Dia., EA, \$5.98

**Equaling File.** File is double cut on flat surfaces and single cut on square edges. Width and thickness are uniform.

Federal Strategic Sourcing Initiative, 5110-00-156-0062, Equaling #2 Cut, 6-1/4" L x 7/32" W., EA, \$6.20

**Joint File.** File is flat with rounded edges and is safe (uncut) on both flat surfaces and double cut on both edges. Width and thickness are uniform.

Federal Strategic Sourcing Initiative, 5110-00-239-3281, Joint #2 Cut, 6-1/4" L x 7/32" W., EA, \$6.20

**Barrette File.** File is double cut on wide flat side, safe (uncut) on both narrow sides and tapered to a pointed end. Cut No. 2.

Federal Strategic Sourcing Initiative, 5110-00-242-0127, Barrette #2 Cut, 6" L x 7/32" Dia., EA, \$4.81

**Slitting File.** File is double cut on four flat surfaces and single cut on two edges. Width is uniform. Cut No. 2.

Federal Strategic Sourcing Initiative, 5110-00-239-7614, Slitting #2 Cut, 6" L x 1/4" Dia., EA, \$5.41

**Crossing File.** File is double cut on both curved surfaces. Width and thickness are tapered to a pointed end. Has a pointed, oval cross section. Cut No. 2.

Federal Strategic Sourcing Initiative, 5110-00-242-0146, Crossing #2 Cut, 6" L x 13/64" Dia., EA, \$5.41

## File Set (Swiss Pattern)

Precision craftsmen, jewelers, tool and die makers and instrument part finishers use Swiss pattern files for finishing delicate and intricate parts. These files are made in much finer cuts, which vary from No. 00 (the coarsest) to No. 6 (the finest).

This set of needle files (12) (Swiss-pattern) contains one each of the following: cut #2 equaling, flat, knife, half round, round edge, three square, square, slitting, barrette, crossing, marking (half round) and round types of files. It is furnished in a durable fabric, leatherette, plastic pouch, wrap or roll with a compartment for each file and with durable ties or fasteners.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-204-2685, 6-1/4" L., SE, \$64.92

## File Set

These file sets are used for shaping, cutting and smoothing surfaces.

This general use swiss file set is most often used by machinists, machinery builders and repair personnel when rapid material removal is required. Contains one (1) each of the following twelve (12) blade types: equaling, flat/warding, round, half round, three square, square, crossing, joint, barrette, knife, slitting and marking. All have knurled handles and are in a compartmented vinyl tool roll. All have knurled handles and are in a compartmented vinyl tool roll.

Federal Strategic Sourcing Initiative, 5110-01-617-7463, SE, \$111.40

## File Set (American Pattern)

These file sets are used for shaping, cutting and smoothing surfaces.

This set of carbon alloy steel files (14) contains: (6 half round, 2 regular, 6 taper). The set is furnished in either a durable fabric, leatherette, plastic pouch, wrap or roll with a compartment for each file, and with durable ties or fasteners.

Plastics Removal in Marine Environments

5110-00-595-8317, SE, \$73.89

## File Brush

Combination file card and brush removes filings and other matter from file teeth. Fine steel wire card on one side loosens chips from file teeth. Stiff-bristled fiber or brass wire brush on the reverse side finishes cleaning of file. Body of brush is 4-1/2" long and 1-3/8" wide; bristles are 5/8" long. Card wire is 1/4" long. Measures 9" overall length. Brush has a wood block with a wooden handle. Hanging hole is provided.

Plastics Removal in Marine Environments

7920-00-224-7987, 63650 or equal, EA, \$13.28

## Handle (File)

Wooden handle with metal ferrule is designed for use with files and similar tools that have tang-type shanks. Features tang-holding metal jaws or chuck. The adjusting mechanism consists of an adjusting cap and a threaded metal sleeve or screw.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-595-8325, 4-1/8" L, 1" D., EA, \$5.67

## Rasp

This wood rasp has smooth cut type and is suitable for cabinetmaking and woodworking. Raised portion of metal from the surface forms hardened rounded teeth on both flat and rounded sides, and single-cut edges on the sides. The carbon alloy steel rasp has tapered width and thickness, and includes a conventional tang for wooden handle. A-A-2329

**Wood Rasp (Half Round).** Rasp has teeth on both flat and rounded sides and single-cut edges on the sides. Tapers toward the point.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-233-9722, 12" L x 1-5/16" W x 11/32" T., EA, \$15.72

# Ball Peen Hammers

## Ball Peen Hammer (Fiberglass Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-00-061-8540, 4oz, 10-1/2" L., EA, \$10.32

Federal Strategic Sourcing Initiative, 5120-01-355-2048, 8oz, 11" L., EA, \$22.73

Federal Strategic Sourcing Initiative, 5120-01-434-9537, 8oz, 12 1/2" L., EA, \$21.76

Federal Strategic Sourcing Initiative, 5120-01-355-2050, 16oz, 13" L., EA, \$21.94

Federal Strategic Sourcing Initiative, 5120-01-434-9559, 16oz, 13" L., EA, \$21.24

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-061-8541, 8oz, 12" L, Comfort Grip / Machinists., EA, \$19.44

Federal Strategic Sourcing Initiative, 5120-00-061-8543, 16oz, 13-1/2" L, Comfort Grip., EA, \$20.31

Federal Strategic Sourcing Initiative, 5120-00-061-8545, 24oz, 15" L., EA, \$22.26

Federal Strategic Sourcing Initiative, 5120-00-061-8546, 32oz, 15" L., EA, \$22.86

### Made of copper alloy. Non-magnetic and Non-sparking.

Federal Strategic Sourcing Initiative, 5120-00-187-1034, 32oz, 14" L., EA, \$75.36

Federal Strategic Sourcing Initiative, 5120-01-355-2052, 32oz, 16" L., EA, \$26.47

## Ball Peen Hammer (Graphite Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-01-428-5158, 16oz, 12-3/4" L., EA, \$20.97

## Ball Peen Hammer (Steel Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-01-428-5168, 12oz, 11 3/4" L., EA, \$21.63

Federal Strategic Sourcing Initiative, 5120-01-070-4541, 54-532 or equal, 32oz, 13-3/4" L, Urethane Coated., EA, \$40.37

## Ball Peen Hammer (Wood Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-01-335-1472, 8oz, 12-1/2" L., EA, \$12.57

Federal Strategic Sourcing Initiative, 5120-01-335-1474, 16oz, 14-1/2" L., EA, \$14.62

Federal Strategic Sourcing Initiative, 5120-01-428-5182, 32oz, 15" L., EA, \$27.24

Federal Strategic Sourcing Initiative, 5120-01-355-2036, 32oz, 16" L., EA, \$21.56

### Made of copper alloy. Non-magnetic and Non-sparking.

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-187-1033, 24oz, 14-1/2" L., EA, \$62.02

## Ball Peen Hammer (Urethane Head and Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-01-335-1483, HBBD16 or equal, 16oz, 12-7/8" L., EA, \$41.58

## Ball Peen Hammer (Dead Blow)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

**Dead blow alloy steel faced ball peen hammer has a one-piece urethane coating that completely covers the steel handle and head. Fine metal shot is sealed within a unitized metal canister which virtually eliminates bounce-back.**

Federal Strategic Sourcing Initiative, 5120-01-070-4542, 16oz, 12-3/4" L., EA, \$28.40

Federal Strategic Sourcing Initiative, 5120-01-070-4540, 24oz, 13-1/4" L, Urethane Coated., EA, \$33.22

# Claw Hammers

## Claw Hammer

Carpenters' hammer is used to drive or remove nails and brads. Hammer is made of beryllium-copper or aluminum-bronze alloy. Hickory handle has a clear lacquer coating and is firmly attached to the head with a wedge.

Federal Strategic Sourcing Initiative, 5120-00-243-2959, 16oz head, 13" L., EA, \$63.44

## Claw Hammer (Curved Claw)

These hammers are either smooth or textured faced. They will have a striking face on one end for driving nails and a curved-claw end for removing nails. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice of carpenter's. B107.400 Cat 41.

Federal Strategic Sourcing Initiative, 5120-00-900-6110, 13oz, 13" L, Fiberglass Handle., EA, \$13.03

Federal Strategic Sourcing Initiative, 5120-01-112-8350, 16oz, 13" L, Steel Handle, Comfort Grip., EA, \$18.21

Federal Strategic Sourcing Initiative, 5120-00-892-5485, 16oz, 13" L, Fiberglass Handle., EA, \$21.12

Federal Strategic Sourcing Initiative, 5120-01-112-8349, 20oz, 13-1/2" L, Steel Handle., EA, \$26.72

Federal Strategic Sourcing Initiative, 5120-01-112-8352, 20oz, 13-1/2" L, Wood Handle., EA, \$23.12

## Claw Hammer (Straight Claw)

These hammers are either smooth or textured faced. They will have a striking face on one end for driving nails and a straight claw end for removing nails or ripping apart or tearing down wooden structures. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice of carpenter's. Described by: (Weight, Length, Face, Handle) B107.400 Cat 41.

Federal Strategic Sourcing Initiative, 5120-01-112-8345, 20oz, 13-1/2" L, Smooth, Steel Handle, Comfort Grip., EA, \$24.05

Federal Strategic Sourcing Initiative, 5120-01-069-5686, 22oz, 16" L, Milled, Nylon Handle., EA, \$30.35

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-892-5744, 20oz, 14" L, Smooth, Fiberglass Handle., EA, \$25.51

# Sledge and Special Purpose Hammers

## Blacksmith's/Engineer's Hammer (Hand Drilling)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

**This Engineer's double faced hand drilling hammer features an octagonal face on each end of the head. This hammer is intended specifically for use in striking chisels, punches, star drills, spikes and large hardened nails.**

5120-01-598-5655, AbilityOne, 4lbs, 10" L, Fiberglass Handle., EA, \$30.35

Federal Strategic Sourcing Initiative, 5120-01-487-5272, 5oz, 9-3/8" L, Urethane Coated., EA, \$20.80

Federal Strategic Sourcing Initiative, 5120-00-224-4141, 4lbs, 10-1/2" L, Wood Handle., EA, \$16.01

Federal Strategic Sourcing Initiative, 5120-01-395-7207, 4lbs, 14" L, Fiberglass Handle., EA, \$45.07

## Blacksmith's/Engineer's Hammer (Sledge)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

**Nonmagnetic and nonsparking, copper or bronze alloy.**

Federal Strategic Sourcing Initiative, 5120-01-430-1481, 1-1/2 Lbs, 15" L, Copper Alloy, Fiberglass Handle., EA, \$41.19

**This Engineer's double faced sledge hammer features an octagonal face on each end of the head.**

Federal Strategic Sourcing Initiative, 5120-01-399-9252, 3Lbs, 14" L, Comfort Grip, Fiberglass Handle., EA, \$37.48

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-203-4656, 2-1/2lbs, 15" L, Wood Handle., EA, \$12.84

### *Nonmagnetic and Nonsparking.*

Federal Strategic Sourcing Initiative, 5120-01-420-8619, 4lbs, 16" L, Wood Handle., EA, \$49.14

Federal Strategic Sourcing Initiative, 5120-00-251-4489, 8lbs, 32" L, Wood Handle., EA, \$24.41

Federal Strategic Sourcing Initiative, 5120-01-399-9262, 8Lbs, 32" L, Comfort Grip, Fiberglass Handle., EA, \$56.05

Federal Strategic Sourcing Initiative, 5120-00-900-6096, AbilityOne, 8lbs, 35" L, Fiberglass Handle., EA, \$42.49

Federal Strategic Sourcing Initiative, 5120-00-900-6097, AbilityOne, 10Lbs, 35" L, Comfort Grip, Fiberglass Handle., EA, \$47.36

Federal Strategic Sourcing Initiative, 5120-00-900-6098, AbilityOne, 12lbs, 35-1/2" L, Fiberglass Handle., EA, \$55.77

Federal Strategic Sourcing Initiative, 5120-01-596-6433, 12lbs, 32" L, Fiberglass Handle, Comfort Grip., EA, \$80.94

Federal Strategic Sourcing Initiative, 5120-01-598-5650, AbilityOne, 16lbs, 36" L, Fiberglass Handle., EA, \$77.57

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-265-7462, 6lbs, 32" L, Wood Handle., EA, \$25.17

Federal Strategic Sourcing Initiative, 5120-00-243-2957, 10lbs, 35" L, Wood Handle., EA, \$31.93

Federal Strategic Sourcing Initiative, 5120-00-293-0887, 12lbs, 34" L, Wood Handle., EA, \$35.36

## Blacksmith's/Engineer's Hammer (Stone Sledge)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

**This blacksmith's stone sledge hammer features an octagonal face on one end of the head and a straight peen on the other end. The straight peen is intended specifically for making score lines in stone and masonry.**

Federal Strategic Sourcing Initiative, 5120-00-224-4139, 12 Lbs, 36" L, Wood Handle., EA, \$56.67

## Blacksmith's/Engineer's Hammer (Cross-Peen)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

**This blacksmith's cross-peen hammer features an octagonal face on one end of the head and a cross peen on the other end. The cross peen is at a right angle to the handle axis.**

*Nonmagnetic and nonsparking, copper or bronze alloy.*

Federal Strategic Sourcing Initiative, 5120-00-903-9303, 2-1/2lbs, 15"L, Fiberglass Handle., EA, \$127.14

Federal Strategic Sourcing Initiative, 5120-00-900-6103, AbilityOne, 3lbs, 16" L, Fiberglass Handle., EA, \$27.25

Federal Strategic Sourcing Initiative, 5120-00-242-3915, 3 lb, 16" L, Wood Handle., EA, \$17.31

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-4130, 2lbs, 36" L, Wood Handle., EA, \$53.89

## Blacksmith's Hammer (Cross Peen)

This hardened, heavy striking tool has a striking face on one end and a special purpose cross peen striking end on the other. The head has a corrosion-preventive coating and a polished striking face. The handle is made of fiberglass.

Federal Strategic Sourcing Initiative, 5120-00-902-0094, 8 Lbs, 32" L., EA, \$43.44

## Blacksmith's/Engineer's Hammer (Dead Blow)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

**This dead blow double faced sledge hammer features an octagonal face on each end of the head.**

Federal Strategic Sourcing Initiative, 5120-01-473-9724, 10015 or equal., 16oz, 12" L, Fiberglass Handle., EA, \$29.59

Federal Strategic Sourcing Initiative, 5120-01-415-4223, 42oz, 14" L, Urethane Coated, Wood Handle., EA, \$27.37

Federal Strategic Sourcing Initiative, 5120-01-065-2211, 4lbs, 16" L, Urethane Coated Head and Handle., EA, \$34.73

Federal Strategic Sourcing Initiative, 5120-01-355-2042, 8lbs, 30" L, Urethane Coated., EA, \$93.85

Federal Strategic Sourcing Initiative, 5120-01-355-2044, 11-1/2lbs, 36" L, Urethane Coated., EA, \$137.85

**This Engineer's double faced sledge hammer features an octagonal face on each end of the head.**

Federal Strategic Sourcing Initiative, 5120-01-032-7496, 57-542 or equal, 22oz, 12" L, Steel Handle, Urethane Coated., EA, \$20.21

## Welder's Hammer

Hammer has a forged steel chipping head and hardened edges. Use for chipping welds and welding slag.

**Has a straight 5/8 inch peen with double bevels on one end and a 60 degree punch point on the other end. Coiled steel handle consists of a round steel bar with a securely fastened spiral wire handgrip. Hammer has a 6 inch head.**

*Head weight: 14 oz.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-585-2383, 10" L., EA, \$6.51

## Mallet (Rawhide)

Mallet features a solid rawhide, cylindrical head. Firmly glued joints provide added durability, and a moisture-resistant coating on the head prolongs the life of the tool. Hickory handle has a clear lacquer coating.

Federal Strategic Sourcing Initiative, 5120-00-293-3397, 11 oz, Face: 2", Hickory Handle., EA, \$26.38

## Rubber Mallet

Solid Rubber Head Mallet used for replacing hub caps, body work, etc.

Federal Strategic Sourcing Initiative, 5120-01-589-8738, 16-3/4" L, Head 5" L, Face diameter: 2-5/8", 37 oz., EA, \$26.13

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-3399, 15" L, Head 3-3/8" L, Face diameter: 2", 24 oz., EA, \$12.23

## Wood Mallet

Carpenter's-style mallet has a cylindrical head with parallel faces. Detachable, smooth hardwood handle fits firmly in mortised or tapered hole in head.

Federal Strategic Sourcing Initiative, 5120-00-224-1416, 14" L, Face: 3-1/2" Dia., EA, \$22.09

Laminated, cylindrical head has parallel faces and slightly rounded edges. The heads is constructed of a minimum of five plies and a maximum eight plies glued together under adequate pressure and curing time to produce a serviceable mallet. Described by: (Handle Length, Head Dimensions).

Federal Strategic Sourcing Initiative, 5120-00-926-7116, 36" L, Head: 8" L x 6" Dia., EA, \$81.17

Federal Strategic Sourcing Initiative, 5120-00-926-7117, 36" L, Head: 10" L x 8" Dia., EA, \$83.15

## Ship Maul

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-255-1476, 5lbs., EA, \$87.69

## Stoneworker's Hammer

Hammer has a hardened, forged steel head with a polished face and rust-preventive coating.

Mason's-style hammer has a rectangular, 5-1/2-long, 3-lb head with a 2 x 1 flat face with sharp corners and one straight peen with a beveled sharp edge. Hickory handle has a clear lacquer coating. Hammer is 16 long.

Federal Strategic Sourcing Initiative, 5120-00-224-4085, EA, \$47.55

## Slide Hammer Assembly

Use to place or remove grounding or lightning rod from the ground. Assembly consists of rod mounting assembly, 5/8" dia and 36" L; impact hammer assembly with two handles; and impact disk, 4" diameter and 1" thick. Cushioned grip reduces shock. Made of steel with a black oxide finish.

5120-01-013-1676, 5120-01-013-1676 or equal., EA, \$90.44

## Hammer (Soft Face)(Dead Blow)

Has a solid, square or barrel shaped head with two smooth, flat faces. Prevents damage to work surfaces.

Federal Strategic Sourcing Initiative, 5120-01-437-1951, HBFE48 or equal, Face: 2-1/4" Dia, 48oz, 15" L., EA, \$27.31

Urethane coated handle, head and faces.

Federal Strategic Sourcing Initiative, 5120-01-065-9037, 57-533 or equal., Face: 2-1/4" Dia, 42oz, 14-1/4" L., EA, \$26.83

Federal Strategic Sourcing Initiative, 5120-01-071-5356, Face: 1-1/2" Dia, 10oz, 10-1/8" L., EA, \$21.27

Federal Strategic Sourcing Initiative, 5120-01-399-9266, Face: 1-5/8" Dia, 16oz, 12" L., EA, \$31.52

Federal Strategic Sourcing Initiative, 5120-01-097-4520, 57-531 or equal., Face: 1-3/4" Dia, 18oz, 11-1/4" L., EA, \$17.05

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-072-7987, Face: 1" Dia, 5 - 8oz, 10" L., EA, \$13.45

## Hammer (Soft Face)

Has a solid, square or barrel shaped head with two smooth, flat faces. Prevents damage to work surfaces.

### Copper head and faces.

Federal Strategic Sourcing Initiative, 5120-00-194-1648, Face: 1-1/4" Dia, 2 Lbs, 13" L, Wood Handle., EA, \$43.19

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3908, 4 oz, 8" L., EA, \$22.55

## Hammer Handle

This straight grained handle is made from Grade AA or B hickory and coated with clear lacquer. Use this wooden replacement handle with these various hammers: Sledge, mauls, engineer's and similar heavy duty tools.

### Sledge hammers, mauls, Engineer's hammers and similar heavy duty tools.

Federal Strategic Sourcing Initiative, 5120-00-288-6563, 32" L, Eye: 1-5/16" L x 15/16" W., EA, \$6.97

Federal Strategic Sourcing Initiative, 5120-00-288-6564, 36" L, Eye: 1-5/16" L x 15/16" W., EA, \$13.42

## Hammer Insert (Soft Face)

Regular design soft face hammer inserts have a tapered screw molded into the rear or the face. To be used with a regular design insert type hammers. Color of the face designates the hardness. Described by (Face Diameter, Shape of Face, Material, Thread Size).

Federal Strategic Sourcing Initiative, 5120-00-293-3003, Red, 1", Flat, Plastic, 5/16"., EA, \$6.06

Federal Strategic Sourcing Initiative, 5120-00-555-2074, Black, 1", Flat, Plastic, 5/16"., EA, \$7.23

Federal Strategic Sourcing Initiative, 5120-00-293-3007, 15-102 or equal., Brown, 1", Flat, Plastic, 5/16"., EA, \$4.38

Federal Strategic Sourcing Initiative, 5120-00-293-2999, Green, 1", Flat, Plastic, 5/16"., EA, \$5.46

Federal Strategic Sourcing Initiative, 5120-01-435-0665, Brown, 1-1/2", Flat, Plastic., EA, \$8.95

Federal Strategic Sourcing Initiative, 5120-00-596-1071, Red, 1-1/2", Flat, Plastic, 5/16"., EA, \$9.15

Federal Strategic Sourcing Initiative, 5120-01-400-1165, JSF15T, 1-1/2", Flat, Plastic, 7/16"., EA, \$8.04

Federal Strategic Sourcing Initiative, 5120-01-435-0661, Black, 1-1/2", Flat, Plastic, 5/16"., EA, \$12.73

Federal Strategic Sourcing Initiative, 5120-00-555-2077, HSF-15XH or equal., Yellow, 1-1/2", Flat, Plastic, 5/16"., EA, \$10.46

Federal Strategic Sourcing Initiative, 5120-00-357-5868, Cream, 2-1/2", Flat, Plastic, 7/16"., EA, \$27.89

Federal Strategic Sourcing Initiative, 5120-00-293-2997, Green, 2", Convex, Plastic, 3/8"., EA, \$10.49

Federal Strategic Sourcing Initiative, 5120-00-293-3005, 15-202 or equal., 2", Flat, Plastic, 3/8"., EA, \$11.80

Federal Strategic Sourcing Initiative, 5120-00-293-3002, Red, 2-1/2", Flat, Plastic, 7/16"., EA, \$21.19

Federal Strategic Sourcing Initiative, 5120-00-971-7053, 25T 15-254 or equal., Green, 2-1/2", Flat, Plastic, 7/16"., EA, \$21.19

Federal Strategic Sourcing Initiative, 5120-00-555-2086, 15-308 or equal., Black, 3", Flat, Plastic, 1/2"., EA, \$56.01

## Hammer Insert Holder (Soft Face)

Regular design insert holder consists of an aluminum or zinc alloy head permanently affixed to a wood or fiberglass handle. Head faces have drilled and tapped tapered recesses to receive screw in plastic inserts. Accepts all grades of plastic inserts (Not included).

Federal Strategic Sourcing Initiative, 5120-00-903-8545, Face: 1" Dia, 6 oz, 11" L, Fiberglass Handle., EA, \$17.02

Federal Strategic Sourcing Initiative, 5120-00-903-8546, Face: 1" Dia, 9 oz, 11" L., EA, \$18.22

Federal Strategic Sourcing Initiative, 5120-00-903-8547, Face: 1-1/2" Dia, 12 oz, 13" L, Fiberglass Handle., EA, \$21.91

Federal Strategic Sourcing Initiative, 5120-01-335-1469, Face: 1-5/8" Dia, 2 Lbs, 13" L, Fiberglass Handle, 2 Tips Included., EA, \$27.65

Federal Strategic Sourcing Initiative, 5120-00-903-8553, Face: 2" Dia, 2 Lbs, 13" L, Fiberglass or Wood Handle., EA, \$25.92

Federal Strategic Sourcing Initiative, 5120-00-903-9310, Face: 2" Dia, 1-1/4 Lbs, 13" L, Fiberglass Handle., EA, \$20.58

Federal Strategic Sourcing Initiative, 5120-00-903-8552, Face: 3" Dia, 3-1/2 Lbs, 14" L, Fiberglass Handle., EA, \$68.88

### Nonmagnetic and Nonsparking.

Federal Strategic Sourcing Initiative, 5120-00-903-8555, 09554 or equal., Face: 1-1/2" Dia, 1-1/4 Lbs, 13" L, Fiberglass Handle., EA, \$23.76

## Hammer (Scaling)

These hardened, forged steel specialty hammers will have a striking face on one end and a special purpose cross peen striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 58.

**This scaling hammer is intended specifically for removing scale, paint, welding flux (slag), rust, or other flaking material from metal surfaces.**

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-4111, 16oz, 14" L, Wood Handle., EA, \$11.92



# Batteries

## Lithium Battery

Lithium thionyl chloride battery, 3.6V, AA size, 1.9 Ah capacity.

*60-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6135-01-301-8776, LITHLS14500BA or Equal, EA, \$2.93

## Alkaline Battery

Alkaline manganese dioxide battery. Non-rechargeable. ANSI C18.1.

**Nominal voltage is 1.5V.**

*36-month maximum shelf life (not extendable).*

6135-01-446-8308, AbilityOne, Size: AAA, PG(contains 4 EA), \$1.18

6135-01-447-0950, AbilityOne, Size: AA, PG(contains 4 EA), \$2.18

6135-01-446-8307, AbilityOne, Size: C, PG(contains 4 EA), \$4.48

Federal Strategic Sourcing Initiative, 6135-01-446-8310, MN1300R4Z or Equal, Size: D, PG(contains 4 EA), \$3.82

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6135-00-826-4798, 824-12CF or Equal, Size: AAA, PG(contains 12 EA), \$3.34

Federal Strategic Sourcing Initiative, 6135-00-835-7210, 813-12PPD or Equal, Size: D, PG(contains 12 EA), \$11.66

**Rectangular shaped, with two snap terminals.**

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6135-01-447-0949, A1604-2K or Equal, Size: 9V, PG(contains 2 EA), \$5.19

Federal Strategic Sourcing Initiative, 6135-00-900-2139, A1604-12PPJ or Equal, Size: 9V, PG(contains 12 EA), \$10.49

## Rechargeable Battery

Rechargeable nickel-metal hydride (NiMH) battery has a nominal voltage of 1.2 volts and a minimum average capacity of 1800 mAh (to 1.0 volts).

*60-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6140-01-413-3926, NH15BP-4 or Equal, Size: AA, PG(contains 4 EA), \$10.25

6140-01-413-3923, NM714-2 or equal, Size: C, PG(contains 2 EA), \$11.06

6140-01-413-3925, NM713-2 or equal, Size: D, PG(contains 2 EA), \$11.06

## Battery Charger

Table top battery charger is portable and works with rechargeable nickel-metal hydride (NiMH) batteries. Includes a visual indicator displaying the charge status, and a bad battery detection. Charges up to eight AA or AAA, four C or D batteries or one 9 volt. Energy Star Compliant. Works on 120/240 volt; 60/50 Hz.

Energy Star

6130-01-413-3929, CHFC or equal, EA, \$25.29

# Chains

## Chain

Uncoated welded steel proof-coil chain. Working load limit of 4,500- lbs. Breaking force is 18,000-lbs, and the chain size is 1/2". Inside link dimensions: 1.79"L x 0.72"W. IAW RR-C-271G, Type 1, Class 4.

4010-00-149-5584, LG(contains 100 FT), \$261.05

## Sash Chain

Weldless sash chain is made of strong, copper-plated carbon steel. Breaking strength 300 psi. Trade size 8.

4010-00-171-4512, RL(contains 500 FT), \$171.16

## Single-Leg Chain Assembly

Welded steel chain assembly is intended for general service. Includes a grab hook at each end.

**Rugged-service chain safe working load is 5,400-lbs. Inside link dimensions: 1.38"L x 0.55"W. Chain is forged from high-test carbon steel. Chain size is 3/8". IAW RR-C-271, Type 1, Class 2.**

4010-00-171-4427, Length: 20 ft., EA, \$46.21

**Light-service chain safe working load is 1,900-lbs. Inside link dimensions: 1.29"L x 0.44"W. Chain size is 5/16". Proof coil chain is uncoated. IAW RR-C-271G, Type 1, Class 4.**

4010-00-171-4426, Length: 14 ft., EA, \$40.25

# Flashlights and Lanterns

## Lightstick (Chemlight)

Chemical lights, commonly known as Chemlights, are a source of light. These lightsticks are good for emergency, safety and signaling uses. They provide safe, effective light without heat, sparks or flame. To activate, a user bends the plastic lightstick, breaking the inner glass vial. Chemicals from the broken glass vial mix with chemicals from the plastic tube to deliver a light-creating chemical reaction. Self-contained, compact and waterproof.

**Super high intensity; Average life rating: 5 minutes.**

### IAW A-A-55135

*24-month maximum shelf life (not extendable).*

6260-01-247-0363, AbilityOne, Orange, Length: 6", BX(contains 10 EA), \$20.54

**High intensity. Average life rating: 30 minutes.**

### IAW A-A-55132

*48-month maximum shelf life (not extendable).*

6260-01-230-8601, AbilityOne, Red, Length: 6", BX(contains 10 EA), \$20.54

Federal Strategic Sourcing Initiative, 6260-01-074-4230, AbilityOne, Yellow, Length: 6", BX(contains 10 EA), \$16.88

### IAW A-A-55133

*48-month maximum shelf life (not extendable).*

6260-01-247-0368, AbilityOne, White, Length: 6", BX(contains 10 EA), \$16.88

**Average life rating: 3 hours.**

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-195-9752, 9-97520PF or equal, Infrared, Length: 6", BX(contains 10 EA), \$41.52

**Average life rating: 6 hours.**

### IAW A-A-55434

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-00-106-7478, AbilityOne, Green, Length: 4", BX(contains 100 EA), \$127.44

Federal Strategic Sourcing Initiative, 6260-01-282-7630, AbilityOne, Orange, Length: 4", BX(contains 100 EA), \$139.52

**Average life rating: 8 hours.**

### IAW A-A-55131

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-178-5560, AbilityOne, Blue, Length: 6", BX(contains 10 EA), \$16.76

Federal Strategic Sourcing Initiative, 6260-01-218-5146, AbilityOne, White, Length: 6", BX(contains 10 EA), \$16.88

### IAW A-A-55433

*48-month maximum shelf life (not extendable).*

6260-01-265-0614, AbilityOne, Blue, Length: 15", BX(contains 5 EA), \$57.12

6260-01-247-0367, AbilityOne, White, Length: 15", BX(contains 5 EA), \$61.20

*36-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-396-1704, 9-17040PF or equal, Infrared, Length: 6", BX(contains 10 EA), \$53.56

**Average life rating: 12 hours., IAW A-A-55134**

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-195-9753, AbilityOne, Orange, Length: 6", BX(contains 10 EA), \$20.54

### IAW A-A-55432

*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-247-0362, AbilityOne, Green, Length: 15", BX(contains 5 EA), \$54.25

Federal Strategic Sourcing Initiative, 6260-01-265-0612, AbilityOne, Red, Length: 15", BX(contains 5 EA), \$61.20

Federal Strategic Sourcing Initiative, 6260-01-265-0613, AbilityOne, Yellow, Length: 15", BX(contains 5 EA), \$60.98

## Extension Light

Trouble light reflector keeps glare out of eyes and directs light where it is needed. Extension cord permits use over wide range. Includes a metallic guard-reflector assembly, an overhead attachment hook and on-off button switch. For use with 100w bulbs, the light conforms to UL standards. Operates on 115v AC, 60-Hz power, with a three-wire grounding-type cord. Not intended for use in hazardous areas. (Not intended for shipboard use.)

For **Light-duty use, power cord is 18 AWG.**

6230-00-140-1165, UNICOR, Length: 25 ft., EA, \$51.29

6230-00-146-8898, UNICOR, Length: 50 ft., EA, \$54.72

6230-00-146-8899, UNICOR, Length: 100 ft., EA, \$75.24

## Flashlight

Premium flashlight with durable aluminum body, featuring an adjustable beam between spot and flood utilizing a LED lamp. Slide on/off switch, shatter proof lens and corrosion-resistant body. Includes a belt holster and two AA alkaline batteries (3.0 v). For replacement battery see NSN 6135-01-447-0950 (PG/4).

Federal Strategic Sourcing Initiative, 6230-01-513-2663, AbilityOne, Black, Length: 6-1/4", EA, \$14.25

Federal Strategic Sourcing Initiative, 6230-01-513-4300, AbilityOne, Blue, Length: 6-1/4", EA, \$14.25

Federal Strategic Sourcing Initiative, 6230-01-513-3296, AbilityOne, Red, Length: 6-1/4", EA, \$14.25

Federal Strategic Sourcing Initiative, 6230-01-513-3305, AbilityOne, Silver, Length: 6-1/4", EA, \$14.25

Premium flashlight with durable aluminum body, corrosion-resistant, featuring an adjustable beam between spot and flood utilizing a LED lamp. Shatter proof lens. For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

**Requires two D alkaline batteries (not included).**

Federal Strategic Sourcing Initiative, 6230-01-513-3306, AbilityOne, Black, Length: 10-1/2", EA, \$20.29

Tube-shaped flashlight has a three-way switch for on, off and flasher functions. Features a roll-resistant design and a clear, pre-focused spot lens.

**Heavy-duty model comes with one PR-2 or KPR-102 lamp installed, plus a spare lamp that is stored in the watertight plastic case, with hanger ring. Requires two D cell batteries (not included). (Flashlight is not intended for use in environments containing explosive gases or extreme temperatures.) For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 6230-00-163-1856, AbilityOne, EA, \$6.69

**Standard-duty model is suitable for general use. Requires three D cell batteries (not included). Includes one PR-3 or KPR-103 lamp and a metal or plastic case. For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).**

Plastics Removal in Marine Environments

6230-00-643-3486, N95 or equal, EA, \$12.58

**Standard-duty model is suitable for general use. Comes with one PR-2 or KPR-102 lamp. Metal or plastic case has a permanently attached magnet. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).**

6230-00-781-3671, AbilityOne, EA, \$11.47

Flashlight provides a high-intensity light beam. Change from a narrow beam to a flood with a twist of the wrist. Includes a gas filled PR lamp, plus a spare lamp installed in the compartment of the tail cap. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

6230-01-291-7531, S2D015 or equal, Black, Length: 10", EA, \$20.00

Explosion-proof and heat-resistant flashlight is specifically designed to resist water and fumes. It is especially suited for use in areas where danger is present from possible explosion of combustible gases or explosives. Also suitable for shipboard use. Features a three-way switch for on, off and flasher functions. Includes one PR-6 bulb installed plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12). Meets MSHA for safe use in methane-air mixture in accordance with UL 783 Class I, Division I, Groups C and D.

Plastics Removal in Marine Environments

6230-00-299-3035, N35-2 or equal, Black and Yellow, EA, \$14.90

Standard flashlight features a three-way switch for on, off and flasher functions plus a diffused-light lens and multi-colored (red, blue and blackout) removable filters. Has a straight, molded plastic case and comes with one PR-6 bulb installed plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 6230-00-270-5418, N42 or equal, EA, \$8.72

Specially designed for directing vehicular traffic and for other signaling purposes. Straight plastic body with cone-shaped traffic baton is watertight and includes a 30-1/2"-long nylon cord affixed to a mounting ring. Features a three-way switch for on, off and flasher functions. Multi-colored (red, amber, green, blue, and blackout) removable filters are provided. A clear, prefocused spot lens concentrates light in a specific area. Comes with one PR-6 bulb installed, plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Plastics Removal in Marine Environments

6230-00-926-4331, W15 or equal, Gray, EA, \$13.19

Right-angle shape, rough service waterproof flashlight features a three-position switch (on/off/blinker) with guard, an ABS body, a belt clip, and a hanging ring plus a diffused light lens and multi-colored (red, blue and blackout) removable filters. Includes a spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Federal Strategic Sourcing Initiative, 6230-01-463-5816, N47-1B or equal, Olive Drab, EA, \$11.24

## Lantern

Easily portable, this battery-operated spotlight has an on-off switch, one installed lamp.

**75 lumens output. Requires one ANSI/NEDA 908 6V battery (not included).**

6230-00-500-0523, BEKLN6V-BTA or equal, EA, \$11.73

# Hardware

## Friction Igniter

For igniting oxyacetylene gas welding and cutting torches. Hand operated tool with spring action. Hooded, round, steel file attached to fixed arm is 1" long. Durable wire frame holds a single flint. Has 6-40 NF series threads on flint holder.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-965-0326, EA, \$2.23

## Friction Igniter Flint Tips

Use replacement flints and holder with friction igniter. Consists of flint and mounting device. Threaded metal sleeve type has size 6-40 NF series threads.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-965-0603, PG(contains 5 EA), \$0.86

## Spudger

This tool has a wide flat-head screwdriver-like end that extends as a wedge, used to separate pressure-fit plastic components without causing damage during separation.

Federal Strategic Sourcing Initiative, 5120-01-514-7806, 5-1/2" L, 5/16" Dia., EA, \$8.29

## Hexagon Head Cap Screw

For use in precision machine tools with tapped holes, this cap screw features a hexagonally shaped head and right-hand thread. May also be used with nut (not included).

**Tempered, medium-carbon steel. Plated with a protective cadmium coating.**

*Coarse threads (UNC), 20 threads per inch.*

5305-00-068-0502, 13003 or equal, 3/4" long x 1/4" diameter, HD, \$16.93

## Hexagon Head Lag Screw

Zinc plated screw with hexagonal head fastens metal to wood or wood to masonry. Commercial low-carbon steel screw has a gimlet point and screw threads.

Federal Strategic Sourcing Initiative, 5305-00-145-1064, 230089 or equal, 3" long x 3/8" diameter, BX(contains 50 EA), \$7.88

## Cowl Fastener Key

For locking and unlocking cowl fasteners on airplanes and other equipment. Radius working ends are provided for 3/8" radius by 0.056" thick and 1/2" radius by 0.072" thick. Body is made of steel with a corrosion-resistant coating. Includes a hardwood or plastic handle.

Federal Strategic Sourcing Initiative, 5120-00-604-5007, EA, \$29.66

## Divider (Spring)

Machinists and sheet metalworkers scribe lines and lay out work using this heat treated tool steel. Consists of circular band spring, two rectangular legs, threaded steel rod with knurled adjusting nut, thumb attachment on top of circular band and fulcrum joint stud. Legs taper to sharp points. Corrosion resistant coating.

**Has a solid adjustment nut.**

Federal Strategic Sourcing Initiative, 5210-00-263-0378, Size: 6", EA, \$72.49

## Lock Washer

Regular, helical, spring-lock washer. Carbon steel.

**Surface is zinc-plated.**

Federal Strategic Sourcing Initiative, 5310-00-637-9541, WL220600 or equal, Size: 3/8", HD, \$1.96

## Counter

The perfect tool for counting people, vehicles, trees, packages, blood cells, bacteriological colonies, and any other visible objects. Handheld instrument is actuated by the thumb and the four-wheel mechanism registers up to 9,999. Features reset knob and clear window. Corrosion-resistant, dustproof case protects unit while not in use.

6680-00-641-3206, EA, \$19.20

## Caster

Rigid, non-swiveling caster assembly is specially designed for use on warehouse, library, post office and comparable carts/transport equipment. Includes flat steel mounting plate and hard-tread non-marking wheel. Features zinc-finished steel body. Ball bearings are plain, carbon steel and self-lubricating.

**Light- to medium-duty caster assembly has a 250-lb. load capacity. Mounting plate is 5" long and 2-1/2" wide. Wheel is 3-1/2" in diameter and has 1-1/4"-wide tread. Four 5/16"-diameter bolt holes are spaced 1-3/16 x 4". Unit is 4-1/2" high.**

5340-00-985-6734, CAS3R or equal, UNICOR, BX(contains 4 EA), \$48.97

**Medium- to heavy-duty assembly is designed for special use and has a 400-lb load capacity. Metal, self-lubricating bushing secured into wheel hub so that caster cannot loosen under normal operating conditions. Mounting plate is 6-1/2" long and 3-1/2" wide. Wheel is 4" in diameter and has 1-1/2" wide tread. Four 3/8" diameter bolt holes are spaced 1-3/4 x 5". Overall height is 5".**

5340-00-985-6735, CAS4R or equal, UNICOR, BX(contains 4 EA), \$50.89

Zinc-plated steel swivel caster assembly is designed for light- to medium-duty use on warehouse, library, post office and comparable carts/transport equipment. Load capacity is 250-lb. Includes a solid, hard-tread wheel with double-row, plain, self-lubricated ball bearings.

**Flat, rectangular steel mounting plate is 3-3/4" wide and 4-1/2" long; mounting slot is 3/8" wide and 3/4" long. Wheel is 3-1/2" in diameter and has 15/16"-wide tread. Overall height is 5".**

Federal Strategic Sourcing Initiative, 5340-00-985-6736, BX(contains 4 EA), \$93.01

## Door Closer

Mechanical door-closing device automatically closes and controls hinged or pivoted doors. Surface mounted for no-hassle. Fasteners and instructions are included.

**Single-action closer with liquid control is cover free.**

*For mounting on hinge side of 38" interior or 30" exterior door.*

5340-00-116-2375, K730/AL or equal, EA, \$58.00

*For mounting on hinge side of 48" interior or 36" exterior door.*

5340-00-116-2376, K740/AL or equal, EA, \$61.53

## Door Hinge

Applicable for use on wood and hollow core metal doors. Full mortise hinge is made of primer-coated wrought steel. This hinge has a plain bearing. Includes removable, steel, primer-coated pins with oval heads and button tips.

**Heavy-duty hinge features five knuckles and eight mounting holes.**

5340-00-664-1326, 4"H x 2"W, PG(contains 2 EA), \$15.81

## Lock Set

Once mounted, this deadbolt's locking mechanism is controlled by an outside key lock and an inside hand lock. Additionally, the entry lock automatically releases when knob is turned from the inside. Features bored mounting and a regular bevel, a tubular case and a pin tumbler locking mechanism. Core allows for unlimited key changes. Designed for 1-3/8" minimum door thickness; flat face measures 2-1/4 x 1". 2-3/4 Inch Backset. (Mounting screws furnished).

5340-00-685-1202, 477/3 or equal, SE, \$42.55

## Lock Pick Set

Contains a generous assortment of the most popular picks, tension wrenches, key extractors and feelers. Includes a vast selection of full, half and three quarter rakes and diamond tips; half, single and double ball picks, light, medium and heavy weight tension wrenches; and hook and saw type key extractors.

**It also includes letterbox pick/tension tools, as well as variable tension tools. Plus, the set includes dual pronged tension tools that provide even tension on double-sided wafer locks. Zippered jacket pocket size 4 x 6-1/2". Contains 40 picks, 14 tension tools, and 6 extractors.**

Federal Strategic Sourcing Initiative, 5120-00-507-0649, NDPK60 or equal., SE, \$120.20

## Mortise Lock Set

Easy to lock and unlock. Entrance or storeroom dead bolt locks and unlocks by turning the knob on the inside; unlocks with a key on the outside. Turn-button or other locking device on the inside must be operated to unlock outside knob. With bored mounting and a regular bevel, this bolt has a brass-plated, round, plain knob and a pin tumbler locking mechanism. Set includes rose, strike, spindle and thumb piece, two knobs, steel tubular case and mounting screws. Allows for 560 key changes. Flat face measures 2-1/4 x 1". Two brass or nickel-silver keys furnished.

Federal Strategic Sourcing Initiative, 5340-00-281-2194, F51 ELA 505 or equal, SE, \$18.29

## Doorstop

Easy-to-use, hinged doorstop securely holds doors in desired position when in "down" position. Fashioned from solid brass or bronze, this manual door holder possesses a spring lever with a replaceable rubber tip. Lever can be locked in vertical position when not in use for uninterrupted door movement. Designed for doors with 3-1/2" or less bottom clearance.

5340-00-568-9915, S580-001 or equal, 3-1/2" to 4-1/2"L, BX(contains 10 EA), \$50.60

Molded rubber doorstop has a textured or smooth finish and a serrated bottom. Dimensions are 1 to 1-3/4" wide; 3-3/4 to 5-1/2" long; 1-1/4 to 2" high tapering to 1/8" at the point.

5340-00-907-8277, Black or Brown, EA, \$12.07

## Padlock

Ideal for low level security applications. Keyless combination lock with a four-point combination that may be changed as many as 10,000 times for added security (preset combinations, instructions and tools included). Operates by four numbered disks located on the opposite side of the shackle (bottom of lock). Working parts are lubricated with graphite for ease of use. ASTM F883, Type PO 2, Grade 2. Hardened steel shackle with 2-1/4" clearance.

Plastics Removal in Marine Environments

5340-00-292-0896, 179LH or equal, EA, \$8.40

Comes with preset combinations. Keyless combination lock for low-security use. Single dial has a three-point combination mechanism. Working parts are lubricated with graphite for ease of use. Case is 2" wide, with a 1/4"-diameter hardened steel shackle with 7/8" clearance.

5340-00-514-2782, EA, \$3.93

Steel body case, hardened steel shackle. Shackle clearance 1.125". Shackle diameter 0.312". Has a key retaining feature. Padlocks are keyed different and furnished with two keys per lock with a solid case.

5340-00-158-3805, A5200GLN or equal, EA, \$8.19

Changeable combination padlock is designed to be resistant to opening by manipulation and surreptitious attack IAW FF-P-110, Type DE Class II. This padlock conforms to the standards for security equipment as set forth in the National Security Council Directive Governing Classification, Downgrading, Declassification and Safeguarding of National Security Information. Supplied with tools and instructions for changing the 30,000 different possible combinations.

**Case measures 2-3/4 inches wide; Overall length 4-1/8 inches, 3/4 inch horizontal shackle clearance with a 5/16 inch diameter shackle.**

Federal Strategic Sourcing Initiative, 5340-00-285-6523, 8077 or equal, EA, \$159.76

Rectangular lock possesses a solid steel body that is corrosion resistant. Case is hardened steel, shackle's diameter measures 0.312", with a clearance 1-1/8". Includes a 9" chain and a key-retaining feature. Each lock is keyed differently. Furnished with two keys.

5340-00-158-3807, A5200GLWN or equal, EA, \$8.58

Intended for low-security use. Inside vertical clearance of the shackle is between 3/4" to 1-1/8" from the top center portion of the padlock to the innermost inside bend radius of the shackle. Shackle side clearance is 3/4" minimum. Key-operated padlock is keyed different and includes two keys. Case may be either brass or bronze. "US" marking may not be present. ASTM F883, Type P01, Grade 2, Option F.

**Shackle clearance of 0.750" to 1.188" and shackle diameter 0.250". No chain. NOT KEY RETAINING.**

*(Lock shown is a representational picture only, actual item received may be of different design.)*

Plastics Removal in Marine Environments

5340-01-346-7462, ASL40B or equal, EA, \$10.83

Intended for low-security use. Inside vertical clearance of the shackle is between 1" to 1-5/8" from the top center portion of the padlock to the innermost inside bend radius of the shackle. Shackle side clearance is 3/4" to 7/8" ; shackle diameter 0.281" to 0.312". Key-operated padlock. "US" marking may not be present. ASTM F883, Type P01, Grade 2, Option E.

**Shackle is made of hardened steel. (Case is made of steel).**

**Does not include a sash chain. NOT KEY RETAINING.**

5340-01-346-4611, 1LF or equal, EA, \$4.14

**Includes a 9" sash chain. (Lock shown is a representational picture only, actual item received may be of different design.) NOT KEY RETAINING.**

5340-01-346-4612, 1LFW or equal, EA, \$4.62

## Padlock Set

Set of five padlocks keyed alike and furnished with one key per lock and two additional keys per set. Has a rectangular style, solid or laminated brass body and brass or bronze shackle. Shackle clearance is 0.750" with a 0.250" shackle diameter. Includes a 9" chain and key retaining feature.

(Lock shown is a representational picture only, actual item received may be of different design.)

Federal Strategic Sourcing Initiative, 5340-00-682-1505, ASL40N KA B SBC USS 1KEY 2KS5 or equal, SE, \$47.08

Set of ten padlocks, keyed alike, with one key per lock and two additional keys per set. Has a steel body and case hardened shackle. Shackle clearance is 1.125 with a 0.312" diameter. Includes a key retaining feature. Without chain.

5340-01-463-5841, A5200GLNKAS10 or equal, SE, \$64.53

Set of six brass or bronze key-operated padlocks that are all keyed alike. Shackle diameter is 0.250" and shackle clearance of 0.750" to 1.188". Case is rectangular, solid laminated brass or bronze similar to padlock furnished under NSN 5340-01-346-7462. Does not contain chain. Furnished with two keys per lock. ASTM F883, Type, PO 1, Grade 2, Option F.

**NOT KEY RETAINING.**

5340-01-412-7004, ASL40KAS6BUSS6 or Equal, SE, \$64.15

## Swivel Snap Hook

Brass swivel snap hook designed for the attachment of outdoor flags, with grommet headings, to the flagpole halyard.

**Overall length: 3-1/2"; swivel eye 3/4"; snap opening 3/8".**

5340-01-412-7006, 2380 or equal, PG(contains 4 EA), \$38.53

## Surge Suppressor

Surge suppressor with a 6-foot cord and six-outlets. Features a plastic case, three conductors, 15 amps, 120 volts AC, 312 joules, EMI/RFI filtration, lighted master On/Off switch, and built-in T-slots for wall mounting. UL 1449.

5920-01-384-8597, 06-PT6683 or equal, EA, \$10.71

Surge suppressor provides protection to your electronic equipment. Features a 6-foot cord and eight-outlets total with a minimum of 3 outlets with transformer spacing, 480 joule rating, 120 volts AC, EMI/RFI filtration. UL 1449.

5920-01-422-8851, 3000J or Equal, EA, \$22.99

Surge suppressor has a 6-foot cord and six-outlets. Features a 15 amp circuit breaker, 360 joules, 27,000 peak amps, EMI/RFI filtration, 330 volts clamping. UL 1449.

5920-01-422-8867, 03984 or equal, EA, \$13.75

Plug strip features a 6-foot cord and eight-outlets total with 3 outlets with transformer spacing, 2000 joules, 120 volt AC, EMI/RFI filtration, 15 amps. UL 1449.

5920-01-422-8857, 03405 or equal, EA, \$26.28

Surge suppressor with a 6-foot cord and six-outlets. Features 672 joules, 15 amps, 120 volts AC, three mode protection. UL 1449.

5920-01-384-7958, APCPR07 or equal, EA, \$13.05

Surge suppressor features a 6-foot cord and six-outlets. 90 joules, maximum spike current of 4000 amps or better, 600 volts clamping, and a response time of one nanosecond or less. UL 1449.

5920-01-384-8501, S-25H-6S or equal, EA, \$8.38

Power strip has a 6-foot cord and eight-outlets. three-mode protection, 15 amps, 120 volts AC, 1380 joules. UL 1449.

5920-01-422-8844, EA, \$24.55

Surge protector with a 6-foot cord and 7 outlets. Includes RJ-11 modem/fax/DSL protection. 240-joule rating, EMI/RFI filtration, meets UL 1449.

5920-01-384-8699, BE107200-06 or equal, EA, \$12.64

Six-outlet strip surge protector with a 15-foot cord. Features a LED surge indicator, LED wiring fault indicator, three-line protection, thermal safety fuse, and on/off switch. 15 amps, 210 joules. UL 1449.

5920-01-490-6691, 3880 or equal, EA, \$21.84



## Extension Cord

Extension cord provides the ultimate in electrical flexibility. This cord includes a three-way outlet female connector on one end and a three-prong connector plug on the other. Other features: two poles; thermoplastic insulation; two conductor cables; ground wire. (Plugs and outlets are integrally molded to cable jacket using same material.) Conforms to UL standards.

**Cord is 125 volts, 15 amps (3/14 AWG) and has non-locking connectors.**

6150-00-144-0091, UNICOR, Length: 12 ft., EA, \$27.04

6150-00-485-6149, UNICOR, Length: 25 ft., EA, \$37.39

Assembly includes two conductor cables and a ground wire that is sheathed for neat, semi-permanent installation on the floor. The double-outlet receptacle is molded on one end and has an extension cord and plug at the other end. 125v; 13-amp rating. The sheath is tapered to minimize interference with walking, furniture moving or sweeping. Designed for use in areas of light foot traffic and for portable equipment only; it is not intended to be permanently fastened to floor as extension to electric circuit. Sheath is 2-3/8" wide and 3/8" high. UL approved.

**Sheath is 6 ft. long.**

6150-00-990-7397, 0631F or equal, Black, Length: 8 ft., EA, \$25.30

**Sheath is 10 ft. long.**

6150-00-990-7396, 0651F or equal, Black, Length: 12 ft., EA, \$31.40

## Electric Extension Cord

Indoor/Outdoor heavy-duty extension cord. Grounded three-prong plug, one 3 way outlet, 13 amps, 125 volts, 16 AWG. UL 817.

Federal Strategic Sourcing Initiative, 6150-01-503-2025, 99598 or Equal, Length: 50 ft., EA, \$18.13

## Uninterruptible Power Supply

Voltage regulator has a 5-foot cord and a minimum power rating of 600 volt-amperes. Features seven NEMA 5-15 outlets, including five with a battery backup and two surge-only and USB connectivity to provide management of the UPS via the USB port. LED light for power status. Input/output 120 volts, 420 joules. UL 1778.

6110-01-450-4385, BN650M1 or Equal, EA, \$86.19

## Fluorescent Light Fixture

Suitable for lighting offices and similar areas where prolonged or critical visual tasks are performed. General-purpose fixture with an electronic ballast is individually mounted. Directs approximately 86% of the light downward, while side panels direct a small amount of light upward. Operates on 120V, 60-Hz.

**Designed for ceiling mounting.**

*Fixture accommodates four-lamps, 32 watt. F32T8 lamps. (Lamps not included).*

6210-00-727-6418, White, 12 x 48", EA, \$124.20

6210-00-727-6417, White, 24 x 48", EA, \$167.36

**Fixture is fully assembled and can hang up to 18" from the ceiling. Stem-mounting knockouts are provided.**

*Fixture accommodates four-lamps, 32 watt. F32T8 lamps. (Lamps not included).*

6210-00-892-5294, 48.5 x 12", EA, \$152.95

Designed to provide industrial-quality lighting in a shop or garage. Features a two-lamp fixture with a three-wire, rubber-covered cord that is six-foot long and capped with a three-prong molded plug. Fixture directs 85-92% of the light downward. Single electronic ballast. 10" central suspension material is provided. Operates on 110V to 125V, 60 Hz.

**Accommodates two 32-watt, F32T8 lamps. (Mounting hardware and lamps not included).**

Federal Strategic Sourcing Initiative, 6210-00-688-4929, ICF-232-UNVEB81 or Equal, White, 48-1/2 x 12", EA, \$41.39

## Funnel

General-purpose galvanized-steel funnel has a rigid and tapered spout with a removable 70-mesh brass strainer. For filling gasoline tanks or other general use. Fine mesh screens grit from gasoline.

7240-00-527-9868, 491 or equal, Capacity: 1 qt., EA, \$3.23

## Drum Faucet

Corrosion-resistant barrel faucet without flash screen is not for use with volatile flammable liquids. Has 3/4" - 14 NPT external threads for attachment; 3/4" flow outlet. Do not use faucet with acid, strong alkaline solutions or potable water.

**Self-closing lock lever. Automatically closes when handle is released.**

4510-00-595-1785, 272080 or equal, EA, \$12.11

## Utility Pail

Round utility pail is made of polyethylene plastic and has a tapered bottom for easy stacking.

**Includes a snap-on lid and a removable, corrosion-resistant metal bail handle with a plastic sleeve.**

*PN 3826 (pail) and PN 2287 (lid) or equal.*

Federal Strategic Sourcing Initiative, 7240-01-094-4305, White or Gray, Capacity: 5 gal., EA, \$11.66

**Includes a snap-on airtight lid and a galvanized steel metal bail handle with a plastic handgrip.**

Federal Strategic Sourcing Initiative, 7240-01-411-0581, white, Capacity: 7 gal., EA, \$23.29

Round utility pail is made of molded polyethylene plastic and features one-quart graduations conveniently marked on the inside. Tapered sides for easy stacking. Rim curls outward to improve rigidity.

**Includes a galvanized steel bail handle. No pouring lip.**

Federal Strategic Sourcing Initiative, 7240-00-061-1163, AbilityOne, Capacity: 5 qt., EA, \$4.12

**Includes a galvanized steel bail handle and has a pouring lip.**

Federal Strategic Sourcing Initiative, 7240-00-060-6006, AbilityOne, Capacity: 10 qt., EA, \$5.77

Federal Strategic Sourcing Initiative, 7240-00-246-1097, AbilityOne, Capacity: 12 qt, EA, \$8.39

Rigid neoprene or nitrile rubber pail has vertical reinforcing ribs on the outside for additional strength and rigidity. Features 1/2-Gal graduations conveniently marked on the inside. Top inside diameter is 11-1/2". Suitable for jet fuel and other similar fuels and lubricants. Highly resistant to oil, heat, light and oxidation. Rim curls outward to improve rigidity with a 1.5" vertical skirt.

**Includes a non-sparking brass or rubber coated stainless steel bail and a pouring lip.**

7240-01-150-0716, NPL77-12AG or Equal, Capacity: 3 gal., EA, \$37.26

All-purpose galvanized utility pail is leakproof and tapered for easy stacking. Top edge of pail is reinforced.

**Heavyweight with a galvanized steel bail handle. No pouring lip.**

Federal Strategic Sourcing Initiative, 7240-00-160-0455, 1214GS or equal, Capacity: 14 qt., EA, \$15.15

## Safety Can

Flammable waste can is designed to provide safe temporary storage of oily waste rags and other similar combustible waste materials. Conforms to UL 32.

**Round with a foot pedal operated lid.**

Federal Strategic Sourcing Initiative, 7240-00-282-8411, 09100 or equal, Red, Capacity: 6 gal., EA, \$73.89

Federal Strategic Sourcing Initiative, 7240-00-256-7700, 09300 or equal, Red, Capacity: 10 gal., EA, \$85.66

**Hand-operated lid.**

Federal Strategic Sourcing Initiative, 7240-00-286-5342, 09710 or equal, Red, Capacity: 22 gal., EA, \$124.67

## Solder Brush

Brush is to be used for swabbing solder, sealing seams and applying oil to metal marks.

**Flat brush is composed of stiff hog bristle or horsehair with a 5" round metal handle.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-514-2417, 44090 or equal, Overall Length: 5-3/4", GR, \$15.13

## Work Gloves

Gunn cut gloves have a leather palm, full thumb, forefinger and fingertips. Back of gloves are made of unbleached cotton flannel.

**Features leather reinforced knuckles and a 4-1/2" gauntlet cuff.**

8415-00-721-6590, UNICOR, Cream or Light Gray, Mens - commercial XL, PR, \$8.87

8415-00-634-4657, UNICOR, Mens - One size fits all, PR, \$8.77

**Features a 4-1/2" gauntlet cuff, without knuckle reinforcement.**

8415-00-634-5021, UNICOR, Mens - One size fits all, PR, \$8.99

**Features leather reinforced knuckles and a 2-1/2" gauntlet cuff.**

8415-00-634-4660, UNICOR, Mens - One size fits all, PR, \$9.08

**Features a 2-1/2" gauntlet cuff, without knuckle reinforcement.**

8415-00-634-4658, UNICOR, Mens - One size fits all, PR, \$8.99

Gunn-cut gloves have a knitted wristlet with a leather palm and full thumb. Back of gloves are made of unbleached cotton flannel.

8415-00-634-4661, UNICOR, Cream or Light Gray, Mens - One size fits all, PR, \$8.50

Light duty work gloves are made of cotton flannel.

**Clute-cut with a knit wristlet.**

8415-00-634-5026, UNICOR, Natural, One size fits all, PG(contains 12 PR), \$28.51

**Reversible palm with knit wristlet or elastic band cuff.**

8415-00-559-5613, RV200KN or equal, Natural, Overall Length: 9-1/4", PG(contains 12 PR), \$31.46

**Clute-cut or Gunn-cut with 4-1/4" gauntlet cuff.**

8415-00-634-5027, HM400G or equal, Natural, Overall Length: 11-1/4", PG(contains 12 PR), \$40.85

Gloves have anti-static properties with an elastic cuff, storage loop at the wrist and a hook and loop closure. Synthetic leather palm and finger material with a tacky index finger and thumb grip area. Reinforced thumb-crotch, fingertips, finger and knuckle areas. Snug fitting with 2-way stretch padded top with conductive anti-static fiber. Machine washable.

8415-01-610-7322, GVMP-PKF55-007 or equal, Black, X-Small, PG(contains 5 PR), \$99.42

8415-01-610-7325, GVMP-PKF55-008 or equal, Black, Small, PG(contains 5 PR), \$99.42

8415-01-610-7323, GVMP-PKF55-009 or equal, Black, Medium, PG(contains 5 PR), \$99.42

8415-01-610-7324, GVMP-PKF55-010 or equal, Black, Large, PG(contains 5 PR), \$99.42

8415-01-610-7326, GVMP-PKF55-011 or equal, Black, Extra-Large, PG(contains 5 PR), \$99.42

8415-01-610-7327, GVMP-PKF55-012 or equal, Black, Extra-Extra Large, PG(contains 5 PR), \$99.42

# Plumbing Tools and Supplies

## Double Faucet

Chrome-plated brass unit consists of a swing spout with an aerator outlet. Features an 8", center-to-center distance between hot and cold water connections. Replaceable valve seats. (Does not include a spray hose diverter valve or connection).

**Can be mounted on wall or other vertical surface. Features two lever handles and 1/2" internal pipe threads for water connections.**

Federal Energy Management Program

4510-00-253-0857, 10142LF or equal, EA, \$50.41

## Plunger (Toilet)

Use this familiar item to unclog toilets, sinks and drains. Features a bell shaped, flexible rubber cup and a removable hardwood handle. The lower or bearing edge of the cup shall be provided with a bead or shall be suitably thickened to prevent collapse of the edge of the cup when pressure is applied.

**Outside diameter of cup: 6" with a 2-3/4 to 4" opening. Length of handle: 23 to 31".**

Federal Strategic Sourcing Initiative, 5120-00-849-1141, Ball Type BB2 GSA or equal., EA, \$6.01

## Plunger (Sink)

Use this familiar item to unclog toilets, sinks and drains. Features a bell shaped, flexible rubber cup and a removable hardwood handle. The lower or bearing edge of the cup shall be provided with a bead or shall be suitably thickened to prevent collapse of the edge of the cup when pressure is applied.

Federal Strategic Sourcing Initiative, 5120-00-223-8862, Cup: 4" - 5", Handle: 6" - 9" L., EA, \$2.52

# Riveting Tools

## Blind Riveter (Electric)

Installs bolts and rivets. Has interchangeable screw on pulling heads. Designed for continuous operation. Furnished with a carrying case and manuals. Note: In order for the blind riveter to install the specified rivets, the appropriate pulling head(s) must be used. Unless otherwise stated below, pulling heads are not furnished with these tools and must be ordered separately (see Pulling Heads).

**Comes with the following components:** Components: Adapter Sleeve (Flats), Adapter Puller Shaft, Adapter Sleeve Olympic Lok, Adapter Shaft Olympic Lok, (3) Nosepieces (5/32-3/16 CherryMax, 1/4 CherryMax, 1/4 Monobolt), 5/32 Maxibolt Nose (Shift Cap), 3/16 Maxibolt Nose (Shift Cap), 5/32 MS 90353/54-S/U BB, 3/16 MS 90353/54-S/U BB, Jaw Set 3 pc 5/32 Blind Bolt, Jaw Set 3 pc 3/16 Blind Bolt, Jaw Holder Blind Bolts, Jaw Follower Blind Bolts/CM, Jaw Set 3 pc Cherry Max, Spare Parts Canister, Battery Charger (120 volt, 60 Hz or 220 volt, 50 Hz with 1 hour charge cycle, (2) 3.2 Ah, 12 vdc Nickel-Metal (NiMH) Hydride Battery.

Federal Strategic Sourcing Initiative, 5130-01-449-9225, PT-4000-MIL-1 or equal., SE, \$3,507.08

**Installs 3/32 through 3/16 inch diameter (any rivet material), including CherryMax and CherryMax A; 1/4 inch diameter aluminum rivet capacity. 12V DC Cordless battery included.**

Federal Strategic Sourcing Initiative, 5130-01-397-7379, PT-3000 or equal, EA, \$1,561.21

## Blind Riveter (Manual)

Installs bolts and rivets. Has interchangeable screw on pulling heads. Designed for continuous operation. Furnished with a carrying case and manuals. Note: In order for the blind riveter to install the specified rivets, the appropriate pulling head(s) must be used. Unless otherwise stated below, pulling heads are not furnished with these tools and must be ordered separately (see Pulling Heads).

**Straight head type; rivit size: 0.125" to 0.187". Universal nose piece for M7885 cherrymax style blind rivets; (1) adapter sleeve and (1) adapter puller shaft provided.**

Federal Strategic Sourcing Initiative, 5120-01-283-0320, D-100-R or equal., EA, \$971.38

## Blind Riveter (Manual, Heavy Duty)

Installs bolts and rivets. Has interchangeable screw on pulling heads. Designed for continuous operation. Furnished with a carrying case and manuals. Note: In order for the blind riveter to install the specified rivets, the appropriate pulling head(s) must be used. Unless otherwise stated below, pulling heads are not furnished with these tools and must be ordered separately (see Pulling Heads).

Heavy-duty riveter installs and sets smooth mandrel steel, aluminum, copper or brass domed and countersunk rivets. Furnished with four interchangeable nosepieces in sizes 3/32, 1/8, 5/32 and 3/16". Comes with an assortment of aluminum and steel rivets and a wrench for attaching the pulling heads. The riveter automatically regrips the mandrel for greater pull. The handles are spring-loaded and cushioned. The riveter comes in an impact-resistant metal case with operating instructions and a rivet selection chart is fastened inside the case. Furnished with assortment of 200 domed shaped head rivets.

*NOTE: This riveter does not set Monel rivets.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-289-4310, EA, \$57.46

## Blind Riveter (Lightweight)

Lightweight riveter, designed for continuous one handed operation, has a steel body and a compound lever assembly. Compressing lever installs the rivet and breaks off the rivet stem. Riveter has straight pulling heads for installing 1/8", 5/32" and 3/16" diameter countersunk, serrated stem blind rivets.

Federal Strategic Sourcing Initiative, 5120-00-357-6065, 9-1/2" L., EA, \$518.81

## Yoke Riveter

This hand operated alloy steel riveter has a six-inch deep throat for dimpling aluminum sheets and setting aluminum countersunk and universal rivets with 3/32", 1/8" and 5/32" diameter shanks. Consists of a yoke in a double handle assembly and interchangeable dies: flush type die (1), universal head cup dies (3) and dimpling dies and punches (3). Has a corrosion preventive coating and polished die surfaces.

Federal Strategic Sourcing Initiative, 5120-00-391-0116, 18-1/2" L, 10lbs., EA, \$871.65

## Blind Riveter (Threaded Stud)

Lightweight riveter, designed for continuous operations, comes with a threaded stud that attaches the rivnut. The riveter has a quick-turn mechanism that positions and releases rivnuts and a handle-operated riveter that sets or squeezes the rivnut.

**Straight pulling head has a No. 8 - 32 threaded stud for installing No. 8 aluminum, brass and steel rivnuts. Rivet diameter measures 0.221.**

Federal Strategic Sourcing Initiative, 5120-00-224-9297, C-6000-832 or equal, EA, \$190.24

## Blind Riveter (Wrench Header)

Wrench-type header riveter consists of an anvil, ferrule, jack-screw nut, socket-head jack screw and threaded pull-up stud. The riveter has a black oxide coating and is furnished with a 3/8" hexagonal key wrench.

**Installs 1/4"-diameter thread size 10 - 32 BF Goodrich rivnuts. Diameter: 1-1/16".**

Federal Strategic Sourcing Initiative, 5120-00-177-9839, C845-1032 or L-845-1032 or equal., 4-7/8" L., EA, \$59.22

## Blind Riveter Kit

Pulling heads are not included. This kit provides the ability to install all Cherry Max Rivets (1/8" to 1/4"), Pull-Thru Nutplate Rivets (3/32" to 1/8") and all pop type rivets from 3/32" to 1/4" in diameter. In addition pull up studs and driving anvils are provided for Rivnut sizes 6-32, 8-32, 10-32, 1/4-28, 10-24, 1/4-20, 5/16-18 and 3/8-16" (up to three rad). An adapter is included to permit the tool to be used with right angle, offset and extended straight pulling heads for Cherry Max and Huck Clinch blind rivets. The kit is supplied in a metal, weather tight carrying case.

Federal Strategic Sourcing Initiative, 5180-01-201-4978, KT, \$1,277.14

# Ropes

## Cord

Braided polyamide nylon cord is light- and heat-resistant. Has a 550-lb. breaking strength and 30 percent minimum elongation. PIA-C-5040, Type III.

Federal Strategic Sourcing Initiative, 4020-00-240-2146, AbilityOne, White, SL(contains 2100 FT), \$195.24

## Rope

Twisted in a "ZSZ" pattern, this three-strand rope is made of cotton/cotton-blend and is suitable for various uses. IAW A-A-52088.

**Has a 890-lb. breaking strength. Diameter: 3/8".**

4020-00-068-7906, 10494 or equal, Natural, Circumference: 1-1/8", SL(contains 600 FT), \$117.19

**Has a 1,450-lb. breaking strength. Diameter: 1/2".**

4020-00-068-7907, 10495 or equal, Natural, Circumference: 1-1/2", SL(contains 600 FT), \$164.93

Made of nylon fiber, this rope has a right-hand or "Z" twist and 55 percent elongation. Heat and light resistant. IAW MIL-PRF-17343.

**Has a 1,500-lb. breaking strength.**

*Rope diameter 1/4" each, three multi strands configuration.*

4020-00-928-3438, 46241 or equal, Natural, Circumference: 3/4", RL(contains 600 FT), \$61.53

**Has a 3,300-lb. breaking strength.**

*Rope diameter 3/8" each, three multi strands configuration.*

4020-00-968-1356, 46242 or equal, Natural, Circumference: 1-1/8", RL(contains 600 FT), \$168.48

**Has a 5,800-lb. breaking strength.**

*Rope diameter 1/2" each, three multi strands configuration.*

4020-00-968-1357, 46243 or equal, Natural, Circumference: 1-1/2", RL(contains 600 FT), \$254.73

**Has a 9,800-lb. breaking strength.**

*Rope diameter 5/8" each, three multi strands configuration.*

4020-00-968-1358, 46244 or equal, Natural, Circumference: 2", RL(contains 600 FT), \$435.85

**Has a 13,200-lb. breaking strength.**

*Rope diameter 3/4" each, three multi strands configuration.*

4020-00-141-7152, 46245 or equal, Natural, Circumference: 2-1/4", RL(contains 600 FT), \$733.70

**Has a 23,200-lb. breaking strength.**

*Rope diameter 1" each, three multi strands configuration.*

4020-00-919-3443, 46246 or equal, Natural, Circumference: 3", RL(contains 600 FT), \$1,196.00

Made of manila fibers, this rope is impregnated with an oil preservative. T-R-605.

**Has a 3,960-lb breaking strength.**

*Rope diameter 5/8" each, three multi strands configuration.*

4020-00-289-8616, Circumference: 2", CL(contains 600 FT), \$269.10

Polypropylene fiber rope has a right-hand or "Z" lay and 45 percent elongation. The rope is intended for use where light weight and floatability are required and should not be used with weight handling equipment (overhead lifting) or when exposed to sunlight for extended periods. CI 1201/1301.

**Has a 1,125-lb breaking strength.**

*Rope diameter 1/4" each, three multi strands configuration.*

4020-00-968-1350, 38999 or equal, Yellow, Circumference: 3/4", RL(contains 600 FT), \$59.46

**Has a 2,430-lb breaking strength.**

*Rope diameter 3/8" each, three multi strands configuration.*

4020-00-968-1351, 39000 or equal, Yellow, Circumference: 1-1/8", RL(contains 600 FT), \$98.04

## Sash Cord

Cotton or cotton-blend yarn is braided over cotton fiber for use as sash cord. IAW A-A-55622.

**Polished finish is lustrous and smooth.**

*Has a 370-lb breaking strength.*

Federal Strategic Sourcing Initiative, 4020-00-551-3343, AbilityOne, Natural, Diameter: 1/4", RL(contains 1000 FT), \$140.97

*Has a 720-lb breaking strength.*

Federal Strategic Sourcing Initiative, 4020-00-240-2142, 45464 or equal, Natural, Diameter: 3/8", RL(contains 1200 FT), \$170.58

**Natural Finish.**

*Has a 720-lb breaking strength.*

Federal Strategic Sourcing Initiative, 4020-00-241-8439, Natural, Diameter: 3/8", HK(contains 100 FT), \$13.79

## Twine

White cotton or cotton-polyester blend twine has a natural finish and an "S" twist. Red-colored 20' trailer indicates end of twine. A-A-1451.

**Minimum two-ply twine has a breaking strength of 20-1/2 lb. Twine is rolled into a 5-lb cone.**

4020-00-782-5574, 10015C or equal, Natural, CE(contains 5 LB), \$26.80

# Sealant Guns and Accessories

## Caulking Gun Nozzle

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-966-8270, 1/16", 1/4" NPT, 8" L., EA, \$4.95

**Disposable and is externally reinforced with eight equally spaced triangular and taper shaped fins.**

Federal Strategic Sourcing Initiative, 5120-00-055-4063, 4" L, 1/32" Orface, 1/4" NPT Thread., EA, \$2.58

Federal Strategic Sourcing Initiative, 5120-00-775-1670, 1/8 x 3/4 Slot, 1/4" NPT, 4-3/8" L., EA, \$6.35

## Caulking Gun Nozzle (Rectangular)

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-966-5379, 3/8" L x 3/64" W, 1/4" NPT, 5" L., EA, \$8.03

Federal Strategic Sourcing Initiative, 5120-00-966-5381, 1/4" L x 1/16" W, 1/4" NPT, 6" L., EA, \$4.81

## Caulking Gun Nozzle (Bent Round)

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-167-0153, 1/8", 1/2" NPT, 6"L, 30° Bend., EA, \$3.29

## Caulking Gun Nozzle (Round)

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-673-1885, 1/8", 1/4" NPT, 2-1/2" L., EA, \$1.09

Federal Strategic Sourcing Initiative, 5120-00-967-8151, 3/32" W, 1/4" NPT, 4" L., EA, \$1.30

Federal Strategic Sourcing Initiative, 5120-00-801-0949, 1/32", 1/4" NPT, 4" L., EA, \$1.46

Federal Strategic Sourcing Initiative, 5120-00-822-7194, 220555 or equal., 1/8", 1/4" NPT, 6" L., EA, \$3.20

Federal Strategic Sourcing Initiative, 5120-00-966-5372, 1/8", 1/4" NPT, 8" L., EA, \$4.81

## Caulking Gun Nozzle (Slotted)

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-966-5375, 1/8" Slot, 1/4" NPT, 5-1/8" L., EA, \$4.27

## Caulking Iron

Use for ship caulking. Has a 1/2" dia shank and a 1" dia head. Working end blade measures 2" W. Made of hardened, forged tool steel with a black enamel coating.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-222-3241, 5-1/8" L, 2" W., EA, \$29.97

## Sealant Gun

Hand-operated gun applies sealants, caulking materials, polysulfides, polyurethanes, silicones and epoxies from prepackaged, disposable plastic cartridges (Semkits) or filled-on-the-job cartridges. Includes ratchet plunger. Gun and retainer accept Semco 6-oz cartridge assembly.

Federal Strategic Sourcing Initiative, 5120-00-952-3507, EA, \$151.16

## Sealant Gun (Pneumatic)

The air operated production aircraft sealant gun is capable of dispensing aircraft fuel tank and wing sealant compounds, filleting mastics and other similar materials. The tool is self-contained and hand held. Consists of air-actuating cylinder, 12-oz refillable sealant container, single-shot trigger and injection nozzle. Operates on 75 to 125 psi of air pressure. Weighs 14 lbs. Comes with a manual accessory list, parts list and manufacturer's standard equipment.

5130-00-345-1179, EA, \$5,697.50

## Sealant Dispenser

Hand-held manual dispenser for 50cc cartridge, 2-component sealants.

Federal Strategic Sourcing Initiative, 5120-01-494-7678, UG981108-01., EA, \$59.18

## Caulking Gun

This hand operated steel caulking gun is portable and perfect for any caulking job. The half barrel cradle allows for easy replacement of the 8-1/2" L x 2" Dia cartridges. Just pull back the plunger, insert the cartridge and squeeze the trigger to set the plunger and start working.

Plastics Removal in Marine Environments

5120-00-679-5655, 1pt Cartridge Capacity., EA, \$3.44

# Sealing and Strapping

## Strapping and Sealing Kit

Hand-operated kit secures and reinforces bales, boxes, bundles, crates and material in freight cars and trucks. Includes stretcher, sealer, 90-lbs. of flat steel strapping and seals. Instructions and storage box also furnished.

Consists of 1/2" wide steel strapping (0.020" thick) and 2,000 seals. Replacement strapping (100-lb. coil) is available under 8135-00-283-0666 (Galvanized) or 8135-00-285-4747 (Painted) and replacement seals (box of 5,000) are available under 8135-00-239-5308.

3540-00-565-6241, 6241 or Equal, KT, \$343.85

Consists of 5/8" wide steel strapping (0.020" thick) and 1,600 seals. Replacement strapping (100-lb. coil) is available under 8135-00-283-0667 (Galvanized) or 8135-00-281-4071 (Painted) and replacement seals (box of 5,000) are available under 8135-00-290-1086.

3540-00-565-6242, 6242 or Equal, KT, \$343.85

Consists of 3/4" wide steel strapping (0.020" thick) and 1,500 seals. Replacement strapping (100-lb. coil) is available under 8135-00-283-0668 (Galvanized) or 8135-00-285-4748 (Painted) and replacement seals (box of 5,000) are available under 8135-00-239-5288.

3540-00-565-6243, 6243 or Equal, KT, \$343.85

Consists of 1-1/4" wide steel strapping (0.035" thick) and 100 seals. Heavy-duty steel strapping cutter is also included. Replacement strapping (100-lb. coil) is available under 8135-00-283-0671 (Galvanized) or 8135-00-531-7721 (Painted) and replacement seals (box of 1,000) are available under 8135-00-239-5294.

3540-00-565-6244, 6244 or Equal, KT, \$609.50

## Load Binder

Lever-operated, all-steel, eccentric mechanism is used for tensioning tie-down devices to bind pipes, beams, lumber, hay and other loads on flatcars, ships and open trucks. Provides minimum take-up of four-inches. Positive-locking mechanism maintains position when take-up is complete.

Light-duty binder has a 12,000-lb load rating. Has two grab hooks and a slack take-up hook, without a compression spring. For 1/4" and 3/8" chains. Features a 21-1/2" operating lever.

3990-00-171-9774, EA, \$57.13

Heavy-duty binder has a 15,000-lb load rating. Has two grab hooks and a slack take-up hook with a compression spring. For 3/8" and 1/2" chains. Features a maximum 20" operating lever.

3990-00-171-9775, EA, \$86.96

Heavy-duty binder has a 15,000-lb tensile proof rating. Latching type binder has a low energy release feature and is without a compression spring. For 3/8" and 1/2" chains.

3990-00-596-7051, EA, \$80.17

## Steel Strapping Tensioner

Levered tensioner is perfect for applying flat steel strapping on bales, boxes, bundles, cartons, crates and pallets. Also an invaluable tool when freight bracing. Hand-operated and features a ratcheted handle.

Features limited drum take-up. For use on cut-to-length, heavy-duty flat steel strapping with any class of finish. Gripping dog grasps strapping. Rotating drum adjusts tension. Without shear device.

*For use with 2" heavy-duty strapping in the 0.050" thickness range.*

3540-00-223-8436, WT2 or equal, EA, \$227.13

## Strapping Coil Hand Truck

Strapping coil hand truck conveniently rolls directly to jobs in the yard, carrier or loading area. Includes two rubber-tire wheels and a tool and accessory tray with dividers at top and bottom of opposite side of cart. Stands upright when not in use.

Use for dispensing ribbon-wound, flat steel strapping. Coils revolve on rollers mounted at bottom of frame; the integral rack holds ribbon-wound coils of 3/4, 1-1/4 and 2" strapping simultaneously.

3540-00-273-8821, H-396 or equal, EA, \$279.23

## Heat Sealing Machine

Heat Sealing Machine, 110 V, 60 Hz, single phase, UL approved.

Throat 2", speed 200 inches per minute. With adjustable direction, either left to right, or right to left.

*For the modified version of the sealing machine for submarine use see NSN 3540-01-533-4090.*

3540-01-456-4286, Doboy-Model HS-B11, EA, \$4,110.85



# Stenciling and Lettering

## Stencil Ink

Fast-drying, flat-finish ink resists weathering.

**For use on porous (e.g. fiberboard cartons, wooden crates and boxes, bales, sacks, burlap and other materials that do not have direct contact with food items) and non-porous surfaces (e.g. metals, glass and stone). Comes in a pressurized aerosol can with an environmentally safe propellant.**

*24-month maximum shelf life (extendable).*

7510-00-888-8526, Black, 32 OZ, QT, \$58.00

Federal Strategic Sourcing Initiative, 7510-00-469-7910, Material Safety Data Sheet, SKILCRAFT, AbilityOne, Black, 16 OZ, PT, \$5.51

*18-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-419-9564, Material Safety Data Sheet, SKILCRAFT, AbilityOne, White, 16 OZ, PT, \$5.26

## Stencil Set

Gothic-style set of characters can be interlocked or joined to form a single strip. Each set includes a complete alphabet, numbers 0 through 9, an ampersand, a comma, an apostrophe, a period, two spacers and three end pieces. All pieces are made of brass and come packed together in a convenient storage box. There are 45 marking stencils total per set.

Federal Strategic Sourcing Initiative, 7520-00-205-1760, SKILCRAFT, AbilityOne, Letter Height: 1/2", SE, \$13.74

Federal Strategic Sourcing Initiative, 7520-00-298-7043, SKILCRAFT, AbilityOne, Letter Height: 1", SE, \$15.92

Federal Strategic Sourcing Initiative, 7520-00-272-9680, SKILCRAFT, AbilityOne, Letter Height: 1-1/2", SE, \$15.63

Federal Strategic Sourcing Initiative, 7520-00-298-7044, SKILCRAFT, AbilityOne, Letter Height: 2", SE, \$19.24

Federal Strategic Sourcing Initiative, 7520-00-272-9683, SKILCRAFT, AbilityOne, Letter Height: 3", SE, \$23.28

Federal Strategic Sourcing Initiative, 7520-00-269-9012, SKILCRAFT, AbilityOne, Letter Height: 4", SE, \$55.80

Federal Strategic Sourcing Initiative, 7520-00-272-9684, SKILCRAFT, AbilityOne, Letter Height: 5", SE, \$88.48

## Stencil Brush

Used for making signs, this fountain-type brush uses stencil ink, and features a valve mechanism which feeds the ink to the brush tip. The parts are removable for easy cleaning. A leakproof reservoir in the metal handle holds 2 oz of ink. The 1-1/2" long and 1-3/8" diameter brush is protected by a metal cover when not in use.

7520-00-248-9285, Length: 7", EA, \$42.32

## Stencil Board

Board is oiled for ink-resistance and can be used with ordinary stencil ink or paint. Apply paint or ink with a brush, spray gun or roller. Gives a clean cut on a stencil machine or stamp. Resists fuzzing when used repeatedly. Made of long-grain stock.

**Heavyweight (70- to 92-lb basis weight), high-wear resistance paper with a thickness range of 0.013 to 0.018". In accordance with A-A-1733, Type II.**

9310-00-160-7853, 8 x 24", HD, \$42.24

9310-00-160-7858, 24 x 36", HD, \$107.52

# Storage

## Storage Bag

Storage bag is used for storing cables. Features include carrying strap and handles on both ends. Made of cloth, nylon and neoprene in accordance with MIL-PRF-20696, TY2, CL3.

8105-01-354-3949, Olive Green, 40 x 14 x 14", EA, \$73.14

This bag is made of plastic and designed to be waterproof and weather proof that can withstand temperatures as low as -40 degrees all the way up to 140 degrees fahrenheit. It uses a slide fastener to seal the opening. It is commonly used to carry cameras, keys, phones, wallets and other items. This bag is also 100% recyclable.

8105-01-617-6925, CLEAR/TRANSPARENT, LENGTH 6.000 INCHES; WIDTH 6.500 INCHES, EA, \$13.28

## Maintenance Records Holder

Lightweight cotton duck cloth envelope is vinyl-coated on both sides. Holder is waterproof, as well as fire- and mildew-resistant. Includes a snap fastener. Reads: "U.S. RECORDS HOLDER, MUST STAY WITH ENGINE".

IAW MIL-C-10799, Type 2; Class 1 or 3.

8105-00-190-9824, SKILCRAFT, AbilityOne, Olive Drab, 10 x 12", EA, \$18.69

## Plastic Storage Box

Made from polypropylene construction with soft-grip handles. Box is resistant to temperature extremes and common chemicals. This large capacity bin, with lid, is virtually rustproof with ribbed construction to handle heavy loads. Ideal for storing tools and valuables. Locks and keys are included. Capacity 9.0 cubic feet.

8115-01-562-4555, Black, 37" W x 21" D x 20" H, EA, \$91.00

## Stock Tag

Round paper tag is made of heavy-duty chemical wood stock and features a smooth writing surface. A narrow metal band covers the edge for extra rigidity. Tag features a paper-reinforced 7/32" hole and a 12" cotton string.

8135-00-178-9200, White, Diameter: 2-1/4", BX(contains 500 EA), \$76.47

## Weapons Parts Bag

Flame-, weather- and water-resistant bag holds ordnance weapons spare parts. Features 16 inside pockets and a snap-fastener closure. Reads: "Case, Small Arms, Accessories, 11686430".

8105-00-921-5821, UNICOR, Olive Drab, 8-1/4 x 23-3/4", EA, \$15.39

## Textile Bag

This bag is made of a single wall of cotton which is then coated with a treatment resin to apply another synthetic single wall. This bag is mildew resistant and uses a string for fastening.

8105-00-290-4579, Natural, HEIGHT 32.000 INCHES; WIDTH 17.000 INCHES, EA, \$17.28

This is a textile bag used as a tent stake bag to provide easier storage and transportation.

8105-01-615-0434, Brown, 7-1/2 IN. W. X 20 IN. LG. X 8 IN H., EA, \$133.50

This bag is made of a single nylon wall and used by a soldier in the field to commonly carry a lens cleaning kit, command launch unit or battery kit.

8105-01-455-7808, Green, 13.75" W X 16" L, EA, \$55.60

This is a heavy duty bag made of vinyl and cloth handles, it has a heavy duty zipper and is used for equipment storage and transportation. Holds all of the mobile expandable container configuration (MECC) and shelter canvas support brackets.

8105-01-618-4748, Green, 252" W x 96" L, EA, \$669.19

This bag is constructed of a webbing fabric that uses a zipper for closure. It is built for the storage and transportation of shelter liner, repair kits and stake kits.

8105-01-532-0443, Black, 16 IN. L X 8 IN. W X 7 IN H, EA, \$478.50

This is a bag made of vinyl, nylon and cloth that uses a tie string closure. It has an attached rope for carrying and is single walled to provide medium duty support. The bag should read "U.S.N. AIRLINE MASK". I.A.W. A-A-55308, Type II, Form 1.

8105-01-084-8645, White, H:15.250 in. ; W:11.750 in. MIN to 12.250 in. MAX, EA, \$28.46

Textile bag is a general purpose bag built to store and transport miscellaneous items.

8105-01-163-5165, 18" x 18", EA, \$30.30

Electrostatic protective and electromagnetic shielding, heat sealable barrier material.

8105-01-439-6178, Tan, 35mm x 40mm, EA, \$48.90

## Texile Bag (Burlap Sack)

This burlap, single-wall bag collects shredded metal and glass onboard ship for later disposal. Stitching assembly method. The bag has 100-lb capacity.

8105-01-452-0831, Brown, 34 x 40", BD(contains 250 EA), \$595.13

## Duct Transport Bag

Duct transport bag is brown in color and made of Cordoba; 19 in. Dia. by 27 in. Lg; draw cord on top and includes a handle on the 27 in. on the side.

8105-01-575-2509, Brown, EA, \$52.04

# Tackers/Staplers

## Electric Stapler

This electric stapler staples automatically when work is inserted! Staple 2-20 sheets of 20-lb. paper, header cards and more. "Hi-Low" switch for selecting stapling power and is fully adjustable depth to 3". Uses Staplex Type DS 1/4" leg High Speed Staples. Weighs only 6¾-lbs., is only 4" wide, 7-½" deep and 7" high.

Federal Strategic Sourcing Initiative, 5130-01-397-9779, SJM-1N or equal, EA, \$508.98

## Staple Gun (Compression Type)

This heavy duty, manually operated, compression type staple gun drives wire staples onto penetrable materials such as wood or composition board. Use for posters, labels, tags and building paper. The steel spring mechanism returns the handle to the starting position and feeds the next staple to driving position, making it easier to operate with one hand. Comfortable handgrip design.

Federal Strategic Sourcing Initiative, 5120-00-889-1796, CS5000 or equal, Staple Size: 1/2" W x 9/16" L Legs., EA, \$21.02

## Staple Gun (Hammer Type)

This heavy duty, manually operated, compression type staple gun drives wire staples onto penetrable materials such as wood or composition board. Use for posters, labels, tags and building paper. The steel spring mechanism returns the handle to the starting position and feeds the next staple to driving position, making it easier to operate with one hand. Comfortable handgrip design.

**Hammer type gun is manually operated and accommodates 140 flat top staples having 0.05" gauges, with 1/4, 5/16, 3/8 and 1/2" long legs. For use on display materials, furniture and mattress fabrication, roofing and carpet installation.**

Federal Strategic Sourcing Initiative, 5120-01-388-6821, EA, \$36.01

## Tacker

Hammer-type gun is manually operated and accommodates strips of 79 preformed flat crown staples that measure 23/24 wide, with 1/4- and 3/8-long legs.

Federal Strategic Sourcing Initiative, 5120-00-171-1643, EA, \$44.97

# Tape

## Aluminum Foil Tape

Protect parts and surfaces from chemicals, moisture, flame, heat and light. Resistant to chemicals to protect surfaces during de-paint process and other chemical masking operations. Handles temperatures from -65°F to 300°F. Aluminum foil backing with acrylic adhesive.

7510-01-043-5026, Silver, 2.0" W, RO(contains 60 YD), \$40.23

Used for sealing, shielding and conducting applications where weather resistance, reflectivity and moisture vapor transmission resistance are required. Tape is not for use on steam pipes, radiators or other heat sources. Roll has a 3" diameter core and is flame resistant.

**Surface luster is Gloss.**

*24-month maximum shelf life (extendable).*

7510-00-684-8803, Silver, Width: 2", RO(contains 60 YD), \$76.19

7510-00-816-8077, Silver, Width: 3", RO(contains 60 YD), \$114.30

Aluminum foil tape is laminated to a base fabric of glass yarn cloth. This lusterless, thermal radiation-resistant tape is used primarily for repair of thermal curtains conforming to MIL-C-27347. Roll has a 1- or 3"-diameter core.

*36-month maximum shelf life (extendable).*

7510-00-403-5544, Silver, RO(contains 36 YD), \$912.18

Useful for sealing applications where a high level of weather resistance, reflectivity, and moisture vapor transmission resistance are required. Tape is not intended for use on steam pipes, radiators, or other heat sources. Roll has a 3"-diameter core and may have a short shelf life.

**Surface luster is Gloss.**

*24-month maximum shelf life (extendable).*

7510-00-754-2522, Silver, 1-1/2" wide, RO(contains 60 YD), \$17.99

**Surface luster is Gloss.**

**Tensile Strength: 30 psi minimum. Temperature rating: - 65 Deg.F. to 300 Deg.F. Silver color aluminum.**

*24-month maximum shelf life (extendable).*

7510-00-720-7516, 3M 425, or commercial equal, Silver, 1" W, RO(contains 60 YD), \$16.88

Aluminum foil backing with acrylic adhesive.

*24-month maximum shelf life (extendable).*

7510-01-153-7976, Silver, 2.0" W, RO(contains 60 YD), \$33.76

**Aluminum Tape**

*12-month maximum shelf life (extendable).*

7510-01-197-9856, Silver, 2.0" W, RO(contains 60 YD), \$21.80

Reflective, opaque, gloss wrap duct tape for high heat areas such as boiler rooms, engine supports and insulation blankets. Handles temperatures from -65° to 600°F. Aluminum foil backing with high temperature silicone adhesive.

*18-month maximum shelf life (extendable).*

7510-01-308-2325, Silver, 2" W, RO(contains 60 YD), \$314.25

## Aluminum Foil/Glass Cloth Tape

Lusterless tape primarily used in aerospace and critical applications. Extremely high temperature tape - 65.00 DEG.FAHRENHEIT MIN TO 600 DEG.FAHRENHEIT MAX. Aluminum foil backing with glass cloth and silicone adhesive. Puncture, tear and heat resistant. I.A.W. ASTM D-3652.

*36-month maximum shelf life (extendable).*

7510-00-106-9842, 363, Silver, 3 IN W x 36 YD L, RO(contains 36 YD), \$87.91

## Lead Foil Tape

Lead foil tape stops off masking during electroplating operations where a moisture-proof seal is required. Roll has a 3" diameter core. Handles temperatures from -60°F to 225°F.

*18-month maximum shelf life (extendable).*

7510-00-664-0001, Material Safety Data Sheet, Silver, 2" W, RO(contains 36 YD), \$175.47

## Double-Sided Tape

Miscellaneous-use tape has a high-strength, neoprene rubber foam backing with a silicone release paper liner. Used for mounting indoor signs and name plates to irregular surfaces. Double-coated and is high temperature resistant.

*18-month maximum shelf life (extendable).*

7510-00-132-5109, Black, 3/4" W, RO(contains 72 YD), \$73.63

Multi-purpose, double-coated, vinyl foam tape has a silicone-treated liner and is weather and solvent resistant. Use in mounting trim, nameplates, utensil racks, dispensers, decorator items, small mirrors and memo boards to smooth surfaces.

*12-month maximum shelf life (extendable).*

7510-00-165-6560, Black, 1-1/4" W, RO(contains 36 YD), \$55.04

Colorless, double-sided tape with adhesive on both sides is excellent for attaching two sheets of paper, mounting photos, artwork and more with no mess. Tape won't show when applied and won't dry out or yellow. Comes in a durable, refillable plastic dispenser.

**Permanent adhesive, photo safe, 3.0 mil. thick acrylic**

*24-month maximum shelf life (not extendable).*

7510-01-565-9540, SKILCRAFT AbilityOne, Clear, 1/2"W x450"L, RO(contains 450 IN), \$3.52

## Duct Tape

Adheres readily to steel, galvanized sheet metal and other materials. Pressure-sensitive adhesive conforms to irregular surfaces.

**Indoor/outdoor use. Plastic-coated cloth tape is vapor-proof.**

*12-month maximum shelf life (extendable).*

5640-00-103-2254, AbilityOne, Aluminum or Silver-Gray, Width: 2", RO(contains 60 YD), \$8.33

This corrosion-resistant tape is used for sealing aircraft baggage compartments and for insulating glass piping against thermal shock. Opaque, glass-cloth-backed tape with thermosetting adhesive binds joints in low-pressure, hot-air ducts where temperature does not exceed 350° F. Roll has a 3" diameter core.

*12-month maximum shelf life (extendable).*

7510-00-660-0004, White, 3" W, RO(contains 60 YD), \$84.72

*18-month maximum shelf life (extendable).*

7510-00-515-0319, White, 2" W, RO(contains 60 YD), \$56.72

7510-00-530-6375, Natural, 1" W, RO(contains 60 YD), \$23.82

## ACU Pattern Duct Tape

Digital camo tape with waterproof cloth backing is ideal for outdoor use. Lusterless colors help to reduce light glare increasing camouflage capabilities. This high performance pressure sensitive tape is an excellent choice for quick seals, patches, or temporary repairs. Meets ASTM D5486, Type IV.

*12-month maximum shelf life (extendable); Core Contains 100% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7510-01-568-1272, SKILCRAFT AbilityOne, ACU Pattern, 2" W, RO(contains 60 YD), \$22.16

7510-01-591-5822, SKILCRAFT AbilityOne, ACU Pattern, 2-1/2" W, RO(contains 60 YD), \$20.60

## Electrical Insulation Tape

This pressure-sensitive thermosetting tape has a glass-fabric backing and is used for general industrial applications and in high temperature locations. Roll has a 3" diameter core.

*18-month maximum shelf life (extendable).*

5970-01-613-4741, TS-4741-1/2 or equal, White, Width: 1/2"; Thickness: 0.0070", PG(contains 6 EA, EA has 60 YD), \$90.99

5970-01-613-4738, TS-4738-1 or equal, White, Width: 1"; Thickness 0.0070", PG(contains 6 EA, EA has 60 YD), \$164.52

High voltage rubber electrical insulating tape is ozone resistant. Designed for use on wires and cables operating at up to 138kV phase to phase in either wet or dry locations with conductor temperature up to 194 degrees Fahrenheit (90 degree Celsius) for continuous operation.

*12-month maximum shelf life (extendable).*

5970-01-613-4737, TS-4737-3/4 or equal, Black, Width: 3/4"; Thickness 0.020", PG(contains 6 EA, EA has 30 FT), \$92.58

Low voltage rubber electrical insulating tape is not ozone resistant. Designed for use on wires and cables operating at up to 2000V phase to phase in dry locations with conductor temperature up to 176 degrees Fahrenheit (80 degree Celsius) for continuous operation.

*12-month maximum shelf life (extendable).*

5970-01-613-4742, TS-4742-3/4 or equal, Black, Width: 3/4", PG(contains 6 EA, EA has 30 FT), \$45.72

Dielectric plastic tape for up to 6,000 volts.

*12-month maximum shelf life (extendable).*

5970-01-613-4740, TS-4740-3/4 or equal, Black, Width: 3/4", PG(contains 6 EA, EA has 108 FT), \$41.58

Woven cotton fabric friction tape is impregnated with an adhesive insulating compound.

*12-month maximum shelf life (extendable).*

5970-01-613-4739, TS-4739-3/4 or equal, Black, Width: 3/4", PG(contains 6 EA, EA has 82 FT), \$45.72

## High Temperature Aluminum Foil/Glass Cloth Tape

Lusterless tape primarily used in aerospace and critical applications. Extremely high temperature tape - 65.00 DEG.FAHRENHEIT MIN TO 600 DEG FAHRENHEIT MAX. Aluminum foil backing with glass cloth and silicone adhesive. Puncture, tear and heat resistant. I.A.W. ASTM D-3652.

*36-month maximum shelf life (extendable).*

7510-00-502-9143, Silver, 2.0" W, RO(contains 36 YD), \$42.99

## High Temperature Nylon Film Tape

This tape is designed for high-temperature applications. The 3.2 mil thick tape features a non-silicone rubber adhesive on a tough nylon backing that applies easily, removes cleanly and withstands short temperature bake cycles of 400°F/204°C without leaving residue. This makes for faster anchorage during subsequent painting and bonding vs. silicone-based adhesives.

*18-month maximum shelf life (extendable).*

7510-01-202-2195, White, 1" W, RO(contains 72 YD), \$72.15

## PTFE Film Tape

PTFE film backing with silicone adhesive. PTFE reduces friction, wear and energy efficiency of machinery. Handles temperatures from -65°F to 400°F.

*12-month maximum shelf life (extendable).*

7510-01-237-0526, 2.0" W, RO(contains 36 YD), \$63.91

## Masking Tape

General-purpose tape protects contoured or rounded surfaces from being marred by paint, varnish, or other finishing materials. Crepe-paper backing adds strength, which is invaluable during tape removal. This tape is an excellent choice for light-duty bundling, packaging and holding. Resistant to moisture and solvents. Has a 3" core. Meets ASTM D6123, Type I.

*12-month maximum shelf life (extendable).*

7510-00-266-6711, Tan, Width: 3/4", RO(contains 60 YD), \$2.06

Federal Strategic Sourcing Initiative, 7510-00-266-6709, SKILCRAFT, AbilityOne, Beige, Width: 1-1/2", RO(contains 60 YD), \$3.25

Federal Strategic Sourcing Initiative, 7510-00-266-6710, SKILCRAFT, AbilityOne, Beige, Width: 2", RO(contains 60 YD), \$4.41

Federal Strategic Sourcing Initiative, 7510-00-266-6707, SKILCRAFT, AbilityOne, Beige, Width: 3", RO(contains 60 YD), \$7.67

Federal Strategic Sourcing Initiative, 7510-00-266-6708, SKILCRAFT, AbilityOne, Beige, Width: 4", RO(contains 60 YD), \$6.80

(NFES 0770).

*12-month maximum shelf life (extendable).*

7510-00-266-6712, Tan, Width: 1", RO(contains 60 YD), \$2.35

General-purpose, light duty tape with a flat paper backing temporarily masks surfaces when straight line separation is desired during painting. Resistant to moisture and solvents. Has a 3" core. Meets ASTM D6123, Type II.

*18-month maximum shelf life (extendable).*

7510-00-283-0612, Tan, Width: 1", RO(contains 60 YD), \$6.20

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-290-2026, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$4.83

Federal Strategic Sourcing Initiative, 7510-00-266-6694, SKILCRAFT, AbilityOne, Tan, Width: 3", RO(contains 60 YD), \$10.42

Provides excellent results when used for color separation during aircraft painting operations, especially with MIL-C-83286 polyurethane coating system. Opaque tape is ideal for use on flat, contoured or riveted surfaces. Has a 3" core. Meets SAE-AMS-T-21595, Type I.

**Crepe-backed tape will not stain and is ideal for use on large areas. (Color may vary.)**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-00-685-4963, SKILCRAFT, AbilityOne, Tan, Width: 1", RO(contains 60 YD), \$4.81

7510-00-684-8784, SKILCRAFT, AbilityOne, Tan, Width: 1-1/2", RO(contains 60 YD), \$8.90

Federal Strategic Sourcing Initiative, 7510-00-680-2395, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$10.19

Federal Strategic Sourcing Initiative, 7510-00-680-2471, SKILCRAFT, AbilityOne, Blue, Width: 3", RO(contains 60 YD), \$13.99

Paper crepe long-mask masking tape has a tensile strength of 24-lbs per square inch.

*12-month maximum shelf life (extendable).*

7510-01-456-7877, SKILCRAFT, AbilityOne, Blue, Width: 1", RO(contains 60 YD), \$4.67

General-purpose tape with a flat paper backing temporarily masks surfaces when straight line separation is desired during painting. Resistant to moisture and solvents. Has a 3" core.

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-578-9302, SKILCRAFT, AbilityOne, Blue, Width: 1-1/2", RO(contains 60 YD), \$5.32

This painters tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium, crepe back, opaque adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.

**This tape is not approved for use on aircraft.**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-531-4863, SKILCRAFT, AbilityOne, Blue, Width: 2", RO(contains 60 YD), \$8.02

233+ masking tape is green with a 3" core. Clean removal up to 250° F for up to 30 minutes on painted steel. Tape is 0.0067" thick. Material is smooth, opaque, crepe paper.

**In accordance with NAVAIR 01-1A-509 Corrosion Control Technical Manual.**

*12-month maximum shelf life (extendable).*

7510-01-504-5278, 3M 233+, 2" W x 60 yds, RO(contains 55 MR), \$20.76

7510-01-504-5277, 3M, 96 mm x 55 m, RO(contains 55 MR), \$59.16

7510-01-504-5276, 3M, 12 mm x 55 m, RO(contains 55 MR), \$8.57

7510-01-504-5272, 3M, 36mm x 55 m, RO(contains 55 MR), \$13.08

7510-01-504-5267, 3M, 18 mm x 55 m, RO(contains 55 MR), \$23.79

7510-01-504-5275, 3M, 6 mm x 55 m, RO(contains 55 MR), \$18.87

7510-01-504-5271, 3M, 24 mm x 55 m, RO(contains 55 MR), \$22.79

7510-01-504-5268, 3M 233+, 72 mm x 55 m, RO(contains 55 MR), \$10.73

Provides excellent results when used for color separation during aircraft painting operations, especially with MIL-C-83286 polyurethane coating system. Ideal for use on flat, contoured or riveted surfaces. Has a 3" core.

**Plastic-backed tape is designed for general and fine-line color separation when color line separation is critical. Matte finish prevents flaking during removal.**

*12-month maximum shelf life (extendable).*

7510-01-158-6607, Lt. Green, Width: 3", RO(contains 60 YD), \$63.97

7510-01-158-6605, Lt. Green, 1" wide, RO(contains 60 YD), \$35.33

7510-01-158-7778, Green, 3/4" wide, RO(contains 60 YD), \$15.57

7510-01-652-5427, 218, Green, Width: 2", BX(contains 24 EA), \$803.62

**Crepe-backed tape will not stain and is ideal for use on large areas. (Color may vary.)**

*12-month maximum shelf life (extendable).*

7510-00-680-2450, SKILCRAFT, AbilityOne, Tan, Width: 1/2", RO(contains 60 YD), \$2.83

Resistant to paint stripping and cleaning compounds and perfect for masking operations during paint stripping on aircraft and other surfaces. Aluminum foil-back tape provides 72-hour protection. Has a 3 core.

*12-month maximum shelf life (extendable).*

7510-00-473-9513, Silver, 2" wide, RO(contains 60 YD), \$56.43

General-purpose tape protects contoured or rounded surfaces from being marred by paint, varnish, or other finishing materials. Crepe-paper backing adds strength, which is invaluable during tape removal. This tape is an excellent choice for light-duty bundling, packaging and holding. Resistant to moisture and solvents. Has a 3" core. Meets ASTM D6123, Type I.

*12-month maximum shelf life (extendable).*

7510-00-266-6714, Natural, Width: 1/2", RO(contains 60 YD), \$1.33

7510-01-531-7570, 2090, Blue, 1/2 IN W x 60 YD L, RO(contains 60 YD), \$2.71

This painters tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium, crepe back, opaque adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.

**This tape is approved for use on aircraft.**

7510-01-610-1156, MMM2090-2, Blue, 2" X 60 Yards, RO(contains 60 YD), \$6.85

## Vinyl Masking Tape

Floor safety marking tape made of heavy-duty poly vinyl with rubber adhesive sticks tight and removes cleanly. Resists abrasion, moisture, common solvents and weather. Ideal for indoor or outdoor marking of traffic areas, physical hazards, emergency zones, work sites, plus can be used for color coding. Flexible backing allows application to curved walls, ducts, low-hanging objects as well as floors. Conforms to ASTM-D 3330, 3759, 3652 standards.

**Features a 3" core without dispenser.**

7510-00-634-2943, 471, Blue, 1 IN W x 36 YD L, RO(contains 36 YD), \$10.10

## Polyester Masking Tape

A multi-functional polyester tape with a silicone adhesive. Can be used to hold bagging materials in position during the bagging process, masking off areas, or chemical milling protection. And a temperature resistance to 400F.

*12-month maximum shelf life (extendable).*

7510-01-394-2523, Blue, 2.0" W, RO(contains 72 YD), \$15.93

## Polyester Film Tape

Comprised of a strong polyester backing and coated with an aggressive acrylic adhesive, this is a solvent resistant tape that is ideal for applications where exposure to chemicals is a concern. This tape meets demanding applications in a variety of industries. Meets Federal Spec. L-T-100 Type 1.

*18-month maximum shelf life (extendable).*

7510-00-846-8674, Clear, 2.0" W, RO(contains 72 YD), \$19.55

## Flashbreaker Tape

This high-temperature tape is also designed with a thin polyester backing that resists shrinking, curling, tearing and edge lifting, offering reliable masking and consistent results.

*12-month maximum shelf life (extendable).*

7510-01-480-4366, Light Blue, 2" W, RO(contains 72 YD), \$14.41

This 0.0020" thick, plastic polyester tape is opaque with adhesive on one side.

*24-month maximum shelf life (extendable).*

7510-01-108-0174, Blue, Width: 1", RO(contains 72 YD), \$7.96

## Pressure-Sensitive Tape

One-sided, paper crepe tape is heat-resistant to 250° F. Well suited for paint masking on aircraft, trucks and boats. Tape is lusterless and opaque.

*12-month maximum shelf life (extendable).*

7510-01-371-3238, Natural, Width: 1", RO(contains 60 YD), \$8.02

7510-01-371-3235, Natural, Width: 3", RO(contains 60 YD), \$23.99

A weather resistant PLASTIC POLYVINYL FLUORIDE W/ ACRYLIC ADHESIVE tape. Used for outdoor seals of building panels and similar severe exposure applications.

*18-month maximum shelf life (extendable).*

7510-00-040-5895, Clear, 1.5" W, RO(contains 72 YD), \$181.81

7510-00-927-1514, White, 2" W, RO(contains 72 YD), \$242.45

## Carpet Tape

Double-coated vinyl tape is perfect for laying carpet and preparing seams. Has a 3" core. Role is 300" long.

*12-month maximum shelf life (extendable).*

7510-00-782-6220, Buff, Width: 2", PG(contains 4 EA), \$29.85

## Chemical Resistant Tape

This chemical-resistant tape meets the ASTM F1001 test battery standards. Used for taping gloves, boots, respirators storm flaps, protective apparel and related shelter-in-place applications.

*24-month maximum shelf life (extendable).*

7510-01-507-7270, 99402YW, ChemTape, Yellow, 2 IN W X 60 YD L, RO(contains 60 YD), \$52.62

## Foam Tape

This foam tape includes an acrylic adhesive with good quick-stick on contact. It offers good aging characteristics and will remain flexible when exposed to elevated temperatures and UV light.

*18-month maximum shelf life (extendable).*

7510-00-079-7604, Black, 0.625" W, RO(contains 36 YD), \$22.98

## Filament Tape

Industrial-strength, filament-reinforced tape resists nicks, abrasion and moisture. Meets: ASTM D5330 Type III.

*18-month maximum shelf life (extendable).*

7510-00-812-2679, Clear, 2.0" W, RO(contains 60 YD), \$7.33

## Glass Cloth Tape

This tape features a white glass-cloth backing designed to provide a clean finished appearance. This tape features a pressure sensitive, acrylic adhesive that adheres to a variety of substrates. Once bonded, this adhesive provides high, secure adhesion for extended periods in a wide range of climate and temperature conditions, including temperatures as high as 250°F/121°C.

*24-month maximum shelf life (not extendable).*

7510-01-540-6777, White, 4" W, RO(contains 36 YD), \$73.60

Glass cloth tape seals and insulates high temperature ducts and chambers permanently. High resistance to temperature, abrasion and solvents. Withstands temperatures from -65 degrees F to 450 degrees F. Glass cloth backing with silicone adhesive.

*24-month maximum shelf life (extendable).*

7510-01-026-4117, White, 2" x 60 YDS, RO(contains 60 YD), \$129.12

## Graphic Tape

Make graphic designs or lettering with this plastic-backed tape. It's perfect for creating artwork, charts, graphs, signs, and diagrams. It is designed for general and fine-line color separation when color line separation is critical.

*12-month maximum shelf life (extendable).*

7510-00-971-8028, Glossy Black, 1/8 IN W x 27 FT L, RO(contains 9 YD), \$25.42

## Impact Stripping Tape

Provides excellent protection during sandblasting and engraving. Withstands temperatures from -20°F to 150°F. Thick, conformable rubber-backed tape. Acrylic adhesive and easy-release silicone paper liner.

7510-01-300-2127, Green, 4" W, RO(contains 10 YD), \$94.38

7510-01-300-2126, Green, 3" W, RO(contains 10 YD), \$124.17

*12-month maximum shelf life (extendable).*

7510-01-300-2124, Green, 1" W, RO(contains 10 YD), \$24.27

## Vinyl Tape

Tape is clear, glossy, colorless and made of plastic vinyl. Can be used to seal cartons.

*12-month maximum shelf life (extendable).*

7510-01-357-8194, Clear, Width: 2", RO(contains 55 YD), \$2.48

## Waterproof Tape

This "original 100 MPH" high-strength waterproof tape can withstand temperatures between -65 to 160° F. Features a woven cloth backing for exterior sealing. 3" core diameter.

**Meets ASTM D 5486/D 5486M-93 specifications**

*12-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 7510-01-536-5708, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$19.03

7510-01-536-5710, SKILCRAFT, AbilityOne, Tan, Width: 4", RO(contains 60 YD), \$31.26

**Meets ASTM D 5486/D 5486M-96 specifications**

*12-month maximum shelf life (extendable).*

7510-00-074-4960, SKILCRAFT, AbilityOne, Black, Width: 1", RO(contains 60 YD), \$7.62

Federal Strategic Sourcing Initiative, 7510-00-074-5122, SKILCRAFT, AbilityOne, Dark Green, Width: 1", RO(contains 60 YD), \$6.92

Federal Strategic Sourcing Initiative, 7510-00-890-9872, SKILCRAFT, AbilityOne, Olive Drab, Width: 1", RO(contains 60 YD), \$6.92

Federal Strategic Sourcing Initiative, 7510-00-074-4961, SKILCRAFT, AbilityOne, Black, Width: 2", RO(contains 60 YD), \$14.77

Federal Strategic Sourcing Initiative, 7510-00-074-5124, SKILCRAFT, AbilityOne, Dark Green, Width: 2", RO(contains 60 YD), \$14.47

Federal Strategic Sourcing Initiative, 7510-00-266-5016, SKILCRAFT, AbilityOne, Olive Drab, Width: 2", RO(contains 60 YD), \$14.47

Federal Strategic Sourcing Initiative, 7510-00-074-4969, SKILCRAFT, AbilityOne, Red, Width: 2", RO(contains 60 YD), \$13.83

Federal Strategic Sourcing Initiative, 7510-00-074-4952, SKILCRAFT, AbilityOne, White, Width: 2", RO(contains 60 YD), \$14.59

Federal Strategic Sourcing Initiative, 7510-00-074-4962, SKILCRAFT, AbilityOne, Black, Width: 2-1/2", RO(contains 60 YD), \$16.36

Federal Strategic Sourcing Initiative, 7510-00-074-5157, SKILCRAFT, AbilityOne, Dark Green, Width: 2-1/2", RO(contains 60 YD), \$18.85

Federal Strategic Sourcing Initiative, 7510-00-074-5100, SKILCRAFT, AbilityOne, Olive Drab, Width: 2-1/2", RO(contains 60 YD), \$18.20

Federal Strategic Sourcing Initiative, 7510-00-074-4978, SKILCRAFT, AbilityOne, Red, Width: 2-1/2", RO(contains 60 YD), \$17.70

Federal Strategic Sourcing Initiative, 7510-00-074-4963, SKILCRAFT, AbilityOne, Black, Width: 3", RO(contains 60 YD), \$19.41

Federal Strategic Sourcing Initiative, 7510-00-074-5160, SKILCRAFT, AbilityOne, Dark Green, Width: 3", RO(contains 60 YD), \$20.99

Federal Strategic Sourcing Initiative, 7510-00-890-9874, SKILCRAFT, AbilityOne, Olive Drab, Width: 3", RO(contains 60 YD), \$24.34

Federal Strategic Sourcing Initiative, 7510-00-074-4996, SKILCRAFT, AbilityOne, Red, Width: 3", RO(contains 60 YD), \$20.50

Federal Strategic Sourcing Initiative, 7510-00-074-4954, SKILCRAFT, AbilityOne, White, Width: 3", RO(contains 60 YD), \$20.63

Federal Strategic Sourcing Initiative, 7510-00-074-4964, SKILCRAFT, AbilityOne, Black, Width: 4", RO(contains 60 YD), \$27.74

Federal Strategic Sourcing Initiative, 7510-00-074-5174, SKILCRAFT, AbilityOne, Dark Green, Width: 4", RO(contains 60 YD), \$27.50

Federal Strategic Sourcing Initiative, 7510-00-890-9875, SKILCRAFT, AbilityOne, Olive Drab, Width: 4", RO(contains 60 YD), \$29.60

Federal Strategic Sourcing Initiative, 7510-00-074-5178, SKILCRAFT, AbilityOne, Dark Green, Width: 6", RO(contains 60 YD), \$39.85



## Weather Resistant Film Tape

Seals and protects building panels, doors and windows against severe weather. Handles temperatures from -100°F to 225°F. SAE-AMS-T-22085 TY4.

*18-month maximum shelf life (extendable).*

7510-01-161-2049, White, 1.0" W, RO(contains 72 YD), \$29.05

## Reflective Tape

Reflective non-adhesive fabric tape provides nighttime visibility. Requires sew-on application.

*24-month maximum shelf life (extendable).*

9390-00-481-3424, 8910 Silver Scotchlite or equal, Silver, Width: 2", RO(contains 100 YD), \$166.35

## Polyurethane Protective Tape

Protection tape and primarily used on aircraft leading edges such as vertical stabilizers. It is constructed of a polyurethane backing coated with a long-aging, solvent-resistant, pressure sensitive adhesive that is protected with a transparent easy-release liner.

*24-month maximum shelf life (extendable).*

7510-01-326-1568, 4.0" W, RO(contains 36 YD), \$100.43

7510-01-326-1567, 2.0" W, RO(contains 36 YD), \$49.99

Tough, thermoplastic polyurethane elastomer has a high shear strength adhesive and resists minor scratches, tears, erosion and punctures. Commonly used for prevention of chafing of rivets on aircraft fuel cells and bladders

*24-month maximum shelf life (extendable).*

7510-01-288-8440, 8544, Black, 2" W, RO(contains 36 YD), \$44.78

Transparent polyurethane tape designed to provide premium leading edge erosion protection. It features scratch, tear, erosion and puncture resistance that comes from the polyurethane backing. Thin and conformable tape is easy to apply and conforms over curved surfaces and can be painted over, or applied to painted surfaces.

*24-month maximum shelf life (extendable).*

7510-00-180-6275, Clear, 6" W, RO(contains 36 YD), \$150.64

# Thread Repair Tools

## Sewing Palm

Saddlers and sailmakers force needles through heavy materials such as leather or canvas using this right handed leather sewing palm. Smoothed and rounded edges prevent chafing. A malleable iron thimble is located beside the circular or oval thumb hole. For use with russet thread.

**Seaming type.**

Federal Strategic Sourcing Initiative, 5120-00-223-6838, 223-6838 or equal., EA, \$5.00

## Screw Thread Insert Repair Kit

These kits contain everything you will need to repair, replace or remove screw thread inserts. The box will consist of a body, lid, handle and all the hardware. AS59158.

**The kit contains the following:** (1) STI Inserter, (1) STI Extractor, (1) Tang Break Off Tool, (1) Thread Cutting Tap, (1) Tool Box (8-5/8' L x 7-3/8" W x 1-7/16" H), (24) STI's.

Federal Strategic Sourcing Initiative, 5180-00-054-7503, 7/16-14 UNC., KT, \$139.00

**The kit contains the following:** (1) STI Inserter, (1) STI Extractor, (1) Tang Break Off Tool, (2) Thread Cutting Tap, (1) Tool Box (8-5/8' L x 3-5/8" W x 15/16" H), (40) STI's.

Federal Strategic Sourcing Initiative, 5180-00-054-7507, 6-32 UNC., KT, \$123.82

**The kit contains the following:** (1) STI Inserter, (1) Tang Break Off Tool, (1) Extractor, (1) Thread Cutting Tap, (1) Tool Box (8-5/8' L x 3-5/8" W x 15/16" H), (40) STI's.

5180-00-935-0732, 1/4"-20 UNC., KT, \$94.24

5180-00-935-0736, 1/4"-28 UNF., KT, \$94.24

5180-00-935-0735, 10-32 UNF., KT, \$94.24

## Screw Thread Insert Inserting Tool

A tool for inserting screw thread inserts. The insert is loaded into tool to be driven into a predrilled hole that has been tapped and cleaned. AS59158

**Type 3: Inserting Tool, Screw Thread Inserts. Class 1: Prewinder Tools. Style A: 1/2" and smaller UNC and UNF threads.**

Federal Strategic Sourcing Initiative, 5120-00-797-2404, 10-32 UNF., EA, \$152.15

Federal Strategic Sourcing Initiative, 5120-00-797-2402, 3/8-16 UNC., EA, \$117.46

Federal Strategic Sourcing Initiative, 5120-00-816-5707, 1/4-20 UNC., EA, \$73.67

## Screw Threading Set

Hand operated, high speed steel tools with right hand cutting and ground threads are for cutting internal and external threads in iron and steel pipe. Set contains thread cutting taps and dies, a diestock, hand reamers and a tap and reamer wrench. (5) adjustable, rectangular, two piece dies are 1-1/2" W and cover thread sizes 1/4" through 1" for thread series NPT. Also contains (5) pipe taps with thread sizes 1/4" through 1" for thread series NPT; four reamers in sizes 1/4", 3/8", 3/4" and 1"; a nonratcheting diestock measuring 21" to 24" L, and a size 9 tap and reamer wrench. Furnished in a metal, plastic or wooden case.

5180-00-752-9360, SE, \$978.36

# Multi-Tools

## Multi-Tool

These multi-tools come in a range of portable sizes and configurations that combine several individual functions in a single unit. These “Pocket Survival Tools”, are larger and more robust than a pocket knife and incorporate all the tools you’ll need to make your mission succeed.

**This multi-tool includes:** Needlenose Pliers, Hard-Wire Cutter, Serrated Drop Point Knife Blade, Fine Edge Drop Point Knife Blade, Bottle Opener, Can Opener, Wire Scraper and Cross Tip Screwdriver.

Federal Strategic Sourcing Initiative, 5110-01-604-2057, Black Oxide Finish, 5.04" L (Closed), Black Nylon Sheath., EA, \$103.14

**This multitool contains:** Needlenose Pliers, Cap Crimper, Fuse and Wire Cutters, Electrical Crimper, Combo Knife, Saw, Hammer, Replaceable Cutting Hook, Bolt Override Tool, C4 Punch, Bronze Carbon Scraper, Cleaning Rod/Brush Adapters, Carabiner/Bottle Opener, Bit Driver (Phillips #1-2 and 3/16" Screwdriver, Phillips #2 and 1/4" Screwdriver, Torx #15 and Hex 7/64"), 3/8" and 1/2" Wrenches.

Federal Strategic Sourcing Initiative, 5110-01-594-3747, Stainless Steel, 5" L (Closed). Molle Sheath., EA, \$195.01

**This multi-tool has everything you need to get the job done.** Needle Nose Pliers, Crimper, Wire Cutter, File, Knife Blade, Fine Edge and Serrated Edge, Wood Saw, Can Opener, Small, Medium, and Large Flat Tip Screwdrivers, Bottle Opener, One Phillips Tip Screwdriver and Scissors.

Federal Strategic Sourcing Initiative, 5110-01-540-0186, 22-01545, Black Oxide Finish, 4-7/8" L (Closed), Nylon Sheath., EA, \$95.18

**One hand opening multi-tool contains** Needle nose pliers, Cap crimper, Wire cutter, Wire crimper, Half-serrated drop point knife blade, Scissors, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, Cross tip screwdriver, Wood cutting saw, Metal/wood file, Ruler, Socket adapter, Bottle opener, Can opener, Punch/awl and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-507-0228, 4-3/5" L (Closed) Nylon Sheath., EA, \$95.18

**The multi-tool includes:** Needle nose pliers, Wire cutters, Hard-wire cutters, Wire crimper, Cap crimper, Clip-point knife blade, Sheepsfoot or Drop-point serrated knife blade, Wood/Bone saw, Small screwdriver (accommodates #0 flat tip screw size), Medium screwdriver (accommodates #4 flat tip screw size), Large screwdriver (accommodates #8 flat tip screw size), Ruler, Can opener, Bottle opener, Wire stripper and Awl/ punch.

*Comes with a cap crimper.*

Federal Strategic Sourcing Initiative, 5110-01-430-5056, Stainless Steel Finish, 4-1/2" L (Closed), Leather Sheath., EA, \$97.42

**M249 squad automatic weapons features:** gas block removal tool; barrel gas block scraper; shoulder gas block scraper; inner and outer groove gas block scarper; inner cup and outer groove piston scraper; inner groove gas tube scraper. **M240 squad automatic weapons features::** barrel gas block scraper; shoulder gas block scraper; outer groove gas block scraper; port punch gas block, piston scraper

Federal Strategic Sourcing Initiative, 5110-01-641-4777, 3-3/4" L (Closed). Black Nylon Sheath., EA, \$132.23

**The multi-tool includes:** Needlenose Pliers, Hard-Wire Cutter, Wire Cutter, Pen Knife Blade, Serrated Drop, Point Knife Blade, Cross Tip Screwdriver, Extra Small Flat Tip Screwdriver, Large Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Saw, Cutting Hook, Can Opener and Bottle Opener.

Federal Strategic Sourcing Initiative, 5110-01-611-9911, Black Oxide, 4-1/2" L (Closed), Brown Molle Sheath., EA, \$110.19

**This multitool contains:** Needle Nose Pliers, Regular Pliers, Crimper, Wire Cutter, Hard Wire Cutter, Wire Stripper, File, Knife Blade, Serrated Blade, Lanyard Ring, Wood Saw, Can Opener, Small, Medium, and Large Flat Tip Screwdrivers, Bottle Opener, Phillips Tip Screwdriver, Awl with Thread Loop and a Ruler.

Federal Strategic Sourcing Initiative, 5110-01-540-9530, Stainless Steel Finish, 4-1/2" L (Closed), Leather Sheath., EA, \$110.14

**This multi-tool has everything you need to get the job done.** Needle Nose Pliers, Wire Cutter, Wire Crimper, Fine Edge/Serrated Sheepsfoot Knife Blade, Cross Tip Screwdriver, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Bottle Opener, Can Opener, Metal/Wood File, Wood Cutting Saw and Scissors.

Federal Strategic Sourcing Initiative, 5110-01-540-0152, Stainless Steel, 4-7/8" L (Closed), Nylon Sheath., EA, \$88.90

This multi-use pocket tool features a component locking mechanism. The tool contains a Needle Nose Pliers, Cap Crimper, Wire Cutter, Wire Crimper, Fine Edge Drop Point Knife Blade, Serrated Sheepsfoot Knife Blade, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Metal Cutting Saw, Saw Blade Coupler, Ruler, Bottle Opener, Can Opener and C-4 Explosive Punch.

Federal Strategic Sourcing Initiative, 5110-01-462-3400, Black Oxide Finish, 5-1/8" L (Closed), 6-3/4" L (Open), Black Nylon Sheath., EA, \$111.59

This multitool includes: Needle Nose Pliers, Wire Cutter, Hard-wire cutter, Wire Crimper, Fine Edge Clip Point Knife Blade, Serrated Sheepsfoot Knife Blade, Scissors, Wood Cutting Saw, Flat Tip Screwdriver, Large Bit Driver, Small Bit Driver, Punch/Awl, Ruler, Metal/Wood File, Bottle Opener, Can Opener and Wire Stripper. Bits Included: This multi-tool shall consist of one (1) each of the following two (2) double-ended bits: Phillips No. 1-2 x 3/16 inch and Phillips/Flat Tip Eyeglasses Bit.

Federal Strategic Sourcing Initiative, 5110-01-541-1454, Stainless Steel Finish, 4-1/2" L (Closed). Black Nylon Sheath., EA, \$85.05

This multitool includes: Needlenose Pliers, Regular Pliers, Premium Replaceable Wire Cutters, Premium Replaceable Hard-wire Cutters, Stranded-wire Cutters, Electrical Crimper, Wire Stripper, 420HC Knife 420HC Serrated Knife, Saw, Spring-action Scissors, Awl w/ Thread Loop, Ruler (8 inches), Can Opener, Bottle Opener, Wood/Metal File, Diamond-coated File, Blade Exchanger, Large Bit Driver, Large Screwdriver and Small Screwdriver. Bits Included: This multi-tool shall consist of one (1) each of the following one (1) double-ended bits: Phillips No. 1-2 x 3/16 inch.

Federal Strategic Sourcing Initiative, 5110-01-541-1455, Black Oxide Finish, 4-1/2" L (Closed). Black Sheath., EA, \$89.58

This multi-tool includes: Hard anodized aluminum handles, needlenose and regular pliers, wire cutters, hard wire cutters, crimper, saw (154 cm), clip point stainless steel knife blade, serrated knife, cutting hook, wood/metal file, diamond coated file, wire stripper, large bit drivers (2), small bit driver, double end bits (9) (sizes: screwdriver (1/4" and 3/16"), hex (5/32" and 9/64"), hex (1/8" and 7/64"), hex (3/32" and 5/64"), hex (1/16 and .05"), Robertson (#2 and #3), screwdriver (1/8" and Torx #15), Phillips (#1 and #2), Phillips and flat tip eyeglass screwdriver), 8" / 19cm ruler, bottle/can opener, fixed lanyard ring, quick release lanyard ring and a removable pocket clip.

Federal Strategic Sourcing Initiative, 5110-01-525-6664, 4" L (Closed). Nylon Sheath., EA, \$114.09

This multi-tool includes: 154cm Clip Point Knife, Sheepsfoot Serrated Knife, Cutting Hook, Needle Nose Pliers, Regular Pliers, Wire Cutters, Hard-Wire Cutters, Wire Stripper, Wire Crimper, Small Bit Driver, Wood/Metal File, Diamond-Coated File, Saw, Bottle Opener, Can Opener and 8 Inch Ruler. This multi-tool shall consist of two (2) each of the following one (1) tool: Large Bit Driver, Bits Included: This multi-tool shall consist of one (1) each of the following nine (9) double-ended bits: Eyeglasses Screwdriver: Phillips X Flat Tip, Hexagon: 5/32 X 9/64 inch, Hexagon: 1/8 X 7/64 inch, Hexagon: 3/32 X 5/64 inch, Hexagon: 1/16 X .05 inch, Robertson: #2 X #3, Screwdriver: 1/8 inch X Torx #15, Phillips: #1 X #2 and Screwdriver: 1/4 X 3/16 inch.

Federal Strategic Sourcing Initiative, 5110-01-525-6655, 4" L (Closed). Leather Sheath., EA, \$105.46

This multi-tool includes: Needlenose pliers, Wire cutters, Hard-wire cutters, Wire stripper, Fine edge clip point knife, Serrated sheepsfoot knife, Large flat tip screwdriver, Large bit driver, Small bit driver, Scissors, Metal/wood file, Saw, Bottle opener, Can opener, Ruler, Fixed lanyard ring, Quick-release lanyard ring. Bits Included: This multi-tool shall consist of one (1) each of the following eight (8) bits: Double-ended phillips and flat tip eyeglass, Double-ended 5/32 and 9/64 inch hex, Double-ended 1/8 and 7/64 inch hex, Double-ended 3/32 and 5/64 inch hex, Double-ended 1/16 and 0.050 inch hex, Double-ended robertson #2 and #3, Double-ended 1/8 inch flat tip and T-15 torx and Double-ended phillips #1-2 and 3/16 inch flat tip.

Federal Strategic Sourcing Initiative, 5110-01-525-6659, 4" L (Closed), Leather Sheath., EA, \$105.46

This tool features needlenose and regular pliers, wire cutters, hard wire cutters, contoured stainless steel handle (Zytel grips and features locking components such as a clip point blade), scissors, screwdrivers (2), Phillips screwdriver, inch and centimeter ruler, bottle/can opener with wire stripper and lanyard attachment.

Federal Strategic Sourcing Initiative, 5110-01-525-6660, 4" L (Closed). Nylon Sheath., EA, \$39.54

Federal Strategic Sourcing Initiative, 5110-01-525-6661, 4" L (Closed), Leather Sheath., EA, \$47.45

This multi-tool features stainless steel Zytel contoured handle grips, needlenose pliers, regular pliers, wire cutters, hard wire cutters, clip point knife, scissors, saw, wood/metal file, small bit driver, Phillips and flat tip eyeglasses screwdriver bit, (2) screwdrivers, Phillips screwdriver, ruler 8" / 19cm, bottle/can opener, wire stripper and lanyard attachment.

Federal Strategic Sourcing Initiative, 5110-01-525-6666, Stainless Steel Finish, 4" L (Closed). Leather Sheath., EA, \$49.98

The multi-tool includes: Needle nose pliers, Wire Cutter, Hard-wire cutter, Wire crimper, Wire stripper, Fine edge drop point knife blade, Serrated sheepsfoot knife blade, Wood cutting saw, Metal/wood file, Cross tip screwdriver, Large flat tip screwdriver, Medium flat tip screwdriver, Small flat tip screwdriver, Punch/awl, Ruler, Bottle Opener, Can Opener and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-425-7570, Stainless Steel Finish, 4-1/2" L (Closed). Black Nylon Sheath., EA, \$59.32

The multi-tool includes: Needle nose pliers, Wire Cutter, Hard-wire cutter, Wire crimper, Wire stripper, Fine edge drop point knife blade, Serrated sheepsfoot knife blade, Wood cutting saw, Metal/wood file, Cross tip screwdriver, Large flat tip screwdriver, Medium flat tip screwdriver, Small flat tip screwdriver, Punch/awl, Ruler, Bottle Opener, Can Opener and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-430-5046, Stainless Steel Finish, 4-1/2" L (Closed), Leather Sheath., EA, \$59.97

The multi-tool includes: Needle nose pliers, Wire Cutter, Hard-wire cutter, Wire crimper, Wire stripper, Fine edge drop point knife blade, Serrated sheepsfoot knife blade, Wood cutting saw, Metal/wood file, Cross tip screwdriver, Large flat tip screwdriver, Medium flat tip screwdriver, Small flat tip screwdriver, Punch/awl, Ruler, Bottle Opener, Can Opener and Lanyard eye/ring.

*Comes with a cap crimper.*

Federal Strategic Sourcing Initiative, 5110-01-430-5039, Black Oxide Finish, 4-1/2" L (Closed). Black Nylon Sheath., EA, \$67.88

This tool is the next generation multi-tool. Needle Nose Pliers, Wire Cutter, Hard-Wire Cutter, Fine Edge Clip Point Knife Blade, Serrated Sheepsfoot Knife Blade, Wood Cutting Saw, Scissors, Metal/Wood File, Diamond Coated File, Small Bit Driver, Large Bit Driver, Large Flat Tip Screwdriver (accommodates #8 flat tip screw size), Ruler (8"), Bottle Opener, Can Opener and Wire Stripper.

Federal Strategic Sourcing Initiative, 5110-01-456-0578, Stainless Steel Finish, 4" L (Closed), 6-1/4" L (Open), Leather Sheath., EA, \$71.18

This multi tool is made from 100 percent stainless steel and is designed with one-hand opening characteristics. The multi-tool includes: Wire Cutter, Hard-Wire Cutter, Serrated Sheepsfoot Knife Blade, Metal/Wood File, Small Tip Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Hexagonal Bit Driver, Ruler, Bottle Opener, Can Opener and Locking Pliers.

Federal Strategic Sourcing Initiative, 5110-01-474-0894, Stainless Steel Finish., 4" L (Closed). Black Nylon Sheath., EA, \$79.09

This multi tool is made from 100 percent stainless steel and is designed with one-hand opening characteristics. The multi-tool includes: locking pliers, Wire Cutter, Hard-Wire Cutter, Serrated Sheepsfoot, Knife Blade, Metal/Wood File, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Hexagonal Bit Driver, Ruler, Bottle Opener, Can Opener and Wire Stripper.

Federal Strategic Sourcing Initiative, 5110-01-474-0895, Stainless Steel Finish., 4" L (Closed), Leather Sheath., EA, \$79.75

This multi-use pocket tool features a component locking mechanism. The tool contains a drop point knife blade, serrated sheepsfoot knife blade, file, Phillips tip screwdriver, (3) flat tip screwdrivers, can/bottle opener, needlenose pliers, wire cutters, scale, ruler, crimper and a lanyard ring. Plier head retracts and slides into the handle. Other components fold into the handle and when the locks are released on the outside of handles.

Federal Strategic Sourcing Initiative, 5110-01-394-6252, 07550G1 or equal., Black Oxide Finish, 5-1/8" L (Closed), Black Nylon Sheath., EA, \$63.48

This multi-use pocket tool features a component locking mechanism. The tool consists of Needle Nose Pliers, Wire Cutter, Wire Crimper, Fine Edge Drop Point Knife Blade, Serrated Sheepsfoot Knife Blade, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Metal/Wood File, Ruler, Bottle Opener, Can Opener and Lanyard Eye/Ring.

Federal Strategic Sourcing Initiative, 5110-01-394-6249, Stainless Steel Finish, 4-23/25" L (Closed). Black Nylon Sheath., EA, \$50.73

Contains Needlenose Pliers, Regular Pliers, Wire Cutters, Hard-Wire Cutters, Stranded Wire Cutters, Combo Knife, Saw, Hammer, Replaceable Cutting Hook, Bolt Override Tool, Firearm Disassembly Punch, Bronze Carbon Scraper, Cleaning Rod/Brush Adapter, Bottle Opener, Bit Driver, Removable Pocket Clip, 1/2" and 3/8" Wrench Accessory, Philips No. 1-2 and 3/16" Screwdriver Bits, Phillips No. 2 and 1/4" Screwdriver Bits, Torx No. 15 and Hex 7/64" Bits.

Federal Strategic Sourcing Initiative, 5110-01-585-7935, Stainless Steel Finish, 5" L (Closed), Coyote Brown Berry Compliant Molle Sheath., EA, \$136.95

Needlenose Pliers, Regular Pliers, Wire Cutters, Hard-Wire Cutters, Stranded Wire Cutters, Combo Knife, Saw, Hammer, Cutting Hook, Bolt Override Tool, Firearm Disassembly Punch, Bronze Carbon Scraper, Cleaning Rod/Brush Adapter, Bottle Opener, Bit Driver, Pocket Clip, 1/2 In. And 3/8 In. Wrench Accessory, Philips #1 and 3/16" Screwdriver Bits, Phillips #2 and 1/4" Screwdriver Bits, Torx #15 and Hex 7/64" Bits.

Federal Strategic Sourcing Initiative, 5110-01-585-7934, Stainless Steel Finish, 5" L (Closed), Black Berry Compliant Molle Sheath., EA, \$136.95

This multitool contains: hard wire cutter, punch/awl, screwdriver bit, wire cutter, crimper and striper, flat tip and phillips screwdriver, serrated clip point knife blade, nylon sheath, blade lock, snap closure sheath and camouflage pattern.

Federal Strategic Sourcing Initiative, 5110-01-598-2254, 7-1/2" L. Coyote Brown., EA, \$350.53

Federal Strategic Sourcing Initiative, 5110-01-598-2253, 7-1/2" L. ACU Nylon Sheath ., EA, \$258.46

Federal Strategic Sourcing Initiative, 5110-01-598-2248, 7-1/2" L. Multicam., EA, \$367.21

This multitool contains: Needle Nose Pliers, Wire Cutter, Wire Crimper, Fine Edge Drop Point Knife Blade, Serrated Sheepfoot Knife Blade, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Metal/Wood File, Ruler, Bottle Opener and Can Opener.

Federal Strategic Sourcing Initiative, 5110-01-592-2581, (OCP) Camouflage Pattern, 5" L (Closed). OCP Nylon Sheath., EA, \$69.30

Contains Needlenose Pliers, Regular Pliers, 154cm Replaceable Wire Cutters, Hard Wire Cutters, Stranded Wire Cutters, Combo Knife, Saw, Hammer, Cutting Hook, Bolt Override Tool, Firearm Disassembly Punch, Bronze Carbon Scraper, Cleaning Rod/Brush Adapter, Bottle Opener, Bit Driver, Removable Pocket Clip, 1/2" and 3/8" Wrench Accessory, Philips No. 1-2 and 3/16" Screwdriver Bits, Phillips No. 2 and 1/4" Screwdriver Bits, Torx No. 15 and Hex 7/64" Bits.

Federal Strategic Sourcing Initiative, 5110-01-585-7936, Black Oxide Finish, 5" L (Closed), Coyote Brown Molle Sheath., EA, \$136.95

All the best in this one multi-tool! Needlenose pliers, cap crimper, replaceable fuse wire cutters, stranded wire cutters, combo knife, saw, hammer, replaceable cutting hook, bolt override tool, punch, bronze carbon scraper, cleaning rod/brush adapter, bottle opener, bit driver, removeable pocket clip, 1/2" and 3/8" wrench accessory, (3) Philips (#1, #2 and #2), screwdriver bits, Torx #15 and Hex 7/64" bit.

Federal Strategic Sourcing Initiative, 5110-01-585-7937, Black Oxide Finish, 5" L (Closed), Blackberry Compliant Molle Sheath., EA, \$144.86

All-in-one multi-tool has a component locking mechanism. Needle-nose pliers, Wire crimper, Wire cutters, Drop point knife blade, Serrated sheepfoot knife blade, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, #1 Phillips tip screwdriver, Ruler, Metal/wood file, Bottle opener, Can opener and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-394-6251, Stainless Steel Finish, 5-1/8" L (Closed), Leather Sheath., EA, \$58.58

Multi-purpose tool contains the following: Needle Nose Pliers, Wire Cutter, Wire Crimper, Serrated Drop Point Knife Blade, Metal Cutting Saw, Scissors, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Cross Tip Screwdriver, Metal/Wood File, Ruler, Bottle Opener and Can Opener.

Federal Strategic Sourcing Initiative, 5110-01-451-4945, Stainless Steel Finish, 5" L (Closed). Black Nylon Sheath., EA, \$57.60

This multi tool is designed for the user who needs extreme wire cutting ability and quick access to the components. The tool contains: Needle nose pliers, Wire cutters, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, Cross tip phillips tip screwdriver, Half-serrated drop point knife blade, Replaceable carbide saw blade, File, Scissors, Universal jig saw coupler, Bottle opener and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-475-2144, 4-1/4" L (Closed), Nylon Sheath., EA, \$106.67

Ideal for the handyman. This multi-tool opens up to reveal a knife blade, pliers, wire cutters, ruler, can/bottle opener, flat tip and Phillips screwdrivers, metal and wood file/saw and awl/punch.

Federal Strategic Sourcing Initiative, 5110-01-321-8805, Black Oxide Finish, 4" L (Closed), Leather Sheath., EA, \$70.20

All-in-one multi-tool. Component locking mechanism. Blunt nose pliers, Wire cutters, Wire crimper, Fine edge drop point knife blade, Serrated sheepfoot knife blade, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, Cross tip screwdriver (Phillips #2), Metal/wood file, Ruler, Bottle opener, Can opener and Lanyard eye/ring.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-01-346-5339, 07500G or equal., Stainless Steel Finish, 4-7/8" L (Closed). Black Nylon Sheath., EA, \$57.38

Multi-use pocket tool contains: serrated knife blade, pliers, drop point knife, wire cutters, flat tip and Phillips screwdrivers, can/bottle opener, lanyard eye, ruler and crimper. Also features a component locking mechanism.

Federal Strategic Sourcing Initiative, 5110-01-346-5341, 07520G1 or equal., Black Oxide Finish, 4-7/8" L (Closed), Black Nylon Sheath., EA, \$67.02

The multi-tool includes: Needle Nose Pliers, Wire Cutter, Wire Crimper, Fine Edge Drop Point Blade, Serrated Sheepfoot Knife Blade, Phillips Screwdriver, Small Flat Tip Screwdrivers, Medium Flat Tip Screwdrivers, Large Flat Tip Screwdrivers, Bottle Opener, Can Opener, File, Ruler and Lanyard Eye/Ring.

Federal Strategic Sourcing Initiative, 5110-01-474-4899, 5" L (Closed). Molle Sheath., EA, \$80.86

This multitool features: Needle nose pliers, Cap crimper, Wire crimper, Hard-wire cutter, Fine edge clip point knife blade, Serrated sheepfoot knife blade, Wood cutting saw, Scissors, Metal/wood file, Small bit driver, Large bit driver, Large flat tip screwdriver, Ruler, Bottle opener, Can opener, Wire stripper and Lanyard eye/ring. Bits Included: This multi-tool shall consist of one (1) each of the following two (2) bits: Double-ended phillips #1 and #2 and Double-ended 3/16 inch flat tip and phillips/flat tip eyeglass.

5110-01-541-1201, Stainless Steel Finish, 4" L (Closed). Black Nylon Sheath, EA, \$103.95

The multitool features hard anodized aluminum handles, Needle nose pliers, Wire cutters, Hard-wire cutters, Wire crimper, Clip point knife blade, Wood cutting saw, Small bit driver, Large bit driver, Metal/wood file, diamond-coated, Bottle opener, Can opener, Wire stripper, Lanyard eye/ring (fixed), Lanyard eye, quick release. Bits Included: This multi-tool shall consist of one (1) each of the following nine (9) bits: Double-ended 1/4 and 3/16 inch flat tip, Double-ended no. 1 and 2 phillips, Double-ended 3/32 and 5/64 inch hex, Double-ended 5/32 and 9/64 inch hex, Double-ended 1/16 and 0.050 inch hex, Double-ended 1/8 and 7/64 inch hex, Double-ended no. 2 and 3 robertson, Double-ended 1/8 inch flat tip and T-15 torx and Double-ended phillips/flat tip eyeglasses.

Federal Strategic Sourcing Initiative, 5110-01-541-1202, Black Oxide Finish, 4" L (Closed). Black Sheath., EA, \$118.76

This multi-tool includes: Zytel contoured handled grips, needlenose and regular pliers, wire cutters, hard wire cutters, clip point knife, flat tip screwdrivers (2), Phillips screwdriver, ruler 8"/19cm, bottle/can opener, wire stripper and lanyard attachment.

Federal Strategic Sourcing Initiative, 5110-01-525-6665, 4" L (Closed). Nylon Sheath., EA, \$36.44

This multi-use pocket tool includes a component locking mechanism. The tool consists of a Bluntnose pliers, Wire crimper, Wire cutters, Drop point knife blade, Serrated sheepsfoot knife blade, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, #1 Phillips tip screwdriver, Can opener, Bottle opener, Metal/wood file, Ruler and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-346-5340, 07505G or equal., Stainless Steel Finish, 4-7/8" L (Closed), Leather Sheath., EA, \$56.48

## Multi-Tool Kit

These multi-tools come in a range of portable sizes and configurations that combine several individual functions in a single unit. These "Pocket Survival Tools", are larger and more robust than a pocket knife and incorporate all the tools you'll need to make your mission succeed.

This multi-tool kit contains: Bluntnose pliers, Wire cutter, Wire crimper, Drop point knife blade, Serrated sheepsfoot knife blade, Can opener, Bottle opener, Lanyard eye, Metal/wood file, Phillips #2 screwdriver, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, Ruler, Bits Included: This multi-tool shall consist of one (1) each of the following 6 (six) bits: Flat tip #12-14, Flat tip #5-6, Flat tip #0-1, Phillips #1, Phillips #2 and Phillips #3.

Federal Strategic Sourcing Initiative, 5110-01-385-7354, Stainless Steel Finish, 4-7/8" L (Closed), Black Nylon Sheath., KT, \$60.83

This multi-tool kit contains: a multi-pliers tool, a miniature flashlight and case. The multi-tool contains a retractable needlenose pliers, wire cutter, wire crimper, fine edge knife, file, Phillips screwdriver, (3) flat tip screwdrivers, can/bottle opener, ruler and a lanyard ring. The other components fold into the handle and when opened, lock in the open position and are released by a lock release mechanisms on outside of the handles.

Federal Strategic Sourcing Initiative, 5110-01-462-3402, Stainless Steel Finish, 5" L (Closed), Black Sheath. Ballistic Nylon, KT, \$80.12

This multi-tool kit contains: a multi-pliers tool, sheath, eFECT tool, a miniature flashlight and strap cutter. Total Kit Weight: 24.04 oz. Sheath with Components dimensions: 4" x 2" x 6".

Federal Strategic Sourcing Initiative, 5180-01-598-2251, 30-000367 or equal, Tan, KT, \$348.00

# Pocket Knives

## Pocket Knife (Folding)

Pocket knives are versatile tools, and may be used for anything from opening an envelope, to cutting twine, to slicing an apple or even for self defense.

This folding pocket knife has a stainless steel fine edge blade. The knife features a blade lock and a lightweight, molded to form, non-slip textured plastic handle with black finish and a reversible pocket clip.

Federal Strategic Sourcing Initiative, 5110-01-583-9252, C91PBBK or equal., Black, 8-5/8" L (Open), 4-15/16" L (Closed), EA, \$113.54

This folding pocket knife has a satin finish stainless steel modified sheepfoot blade with an oval thumb hole. The blade has a partially serrated / straight edge. The black high strength plastic handle is lightweight and molded to form. The knife features a patented hinged lock and has a reversible stainless steel carry clip.

Federal Strategic Sourcing Initiative, 5110-01-451-0707, Satin Finish, 8-1/2" L (Open), 4-7/8" L (Closed), EA, \$19.83

This electrician's folding pocket knife has (3) steel blades: pen and sheepfoot blade (3" L), wire scraper blade (3" L) and screwdriver tip with insulation cutter blade (3" L).

Federal Strategic Sourcing Initiative, 5110-01-399-9317, J18535 or equal., 7" L (Open), 3-3/4" L (Closed), EA, \$26.46

Modified drop-point stainless steel blade with ambidextrous thumb-stud opener.

Federal Strategic Sourcing Initiative, 5110-01-598-7727, EA, \$24.59

This pocket knife offers fully automatic deployment and is configured in such a way as to achieve the speed and might that tactical pros require, while still protecting the user with features like a safety pin, which prevents accidental deployments. Furnished with a black sheath with belt loop.

Federal Strategic Sourcing Initiative, 5110-01-516-3243, Black, Length: 8-1/2" (open), 4-13/16" (closed), EA, \$157.24

Federal Strategic Sourcing Initiative, 5110-01-516-3244, Black, Length: 8-7/8" (open), 5-17/32" (closed), EA, \$161.08

This multi-purpose, lock back blade knife is designed to open easily with one hand. This tactical type stainless steel blade has a double beveled edge and one side is half serrated. Furnished with a reversible pocket clip and a black nylon sheath.

Federal Strategic Sourcing Initiative, 5110-01-451-4943, 8-1/2" L (Open), 4-3/4" L (Closed), EA, \$101.55

Multi-purpose single blade lock-back knife. Designed to open easily with one hand. High carbon stainless steel 3.5 inch blade with non-glare satin finish; Furnished with a removable pocket clip.

Federal Strategic Sourcing Initiative, 5110-01-414-4916, 8" L (Open), 4-3/4" L (Closed), EA, \$27.33

This folding pocket knife has a Tanto style steel blade with a black plastic handle. It has a safety blade lock, textured handle, belt clip and lanyard hole.

5110-01-432-6191, 8-1/4" L (Open), 4-5/8" L (Closed), EA, \$45.64

This folding combat tacticle pocket knife has a black titanium nitride coated steel dual edge blade. The blade has a partially serrated edge and a straight edge. The black high strength plastic handle is lightweight and molded to form. The knife features a liner lock and has a stainless steel carry clip.

Federal Strategic Sourcing Initiative, 5110-01-516-3228, 8-5/8" L (Open), 4-7/8" L (Closed), EA, \$111.57

Lock back folding knife. High carbon stainless steel non-serrated blade with non-glare satin finish. Has a removable pocket clip. Features one handed opening.

Federal Strategic Sourcing Initiative, 5110-01-414-4918, 8" L (Open), 4-1/2" L (Closed), EA, \$28.63

Federal Strategic Sourcing Initiative, 5110-01-414-4917, 5-1/2" L (Open), 3-1/2" L (Closed), EA, \$25.22

Lock back folding knife. High carbon stainless steel serrated blade with a non-glare satin finish. Has a removeable pocket clip. Features one handed opening.

Federal Strategic Sourcing Initiative, 5110-01-414-4920, 5-1/2" L (Open), 3-1/8" L (Closed), EA, \$22.85

This combat folder features a large stainless steel blade that fits snugly into a relatively small handle, an objective not easily accomplished with most folding knives. In addition, the knife features a 4-1/2" blade with a thumb stud for easy one handed deployment, as well as a sheath for easy storage.

Federal Strategic Sourcing Initiative, 5110-01-436-1548, 10-1/4" L (Open), 5-3/4" L (Closed), EA, \$100.15

This multi-purpose folding knife is made of high carbon stainless steel with a non-glare satin finish on the blade. The blade has a smooth sharpened edge from the point to approximately the middle of the blade and the balance of the blade has a serrated edge. The knife has a safety feature that pauses the blade halfway through rotation to prevent accidental opening or closing. The handle is rubberized with a non-slip grip that includes a separate contour for the index finger. This provides for a firm and comfortable grip. Provided in a heavy duty synthetic sheath with Velcro flap closure and a belt loop.

Federal Strategic Sourcing Initiative, 5110-01-369-9340, 8-5/8" L (Open), 5" L (Closed), Nylon Sheath., EA, \$30.86

This folding pocket knife has a black finish stainless steel modified sheepsfoot blade with an oval thumb hole. The blade has a partially serrated / straight edge. The black high strength plastic handle is lightweight and molded to form. The knife features a patented hinged lock and has a reversible stainless steel carry clip.

Federal Strategic Sourcing Initiative, 5110-01-452-2215, Black Finish, 8" L (Open), 4-5/8" L (Closed)., EA, \$18.66

This multipurpose lock back folding knife comes with a simulated alligator hide rubber encapsulated handle. The blade is a non-glare, satin finished and made of high carbon steel. Furnished in black synthetic heavy duty sheath with Velcro closure and belt loop.

Federal Strategic Sourcing Initiative, 5110-01-395-0291, 8-3/4" L (Open), 5" L (Closed)., EA, \$35.34

## Pocket Knife (Electrician's Style)

Pocket knives are versatile tools, and may be used for anything from opening an envelope, to cutting twine, to slicing an apple or even for self defense.

Electrician's-style, heavy-duty, folding-type knife, has two high-grade steel blades with nail grooves for easy opening. One blade is a combination screwdriver and wire-skinning blade, and the other is a 2-3/8" spear-type cutting blade which extends to a point, and a steel spring holds the blade in position. Riveted assembly makes this knife long lasting. Ground and polished metal surfaces.

5110-00-240-5943, 3-3/4" L (Closed)., EA, \$11.39

## Pocket Knife (General Purpose)

General purpose, folding type knife. The knife has four high grade steel blades with nail grooves for easy opening. Included in the knife are a 3-1/4" cutting blade, can opener blade, leather punch blade, combination screwdriver and bottle cap lifter. The cutting blade edge extends to a point and a steel spring holds the blade in position. Riveted assembly makes this knife long lasting. Metal surfaces are ground and polished. A-A-59100.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-162-2205, 3-1/4" L, Clevis Included., EA, \$21.92

## Pocket Knife (Rigger's Splicing Type)

Pocket knives are versatile tools, and may be used for anything from opening an envelope, to cutting twine, to slicing an apple or even for self defense.

Rigger's splicing-style, folding-type knife has two high-grade steel blades with nail grooves for easy opening. Keen cutting edge extends to a point and a steel spring holds the blade in position. The heavy-duty knife has a 3-7/16" cutting blade, and a 3-5/8" marlinespike. The knife also has a shackle retaining device which locks the marlinespike in open position. Riveted assembly makes this knife long lasting. Metal surfaces are ground and polished.

Plastics Removal in Marine Environments

5110-00-530-1757, EA, \$25.98

## Hunting Knife

Hunting or pilot's survival knife features a tempered, heat-treated steel blade encased in a grooved leather handle. Blade measures 5" long. Nylon-laced leather sheath has a snap-close strap and a snap-close pocket for carrying sharpening stone (included). Has a reinforced metal sheath protector. SAE AS 8662.

7340-00-098-4327, 6150 or equal, Overall Length: 9-1/2", EA, \$50.54



# Special-Purpose Knives

## Utility Knife (Retractable)

Cutting tool used in various trades and crafts for a variety of purposes. Designed to be lightweight, easy to carry and use. Utility knives are commonly used in factories, warehouses and other situations where a tool is routinely needed to open boxes, packages, or cut through tape or cord.

5110-01-621-5259, AbilityOne, 6-1/2" L, Includes 1 Blade, 7 Snap-off Blades, Plastic., EA, \$7.03

5110-01-621-5256, AbilityOne, 6-1/2" L, Includes 1 Blade, 8 Snap-off Blades, Plastic., EA, \$3.58

Federal Strategic Sourcing Initiative, 5110-01-621-7915, AbilityOne, 6-1/2" L, Retracting, Plastic., EA, \$7.97

Federal Strategic Sourcing Initiative, 5110-01-428-5236, 10-499 or equal., 6" L., EA, \$9.41

Federal Strategic Sourcing Initiative, 5110-01-621-5253, AbilityOne, 5-1/2" L, Includes 1 Blade, 13 Snap-off Blades, Plastic., EA, \$2.54

Federal Strategic Sourcing Initiative, 5110-01-428-5547, 6" L, Includes 3 Blades, Aluminum., EA, \$6.89

Federal Strategic Sourcing Initiative, 5110-01-428-5231, Orange, 5-5/8" L, Includes 1 Blade, Zinc., EA, \$9.05

Federal Strategic Sourcing Initiative, 5110-01-412-8019, 42065 or equal., 5-1/2" L, Self Retracting, Zinc., EA, \$7.07

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-892-5071, Includes 5 Blades, Steel, 5-1/2" L., EA, \$6.09

## Utility Knife (Replacement Blades)

Replacement blades for utility knives.

5110-01-621-5257, AbilityOne, (2) 4-1/2" L, Double Blade., EA, \$1.64

Federal Strategic Sourcing Initiative, 5110-01-428-5268, 2" L, 2 Notched Blade Top., PG(contains 5 EA), \$1.43

## Craftsman's Knife Blade (Razor Blade Type)

Replacement blades for utility knives.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-2865, 2-5/16" L x 3/4" W., PG(contains 5 EA), \$1.05

## Craftsman's Knife

Hardened steel with a plated or treated surface for corrosion resistance. Attaches firmly to the drive handle.

**This Heavy Duty snap off utility knife has a self-Locking auto blade lock and stores up to 5 blades in the handle.**

Federal Strategic Sourcing Initiative, 5110-01-600-9339, Type E blade, 5-1/2" L., EA, \$13.17

**Consists of a medium-duty holder and six removable blades in the following quantities and styles: one broad, one curved, two double-edged and two close-corner.**

Federal Strategic Sourcing Initiative, 5110-00-595-8400, Stencil, 4-1/2" L., EA, \$3.81

## Craftsman's Knife (Replacement Blade)

Hardened steel with a plated or treated surface for corrosion resistance. Attaches firmly to the drive handle.

Federal Strategic Sourcing Initiative, 5110-00-359-6478, PG(contains 5 EA), \$1.14

## Craftsman's Knife (Set)

Hardened steel with a plated or treated surface for corrosion resistance. Attaches firmly to the drive handle.

The set consists of (3) holders and (10) interchangeable blades. Holder styles: a light duty fixed holder with a beveled blade, a medium duty fixed holder with a close corner blade and a heavy duty fixed holder. Blade styles: (1) curved, (3) beveled, (1) stencil cutting, (1) square, (1) broad, (1) carved, (1) double edged and (1) close corner. Furnished in a plastic or wooden case.

Federal Strategic Sourcing Initiative, 5110-00-018-0952, SE, \$17.36

Consists of a light duty holder and (5) removable, razor sharp blades in the following quantities and styles: (1) curved, (2) beveled, (1) stencil cutting and (1) square.

Federal Strategic Sourcing Initiative, 5110-00-293-1585, Stencil, 4-1/2" L., SE, \$3.80

## Leather Knife (Square Point)

Shoemaker's knife has a straight, tapered, ground carbon steel blade for cutting tough leather.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-7782, Blade: 3-1/2" L x 3/4" W., EA, \$5.17

Federal Strategic Sourcing Initiative, 5110-00-595-8403, Blade: 4-1/4" L x 3/4" W., EA, \$5.88

Federal Strategic Sourcing Initiative, 5110-00-595-8402, Blade: 6-1/4" L x 1" W., EA, \$7.18

## Linoleum Knife (Rigid Blade)

This hawkbill style knife cuts linoleum and floor tile made of rubber, plastic, vinyl or asphalt. Carbon steel blade has a hooked point and a ground edge.

Rigid blade is securely pinned in the hardwood handle. Metal ferrule keeps handle from splitting.

Federal Strategic Sourcing Initiative, 5110-00-344-9900, Hawkbill, 1-1/2" L Blade., EA, \$6.27

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-240-7070, Hawkbill, 2-1/2" L Blade., EA, \$5.97

## Glass Cutter

Standard cutter features a hardened cutting wheel and a steel or bronze axle for long life. A corrosion-resistant finish covers the handle.

Has a single, fixed wheel for cutting standard flat sheet glass. Features a ball-shaped handle end, three breaker notches for 1/8 to 3/16 thicknesses and a steel cutting wheel.

Federal Strategic Sourcing Initiative, 5110-00-222-4400, 5" L., EA, \$5.46

## Razor Blade

The single-edged, carbon steel blade is untreated. Handy for a variety of general utility jobs, such as precision cutting and removing adhesives and labels from smooth surfaces.

Federal Strategic Sourcing Initiative, 5110-00-162-5629, BX(contains 100 EA), \$6.80

## Safety Knife

Hanging up side down and held in with a seatbelt or some other tough nylon strapping? No worries. Cutting through the webbing will be like using a hot knife on soft butter.

Federal Strategic Sourcing Initiative, 5110-01-578-4890, Black, 4-3/8" L., EA, \$18.11

## Sharpening Stone

Abrasive stone is suitable for sharpening edged tools and instruments. It is durable and chip resistant.

Aluminum oxide (artificial) stone is oil impregnated and is not mounted-in-box.

*Round, with fine grit (280-320).*

Federal Strategic Sourcing Initiative, 5345-00-584-4554, Material Safety Data Sheet, 61463686485 or Equal, 4 x 3/8", PG(contains 10 EA), \$49.94

*Half round, with medium grit (240).*

Federal Strategic Sourcing Initiative, 5345-00-242-2555, Material Safety Data Sheet, M20 or Equal, 4 x 5/16 x 5/32", PG(contains 10 EA), \$51.98

*Half round, with fine grit (280-320).*

Federal Strategic Sourcing Initiative, 5345-00-224-6595, Material Safety Data Sheet, 61463686480 or Equal, 4 x 3/8 x 3/16", PG(contains 20 EA), \$39.22

Novaculite (natural) stone is not oil impregnated and is not mounted.

*Round edge slip, with hard (slow-cutting) grit; 1/8" thick at the thin edge.*

Federal Strategic Sourcing Initiative, 5345-00-243-6086, Material Safety Data Sheet, 61463687045 or Equal, 4 x 1-3/4 x 3/8", PG(contains 10 EA), \$194.16

Sharpening stone is an un-mounted stone, not oil impregnated.

Silicon Carbide.

*Rectangular, with extra fine grit (400-500).*

Federal Strategic Sourcing Initiative, 5345-00-116-9230, Material Safety Data Sheet, Q6803XF or equal, 6 x 1 x 3/4", EA, \$18.81

## Sharpening Stone Assembly

Sharpen knives and cutlery with this three-grit selection assembly. It operates with stones that are mounted on a triangular spindle that turns in and lifts easily out of oil bath. Simply turn the knob for grit selection. Use the coarse stone to remove nicks in cleavers, the medium stone to renew butcher knife edges and the fine stone to hone a keen edge on boning knives.

Consists of one silicon carbide (course); one silicon carbide (medium); and one aluminum carbide (fine).

Federal Strategic Sourcing Initiative, 5345-00-215-1881, Material Safety Data Sheet, 614636-85960 or equal, 11"Lx2-3/8"Wx1/2"T, EA, \$129.15

## Knife Sharpener

These knife sharpeners are easy to use and insure the same sharp edge every time you use it. Simply place the sharpener flat side down on any firm surface and draw your knife back through it. It will never destroy your knives' temper.

Card-like shape, pocket style.

Federal Strategic Sourcing Initiative, 5110-01-514-7772, 3-1/8" L x 3/4" W x 1/4" T., EA, \$23.99

# Awls and Scribes

## Trammel Head

Two heads have removable steel scriber points, locking screws, a fine adjustment device and a pencil attachment. Has adjustable points and does not have a beam.

Federal Strategic Sourcing Initiative, 5120-00-221-1850, PR, \$142.87

## Electric Etcher

Features a carbide point, six position stroke adjustment dial and a 115V motor. For use on metal, glass, wood, plastic, leather and ceramics.

Federal Strategic Sourcing Initiative, 5130-01-336-5533, 7200 SPM., EA, \$22.31

Electric arc-type etcher operates on 120v AC for marking tools, jigs and dies. Etcher features stage selector switch, on/off power switch, 3 foot etching cable, 3 foot ground cable equipped with a 25 sq. in. ground plate at one end and a copper terminal at the other. Has 5 foot power cable with three-prong plug, steel housing with carrying handle and space for stowage of cables, stylus, spare etching points. Furnished in case. A-A-59252.

**Type II - Heavy-duty etcher, 1000 Watts.**

5130-00-203-7943, EA, \$828.46

Engraver, marks all materials, includes solid carbide tip.

Federal Strategic Sourcing Initiative, 5130-01-335-1363, GA236B or equal, EA, \$27.40

## Machinist's Scriber (Double Point)

Scratch awl/pick is useful for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning nooks / crannies.

**Knurled, adjustable sleeve has a chuck for securing the sleeve along a one-piece scribing point. Scriber's sleeve is 2-1/2 to 3" long. Overall length is 8 to 9".**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-221-7063, EA, \$5.84

**Has removable threaded points and a 2-3/4" to 3-1/4" L handle.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-596-1543, 8" - 9" L Assembled., EA, \$4.95

## Machinist's Scriber

Scratch awl/pick is useful for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning nooks / crannies.

**One end is straight; the other has a 90° angle for detail work around small objects. Nickel plated steel tips. Knurled aluminum mid-section.**

Federal Strategic Sourcing Initiative, 5120-01-428-8378, YA339 or equal., EA, \$2.78

**Fixed straight and 90° points.**

Federal Strategic Sourcing Initiative, 5120-01-333-9857, 8" L, Knurled., BX(contains 10 EA), \$27.34

Federal Strategic Sourcing Initiative, 5120-01-581-4593, 500K3597., EA, \$5.29

**Single pointed scriber inscribes on steel and other materials in layout work. Has a pocket clip, a nonrolling tapered steel head and a lightweight aluminum handle with chuck nose. A 1/4" diameter handle reverses a 0.1" - 0.125" diameter scribing point for safety when not in use.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9728, 83 or equal., 4-3/4" L x 1/4" Dia, Knurled., EA, \$3.03

## Saddler's Sewing Awl

Needle is for piercing holes and sewing leather. Has a seasoned hardwood handle with a metal ferrule. Made of hardened, tempered steel.

**Sewing- and stitching-style awl has automatic action, an enclosed spool or bobbin, a slotted steel chuck and a hardwood handle with an attached tension post.**

**Includes one straight and one curved diamond-point needle. Needles are 2-1/8 long. Space in handle holds spare needles.**

Federal Strategic Sourcing Initiative, 5120-00-257-5541, EA, \$22.91

## Scratch Awl

Scratch awl/pick is useful for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning nooks / crannies.

Federal Strategic Sourcing Initiative, 5120-01-040-6140, 191-207., 8" L., EA, \$14.57

# Special-Purpose Marking Tools

## Carpenter's Pencil

Carpenter's-type pencil is for marking lumber. The lead extends throughout the wooden casing. Casing is flat and finished with bright-colored enamel. May be sharpened with a knife. Hardness: 997-H.

7510-00-275-7213, Length: 7", DZ, \$6.07

## Surveyor's Flagging Ribbon

Vinyl flagging ribbon is colorfast and will withstand extreme climate changes.

9905-01-458-2057, Artic Blue, 300' L x 1-3/16" W, BX(contains 12 EA), \$8.76

9905-01-458-1192, Artic Red, 300' L x 1-3/16" W, BX(contains 12 EA), \$8.76

9905-01-458-2058, Artic Yellow, 300' L x 1-3/16" W, BX(contains 12 EA), \$8.76

## Metal Stamping Die Set

Used for stamping letters or numerals on castings, forgings, machined components, or weldments for informative and identification purposes. Heavy duty die set is made of hardened high grade alloy tool steel. Dies have square bodies, rounded striking ends and beveled or chamfered edges. Character and size are marked on the side of each die. Set is furnished in a plastic or wooden box.

**Numeral and letter set has 3/16" characters and contains the complete alphabet in uppercase characters, ampersand, period and contains the complete 0 - 8. (6 to be used as the 9).**

Federal Strategic Sourcing Initiative, 5110-00-293-1905, Gothic., SE, \$66.48

**Letter set has 1/8" characters and contains the complete alphabet in uppercase characters, plus an ampersand and period.**

5110-00-289-0006, Gothic., SE, \$45.94

# Calipers

## Outside Micrometer Caliper

Heat treated steel tool obtains precise outside measurements. Has hardened and ground measuring faces. Consists of steel or iron frame, micrometer screw spindle, anvil, barrel and thimble, adjusting nut, spindle locknut (clamp ring) and knurled ratchet or friction thimble. Thimble and barrel have a chrome plated, non-glare (dull) finish. Adjusting nut compensates for wear. Wooden or vinyl covered metal case included. Enamelled frame may be of various construction, having either a smooth or rippled finish. Beveled barrel and knurled thimble are marked with clear graduations.

**Caliper has interchangeable anvils in 1" increments and 0.001 graduations. Has positive seating without any side motion when assembled. Includes disk or rod standard for maintaining the zero setting and positive checking of each length anvil. The length markings on anvils and standards are clear.**

Federal Strategic Sourcing Initiative, 5210-00-287-3336, 224BRLZ or equal, Range: 6" - 9", EA, \$619.52

Federal Strategic Sourcing Initiative, 5210-01-523-0196, Range: 2 - 3", Graduations: 0.001". Case., EA, \$217.58

Federal Strategic Sourcing Initiative, 5210-00-560-6091, Range: 0 - 25mm, Graduations: 0.001", EA, \$233.79

Federal Strategic Sourcing Initiative, 5210-00-229-3045, 24" opening, EA, \$313.72

**Micrometer has a solid anvil and 0.0001" graduations.**

Federal Strategic Sourcing Initiative, 5210-00-243-2933, Range: 1" - 2", EA, \$117.90

Federal Strategic Sourcing Initiative, 5210-00-221-1945, Range: 2" - 3", EA, \$158.08

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-540-2973, Range: 0" to 1", EA, \$244.48

**Caliper has a solid anvil and 0.001" graduations.**

Federal Strategic Sourcing Initiative, 5210-00-790-1901, Range: 8" - 9", EA, \$276.77

## Outside Micrometer Caliper (Set)

Heat treated steel tool obtains precise outside measurements. Has hardened and ground measuring faces. Consists of steel or iron frame, micrometer screw spindle, anvil, barrel and thimble, adjusting nut, spindle locknut (clamp ring) and knurled ratchet or friction thimble. Thimble and barrel have a chrome plated, non-glare (dull) finish. Adjusting nut compensates for wear. Wooden or vinyl covered metal case included. Enamelled frame may be of various construction, having either a smooth or rippled finish. Beveled barrel and knurled thimble are marked with clear graduations.

**Set consists of six calipers that measure; 0 to 1", 1 to 2", 2 to 3", 3 to 4", 4 to 5", and 5 to 6". One 1" disk and five rod standards (1, 2, 3, 4 and 5") are included for maintaining zero setting on each micrometer.**

Federal Strategic Sourcing Initiative, 5210-00-554-7134, Range: 0" to 6", SE, \$939.47

**Set consists of (12) pieces in size ranges: 0 to 1", 1" to 2", 2" to 3", 3" to 4", 4" to 5" and 5" to 6", 6" to 7", 7" to 8", 8" to 9", 9" to 10", 10" to 11" and 11" to 12" in 0.0001" graduations.**

Federal Strategic Sourcing Initiative, 5210-00-088-1945, SE, \$2,253.70

## Inside Micrometer Caliper

For obtaining very fine inside measurements. Graduated in 0.001". Heat treated steel with a chrome plated, dull (nonglare) finish.

**Rod and sleeve style consists of micrometer head, measuring rods, knurled locking screw, spacing collars, insulated handle and assembling wrenches. Head is assembled from micrometer screw barrel and graduated thimble. Handle mounts on head at a right angle to the measuring rod.**

Federal Strategic Sourcing Initiative, 5210-00-221-1921, Range: 2" to 12", EA, \$251.51

**Tubular style has an interchangeable head that fits on each hollow, tubular measuring rod. Rods may be mounted on either or both ends of head. Each rod has an adjustable, hardened ground plug at one end.**

*Furnished with a slip-on handle that can be attached anywhere along the head or measuring rods.*

Federal Strategic Sourcing Initiative, 5210-00-293-3523, Range: 1-1/2" to 8", EA, \$284.62

## Vernier Caliper

Caliper consists of beam frame with integral fixed jaw, sliding jaw with Vernier scale, adjustment screw and fine adjustment clamp. Main scales are located on front and back of beam. For outside readings the scale is read directly, for inside readings the scales allow for stated width of nibs. Made of tool steel with a chrome plated dull finish. Carrying case included.

**Caliper has 0" to 3-3/4" (0 to 95.2mm) outside ranges and 1/4" to 4" (6.34mm to 100mm) inside ranges. Graduations: 0.001" (0.02mm).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-2091, 5" L., EA, \$195.46

**Caliper has 0 to 6" (0 to 150mm) outside and inside ranges. Locking screw. Graduations: 0.001".**

Federal Strategic Sourcing Initiative, 5210-00-277-7549, EA, \$106.67

**Caliper has 0 to 6" outside and inside ranges. Dial display. Locking screw. Graduations: 0.001".**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-01-010-4522, Case., EA, \$102.29

**Caliper has 0 to 6" (0 to 150mm) outside ranges and 1/4" to 6" (6.5 to 150mm) inside ranges. Front Vernier in English units has 0.001" graduations and back Vernier in metric units has 0.02mm graduations.**

Federal Strategic Sourcing Initiative, 5210-00-250-4761, EA, \$288.32

**Caliper has 0" to 12" outside and inside ranges. Dial display. Grads 0.001".**

Federal Strategic Sourcing Initiative, 5210-01-268-3416, Case., EA, \$355.84

**Caliper has 0 to 12" (0 to 300mm) outside ranges and 0.01" to 12" (0.3 to 300mm) inside ranges. Front Vernier in English units has 0.001" graduations and back Vernier in metric units has 0.02mm graduations.**

Federal Strategic Sourcing Initiative, 5210-00-293-2913, Wooden Case., EA, \$753.71

**Caliper has 0 to 24" (0 to 600mm) outside ranges and 0.300 to 24" (7.6 to 600mm) inside ranges. Graduations: 0.001" (0.02mm).**

Federal Strategic Sourcing Initiative, 5210-00-234-8017, EA, \$1,032.33

**Electronic, range 0-200MM, resolution 0.0005", large LCD display, rolling thumb wheel, control buttons on face, zero, on/off and inch/MM, absolute scales, application remembers the measuring position even after gauge switched off, measuring speed unlimited measuring system absolute, molded plastic case and digital display caliper.**

Federal Strategic Sourcing Initiative, 5210-01-601-2377, 500-197-20, EA, \$227.57

**Caliper has 0 to 36" outside and inside ranges. Graduations: 0.001".**

Federal Strategic Sourcing Initiative, 5210-00-222-4565, EA, \$2,069.94

## Electronic Caliper

Electronic caliper w/ depth gage. Resolution: 0.005". Accuracy: POM 0.001". Features: fine adjustment, lock, auto off after 15 minutes, (2) 3V batteries, fitted plastic case, zero at any position, output data transmission: devices supporting RS232C.

Federal Strategic Sourcing Initiative, 5210-01-259-6010, 0" to 6"., EA, \$154.32

## Tubing Micrometer Caliper

Here's a micrometer with the look and feel of quality a craftsman really appreciates. Forged steel frame has a durable black wrinkle finish combined with a silver mist chrome finish head. Gaging Range: 0 to 1", Graduation Unit: Thousandths of an inch.

Federal Strategic Sourcing Initiative, 5210-00-293-0042, 02-0851-9100 or equal, EA, \$150.33

# Dial Indicators

## Dial Indicator

Indicator measures linear distances when checking dimensions, inspecting fixtures and aligning workpieces on lathes, milling machines and shapers. Has a clear, unbreakable crystal. Described by (Capacity, Graduations).

Federal Strategic Sourcing Initiative, 5210-00-904-4836, 3", 0.001", 0-100 Markings., EA, \$398.33

Federal Strategic Sourcing Initiative, 5210-01-616-6247, 1/8", 0.0005", 0-25-0 Markings., EA, \$424.30

Federal Strategic Sourcing Initiative, 5210-01-337-3667, 651B5, 0.2", 0.001", 0-50-0 Markings., EA, \$292.25

Federal Strategic Sourcing Initiative, 5210-01-397-3022, 0.2", 0.001", 0-100 Markings., EA, \$149.07

Federal Strategic Sourcing Initiative, 5210-00-710-4359, 1/8", 0.0005", 0-25-0 Markings., EA, \$182.32

Indicator measures linear distances when checking dimensions, inspecting fixtures and aligning workpieces on lathes, milling machines and shapers. Has a clear, unbreakable crystal. Described by (Capacity, Graduations) A-A-2348.

5210-00-277-8840, 0.2", 0.001", 0.1 Markings., EA, \$150.64

Plastics Removal in Marine Environments

5210-00-377-6525, 1/5", 0.001", 0-50-0 Markings., EA, \$150.64

# Gages

## Thickness Gage (Set)

An excellent tool for checking narrow slots and clearances between fitted parts. English system, feeler type gage includes multiple leaves attached to the metal case at one end, making for easy storage. Thickness is permanently marked on each leaf. Features radial ends.

**Gage consists of (16) blades. Blade thickness: 0.009" - 0.011", 0.014" - 0.021", 0.023" - 0.027" in 0.001 increments.**

Federal Strategic Sourcing Initiative, 5210-01-399-9333, EA, \$14.58

**Gage consists of (25) blades. Blade thickness: 0.0015", 0.002" through 0.018", 0.02", 0.022", 0.024", 0.03", 0.032", 0.035" and 0.04".**

Federal Strategic Sourcing Initiative, 5210-01-399-9319, EA, \$12.20

**Gage consists of (25) blades. Blade thickness: 0.04mm through 0.1mm (0.01 increments), 0.15mm through 1mm (0.05 increments).**

Federal Strategic Sourcing Initiative, 5210-01-399-9332, 3-5/16" L x 1/2" W., EA, \$15.96

**Gage consists of (25) blades. Blade thickness: 0.0015", 0.002" through 0.008", 0.01" through 0.021", 0.025", 0.027", 0.03" and 0.04". Equipped with a lock.**

Federal Strategic Sourcing Initiative, 5210-01-335-1616, Blades: 3-5/16" L x 1/2" W., EA, \$9.49

## Dial Indicator (Holder)

Consists of magnetic base, upright base post, rod, indicator attachment and (2) snugs. Base has on/off switch for a magnet and (3) magnetic contact points. Base has extra 1/4-20 tapped hole on side for mounting post.

Federal Strategic Sourcing Initiative, 5210-01-091-0696, EA, \$60.19

## Cylindrical Vial Level

Levels in horizontal and vertical planes simultaneously.

**IAW U.S. Army Tank-Automotive Command drawing 12297933, Rev B.**

Federal Strategic Sourcing Initiative, 5210-01-106-6157, EA, \$200.07

**Gage consists of (20) blades. Blade thickness: 0.05mm thru 1mm.**

Federal Strategic Sourcing Initiative, 5210-01-045-3526, Blade: 3" L x 1/2" W., EA, \$7.69

**Gage consists of (26) blades. Blade thickness: 0.0015", 0.002", to 0.021", 0.025", 0.027", 0.030" and .040".**

Federal Strategic Sourcing Initiative, 5210-01-399-9318, Blade: 12" L x 1/2" W., EA, \$34.22

**Gage consists of (26) blades. Blade thickness: 0.0015", 0.002", 0.0025", 0.003" through 0.025". Equipped with a lock.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-1999, Blades: 3" L x 1/4" W., EA, \$30.04

**Gage consists of (26) blades. Blade thickness: 0.0015", 0.002", 0.0025", 0.003" through 0.025". Equipped with a lock.**

Federal Strategic Sourcing Initiative, 5210-00-274-2857, Blade: 3" L x 1/2" W., EA, \$23.73

**Gage consists of (26) blades. Blade thickness: 0.003" through 0.018", 0.020", 0.022", 0.024", 0.025", 0.028", 0.03", 0.032" and 0.035". Equipped with a lock.**

Federal Strategic Sourcing Initiative, 5210-00-223-9191, Blade: 3" L x 1/2" W., EA, \$21.48

**Gage consists of (32) blades. Blade thickness: 0.0015", 0.002", 0.0025", 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.009", 0.01" (0.01" Brass), 0.011" - 0.026", 0.028", 0.03", 0.032" and 0.035". Blade lock.**

Federal Strategic Sourcing Initiative, 5210-01-368-4549, EA, \$8.15

## Thickness/Taper/Wire Gage

Combination thickness, taper and steel wire gage checks narrow slots and clearances between fitted parts. Leaf style feeler gage and blade locknut. Has finished, smooth surfaces and edges with rounded ends. Sizes are clearly marked. (9) tapered thickness gage leaves in sizes 0.002, 0.003, 0.004, 0.006, 0.008, 0.010, 0.012, 0.015 and 1/16". (1) tapered thickness gage leaf has parallel edges, tapers from hinge to face end and is marked with the following thicknesses: 1/64, 1/32, 3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64 and 3/16". The 18 slot wire gage leaf is for Birmingham iron wire gage sizes 19 to 36. Leaves fold into a metal case.

Federal Strategic Sourcing Initiative, 5210-00-221-2047, EA, \$115.91

## Wire Gage

American standard wire gage is for determining diameters of wire or thickness of nonferrous metal for gage numbers 0 to 36. Circular gage is made of steel and measures 3-1/4" Dia. Slots are cut in the periphery for each diameter. Has American standard wire gage sizes on the front and decimal equivalents on the reverse side. Has a 1" Dia hole in the center.

Federal Strategic Sourcing Initiative, 5210-00-238-3106, EA, \$29.66

## Depth Gage (Micrometer)

Micrometer-style gage consists of micrometer head with base and measuring rods in consecutive sizes. Features ratchet or friction thimble. Made of heat treated tool steel with chrome plating and a dull finish. Includes a case.

Federal Strategic Sourcing Initiative, 5210-01-011-3886, Range: 0 - 3", Rods: 3, Base: 2-1/2" W., EA, \$267.34

Federal Strategic Sourcing Initiative, 5210-00-477-9603, 443Z-3RL or equal, Range: 0 - 3", Rods: 3, Base: 2" W., EA, \$264.10

Federal Strategic Sourcing Initiative, 5210-01-008-8119, 445AZ-9RL, Range: 0 - 9", Rods: 9, Base: 3" W., EA, \$400.48

Federal Strategic Sourcing Initiative, 5210-01-162-9477, Range: 0 - 75mm, Rods: 3, Base: 2-1/2" W., EA, \$267.34

Micrometer style gage consists of micrometer head with base and 5/32" diameter measuring rods in consecutive inch sizes. Features ratchet or friction thimble. Graduated in 0.001", with a head range of 1". Rods are securely held in micrometer spindle. Made of heat treated tool steel with chrome plating and a dull finish.

Federal Strategic Sourcing Initiative, 5210-00-221-1932, Range: 0 to 6", 2-1/2" W Base, 6 rods., EA, \$311.73

Federal Strategic Sourcing Initiative, 5210-00-619-4045, Range: 0 to 6"; Rods: 6, Base 4" L., EA, \$275.19

## Vernier Depth Gage

Gage measures in English units and has one 6-long blade with a 3-1/2 minimum range and one 12-long blade with a 9-1/2 range. Has a fine adjustment clamp and screw. Provided in a wooden carrying case.

Federal Strategic Sourcing Initiative, 5210-00-274-2861, EA, \$288.74

## Screw Pitch Gage

Hardened steel feeler gage has 60° angled teeth for checking interior and exterior threads and pitches. Ideal for measuring threads on machine screws, bolts and thread fittings. Knurled thumb nut locks in open or closed position. Size is etched on the leaves. Furnished with a steel case.

(51) leaves have the following threads per inch: 4, 4-1/2, 5, 5-1/2, 6, 7, 8, 9, 10, 11, 11-1/2, 12, 13, 14, 15, 16, 18, 20, 22, 24, 26, 27, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82 and 84. (3) blade groups.

Federal Strategic Sourcing Initiative, 5210-00-203-7763, EA, \$58.06

(28) leaves have the following threads per inch: 4, 4-1/2, 5, 6, 7, 8, 9, 10, 11, 11-1/2, 12, 13, 14, 16, 18, 20, 24, 27, 28, 32, 36, 40, 44, 48, 56, 64, 72 and 80. (2) blade groups.

Federal Strategic Sourcing Initiative, 5210-00-293-1872, EA, \$28.85

## Screw Pitch Gage (Metric)

Hardened steel feeler gage has 60° angled teeth for checking interior and exterior threads and pitches. Ideal for measuring threads on machine screws, bolts and thread fittings. Knurled thumb nut locks in open or closed position. Size is etched on the leaves. Furnished with a steel case.

Contains (28) leaves with the following thread pitches: 0.5mm - 11.5mm.

Federal Strategic Sourcing Initiative, 5210-00-221-1993, EA, \$64.92

## Crankshaft Distortion Gage

Gage has an adjustable dial indicator for measuring distortion in engine crankshafts. Dial indicator head has 0.001" graduations, 0-20-0 dial reading and 5/32" range. (10) pointed extension rods give 2-3/8" to 18" range. Includes balancing attachment and wooden case.

Federal Strategic Sourcing Initiative, 5210-00-494-1776, EA, \$612.58

## Drill Point Gage

Consists of a 6" ruler with hook and sliding head. Head slides and locks at any position along the rule by turning the thumbscrew. Hardened blade of the head is riveted to a flat 59° indicator face 1" L and is clearly marked in 1/32" graduations. Rule is graduated in 1/64", 1/32", 1/16" and 1/8" increments. Hook is securely attached to the zero mark on the blade, which has integral tabs on both edges at the zero end.

Federal Strategic Sourcing Initiative, 5210-00-221-2072, 6" L x 3/4" W x 0.05" T., EA, \$39.28

## Drill and Rod Gage

Rectangular flat steel gage has rows of holes in descending order by diameter size. For measuring diameters of twist drills and drill rods. Clearly and permanently stamped with sizes.

Wire size gage is for measuring sizes: 1 - 60.

Federal Strategic Sourcing Initiative, 5210-00-221-1894, EA, \$10.33

Federal Strategic Sourcing Initiative, 5210-00-221-1893, EA, \$10.33



## Cylinder Gage

Designed to measure engine cylinder bores for straightness, out of roundness and taper diameters. Gage's dial indicator is mounted on a block with a locking device and slide base. Forged steel alignment slide base has a fixed contact point. Locking screw sets the adjustable contact point to synchronize the indicating needle. Knurled steel handle attaches to the toggle joint in the cylinder block. Extension rods form point of contact. Marked in 0.001 graduations, with a 0-100 dial and 0.100 minimum travel. Has a 2-1/2" to 9" gauging range. A-A-52212.

Federal Strategic Sourcing Initiative, 5210-00-494-1774, EA, \$507.05

## Gage Carrying Case

Oak case houses barrel wear gages P/Ns 7274725 (4933-00-317-2502) and 7274730 (4933-00-317-2503). Army Springfield Armory Dwg 7319997.

5140-00-313-9487, EA, \$154.96

## Telescoping Hole Gage Set

Telescoping style gage is for internal measuring. Consists of a spring loaded telescoping plunger, locking device, self centering handle and case. Plunger operates at a right angle to the handle. Knurled thumb knob on the opposite end of the handle locks gage setting.

**Telescoping style gages makes quick, accurate measurements of holes and slots in a wide range of sizes. Set consists of (6) telescoping gages having a range from 5/16" to 6".**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-473-9350, Case., SE, \$275.69

# Rules and Protractors

## Steel Rule (Rigid)

Rigid one piece ruler is expressly for right hand reading. Features easy to read, non-glare black markings and figures on heat treated tool steel or stainless steel. Features English markings.

**Has metric and English markings. Front face of metric rule has one edge graduated in mm and the other in 1/32" increments.**

Federal Strategic Sourcing Initiative, 5210-01-075-9328, 6" L x 3/4" W x 0.051" T., EA, \$14.66

**Front face has one edge graduated in 1/16" increments and the other in 1/32" increments. Back face has one edge graduated in 1/16" increments and the other in 1/100" increments.**

Federal Strategic Sourcing Initiative, 5210-00-273-1965, C607R-6 or equal, 6" L x 3/4" W x 3/64" T., EA, \$29.90

Federal Strategic Sourcing Initiative, 5210-00-293-0565, 24" L x 1-1/4" W x 0.051" T., EA, \$136.27

Federal Strategic Sourcing Initiative, 5210-00-273-1960, 36" L x 1-1/4" W x 0.051" T., EA, \$126.93

**Front face has one edge graduated in 1/32" increments and the other in 1/64" increments. Back face has one edge graduated in 1/8" increments and the other in 1/16" increments.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-234-5223, 6" L x 3/4" W x 0.04" T., EA, \$7.34

Federal Strategic Sourcing Initiative, 5210-00-234-5224, 12" L x 1" W x 0.051" T., EA, \$18.18

Federal Strategic Sourcing Initiative, 5210-00-243-3367, 18" L x 1-1/4" W x 0.051" T., EA, \$30.95

## Small Hole Gage Set

Small gage measures holes, slots and recesses that are too small or shallow for telescoping gages. Set consists of 4 small hole telescoping gages having a range from 0.125" to 0.5".

Federal Strategic Sourcing Initiative, 5210-00-449-7014, S831EZ or equal, SE, \$77.22

## Mandrel Gage

The gauge is fitted to the mandrel with a lower radial connector that provides a metal-to-metal seal between the gauge and the mandrel.

Federal Strategic Sourcing Initiative, 5130-01-554-8206, FMG-985-30010-C., EA, \$267.51

## Petroleum Gage Stick

Gage sticks measure liquids in tanks.

**Stick is 78-1/2" L and is made of seasoned hardwood (two pieces with a locking device) or aluminum tubing coated to prevent deterioration. Stick has 5/8" to 1" thick and 3/4" to 1-1/8" W. Stick is graduated in 1/8ths and has a non-sparking endcap.**

Federal Strategic Sourcing Initiative, 5210-01-309-2055, EA, \$47.72

**IAW U.S. Army Mobility Equipment Research and Development Center drawing 13217E7144, Rev A.**

Federal Strategic Sourcing Initiative, 5210-01-083-2926, EA, \$60.93

## Steel Rule (Flexible)

Flexible one piece rule is for right hand reading. Has non-glare easy to read black markings and figures on a heat treated or stainless steel.

**Has English markings. Front face has one edge graduated in 1/32" increments and the other in 1/64" increments. Back face has one edge graduated in 1/10" increments and the other in 1/100" increments.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-971-8827, 6" L x 1/2" W., EA, \$5.41

**Metric markings. Both faces have one edge graduated in 1/2mm increments and the other in 1mm increments.**

Federal Strategic Sourcing Initiative, 5210-00-267-2765, C330-300 or equal, 11.81" L x 1/2" W., EA, \$23.69

**Has metric and English markings. One edge graduated in 1/64" increments and one edge graduated in 1mm increments. The other side has fractional to metric equivalents.**

Federal Strategic Sourcing Initiative, 5210-00-362-5100, 6" L x 1/2" W, Pocket Clip., EA, \$2.67

**Has English markings. Front face has one edge graduated in 1/32" increments and the other in 1/64" increments. Back face has one edge graduated in 1/10" increments and the other in 1/50" increments.**

Federal Strategic Sourcing Initiative, 5210-00-204-1283, 301-006 or equal, 6" L x 1/2" W., EA, \$7.53

## Folding Rule

Outside reading wood ruler. Metal joint plates and durable, tempered springs hold each section in open or closed position. Displays 1/16" graduations on edges of both sides.

**Wooden rule features a yellow or white enamel or lacquer finish. End caps are made of brass or steel alloy.**

Federal Strategic Sourcing Initiative, 5210-00-293-3511, 72" L x 5/8" W x 0.12" T. 1/16" Grads., EA, \$21.39

Plastics Removal in Marine Environments

5210-00-293-3393, 72" L x 5/8" W x 0.095" T. 1/16" Grads., EA, \$15.24

## Yardstick (Wood)

This yardstick is 36" L and 1" W, is made of seasoned hardwood and has a protective coating. The front side is marked in 1/8" increments on the top edge and the backside in 1/16, 1/8, 1/4, 3/8, 1/2, 5/8, 3/4 and 7/8 fractions of a yard increments. The yardstick has corrosion resistant end caps and hanging holes at both ends. A-A-2940.

Federal Strategic Sourcing Initiative, 5210-00-243-3349, EA, \$4.22

## Protractor

For precision measuring, laying out of angles and scribing of lines. Frame, blade and head are made of steel.

**Rectangular head protractor is graduated from 0° to 180° both ways in 1° graduations and has a 6" L non-adjustable arm.**

Federal Strategic Sourcing Initiative, 5210-00-273-3422, 6" L., EA, \$24.84

## Protractor (Mechanics)

For precision measuring, laying out of angles and scribing of lines. Frame, blade and head are made of steel.

**Rectangular head, 0 to 90 degrees, magnetic base, measures any angle for pitch or slope.**

Federal Strategic Sourcing Initiative, 5210-01-604-4826, EA, \$14.05

## Protractor (Digital)

For precision measuring, laying out of angles and scribing of lines. Frame, blade and head are made of steel.

**Battery operated (9V). 360° range (90 X 4) Resolution: 0.1°. Accuracy: +/- 0.1° at level, +/- 10° at plumb, 0.2° otherwise. Temperature Operating Range: 23° to 122° F. Features: V-grooved base with two 6-32 tapped holes spaced 4-1/8".**

Federal Strategic Sourcing Initiative, 5210-01-494-0899, J38460-A or equal, 6.015" L x 1.215" W x 1.9" H., EA, \$272.63

## Straightedge

This tool will give you the accuracy you need and it will last a lifetime.

Federal Strategic Sourcing Initiative, 5210-00-174-3231, 24" L x 1-7/16" W., EA, \$83.49

Federal Strategic Sourcing Initiative, 5210-00-735-7604, 18" L x 1-7/16" W., EA, \$76.92

Machinist's style is for general machine shop use for laying out lines and checking surfaces. Has flat, parallel surfaces and squared ends. One edge is beveled 20 deg, and one edge is square. (2) support points are permanently marked 8" from each end. Tool is not graduated. Made of semi hardened tool steel with ground, polished surfaces. Measures 36" L x 3" W. A-A-52210.

Federal Strategic Sourcing Initiative, 5210-00-264-6400, EA, \$197.11

# Squares

## Carpenter's Square

The square is more commonly referred to as the framing, rafter or carpenter's square. It consists of a long arm and a shorter one, which meet at a 90° angle.

**Face has graduations in 16ths and 4ths on edges of both body and tongue. Back has edge graduations in 12ths and 4ths on body and in 12ths and 10ths on tongue. Brace Table and Octagon Essex Board Measure (100th) scales are included.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-810-3490, Blade 16" L x 24" L Beam., EA, \$13.67

**Face has 16ths and 8ths graduations on edges of both body and tongue. Back has edge graduations in 16ths and 12ths on body and in 12ths and 10ths on tongue. Includes Brace Table and Octagon and Essex Board Measure (100th) scales.**

Federal Strategic Sourcing Initiative, 5210-00-273-1948, Beam 24" L, Blade 16" L, 2" W., EA, \$12.21

Federal Strategic Sourcing Initiative, 5210-01-428-5325, 45-910 or equal, 10-1/4" x 6-3/4", Steel., EA, \$10.56

Federal Strategic Sourcing Initiative, 5210-01-428-5559, 24" x 16", Aluminum., EA, \$24.39

## Machinist's Combination Square

Perform multiple tasks with this precision square depending on the accessories added. Square heads have a 90° square face and a 45° miter face and come with hardened scriber and level. Center heads can accurately determine the center of round work. Protractor heads have revolving turrets with direct reading double graduations a full 0 to 180° in opposite directions. Protractor heads are furnished as reversible type with shoulders on both sides of the blade or non-reversible type with a single shoulder. Grooved blade is made of hardened steel. A-A-3179.

**Blade face is graduated in 8ths on one edge and 16ths on the other edge; the opposite blade face is graduated in 16ths on one edge and 32nds on the other edge. Includes square/miter head, level glass and scriber.**

Federal Strategic Sourcing Initiative, 5210-00-241-3599, 12" L, Included Heads: Square and Miter., EA, \$10.47

**Type: 1 (Blade graduations of 8ths and 16ths of an inch on one side and graduations of 32ths and 64ths of an inch on opposite side).**

Federal Strategic Sourcing Initiative, 5210-00-540-3513, 12" L, Included Heads:, EA, \$195.56

Square/Miter(Cast Iron), Protractor and Center., Federal Strategic Sourcing Initiative, 5210-00-224-9937, 6" L, Included Heads: Square, Miter and Center., EA, \$110.41

**Type: 2 (Blade graduations of 32ths and 64ths of an inch on one side and graduations of 50ths and 100ths of an inch on opposite side).**

Federal Strategic Sourcing Initiative, 5210-00-078-8949, 12" L, Included Heads: Square, Miter, Protractor and Center., EA, \$186.93

Federal Strategic Sourcing Initiative, 5210-00-078-8947, 12" L, Included Heads: Square, Miter and Center., EA, \$80.28

Federal Strategic Sourcing Initiative, 5210-00-078-8948, 12" L, Included Heads: Square and Miter., EA, \$10.47

## Sliding T Bevel

Machinists and carpenters use bevels to transfer angles in laying out work. Has a plastic or wooden handle with metallic tips that measures 5-9/16" long, 1" wide and 3/4" thick. Locking device on handle holds the blade firmly in any position. Corrosion resistant hardened steel blade measures 8" long x 1" wide.

Federal Strategic Sourcing Initiative, 5210-00-278-0645, EA, \$3.70

# Measuring Tapes

## Measuring Tape (Steel)

Self supporting steel measuring tape features permanent graduation markings and numbers printed on the full length of the tape. Housed in a butt end plated metal or impact resistant plastic case.

**Displays English markings. Graduations are in 1/16" the full length and in 1/32" the first 6". Features power return, blade lock and belt clip.**

Federal Strategic Sourcing Initiative, 5210-00-078-3905, 12' L x 1/2" W., EA, \$5.78

**Displays both English and metric markings. Graduations are in both 1/16" and 1mm over entire length of tape. Reads from left to right. Includes pull push winding feature.**

Federal Strategic Sourcing Initiative, 5210-00-245-0301, 6' L x 1/2" W., EA, \$3.84

**Features automatic winding power return, blade lock and belt clip. The color of the blade is yellow enamel with black enamel graduations. Markings are English. Graduations are in 1/16". Reads from left to right.**

Federal Strategic Sourcing Initiative, 5210-01-397-3083, 30' L x 1" W., EA, \$19.59

Federal Strategic Sourcing Initiative, 5210-01-494-0069, 25' L x 1-1/4" W., EA, \$25.18

**Features automatic winding power return and blade lock. Has English and metric markings. Graduations are in 1/16" and in mm. The first 12" shall be graduated in 1/32". Reads from left to right.**

Federal Strategic Sourcing Initiative, 5210-00-086-4988, AbilityOne, AbilityOne, 10' L x 1/2" W., EA, \$16.57

**Features automatic winding power return, blade lock and belt clip. Case is chrome plated steel. Displays English markings. Graduations are in 1/16".**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-182-4797, AbilityOne, AbilityOne, 12' L x 3/4" W., EA, \$17.80

**Features automatic winding power return, blade lock and belt clip. Case is chrome plated steel. Displays English markings. Graduations are in 1/16".**

Federal Strategic Sourcing Initiative, 5210-00-150-2920, AbilityOne, 16' L x 3/4" W., EA, \$18.09

**Features automatic winding power return, blade lock and a belt clip. Displays English markings. Graduations are in 1/16" increments (first 6" are in 1/32"). Reads left to right.**

Federal Strategic Sourcing Initiative, 5210-01-139-7444, AbilityOne, 25' L x 1" W., EA, \$20.59

**Features automatic winding power return, blade lock and belt clip. Case is chrome plated steel. Displays English markings. Graduations are in 1/16" (first 12" are in 1/32"). Stud markings every 16" and 19.2".**

Federal Strategic Sourcing Initiative, 5210-01-428-5502, 25' L x 1" W., EA, \$16.42

**Features pull push winding. Graduations are in 1/16" (first 6" graduated in 1/32"). Reads from left to right. The case does not have a stop or release mechanism for the blade.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-287-3335, 6' L x 1/2" W., EA, \$4.26

**Features pull push winding. Graduations are in 1/16" (The first 6" are graduated in 1/32"). Reads from left to right. The case does not have a stop or release mechanism for the blade. Tape is chromium plated steel.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-293-3505, 10' L x 1/2" W., EA, \$17.55

## Measuring Tape (Long Steel)

For general purpose distance measuring. Long steel tape is housed in a round, steel, vinyl covered case and has a finger ring. Tape blades feature easy to read markings on either a plated, epoxy coated or black, etched blade. All reels have a pop open folding handle for quick, easy rewinding.

**English markings. Reads left to right. Graduations: 1/8".**

Plastics Removal in Marine Environments

5210-00-221-1882, 100' L x 3/8" W., EA, \$31.95

Federal Strategic Sourcing Initiative, 5210-00-234-6745, 50' L x 3/8" W., EA, \$14.50

**Tape features English and Metric markings. Graduations in feet, inches and 1/8" on one side. The reverse side in 1cm with a minimum of the first dm in mm. Tape is yellow with red and black markings. Read right to left, left to right and vertically.**

Federal Strategic Sourcing Initiative, 5210-00-527-9429, 100' L x 3/8" W., EA, \$40.50

## Measuring Tape (Fiberglass)

Fiberglass tape is for general measuring use, particularly near electrical equipment, power lines and where a high degree of accuracy is not required. Tape is made of woven linen or synthetic fiber with a moisture resistant coating and fungus treatment. Replaceable tape has black and red markings. All tapes have a pop open folding handle for easy, fast rewinding.

**Has English markings. Graduations are 1/4". Features a finger ring. Reads left to right.**

Federal Strategic Sourcing Initiative, 5210-00-554-7092, 100' L x 5/8" W. Grads 1/10"., EA, \$20.25

5210-00-554-7087, 100' L x 5/8" W. Grads 1/4"., EA, \$32.72

## Measuring Tape (Tank Gauging)

This tape is designed for gauging tank fluid levels is graduated in 1/8" increments. Standard American markings are black on a light, rust resistant background.

Consists of a reel, hand crank rewind, plumb bob and one metal tape wiper with replaceable felt pads. The corrosion resistant carbon steel frame supports the tape reel and rewind spindle. A hardwood frame handle ensures a firm hold. Tape is 1/2" wide. Brass plumb bob measures 6-3/4" long and 1" in diameter. One end tapers to a flat point, the other end has a lug or eye for attaching to swivel snap fitted on end of tape. A-A-52216.

**Type: I (Plumb bob for measuring liquids), Size: 1 (25 feet), Finish: I (Light background).**

Plastics Removal in Marine Environments

5210-00-221-1885, 25' L., EA, \$130.29

**Type: I (Plumb bob for measuring liquids), Size: 2 (50 feet), Finish: I (Light background).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-1886, 50' L., EA, \$163.58

**Type: I (Plumb bob for measuring liquids), Size: 3 (75 feet), Finish: I (Light background).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-1887, 75' L., EA, \$206.49

**Type: 2 (Plumb Bob for measuring liquids and temperature), Size: 2 (50 feet), Finish: II (Satin chrome white (with black markings)).**

Federal Strategic Sourcing Initiative, 5210-00-526-0752, 50' L., EA, \$237.78

## Measuring Tape Replacement (Tank Gauging)

This replacement tape is designed for gauging tank fluid levels is graduated in 1/8" increments. Standard American markings are black on a light, rust resistant background. A-A-52216.

**Type: I (Plumb bob for measuring liquids), Size: 2 (50 feet), Finish: I (Light background).**

Federal Strategic Sourcing Initiative, 5210-00-347-2613, 50' L x 1/2" W., EA, \$99.62

**Type: I (Plumb bob for measuring liquids), Size: 3 (75 feet), Finish: I (Light background).**

Federal Strategic Sourcing Initiative, 5210-00-347-2591, 75' L x 1/2" W., EA, \$134.43

**Type 3: (Measuring liquids), Size: 4 (100 feet), Finish: 1 (Light background).**

Federal Strategic Sourcing Initiative, 5210-01-355-3806, 100' L., EA, \$166.32

Federal Strategic Sourcing Initiative, 5210-01-357-4178, 100' L. Plumb Bob Not Included., EA, \$217.91

## Measuring Wheel

Roll these wheels along a surface to measure distances up to 99,999 feet. Measuring Tapes/Choose 36" circumference and larger wheels for measuring uneven surfaces.

Federal Strategic Sourcing Initiative, 5210-01-652-5424, 36" Wheel Circum, 44" L., EA, \$168.38

# Levels

## Line Level

Level has a fixed, horizontal vial. Features a single face and a smooth, flat bottom surface. Brass or aluminum stock has integral hooks or other means for attaching to a line. Weighs less than 1/2 oz. Rugged construction withstands rough handling.

Federal Strategic Sourcing Initiative, 5210-00-223-9606, 3" L., EA, \$3.93

## Carpenter's Level (Aluminum)

Carpenter's type level features two twin plumb vials and one fixed, non-graduated twin level vial with bent glass tubes. Equipped with double face and side reading convenience. Construction is truss or channel style. Vials are fixed to ensure accuracy.

Federal Strategic Sourcing Initiative, 5210-00-239-0892, 24" L, 2 Bubble, 4 Cross Level., EA, \$33.03

Federal Strategic Sourcing Initiative, 5210-00-241-8305, 12" L, 2 Bubble, 4 Cross Level., EA, \$19.88

Federal Strategic Sourcing Initiative, 5210-00-277-2430, 18" L, 2 Bubble, 4 Cross Level., EA, \$28.01

## Cylindrical Vial Level

Levels in horizontal and vertical planes simultaneously.

Federal Strategic Sourcing Initiative, 5210-01-165-6605, 1-7/16" Dia, Brass., EA, \$18.15

Federal Strategic Sourcing Initiative, 5210-00-152-0493, 1-7/16" Dia, Brass., EA, \$17.78

Federal Strategic Sourcing Initiative, 5210-01-516-7126, 36078 or equal, 1-3/4" Dia, Plastic., EA, \$2.42

## Plumb Bob (Brass)

Accurately centered surveyor's type plumb bob establishes perpendicular lines. Includes the following: a polished, conical brass body, a detachable, hardened, replaceable steel point, a removable, threaded brass head. Cord hole or slot is for a seven foot braided silk or linen cord. Lacquer finish.

Federal Strategic Sourcing Initiative, 5210-00-268-9617, 10 oz, 5" L., EA, \$11.92

Federal Strategic Sourcing Initiative, 5210-01-367-7283, 8 oz, 5" L., EA, \$9.24

## Plumb Bob Replacement (Graduated)

This plumb bob is designed for gauging tank fluid levels is graduated in 1/8". Brass plumb bob measures 6-3/4" long and 1" in diameter. One end tapers to a flat point, the other end has a lug or eye for attaching to swivel snap fitted on end of tape. A-A-52216.

Federal Strategic Sourcing Initiative, 5210-00-238-1734, 20 oz., EA, \$51.97

## Chalk Line and Reel

This self chalking line marks construction lines on wood, plaster, concrete, tile and other surfaces. The chalk is applied automatically to the line as it is pulled from the case. Consists of a handle, hand crank, line, hook ring, locking device and chalk powder. Case included. A-A-2525.

Federal Strategic Sourcing Initiative, 5210-00-273-9793, 50' L, Chalk Included., EA, \$5.84

# Adjustable-Joint Pliers

## Adjustable Joint Pliers (Angle Nose)

These angle nose, adjustable joint pliers have either serrated or smooth jaws. The movement of the jaw can be either from tongue and groove or multiple hole design. The multi-position, adjustable joint permits the jaws to be opened wider. These chrome plated, forged steel pliers have polished heads. Described by (Length, Jaw Capacity and Positions) ASME B107.23.

**Type I: (Adjustable joint, angle nose), Class 1: (Multiple grooves and tongue), Style A: (Straight, serrated jaws).**

Federal Strategic Sourcing Initiative, 5120-01-600-4518, 7" L, 1-1/2", 18, Comfort Grip., EA, \$37.91

Federal Strategic Sourcing Initiative, 5120-01-336-5636, 9-1/2" L, 1-1/2", 5, Comfort Grip., EA, \$12.13

Federal Strategic Sourcing Initiative, 5120-01-435-0668, 10" L, 1-1/2", 5, Comfort Grip., EA, \$13.03

Federal Strategic Sourcing Initiative, 5120-01-336-5640, 10" L, 2", 7, Comfort Grip., EA, \$12.59

Federal Strategic Sourcing Initiative, 5120-01-399-9257, 12" L, 2-5/8", 6, Comfort Grip., EA, \$19.52

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-278-0350, 5" L, 1/2", 3, Comfort Grip., EA, \$9.58

Federal Strategic Sourcing Initiative, 5120-00-278-0351, 8" L, 1-1/8", 4, Comfort Grip., EA, \$13.26

*Nonmagnetic and Nonsparking.*

Federal Strategic Sourcing Initiative, 5120-00-541-6731, 10" L, 1-3/8", 5, Comfort Grip, Copper Alloy., EA, \$97.88

**Type I: (Adjustable joint, angle nose), Class 1: (Multiple grooves and tongue), Style B: (Curved, serrated jaws).**

Federal Strategic Sourcing Initiative, 5120-01-589-9064, 10" L, 2-1/8", 6, Comfort Grip., EA, \$18.64

## Adjustable Joint Pliers Set (Angle Nose)

These angle nose, adjustable joint pliers have either serrated or smooth jaws. The movement of the jaw can be either from tongue and groove or multiple hole design. The multi-position, adjustable joint permits the jaws to be opened wider. These chrome plated, forged steel pliers have polished heads. Described by (Length, Jaw Capacity and Positions) ASME B107.23.

**Type I: (Adjustable joint, angle nose), Class 1: (Multiple grooves and tongue), Style A: (Straight, serrated jaws).**

*Consists of (4) pliers in sizes: 4-1/2" L (3 Jaw Positions), 6-1/2" L (5 Jaw Positions), 12" L (7 Jaw Positions) and 16" L (8 Jaw Positions).*

Federal Strategic Sourcing Initiative, 5120-01-428-8863, SE, \$66.03

# Diagonal Cutting Pliers

## Diagonal Cutting Pliers

These general purpose diagonal cutting pliers are designed for cutting wires, nails, pins, screws or light metal. They are forged from alloy steel and have polished heads. B107.500 Cat 11.

**Type: I (Diagonal cutting, regular nose), Class: 3 (Flush cutting edges).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-3210, 7-1/2" L, Cushion Grip Throat., EA, \$23.09

Short nose pliers have true flush cuts for flat surfaces and a 13/16 cutting edge. Made of sturdy beryllium-copper or aluminum-bronze alloy. With plain-grip handles.

*Nonmagnetic and nonsparking, copper or bronze alloy.*

Federal Strategic Sourcing Initiative, 5110-00-595-9490, 6" L, Comfort Grip., EA, \$195.67

**Type: I (Diagonal cutting, regular nose), Class: 1 (Standard cutting edges).**

Federal Strategic Sourcing Initiative, 5110-01-367-4647, 4-3/4" L, Comfort Grip., EA, \$14.89

Federal Strategic Sourcing Initiative, 5110-01-367-4648, 5" L, Comfort Grip., EA, \$20.74

Federal Strategic Sourcing Initiative, 5110-01-400-1447, 6" L, Vinylite Handles., EA, \$18.53

Federal Strategic Sourcing Initiative, 5110-01-400-1438, 4-5/8" L, Comfort Grip, Coil Spring., EA, \$18.24

Federal Strategic Sourcing Initiative, 5110-01-349-4818, 6" L, Vinyl Grip., EA, \$20.63

Federal Strategic Sourcing Initiative, 5110-01-367-4650, 6-1/8" L, 3/4" L Cut, Comfort Grip., EA, \$15.45

Federal Strategic Sourcing Initiative, 5110-01-400-1453, 7-5/16" L, Comfort Grips., EA, \$20.41

Federal Strategic Sourcing Initiative, 5110-01-429-7306, 7-3/4" L, Comfort Grips., EA, \$10.77

Federal Strategic Sourcing Initiative, 5110-01-654-1873, 7-1/8" L, Comfort Grip, High Leverage., EA, \$22.62

Federal Strategic Sourcing Initiative, 5110-01-518-2391, 7-1/2" L, Oxide, Comfort Grip., EA, \$20.78

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-935-0890, 4" L, Comfort Grip., EA, \$13.82

Federal Strategic Sourcing Initiative, 5110-00-618-2700, 4-1/2" L, Handles Covered with Red Vinylite., EA, \$16.49

Federal Strategic Sourcing Initiative, 5110-00-239-8253, 6" L, Comfort Grip., EA, \$14.21

Federal Strategic Sourcing Initiative, 5110-00-222-2708, 7-1/2" L, Comfort Grip., EA, \$15.13

## Diagonal Cutting Pliers (Stripping Notches)

These general purpose diagonal cutting pliers are designed for cutting wires, nails, pins, screws or light metal. They are forged from alloy steel and have polished heads. B107.500 Cat 11.

**Type: I (Diagonal cutting, regular nose), Class: 2 (Semi-flush cutting edge).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-224-1532, 6" L, Comfort Grip., EA, \$13.80

## Diagonal Cutting Pliers (High Leverage)

These general purpose diagonal cutting pliers are designed for cutting wires, nails, pins, screws or light metal. They are forged from alloy steel and have polished heads. B107.500 Cat 11.

**Type: I (Diagonal cutting, regular nose), Class: 1 (Standard cutting edges).**

Federal Strategic Sourcing Initiative, 5110-01-367-3878, 8" L, Comfort Grips., EA, \$17.27

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-596-7164, 6" L, Comfort Grip., EA, \$17.33

# Lineman's Pliers

## Pliers - Lineman's (Square Head)

These pliers are the tool of choice for all purpose wire and cable work. These side cutting, solid joint pliers are made of drop forged steel with polished heads and have an insulation crusher in the handle. The crusher surfaces can be smooth or scored. ASME B107.20.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-239-8254, 6" L, Comfort Grip., EA, \$14.90

Federal Strategic Sourcing Initiative, 5120-00-756-1156, 8" L, Insulated Grips., EA, \$21.29

Federal Strategic Sourcing Initiative, 5120-00-239-8251, 8-1/2" L, Comfort Grip., EA, \$19.63

## Pliers - Lineman's (Round Head)

These pliers are the tool of choice for all purpose wire and cable work. These side cutting, solid joint pliers are made of drop forged steel with polished heads and have an insulation crusher in the handle. The crusher surfaces can be smooth or scored. ASME B107.20.

Federal Strategic Sourcing Initiative, 5120-01-021-5730, 9-1/4" L, 1000V Insulated Grip, High Leverage., EA, \$36.05

## Lineman's Pliers (Non-Magnetic/Non-Sparking)

The tool of choice for all-purpose wire and cable work. Side-cutting lineman's solid-joint pliers are made of drop forged steel with polished heads and an insulation crusher in handle.

**Non-magnetic and non-sparking lineman pliers.**

Federal Strategic Sourcing Initiative, 5120-00-224-1540, 8" L., EA, \$100.58

# Round-Nose Pliers

## Pliers (Round Nose)

These solid joint pliers are perfectly formed to fit your needs. They have a scored, flat, gripping surfaces for forming, bending and handling small objects and reaching into openings. ASME B107.500 Cat 13.

**Type: III (Round nose), Class: 1 (Long nose), Style: B (Cutter).**

Federal Strategic Sourcing Initiative, 5120-01-113-6352, 6-1/2" L, Comfort Grip., EA, \$15.73

Federal Strategic Sourcing Initiative, 5120-01-435-6816, 6-5/8" L, Serrated Jaws, Comfort Grip., EA, \$12.17

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-247-5177, 6-3/8" L, Comfort Grip., EA, \$13.88

Federal Strategic Sourcing Initiative, 5120-00-293-0032, 7" L, Comfort Grip., EA, \$16.63

**Type: III (Round nose), Class: 1 (Long nose), Style: A (Without cutter)**

Federal Strategic Sourcing Initiative, 5120-01-434-9580, 5" L, Comfort Grip, Serrated Jaws., EA, \$15.57

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-268-3579, 6" L., EA, \$13.25

**Type: III (Round nose), Class: 2 (Bent nose).**

Federal Strategic Sourcing Initiative, 5120-01-367-4645, 6-5/8" L, Comfort Grip., EA, \$22.96

Federal Strategic Sourcing Initiative, 5120-01-399-9227, 6-5/16" L, Serrated Jaws, Comfort Grip., EA, \$20.85

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-239-8250, 6" L, Comfort Grip., EA, \$17.05

**Type: III (Round Nose), Class: 3 (Short Nose), Style: A (Without Cutter)**

Federal Strategic Sourcing Initiative, 5120-00-293-3486, 4" L., EA, \$13.78

Federal Strategic Sourcing Initiative, 5120-00-240-6172, 6" L, Comfort Grip., EA, \$13.25

**Type: III (Round nose), Class: 4 (Needle nose), Style: A (Without cutter)**

Federal Strategic Sourcing Initiative, 5120-01-399-9165, 4-13/16" L, Cushion Grip., EA, \$16.94

Federal Strategic Sourcing Initiative, 5120-01-367-4641, 6" L, Comfort Grip., EA, \$10.44

Federal Strategic Sourcing Initiative, 5120-01-399-9220, 7" L, Serrated Jaws, Comfort Grip., EA, \$23.91

Federal Strategic Sourcing Initiative, 5120-01-367-4642, Red, 8" L, Comfort Grip, Serrated Jaws., EA, \$16.19

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-3481, 6-1/2" L, Comfort Grip., EA, \$17.47

**Type: III (Round nose), Class: 4 (Needle nose), Style: B (With cutter)**

Federal Strategic Sourcing Initiative, 5120-01-399-9167, 6-5/8" L, Comfort Grip, Serrated Jaws., EA, \$13.29

Federal Strategic Sourcing Initiative, 5120-01-649-6558, 8" L, Comfort Grip., EA, \$19.83

Federal Strategic Sourcing Initiative, 5120-01-428-7830, 7-1/8" L, Comfort Grip., EA, \$16.63

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-184-9403, 6-1/2" L, Comfort Grip., EA, \$20.40

## Pliers (Double Round Nose)

These pliers are perfectly designed to bend or shape wire and reach into small openings. The two jaws only meet at the tip of the pliers. ASME B107.500 Cat 13.

**Type III: Round nose, Class 1: Long nose, Style A: Without cutter.**

Federal Strategic Sourcing Initiative, 5120-01-648-0981, 6-7/8" L, Comfort Grip., EA, \$21.23

## Pliers Set (Round Nose)

These solid joint pliers are perfectly formed to fit your needs. They have a scored, flat, gripping surfaces for forming, bending and handling small objects and reaching into openings. ASME B107.500 Cat 13.

**Set consists of (3) pliers: Needle Nose Pliers 7-1/8", Long Needle Nose 8" and Long Handle 11".**

Federal Strategic Sourcing Initiative, 5120-01-428-9253, Comfort Grip, Plastic Tray., SE, \$49.06

## Pliers (Flat/Duck Bill Nose)

These solid joint flat pliers are perfectly formed to fit your needs. They all have a scored, flat, gripping surfaces for forming, bending and handling small objects and reaching into openings. ASME B107.500 Cat 13.

**Type: I (Flat/Duck Bill Nose), Class: 2 (Medium Nose).**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-028-7102, 4-1/2" L, Comfort Grip., EA, \$39.68

**Type: I (Flat/Duck Bill Nose), Class: 3 (Wide Nose), Style: A (Without Cutter)**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-6213, 6" L, Comfort Grip., EA, \$12.82

**Type: I (Flat/Duck Bill Nose), Class: 4 (Long Reach, Flat Nose )**

Federal Strategic Sourcing Initiative, 5120-01-367-7246, 8" L, Comfort Grip., EA, \$15.43

## Slip-Joint Pliers

### Slip-Joint Pliers (Non-Sparking)

Straight nose pliers have combination jaws for holding flat material and round surfaces. Versatile features include a wire cutter in throat, scored gripping surfaces, pointed teeth and a bolted, two position joint. Made of beryllium copper or aluminum bronze alloy. B107.23

**Nonmagnetic and Nonsparking.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-6217, 8" L, 3-3/8" L Jaw, Comfort Grip., EA, \$63.64

### Slip Joint Pliers (Straight Nose)

These straight nose, combination, slip joint pliers have flat gripping surface with fine teeth, a curved center jaw section with sharp teeth. The wire cutter can be either a side or throat type. The two position, slip joint permits the jaws to be opened wider. ASME B107.23.

**Type II: Slip joint combination jaw, Class 1: Straight nose, Style A: Regular.**

Federal Strategic Sourcing Initiative, 5120-01-434-9759, 6-1/2" L, Chrome, Comfort Grip., EA, \$11.24

Federal Strategic Sourcing Initiative, 5120-01-398-9391, 8" L, Comfort Grip., EA, \$9.57

Federal Strategic Sourcing Initiative, 5120-01-399-9175, 8" L, Knurled, Chrome., EA, \$13.18

Federal Strategic Sourcing Initiative, 5120-01-480-0640, 10" L, Chrome, Comfort Grip., EA, \$12.93

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-223-7396, 6-1/2" L, Cutter, Comfort Grip., EA, \$7.86

Federal Strategic Sourcing Initiative, 5120-00-223-7397, 8" L, Chrome, Comfort Grip., EA, \$8.07

Federal Strategic Sourcing Initiative, 5120-00-223-7398, 10" L, Comfort Grip., EA, \$11.07

## Special-Purpose Pliers

### Cable Clamp Pliers

Great for installing single or multiple loop line clamps. Pliers retain clamps over conduit, wiring or pipes, leaving hands free to screw retaining nut to clamp bolt. Slip joint provides 3/4" adjustment and the lower jaw contains a mechanism for firmly holding clamp in closed position and clamp bolt rigid while nut is tightened. Forged steel with a rust preventive coating. A-A-2971.

Federal Strategic Sourcing Initiative, 5120-00-770-9362, 7-1/2" L., EA, \$101.69

### Chain Wrench Locking Pliers

All-purpose tool. Pliers-chain-style wrench is for plumbing, heating and automotive work. Adjusts for ratcheting and will not slip or mar material.

Federal Strategic Sourcing Initiative, 5120-00-889-2050, 20R or equal., EA, \$20.70

### Electrical Connector Pliers

Designed for loosening and tightening threaded lock collar of electrical connectors. Plastic jaw inserts prevent marring of the gripping surface of the collar. Jaw opening is 3/4 to 2-1/2" with a minimum of four jaw positions. ASME B107.27

Federal Strategic Sourcing Initiative, 5120-01-616-3740, Opening: 3/4" To 2-1/2", 4 Positions, 9-1/2" L., EA, \$22.11

Federal Strategic Sourcing Initiative, 5120-01-370-6693, Opening: 3/4" To 2-1/2", 10" L., EA, \$16.33

### Electronic Cutters

These cutters are perfect for electronic work and wire cutting. All pliers come with a spring that is capable of opening the jaws under normal use and comfort grips. B107.22.

**Type I: Cutters, Class 1: Diagonal, Style A: Oval head, Design C: Flush cutting edges.**

Federal Strategic Sourcing Initiative, 5110-00-764-4801, 4" L., EA, \$18.69

**Type I: Cutters, Class 1: Diagonal, Style C: Tapered head, Design C: Flush cutting edge.**

Federal Strategic Sourcing Initiative, 5110-01-524-7565, Q-6256., 5-1/2" L., EA, \$67.28

Federal Strategic Sourcing Initiative, 5110-01-181-7030, 5" L., EA, \$15.04



## Electronic Pliers (Chain Nose)

These round nose pliers are perfect for bending and shaping wire. They have tapered, circular jaws that form rounded gripping surfaces. They are made of drop forged steel and have polished heads. The jaws are either smooth or serrated. Furnished with jaw opening spring and cushion grip handles. ASME B107.22.

**Type II: Pliers, Class 2: Chain Nose, Style D: Short Nose**

Federal Strategic Sourcing Initiative, 5120-01-513-9587, 5" L, Jaw: 1-1/5" L, ESD Safe., EA, \$28.33

## Pliers Set

All the pliers you need to get the job done. Contains: (1) Slip joint combination pliers w/ Straight nose 7-1/2" L, Adjustable joint angle nose Straight serrated jaws 9-1/4" L 5 to 6 jaw positions, Needle nose pliers round nose without cutter 7-1/8" L and Diagonal cutting, regular nose 7-3/8" L.

Federal Strategic Sourcing Initiative, 5120-01-428-9284, Comfort Grips., SE, \$62.49

## Retaining Ring Pliers Set

This replaceable tip retaining ring pliers set is the perfect tool for installing and removing internal retaining rings. B107.19.

This (2) piece set is the perfect set. The (2) pliers are **Type 1 and 2: (Universal replaceable tip) with the following replaceable tips: 0.035" (90 degrees), 0.045" (45 degrees), 0.045" (straight) and 0.06" (straight). 4 of each size tip.**

Federal Strategic Sourcing Initiative, 5120-01-428-5104, J380, SE, \$40.29

This (18) piece set is the perfect set. The (2) pliers ((1)Internal and (1)External) are **Type 4: (Replaceable tip), Class 1 (Spring) and comes with the following replaceable tips: (4) 0.038" D 90° tips, (4) 0.047" D straight tips, (4) 0.047" D 45° tips and (4) 0.07" D straight tips.**

Federal Strategic Sourcing Initiative, 5120-00-789-0492, Comfort Grips, Plastic Box., SE, \$28.75

## Retaining Ring Pliers (Convertible)

These convertible tip retaining ring pliers are the perfect tool for installing and removing internal/external retaining rings. The pliers convert quickly to keep that job going smoothly. Furnished with cushion grip handles. B107.19.

**Type VI: Retaining ring, replaceable tips, internal and external (universal), Class 2: With spring and adjustable jaw stop, Style A: Straight tip.**

*(5) Replaceable tips in the sizes and styles: 0.036" (straight and 90°), 0.047" (straight and 90°) and 0.07" (straight).*

Federal Strategic Sourcing Initiative, 5120-01-428-8248, 7-3/4" L, Comfort Grip., EA, \$23.08

**Type V: Retaining ring internal/external (Convertible), Style A: Straight tip.**

Federal Strategic Sourcing Initiative, 5120-01-428-8218, 0.038" D Tip, 5-3/4" L., EA, \$9.28

**Type V: Retaining ring internal/external (Convertible), Style B: 90° Tip.**

Federal Strategic Sourcing Initiative, 5120-01-399-9209, 0.038" D Tip, 5-11/16" L., EA, \$19.35

**Type V: Retaining ring internal/external (Convertible), Style C: 45° Tip.**

Federal Strategic Sourcing Initiative, 5120-01-399-9205, 0.047" D Tip, 5-3/4" L., EA, \$20.79

## Retaining Ring Pliers Set (Convertible)

These convertible tip retaining ring pliers are the perfect tool for installing and removing internal/external retaining rings. The pliers convert quickly to keep that job going smoothly. Furnished with cushion grip handles. B107.19.

**Type V: Retaining ring internal/external (Convertible), Style A: Straight tip, Style B: 90° Tip and Style C: 45° Tip.**

*(12) Pliers in plastic case. (1) Of each size in each style 0.038", 0.047", 0.07" and 0.09".*

Federal Strategic Sourcing Initiative, 5120-01-428-5103, 5-11/16" to 9-1/4" L., SE, \$156.68

Federal Strategic Sourcing Initiative, 5120-01-429-7455, Ring Range: 1/8" to 3-1/2", Case., SE, \$96.46

**Type V: Retaining ring internal/external (Convertible), Style A: Straight tip and Style B: 90° Tip.**

*(6) Fixed tip pliers in plastic case in the following sizes and styles: 0.038" (straight), 0.047" (straight), 0.07" (straight), 0.038" (90 degrees), 0.047" (90 degrees) and 0.07" (90 degrees).*

Federal Strategic Sourcing Initiative, 5120-01-437-3785, SE, \$53.07

## Retaining Ring Pliers (External)

These fixed tip retaining ring pliers are the perfect tool for installing and removing external retaining rings. Comes with cushion grip handles. B107.500 CAT 19.

**Type 2: Retaining Ring (External), Class 3: Without jaw stop and spring, Style A: Straight Tip.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-595-9555, 0.07" D Tip, 6-3/5" L., EA, \$12.15

**Type 2: Retaining Ring (External), Class 3: Without jaw stop and spring, Style B: 90 Deg Tip.**

Federal Strategic Sourcing Initiative, 5120-00-752-9755, 0.038" D Tip, 6-1/8" L., EA, \$17.48

## Retaining Ring Pliers (Internal)

These fixed tip retaining ring pliers are the perfect tool for installing and removing internal retaining rings. B107.500 CAT 19.

**Type 1: Retaining Ring (Internal), Class 2: Without adjustable jaw stop and spring, Style A: Straight Tip.**

Federal Strategic Sourcing Initiative, 5120-01-399-9268, 0.038" D Tip, 5-3/8" L., EA, \$13.06

## Retaining Ring Pliers Set (Replaceable Tip)

These replaceable tip retaining ring pliers are the perfect tool for installing and removing retaining rings. B107.500 CAT 19.

**Set consists of (1) internal plier and (1) external pliers with (8) tips. Contains (2) pair each of tip sizes: 0.039" (90°), 0.047" (0°), 0.047" (45°), 0.07" (0°).**

Federal Strategic Sourcing Initiative, 5120-01-080-8378, 6-1/4" L, Comfort Grips., SE, \$33.40

## Parallel Jaw Pliers

Parallel Action Jaw Pliers feature compound-leverage construction, a side cutter, an open throat and a longitudinal groove in one of the jaws suitable for gripping and pulling wire and straightening small pins. Serrated jaws give a positive gripping surface. Furnished with cushion-grip handles.

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-1541, Jaw: 3-3/64" L x 3/8" T, 17/32" Opening, 6-1/2" L., EA, \$48.38

## Pliers (Battery)

These pliers are the tool of choice for battery work. These offset head, solid or slip joint, pliers are made of drop forged steel. The crusher surfaces are deeply scored. ASME B107.20.

Federal Strategic Sourcing Initiative, 5120-01-399-9240, 7-1/2" L, Comfort Grips., EA, \$25.98

## Pliers (Wing Lock)

Overall dimensions: Handle 6-2/5" H x 2-1/5 W (outside dimension). The working tip of the tool is 1/4" D x 0.12 W.

Federal Strategic Sourcing Initiative, 5120-00-235-3037, AT35711 or equal., EA, \$75.84

## Side Cutting Pliers

Open throated to allow passage of long wire pulling operations. A compound cutter provides clean, sharp cuts. Serrated jaws are manufactured from heat treated tough high carbon steel and are nickel plated.

Federal Strategic Sourcing Initiative, 5120-01-645-2315, EA, \$56.73

# Vise Grips

## Vise Grip Pliers (Curved Jaw)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.24

### Type 1: Locking pliers, Class 2: Curved jaws, Style B: With cutters

Federal Strategic Sourcing Initiative, 5120-00-965-0604, 5" L, Opens to 1-1/8" Min., EA, \$9.12

Federal Strategic Sourcing Initiative, 5120-00-494-1910, 7" L, Opens to 1-5/8" Min., EA, \$8.89

Federal Strategic Sourcing Initiative, 5120-00-494-1911, 10" L, Opens to 1-7/8" Min., EA, \$10.23

## Vise Grip Pliers (Long Nose)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.24

### Type 1: Locking pliers, Class 3: Long Nose, Style B: With Cutters

Federal Strategic Sourcing Initiative, 5120-01-108-9649, 6" L, Opens to 2-1/4" Min., EA, \$13.26

Federal Strategic Sourcing Initiative, 5120-01-271-8049, 6-1/2" L, Opens to 2", EA, \$13.49

Federal Strategic Sourcing Initiative, 5120-01-148-5455, 10" L, Opens to 2-3/4", EA, \$16.92

## Vise Grip Pliers (Straight Jaw)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.24

### Type 1: Locking pliers, Class 1: Straight jaws, Style A: Without cutters

#### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-4244, 10" L, Opens to 1-5/8" Min., EA, \$9.58

Federal Strategic Sourcing Initiative, 5120-00-277-4243, 7" L, Opens to 1-1/2" Max., EA, \$9.06

## Vise Grip Pliers Set

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.24

Set consists of (7) locking pliers in sizes: 5", 7" and 10" (curved jaw with wire cutter), 6" (long nose), 12" (Large jaw), 7" and 10" (Locking Wrenches).

Federal Strategic Sourcing Initiative, 5120-01-456-9009, SE, \$13.89

# Wire Twister Pliers

## Wire Twister Pliers

Pliers provide fast twisting of safety wire and are excellent for work on critical components of aircraft and vehicles. Features right hand (clockwise) twist and a diagonal (standard) nose configuration for hard to reach areas. Spiraling mechanism produces a close, uniform twist in safety wire when rod is pulled and pliers rotates. Jaws can be locked in a closed position. Furnished with wire cutter. ASME B107.500 CAT 18

**Type I: Right-hand twist; Class 1: Automatic (Spring-loaded) twist rod return mechanism; Style A: Serrated wire clamping jaw surface.**

*Produces 2-1/2 revolutions per pull.*

Federal Strategic Sourcing Initiative, 5120-01-112-5031, 9" L., EA, \$28.56

Federal Strategic Sourcing Initiative, 5120-01-487-3823, 9" L., EA, \$55.42

Federal Strategic Sourcing Initiative, 5120-01-617-6566, 12" L., EA, \$110.68

Federal Strategic Sourcing Initiative, 5120-01-590-8688, EA, \$90.59

**Type: I (Right-hand twist), Class: 2 (Hand Push twist rod return), Style: A (Serrated wire clamping jaws)**

*Produces 2-1/2 revolutions per pull.*

Federal Strategic Sourcing Initiative, 5120-01-307-5143, 6" L., EA, \$57.20

*Produces 3 revolutions per pull.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-305-2306, 9" L., EA, \$55.42

*Produces 4 revolutions per pull.*

Federal Strategic Sourcing Initiative, 5120-00-542-4171, 12" L., EA, \$78.81

**Type: I Right-hand twist, Class: 2 Hand Push twist rod return, Style B: Smooth wire clamping jaw surface(no serrations).**

*Produces 3 revolutions per pull.*

Federal Strategic Sourcing Initiative, 5120-01-429-7407, 8-1/2" L., EA, \$55.42

**Automatic (Spring-loaded) twist rod return mechanism. Serrated wire clamping jaw surface.**

*Produces 2 revolutions per pull.*

Federal Strategic Sourcing Initiative, 5120-01-429-8147, 45W or equal., EA, \$60.52

**Type III: Reversible, Class 1: With automatic (Spring-Loaded) twist rod return mechanism, Style B: Smooth wire clamping jaw surface(no serrations).**

Federal Strategic Sourcing Initiative, 5120-01-547-9635, 11" L., Side Cutter., EA, \$109.46

**Type III: Reversible, Class 1: With automatic (Spring-Loaded) twist rod return mechanism, Style A: Serrated wire clamping jaws surface.**

*Produces 3 revolutions per pull.*

Federal Strategic Sourcing Initiative, 5120-01-429-8153, 12" L., Side Cutter., EA, \$110.68

## Wire Twister Pliers Set

Pliers provide fast twisting of safety wire and are excellent for work on critical components of aircraft and vehicles. Features right hand (clockwise) twist and a diagonal (standard) nose configuration for hard to reach areas. Spiraling mechanism produces a close, uniform twist in safety wire when rod is pulled and pliers rotates. Jaws can be locked in a closed position. Furnished with wire cutter. ASME B107.500 CAT 18

**Type I: Right-hand twist; Class 1: Automatic (Spring-loaded) twist rod return mechanism; Style A: Serrated wire clamping jaw surface.**

*Set Contains (3) pieces: (2) safety wire twister pliers (8-3/8" L and 10-3/8" L) and 18-7/8" L Deep Reach Safety Wire Twister Pliers.*

Federal Strategic Sourcing Initiative, 5120-01-430-6569, SE, \$230.24

# Cordless Power Tools

## Reciprocating Saw (Cordless)

This heavy-duty, 18-volt, portable reciprocating saw is cordless and has a 7/8" stroke length. It also features: Variable speed; 3000 spm maximum no-load speed; pivot shoe; electric brake; and a keyless-blade clamp. Kit contains 18-volt DC, 2.0 amp-hour battery packs; and a 220-volt AC, 50 Hz battery charger (EXPORT) that is compatible with the 18-volt batteries. Furnished in a sturdy case capable of safely securing and carrying the saw and all of its accessories.

5130-01-463-8981, FOR EXPORT USE ONLY., EA, \$301.71

## Drill (Cordless)

Heavy-duty 18-volt 1/2" (13mm) adjustable clutch drill/driver kit features: variable speed; reversing switch; anti-slip soft comfort grip; keyless chuck; and an electric brake. Includes a one-hour charger, two battery packs (with two amp-hours minimum each pack), a screwdriver bit, and a heavy-duty carrying case.

**No-load speed: 2 speed 0-500/0-1800 RPM. Torque: 400 inch-pounds min.**

Federal Strategic Sourcing Initiative, 5130-01-444-4662, EA, \$264.86

Standard duty drill performs medium duty and intermittent heavy duty drilling. Drill conforms to UL Standards. Drill size, drive type, handle design, electrical ratings, maximum no load speed, minimum rated load torque, maximum weight and length and other features are listed below.

**This straight drive, reversible 2 speed 18 V variable drill has a speed range of 0 To 500/0 To 1800 RPM and has a torque capacity of 450 Inch-Pounds min and a 1/2" keyless chuck. 22 Clutch Settings and a Pistol Grip. It comes with a Case with retention feature securing contents when not in use and while in transit, (2) 18V Batteries, Battery Charger.**

Federal Strategic Sourcing Initiative, 5130-01-547-4719, EA, \$258.03

**This impact drill, is 20V and has a speed range of 2800 RPM, 3200 IPM, and has a torque capacity of 111 foot-pounds min and a 1/4" hex drive. It comes with a Case with retention feature securing contents when not in use and while in transit, (2) 20V Batteries, Battery Charger and a belt hook.**

Federal Strategic Sourcing Initiative, 5130-01-573-2118, Kit Bag., EA, \$306.92

## Jig Saw Kit

The 20V Jig Saw Kit has an all metal, lever-action keyless blade clamp designed for quick and easy blade changes and an all-metal keyless shoe bevel with four detents to make bevel adjustments easy. The variable speed trigger provides up to 3,000 strokes per minute to easily adjust speeds during cutting and 4-position orbital action for wood cutting. A removable shoe cover helps protect materials from scratches and the dust blower helps users see where they're cutting. Comes with 20V lithium ion battery and charger.

Federal Strategic Sourcing Initiative, 5130-01-657-7161, EA, \$312.81

## Power Tool Battery Pack

Compatible with Fastening Systems International cordless riveter p/n: PT-3000 and PT-4000.

Federal Strategic Sourcing Initiative, 5130-01-398-4699, F-3001 or equal., EA, \$224.46

# Electric Power Tools

## Drill (Electric)

Reversible, variable-speed, straight-drive drill has a removable auxiliary side handle and a trigger lock-on button. Double insulated. Heavy-duty, portable drill converts to a clutch screwdriver. Has a 1,000 to 1,400 rpm no-load speed. Operates on 120-volt, 60-Hz current at 5 amp. Has a key-operated, three-jaw chuck. Comes with an instruction book and a chuck key with holder. Conforms to UL standards.

Plastics Removal in Marine Environments

5130-00-935-7354, Chuck Size: 3/8", EA, \$164.35

This heavy duty, medium speed (650 rpm no load speed) has a spade end handle with breastplate for breast drilling and auxiliary side handle. Rated 6.0 amp minimum and has a minimum of 4.7 foot-pounds torque at rated load. Keyed jaw chuck. Furnished in a carrying case.

Federal Strategic Sourcing Initiative, 5130-00-293-1849, Chuck Size: 1/2", EA, \$191.14

This heavy duty hand tool has a rotating chuck driven by an electric motor and designed to take an assortment of tools for drilling, grinding, polishing, etc. They have double insulated or three wire grounded cords with machine cut gears and ball and roller bearings. The drills have an AC/DC rated trigger switch with lock on mechanism and comes with a manual. Conforms to UL standards.

**Heavy duty, medium speed (728 RPM) drill has a 1/2" chuck and pistol grip handle. 120VAC, Rated 6 amp minimum and has a minimum standard torque 5.5 ft-lbs at rated load. Comes with a case.**

Plastics Removal in Marine Environments

5130-00-901-7585, Chuck Size: 1/2", EA, \$201.19

This heavy duty, medium speed drill has a closed end handle with an auxiliary side handle. No load speed: 1,200 rpm. Load speed: 400 to 600 rpm. Rated 3.5 amp minimum and has a minimum of 3.0 foot-pound torque at rated load. Non-reversible; keyed jaw chuck. Furnished in a carrying case.

**Electromagnetic Interference Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)**

Federal Strategic Sourcing Initiative, 5130-00-889-9001, Chuck Size: 3/8", EA, \$285.82

Prevent shock with this double-insulated, portable, reversible, straight-drive, variable-speed drill. Rated 5 amp at 120-volt AC, 60-Hz power and includes a keyed jaw chuck. Heavy-duty drill has a 550-800 rpm no-load speed. Drill has a pistol-grip with a removable auxiliary side handle. Comes with an instruction book, parts list and chuck key. Conforms to UL standards.

Federal Strategic Sourcing Initiative, 5130-00-283-3231, Chuck Size: 1/2", EA, \$161.68

Standard duty drill performs medium duty and intermittent heavy duty drilling. Drill conforms to UL Standards. Drill size, drive type, handle design, electrical ratings, maximum no load speed, minimum rated load torque, maximum weight and length and other features are listed below.

**Medium speed (2000 RPM) cordless right-angle drill/driver has a straight grip, right angle transmission. Measuring just 4" from front to back, 3/8" ratcheting chuck and 2 speed motor (low: 0-500 RPM; high: 0-2000 RPM), a multi-grip trigger, (1) 18V NiCad battery, 4 lbs, one-hour charger and rugged storage case.**

Federal Strategic Sourcing Initiative, 5130-01-589-9350, EA, \$258.77

**This variable speed 120VAC 5.2amps 60Hz has a 1/2" chuck and a no load speed of 550RPM's.**

Federal Strategic Sourcing Initiative, 5130-01-397-9801, 6302H or equal, EA, \$200.74

**This reversible, 3/8" keyed chuck, variable speed 120 V AC 4 amp drill, has a body grip with a paddle trigger. It has a 2400 RPM min no load speed with an LED work light.**

Federal Strategic Sourcing Initiative, 5130-01-397-9805, EA, \$358.71

## Electric Hammer Drill

This heavy duty, medium speed (0 to 1700 rpm no-load speed) cordless hammer drill included: (2) 18V Lithium Ion batteries, charger (30 minutes), Metal or Plastic Carrying Case, LED work light, 1/2 inch chuck and seventeen clutch settings.

Federal Strategic Sourcing Initiative, 5130-01-609-1107, EA, \$397.11

This high power, high efficiency motor delivers 750 unit watts out of max power for superior performance in all drilling and fastening applications. The 3-speed, all-metal transmission matches the speed to the application for optimal performance. It has a 1/2" metal ratcheting chuck Speed Rate: 0-400, 0-1200, 0-1600 RPM (+/- 100 RPM per speed), Impact Rate: 0-9000, 0-20000, 0-27000 (+/- 1000 BPM per speed). The kit includes the drill, one-hour charger, two 36-volt compact batteries, 360° side handle and kit box.

Federal Strategic Sourcing Initiative, 5130-01-588-1550, EA, \$300.62

## Impact Wrench (Electric)

This cordless 12V impact wrench delivers 3,000 ipm minimum and a tightening torque of 850 inch-pounds. No load speed: 2,200 rpm minimum. Variable speed trigger and comfort grip handle. Includes impact wrench, 12V battery pack and battery charger furnished in a case.

5130-01-363-2560, 3/8" Drive., EA, \$157.49

Electric powered, portable, impact wrench loosens and tightens bolts and nuts. Has built in power regulator for control of power output. The wrench has a pistol grip handle and is reversible. Furnished with operating and maintenance instructions.

Federal Strategic Sourcing Initiative, 5130-01-536-6492, 151700692 or equal, 1/2" Drive., EA, \$2,661.75

## Hammer Drill (Electric)

Heavy duty, reversible drill hammer has variable speed and has a 1" diameter drill bit capacity. Accepts SDS bits. Has two modes of operation: hammer with rotation for concrete/masonry or rotation only with chuck for wood/steel. Provided with three wire power cord, depth rod gauge, adjustable 360° side handle and carrying case. Motor operates on 120 volt AC with a current of 9 amp max. Has 1000 rpm and 0 to 4,500 bpm maximum.

5130-00-138-5552, EA, \$342.02

## Disk Sander (Electric)

Palm grip; random orbital; 3 AMP 60Hz 12000 OPM; 8-hole hook and loop pad; dust sealed switch; double insulated; dust bag with vacuum adapter; heavy-duty kit box.

Federal Strategic Sourcing Initiative, 5130-01-448-6687, EA, \$76.20

## Disk Grinder (Electric)

Angle type, 10-5/8" L, 115 VAC, 60 HZ, 7.5 amp, 10,000 RPM no load, 4-1/2" Dia Capacity, Spindle size and series: 5/8-11 UNC, Side handle for left and right, spindle lock, double insulated, grinding wheel, wheel inner flange, locknut and locknut wrench.

Federal Strategic Sourcing Initiative, 5130-01-397-9684, Dewalt 9557PB or equal, EA, \$118.68

## Portable Electric Grinder

An angle grinder, also known as a side grinder or disc grinder, is a handheld power tool used for grinding (abrasive cutting) and polishing.

Federal Strategic Sourcing Initiative, 5130-01-444-8505, 10,000 RPM, 120 VAC, 5/8-11UNC, 14" L., EA, \$165.02

**Type 27 Wheel, Wrench, Guard, Backing Flange and Clamp Nut for 7/8" Non-Threaded Wheels, Side Handle, 2 position side handle, spindle lock, Lock on throttle, double insulated, adjustable wheel guard.**

Federal Strategic Sourcing Initiative, 5130-01-448-6699, DW831 or equal, 10,000 RPM, 120 VAC, 5" Wheel Dia, 14-1/2" L., EA, \$174.80

**Lock on throttle, 2 position side handle and 4-1/2 inch wheel guard, Flange, Side Handle, Spanner Wrench, Wheel Guard.**

Federal Strategic Sourcing Initiative, 5130-01-398-4690, 10,000 RPM, 120 VAC. 4-1/2" Wheel Dia., Body Grip, 7 Lbs, 12-3/4" L., EA, \$109.33

## Electric Polisher

This 7" / 9" Variable Speed Polisher has a powerful 12 Amp motor with ball bearing construction and electronic control to deliver desired finish results. Variable speed trigger allows user to control speed from 0 to dialed maximum setting.

Federal Strategic Sourcing Initiative, 5130-01-627-6730, 3500 RPM, 120 VAC, Body Grip, Case., EA, \$345.72

## Sheet Metal Cutters

Lightweight shears make straight or contour cuts on ferrous and non-ferrous materials. These portable electric shears operate on 115-volt AC/DC and have a grounded three-wire plug. Type I shears are manually held and guided, single shear action with a pair of blades, one the stationary blade, the other blade with reciprocating movement. Type I shears are equipped with a comfortable closed double-grip handle. CID A-A-59459.

**Size 3 - Cuts sheet steel up to 12 gauge (.105") thick; Cutting rate: 15 fpm minimum; Cutting radius: 2-1/2" minimum.**

*Electromagnetic Interference Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)*

5130-01-087-6839, 15" L., EA, \$632.50

## Band Saw (Portable)

This heavy duty portable electric band saw has worm gear and chain drive with 100 percent ball and needle bearings. Accommodates band blades 44-7/8" L x 1/2" W x 0.02" T. The saw has a two speed switch and operates on 120 volt AC/DC The saw is equipped with a closed end handle at back and auxiliary control at front. The cutting capacity is up to 4-7/8" in metal stock and up to 4-7/8 x 4-7/8" in rectangular metal stock. Furnished in a carrying case with operating instructions.

**Saw is furnished with one bi-metal 18 teeth blade.**

5130-01-008-7418, 6238-21 or equal, 17 lbs., EA, \$343.97

## Reciprocating Saw

Suited for general purpose uses, such as sawing steel, sheet metal, brass, aluminum, wood and other materials. This portable, electric powered saw operates on 115 volt AC/DC power and has either a grounded plug or double insulation. Has a comfortable, closed-grip handle with a trigger switch. Chuck holds blade securely. Furnished with recommended blades and carrying case.

Single-speed saw has a horizontal (inline) drive. No load speed: 1,600 to 2,400 spm. Stroke length: 7/16" minimum.

*Electromagnetic Interference Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)*

5130-00-720-0654, 9 lbs., EA, \$188.32

## Jigsaw (Electric)

Heavy-duty jig saw accommodates 1/4" universal shank blades. Saw has a 1" minimum stroke length and a closed D top handle for easy handling. Motor operates at variable speed with a no load speed range 0 to 3,100 strokes per minute and has rated current at 4.0 amps at 120-volt, 60 Hz. lock-on button switch. Ball and roller bearing, double-insulated construction. Furnished with two metal cutting blades, two wood cutting blades, wrench(es) for shoe adjustment and blade changes, and operating and maintenance instructions.

5130-00-889-7745, EA, \$116.71

## Rotary Tool Kit (Dremel)

Dremel power tools are used for their rotary tools, accessories and ease of use.

Electric rotary tool kit is used for grinding, carving, drilling, sanding, buffing, sawing, deburring, routing, polishing, engraving, sharpening and shaping. Variable speed 5,000 to 35,000 rpm. The rotary tool has a 2-1/4" body diameter with a collet that accommodates 1/8" diameter shanks and an overall length of 8". Furnished in a metal or plastic carrying case with the following accessories: One each collet, collet wrench, 5/8" cylinder wheel, screwpoint mandrel, mandrel with internal threads, 1/2" standing drum, 1/8" drill bit, 7/8" polishing wheel; two each 15/16" cutting wheels, and 1/2" diameter felt polisher. Conforms to UL 745.

Plastics Removal in Marine Environments

5130-01-014-6856, KT, \$78.76

## Scaling and Chipping Tool Cutter Bundle

Set of two bundles for portable electric rotary scaling and chipping tool. Has a cage design. Consists of cutters, side plates, lock plate, square bearing tube and other parts. Mounting spindle is 1/2" square and rebuildable. Cutters are milled or stamped steel disks with 18 teeth. Measures 1-1/4" in diameter and has a 5/8" bore.

**Cutter bundles are used with scaling tools: 5130-01-087-6819 and 5130-00-288-6577.**

5130-00-287-5199, SE, \$145.67

# Pneumatic Power Tools

## Blind Riveter (Pneumatic)

Installs bolts and rivets. Has interchangeable screw on pulling heads. Designed for continuous operation. Furnished with a carrying case and manuals. Note: In order for the blind riveter to install the specified rivets, the appropriate pulling head(s) must be used. Unless otherwise stated below, pulling heads are not furnished with these tools and must be ordered separately (see Pulling Heads).

**Installs 3/32", 7/64", 1/8", 5/32", 3/16" and 1/4" diameter heavy duty pop rivets. Operates at 85 psig of air pressure. Includes one set of jaws and applicable nose pieces.**

5130-00-177-6876, EA, \$166.39

## Cable Swaging Tool

Portable, air-operated tool is for cutting flexible cable and for swaging ball- or shank-type terminal connectors to aircraft cables. Cable size range for ball type is 1/16 to 3/16"; for shank types it is 1/16 to 1/4". Consists of power cylinder with yoke assembly, air hose assembly, foot control valve, air filter and lubricator. Also includes 20 pairs of swaging dies and seven pairs of cutting dies for cable sizes 1/16 to 1/4". Operates on 80 to 100 psi air pressure. Equipped with 17 gauges, instruction manual and carrying case.

5130-00-712-4855, EA, \$10,294.48

## Die Grinder (Fixed-Head)

Pneumatic dust free grinder sanding system. Includes 75 conditioning discs, 100 assorted coated abrasive discs, 10 Clean and Strip disc, whip assembly (lubricator/evaporator/filter), and oil bottle all in a heavy duty non-corrosive carrying case.

Federal Strategic Sourcing Initiative, 5130-01-544-4414, EA, \$1,280.19

## Disk Sander

Right-angle air sander for medium- and heavy-duty sanding, deburring, blending, smoothing and brushing operations. No-load speed is 6,000 rpm. Sander has lever throttle and auxiliary side handle. 1/4" female NPT or NPTF air inlet connection. The spindle has a 5/8-11 UNC-2A thread for mounting the sanding pad. Operating pressure is 90 psig. Pad diameter is 7". The angle height over the spindle is 4.5" maximum. Furnished with parts list and instruction manual.

Plastics Removal in Marine Environments

5130-00-596-1176, EA, \$225.68

## Disk Sander (Compact)

Sand and grind intricate shapes in close quarters with this right-angle compact air sander and grinder. No-load speed is 20,000 rpm. Built-in speed regulator. Sander has lever throttle and 1/4" collet. Operating pressure is 90 psig and sander has a 1/4" NPTF air inlet connection. Sanding disk capacity: 3". Length is 6". Sander has a 3" angle head height. Furnished with back-up pad, collet wrench, parts list, and operating and maintenance instructions.

Plastics Removal in Marine Environments

5130-00-340-0719, 1-1/4 lbs., EA, \$76.69

## Disk Sander (Dual Action)

Sander pad motion provides a combination oscillation and rotating action to produce a non-repeating path and a finish free of scratches and swirls. Ideal for finish sanding, shaping and feather edging. Has one-hand lever throttle operation. No-load speed is 8,000 to 12,000 rpm. Has a 1/4" NPT air inlet connection. Sander has 6" diameter pad with canvas face. Furnished with operating and maintenance instructions.

Plastics Removal in Marine Environments

5130-00-204-0623, EA, \$83.92

## Disk Sander (Pneumatic)

Scuffs paint and removes coatings and is safe for use on aluminum and fiberglass. For use with: 3M surface conditioning disc. Use discs wet or dry. 18 CFM @ 90 PSI with a no load speed of 4500 RPM min. It weighs 4 lbs and is 12.5" L. Sander (No shroud) with hook and loop back-up pad; double safety lock-off lever.

5130-01-460-8604, EA, \$177.13

Sand and grind with this right-angle air sander and grinder. No-load speed is 12,000 rpm. Sander has lever throttle and 1/4" collet and is used with carbide burrs and mounted wheels. Operating pressure is 90 psig and has a 1/4" NPTF air inlet connection. Sanding disk capacity: 3". Length is 7-1/8". Sander has a 3-1/4" head height over the end of the spindle. Furnished with back-up pad, collet wrenches, parts list, and operating and maintenance instructions.

**Use with 1/2" carbide burr, 1" mounted wheel and 3" back-up pad. Furnished with 3" back-up pad.**

5130-00-900-9514, EA, \$74.74



## Drill (Pneumatic)

This air powered, portable drill is for drilling holes in mild steel and wood or for use with various accessories. It has a three jaw chuck with key. Operating pressure is 90 psi. Furnished with operating and maintenance instructions.

**Non-reversible drill has a 90° angle head, a body grip handle and a lever throttle. 3,200 rpm no load speed, 1/4" NPT air inlet and a 1/4" chuck.**

Plastics Removal in Marine Environments  
5130-00-293-1977, 4-1/4 lbs., EA, \$257.31

**Non-reversible drill has a 180° angle head, a body grip handle and a lever throttle. 3400 rpm no load speed, 1/4" NPT air inlet and a 1/4" chuck.**

5130-00-293-1978, 13-3/4" L, 2.3 lbs., EA, \$1,024.47

**Nonreversible drill has a pistol grip handle and a lever throttle. 3200 rpm rpm no load speed, 1/4" NPT air inlet and a 3/8" chuck.**

Plastics Removal in Marine Environments  
Federal Strategic Sourcing Initiative, 5130-00-294-9511, 4-1/4 lbs., EA, \$132.26

**Nonreversible drill has a 90° body grip handle and a lever throttle. 2000 rpm rpm no load speed, 1/4" NPT air inlet and a 3/8" chuck**

Federal Strategic Sourcing Initiative, 5130-00-540-4434, EA, \$131.16

**Nonreversible drill has a body grip handle and a lever throttle. 2300 rpm rpm no load speed, 1/4" NPT air inlet and a 1/4" chuck.**

Federal Strategic Sourcing Initiative, 5130-00-288-7741, 6 lbs., EA, \$131.64

## Nut Runner and Screwdriver (Pneumatic)

Use these nut runners for controlled nut driving. These nut runners include torque transducers to insure the proper amount of torque is applied every time.

**1/4" square drive, 225-rpm free speed, 5 to 25 lb-ft torque range.**

Federal Strategic Sourcing Initiative, 5130-01-355-2075, 7" L., EA, \$95.68

## Grinder (Die)

Die grinder is for use with carbide burrs and mounted wheels. Grinder has body-grip handle with lever-style throttle. Operating pressure is 90 psig. Furnished with operating and maintenance instructions, collet wrenches, parts list and manufacturer's standard equipment.

**The grinder is used with 3/4" carbide burr and 1-1/2" mounted wheel. No-load speed is 23,000 rpm; Has a 1/4" collet, built-in speed regulator, aluminum housing, 1/4" NPT air inlet connection and is 6-1/2" long.**

Plastics Removal in Marine Environments  
5130-00-293-2797, EA, \$80.39

## Impact Wrench (Pneumatic)

Air powered, portable, impact wrench loosens and tightens bolts and nuts. Has built in power regulator for control of power output. The wrench has a pistol grip handle and is reversible. Operating pressure is 80 to 100 psi. Furnished with operating and maintenance instructions.

**This quick disconnect type pneumatic impact has a pistol grip handle with a 3/4" male square straight drive spindle. Comes with a hex nipple (0.38 NPTF x 0.25 NPTF) and a 3 foot hose. Has a 38"-18NPTF male coupling with 300 psi (maximum). Capacity: 700 foot-pounds min. Working torque range: 100 to 500 foot-pounds with an average air consumption of 7.5 CFM.**

5130-01-428-3751, 3/4" Drive., EA, \$389.24

**1" square drive for extra heavy duty, high volume, production work. Standard 1-1/4" inch bolt capacity. Working torque: 950 foot-pounds min. Maximum torque: 1,350 foot-pounds. Air inlet connection is 1/2" NPT or NPTF.**

5130-00-184-1426, 1" Drive., EA, \$629.10

**Wrench has a 1/2" square drive with a 1-3/8" maximum spindle offset. Air inlet connection is 1/4" NPT or NPTF. Air consumption while impacting: 30 CFM maximum. Torque developed after five seconds impacting: 250 foot-pounds min.**

5130-00-889-2134, 1/2" Drive., EA, \$97.69

**Wrench has a 3/4" square drive with a 2" maximum spindle offset. Air inlet connection is 3/8" NPT or NPTF. Air consumption while impacting: 50 CFM maximum. Torque developed after five seconds impacting: 750 foot-pounds min.**

Federal Strategic Sourcing Initiative, 5130-00-184-1427, 3/4" Drive., EA, \$199.35

**Wrench has a 3/8" square drive with a 1-3/8" maximum spindle offset. Air inlet connection is 1/4" NPT or NPTF. Air consumption while impacting: 15 CFM maximum; Torque developed after five seconds impacting: 70 foot-pounds minimum.**

5130-00-234-4879, 3/8" Drive., EA, \$67.93

**Wrench has a 3/4" square drive. Air inlet connection is 1/2" NPT or NPTF. Torque developed after 5 seconds impacting: 1450 ft-lbs max. 1050 IPM. Has a body grip handle.**

Federal Strategic Sourcing Initiative, 5130-01-486-2261, 3/4" Drive., EA, \$470.96

## Needle Scaler (Pneumatic)

Grip type body, heavy duty. Remove paint, rust and scale from flat and irregular surfaces with this portable air operated needle scaler. Operating pressure is 90 psi. Tool has nineteen 1/8" dia needles and a round needle housing. Air inlet connection is 1/4" NPT. Includes operating and maintenance instructions.

**Heavy Duty Scaler has pistol-grip handle and button throttle. Under load 3,500 Impacts/Minute (IPM). Weighs 8-1/2 lbs.**

Plastics Removal in Marine Environments

5130-00-965-9876, 6" L., EA, \$72.45

## Oscillating Sander

Orbital-action air sander is for metal or wood finishing jobs. No-load speed is 6,000 to 9,000 orbits per minute. Paper size is 3 x 8". Abrasive area is 18 sq in. Has a palm-driven lever throttle with finger grip housing. Has neoprene rubber pad and 1/4" air inlet connection. Furnished with operating and maintenance instructions.

5130-00-606-9694, EA, \$156.99

## Pulling Head

Pulling head is for use on pneumatic riveters to install rivets.

**Installs 1/8", 5/32" and 3/16" diameter Cherrymax rivets when attached to Cherry P/N G-701, G-704 or G-746 air operated riveters and G-749 hand riveters.**

5130-01-044-7196, H781-456 or equal, EA, \$873.99

**Installs universal and countersunk head rivets Cherry No. G750A, G747, G704B, G746A, G701A and G689 riveters.**

Federal Strategic Sourcing Initiative, 5130-01-393-2925, H781-456 or equal, EA, \$644.41

**Installs 1/8", 5/32" and 3/16" diameter Cherrymax rivets when attached to Cherry P/N G-701, G-704 or G-746 air operated riveters and G-749 hand riveters.**

Federal Strategic Sourcing Initiative, 5130-01-044-7197, H701B-456 or equal, EA, \$218.52

## Rivet Head Shaver

These portable pneumatic shavers cleanly and precisely shave rivets without damaging surfaces. The shavers come with a pistol grip handle and stabilizer. A-A-58066.

**Type 2: Single rotation shaver for soft metal rivets (aluminum, aluminum alloy, copper, brass and mild steel).**

5130-00-621-2647, Footpiece/Cutter Head Sizes: 5/16", 3/8", 7/16", 1/2", 9/16, 5/8" and 3/4". Carrying Case., EA, \$17.99

## Vibration Cushioned Needle Scaler

This vibration cushioned needle scaler with pistol grip handle contains (19) 3mm diameter needles to clean weld seams, remove paint, rust, dress concrete and masonry. Features a two spring configuration to reduce return piston vibration, a lever throttle and a 360° rotating auxiliary side handle. Operating pressure is 90 psig. Air inlet connection is 3/8" NPT. Accessories include one bushing (3/8 x 1/4" NPT), one lubricant tube, two O rings and instructions inside a plastic, metal or wooden case.

*Ergonomic Product.*

Plastics Removal in Marine Environments

5130-01-317-2453, EA, \$210.39

# Abrasives and Accessories

GSA Global Supply® provides a diverse line of abrasive products that are primarily used in aircraft maintenance and overhaul depots, naval shipyards, woodworking, vehicle repair and other facilities. Abrasive products are used in conjunction with a variety of power tools. To see the complete offering, visit [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

## Aluminum Oxide (A/O)

Primarily used in applications where medium to heavy removal is required. A/O is typically used for de-burring, blending, finishing and removing tool marks on all types of metal and composite surfaces.

## Silicon Carbide (S/C)

A more aggressive abrasive, which will provide a rapid cut and longer working life. S/C is primarily used for grinding very hard materials such as titanium, stainless steel, as well as soft aluminum alloys, plastics and other non-ferrous materials.

## Crocus

An iron-oxide coated abrasive cloth, used as a polishing agent after most of the work has been done with emery or aluminum oxide.

## Emery

Abrasive coated cloth used for light polishing of metal. It is not recommended for large metal surfaces or hard metal, where aluminum oxide cloth is much more satisfactory.

## Garnet

The chosen abrasive for all types of woodworking applications. Garnet is not available in all products, and a finer grit aluminum oxide is recommended as an alternative.

## Choosing a Grit Size

Lower grit size, such as 36, designates more aggressive results than a grit size of 400. The larger the number (600) achieves a finer finish to the material being worked. Definitions are as follows:

- SFN – Super fine
- VFN – Very fine
- MED – Medium
- CRS – Coarse

## Abrasive Aluminum Oxide Disk (Fiber)

Designed for use with portable grinders and sanders and for surface preparation (including removal of paint, scale and rust). Non-waterproof, closed coat disc features a 7/8" arbor hole (without slits or slots).

FSSI	Diameter	Grit	Abrasive	NSN		U/I	Price
Federal Strategic Sourcing Initiative	7 inch	16	A/O	5345-00-558-5929	Material Safety Data Sheet	BX (contains 25 EA)	\$30.99
Federal Strategic Sourcing Initiative	7 inch	24	A/O	5345-00-558-5928	Material Safety Data Sheet	BX (contains 25 EA)	\$19.83
Federal Strategic Sourcing Initiative	7 inch	50	A/O	5345-00-881-8380	Material Safety Data Sheet	BX (contains 25 EA)	\$20.13
Federal Strategic Sourcing Initiative	7 inch	60	A/O	5345-00-196-1696	Material Safety Data Sheet	BX (contains 25 EA)	\$17.26
Federal Strategic Sourcing Initiative	7 inch	80	A/O	5345-00-196-1698	Material Safety Data Sheet	BX (contains 100 EA)	\$64.40

## Abrasive Aluminum Oxide Mat

This 9 x 11" sheet is made of non-woven, nylon fiber, non-metallic material, suitable for cleaning, scouring, finishing or preparing metal surfaces for painting.

FSSI	Size	Grit	Abrasive	NSN			U/I	Price
Federal Strategic Sourcing Initiative	9 x 11"	100-150	A/O	5350-00-967-5092	Material Safety Data Sheet	AbilityOne	PG (contains 10 SH)	\$20.85
Federal Strategic Sourcing Initiative	9 x 11"	180	A/O	5350-00-967-5093	Material Safety Data Sheet	AbilityOne	PG (contains 10 SH)	\$14.35
Federal Strategic Sourcing Initiative	9 x 11"	280 - 400	A/O	5350-00-967-5089	Material Safety Data Sheet	AbilityOne	PG (contains 10 SH)	\$14.55

## Abrasive Blasting Material

May be used with pressure/suction type blasting equipment. All new materials are excellent for removing carbon, de-scaling, and cleaning and finishing metallic parts. Also suitable for preparing aircraft components for plasma spray plating and painting. (Sieve requirement as originally specified under MIL-PRF-9954.)

FSSI	Type	Size	Mesh	Cloth Type	NSN		U/I	Price
	Glass	3		Soda-lime	5350-00-935-7698	Material Safety Data Sheet	BG (contains 50 LB)	\$35.71
	Glass	6		Soda-lime	5350-00-950-9766	Material Safety Data Sheet	BG (contains 50 LB)	\$27.77
Federal Strategic Sourcing Initiative	Glass	8		Soda-lime	5350-00-012-1869	Material Safety Data Sheet	BG (contains 50 LB)	\$23.58
	Glass	13		Soda-lime	5350-00-576-9634	Material Safety Data Sheet	BG (contains 50 LB)	\$29.75
Federal Strategic Sourcing Initiative	Grain		55	Aluminum-garnet	5350-01-368-6708	Material Safety Data Sheet	BG (contains 55 LB)	\$37.95
	Grain		12/20	Walnut shell	5350-00-050-1094	Material Safety Data Sheet	BG (contains 50 LB)	\$30.44
	Grain		36	A/O	5350-00-619-8973	Material Safety Data Sheet	BG (contains 50 LB)	\$41.00
Federal Strategic Sourcing Initiative	Grain		50	A/O	5350-00-174-6460	Material Safety Data Sheet	BG (contains 50 LB)	\$49.32

## Abrasive Disk (Surface Conditioning)

Scotch-brite disk material provides a burr-free surface suitable for painting, coating, light rust removal and oxides. Features a "ROLOC TR" male-threaded, quick-change, mechanical attachment feature.

FSSI	Diameter	Grit	Abrasive	NSN		U/I	Price
Federal Strategic Sourcing Initiative	2 inch	SFN	S/C	5345-01-424-2260	Material Safety Data Sheet	BX (contains 200 EA)	\$113.64
Federal Strategic Sourcing Initiative	3 inch	SFN	S/C	5345-01-444-8433	Material Safety Data Sheet	BX (contains 100 EA)	\$235.69
Federal Strategic Sourcing Initiative	2 inch	VFN	A/O	5345-01-367-7680	Material Safety Data Sheet	BX (contains 200 EA)	\$94.61
Federal Strategic Sourcing Initiative	3 inch	VFN	A/O	5345-01-397-5253	Material Safety Data Sheet	BX (contains 100 EA)	\$88.19
Federal Strategic Sourcing Initiative	2 inch	MED	A/O	5345-01-282-0634	Material Safety Data Sheet	BX (contains 200 EA)	\$93.64
Federal Strategic Sourcing Initiative	3 inch	MED	A/O	5345-01-397-5256	Material Safety Data Sheet	BX (contains 100 EA)	\$88.19
Federal Strategic Sourcing Initiative	2 inch	CRS	A/O	5345-01-252-8565	Material Safety Data Sheet	BX (contains 200 EA)	\$99.83
Federal Strategic Sourcing Initiative	3 inch	CRS	A/O	5345-01-249-8361	Material Safety Data Sheet	BX (contains 100 EA)	\$88.19

## Abrasive Silicon Carbide Disk (Pressure-Sensitive Adhesive)

For use with dual action sanders for metal applications, this flat disk features no arbor hole or open coat and is not waterproof.

FSSI	Diameter	Grit	Abrasive		NSN		U/I	Price
Federal Strategic Sourcing Initiative	6 inch	80	S/C	Paper	5345-01-053-7925	Material Safety Data Sheet	RO (contains 125 EA)	\$26.73
Federal Strategic Sourcing Initiative	6 inch	120	S/C	Paper	5345-01-074-9405	Material Safety Data Sheet	RO (contains 125 EA)	\$26.62
Federal Strategic Sourcing Initiative	6 inch	180	S/C	Paper	5345-01-074-9404	Material Safety Data Sheet	RO (contains 250 EA)	\$70.52
Federal Strategic Sourcing Initiative	6 inch	280	S/C	Paper	5345-01-074-9406	Material Safety Data Sheet	RO (contains 250 EA)	\$50.60

## Abrasive Cloth (Sheets)

Non-waterproof, jean cloth designed for use in hand-sanding and finishing work.

FSSI	Size	Grit	Abrasive	Cloth Type	NSN		U/I	Price
Federal Strategic Sourcing Initiative	9 x 11"	80	A/O	Jeans	5350-00-192-5047	Material Safety Data Sheet	PG (contains 50 EA)	\$22.52
Federal Strategic Sourcing Initiative	9 x 11"	100	A/O	Jeans	5350-00-161-9066	Material Safety Data Sheet	PG (contains 50 EA)	\$20.21
Federal Strategic Sourcing Initiative	9 x 11"	120	A/O	Jeans	5350-00-192-5049	Material Safety Data Sheet	PG (contains 50 EA)	\$27.51
Federal Strategic Sourcing Initiative	9 x 11"	240	A/O	Jeans	5350-00-161-9715	Material Safety Data Sheet	PG (contains 50 EA)	\$20.21
Federal Strategic Sourcing Initiative	9 x 11"	320	A/O	Jeans	5350-00-246-0330	Material Safety Data Sheet	PG (contains 50 EA)	\$20.21
Federal Strategic Sourcing Initiative	9 x 11"		Crocus	Jeans	5350-00-221-0872	Material Safety Data Sheet	PG (contains 50 EA)	\$28.88

## Plastic Blast Media

Can be used with pressure/suction-type blasting equipment in conjunction with aircraft de-paint processing and in preparation of aircraft components for plasma spray plating or painting process. MIL-P-85891 and Air Force T.O.1-1-8.

FSSI	Type	Size	Abrasive	NSN		U/I	Price
Federal Strategic Sourcing Initiative	3	12/16	Melamine Formaldehyde (Thermoset)	5350-01-327-8453	Material Safety Data Sheet	DR (contains 250 LB)	\$253.00
Federal Strategic Sourcing Initiative	5	20/30	Acrylic (Thermoplastic)	5350-01-326-9262	Material Safety Data Sheet	DR (contains 250 LB)	\$459.54

## Aluminum Oxide Cloth

For metal working, aluminum oxide cloth. Non-waterproof.

FSSI	Size	Grit	Abrasive	Cloth Type	NSN			U/I	Price
	1-1/2" wide	80	A/O	Jeans	5350-00-187-6284	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$268.15
	1-1/2" wide	80	A/O	Jeans	5350-01-631-5577	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$26.49
Federal Strategic Sourcing Initiative	2" wide	80	A/O	Jeans	5350-00-187-6295	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$338.10
	2" wide	80	A/O	Jeans	5350-01-631-5593	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$32.38
Federal Strategic Sourcing Initiative	1" wide	100	A/O	Jeans	5350-01-631-5581	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$20.61
	1-1/2" wide	100	A/O	Jeans	5350-00-187-6283	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$263.59
	1-1/2" wide	100	A/O	Jeans	5350-01-631-5575	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$26.49
Federal Strategic Sourcing Initiative	2" wide	100	A/O	Jeans	5350-00-187-6294	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$334.86
	2" wide	100	A/O	Jeans	5350-01-631-5583	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$32.38
Federal Strategic Sourcing Initiative	2" wide	120	A/O	Jeans	5350-00-187-6293	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$334.86
	2" wide	120	A/O	Jeans	5350-01-631-5582	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$32.38
	3" wide	120	A/O	Jeans	5350-01-631-5594	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$44.15
	1" wide	150	A/O	Jeans	5350-01-631-5579	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$20.61
	1-1/2" wide	150	A/O	Jeans	5350-00-187-6281	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$263.59
Federal Strategic Sourcing Initiative	1-1/2" wide	150	A/O	Jeans	5350-01-631-5572	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$26.49
	2" wide	150	A/O	Jeans	5350-00-187-6292	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$334.86
Federal Strategic Sourcing Initiative	2" wide	150	A/O	Jeans	5350-01-631-5589	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$32.38
	1" wide	180	A/O	Jeans	5350-01-631-5578	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$20.61
	1-1/2" wide	180	A/O	Jeans	5350-00-187-6280	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$263.59
Federal Strategic Sourcing Initiative	1-1/2" wide	180	A/O	Jeans	5350-01-631-5592	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$26.49
	2" wide	180	A/O	Jeans	5350-00-187-6291	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$334.86
Federal Strategic Sourcing Initiative	2" wide	180	A/O	Jeans	5350-01-631-5580	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$32.38
Federal Strategic Sourcing Initiative	3" wide	180	A/O	Jeans	5350-01-631-5587	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$44.15
	2" wide	220	A/O	Jeans	5350-00-274-6209	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$334.86
Federal Strategic Sourcing Initiative	2" wide	220	A/O	Jeans	5350-01-631-5590	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$32.38
Federal Strategic Sourcing Initiative	1" wide	240	A/O	Jeans	5350-01-631-5584	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$20.61
	2" wide	240	A/O	Jeans	5350-00-187-6290	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$334.86
Federal Strategic Sourcing Initiative	2" wide	240	A/O	Jeans	5350-01-631-5586	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$32.38
Federal Strategic Sourcing Initiative	3" wide	240	A/O	Jeans	5350-01-631-5585	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$44.15
	2" wide	320	A/O	Jeans	5350-00-187-6289	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$334.86
	3" wide	320	A/O	Jeans	5350-01-631-5591	Material Safety Data Sheet	AbilityOne	RO/50 YD	\$44.15

## Abrasive Disk Holder Pad

Quick change holder pads, also called disc pads, allow you to quickly and easily change disks. They're available in a range of sizes and densities, so you can find the pad that best suits your grinding and finishing projects.

Federal Strategic Sourcing Initiative, 5130-00-150-8041, 2" Round, 1/4" Shank, 25,000 RPM Min., EA, \$7.56

## Abrasive Bristle Disk

Moulded abrasive filled surface conditioning bristle disk, used in conjunction with various right angle tools. This product is designed for deburring, blending, finishing, polishing and cleaning metal surfaces. Has a "ROLOC" quick change, threaded mechanical feature.

**Regalite (aluminum oxide and ceramic aluminum oxide mix).**

*Grit size: 120; Taper: 5/8".*

Federal Strategic Sourcing Initiative, 5345-01-432-3027, Material Safety Data Sheet, 048011-18733 or equal, White, Diameter: 2", BX(contains 10 EA), \$82.19

## Abrasive Disk

Abrasive disc is plain flat, no arbor hole used in metal or woodworking. It is closed coat and waterproof with a "YN" polyester cloth backing and resin bond. Size: 2 inch diameter.

**Aluminum oxide/cubitron.**

*Grit: 80.*

Federal Strategic Sourcing Initiative, 5345-01-264-9227, Material Safety Data Sheet, 051144-11109 or equal, BX(contains 50 EA), \$31.50

Abrasive disk is designed to be used with Clayton Abrasives, Dustmaster Supreme Orbital sander, dust-extraction vacuum systems.

**Aluminum oxide. Backing is screen type mesh composition, plain flat, round shape.**

*Grit: 180.*

Federal Strategic Sourcing Initiative, 5345-01-521-4927, Material Safety Data Sheet, 830-DMS180HV or equal, 3" diameter, PG(contains 250 EA), \$116.42

*Grit: 120.*

Federal Strategic Sourcing Initiative, 5345-01-528-9897, Material Safety Data Sheet, 830-DMS120HV or equal, 3", PG(contains 250 SH), \$116.96

*Grit: 240.*

Federal Strategic Sourcing Initiative, 5345-01-521-4548, Material Safety Data Sheet, 860-DMS240HV or equal, 6" diameter, PG(contains 250 EA), \$169.88

*Grit: 180.*

Federal Strategic Sourcing Initiative, 5345-01-521-7251, Material Safety Data Sheet, 860-DMS180HV, 6" diameter, PG(contains 250 EA), \$194.45

Abrasive disk with "YF" weight cloth backing is used for metal working. Closed coat, non-waterproof. Features a "ROLOC" quick-change. Designed for metal working.

**Aluminum oxide/ceramic blend.**

*Grit size: 120.*

Federal Strategic Sourcing Initiative, 5345-01-420-1453, Material Safety Data Sheet, 051144-80512 or equal, 2" diameter, PG(contains 50 EA), \$31.00

A moulded abrasive filled surface conditioning "ROLOC" threaded bristle disk, used in conjunction with various right angle tools. This product is designed for deburring, blending, finishing, polishing and cleaning surfaces.

**Aluminum oxide and ceramic mix). Designed for metal working, speed rating 15,000. Taper size 5/8".**

*Grit: 120.*

Federal Strategic Sourcing Initiative, 5345-01-432-3292, Material Safety Data Sheet, 048011-18737 or equal, White, 3" diameter, BX(contains 10 EA), \$97.81

Abrasive disk with "YF" weight cloth backing is used for metal working. Closed coat, non-waterproof. Features a "ROLOC" quick-change. Designed for metal working.

**Aluminum oxide/ceramic blend.**

*80 grit.*

Federal Strategic Sourcing Initiative, 5345-01-420-1457, Material Safety Data Sheet, 051144-14661 or equal, 2" diameter, PG(contains 50 EA), \$35.82

Abrasive disk is designed to be used with Clayton Abrasives, Dustmaster Supreme Orbital sander, dust-extraction vacuum systems.

**Aluminum oxide. Backing is screen type mesh composition, plain flat, round shape.**

*Grit: 240*

Federal Strategic Sourcing Initiative, 5345-01-521-4926, Material Safety Data Sheet, 830-DMS240HV or equal, 3" diameter, PG(contains 250 EA), \$116.42

## Abrasive Disk (Zirconia)

Abrasive Flap Wheel, .875 inch Arbor Hole, 1/8 inch thick, Cloth backing. Designed for use with right angle or vertical grinders in blending welds, deburring and surface finishing.

*Grit size: 40.*

*Abrasive material: zirconia.*

Federal Strategic Sourcing Initiative, 5345-01-499-9809, Material Safety Data Sheet, DW8306 or equal, 4-1/2" diameter, PG(contains 5 EA), \$4.60

## Abrasive Disk Kit

Kit contains an assortment of aluminum oxide disks with a resin bond and drill backing cloth used for metal working. Features Merit abrasive-style "power-lock" back-up pads. Kit consists of 150 disk of assorted sizes and grits as follows: One-inch diameter 40 grit (25 each), one-inch diameter 80 grit (25 each), two-inch diameter 60 grit (5 each), two-inch diameter 80 grit (20 each), two-inch diameter 100 grit (5 each), two-inch diameter 120 grit (20 each), three-inch diameter 50 grit (25 each), three-inch diameter 100 grit (25 each); Also includes three disk holders with the following sizes: one-inch diameter stiff back-up pad holder (1 each), two-inch diameter medium back-up pad holder (1 each), and three-inch diameter medium back-up pad holder (1 each).

Federal Strategic Sourcing Initiative, 5345-01-015-1419, Material Safety Data Sheet, 08834165001 or equal, KT, \$68.92

## Abrasive Disk, Aluminum Oxide

Abrasive cloth-backed disk is designed for deburring, blending and finishing metal surfaces. Features a snap-on, quick-change, mechanical feature. (Replacement disk for Abrasive Disk Kit NSN 5345-01-015-1419).

**Aluminum Oxide, 80 grit..**

Federal Strategic Sourcing Initiative, 5345-01-017-9511, Material Safety Data Sheet, 69957399778 or equal, 2" diameter, HD, \$37.01

## Abrasive Disk, Aluminum Oxide (PSA)

For use with dual action sanders for metal applications, this flat disk features no arbor hole or open coat and is not waterproof.

Grit size: 80.

Federal Strategic Sourcing Initiative, 5345-01-420-1460, Material Safety Data Sheet, 0005111504505 or equal, 5" diameter, HD, \$44.72

## Abrasive Silicon Carbide Paper Sheet (Waterproof)

Designed for use in wet applications. For metal or wood working use.

Grit size: 120.

*Silicon Carbide*

Federal Strategic Sourcing Initiative, 5350-00-721-8115, Material Safety Data Sheet, 00051144020164 or equal, 9 x 11", PG(contains 50 EA), \$18.58

Grit size: 180.

*Silicon Carbide*

Federal Strategic Sourcing Initiative, 5350-00-721-8117, Material Safety Data Sheet, 00051144020140 or equal, 9 x 11", PG(contains 50 EA), \$16.60

## Abrasive Wheel (Cut Off)

Abrasive oxide grinding wheel. Wheel has a resinoid/glue bond and is 4-1/2" diameter with 7/8" arbor hole.

Aluminum oxide.

Grit: 60.

Federal Strategic Sourcing Initiative, 5345-01-496-7235, Material Safety Data Sheet, 66252843846 or equal, BX(contains 10 EA), \$18.94

## Abrasive Wheel (Dremel)

Dremel power tools are used for their rotary tools, accessories and ease of use.

Federal Strategic Sourcing Initiative, 5130-01-083-5827, 3/8" Dia x 1/2" T, 1/8" Shank. Aluminum Oxide., EA, \$3.11

## Abrasive Wheel (Surface-Conditioning Flap Wheel)

Abrasive wheel is a non-woven, abrasive mat bonded to a fiber core with a medium grade. Speed rating of 3400 RPM maximum.

Aluminum Oxide.

Federal Strategic Sourcing Initiative, 5345-00-157-9790, Material Safety Data Sheet, 00048011-011608 or equal, Maroon, Length: 6"; Width: 1", EA, \$48.27

## Grinders (Discs)

These "abrasive" grinding wheels are for removing material in various metalworking industries ranging from snagging operations, removal of excess metal from casting operations and high finish operations on foil rolls. B74.2

Federal Strategic Sourcing Initiative, 5130-01-399-1140, 4-1/2" Dia x 1/4" Thick. 7/8" Arbor., EA, \$1.57

## Wire Brush (Rotary Side Flare)

These wheel brushes have crimped wire for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The brushes can be made of brass, stainless steel or high carbon tempered steel and with a 1/4" round arbor shaft. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Wire size, RPM max). A-A-2514

Type 3: High carbon tempered steel.

5130-00-595-8179, 1-1/4" Brush, 0.008", 8000 RPM., EA, \$5.84

Federal Strategic Sourcing Initiative, 5130-00-293-2408, 3" Brush, 0.014", 8000 RPM., EA, \$13.18

Federal Strategic Sourcing Initiative, 5130-00-293-2409, 1-1/2" Brush, 0.0204", 8000 RPM., EA, \$11.18

Federal Strategic Sourcing Initiative, 5130-00-595-8182, 3" Brush, 0.0204", 8000 RPM., EA, \$12.74



## Wire Brush (Rotary Wheel Crimped Wire)

These wheel brushes have crimped wire for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The brushes can be made of brass, stainless steel or high carbon tempered steel and come in a wide or narrow face. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Arbor hole size, RPM max). A-A-2516

**Type 1: Narrow Face Width, Class 3: High carbon tempered steel.**

Federal Strategic Sourcing Initiative, 5130-00-293-1992, 2" Brush, 1/2" Arbor, 8000 RPM., EA, \$6.51

Federal Strategic Sourcing Initiative, 5130-00-293-2015, 4" Brush, 1/2" Arbor, 4500 RPM., EA, \$32.70

## Wire Brush (Rotary End Solid Wire Fill)

These solid wire filled brushes have crimped wire for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The brushes can be made of brass, stainless steel or high carbon tempered steel and with a 1/4" round arbor shaft. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Wire size, RPM max). A-A-2513

**Type 3: High carbon tempered steel.**

Federal Strategic Sourcing Initiative, 5130-00-263-0235, 1" Brush, 0.0204", 8000 RPM., EA, \$3.47

Federal Strategic Sourcing Initiative, 5130-00-293-2410, 3/4" Brush, 0.0204", 8000 RPM., EA, \$6.41

Federal Strategic Sourcing Initiative, 5130-00-435-2309, 3/4" Brush, 0.006", 8000 RPM., EA, \$9.71

## Wire Brush (Crimped)

Crimped steel wire brush is end-attachment style for use in power tools. Measures 2-1/8" long with a 3/32" round shank. Coated to prevent corrosion.

Federal Strategic Sourcing Initiative, 5130-00-071-9163, 35197 or equal, 1/2" (brush), 0.005" (wire), 2-1/8" L, EA, \$3.17

## Wire Brush (Cup - Crimped Wire)

These cup brushes have crimped wire for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The cup brush can be made of brass, stainless steel or high carbon tempered steel and have either a threaded arbor or an unthreaded hole of a specified size to fit the mandrel. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Arbor hole size, RPM max). A-A-2511

**Type 3: High carbon tempered steel, Class 1: Threaded Arbor.**

Federal Strategic Sourcing Initiative, 5130-00-278-6634, 4" Brush, 5/8" UNC Arbor, 6000 RPM., EA, \$23.54

## Wire Brush (Rotary Wheel Twisted Tuft)

These wheel brushes have twisted tuft wires for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The brushes can be made of brass, stainless steel or high carbon tempered steel and come in narrow face with an unthreaded arbor hole. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Arbor hole size, RPM max). A-A-2517

**Type 3: High carbon tempered steel.**

Federal Strategic Sourcing Initiative, 5130-00-277-9487, 6" Brush, 5/8" Arbor, 6000 RPM., EA, \$29.89

Federal Strategic Sourcing Initiative, 5130-00-277-9488, 8" Brush, 5/8" Arbor, 4500 RPM., EA, \$49.20

Federal Strategic Sourcing Initiative, 5130-00-293-0781, 6" Brush, 5/8" Arbor, 6000 RPM., EA, \$26.43

# Handsaws

## Hacksaw

These hacksaws are for cutting materials such as metal or bone. Hand held hacksaws consist of a metal arch with a handle, usually a pistol grip, with pins for attaching a narrow disposable blade. A screw or other mechanism is used to put the thin blade under tension.

Federal Strategic Sourcing Initiative, 5110-01-428-5416, 15-113 or equal, Blade: 12" L, Throat: 3-7/8" D., EA, \$16.09

## Hacksaw Blade

A high speed steel replacement hacksaw blade that is single edged and flexible. Holes at each end of the blade engage pins in hacksaw frame. B94.52

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-277-4588, 10" L, 24TPI., BD(contains 10 EA), \$11.28

## Hacksaw Frame

An adjustable hacksaw frame to be used with blades that are in accordance with B94.52M.

**Mini hacksaw, rigid lightweight die cast aluminum frame. Accepts 10-12" L blades.**

Federal Strategic Sourcing Initiative, 5110-01-355-8504, 8-1/4" L., EA, \$6.68

**Adjustable hacksaw frame accepts 10" and 12" hacksaw blades. The open handle design allows for a comfortable grip, regardless of hand size. Features a 3" to 3-7/8" throat depth and a thumb nut for adjusting the blade tension.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-289-9657, EA, \$14.02

## Hacksaw Frame (Screwdriver)

An adjustable hacksaw frame to be used with blades that are in accordance with B94.52M.

**Knob tightens and loosens to secure blade.**

Federal Strategic Sourcing Initiative, 5110-01-600-3371, EA, \$7.86

## Crosscut Saw

Crosscut saw features a straight back shape, making it ideal for cutting wood across the grain. Includes a sturdy hardwood handle and a hardened and tempered blade. The blade is tapered in width and includes spring set and bevel filed teeth.

Federal Strategic Sourcing Initiative, 5110-00-203-8310, 20" L Blade, 10TPI., EA, \$11.82

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-3435, 26" L Blade, 8TPI., EA, \$8.82

## Crosscut Saw (One-Man)

One man saw cuts logs, felling trees and trimming branches. The saw features a hardwood handle with a large hand hole. The saw has a supplemental detachable post handle, with a 5" L gripping and measures 1-1/8" at the largest diameter.

Federal Strategic Sourcing Initiative, 5110-00-242-7147, 36" L, 2:1 or 4:1 Cutter Teeth to Raker., EA, \$392.22

## Rip Saw

Cuts wood with the grain. The rip saw features a hardwood handle and a hardened and tempered blade. The blade is 26" long with 8 points per inch, 6-1/2" wide at butt and 1-3/4" wide at point. Teeth are filed straight across for ripping.

Federal Strategic Sourcing Initiative, 5110-00-142-5015, EA, \$14.62

## Handsaw Filing Guide

Used for manual sharpening of hand saws in remote locations where electricity is not available. Two positive adjustments shall control pitch and angle through the filing operation. Tool clamps over hand saw blade and has a double arm through which the file slides.

Federal Strategic Sourcing Initiative, 5110-00-860-3377, EA, \$76.93

# Saw Blades

## Reciprocating Saw Blade

Replacement blade for most portable electric or pneumatic jigsaws or sawzalls.  
Described by: (Shank size, Length, Teeth per inch (TPI) and Material used on).

Federal Strategic Sourcing Initiative, 5130-01-587-6673, T Shank, 4" L, 10 TPI, Metal., PG(contains 5 EA), \$8.24

Federal Strategic Sourcing Initiative, 5130-00-275-1203, 1/2", 4" L, 10TPI, Wood., PG(contains 5 EA), \$8.60

Federal Strategic Sourcing Initiative, 5130-00-275-1206, 1/2", 6" L, 18TPI, Metal and Plastic., PG(contains 5 EA), \$12.98

Federal Strategic Sourcing Initiative, 5130-01-596-1421, 1/2", 6" L, 18TPI, Bi-Metal., PG(contains 5 EA), \$11.93

Federal Strategic Sourcing Initiative, 5130-01-473-9449, 1/2", 8" L, 14TPI, Steel., PG(contains 5 EA), \$10.45

Federal Strategic Sourcing Initiative, 5130-01-473-9452, 1/2", 6" L, 24TPI, Metal., PG(contains 5 EA), \$11.33

Federal Strategic Sourcing Initiative, 5130-01-623-9505, 1/2", 12" L, 14TPI, Bi-Metal., PG(contains 5 EA), \$20.39

Federal Strategic Sourcing Initiative, 5130-01-596-1420, 1/2", 6" L, 14TPI, Bi-Metal., PG(contains 5 EA), \$7.11

Federal Strategic Sourcing Initiative, 5130-01-053-8733, 1/2", 4" L, 24TPI, Metal., PG(contains 5 EA), \$9.35

Federal Strategic Sourcing Initiative, 5130-01-473-9448, 1/2", 6" L, 10TPI, Universal., PG(contains 5 EA), \$6.17

Federal Strategic Sourcing Initiative, 5130-01-587-6656, T Shank, 3" L, 12TPI, Wood., PG(contains 5 EA), \$8.24

Federal Strategic Sourcing Initiative, 5130-01-507-7933, Universal, 4" L, 14TPI, Metal., PG(contains 5 EA), \$6.17

Federal Strategic Sourcing Initiative, 5130-01-507-7934, Universal, 4" L, 18TPI, Metal., PG(contains 5 EA), \$8.42

Federal Strategic Sourcing Initiative, 5130-00-967-9707, 1/4", 2-1/2" L, 32 TPI, Metal., PG(contains 10 EA), \$10.35

Federal Strategic Sourcing Initiative, 3230-01-574-9904, T-shank, 3" L, 24TPI, Bi-Metal., PG(contains 5 EA), \$10.72

## Reciprocating Saw Blade (Set)

Replacement blade for most portable electric or pneumatic jigsaws or sawzalls.  
Described by: (Shank size, Length, Teeth per inch (TPI) and Material used on).

Set consists of (6) pieces, one of each: 6" L 6TPI taper back bi-metal, 6" L 5/8TPI taper back Bi-metal, 6" L 10TPI straight back bi-metal, 6" L 14TPI straight back bi-metal, 6" L 18TPI straight back bi-metal and 6" L 24TPI straight back bi-metal reciprocating saw blade.

Federal Strategic Sourcing Initiative, 5130-01-473-9450, SE, \$11.38

## Circular Saw Blade

Replacement blades for circular saws. Described by (Diameter size, Arbor, Teeth).

Federal Strategic Sourcing Initiative, 5130-01-474-4805, 12" Dia, 1" Arbor, 80 TPI., EA, \$150.81

Federal Strategic Sourcing Initiative, 5130-01-474-4810, 7-1/4" Dia, 5/8" Arbor, 20 TPI., EA, \$12.96

## Hole Saw Blade Kit

Each hole saw assembly comes complete with arbor, pilot drill, hole saw and plastic case with retention feature securing contents when not in use and while in transit.  
Accessories: Tool(s) used to affix pilot drill to hole saw and/or arbor, minimum of 2 pilot drills with arbors, extension.

Federal Strategic Sourcing Initiative, 5130-01-478-5593, Sizes: 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4" and 2-1/2"., KT, \$47.91

## Saw Setter

This saw setter is used for setting teeth on hand, band, panel and back saws. The setter has a straight lever or plastic grip handle that forces the plunger to move, setting teeth against the anvil head. The anvil is adjustable and has a knurled thumb nut for locking the anvil in any position. Setter is made of high grade steel.

Federal Strategic Sourcing Initiative, 5120-00-244-1167, EA, \$13.64

## Hacksaw Blade

A high speed steel replacement hacksaw blade that is single edged and flexible. Holes at each end of the blade engage pins in hacksaw frame. B94.52

Federal Strategic Sourcing Initiative, 5110-01-430-5934, 12" L, 24TPI., BX(contains 100 EA), \$122.40

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-277-4589, 10" L, 32TPI., BD(contains 10 EA), \$12.77

Federal Strategic Sourcing Initiative, 5110-00-277-4590, 12" L, 18TPI., PG(contains 10 EA), \$8.70

Federal Strategic Sourcing Initiative, 5110-00-277-4591, 12" L, 24TPI., PG(contains 10 EA), \$7.19

## Jig Saw Blade Set

Set consists of (25) pieces: (5 of each of the following): Blade Sizes, Wood Cutting: 3 inch (12 TPI), 4 inch (6 TPI), and 4 inch (10 TPI); Blade Material, Wood Cutting: High carbon steel; Blade Sizes, Metal Cutting: 3 inch (18 TPI) and 3 inch (24 TPI) Blade Material, Metal Cutting: Cobalt steel.

Federal Strategic Sourcing Initiative, 5130-01-474-4822, SE, \$22.69

# Scissors

## Ergonomic Scissors

Reduce hand fatigue. Soft touch multipurpose, spring action scissors have oversized cushion grip handles. Flat bottom styling allows the scissors to slide smoothly across a cutting surface. Scissors reduce discomfort in the thumb and fingers. Easy grip handles allow for right or left handed use. Ideal for cutting longer straight cuts as well as multiple layers of fabric, paper and cardboard. Scissors gently open after each cut.

5110-01-368-3507, 99117097 or equal, 10-3/16" L, 3" L Cut., EA, \$10.37

## Pocket Scissors (Stamped Stainless Steel)

Safely carry these lightweight scissors in your pocket. The scissors have ring shaped handles, straight blades and rounded blade points for extra protection. Made of rust resistant stamped stainless steel.

Federal Strategic Sourcing Initiative, 5110-01-241-4376, AbilityOne, AbilityOne, 5-1/4" L, 1-7/8" L Cut., EA, \$4.27

## Sewing Scissors (Stamped Stainless Steel)

Lightweight sewing scissors for cutting, trimming and clipping. The scissors have ring shaped handles and straight blades. The molded plastic handles are for left and right hand use. Both blades are pointed or one blade is pointed and the other blade is beveled. Made of rust resistant stamped stainless steel.

Federal Strategic Sourcing Initiative, 5110-01-241-4375, AbilityOne, 6-1/2" L, 3" L Cut., EA, \$4.48

## Sewing Scissors (Drop Forged Steel)

Designed for cutting, trimming and clipping tasks. Heavy-duty sewing scissors have ring-shaped handles and straight blades. One blade is pointed and the other is blunt. The blades are polished nickel-chrome plated and handles are plated or painted.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-754-1499, 6" L, 2-5/8" L Cut., EA, \$16.93

## Electrician's Scissors (Drop Forged Steel)

Ideal for cutting small gage wire, insulation and light sheet metal. Heavy duty electrician's scissors have straight, ring shaped handles and sharp, pointed blades. The back edges of the blades have serrated scraping edges. The blades are polished nickel chrome plated.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-255-0420, 5" L, 1-3/4" L Cut., EA, \$8.82

# Shears

## Bent Trimmer's Shears

These lightweight shears are for light paper cutting and trimming applications. These balanced shears reduce fatigue. They are made of rust resistant stamped stainless steel. The molded, ambidextrous plastic handles are for left or right hand use.

IAW GSA Purchase Description 5110-01-241-4371.

Federal Strategic Sourcing Initiative, 5110-01-241-4371, AbilityOne, AbilityOne, 8-1/4" L, 3-5/8" L Cut., EA, \$4.92

## Bent Trimmer's Shears (Drop Forged Steel)

Heavy duty tailor's shears for cutting upholstery, carpet, canvas, duck, fabric and other sheet material. Shears have a bolt and lock nut for adjusting blade tension. Finger bow is provided with a table rest. Thumb ring has a contoured ledge for support of the thumb. One blade is pointed and has a thumb ring, the other is beveled, blunted or pointed. Blades are polished and nickel chrome plated. Handles are painted or nickel chrome plated.

5110-00-162-2203, 9" L, 4" L Cut., EA, \$13.52

Federal Strategic Sourcing Initiative, 5110-00-596-9703, 10" L, 4-1/2" L Cut., EA, \$35.22

Federal Strategic Sourcing Initiative, 5110-00-203-9642, 12" L, 5-7/8" L Cut., EA, \$31.42

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-6370, 12" L, 6" L Cut., EA, \$53.24

## Metal Shears (Drop Forged Steel, Dental)

Heavy duty dental style shears are designed for cutting thin gold plate and have straight handles and sharp, pointed blades. Shears have a 2-5/8" L of cut and measure 8" L.

Federal Strategic Sourcing Initiative, 5110-00-555-9500, EA, \$15.79

## Paper or Stationer's Shears

These heavy duty paper or stationer's shears have long, narrow blades, straight handles and polished nickel chrome plated blades. Both blades are drop forged steel and pointed. 99.9 percent recycled with 87 percent of it being post consumer content.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-161-6912, AbilityOne, 9" L, 4-5/8" L Cut., EA, \$14.69

## Straight Trimmer's Shears

Use lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Have straight handles. Rust resistant stamped stainless steel. Molded plastic handles are for left and right hand use. Both blades are stamped stainless steel and pointed.

IAW GSA Purchase Description 5110-01-241-4373.

Federal Strategic Sourcing Initiative, 5110-01-278-4823, 9" L, 4-5/8" L Cut., EA, \$7.62

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-01-241-4373, AbilityOne, 8-1/4" L, 3-5/8" L Cut., EA, \$4.78

Heavy duty shears for cutting fine to heavy fabrics, cording, plastics, rubber, leather, vinyl and tape. Shears are intended for heavier applications such as upholstery, or on production lines where longer cuts and greater strength are needed. The shears have straight handles and have polished chrome plated drop forged steel blades. Comfort grip handles.

5110-00-293-3444, 6" L, 2-1/2" L Cut., EA, \$8.61

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-6371, 8" L, 3-5/8" L Cut., EA, \$12.28

Federal Strategic Sourcing Initiative, 5110-00-161-6909, 9" L, 4" L Cut., EA, \$12.28

Recycled content (99 percent) and post-consumer content (87 percent).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-9199, AbilityOne, AbilityOne, 7" L, 3" L Cut., EA, \$12.45

# Snips

## Tinner Snips

Tinner snips are a great tool for cutting curves, irregular shapes and intricate patterns. The blades are drop forged alloy steel and are bow shaped. Described by: (Size, Length of cut min.). ASME B107.16.

**Type 1: Tinner Snips, Class 1: Straight Cut, Style A: Fixed Blade.**

Federal Strategic Sourcing Initiative, 5110-00-221-1083, 16, 2-1/4" L Cut., EA, \$53.42

Federal Strategic Sourcing Initiative, 5110-01-400-1418, 10, 2" L Cut, Comfort Grip., EA, \$20.05

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-0089, 12-1/2, 2-3/4" L Cut, Comfort Grip., EA, \$22.48

**Type 1: Tinner Snips, Class 1: Straight Cut, Style B: Medium Duty.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-289-8659, 8, 1-3/4" L Cut, Comfort Grip., EA, \$16.64

**Type 1: Tinner Snips, Class 2: Duckbill (Combination straight and circular cut).**

Federal Strategic Sourcing Initiative, 5110-00-221-1085, 7, 1-1/2" L Cut, Comfort Grip., EA, \$16.49

Federal Strategic Sourcing Initiative, 5110-00-221-1087, 12, 3" L Cut, Comfort Grip., EA, \$21.99

## Aviation Snips

Aviation snips have compound lever action for easy repetitive cutting. Blades are drop forged alloy steel and are serrated to prevent slipping. All snips come with cushion grip handles and a safety latch. Described by: (Size, Length of cut min.). ASME B107.16.

**Type 2: Compound Lever (Aviation), Class 1: Straight Cutting.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-273-0128, 10" L, 1-3/16" L Cut., EA, \$9.44

**Type 2: Compound Lever (Aviation), Class 3: Circular cutting to the left.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-273-0126, 10" L, 1-3/16" L cut., EA, \$10.06

# Cutters

## Electronic Cutters

These cutters are perfect for electronic work and wire cutting. All pliers come with a spring that is capable of opening the jaws under normal use and comfort grips. B107.22.

**Type I: Cutters, Class 1: Diagonal, Style B: Relieved oval head, Design C: Flush cutting edges.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-878-6519, 4-1/2" L, Comfort Grip., EA, \$19.63

## Cable Cutter (Hydraulic Action)

Hydraulic action cutter is operated by a hand pumped hydraulic unit with a relief valve. Includes a hardened tool steel cutting blade, rope holder and blade guides. A-A-3029

Federal Strategic Sourcing Initiative, 5110-00-224-7058, 1-1/8" Capacity. Type 2., EA, \$1,104.78

Cuts copper and aluminum power and communications cable, soft strip or bar. Hydraulic cutter consists of cutter head, ram assembly, coupling, handle, hose and pump on mounting board. Cutting capacity is 3".

Federal Strategic Sourcing Initiative, 5110-00-595-8267, EA, \$1,610.93

## Cable Cutter (Compound Lever)

Hand operated wire rope cutter. The cutter has a compound lever and is a center-cut type. Includes an extra pair of cutting jaws.

**Soft wire rope capacity: 7/8"**

5110-00-221-1047, 0591MLXG or equal, EA, \$354.32

## Cable Cutter (High-Leverage)

High leverage design for exceptional cutting capability. Precision, one hand shearing action. Cable gripping shear type jaws. Perfect for working in confined spaces. Can be carried in most tool pouches. Hot riveted joint ensures smooth action and no handle wobble. Beveled jaw tips provide proper mating and shearing action, which protects leading jaw edges.

Federal Strategic Sourcing Initiative, 5110-01-367-7278, 63050 or equal., 9-1/2" L., EA, \$38.33

## Cable Cutter

This hand operated cable cutter is a ratchet type with shear cut blades for cutting soft cable up to 1-3/16".

Federal Strategic Sourcing Initiative, 5110-01-473-9295, EA, \$247.38

## Insulated Wire Cutter

Designed for cutting electrically charged barbed wire. Insulated handles withstand high voltages up to 14,000 volt RMS. Cuts wire, cable and light chain to 3/16", soft and medium hard metals to 1/4" diameter. Cuts chain links up to Brinell 300, or Rockwell C31. A center cut tool with a special parrot beak jaw for ease in grasping wire and staples. A-A-52207

Federal Strategic Sourcing Initiative, 5110-00-595-8229, 9" L., EA, \$78.90

## Concertina Wire Cutter

Because of its compound leverage system, this wire cutter has 75 lbs of gripping force. The jaws are spring loaded and the handles are cushioned and chemical resistant as well.

Federal Strategic Sourcing Initiative, 5110-01-576-8918, Coyote Brown, 8-1/2" L, Molly Sheath., EA, \$110.73

## Bolt Cutter (Clipper Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter. The removable / replaceable, sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047

### Class 3: Clipper Cut (Close Cutting).

Federal Strategic Sourcing Initiative, 5110-00-596-9155, 30" L, 1/2". Replacement Jaws 5110-01-380-5095., EA, \$58.33

Federal Strategic Sourcing Initiative, 5110-00-188-2524, 36" L, 9/16". Replacement Jaws 5110-01-381-0808., EA, \$75.92

Federal Strategic Sourcing Initiative, 5110-00-596-9162, 18" L, 5/16". Replacement Jaws 5110-01-378-4608., EA, \$28.33

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-596-9156, 24" L, 3/8". Replacement Jaws 5110-01-380-5091., EA, \$48.86

## Bolt Cutter (Angle Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter. The removable / replaceable, sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047

### Class 1: Angular Cut (Flush Cutting). Angular cut of 25° - 35° from the base plane of the jaw shanks.

Federal Strategic Sourcing Initiative, 5110-00-224-7055, 14" L, 1/4", Comfort Grips., EA, \$36.43

Federal Strategic Sourcing Initiative, 5110-00-224-7056, 24" L, 3/8". Replacement Jaws 5110-01-381-0790., EA, \$54.08

Federal Strategic Sourcing Initiative, 5110-00-224-7057, 36" L, 9/16". Replacement Jaws 5110-01-380-5088., EA, \$89.77

## Bolt Cutter (Center Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter. The sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047

### Class 2: Center Cut (Round Edges).

5110-00-224-7064, 30" L, 3/8", Comfort Grips., EA, \$55.08

## Bolt Cutter (Notch Shear Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter. The sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047

### Class 4: Notched Shear Cut.

Federal Strategic Sourcing Initiative, 5110-00-224-7053, 14" L, 1/4"., EA, \$37.00

## Bolt Cutter

This bolt cutter tool will slice through rivets, bolts and steel rods like butter. The removable / replaceable, sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size).

Federal Strategic Sourcing Initiative, 5110-01-473-9291, 18" L, 1/4"., EA, \$86.26

## Bolt Cutter (Replacement Jaws)

These bolt cutter replacement jaws are made of high grade tool steel and shall fit the tool without any modification. The thickness of the jaw will not be less than 85% of the max diameter of the cutting capacity.

### Replacement jaws for NSN 5110-00-188-2524 bolt cutter.

Federal Strategic Sourcing Initiative, 5110-01-381-0808, 9/16" Max Cut., EA, \$75.92

## Pipe Cutter (Wheel Type)

The pipe cutter cuts hard metal pipe. Makes a smooth right angle cuts. The cutter is furnished with hardened tool steel cutter wheels, two rollers and pin axles. Has an enclosed lubricated feed mechanism and substantial adjusting handle. A non-deforming frame maintains cutter wheel and feed mechanism alignment.

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-221-1049, Cuts 2" to 4"., EA, \$451.89

## Steel Strapping Cutter (Safety Style)

Safety type cutter has forward cutting action, hand operated. Has double side retaining devices: after steel strapping is cut, both ends are retained until the handles are released. Flattened bottom jaw. Cuts strapping up to and including 1-1/4".

Federal Strategic Sourcing Initiative, 5110-00-771-3732, 12" L., EA, \$72.17

## Steel Strapping Cutter (Heavy-Duty)

Hand-operated heavy-duty steel cutter with forward cutting action. Comfortable grips and handle stops prevent pinching of operator's hand. Has two hardened steel cutting jaws with tapered ends. Flattened bottom jaw slides under strapping. Cuts strapping up to 2" wide and 0.050" thick. Corrosion-inhibiting finish. Weighs 8 lbs.

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-6281, 24" L., EA, \$110.85

## Preformed Packing Pick Remover

O-Ring Picks. (1) Elongated (1) Angled Pick Point and (1) Curved Pick Point Tool.

Federal Strategic Sourcing Initiative, 5120-01-573-0665, 715201 or equal., PG(contains 10 EA), \$25.57

## Splicing Sleeve Compressing Tool

Tool is used for splicing aircraft control cables, wire ropes and fiber ropes. Has one single crimping groove. Furnished with gauges for checking sleeve compression and operating instructions. Tool is 18" L.

### For use with 1/16-diameter cable or rope.

Federal Strategic Sourcing Initiative, 5120-00-323-2292, 0-1/16SC or equal, EA, \$241.33

# Tubing Tools

## Tube Bender (Hand)

These hand operated portable benders provide a smooth bend without marring or deforming tubing. Used for cold bending of round metal tubing used in aircraft hydraulic systems, instrument control lines, fuel and oil lines on engines, refrigeration, plumbing, heating and other installations. Not for use on heavy steel tubing.

Federal Strategic Sourcing Initiative, 5120-00-234-8741, 3/8" Tube Bender., EA, \$4.28

Federal Strategic Sourcing Initiative, 5120-00-234-8744, 5/8" Tube Bender., EA, \$5.72

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-0155, 1/2" Tube Bender., EA, \$84.17

## Tube Bender Set (Hand)

These hand operated portable benders provide a smooth bend without marring or deforming tubing. Used for cold bending of round metal tubing used in aircraft hydraulic systems, instrument control lines, fuel and oil lines on engines, refrigeration, plumbing, heating and other installations. Not for use on heavy steel tubing.

Set consists of (6) external coil spring, hand actuated benders in sizes: 1/4", 5/16", 3/8", 7/16", 1/2" and 5/8". Benders are flared on both ends and have adequate clearance so that the spring slides over tubing easily. Furnished in a wood or steel chest with a hinged lid and fastener.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-0019, 35285 or equal, 1/4", 5/16", 3/8", 7/16", 1/2" and 5/8" Tube Benders., SE, \$19.74

## Tube Cutter (Replacement Wheel)

Replacement wheel for tubing cutter.

Replacement cutting wheel for Ridgid Tool models #360, 732 and 820/364 tube cutters.

Federal Strategic Sourcing Initiative, 5110-00-082-9172, 44185, EA, \$20.19

## Tube Cutter (with Deburring Tool)

The cutter cuts soft metal tubing such as aluminum, lead, copper or brass. Makes a smooth right angle cut. The cutter is furnished with hardened tool steel cutter wheels, two rollers and pin axles. A non-deforming frame maintains cutter wheel and feed mechanism alignment.

Federal Strategic Sourcing Initiative, 5110-00-288-6520, Cuts: 1/8" to 1-1/8", 6" L., EA, \$17.23

## Tube Flaring Tool (Hand)

Flaring tools create a flare fitting between two pieces of pipe or tubing. When the process is complete, there should be a secure, water-tight seal between the two pieces of tubing. Described by: (Tube Size Accepted).

Federal Strategic Sourcing Initiative, 5120-01-208-4532, 3/16" to 1/2" OD., EA, \$899.33

Has a swivel cone with hinged die bars. For single flaring of 1/8" thru 3/4" tubing. Also includes hardened adapter set for double lap flaring of 3/16" thru 1/2" tubing. Swaging adapter is for 3/16" thru 3/4" tubing. Comes with a leather tool carrying case. Flare gage is not included.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-251-2267, 275-FSCD or equal, EA, \$168.58

Federal Strategic Sourcing Initiative, 5120-00-391-0101, 3/16" to 5/8" OD Aircraft Fuel/Air Lines., EA, \$411.75

## Tube Cutter and Flaring Tool Kit

For cutting, flaring and bending copper, aluminum and brass tubing. Kit contains a tube flaring tool with screw actuated swivel cone, hinged dies, tube cutter with 1/8" to 1-1/8" cutting range, enclosed feed mechanism and replaceable steel deburring tool. Flaring tool performs single flaring on 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" tubing and double flaring on 3/16", 1/4", 5/16", 3/8" and 1/2" tubing. Includes swaging adapters for: 3/16", 1/4", 3/8", 1/2", 5/8" and 3/4" tubing.

Federal Strategic Sourcing Initiative, 5180-00-596-1038, KT, \$140.15

## Tube Cutter (Sliding Feed)

The cutter cuts soft metal tubing such as aluminum, lead, copper or brass. Makes a smooth right angle cut. The cutter is furnished with hardened tool steel cutter wheels, two rollers and pin axles. A non-deforming frame maintains cutter wheel and feed mechanism alignment.

Federal Strategic Sourcing Initiative, 5110-00-965-0878, EA, \$7.48

## Pipe Cutter (Wheel Type)

The pipe cutter cuts hard metal pipe. Makes a smooth right angle cuts. The cutter is furnished with hardened tool steel cutter wheels, two rollers and pin axles. Has an enclosed lubricated feed mechanism and substantial adjusting handle. A non-deforming frame maintains cutter wheel and feed mechanism alignment.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-0460, 32820 2-A or equal., Cuts 1/8" to 2", EA, \$173.82



# Flat-Head Screwdrivers

## Flat Tip Screwdriver

These straight, chrome plated, handle type, flat tip screwdrivers are for inserting and removing screws with a straight single slotted recess. It is the perfect tool used by all trades. Describe by (Tip Size, Total Length, Blade Length) B107.600

### Type 1: Cabinet screwdriver with straight sides and features a round shank.

Federal Strategic Sourcing Initiative, 5120-01-487-3821, 1/8" W x 0.02" T Tip, 7-1/4" L, 5" L, Plastic Handle., EA, \$6.04

Federal Strategic Sourcing Initiative, 5120-01-487-3824, 3/16" W x 0.037" T Tip, 8-3/4" L, 5" L, Plastic Handle., EA, \$3.09

Federal Strategic Sourcing Initiative, 5120-01-511-0991, 3/16" W x 0.037" T Tip, 9-3/4" L, 6" L, Plastic Handle., EA, \$3.36

Federal Strategic Sourcing Initiative, 5120-00-062-0813, 3/16" W x 0.03" T Tip, 9-1/2" L, 6" L, Plastic Handle., EA, \$3.86

Federal Strategic Sourcing Initiative, 5120-00-260-4837, 3/16" W x 0.03" T Tip, 11-3/4" L, 8" L, Plastic Handle., EA, \$4.33

Federal Strategic Sourcing Initiative, 5120-00-278-1269, 9/64" W x 0.022" Tip, 1-1/2" L, 3/4" L, Plastic Handle., EA, \$2.64

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-236-2127, 3/16" W x 0.03" T Tip, 6-3/4" L, 3" L, Plastic Handle, Chrome., EA, \$2.10

Federal Strategic Sourcing Initiative, 5120-00-278-1270, 3/16" W x 0.03" T Tip, 8-7/8" L, 5" L, Plastic Handle, Chrome., EA, \$3.62

### 3/8" square female drive on top of handle.

Federal Strategic Sourcing Initiative, 5120-00-010-7913, 9/64" W x 0.022" T Tip, 9" L, 5" L, Plastic Handle., EA, \$5.60

Federal Strategic Sourcing Initiative, 5120-00-010-7914, 3/16" W x 0.033" T Tip, 11-5/8" L, 8" L, Plastic Handle., EA, \$8.70

### Blade is insulated for electrical use.

Federal Strategic Sourcing Initiative, 5120-00-913-5843, 3/16" W x 0.033" T Tip, 13-21/32" to 14-5/16" L, 10" L, Plastic W/Cushion Grip., EA, \$7.21

Federal Strategic Sourcing Initiative, 5120-01-439-0680, 1/4" W x 0.037 T Tip, 11-1/2" L, 7" L, Fiberglass Handle, 1000V., EA, \$13.10

Federal Strategic Sourcing Initiative, 5120-00-905-6730, 1/4" W x 0.04" T Tip, 6-1/2" to 8" L, 4" L, Plastic W/Cushion Grip., EA, \$6.24

Federal Strategic Sourcing Initiative, 5120-00-905-6729, 3/8" W x 0.055" T Tip, 11-1/2" to 13-1/2" L, 8" L, Chrome, Plastic Handle., EA, \$7.96

Federal Strategic Sourcing Initiative, 5120-00-287-2504, 9/64" W x 0.02" T Tip, 6-1/4" L, 3-13/64" L, Plastic Handle, Chrome., EA, \$3.09

Federal Strategic Sourcing Initiative, 5120-00-278-1267, 9/64" W x 0.02" T Tip, 13" L, 8" L, Plastic Handle., EA, \$4.72

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-7356, 3/16" W x 0.039" T Tip, 9-3/4" L, 6" L, Plastic Handle, Chrome., EA, \$2.57

5120-00-227-7334, 7/32" W x 0.035" T Tip, 13-3/4" L, 10" L, Plastic Handle, Chrome., EA, \$5.95

### Type I : Screwdriver Assembly, Class I : Flat Tip, Style B: General Purpose Flared Sides.

Federal Strategic Sourcing Initiative, 5120-00-062-8454, 3/32" W x 0.015" T Tip, 5-5/8 - 6-5/8" L, 2" L, Plastic Handle, Pocket Clip., EA, \$5.30

Federal Strategic Sourcing Initiative, 5120-00-236-2140, 1/8" W x 0.02" T Tip, 3-7/8" L, 2" L, Plastic Handle, Chrome, Pocket Style., EA, \$1.09

Federal Strategic Sourcing Initiative, 5120-01-429-6451, 1/8" W x 0.02" T Tip, 4" L, 2" L, Plastic Handle., EA, \$1.51

Federal Strategic Sourcing Initiative, 5120-01-367-3731, Black, 1/8" W x 0.018" T Tip, 7-3/8" L, 4" L, Plastic Handle., EA, \$6.54

Federal Strategic Sourcing Initiative, 5120-01-487-3822, 1/8" W x 0.02" T Tip, 5-1/4" L, 3" L, Plastic Handle Pocket Style., EA, \$1.21

Federal Strategic Sourcing Initiative, 5120-01-335-8568, 3/16" W x 0.03" T Tip, 11-1/2" L to 13-1/2" L, 6" L, Chrome, Plastic Handle., EA, \$3.34

Federal Strategic Sourcing Initiative, 5120-00-293-3178, 5/32" W x 0.025" T Tip, 14" L, 10" L, Plastic Handle, Screw Gripper., EA, \$3.97

Federal Strategic Sourcing Initiative, 5120-01-406-7724, 3/16" W x 0.037" T Tip, 9-3/4" L, 6" L, Plastic W/Comfort Grip., EA, \$3.34

Federal Strategic Sourcing Initiative, 5120-01-367-3742, 7/32" W x 0.035" T Tip, 6-15/16" L, 2-13/16" L, Plastic Handle., EA, \$3.49

Federal Strategic Sourcing Initiative, 5120-00-596-8502, 1/4" W x 0.037" T Tip, 3" L, 1-1/2" L, Chrome, Plastic Handle., EA, \$2.98

Federal Strategic Sourcing Initiative, 5120-01-601-5187, 5/16" W x 0.045" T Tip, 10-3/4" L, 6" L, Plastic Handle, Bolster., EA, \$6.60

Federal Strategic Sourcing Initiative, 5120-01-398-7973, 5/16" W Tip, 11" L, 6" L, Plastic W/Comfort Grip., EA, \$10.06

Federal Strategic Sourcing Initiative, 5120-01-601-5188, 3/8" W x 0.06" T Tip, 12-3/4" L, 8" L, Plastic Handle, Bolster., EA, \$7.52

Federal Strategic Sourcing Initiative, 5120-01-398-7946, 1/4" W x 0.037" T Tip, 8-3/8" L, 4" L, Plastic W/Comfort Grip., EA, \$6.29

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-222-8852, 1/4" W x 0.04" T Tip, 8-11/32" L, 4" L, Plastic Handle, Chrome., EA, \$3.84

### 3/8" square female drive on top of handle.

Federal Strategic Sourcing Initiative, 5120-00-596-9364, 1/4" W x 0.04" T Tip, 11-1/2" to 13-1/2" L, 8" L, Plastic Handle., EA, \$8.29

Federal Strategic Sourcing Initiative, 5120-00-293-0315, 5/16" W x 0.05" T Tip, 10-45/64" L, 6" L, Plastic Handle, Chrome, Ful Polish., EA, \$8.53

Federal Strategic Sourcing Initiative, 5120-00-278-1283, 5/16" W x 0.046" T Tip, 11" L, 6" L, Plastic Handle, Bolster, Chrome., EA, \$3.04

Federal Strategic Sourcing Initiative, 5120-01-367-3746, 3/8" W x 0.055" T Tip, 13-13/32" L, 7-29/32" L, Plastic W/Comfort Grip, Bolster., EA, \$5.51

Federal Strategic Sourcing Initiative, 5120-00-236-3242, 1/2" W x 0.099" T Tip, 25" L, 18" L, Plastic Handle, Chrome., EA, \$17.30

Federal Strategic Sourcing Initiative, 5120-00-764-8059, 5/16" W x 0.046" T Tip, 10" to 11-1/2" L, 6" L, Plastic Handle., EA, \$8.87

Federal Strategic Sourcing Initiative, 5120-00-764-8061, 3/8" W x 0.055" T Tip, 15-21/32" to 17-7/16" L, 12" L, Plastic Handle., EA, \$17.33

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-764-8058, 1/4" W x 0.04" T Tip, 6-1/2" to 8" L, 4" L, Plastic Handle., EA, \$3.59

Federal Strategic Sourcing Initiative, 5120-00-234-8910, 5/16" W x 3/64" T Tip, 10" L, 6" L, Plastic Handle, Chrome., EA, \$3.64

Federal Strategic Sourcing Initiative, 5120-00-293-3309, 3/8" W x 0.055" T Tip, 15-1/4" L, 10" L, Chrome, Plastic Handle., EA, \$6.17

Federal Strategic Sourcing Initiative, 5120-00-237-6985, 3/8" W x 0.05" T Tip, 13-1/2" L, 8" L, Plastic W/Cushion Grip., EA, \$9.69

Federal Strategic Sourcing Initiative, 5120-00-278-1276, 3/8" W x 0.055" T Tip, 17-1/2" L, 12" L, Keystone Tip, Plastic Handle, Chrome., EA, \$12.96

**Type 2: General purpose screwdriver with flared sides and features a square shank.**

Federal Strategic Sourcing Initiative, 5120-01-435-0004, 3/16" W x 0.03" T Tip, 3-1/4" L, 1-1/4" L, Plastic Handle., EA, \$6.91

Federal Strategic Sourcing Initiative, 5120-01-367-3734, Black, 3/16" W x 0.028" T Tip, 6-5/8" L, 3" L, Plastic Handle., EA, \$6.05

Federal Strategic Sourcing Initiative, 5120-01-367-3741, Black and Red, 1/4" W x 0.04" T Tip, 3-3/4" L, 1-7/8", Chrome, Comfort Grip, Plastic Handle., EA, \$2.49

Federal Strategic Sourcing Initiative, 5120-01-406-7727, 1/4" W x 0.037" T Tip, 3-1/4" L, 1-1/2" L, Plastic Handle., EA, \$2.52

Federal Strategic Sourcing Initiative, 5120-01-399-9144, 1/4" W x 0.037" T Tip, 3-1/2" L, 1-1/2" L, Plastic Handle, Keystone Tip., EA, \$2.68

Federal Strategic Sourcing Initiative, 5120-01-335-8542, 5/16" W x 0.042" T Tip, 10" L to 11-1/2", 6" L, Chrome, Plastic Handle., EA, \$9.13

Federal Strategic Sourcing Initiative, 5120-01-367-3722, Black, 3/8" W x 0.05" T Tip, 13-1/2" L, 8" L, Plastic Handle., EA, \$8.96

**Flat Tip Screwdriver (Non-Sparking)**

These straight handle type, beryllium copper or aluminum bronze alloy, flat tip screwdrivers are for inserting and removing screws with a straight single slotted recess. It is the perfect tool when you need a non-magnetic/non-sparking screwdriver. Tip has straight or flared sides and the plastic handle may be covered by an additional grip for comfort. A-A-2484.

Federal Strategic Sourcing Initiative, 5120-00-877-8806, 4" L, 1/8" W x 0.02" T Tip., EA, \$16.67

Federal Strategic Sourcing Initiative, 5120-00-293-1608, 6" L, 5/16" W x 0.042" T Tip., EA, \$28.84

Federal Strategic Sourcing Initiative, 5120-00-618-4915, 6" L Blade, 1/8" W x 1/64" T Tip., EA, \$14.31

Federal Strategic Sourcing Initiative, 5120-00-287-2503, 12" L, 3/8" W x 3/64" T Tip., EA, \$51.74

Federal Strategic Sourcing Initiative, 5120-00-287-2502, 3/8" W x 0.05" T Tip, 12-3/8" L, 8" L Blade., EA, \$38.10

**Screwdriver Set**

These screwdriver sets are for inserting and removing screws with a Pozidriv, Phillips or flat tip. B107.600

**This set consists of (8) screwdrivers: (5) flat tip (Described by Blade Length x Tip Width): 1-1/2" L x 1/4" W, 3" L x 3/16" W, 4" L x 1/4" W, 6" L x 5/16" W and 8" L x 3/8" W, (3) Phillips tip: #1 size (3" L blade), and (2) #2 size (1-1/2" L and 4" L blade). (6) screwdrivers (all except the stubby screwdrivers) have hexagonal wrenching bolsters at the base of the handles. All the handles are solvent and impact resistant.**

Federal Strategic Sourcing Initiative, 5120-01-033-2134, SE, \$14.70

**This set consists of (8) screwdrivers: (5) flat tip (Described by Blade Length x Tip Width x End Thickness): 1-1/2" L x 1/4" W x 0.037" T, 2-7/8" L x 3/16" W x 0.032" T, 4" L x 1/4" W x 0.037" T, 6" L x 5/16" W x 0.046" T and 8" L x 3/8" W x 0.05" T and (3) Phillips tip: #1 size (3" L blade), and (2) #2 size (1-1/2" L and 4" L blade). Screwdrivers (all except the stubby screwdrivers) have hexagonal wrenching bolsters at the base of the handles. All the orange contoured handles are impact resistant and have round shanks.**

5120-01-428-8497, SE, \$16.27

# Phillips, Pozidriv and Torx Screwdrivers

**Screwdriver Set**

These screwdriver sets are for inserting and removing screws with a Pozidriv, Phillips or flat tip. B107.600

**This set consists of (4) cross tip (Phillips) screwdrivers in sizes: (1) #1 size (3" L blade), (1) #2 size (4" L blade), (1) #3 size (6" L blade), (1) #4 size (8" L blade).**

Federal Strategic Sourcing Initiative, 5120-00-596-0828, SE, \$15.03

**This set consists of (8) screwdrivers: (5) flat tip (Described by Blade Length x Tip Width x End Thickness): 1-1/2" L x 1/4" W x 0.037" T, 2-7/8" L x 3/16" W x 0.032" T, 4" L x 1/4" W x 0.037" T, 6" L x 5/16" W x 0.046" T and 8" L x 3/8" W x 0.05" T and (3) Phillips tip: #1 size (3" L blade), and (2) #2 size (1-1/2" L and 4" L blade). Screwdrivers (all except the stubby screwdrivers) have hexagonal wrenching bolsters at the base of the handles. All the orange contoured handles are impact resistant and have round shanks.**

Federal Strategic Sourcing Initiative, 5120-01-428-8530, SE, \$32.35

**This set consists of (5) cross tip (Phillips) screwdrivers in sizes: two each #1 size (1" L and 3" L blade), two each #2 size (1-1/2" L and 4" L blade), and one each #3 size (6" L blade)**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-357-7175, SE, \$13.15

## Screwdriver (Phillips)

These straight, handle type, corrosion preventive coated, Phillips or Pozidriv screwdrivers are for inserting and removing screws with a cross tip slotted recess. It is the perfect tool used by all trades. Describe by (Tip Size, Total Length, Blade Length) B107.600

### Type I: Screwdriver Assembly Class 2: Cross Tip Phillips (PH)

Federal Strategic Sourcing Initiative, 5120-00-820-2995, #0 Phillips Tip, 5-1/4" L, 1-1/4" L Blade, Plastic Handle., EA, \$2.74

Federal Strategic Sourcing Initiative, 5120-00-060-2004, #0 Phillips Tip, 6 - 7" L, 4" L Blade, Plastic Handle, Chrome., EA, \$4.01

Federal Strategic Sourcing Initiative, 5120-01-398-7951, #1 Phillips Tip, 6-3/4" L, 3" L, Plastic Handle., EA, \$2.74

Federal Strategic Sourcing Initiative, 5120-01-398-9248, #1 Phillips Tip, 6-1/4" L to 7-1/4" L, 3" L, Plastic Handle., EA, \$2.26

Federal Strategic Sourcing Initiative, 5120-01-398-7950, #2 Phillips Tip, 8-3/8" L, Comfort Grip, Plastic Handle., EA, \$5.89

Federal Strategic Sourcing Initiative, 5120-01-399-9019, #2 Phillips Tip, 8-11/32" L, 4" L, Plastic Handle, Chrome., EA, \$6.00

Federal Strategic Sourcing Initiative, 5120-01-398-9253, #2 Phillips Tip, 4" L Blade, Plastic Handle, Chrome., EA, \$3.16

Federal Strategic Sourcing Initiative, 5120-01-398-8053, #3 Phillips Tip, 10-1/2" L, 6" L, Plastic Handle., EA, \$6.39

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-529-3101, #1 Phillips Tip, 11" L, 8" L Blade, Plastic Handle, Chrome., EA, \$5.54

Federal Strategic Sourcing Initiative, 5120-00-240-8716, #1 Phillips Tip, 6" L, 3" L Blade, Plastic Handle, Chrome., EA, \$2.26

Federal Strategic Sourcing Initiative, 5120-00-234-8913, #2 Phillips Tip, 7-3/4" L, 4" L Blade, Plastic Handle, Chrome., EA, \$1.38

Federal Strategic Sourcing Initiative, 5120-00-542-3438, #2 Phillips Tip, 11" L, 8" L Blade, Plastic Handle., EA, \$5.00

Federal Strategic Sourcing Initiative, 5120-00-234-8912, #3 Phillips Tip, 10-3/4" L, 6" L Blade, Plastic Handle., EA, \$3.37

, Federal Strategic Sourcing Initiative, 5120-00-224-7375, #4 Phillips Tip, 13" L, 8" L Blade, Plastic Handle., EA, \$6.37

### 3/8" square female drive on top of handle.

Federal Strategic Sourcing Initiative, 5120-00-764-8097, #2 Phillips Tip, 7-3/4" L, 4-1/2" L Blade, Plastic Handle., EA, \$7.16

### Features an external screw gripper with screw starter.

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-596-0861, #2 Phillips Tip, 10-3/4" -11-3/4" L, Plastic Handle, Chrome., EA, \$22.76

### Nonsparking and nonmagnetic.

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-596-0864, S-2P or equal, #2 Phillips Tip, 7-1/4" L, 4" L Blade, Plastic Handle, Copper., EA, \$19.47

### Class 2: Bolster.

Federal Strategic Sourcing Initiative, 5120-01-398-9244, Black, #2 Phillips Tip, 8" L to 9" L, 4" L, Plastic Handle., EA, \$4.05

Federal Strategic Sourcing Initiative, 5120-01-399-5784, #3 Phillips Tip, 10-3/4" L, 6" L, Bolster, Plastic Handle., EA, \$8.81

Federal Strategic Sourcing Initiative, 5120-01-367-3801, #2 Phillips Tip, 13" L, 8" L, Chrome, Plastic Handle., EA, \$5.51

### Class 3: Stubby

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-7293, #2 Phillips Tip, 3" L, 1-1/2" L Blade, Plastic Handle, Chrome., EA, \$2.23

### Class 4: Pocket

Federal Strategic Sourcing Initiative, 5120-00-498-7365, #0 Phillips Tip, 3-3/4" L, 3" L Blade, Plastic Handle, Chrome., EA, \$2.79

## Screwdriver (Pozidriv)

These straight, handle type, corrosion preventive coated, Phillips or Pozidriv screwdrivers are for inserting and removing screws with a cross tip slotted recess. It is the perfect tool used by all trades. Describe by (Tip Size, Total Length, Blade Length) B107.600

### Type I: Screwdriver Assembly Class 2: Cross Tip Phillips (PH)

Federal Strategic Sourcing Initiative, 5120-01-014-7672, #1 Pozidriv Tip, 6-3/4" L, 3" L, Oxide, Plastic Handle., EA, \$9.23

### Class 2: Bolster.

Federal Strategic Sourcing Initiative, 5120-01-113-1575, #1 Pozidriv Tip, 6-3/4" L to 7-3/4" L, 3" L, Chrome, Plastic Handle., EA, \$12.97

Federal Strategic Sourcing Initiative, 5120-01-113-7149, #2 Pozidriv Tip, 8" L to 9" L, 4" L, Chrome, Plastic Handle., EA, \$10.50

Federal Strategic Sourcing Initiative, 5120-01-113-0116, #3 Pozidriv Tip, 10" L to 11" L, 6" L, Chrome, Plastic Handle., EA, \$8.14

## Screwdriver (Torx)

These screwdrivers are made of hardened steel and are corrosion resistant. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-01-266-1950, Torx Tip (T-8), 8" L, Plastic Handle., EA, \$3.79

Federal Strategic Sourcing Initiative, 5120-01-266-7519, Torx Tip (T-9), 6-1/2" L, Plastic Handle., EA, \$2.97

Federal Strategic Sourcing Initiative, 5120-01-168-1131, T15 Torx Tip, 6-7/8" L, Plastic Handle., EA, \$2.58

Federal Strategic Sourcing Initiative, 5120-01-168-9569, T25 Torx Tip, 7-5/8" L, Plastic Handle., EA, \$3.58

## Screwdriver (Torq Set)

These screwdrivers are made of hardened steel and are corrosion resistant. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-714-7400, #4 Torq Set Tip, 6-1/4" L, Plastic Handle., EA, \$17.65

Federal Strategic Sourcing Initiative, 5120-00-674-9216, #8 Torq Set Tip, 7-1/2" L, Plastic Handle., EA, \$20.69

Federal Strategic Sourcing Initiative, 5120-00-674-9215, #10 Torq Set Tip, 7" L, Plastic Handle., EA, \$20.88

# Hex/Allen

## Hex Key

This hex key (Allen) wrench tightens and loosens fasteners with a hexagonal hole in the screw head. This L-shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. It is made of a tempered steel alloy. B18.3.

**Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-335-2102, Key Size: 3/32", PG(contains 100 EA), \$11.00

Federal Strategic Sourcing Initiative, 5120-01-398-7654, Key Size: 7/64", EA, \$0.13

Federal Strategic Sourcing Initiative, 5120-01-335-2115, Key Size: 1/8", PG(contains 100 EA), \$11.48

Federal Strategic Sourcing Initiative, 5120-01-398-7662, Key Size: 5/32", PG(contains 25 EA), \$0.24

Federal Strategic Sourcing Initiative, 5120-01-335-2118, Key Size: 3/16", Oxide., PG(contains 100 EA), \$12.69

Federal Strategic Sourcing Initiative, 5120-01-428-7939, Key Size: 3/16", EA, \$0.20

Federal Strategic Sourcing Initiative, 5120-01-428-7920, Key Size: 1/4", Zinc., EA, \$0.71

Federal Strategic Sourcing Initiative, 5120-01-335-2093, Key Size: 5/16", PG(contains 50 EA), \$30.57

Federal Strategic Sourcing Initiative, 5120-01-428-7934, Key Size: 5/8", EA, \$3.77

Federal Strategic Sourcing Initiative, 5120-00-198-5387, Key Size: 1", EA, \$16.01

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-198-5400, Key Size: 0.035", EA, \$0.20

Federal Strategic Sourcing Initiative, 5120-00-198-5401, Key Size: 0.05", EA, \$0.10

Federal Strategic Sourcing Initiative, 5120-00-224-2504, Key Size: 5/64", EA, \$0.17

Federal Strategic Sourcing Initiative, 5120-00-198-5398, Key Size: 1/16", EA, \$0.16

Federal Strategic Sourcing Initiative, 5120-00-242-7410, Key Size: 3/32", Oxide., EA, \$0.17

Federal Strategic Sourcing Initiative, 5120-00-889-2162, Key Size: 7/64", Zinc., EA, \$0.14

Federal Strategic Sourcing Initiative, 5120-00-240-5292, Key Size: 1/8", EA, \$0.13

Federal Strategic Sourcing Initiative, 5120-00-198-5392, Key Size: 5/32", Oxide., EA, \$0.23

Federal Strategic Sourcing Initiative, 5120-00-889-2163, Key Size: 9/64", Oxide., EA, \$0.13

Federal Strategic Sourcing Initiative, 5120-00-240-5300, Key Size: 3/16", Oxide., EA, \$0.16

Federal Strategic Sourcing Initiative, 5120-00-242-7411, Key Size: 7/32", Oxide., EA, \$0.18

Federal Strategic Sourcing Initiative, 5120-00-224-4659, Key Size: 1/4", Oxide., EA, \$0.51

Federal Strategic Sourcing Initiative, 5120-00-240-5274, Key Size: 5/16", EA, \$0.53

Federal Strategic Sourcing Initiative, 5120-00-198-5391, Key Size: 1/2", Oxide., EA, \$4.09

Federal Strategic Sourcing Initiative, 5120-00-224-2510, Key Size: 5/8", EA, \$3.77

**Long series has a long arm length for reaching difficult areas or for providing greater leverage.**

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-198-5410, Key Size: 3/16", Chrome., EA, \$0.63

Federal Strategic Sourcing Initiative, 5120-00-198-5409, Key Size: 5/16", Chrome., EA, \$1.22

## Hex Key (Ball End)

This ball end style hex key (Allen) wrench set tightens and loosens fasteners with a hexagonal hole in the screw head and can be used at angles up to 25°. This L-shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. Made of a tempered steel alloy. B18.3.

**Long series has a long arm length for reaching difficult areas or for providing greater leverage.**

Federal Strategic Sourcing Initiative, 5120-01-578-7444, Ball Hex Size: 1/8", Oxide., EA, \$1.06

## Hex Key (Metric)

This metric hex key (Allen) wrench tightens and loosens fasteners with a hexagonal hole in the screw head. This L-shaped tool has a double-ended shaft that bends 90° to form a short arm and a long arm. It is made of a tempered steel alloy. B18.3.2M.

**Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-428-8038, Key Size: 2mm., EA, \$0.16

Federal Strategic Sourcing Initiative, 5120-01-437-1648, Key Size: 2.5mm, Zinc., EA, \$0.47

Federal Strategic Sourcing Initiative, 5120-01-045-4888, Key Size: 3mm, Oxide., EA, \$0.35

Federal Strategic Sourcing Initiative, 5120-01-428-8088, Key Size: 3mm, Zinc., EA, \$0.12

Federal Strategic Sourcing Initiative, 5120-01-428-8095, Key Size: 4mm, Zinc., EA, \$0.54

Federal Strategic Sourcing Initiative, 5120-00-900-9344, Key Size: 5mm., EA, \$0.18

Federal Strategic Sourcing Initiative, 5120-01-431-7146, Key Size: 5mm, Ball End., PG(contains 5 EA), \$3.80

Federal Strategic Sourcing Initiative, 5120-01-428-8106, Key Size: 6mm, Zinc., EA, \$0.97

Federal Strategic Sourcing Initiative, 5120-00-900-9345, Key Size: 6mm., EA, \$0.29

Federal Strategic Sourcing Initiative, 5120-01-045-4892, Key Size: 7mm., EA, \$0.39

Federal Strategic Sourcing Initiative, 5120-01-428-8044, Key Size: 7mm, Zinc., EA, \$1.09

Federal Strategic Sourcing Initiative, 5120-01-428-7967, Key Size: 8mm., EA, \$0.47

Federal Strategic Sourcing Initiative, 5120-01-428-7975, Key Size: 9mm, Zinc., EA, \$1.79

Federal Strategic Sourcing Initiative, 5120-01-428-8030, Key Size: 12mm., EA, \$3.62

Federal Strategic Sourcing Initiative, 5120-01-428-8027, Key Size: 19mm., EA, \$11.74

## Hex Key (Screwdriver Type)

This screwdriver type hex key (Allen) wrench tightens and loosens fasteners with a hexagonal hole in the screw head. It is made of a tempered steel alloy and has an amber or yellow transparent plastic screwdriver handle. ASME B18.3.

**IAW Department of the Army drawing number SC-C-131809.**

Federal Strategic Sourcing Initiative, 5120-00-679-4460, Set Contains: 4 Hex Keys Size 0.035", 0.05", 1/16" and 5/64", SE, \$105.73

Federal Strategic Sourcing Initiative, 5120-00-191-6484, Ball Key Size: 7/64", 7" L., EA, \$2.22

Federal Strategic Sourcing Initiative, 5120-01-443-6895, Ball Key Size: 1/8", 5-1/4" L., EA, \$2.64

Federal Strategic Sourcing Initiative, 5120-01-265-3846, 10609 or equal, Key Size: 5/32", 7" L., Comfort Grip., EA, \$3.06

## Hex Key (Spline Type)

This (Allen) wrench with spline fluted ends, tightens and loosens socket screw products with fluted holes in the heads. This L-shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. Fluted over entire length. It is made of a tempered steel alloy. B18.3.

**Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-00-277-1724, Key Size: 0.145", 6 Splines, Oxide., EA, \$3.81

Federal Strategic Sourcing Initiative, 5120-00-293-0195, Key Size: 0.060", 6 Splines, Oxide., EA, \$2.07

Federal Strategic Sourcing Initiative, 5120-00-781-8977, Key Size: 0.076", 4 Splines., EA, \$1.99

Federal Strategic Sourcing Initiative, 5120-00-223-6995, Key Size: 0.096", 6 Splines., EA, \$2.07

Federal Strategic Sourcing Initiative, 5120-00-249-9670, Key Size: 0.072", 6 Splines., EA, \$1.27

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-2482, Key Size: 0.111", 6 Splines., EA, \$1.99

Federal Strategic Sourcing Initiative, 5120-00-224-2496, Key Size: 0.069", 4 Splines., EA, \$2.07

## Hex Key Set

This hex key (Allen) wrench set makes it easy. It tightens and loosens fasteners with a hexagonal hole in the screw head. This "L" shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. It is made of a tempered steel alloy. Furnished in a roll or wrap. ASME 18.3

**Contains (18) Hex Keys Sizes: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2", 9/16" and 5/8". Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-499-3284, SE, \$36.34

**Contains (13) Hex Keys Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8". Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-335-1509, Zinc., SE, \$11.78

**Contains (20) Hex Keys Sizes: 0.028", 0.035", 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4". Short series has a arm length that is suitable for normal use.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-935-4641, SE, \$24.78

**Contains (20) Hex Keys Sizes: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4". Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-335-1506, Bag., SE, \$54.04

**Contains (11) Hex keys in sizes: 0.05", 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8". Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-428-5191, SE, \$4.72

## Hex Key Set (Ball End)

This ball end style hex key (Allen) wrench set tightens and loosens fasteners with a hexagonal hole in the screw head and can be used at angles up to 25°. This L-shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. Made of a tempered steel alloy. B18.3.

**Set contains (12) L-shaped, long length hexagon keys. Long arm is ball hexagon style, short arm is conventional hexagon in sizes: 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" and 5/16". Furnished with a case.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-004-2718, SE, \$14.84

**Set contains (13) L-shaped, Short length ball hexagon keys in sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8". Furnished with a case.**

Federal Strategic Sourcing Initiative, 5120-01-473-9592, SE, \$10.14

**Contains (9) Hex Keys Sizes: 1.5mm, 2.5mm, 2mm - 6mm, 8mm and 10mm. Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-355-2056, Bag., SE, \$7.99

**Set contains (13) ball end style hexagon keys with screwdriver type plastic handles. Key sizes are: .05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", and 3/8". Furnished with a case.**

Federal Strategic Sourcing Initiative, 5120-01-599-4528, Oxide., SE, \$9.35

## Hex Key Set (Jackknife Type)

This hex key (Allen) wrench set tightens and loosens fasteners with a hexagonal hole in the screw head. This jackknife style tool has a shaft that forms any degree to fit the job. It is made of a tempered steel alloy. B18.3.

**Multiple, self contained set of hexagonal, single ended wrenches in a 3-5/8" metal handled case. Keys fold out jackknife style. Contains (9) keys in sizes 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" and 3/16".**

Federal Strategic Sourcing Initiative, 5120-01-428-7945, SE, \$5.97

**Multiple, self contained set of hexagonal, single ended wrenches in a 3" metal handled case. Keys fold out jackknife style. Contains (8) keys in sizes 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64" and 5/32".**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-439-8988, SE, \$2.58

## Hex Key Set (Metric)

This metric hex key (Allen) wrench set makes it easy. It tightens and loosens fasteners with a hexagonal hole in the screw head. This "L" shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. It is made of a tempered steel alloy. Furnished in a roll or wrap. ASME 18.3.2M

**Contains (11) hex key sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm and 12mm. Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-087-3616, SE, \$22.68

**Contains (14) Metric hex key sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm and 19mm. Short series has a arm length that is suitable for normal use.**

5120-01-046-5079, Bag., SE, \$17.85

**Contains (7) Hex Keys Sizes: 2mm, 2.5mm, 3mm - 6mm and 8mm. Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-016-5850, SE, \$5.82

**Contains (11) Hex Keys Sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm and 12mm. Short series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-428-7913, Metal Case., SE, \$17.83

**Contains (9) Hex Keys Sizes: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm and 10mm. Long series has a arm length that is suitable for normal use.**

Federal Strategic Sourcing Initiative, 5120-01-493-1885, Ball Hex Tips., SE, \$9.91

Federal Strategic Sourcing Initiative, 5120-01-473-9605, Ball Hex Tips, Case., SE, \$8.52

## Hex Key Set (Screwdriver Type)

This screwdriver type hex key (Allen) wrench tightens and loosens fasteners with a hexagonal hole in the screw head. It is made of a tempered steel alloy and has an amber or yellow transparent plastic screwdriver handle. ASME B18.3.

**Set consists of (9) 4" L hex key blades: 1/20", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" and 3/16". Comes with a regular handle and 4" extension. Furnished in a case.**

Federal Strategic Sourcing Initiative, 5120-01-018-8956, SE, \$68.32

## Hex Key Set (Screwdriver Type, Ball End)

This screwdriver type hex key (Allen) wrench tightens and loosens fasteners with a hexagonal hole in the screw head. It is made of a tempered steel alloy and has an amber or yellow transparent plastic screwdriver handle. ASME B18.3.

Set consists of (12) ball end style hexagon keys with screwdriver type plastic handles. Contains sizes 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" and 5/16". Furnished with plastic case or pouch.

5120-00-116-7841, SE, \$17.53

## Hex Key Set (Spline)

This (Allen) wrench set with spline fluted ends, tightens and loosens socket screw products with fluted holes in the heads. This L shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. Fluted over entire length. It is made of a tempered steel alloy. B18.3.

Set consists of (12) spline wrenches. (10) six spline in sizes: (0.06", 0.096", 0.111", 0.145", 0.183", 0.216", 0.251", 0.291", 0.372" and 0.454") and (2) four spline in sizes: (0.069" and 0.076"). Furnished with an envelope, pouch, roll or wrap.

Federal Strategic Sourcing Initiative, 5120-00-893-5686, SE, \$59.48

Set consists of (7) wrenches with six splines in sizes 0.06", 0.072", 0.096", 0.111", 0.145" and 0.188". Also contains a four spline 0.069" key wrench. Furnished with an envelope, pouch, roll or wrap.

Federal Strategic Sourcing Initiative, 5120-00-087-6415, SE, \$12.21

Contains (10) Hex Keys Sizes: 4 Flute (0.033", 0.048", 0.069", and 0.076"), 6 Flute (0.048", 0.06", 0.072", 0.096", 0.111" and 0.113"). Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-083-6729, Oxide, Case., SE, \$29.24

Set consists of (13) spline wrenches (12) six spline in sizes: (0.06", 0.072", 0.096", 0.111", 0.145", 0.183", 0.216", 0.251", 0.291", 0.372", 0.454" and 0.595) and a four spline 0.069" key wrench. Furnished with an envelope, pouch, roll or wrap.

Federal Strategic Sourcing Initiative, 5120-00-529-2553, SE, \$97.60

## Hex Key Set (T-Shaped)

This T-handle hex key (Allen) wrench set tightens and loosens fasteners with a hexagonal hole in the screw head. It is made of a tempered steel alloy. B18.3.

Set consists of (10) T-type hex keys in sizes 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8".

Federal Strategic Sourcing Initiative, 5120-00-935-7340, 9" L, Plastic Pouch., SE, \$35.71

Set consists of (8) T-type hex keys in sizes: 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" and 1/4".

Federal Strategic Sourcing Initiative, 5120-01-428-7909, 6" L, Plastic Pouch., SE, \$24.67

# Nut Drivers

## Nut Driver (Conventional)

These 6 point nut drivers have a screwdriver type handle and are perfect for tightening those nuts that require the perfect touch. The exceptionally strong drivers are made of steel and are chrome plated. B107.12.

**Type 1: Conventional length, Class 1: Solid shaft, Style A: Conventional handle (Color Coded).**

Federal Strategic Sourcing Initiative, 5120-00-224-2599, 3/16", Black Handle., EA, \$3.82

Federal Strategic Sourcing Initiative, 5120-00-596-1263, 3/8", Blue Handle., EA, \$7.36

Federal Strategic Sourcing Initiative, 5120-01-366-0377, 3mm, Blue Handle., EA, \$10.29

Federal Strategic Sourcing Initiative, 5120-01-376-5121, 3.5mm, Brown Handle., EA, \$10.29

**Type 1: Conventional length, Class 2: Hollow shaft, Style A: Conventional handle (Color Coded).**

Federal Strategic Sourcing Initiative, 5120-00-241-3188, 1/4", Red Handle., EA, \$3.75

Federal Strategic Sourcing Initiative, 5120-00-224-2596, 5/16", Yellow Handle., EA, \$3.01

Federal Strategic Sourcing Initiative, 5120-00-293-0375, 1/2", Red Handle., EA, \$4.32

Federal Strategic Sourcing Initiative, 5120-00-294-9514, 9/16", Orange Handle., EA, \$10.46

Federal Strategic Sourcing Initiative, 5120-00-277-1801, 7/32", Brown Handle., EA, \$3.88

## Nut Driver (Blade)

Consists of a solid round shaft with a working end at one end and a wing drive shank at the other. Used with Xcelite Series 99 handles. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-056-3940, 9/32", 6 Point, 3-5/8" L., EA, \$3.81

Federal Strategic Sourcing Initiative, 5120-01-161-4540, 4.5mm, 6 Point, 4-9/16" L., EA, \$3.81

## Nut Driver Set

These nut driver sets have a screwdriver type handle and are perfect for tightening those nuts that require the perfect touch. These exceptionally strong hex nut drivers are made of steel and are chrome plated. B107.12.

**Type 1: Conventional length, Class 1: Solid shaft.**

*This set consists of (11) nut drivers in sizes: 4mm - 14mm.*

Federal Strategic Sourcing Initiative, 5120-01-428-5085, Case, Roll or Wrap., SE, \$97.95

*This set consists of (11) nut drivers in sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16" and 5/8".*

Federal Strategic Sourcing Initiative, 5120-01-428-5054, Case, Roll or Wrap., SE, \$108.81

*This heat treated steel set consists of a handle, (9) interchangeable nut driver blades (sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2") and (4) interchangeable single ended screwdriver blades (sizes: 3/16" and 1/4" wide flat tips and Phillips #1 and 2) in a plastic coated canvas wrap.*

Federal Strategic Sourcing Initiative, 5120-00-440-8008, SE, \$62.09

*This (13) piece screwdriver/nut driver set consists of: plastic handle with chuck (1), interchangeable nut driver blades (7) with hexagonal tips in sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32" and 3/8", flat tip screwdriver bits (2) (3/16" and 1/4" W), Phillips screwdriver bits (2) (#1 and #2) and an extension blade (1). Furnished in a plastic case. Handle diameter is 1-1/16", 4-1/8" L.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-165-4098, Blades: 3-5/8" to 4" L, Case., SE, \$64.70

**Type 1: Conventional length, Either Class 1: Solid shaft or Class 2: Hollow shaft, Style B: Cushion grip handle.**

*This set consists of (9) nut drivers in sizes: 3/16", 7/32", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16".*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-542-5799, Case, Roll or Wrap., SE, \$48.15

**Type 2: Stubby length, Style A: Conventional handle (Color Coded).**

*This set consists of 11 piece nut drivers in sizes: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32" and 3/8". Includes torque amplifier handle.*

Federal Strategic Sourcing Initiative, 5120-00-089-3663, Plastic Case., SE, \$33.66

# Offset Screwdrivers

## Offset Screwdriver (Flat Tip)

These offset screwdrivers are made are a one piece construction with a comfortable handle shape for a firm grip. Described by: (Tip Sizes, Length) B107.600.

**Four way offset screwdriver has double 1/4" wide flared flat tips formed on opposite ends of the shank. At one end, one tip is oriented with the shank and one is perpendicular to the shank. At the opposite end, each tip is oriented 45° to the shank.**

Federal Strategic Sourcing Initiative, 5120-00-180-0798, 1/4" W All Ends, 5-1/4" L, 9/16" Offset., EA, \$8.35

**Double offset screwdriver with single flat tips that are oriented 90° to opposite sides of the shank.**

Federal Strategic Sourcing Initiative, 5120-01-118-6275, 1/4" W Both Ends, 4" L, 1" Offset., EA, \$3.54

Federal Strategic Sourcing Initiative, 5120-01-399-9183, 3R098 or equal, 1/4" W Both Ends, 4-3/16" L., EA, \$3.54

Federal Strategic Sourcing Initiative, 5120-00-287-2129, 3/16" W Both Ends, 3" L, 1/2" Offset., EA, \$3.58

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-5232, 3/8" W Both Ends, 6" L, 3/4" Offset., EA, \$7.88

Federal Strategic Sourcing Initiative, 5120-00-287-2130, 1/4" W x 0.04 T Both Ends, 4-1/4" L, 1/2" Offset, Chrome., EA, \$3.49

## Offset Screwdriver Set (Flat Tip)

These offset screwdrivers are made are a one piece construction with a comfortable handle shape for a firm grip. Described by: (Tip Sizes, Length) B107.600.

**Set consists of four offset screwdrivers. Tips are offset 90 deg. from shank.**

**Consists of a single flat tip on each end and a comfortable handle shaped for a firm grip. Tips are 5/32, 1/4, 5/16 and 3/8" wide. Blades are 3, 4-1/2, 5 and 6" long.**

Federal Strategic Sourcing Initiative, 5120-00-596-9591, SE, \$21.98

## Offset Screwdriver (Phillips)

These offset screwdrivers are made are a one piece construction with a comfortable handle shape for a firm grip. Described by: (Tip Sizes, Length) B107.600.

**Double offset screwdriver with Phillips tips that are oriented 90° to opposite sides of the shank.**

Federal Strategic Sourcing Initiative, 5120-01-399-9182, #1 and #2 Ends, 4-3/4" L, Oxide., EA, \$6.60

Federal Strategic Sourcing Initiative, 5120-00-241-3170, #2 and #3 Ends, 5-1/2" L., EA, \$4.70

Federal Strategic Sourcing Initiative, 5120-01-399-9188, #3 and #4 Ends, 6-1/8" L., EA, \$6.48

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-256-9014, #1 and #2 Ends, 4-3/4" L., EA, \$3.63

Federal Strategic Sourcing Initiative, 5120-00-242-3268, P340 or equal, #3 and #4 Ends, 6" L., EA, \$5.75

## Screwdriver (Offset Ratchet)

Reversible steel screwdriver has a right angle, offset style handle. The nonremovable, double sided ratchet has the bits securely mounted perpendicular to the handle.

Federal Strategic Sourcing Initiative, 5120-00-892-5931, 3-3/4" L, Phillips #1 and #2 Tips., EA, \$13.80

Federal Strategic Sourcing Initiative, 5120-00-595-9574, 3-1/2" L. Flat Tips: 1/4" and 3/8", EA, \$9.47

Federal Strategic Sourcing Initiative, 5120-00-595-9573, 3-7/8" L. Prince and Reed: 1/4", Phillips: #2., EA, \$7.96

## Screwdriver Set (Offset Ratchet)

Consists of 17 screwdriver bits with hexagonal drive shanks to fit into an offset ratcheting handle that has 1/4" and 5/16" openings. Maximum length of bits is 1-1/2". The following bits and sizes are provided: flat-tip 1/4" and 3/8" wide; hexagonal drivers 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" and 5/16" wide across flats; Phillips #1 and #2; and square adapter to 1/4" square drive sockets. Provided in a case or pouch.

5120-00-870-6928, 11400 or equal, SE, \$20.29

Reversible steel screwdriver has a right angle, offset style handle. The nonremovable, double sided ratchet has the bits securely mounted perpendicular to the handle.

**A reversible offset ratchet with (4) bits: (2) flat tip 3/16", 1/4" and (2) Phillips (#1 and 2). In a plastic pouch.**

Federal Strategic Sourcing Initiative, 5120-01-014-0875, XL75, SE, \$16.89

## Screwdriver Set

These screwdriver sets are for inserting and removing screws with a Pozidriv, Phillips or flat tip. B107.600

Contains both straight and offset screwdrivers. Includes two offset, one-piece steel screwdrivers with Phillips-type point at both ends on opposite sides of tool and blade lengths of 4-3/4" (point size No. 1 and 2) and 6" (point size No. 3 and 4). Also has four straight, Phillips-type screwdrivers with transparent plastic handles and heat-treated steel blades with blade lengths of 3" (point size No. 1), 4" (point size No. 2), 6" (point size No. 3) and 8" (point size No. 4).

Plastics Removal in Marine Environments

5120-00-580-0334, SE, \$37.29

# Screwdriver Bits and Handles

## Screwdriver Bit (Flat Tip)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5120-01-428-8506, 5/16" W x 0.046" T Tip, 1/4" Hex, 1-1/2" L., EA, \$0.30

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-2057, 3/16" W x 0.034" T Tip, 1/4" Hex, 1-1/2" L., EA, \$0.30

## Screwdriver Bit (Hex)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5120-01-428-8532, 3/32" Hex Tip, 1/4" Hex, 4/5" L., EA, \$0.61

## Screwdriver Bit (Hex Tip)

Hexagonal male power bit with retaining groove. To be used with sockets or bit screwdrivers. Described by: (Hex size, Shank size) A-A-3153.

Federal Strategic Sourcing Initiative, 5120-00-921-0574, 7/64", 1/4" Shank, 1" L., EA, \$0.66

Federal Strategic Sourcing Initiative, 5120-00-640-6733, 1/8", 1/4" Shank, 1" L., EA, \$0.67

Federal Strategic Sourcing Initiative, 5120-00-177-6832, 9/64", 1/4" Shank, 1" L., EA, \$0.66

Federal Strategic Sourcing Initiative, 5120-00-640-6732, 5/32", 1/4" Shank, 1-5/16" L., EA, \$0.67

Federal Strategic Sourcing Initiative, 5120-00-640-6731, 3/16", 1/4" Shank, 1-5/16" L., Oxide., EA, \$0.67

Federal Strategic Sourcing Initiative, 5120-00-640-6730, 7/32", 1/4" Shank, 1-5/16" L., EA, \$0.67

Federal Strategic Sourcing Initiative, 5120-00-640-6729, 1/4", 1/4" Shank, 1-5/16", EA, \$0.65

Consists of a solid round shaft with a working end at one end and a wing drive shank at the other. Used with Xcelite Series 99 handles. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-190-5756, 3/32" Tip, 5" L., EA, \$3.38

Federal Strategic Sourcing Initiative, 5120-00-156-0978, 116-144 or equal, 1/8" Tip, 5" L., EA, \$3.81

Federal Strategic Sourcing Initiative, 5120-00-112-9333, 3/16" Tip, 4" L., EA, \$6.57

Federal Strategic Sourcing Initiative, 5120-01-161-4542, 3-719 or equal., 4mm Tip, 5-3/4" L., EA, \$11.86

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-156-0981, 9/64" Tip, 5" L., EA, \$3.81



## Screwdriver Bit (Phillips)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

- Federal Strategic Sourcing Initiative, 5120-00-596-2893, #2 Phillips Tip, 5/16" Hex, 1-1/4" L., EA, \$0.74
- Federal Strategic Sourcing Initiative, 5120-01-368-2433, 440-22-ACR2X, #2 Phillips Tip (ACR), 1/4" Hex, 2" L., EA, \$0.99
- Federal Strategic Sourcing Initiative, 5120-00-811-8452, #2 Phillips Tip, 1/4" Hex, 1" L., EA, \$0.33
- Federal Strategic Sourcing Initiative, 5120-00-996-2270, #2 Phillips Tip, 1/4" Hex, 2-1/2" L., EA, \$0.50
- Federal Strategic Sourcing Initiative, 5120-01-428-4760, #2 Phillips Tip (ACR), 1/4" Hex, 1" L., EA, \$0.47
- Federal Strategic Sourcing Initiative, 5120-00-250-5576, #3 Phillips Tip, 1/4" Hex, 1" L., EA, \$0.24
- Federal Strategic Sourcing Initiative, 5120-00-595-8198, #4 Phillips Tip, 5/16" Hex, 1-1/4" L., EA, \$0.74

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-595-8197, #2 Phillips Tip, 1/4" Hex, 1" L., EA, \$0.24

These screwdriver bits are designed for use with power tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

- Federal Strategic Sourcing Initiative, 5130-01-368-2436, #2 Phillips ACR Tip, 1/4" Hex, 1-15/16" L., EA, \$0.44
- Federal Strategic Sourcing Initiative, 5120-01-368-2442, 440-2 or equal, #2 Phillips Tip (ACR), 1/4" Hex, 1" L., EA, \$0.33
- Federal Strategic Sourcing Initiative, 5130-00-021-2025, #3 Phillips Tip, 1/4" Hex Shank, 1-15/16" L., EA, \$0.46

## Screwdriver Bit (Spline)

Consists of a solid round shaft with a working end at one end and a wing drive shank at the other. Used with Xcelite Series 99 handles. Described by (Size, Length).

- Federal Strategic Sourcing Initiative, 5120-00-112-9335, 9961 or equal, 0.048" Spline Tip, 6 Spline, 4" L., EA, \$7.96
- Federal Strategic Sourcing Initiative, 5120-00-112-9349, 0.069" Tip, 6 Spline, 4" L., EA, \$3.90
- Federal Strategic Sourcing Initiative, 5120-00-112-9359, 0.076" Tip, 6 Spline, 4" L., EA, \$7.96
- Federal Strategic Sourcing Initiative, 5120-00-112-9371, 0.096" Tip, 6 Spline, 4" L., EA, \$7.96

## Screwdriver Bit (Square)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

- Federal Strategic Sourcing Initiative, 5120-01-563-3612, H8101XX or equal, #1 Square Tip, 1/4" Hex, 1" L., EA, \$0.26

## Screwdriver Bit (Torq Set)

These screwdriver bits are designed for use with power tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

- Federal Strategic Sourcing Initiative, 5130-00-816-1314, #2 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$5.33
- Federal Strategic Sourcing Initiative, 5130-00-798-0828, #4 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$1.58
- Federal Strategic Sourcing Initiative, 5130-00-724-3703, #4 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$4.94
- Federal Strategic Sourcing Initiative, 5130-00-805-3793, #6 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$1.70
- Federal Strategic Sourcing Initiative, 5130-00-674-9211, #6 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$4.94
- Federal Strategic Sourcing Initiative, 5130-00-726-7873, #8 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$2.67
- Federal Strategic Sourcing Initiative, 5130-01-387-0248, #8 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$1.61
- Federal Strategic Sourcing Initiative, 5130-00-674-9212, #8 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$4.94
- Federal Strategic Sourcing Initiative, 5130-00-774-7130, #10 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$1.68
- Federal Strategic Sourcing Initiative, 5130-00-674-9213, #10 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$4.94
- Federal Strategic Sourcing Initiative, 5130-00-063-2738, 7/16" Torq Set Tip, 7/16" Hex Shank, 1-1/4" L., EA, \$4.23

## Screwdriver Bit (Torq Set Tip)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

- Federal Strategic Sourcing Initiative, 5120-01-430-5684, 3/8" Torq Set Tip, 5/16" Hex, 1-1/4" L., EA, \$2.91
- Federal Strategic Sourcing Initiative, 5120-00-888-5829, #4 Torq Set Tip, 1/4" Hex, 1" L., EA, \$1.30

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-226-5606, 1/4" Torq Set Tip, 1/4" Hex, 1" L., EA, \$1.50
- Federal Strategic Sourcing Initiative, 5120-00-888-5826, #8 Torq Set Tip, 1/4" Hex, 1" L., EA, \$1.30
- Federal Strategic Sourcing Initiative, 5120-00-888-5831, #10 Torq Set Tip (ACR), 1/4" Hex, 1" L., EA, \$1.30

## Screwdriver Bit (Torx)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

- Federal Strategic Sourcing Initiative, 5120-01-168-1135, T20 Torx Tip, 1/4" Hex, 1" to 1-3/4" L., EA, \$0.88
- Federal Strategic Sourcing Initiative, 5120-01-521-4531, T20 Torx Tip, 1/4" Hex., EA, \$9.26
- Federal Strategic Sourcing Initiative, 5120-01-428-8608, ZOT20X or equal., T20 Torx Tip, 1/4" Hex, 1" L., EA, \$0.90

## Socket Screwdriver Bit (Ball Hex)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-437-3678, 5mm Ball Hex Tip, 3/8" Drive, 5-1/16" L., EA, \$18.95

## Socket Screwdriver Bit Set (Ball Hex Tip)

Socket with bit set. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle.

**This set consists of (7) long length pieces: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8".**

- Federal Strategic Sourcing Initiative, 5120-01-571-6490, 19751, 3/8" Drive, Ball Hex Replaceable Bits, Rail and Clips., SE, \$105.76

## Socket Screwdriver Bit (Drag Link)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-00-243-7332, 11/16" W x 0.115" T Tip, 3/8" Drive, 1-1/8" L., EA, \$10.25

## Socket Screwdriver Bit (Flat Tip)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-367-3501, 3/8" W x 0.042" T Tip, 1/4" Drive, 2-7/8" L., EA, \$7.84

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-223-6986, 3/4" W x 7/64" T Tip, 1/2" Drive, 1-5/8" L., EA, \$10.39
- Federal Strategic Sourcing Initiative, 5120-00-243-7337, 1/4" W x 0.037" T Tip, 3/8" Drive, 3" L., EA, \$2.78

## Socket Screwdriver Bit (Hex)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-399-9759, 1/16" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$8.14
- Federal Strategic Sourcing Initiative, 5120-01-367-3503, 5/64" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-01-367-3504, 3/32" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-01-367-3505, 7/64" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-01-399-9787, 1/8" Hex Tip, 3/8" Drive, 6-3/32" L., EA, \$8.47
- Federal Strategic Sourcing Initiative, 5120-01-399-9770, J47701/8 or equal., 1/8" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$8.14
- Federal Strategic Sourcing Initiative, 5120-01-367-3506, 1/8" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-00-044-1718, 9/64" Hex Tip, 1/4" Drive, 1-1/2" L., EA, \$3.06
- Federal Strategic Sourcing Initiative, 5120-01-367-3507, 9/64" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-01-367-3455, 9/64" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$2.79
- Federal Strategic Sourcing Initiative, 5120-01-399-9799, J4990-5/32XL, 5/32" Hex Tip, 3/8" Drive, 6-1/8" L., EA, \$8.96
- Federal Strategic Sourcing Initiative, 5120-01-367-3488, 5/32" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-01-399-9979, J4990-5/32 or equal, 5/32" Hex Tip, 3/8" Drive, 2-11/16" L., EA, \$8.36
- Federal Strategic Sourcing Initiative, 5120-01-367-3489, 3/16" Hex Tip, 1/4" Drive, 1-15/16" L., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-01-367-3490, 7/32" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-01-367-3491, 1/4" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.57
- Federal Strategic Sourcing Initiative, 5120-01-399-9978, 3/16" Hex Tip, 3/8" Drive, 2-11/16" L., EA, \$8.75
- Federal Strategic Sourcing Initiative, 5120-01-399-9796, 3/16" Hex Tip, 3/8" Drive, 6-3/32" L., EA, \$9.03
- Federal Strategic Sourcing Initiative, 5120-01-398-7923, 3/16" Hex Tip, 3/8" Drive, 1-15/16" L., EA, \$2.70
- Federal Strategic Sourcing Initiative, 5120-01-367-3457, FA6E or equal, 3/16" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$3.35
- Federal Strategic Sourcing Initiative, 5120-01-399-9981, 7/32" Hex Tip, 3/8" Drive, 2-23/32" L., EA, \$7.95
- Federal Strategic Sourcing Initiative, 5120-01-367-3474, FA7E or equal., 7/32" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$3.29
- Federal Strategic Sourcing Initiative, 5120-00-243-1674, 5/16" Hex Tip, 3/8" Drive, 6-1/8" L., EA, \$3.96
- Federal Strategic Sourcing Initiative, 5120-01-399-9825, 5/16" Hex Tip, 1/2" Drive, 3-1/4" L., EA, \$14.49
- Federal Strategic Sourcing Initiative, 5120-01-399-9982, 5/16" Hex Tip, 3/8" Drive, 2-23/32" L., EA, \$10.23
- Federal Strategic Sourcing Initiative, 5120-01-437-3760, 5/16" Hex Tip, 1/2" Drive, 2-3/8" L., EA, \$2.95
- Federal Strategic Sourcing Initiative, 5120-01-398-7933, 5/16" Hex Tip, 3/8" Drive, 2" L., EA, \$2.70
- Federal Strategic Sourcing Initiative, 5120-01-367-3477, 5/16" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$2.66
- Federal Strategic Sourcing Initiative, 5120-01-367-3478, 3/8" Hex Tip, 3/8" Drive, 2-3/32" L., EA, \$2.95
- Federal Strategic Sourcing Initiative, 5120-01-399-9830, 1/2" Hex Tip, 1/2" Drive, 3-5/8" L., EA, \$16.31
- Federal Strategic Sourcing Initiative, 5120-01-399-9837, J54419-16XL or equal, 9/16" Hex Tip, 1/2" Drive, 7-1/8" L., EA, \$16.92
- Federal Strategic Sourcing Initiative, 5120-01-430-5628, SZ-43 or equal., 9/16" Hex Tip, 1/2" Drive, 2-1/2" L., EA, \$11.71
- Federal Strategic Sourcing Initiative, 5120-01-399-9831, 5/8" Hex Tip, 1/2" Drive, 4" L., EA, \$19.48
- Federal Strategic Sourcing Initiative, 5120-01-399-9972, 2.5mm Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.86
- Federal Strategic Sourcing Initiative, 5120-01-367-3468, 3/4" Hex Tip, 1/2" Drive, 4-1/16" L., EA, \$16.52
- Federal Strategic Sourcing Initiative, 5120-01-399-9974, 3mm Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.76
- Federal Strategic Sourcing Initiative, 5120-01-399-9975, 5mm Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.76
- Federal Strategic Sourcing Initiative, 5120-01-437-3690, 6mm Hex Tip, 1/2" Drive, 2-3/8" L., EA, \$10.79
- Federal Strategic Sourcing Initiative, 5120-01-437-3661, 6mm Hex Tip, 3/8" Drive, 2-5/64" L., EA, \$1.73
- Federal Strategic Sourcing Initiative, 5120-01-079-8032, 8mm Hex Tip, 1/2" Drive, 3-1/4" L., EA, \$13.71
- Federal Strategic Sourcing Initiative, 5120-01-079-8033, SAM14E or equal, 14mm Hex Tip, 1/2" Drive, 3-13/64" L., EA, \$13.99

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-555-2353, 5/32" Hex Tip, 3/8" Drive, 6-1/16" L., EA, \$8.21
- Federal Strategic Sourcing Initiative, 5120-00-935-4612, TMA6E or equal, 3/16" Hex Tip, 1/4" Drive, 1-15/16" L., EA, \$8.14
- Federal Strategic Sourcing Initiative, 5120-00-596-0938, 3/16" Hex Tip, 1/4" Drive, 3/4" L., EA, \$4.25

## Socket Screwdriver Bit Set (Hex Tip)

Socket with bit set. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle.

**This set consists of (7) regular length pieces: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4".**

Federal Strategic Sourcing Initiative, 5120-01-168-1306, 1/2" Drive, Rail and Clips., SE, \$38.77

**This set consists of (7) regular length pieces: 4mm - 10mm.**

Federal Strategic Sourcing Initiative, 5120-01-178-0699, 3/8" Drive, Replaceable Bits, Rail and Clips., SE, \$22.58

**This set consists of (10) regular length pieces: (7) 3/8" Drive for sizes: 4mm - 10mm and (3) 1/2" Drive for sizes: 12mm, 14mm and 17mm.**

Federal Strategic Sourcing Initiative, 5120-01-499-1614, Plastic Case., SE, \$123.70

**This set consists of (10) regular length pieces: (7) 3/8" Drive for sizes: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8", (3) 1/2" Drive for sizes: 1/2", 9/16" and 5/8".**

Federal Strategic Sourcing Initiative, 5120-01-499-3282, J4900A or equal, Plastic Case., SE, \$113.28

**This set consists of (12) regular length pieces: (4) 1/4" drive: 1/16", 5/64", 3/32" and 7/64". (8) 3/8" drive: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8". Replaceable bits.**

Federal Strategic Sourcing Initiative, 5120-01-384-6169, Rail and Clips., SE, \$46.54

**This set consists of (8) regular length pieces in 3/8" Drive for sizes: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8".**

Federal Strategic Sourcing Initiative, 5120-01-195-0640, 3/8" Drive, Rail and Clips., SE, \$25.80

**This set consists of (11) regular length replaceable bit pieces: 4mm - 14mm.**

Federal Strategic Sourcing Initiative, 5120-01-363-1877, 3/8" Drive, Chrome, Rail and Clips., SE, \$212.94

## Socket Screwdriver Bit (Hi-Torque)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-797-2994, #4 Hi-Torque Tip, 1/4" Drive, 1" L., EA, \$6.63

**Two-piece wheel-type assembly (driver and blade) has a square female drive socket. Rotating wheel has tips on opposite sides. Blade (wheel) is firmly assembled to driver.**

Federal Strategic Sourcing Initiative, 5120-00-315-4003, #3 Hi-Torque Tip, 1/4" Drive, 1-23/64" L., EA, \$30.09

## Socket Screwdriver Bit (Phillips)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

Federal Strategic Sourcing Initiative, 5120-01-367-3497, #1 Phillips Tip, 1/4" Drive, 1-7/8" L., EA, \$5.68

Federal Strategic Sourcing Initiative, 5120-01-367-3498, #2 Phillips Tip, 1/4" Drive, 1-7/8" L., EA, \$6.06

Federal Strategic Sourcing Initiative, 5120-01-367-3525, FP22E or equal, #2 Phillips Tip, 3/8" Drive, 2-1/16" L., EA, \$7.19

Federal Strategic Sourcing Initiative, 5120-01-367-3527, FP32E or equal, #3 Phillips Tip, 3/8" Drive, 2-5/16" L., EA, \$16.04

Federal Strategic Sourcing Initiative, 5120-01-367-3529, #4 Phillips Tip, 3/8" Drive, 1-21/32" L., EA, \$10.59

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-879-3547, #2 Phillips Tip, 1/4" Drive, 1-7/8" L., EA, \$4.60

Federal Strategic Sourcing Initiative, 5120-00-293-0318, #2 Phillips Tip, 3/8" Drive, 2" L., EA, \$8.10

## Socket Screwdriver Bit (Torx)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-428-8657, T20 Torx Tip, 1/4" Drive, 1-9/16" L., EA, \$4.43
- Federal Strategic Sourcing Initiative, 5120-01-437-3744, T20 Torx Tip, 1/4" Drive, 1-9/16" L., EA, \$6.31
- Federal Strategic Sourcing Initiative, 5120-01-399-9778, T20 Torx Tip, 3/8" Drive, 1-23/32" L., EA, \$8.15
- Federal Strategic Sourcing Initiative, 5120-01-428-8701, T30 Torx Tip, 1/4" Drive, 1-9/16" L., EA, \$4.05
- Federal Strategic Sourcing Initiative, 5120-01-399-9969, T30 Torx Tip, 1/4" Drive, 1-9/16" L., EA, \$9.27
- Federal Strategic Sourcing Initiative, 5120-01-437-3679, T30 Torx Tip, 3/8" Drive, 1-13/16" L., EA, \$3.11
- Federal Strategic Sourcing Initiative, 5120-01-601-5182, T40 Torx Tip, 3/8" Drive, 2" L., EA, \$4.09

## Screwdriver Bit (Adapter/Holder)

Screwdriver bit holders/extensions are designed for use with hand driven tools. Corrosion resistant. Described by (Drive Size, Female Shank Size, Length).

- Federal Strategic Sourcing Initiative, 5120-00-528-2891, 1/4" Drive, 1/4" Hex, 1" L., EA, \$2.34
- Federal Strategic Sourcing Initiative, 5120-01-380-8975, 3/8" Drive, 1/4" Hex, 2" L, Magnetic., EA, \$4.95
- Federal Strategic Sourcing Initiative, 5120-00-331-5502, 3/8" Drive, 5/16" Hex, 1-1/2" L., EA, \$2.86

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-528-2892, 3/8" Drive, 1/4" Hex, 1-1/4" L., EA, \$3.75

## Screwdriver Bit (Set)

These screwdriver bit sets are designed for use with hand driven tools. The hardened steel bits include a male hexagonal shank and are corrosion resistant.

**Set consists of (6) pieces: (1) 8-3/4" L ratcheting handle with magnetic holder end and bit storage in handle, (2) flat tip bits (3/16" and 9/32"), (2) Phillips bits (#1 and #2) and Torx Bit #15.**

- Federal Strategic Sourcing Initiative, 5120-01-335-1485, SE, \$32.32

**Set consists of (7) pieces. (6) 4" L screwdriver blade bits in sizes: (2) Flat Tip sizes: (5-6 and 10-12), (2) Phillips Tip sizes: (1 and 2), (2) Torx Tip sizes: (T-10 and T-15) and ratcheting handle. Bit Storage in Handle.**

- Federal Strategic Sourcing Initiative, 5120-01-601-5191, SE, \$19.60

**Set consists of (11) pieces. (9) 5" L hex screwdriver blade bits in sizes: (0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" and 3/16"), 5" extension and 4-1/8" L handle in a clear plastic case.**

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-851-4247, SE, \$52.27

**Set consists of (6) pieces: 8-3/4" L +/-1/4" Ratcheting handle with magnetic shaft and (5) bits. (2) Flat tip bits in sizes: (3/16" and 9/32"), (2) Phillips tip bits in sizes: (#1 and #2 ACR) and a Pozidrive bit in size: #2.**

- Federal Strategic Sourcing Initiative, 5120-01-335-1486, SE, \$36.89

**Set consists of (6) pieces: Screwdriver handle, (2) flat tip x Phillips (3/16" x #1, 1/4" x #2), square tip (#1 and #2) and Torx bit (T10 x T15). Reversible shaft acts as 1/4" and 5/16" nut driver.**

- Federal Strategic Sourcing Initiative, 5120-01-504-9546, 7-3/8" L, Comfort Grip, EA, \$20.12

**Set consists of (11) pieces: (9) 1/4" drive Torx set bits: (T-10, T15, T-20, T-25, T-27, T-30, T-40, T-45 and T-50) and (2) bit holders.**

- Federal Strategic Sourcing Initiative, 5120-01-428-5647, Pouch., SE, \$24.56

**Set consists of (3) pieces: (3) Torx (T15 and T25 1/4" Drive, T40 3/8" Drive).**

- Federal Strategic Sourcing Initiative, 5120-01-543-0164, SE, \$35.03

**Set consists of (28) pieces: 8-1/2" L Ratcheting handle with magnetic shaft and bits. (5) reversible Flat tip bits in sizes: (3-4, 4-5, 6-8, 8-1 and 10-12), (4) Phillips tip bits in sizes: (#0, #1, #2 and #3), (5) Hex tip bits in sizes: (5/64", 3/32", 1/8", 5/32" and 3/16"), (6) Torx bits in sizes: (T-10, T-15, T-20, T-25, T-30 and T-40), (2) Clutch bits in sizes: (1/8" and 5/32"), (4) square bits in sizes: (0, 1, 2 and 3), and a bit holder with magnetic retention.**

- Federal Strategic Sourcing Initiative, 5120-01-486-2092, SE, \$61.91

**Set consists of (37) pieces: (5) Flat tip bits in sizes: (3/16", 7/32", 1/4", 5/16" and 5/16"), Phillips tip bit in size: (#2), (10) Hex tip bits in sizes: (1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" and 1/4"), (9) Torx tip bits in sizes: (T-8, T-9, T-10, T-15, T-20, T-25, T-27, T-30 and T-40), (4) Scruolox bits in sizes: (0, 1, 2 and 3), Phillips ACR tip bits in size: (#1, #2 and #3), Pozidriv tip bits in size: (#1, #2 and #3), 1/4" Magnetic holder, 1/4" Magnetic Socket and a 1/4" power hex to square adapter.**

- Federal Strategic Sourcing Initiative, 5120-01-428-8567, SDM400A or equal, Plastic Case., SE, \$79.74

## Screwdriver Bit Socket Blade (Hi-Torque)

Wheel shaped replacement blade is for 2 piece socket adapter assembly (Driver and Blade). For installing and removing screwhead fasteners with hi-shear recesses.

- Federal Strategic Sourcing Initiative, 5120-01-043-8491, Blade Size #2., EA, \$13.82

## Screwdriver Bit Socket Set (Torx Tip)

Socket with bit set. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle.

**This set consists of (10) regular length pieces: (6) 1/4" Drive for sizes: (T10, T15, T20, T25, T27 and T30) and (4) 3/8" Drive for sizes: (T40, T45, T47 and T50).**

- 5120-01-178-6342, 1/4" and 3/8" Drive, Chrome, Rail and Clips., SE, \$17.16

## Torque Screwdriver and Bit Set

This limiting torque wrench set will release at the drive tang with an audible click and feel impulse, followed by an automatic reset with no backlash loosening of the fastener when torque is achieved. B107.14.

**Type 3: Limiting, Class A: Screwdriver grip, Style 1: Graduated, Design B: Internal hex drive.**

*This set contains seven pieces: (1) torque limiting screwdriver, (1) drive adapter and (4) 1-15/16" L changeable bits. 1/4" hex x 1/4" square drive adapter, Phillips #1 and #2 power bit and flat tip #2 and #4 power bit and a plastic case.*

Federal Strategic Sourcing Initiative, 5120-00-832-6224, SE, \$194.96

*This set contains (18) pieces: (1) torque limiting screwdriver 2 to 100 inch-ounce torque range, (3) hex bits in sizes (0.05", 1/16" and 5/64"), (2) hex sockets in sizes: (3/32" and 7/64"), (2) flat-tip screwdriver bits (Blade: 0.08 and 0.1" W), (4) Phillips screwdriver bits: (0, 1, 2 and 3), hex adapter, (2) 12-point sockets (1/8" and 3/16") and miniature bit holder. Furnished case includes instructions and a foam insert for securely holding components.*

5180-01-007-8999, Female 1/4" Drive., KT, \$442.76

## Screwdriver (Handle)

Consists of a solid round shaft with a working end at one end and a wing drive shank at the other. Used with Xcelite Series 99 handles. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-056-3935, 4-1/8" L., EA, \$10.20

## Screw Starter

Start or remove screws with a straight slot across the head. Spring-loaded wedge action grips screw slot internally. Heat-treated steel blade has a flat tip and a plastic or knurled metal handle.

Federal Strategic Sourcing Initiative, 5120-00-832-6221, DE-1 or equal, #2 Phillips and Flat Tip: 0.1" W x 0.025" T, 9" L., EA, \$8.82

Federal Strategic Sourcing Initiative, 5120-01-399-9117, Phillips and Flat Tip, 6-1/4" L., EA, \$12.40

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-243-3296, Tip: 9/32" W, 5-1/8" L., EA, \$5.62

# Jeweler's Screwdrivers

## Jeweler's Screwdriver

These screwdrivers are the perfect tool for jewelers, watchmakers or for tightening those screws on your glasses. The heat treated steel blade has a smooth, bright finish and a corrosion resistant treatment. A-A-3152.

**Type: 1 (Swivel knob, metal handle body, interchangeable blades).**

Federal Strategic Sourcing Initiative, 5120-00-180-0705, 0.025" Tip, Non-Magnetic., EA, \$3.34

Federal Strategic Sourcing Initiative, 5120-00-180-0706, 0.04" Tip., EA, \$3.29

Federal Strategic Sourcing Initiative, 5120-00-180-0727, 0.055" Tip., EA, \$3.21

Federal Strategic Sourcing Initiative, 5120-00-180-0728, 0.07" Tip., EA, \$3.74

Federal Strategic Sourcing Initiative, 5120-00-180-0729, 0.08" Tip., EA, \$3.74

Federal Strategic Sourcing Initiative, 5120-00-180-0730, 0.1" Tip., EA, \$3.21

## Jeweler's Screwdriver Replacement Blade

These replacement bits are for jewelers screwdrivers or for tightening those screws on your glasses. The heat treated steel blade has a smooth, bright finish and a corrosion resistant treatment. A-A-3152.

Federal Strategic Sourcing Initiative, 5120-00-293-2050, 0.04" Tip., EA, \$1.21

Federal Strategic Sourcing Initiative, 5120-00-293-2051, 0.055" Tip., EA, \$1.21

Federal Strategic Sourcing Initiative, 5120-00-293-2052, 0.07" Tip., EA, \$1.21

Federal Strategic Sourcing Initiative, 5120-00-180-0887, 0.08" Tip., EA, \$1.29

Federal Strategic Sourcing Initiative, 5120-00-293-2056, 0.1" Tip., EA, \$1.21

## Jeweler's Screwdriver Set

These screwdriver sets are the perfect tool for jewelers, watchmakers or for tightening the screws on your glasses. The heat treated steel blade has a smooth, bright finish and a corrosion resistant treatment. A-A-3152.

**This set consists of (7) pieces: (4) flat tip screwdrivers in tip widths of: (1.5mm, 2mm, 2.5mm and 3mm), phillips tip screwdrivers in tip widths of: (00, 0 and 1).**

Federal Strategic Sourcing Initiative, 5120-01-430-1433, SE, \$36.35

**This set consists of (7) pieces: (4) blades in tip widths of: 1.5mm, 2mm, 2.5mm and 3mm (3) Phillips size #00, 0 and 1.**

Federal Strategic Sourcing Initiative, 5120-01-474-5107, 5-3/4" L, Plastic Pouch., SE, \$24.50

**This set consists of (6) flat tip screwdrivers in sizes (Described by Blade Length/Tip Width): (5/32" W x 0.025" T, 1/4" W x 0.04" T, 3/8" W x 0.055" T, 7/16" W x 0.07" T, 7/16" W x 0.08" T and 1/2" W x 0.1" T).**

Federal Strategic Sourcing Initiative, 5120-01-135-2993, 58-0114., Knurled Handles., SE, \$9.97

**This set consists of six flat tip screwdrivers in tip widths of: 0.025", 0.04", 0.055", 0.07", 0.08" and 0.1".**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-288-8739, Type 1., SE, \$15.81

# Shovels, Picks, Bars and Rakes

## Combination Tool (MAX-Military)

When assembled into its various configurations, the tool is full size, strong, and reliable. Unassembled, the ax and attachments are remarkably compact. They can be stored easily in disaster preparedness supply caches or on any emergency response vehicle or military vehicle. The system incorporates seven hand tools into one unit. The attachments are quickly locked into a beveled socket on the back of the ax head for use. They are further secured with a hitch pin or thumbscrew and bar for safety. When not in use, they are kept in a sturdy carrying case that has strap handles and pack loops. The entire unit, including the ax, weighs 12 pounds, and fits together for one-handed transportability.

The MAX-Military tool is (7) tools in (1). The Max comes with the following: 3-1/2 lb single bit Hudson Bay style ax with fiberglass handle, ax sheath, shovel attachment, mattock attachment, pick attachment, broad pick attachment, rake-hoe attachment, rake-hoe fastener and safety hitch pins. Includes attachment carrying bag.

5120-01-416-8568, Max-Military 595 or equal., SE, \$143.12

## Combination Tool

When assembled into its various configurations, the tool is full size, strong, and reliable. Unassembled, the ax and attachments are remarkably compact. They can be stored easily in disaster preparedness supply caches or on any emergency response vehicle or military vehicle. The system incorporates seven hand tools into one unit. The attachments are quickly locked into a beveled socket on the back of the ax head for use. They are further secured with a hitch pin or thumbscrew and bar for safety. When not in use, they are kept in a sturdy carrying case that has strap handles and pack loops. The entire unit, including the ax, weighs 12 pounds, and fits together for one-handed transportability.

### Shovel

Federal Strategic Sourcing Initiative, 5120-01-416-8570, 595-040 or equal, 9-1/4" L x 8-1/4" W, EA, \$30.58

### Mattock

Federal Strategic Sourcing Initiative, 5120-01-416-8571, 595-050 or equal, 7" L, 3-5/8" Cutting Blade., EA, \$17.60

### Combination Tool (Broad Pick)

Federal Strategic Sourcing Initiative, 5120-01-416-8572, 595-070 or equal, 6" L x 1" W Cutting Edge., EA, \$16.34

### Pick

Federal Strategic Sourcing Initiative, 5120-01-416-8573, 595-060 or equal, 7" L., EA, \$16.34

### Single Bit Ax

*Single bit, men's (Hudson) pattern ax has a curved hickory handle and flat top face for striking.*

Federal Strategic Sourcing Initiative, 5110-01-416-7827, 595-010 or equal, 3-1/4lbs, 4-1/2" W Cut, 34-3/4" L., EA, \$44.07

### Ax Head Sheath

*Used to carry a 3-1/4 lb. ax head. It is made of cowhide, riveted and oiled. The sheath is designed with a buckle fastener.*

Federal Strategic Sourcing Initiative, 5110-01-416-7830, 595-020 or equal, EA, \$11.00

### Thumb Screw

Federal Strategic Sourcing Initiative, 5120-01-416-8574, 595-090 or equal, Bar Length: 3", EA, \$21.64

### Lock Pin Set

Federal Strategic Sourcing Initiative, 5120-01-416-8575, 595-999 or equal, SE, \$7.79

### Combination Tool (Rake Hoe)

Federal Strategic Sourcing Initiative, 5120-01-416-8577, 595-080 or equal, 6-1/2" Hoe, 3-1/2" Rake., EA, \$19.32

### Accessories Roll

Federal Strategic Sourcing Initiative, 5140-01-416-8569, 595-030 or equal, Olive Drab, 6, 9-3/4" L x 12" W, Cotton or Nylon., EA, \$39.48

## Pick (Digging)

This tool is excellent for loosening soil, digging, grubbing and cutting roots. The hardened, forged carbon steel tool features a rust resistant finish. (Comes without a handle.)

**Pick has a clay point on one end and a chisel blade on the other. Both ends are tapered and sharpened.**

Federal Strategic Sourcing Initiative, 5120-00-928-8696, Head: 9 Lbs., EA, \$49.47

## Pick (Mattock)

This tool is excellent for loosening soil, digging, grubbing and cutting roots. The hardened, forged carbon steel tool features a rust resistant finish. (Comes without a handle.)

**Cutter type mattock has a curved flat surface blade perpendicular to the handle eye on one end of the head and a sharpened blade parallel to the handle eye on the other end.**

Federal Strategic Sourcing Initiative, 5120-00-245-1622, 00120-3 or equal., Head: 5 Lbs, 18-1/2" L., EA, \$26.74

Federal Strategic Sourcing Initiative, 5120-00-243-2395, Head: 5 Lbs, Head: 18-1/2" to 19-1/2" L, EA, \$16.64

## Miniature Pick Set

Scratch awl/pick is useful for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning nooks / crannies.

**Four-piece set with screwdriver type handles (3-1/8" L blade, 5-7/8" L overall): awl, hook tool, 45° bent tip tool, 90° bent tip tool.**

Federal Strategic Sourcing Initiative, 5120-01-334-9862, SE, \$9.79

## Combination Pry and Scraper Bar

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410.

**Has smooth ends with a cutting edge across each end. One end is straight with eye-type nail slot nearby. Opposite end is bent 90° to handle.**

Federal Strategic Sourcing Initiative, 5120-00-797-3399, 13" L x 1-9/16" W x 1/8" T., EA, \$7.92

## Entrenching Tool or E-Tool

These entrenching tools or E-tools are collapsible and used by military forces for a variety of military purposes. Survivalists, freedivers, campers, hikers and other outdoors groups have found it to be indispensable in field use.

**The tool is capable of being used as a shovel when fully extended and as a pick when the shovel blade is locked in positioned at a 90 degree angle. Entrenching tool features: a hinged shovel; D-type hand grip; one serrated cutting blade edge; one axe blade edge and an PBT glass fiber handle. The blade and handle can be locked into opened or closed positions. Folds to 9-1/2" for storage.**

Federal Strategic Sourcing Initiative, 5120-01-476-7556, 30-000075 05942 or equal, Shovel Only, No Pouch., EA, \$45.16

IAW CID A-A-59337.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-878-5932, AbilityOne, 23-1/2" L (Extended)., EA, \$83.07

## Posthole Digger

Digger is designed with two handles and two attached blades hinged together. Seasoned ash or sugar maple handles are four feet long and 1-3/16" in diameter. Has a bore diameter of 5" or more and a bolted hinge. High-grade steel blades are painted to resist corrosion. Minimum overall handle length is 58". Scoop shape is 4-1/2" across and 9" long. Weight: 8-1/2 to 12 lbs.

Federal Strategic Sourcing Initiative, 5120-00-223-8426, EA, \$37.00

## Shovel

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

**Has an open back and a "D" handle. Blade is made of 14 gauge steel and has a round point.**

5120-01-611-8064, AbilityOne, AbilityOne, Blade: 11-3/4" L x 8-3/4" W. 40-1/4" L., EA, \$39.33

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-3336, Blade: 12" L x 9-3/4" W. 26" L Handle., EA, \$15.53

**Has an open back and long handle. Blade is made of 14 gauge steel and has a square point.**

5120-01-611-8054, AbilityOne, AbilityOne, Blade: 11" L x 9-1/2" W. 48" L Handle., EA, \$35.53

Federal Strategic Sourcing Initiative, 5120-00-293-3330, Blade: 12" L x 9-3/4" W. 46" L Handle., EA, \$23.93

**Shovel has a closed back and a long handle. Blade is made of 14 gauge steel and has a round point.**

5120-01-611-8059, AbilityOne, AbilityOne, Blade: 11" L x 8-3/4" W. 59-1/4" L., EA, \$37.95

**Shovel has an open back and a long handle. Blade is made of 14 gauge steel and has a round point.**

Federal Strategic Sourcing Initiative, 5120-00-188-8450, Blade: 12" L x 9" W. 47" L Handle., EA, \$12.57

**Eastern pattern scoop has an open back and "D" handle.**

Federal Strategic Sourcing Initiative, 5120-00-188-8446, Blade: 16-1/4" L x 12-1/2" W., EA, \$43.34

Shovel or scoop coal or remove ashes from a coal stove with this stamped steel hand tool. Blade measures 3-1/2" to 5" W and 6" to 8-1/2" L.

Federal Strategic Sourcing Initiative, 5120-00-293-0450, 18 to 21" L., EA, \$10.20

## Shovel (Snow/Pusher)

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

**Light-weight shovel. Knockdown type shovel has an open back construction and a long, pusher type handle.**

5120-01-611-8072, AbilityOne, AbilityOne, Blade: 12" L x 24-3/8" W. 53-3/4" L., EA, \$34.50

Federal Strategic Sourcing Initiative, 5120-00-288-6529, Blade: 12" L x 24" W. 60" L., EA, \$32.43

## Shovel (Snow)

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

**Medium-weight shovel.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-494-1863, Blade: 14" L x 17" W. 34" L, D-Handle., EA, \$17.05

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. Industrial grade Snow Scoop and Shovel with a 43 inch fiberglass D grip handle and a non-metal head is lightweight and designed for big jobs.

**Light-weight shovel.**

5120-01-611-8069, AbilityOne, ABS Blade: 9" L x 19" W. 52" L, D-Handle., EA, \$35.19

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

## Light-weight shovel.

Federal Strategic Sourcing Initiative, 5120-00-892-5319, Blade: 13" L x 18" W. 36" L, D-Handle., EA, \$27.08

**Has an open back and "D" handle. Blade is made of 12 gauge aluminum and has a square point.**

5120-01-611-8075, AbilityOne, Blade: 14-5/8" L x 8-1/4" W. 29" L Handle., EA, \$41.40

## Sodium Chloride (Salt)

Water conditioning salt is in crystal form and comes in large granules (rock, solar or evaporated). Has a minimum purity level of 97.5 percent.

IAW A-A-694

Federal Strategic Sourcing Initiative, 6810-00-227-0437, Material Safety Data Sheet, NGT-227-0437 or equal, BG(contains 80 LB), \$66.68

## Shovel (Grain)

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

**Has an open back and "D" handle. Square face blade and handle are made of ABS plastic.**

5120-01-611-8078, AbilityOne, Blade: 16" L x 14-1/2" W, 29" L Handle., EA, \$35.19

## Sidewalk Ice Scraper and Chipper

The scraper has a flat 0.09" thick hardened steel blade and a 6-5/8" cutting edge. The scraper has an integral shank and socket for handle mounting. The handle is made of seasoned ash and has a lacquer or varnish coating.

5110-00-329-3299, 55" to 65" L., EA, \$18.34



## Marlin Spike (Wire Rope)

For use in opening and separating strands of wire rope for splicing. This marline spike has an oval, wedge shaped point and a crown or flat head with beveled edges. It has a smooth edged eye near the head that allows for hanging from a lanyard. Made of hardened carbon steel with a smooth, polished finish.

IAW GSA Drawing Number 21-2731.

Plastics Removal in Marine Environments

5120-00-221-2731, 8" L., EA, \$18.99

Federal Strategic Sourcing Initiative, 5120-00-293-1136, 12" L., EA, \$47.01

IAW GSA drawing 5120-00-224-9440.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9440, 16" L., EA, \$63.00

## Marlin Spike

Tool is for separating strands of wire rope for splicing. Enlarged head has a flat, chamfered surface. Eye near head allows for hanging from lanyard. Made of beryllium-copper or aluminum-bronze alloy. CID A-A-2478.

**Nonmagnetic and Nonsparking**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-288-7769, 16" L, 1-1/2" Dia. Head., EA, \$87.78

## Pick Handle

This straight grained handle is made from Grade AA or B hickory and coated with clear lacquer. Use this wooden replacement handle with these various hammers: Sledge, mauls, engineer's and similar heavy duty tools.

Federal Strategic Sourcing Initiative, 5120-00-288-6574, 36" L, # 6 Eye., EA, \$12.77

## Pry Bar (Pinch)

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410.

**Type: 3 Pry Bar, Class: 4 (Pinch): Slightly bent chisel end and a pointed end for alignment applications.**

Federal Strategic Sourcing Initiative, 5120-00-526-6044, 11-3/4" L x 9/16" D., EA, \$11.05

Federal Strategic Sourcing Initiative, 5120-01-486-2075, 18" L x 5/8" D., EA, \$10.80

Federal Strategic Sourcing Initiative, 5120-00-242-6624, 60" L x 1-1/4" D., EA, \$54.84

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-1372, 26" L x 3/4" D., EA, \$20.93

Federal Strategic Sourcing Initiative, 5120-00-240-6040, 47" to 49" L x 1" D., EA, \$33.81

Federal Strategic Sourcing Initiative, 5120-00-224-1390, 60" L x 1-1/4" D., EA, \$54.81

## Pry Bar (Die Setter)

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410.

**Type: 3 Pry Bar, Class: 2 (Die Setter): Bent half loop chisel on one end and a straight chisel end.**

Federal Strategic Sourcing Initiative, 5120-00-965-0879, 13" L x 1-11/16" D, (3) nail slots, Claw ends., EA, \$12.40

## Pry Bar (Rolling Head)

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410.

**Type: 3 Pry Bar, Class: 5 (Rolling Head): Round chisel end that act as a fulcrum to provide leverage and a pointed end for alignment applications.**

Federal Strategic Sourcing Initiative, 5120-01-617-6687, 18" L x 5/8" D., EA, \$11.93

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-1389, 15" to 16" L x 1/2" to 9/16" D., EA, \$16.82

## Pry Bar (Handled)

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410.

**Type: 3 Pry Bar, Class: 3 (Handled): Slightly bent chisel end and a handled grip.**

Federal Strategic Sourcing Initiative, 5120-01-335-1511, 8" L x 1/4" D., EA, \$4.91

Federal Strategic Sourcing Initiative, 5120-01-473-9686, 17" L x 3/8" D, Oxide., EA, \$10.19

## Wrecking Bar

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410.

**Type II: Nonstruck Nail Puller Bar, Class 2: Ripping/Wrecking.**

Federal Strategic Sourcing Initiative, 5120-00-293-0665, 3/4" Dia Hex, 30" L., EA, \$10.54

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-1393, 3/4" Dia Hex, 24" L., EA, \$11.86

**Type II: Nonstruck Nail Puller Bar, Class 2: Ripping/Wrecking. Made of beryllium copper or aluminum bronze alloy.**

Federal Strategic Sourcing Initiative, 5120-00-180-0872, 36" L x 7/8" D. Non-magnetic and Non-sparking., EA, \$201.52

This wrecking bar is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning. Made of a copper alloy and is non-sparking and non-magnetic.

Federal Strategic Sourcing Initiative, 5120-00-180-0871, 24" L x 3/4" W., EA, \$148.49

## Rescue Tool Bar

This one piece construction steel tool, is a combination crowbar, pick, and sledge hammer.

Federal Strategic Sourcing Initiative, 5120-00-009-5044, 30" L., EA, \$141.56

## Lawn Rake

Lawn rake is suitable for raking grass clippings, leaves, twigs and litter from lawns without injury to the grass or roots. This steel tine rake has a flexible head and a handle made of a hardwood, fiberglass or tubular metal. A-A-2846.

**Class B: Semi-radial head, Size 2, Head: 22" to 26" W, Tines: 21 to 26, Handle: 47" L minimum.**

3750-00-903-0720, EA, \$17.38

## Asphalt Rake

A must have tool for laying asphalt! The asphalt lute rake head is designed with a notched-tooth design for raking asphalt, concrete or other coarse materials and a smooth top for floating.

Federal Strategic Sourcing Initiative, 5120-00-224-9238, 76" - 83" L x 16" W, 14 Tines, Fiberglass Handle., EA, \$57.00

# 1/4" Drive Sockets

## Socket (Regular Length)

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

### Type 1: Sockets (6 Point). Class 1: Regular Length.

- Federal Strategic Sourcing Initiative, 5120-01-335-0934, 1/4" Drive, 7/32", Chrome., EA, \$4.46
- Federal Strategic Sourcing Initiative, 5120-01-399-9477, 1/4" Drive, 9/32", Chrome., EA, \$4.62
- Federal Strategic Sourcing Initiative, 5120-01-398-7718, 1/4" Drive, 11/32", Chrome., EA, \$5.03
- Federal Strategic Sourcing Initiative, 5120-00-232-5703, 1/4" Drive, 5/16", Chrome., EA, \$2.18
- Federal Strategic Sourcing Initiative, 5120-01-398-7722, 1/4" Drive, 7/16", Chrome., EA, \$2.29
- Federal Strategic Sourcing Initiative, 5120-01-430-7468, 1/4" Drive, 1/2", Chrome., EA, \$2.36
- Federal Strategic Sourcing Initiative, 5120-01-335-0941, 1/4" Drive, 1/2", Chrome., EA, \$1.54
- Federal Strategic Sourcing Initiative, 5120-01-399-9472, 1/4" Drive, 1/4", Chrome., EA, \$4.62
- Federal Strategic Sourcing Initiative, 5120-01-398-7714, 1/4" Drive, 1/4", Chrome., EA, \$1.52

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-236-2262, 1/4" Drive, 3/16", Chrome., EA, \$1.92
- Federal Strategic Sourcing Initiative, 5120-00-236-2263, 1/4" Drive, 7/32", Chrome., EA, \$1.91
- Federal Strategic Sourcing Initiative, 5120-00-236-2264, 1/4" Drive, 1/4", Chrome., EA, \$1.52
- Federal Strategic Sourcing Initiative, 5120-00-242-3345, 1/4" Drive, 9/32", Chrome., EA, \$1.91

### Type 2: Sockets (4 or 8 Point).

- Federal Strategic Sourcing Initiative, 5120-00-189-7907, 1/4" Drive, 5/16", Chrome, 8 Point., EA, \$7.51

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

### Type I: Sockets, Class 1: Sockets (12 Point), Style A: Standard Length.

- Federal Strategic Sourcing Initiative, 5120-00-277-1982, 1/4" Drive, 7/32", Chrome., EA, \$2.57
- Federal Strategic Sourcing Initiative, 5120-01-398-7730, 1/4" Drive, 1/4", Chrome., EA, \$1.20
- Federal Strategic Sourcing Initiative, 5120-01-399-9489, 1/4" Drive, 3/8", Chrome., EA, \$4.99
- Federal Strategic Sourcing Initiative, 5120-01-397-3154, 1/4" Drive, 3/8", Chrome., EA, \$1.49
- Federal Strategic Sourcing Initiative, 5120-01-335-0929, 1/4" Drive, 7/16", Chrome., EA, \$4.48
- Federal Strategic Sourcing Initiative, 5120-01-397-3064, 1/4" Drive, 7/32", Chrome., EA, \$4.73
- Federal Strategic Sourcing Initiative, 5120-01-397-3058, 1/4" Drive, 3/16", Chrome., EA, \$4.28

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-242-3352, 1/4" Drive, 3/8", Chrome., EA, \$1.11
- Federal Strategic Sourcing Initiative, 5120-00-935-7490, 1/4" Drive, 7/16", Chrome., EA, \$3.41

## Metric Socket (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

### Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

- Federal Strategic Sourcing Initiative, 5120-01-045-4884, 1/4" Drive, 5mm, Chrome., EA, \$1.11
- Federal Strategic Sourcing Initiative, 5120-01-112-0564, 1/4" Drive, 5.5mm, Chrome., EA, \$3.19
- Federal Strategic Sourcing Initiative, 5120-01-045-4885, 1/4" Drive, 6mm, Chrome., EA, \$4.57
- Federal Strategic Sourcing Initiative, 5120-01-617-6226, 1/4" Drive, 7mm, Chrome, Full Polish., EA, \$4.98
- Federal Strategic Sourcing Initiative, 5120-01-599-4558, 1/4" Drive, 8 mm, Chrome., EA, \$4.30
- Federal Strategic Sourcing Initiative, 5120-01-014-1833, 1/4" Drive, 10mm, Chrome., EA, \$1.11
- Federal Strategic Sourcing Initiative, 5120-01-617-6233, 1/4" Drive, 10mm, Chrome., EA, \$1.28
- Federal Strategic Sourcing Initiative, 5120-01-026-4688, 1/4" Drive, 11mm, Chrome., EA, \$5.19
- Federal Strategic Sourcing Initiative, 5120-01-026-4687, 1/4" Drive, 12mm, Chrome., EA, \$5.24
- Federal Strategic Sourcing Initiative, 5120-01-028-8539, 1/4" Drive, 13mm, Chrome., EA, \$5.28

When working in a confined area with limited turning space, you need a metric socket to fix that problem. These are for hand use only, no impact wrenches. (Described by: Size, Drive, Point Style) ASME B107.5M

- Federal Strategic Sourcing Initiative, 5120-01-398-7756, 5mm, 1/4" Drive, 6 Point, Chrome., EA, \$2.28
- Federal Strategic Sourcing Initiative, 5120-01-080-6534, 10mm, 1/4" Drive, 6 Point, Chrome., EA, \$3.40
- Federal Strategic Sourcing Initiative, 5120-01-112-0580, 11mm, 1/4" Drive, 6 Point, Chrome., EA, \$2.08

## Socket (Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

### Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

- Federal Strategic Sourcing Initiative, 5120-00-948-3214, 1/4" Drive, 7/32", Chrome., EA, \$4.85
- Federal Strategic Sourcing Initiative, 5120-01-457-1613, 1/4" Drive, 5/16", Chrome., EA, \$7.24

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-775-6980, 1/4" Drive, 7/16", Chrome., EA, \$5.17

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

### Type 1: Sockets (6 Point). Class 2: Long Length.

- Federal Strategic Sourcing Initiative, 5120-01-399-9495, 1/4" Drive, 7/16", Chrome., EA, \$7.04

## Sockets (Spline)

This high strength, chrome plated, thin wall splined socket is for use on high tensile strength aircraft fasteners. (Described by Spline#, Drive Size, Flutes, Length.) MIL-W-8982/1A.

- Federal Strategic Sourcing Initiative, 5120-01-367-3162, TES8 or equal, # 8 (1/4"), 1/4" Drive, 12 Spline, 1" L., EA, \$27.17

## Socket (Universal Joint)

These high strength, 12 point, thin wall, universal sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Size, Drive Size, Coating) AS954.

- Federal Strategic Sourcing Initiative, 5120-00-082-8528, 7/16", 1/4" Drive, Chrome., EA, \$19.20

## Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

### Style B: Fine Action.

Federal Strategic Sourcing Initiative, 5120-01-355-1859, 1/4" Drive, 4-7/16" L, 72 Tooth, Chrome., EA, \$17.96

Federal Strategic Sourcing Initiative, 5120-01-399-9515, 1/4" Drive, 4-1/2" L, 72 Tooth, Chrome, Knurled Handle., EA, \$9.82

Federal Strategic Sourcing Initiative, 5120-01-398-7690, 1/4" Drive, 5-1/4" L, 36 Tooth, Chrome, Flat Handle, Quick Release., EA, \$8.82

Federal Strategic Sourcing Initiative, 5120-01-617-6547, 1/4" Drive, 5-29/64" L, 60 Tooth, Chrome., EA, \$46.67

Federal Strategic Sourcing Initiative, 5120-01-430-7581, 1/4" Drive, 5-1/2" L, 72 Tooth, Chrome, Knurled Handle., EA, \$33.26

Federal Strategic Sourcing Initiative, 5120-01-437-1622, 1/4" Drive, 6-1/4" L, 36 Tooth, Hinged Head, Chrome., EA, \$44.02

Federal Strategic Sourcing Initiative, 5120-01-335-0766, 1/4" Drive, 6-1/4" L, 72 Tooth, Chrome, Flex Head., EA, \$24.75

Federal Strategic Sourcing Initiative, 5120-01-430-2921, 1/4" Drive, 4-1/2" L, 60 Tooth, Chrome, Knurled., EA, \$9.01

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-221-7957, 1/4" Drive, 4-3/8" L, 72 Tooth, Chrome., EA, \$16.18

## Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-01-335-0695, 1/4" F x 3/8" M Drive, Chrome., EA, \$2.35

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9219, 1/4" F x 3/8" M Drive, Chrome., EA, \$3.56

## Socket Wrench Handle (Spin-Type)

This chrome plated screwdriver type socket wrench works perfectly for driving nuts. The round steel shank is secured in a plastic handle and has a square drive tang, with a spring loaded steel ball, to hold sockets and attachments securely. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-00-242-3256, 4-5/8" - 6" L, 1/4" Drive., EA, \$3.34

Federal Strategic Sourcing Initiative, 5120-01-335-0748, 6" L, 1/4" Drive, 1/4" F Drive Top of Handle., EA, \$4.20

## Socket Wrench Kit

When working in a confined area with limited turning space, you need a socket set to fix that problem. This set comes in a well constructed sheet metal or impact resistant plastic box. These are for hand use only, no impact wrenches. B107.1 and B107.10M.

This set contains (64) pieces: (The following conform to B107.1) Regular length (1/4" Drive, 6 point) sockets (11): 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2". Long length (1/4" Drive, 6 point) sockets (9): 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2". Regular length (1/4" Drive, 8 point) sockets (3): 1/4", 5/16" and 3/8". Mid length (1/4" Drive, 6 point) sockets (6): 1/4", 5/16", 3/8", 7/16", 1/2" and 9/16". (The following conform to B107.10M) Hinged handle (1), reversible ratchet (1), brace type speeder handle (1), spin type socket wrench (1), T-sliding (1), universal joint (1), extensions bar attachment solid (4): (2", 4", 6" and 14" L), flexible extension bar (1) (6" L), ratchet adapter (1), (End B107.10M), socket head set and cap screw (9): (5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" and 1/4"), clutch type screwdriver bits (3): (5/32", 11/64" and 15/64"), carburetor type screwdriver bits (2), drag link socket screwdriver bit (1) (F), Phillips screwdriver bits (3): (#1 size (2" L blade) (1), #2 size (2" L and 3" L blade) (2)), flat tip screwdriver bits (3) (Described by Blade Length/Tip Width/End Thickness): (3" L x 3/16" W x 0.032" T (1), 3" L x 1/4" W x 0.032" T (1), 3" L x 3/8" W x 0.042" T (1)), spin type screwdriver handle (1), screwdriver ratchet spinner (1), flexible screwdriver spinner handle (1) and a tool box (1).

Federal Strategic Sourcing Initiative, 5120-00-087-1022, KT, \$340.20

## Socket Extension (Flexible Shank)

This chrome-plated, extension bar is designed for use with hand tools, no impacts. It includes a flexible shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. This extension is not designed for torque tightening and breaking loose nuts or bolts. B107.10.

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-1532, 1/4" Drive, 6" L, Chrome., EA, \$8.71

## Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-1070, 1/4" Drive, 2" L, Chrome, Knurled., EA, \$2.27

Federal Strategic Sourcing Initiative, 5120-01-398-7692, 1/4" Drive, 1-1/2" L, Chrome., EA, \$2.95

Federal Strategic Sourcing Initiative, 5120-01-358-2757, 1/4" Drive, 6" L, Chrome., EA, \$2.55

Federal Strategic Sourcing Initiative, 5120-01-398-7693, 1/4" Drive, 6" L, Chrome., EA, \$2.55

Federal Strategic Sourcing Initiative, 5120-01-599-4613, 1/4" Drive, 6" L, Chrome, Locking., EA, \$19.71

Federal Strategic Sourcing Initiative, 5120-01-399-9528, 1/4" Drive, 14" L, Chrome., EA, \$8.73

Federal Strategic Sourcing Initiative, 5120-01-335-1074, 1/4" Drive, 14" L, Chrome, Knurled., EA, \$14.70

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-8105, 1/4" Drive, 2" L, Chrome., EA, \$2.27

## Socket Extension Set (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

This extension set consists of (6) extensions: 1-1/4", 2", 4", 6", 8" and 11" L.

Federal Strategic Sourcing Initiative, 5120-01-429-3518, 1/4" Drive, Chrome, Plastic Tray., SE, \$68.44

## Socket Set (Standard, Regular Length)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (10) chrome regular length sockets in sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16".

Federal Strategic Sourcing Initiative, 5120-01-429-3524, 1/4" Drive, 6 Point, Chrome, Rail and Clips., SE, \$23.49

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style A: Standard Length.

*This socket set consists of (10) sockets in sizes: 3/16", 7/16", 9/16", 1/2", 9/32", 3/8", 7/32", 5/16", 1/4" and 11/32".*

Federal Strategic Sourcing Initiative, 5120-01-429-3521, 1/4" Drive, Chrome, Rail and Clips., SE, \$11.61

## Socket Set (Standard, Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

*This socket set consists of (10) sockets in sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16".*

Federal Strategic Sourcing Initiative, 5120-01-429-3622, 1/4" Drive, Chrome, Rail and Clips., SE, \$72.69

*This socket set consists of (10) sockets in sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16".*

Federal Strategic Sourcing Initiative, 5120-01-430-4456, 1/4" Drive, Chrome, Rail and Clips., SE, \$72.78

## Socket Set (Standard, Mixed)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (13) pieces: (4) regular length 6 point sockets in sizes: (3/16" to 9/32") and (5) regular length 12 point sockets in sizes: (5/16" to 1/2"), reversible ratchet, spin type handle, universal joint and solid extension (2").

Plastics Removal in Marine Environments

5120-00-081-2305, 1/4" Drive, Metal or Plastic Box., SE, \$34.42

This socket set consists of (14) pieces. (10) regular length sockets in sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16"), ratchet wrench (reversible), universal joint and (2) knurled extensions (2" and 4").

Federal Strategic Sourcing Initiative, 5120-01-429-3542, 1/4" Drive, 6 Point, Chrome, Plastic Tray or Box., SE, \$140.88

This socket set consists of (13) chrome pieces. (9) regular length sockets in sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2"), ratchet wrench (reversible), speeder bracer and (2) extensions (1-1/2" and 6").

Federal Strategic Sourcing Initiative, 5120-01-430-7637, 1/4" Drive, 6 Point, Chrome, Metal Box., SE, \$35.99

This socket set consists of (25) pieces. (10) regular length sockets and (10) long length sockets in sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16"), reversible ratchet, speeder, universal joint and (2) extensions (2" and 6" L).

Federal Strategic Sourcing Initiative, 5120-01-430-4485, 1/4" Drive, Chrome, Plastic Case., SE, \$199.04

## Socket Set (Metric)

When working in a confined area with limited turning space, you need a metric socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.5M

This hand socket set consists of (14) pieces: (7) regular length sockets in sizes: 6mm - 12mm, (2) extensions (2" and 6"), flex handle, sliding T-handle, spinner handle, ratchet wrench and universal joint.

Federal Strategic Sourcing Initiative, 5120-01-067-5011, 1/4" Drive, 6 Point., SE, \$52.22

## Socket Set (Metric and Standard)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Metric and Standard sockets. ASME B107.1 and B107.5M

This socket set consists of (44) chrome pieces. (10) regular length sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16"), (10) long length sockets: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16"), (10) regular length sockets: 5.5mm, 6mm - 14mm), (10) long length sockets: 5.5mm, 6mm - 14mm), ratchet wrench (reversible), universal joint and (2) extensions (2" and 6").

Federal Strategic Sourcing Initiative, 5120-01-429-3581, 1/4" Drive, 6 Point, Chrome, Plastic Case., SE, \$76.92

## Socket Screwdriver Bit (Hex)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

Federal Strategic Sourcing Initiative, 5120-01-399-9769, 7/64" Hex Tip, 1/4" Drive, 1-15/16" L., EA, \$7.33

## Speeder Handle (Brace)

This steel speeder brace handle has a round shank and comfortable handgrip. The male square drive tang has a spring-loaded steel ball to hold onto sockets and attachments. It also has a single revolving handgrip that rotates freely at the butt end of the handle. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-0758, 1/4" Drive, 16" L, Chrome., EA, \$18.11

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-1418, 1/4" Drive, 15" - 16-1/2" L, Chrome., EA, \$17.10

Federal Strategic Sourcing Initiative, 5120-00-243-1686, 1/4" Drive, Chrome., EA, \$3.24

# 3/8" Drive Sockets

## Socket (Regular Length)

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

### Type I: Sockets (6 Point), Class 1: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-431-2720, 3/8" Drive, 1/2", Chrome., EA, \$2.42

Federal Strategic Sourcing Initiative, 5120-01-431-2588, 3/8" Drive, 9/16", Chrome., EA, \$1.52

Federal Strategic Sourcing Initiative, 5120-01-431-2596, 3/8" Drive, 5/8", Chrome., EA, \$2.42

Federal Strategic Sourcing Initiative, 5120-01-399-9569, 3/8" Drive, 11/16", Chrome., EA, \$5.75

Federal Strategic Sourcing Initiative, 5120-01-431-2600, 3/8" Drive, 3/4", Chrome., EA, \$8.53

Federal Strategic Sourcing Initiative, 5120-01-431-2591, 3/8" Drive, 13/16", Chrome., EA, \$8.53

Federal Strategic Sourcing Initiative, 5120-01-431-2614, 3/8" Drive, 15/16", Chrome., EA, \$9.57

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

### Type I: Sockets, Class 1: Sockets (12 Point), Style A: Standard Length.

Federal Strategic Sourcing Initiative, 5120-01-399-9529, 3/8" Drive, 1/4", Chrome., EA, \$5.09

Federal Strategic Sourcing Initiative, 5120-01-399-9531, 3/8" Drive, 5/16", Chrome., EA, \$5.18

Federal Strategic Sourcing Initiative, 5120-00-232-5711, 3/8" Drive, 5/16", Chrome., EA, \$5.18

Federal Strategic Sourcing Initiative, 5120-01-350-1004, 3/8" Drive, 11/32", Chrome., EA, \$4.81

Federal Strategic Sourcing Initiative, 5120-01-350-1005, 3/8" Drive, 3/8", Chrome., EA, \$1.73

Federal Strategic Sourcing Initiative, 5120-01-397-3176, 3/8" Drive, 7/16", Chrome., EA, \$5.77

Federal Strategic Sourcing Initiative, 5120-01-397-3177, 3/8" Drive, 1/2", Chrome., EA, \$5.81

Federal Strategic Sourcing Initiative, 5120-00-935-7416, 3/8" Drive, 3/4", Chrome., EA, \$2.29

Federal Strategic Sourcing Initiative, 5120-01-350-0992, 3/8" Drive, 3/4", Chrome., EA, \$1.91

Federal Strategic Sourcing Initiative, 5120-00-935-7411, 3/8" Drive, 7/16", Chrome., EA, \$5.58

Federal Strategic Sourcing Initiative, 5120-01-350-1006, 3/8" Drive, 7/16", Chrome., EA, \$2.40

Federal Strategic Sourcing Initiative, 5120-01-350-1007, 3/8" Drive, 1/2", Chrome., EA, \$2.40

Federal Strategic Sourcing Initiative, 5120-01-350-0990, 3/8" Drive, 5/8", Chrome., EA, \$2.40

Federal Strategic Sourcing Initiative, 5120-01-350-0993, 3/8" Drive, 13/16", Chrome., EA, \$2.10

Federal Strategic Sourcing Initiative, 5120-01-428-4597, 3/8" Drive, 15/16", Chrome., EA, \$7.68

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-288-8155, 3/8" Drive, 1/4", Chrome., EA, \$1.49

Federal Strategic Sourcing Initiative, 5120-00-227-6702, 3/8" Drive, 3/8", Chrome., EA, \$1.73

Federal Strategic Sourcing Initiative, 5120-00-232-5706, 3/8" Drive, 11/16", Chrome., EA, \$5.15

Federal Strategic Sourcing Initiative, 5120-00-242-3330, 3/8" Drive, 7/8", Chrome., EA, \$1.41

Federal Strategic Sourcing Initiative, 5120-00-227-6703, 3/8" Drive, 7/16", Chrome., EA, \$1.31

Federal Strategic Sourcing Initiative, 5120-00-237-0977, 3/8" Drive, 1/2", Chrome., EA, \$2.40

Federal Strategic Sourcing Initiative, 5120-00-227-6704, 3/8" Drive, 9/16", Chrome., EA, \$2.33

Federal Strategic Sourcing Initiative, 5120-00-237-4973, 3/8" Drive, 5/8", Chrome., EA, \$2.40

## Universal Joint

This steel universal joint features a square female and male drive tang that are the same size and allows you to swivel your sockets into tight spaces. Not for use with an impact wrench. AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-1048, 1/4" Drive, Chrome., EA, \$3.24

## Metric Socket (Regular Length)

When working in a confined area with limited turning space, you need a metric socket to fix that problem. These are for hand use only, no impact wrenches. (Described by: Size, Drive, Point Style) ASME B107.5M

Federal Strategic Sourcing Initiative, 5120-01-398-7702, 8mm, 3/8" Drive, 6 Point, Chrome., EA, \$2.17

Federal Strategic Sourcing Initiative, 5120-01-348-9118, 15mm, 3/8" Drive, 6 Point, Chrome., EA, \$2.90

Federal Strategic Sourcing Initiative, 5120-01-116-6034, 19mm, 3/8" Drive, 6 Point, Chrome., EA, \$3.19

Federal Strategic Sourcing Initiative, 5120-01-430-7717, 18mm, 3/8" Drive, 6 Point, Chrome., EA, \$3.24

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

### Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-399-9989, 3/8" Drive, 6mm, Chrome., EA, \$4.87

Federal Strategic Sourcing Initiative, 5120-01-024-6151, 3/8" Drive, 9mm, Chrome., EA, \$2.80

Federal Strategic Sourcing Initiative, 5120-01-024-6150, 3/8" Drive, 10mm, Chrome., EA, \$1.50

Federal Strategic Sourcing Initiative, 5120-01-024-6149, 3/8" Drive, 11mm, Chrome., EA, \$4.68

Federal Strategic Sourcing Initiative, 5120-01-024-6147, 3/8" Drive, 13mm, Chrome., EA, \$2.65

Federal Strategic Sourcing Initiative, 5120-01-430-7778, 3/8" Drive, 14mm, Chrome., EA, \$3.11

Federal Strategic Sourcing Initiative, 5120-01-024-6146, 3/8" Drive, 14mm, Chrome., EA, \$5.11

Federal Strategic Sourcing Initiative, 5120-01-024-6145, 3/8" Drive, 15mm, Chrome., EA, \$6.53

Federal Strategic Sourcing Initiative, 5120-01-398-7852, 3/8" Drive, 19mm, Chrome., EA, \$2.02

## Socket (Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

### Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

Federal Strategic Sourcing Initiative, 5120-01-399-9565, 3/8" Drive, 1/4", Chrome., EA, \$5.72

Federal Strategic Sourcing Initiative, 5120-01-335-0905, 3/8" Drive, 7/16", Chrome, 2-1/8" L., EA, \$3.26

Federal Strategic Sourcing Initiative, 5120-00-935-7440, 3/8" Drive, 1/2", Chrome., EA, \$3.34

Federal Strategic Sourcing Initiative, 5120-00-935-7441, 3/8" Drive, 9/16", Chrome., EA, \$4.09

Federal Strategic Sourcing Initiative, 5120-01-397-3183, 3/8" Drive, 9/16", Chrome., EA, \$7.94

Federal Strategic Sourcing Initiative, 5120-01-397-3186, 3/8" Drive, 3/4", Chrome., EA, \$8.34

Federal Strategic Sourcing Initiative, 5120-01-428-4627, 3/8" Drive, 1", Chrome., EA, \$14.33

Federal Strategic Sourcing Initiative, 5120-01-335-0904, 3/8" Drive, 3/8", Chrome, 2-1/8" L., EA, \$7.59

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-1464, 3/8" Drive, 7/16", Chrome., EA, \$3.62

Federal Strategic Sourcing Initiative, 5120-00-239-0018, 3/8" Drive, 5/8", Chrome., EA, \$4.19

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

**Type I: Sockets (6 Point), Class 2: Long Length.**

Federal Strategic Sourcing Initiative, 5120-01-430-7670, 3/8" Drive, 7/16", Chrome., EA, \$7.11

Federal Strategic Sourcing Initiative, 5120-01-400-0253, 3/8" Drive, 5/8", Chrome., EA, \$7.87

Federal Strategic Sourcing Initiative, 5120-01-400-0255, 3/8" Drive, 11/16", Chrome., EA, \$8.66

## Metric Socket (Long Length)

When working in a confined area with limited turning space, you need a metric socket to fix that problem. These are for hand use only, no impact wrenches. (Described by: Size, Drive, Point Style) ASME B107.5M

Federal Strategic Sourcing Initiative, 5120-01-348-9189, 10mm, 3/8" Drive, 6 Point, Chrome., EA, \$2.42

Federal Strategic Sourcing Initiative, 5120-01-348-9190, 11mm, 3/8" Drive, 6 Point, Chrome., EA, \$2.41

Federal Strategic Sourcing Initiative, 5120-01-400-0279, 18mm, 3/8" Drive, 6 Point, Chrome., EA, \$8.28

Federal Strategic Sourcing Initiative, 5120-01-113-6280, 19mm, 3/8" Drive, 6 Point, Chrome., EA, \$4.37

Federal Strategic Sourcing Initiative, 5120-01-112-0546, 22mm, 3/8" Drive, 6 Point, Chrome., EA, \$5.28

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

**Type I: Metric Sockets, Class 1: Metric Sockets, Style C: Long Length.**

Federal Strategic Sourcing Initiative, 5120-01-399-9607, 3/8" Drive, 15mm, Chrome., EA, \$7.69

Federal Strategic Sourcing Initiative, 5120-01-399-9606, 3/8" Drive, 17mm, Chrome., EA, \$4.41

## Socket (Regular Length, Spark Plug)

When working in a confined engine area with limited turning space, you need a spark plug socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) B107.34

**Type I: Sockets, (6-point), Class 1: Regular Length**

Federal Strategic Sourcing Initiative, 5120-01-431-2718, 3/8" Drive, 5/8", Chrome., EA, \$12.59

## Sockets (Spline)

This high strength, chrome plated, thin wall splined socket is for use on high tensile strength aircraft fasteners. (Described by Spline#, Drive Size, Flutes, Length.) MIL-W-8982/1A.

Federal Strategic Sourcing Initiative, 5120-01-065-3236, #12 (3/8"), 3/8" Drive, 12 Spline., EA, \$42.85

## Socket (Universal Joint)

These high strength, 12 point, thin wall, universal sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Size, Drive Size, Coating) AS954.

Federal Strategic Sourcing Initiative, 5120-00-242-3355, 1/2", 3/8" Drive, Chrome., EA, \$21.99

Federal Strategic Sourcing Initiative, 5120-00-142-5156, 9/16", 3/8" Drive, Chrome., EA, \$22.94

## Socket Extension (Flexible Shank)

This chrome-plated, extension bar is designed for use with hand tools, no impacts. It includes a flexible shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. This extension is not designed for torque tightening and breaking loose nuts or bolts. B107.10.

Federal Strategic Sourcing Initiative, 5120-00-022-9797, 3/8" Drive, 8" L, Chrome., EA, \$14.59

## Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-601-5172, 11-934 or equal, 3/8" Drive, 3" L, Chrome, Locking., EA, \$15.95

Federal Strategic Sourcing Initiative, 5120-01-651-0754, 3/8" Drive, 4-1/2" L, Locking, Chrome., EA, \$37.46

Federal Strategic Sourcing Initiative, 5120-01-601-5170, 3/8" Drive, 6" L, Chrome, Locking., EA, \$12.54

Federal Strategic Sourcing Initiative, 5120-01-398-7673, 3/8" Drive, 6" L, Chrome, Knurled., EA, \$3.57

Federal Strategic Sourcing Initiative, 5120-01-651-0753, 3/8" Drive, 7-1/2" L, Chrome, Locking., EA, \$42.16

Federal Strategic Sourcing Initiative, 5120-01-335-1060, 3/8" Drive, 8" L, Chrome, Knurled., EA, \$4.00

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-243-1689, 3/8" Drive, 3" L, Chrome., EA, \$1.77

Federal Strategic Sourcing Initiative, 5120-00-227-8107, 3/8" Drive, 6" L, Chrome., EA, \$3.57

Federal Strategic Sourcing Initiative, 5120-00-243-1693, 3/8" Drive, 9" L, Chrome., EA, \$5.98

Federal Strategic Sourcing Initiative, 5120-00-243-1691, 3/8" Drive, 12" L, Chrome., EA, \$4.20

## Socket Wrench (Breaker Bar)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-601-5171, 3/8" Drive, 8-1/2" L, Chrome., EA, \$14.22

Federal Strategic Sourcing Initiative, 5120-01-355-1864, 3/8" Drive, 9-9/16" L, Chrome., EA, \$10.41

Federal Strategic Sourcing Initiative, 5120-01-430-3079, 3/8" Drive, 10" L, Chrome, Knurled., EA, \$9.55

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-5396, 3/8" Drive, 7" - 10" L, Chrome., EA, \$8.43

## Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

### Style A: Coarse Action.

Federal Strategic Sourcing Initiative, 5120-01-486-2297, 5249 or equal, 3/8" Drive, 7" L, 24 Tooth, Chrome., EA, \$17.38

### Style B: Fine Action.

Federal Strategic Sourcing Initiative, 5120-01-335-0721, 3/8" Drive, 4-3/16" L, 80 Tooth, Chrome., EA, \$22.93

Federal Strategic Sourcing Initiative, 5120-01-474-5182, F80 or equal., 3/8" Drive, 7-7/16" L, 80 Tooth, Chrome., EA, \$15.86

Federal Strategic Sourcing Initiative, 5120-01-335-0719, 3/8" Drive, 7-7/16" L, 80 Tooth, Chrome, Quick Release., EA, \$25.97

Federal Strategic Sourcing Initiative, 5120-01-355-1868, 3/8" Drive, 7-1/2" L, 100 Tooth, Chrome., EA, \$49.42

Federal Strategic Sourcing Initiative, 5120-01-366-0626, 3/8" Drive, 7-1/2" L, 36 Tooth, Chrome., EA, \$34.25

Federal Strategic Sourcing Initiative, 5120-01-398-7641, 3/8" Drive, 7-1/2" L, 36 Tooth, Chrome, Flat Handle, Quick Release., EA, \$18.57

Federal Strategic Sourcing Initiative, 5120-01-430-3106, 3/8" Drive, 7-1/2" L, 40 Tooth, Chrome, Knurled Handle., EA, \$55.93

Federal Strategic Sourcing Initiative, 5120-01-575-6750, 3/8" Drive, 8" L, 60 Tooth, Chrome., EA, \$19.63

Federal Strategic Sourcing Initiative, 5120-01-619-4322, J5249XL, 3/8" Drive, 8-1/2" L, 45 Tooth, Chrome, Knurled., EA, \$39.51

Federal Strategic Sourcing Initiative, 5120-01-378-5002, 3/8" Drive, 9-9/16" L, 80 Tooth, Chrome., EA, \$23.38

Federal Strategic Sourcing Initiative, 5120-01-474-5185, 3/8" Drive, 10-5/16" L, 80 Tooth, Chrome., EA, \$17.59

Federal Strategic Sourcing Initiative, 5120-01-335-0717, 3/8" Drive, 11-1/2" L, 80 Tooth, Chrome, Flex Head., EA, \$39.40

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-5364, 3/8" Drive, 5-3/4" L, Chrome., EA, \$23.59

## Socket Wrench (Ratchet Adapter)

A chrome plated steel ratchet adapter that converts a standard wrench handle to a ratchet handle. Has a square male drive tang at one end and a square female drive socket at the other end. Also has a reversible mechanism. The male drive tang has a spring loaded steel ball to hold a mating socket or attachment. B107.10.

Federal Strategic Sourcing Initiative, 5120-00-227-8129, 3/8" Drive; Reversible, EA, \$43.11

Federal Strategic Sourcing Initiative, 5120-01-335-1082, 3/8" Drive., EA, \$39.88

## Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-00-116-9360, GAX5 or equal, 1/2" F x 3/8" M Drive, 5" L, Oxide., EA, \$12.93

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-8703, 3/8" F x 1/2" M Drive, Chrome., EA, \$3.78

Federal Strategic Sourcing Initiative, 5120-00-227-8095, 3/8" F x 1/4" M Drive, Chrome., EA, \$4.71

## Socket Set

Chromium plated hand socket set consists of (29) components and is used for adjusting tube fittings, stuffing gland nuts and electric cable terminals. Set consists of (5) ratcheting crowfoot open end socket wrench heads, (20) eight point open detachable standard wall socket attachments, (2) universal joint attachments with 3/8" and 1/2" drives and hinged handles with 3/8" and 1/2" drives. Furnished in a metal box.

### Plastics Removal in Marine Environments

5120-00-293-0013, SE, \$1,918.59

## Socket Set (Standard, Regular Length)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

**This socket set consists of (13) regular length sockets in sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1".**

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-935-7313, 3/8" Drive, 6 Point, Chrome, Rail and Clips., SE, \$76.16

## Socket Set (Standard, Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

### Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

**This socket set consists of (11) sockets in sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8".**

Federal Strategic Sourcing Initiative, 5120-01-429-3597, 3/8" Drive, Chrome, Rail and Clips., SE, \$33.10

## Socket Set (Standard, Mixed)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

**This socket set consists of (23) pieces: (6) long length sockets in sizes: (1/2", 9/16", 5/8", 11/16", 3/4" and 13/16"), (9) regular length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"), (2) universal joint sockets (1/2" and 9/16"), (2) breaker bars (8" and 8-1/2"), reversible ratchet, brace type speeder and (2) solid extensions (6" and 11" L).**

### Plastics Removal in Marine Environments

5120-00-322-6231, 3/8" Drive, Chrome, Metal or Plastic Box., SE, \$110.40



When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (54) pieces. (7) 6 point, 3/8" drive, regular length sockets in sizes: (5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 11/16"), (5) 8 point, 3/8" drive, regular length sockets in sizes: (1/4", 5/16", 3/8", 7/16" and 1/2"), (9) 12 point, 3/8" drive, regular length sockets and (9) 12 point, 3/8" drive, long length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"), (7) 12 point universal joint sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"), (3) hex bits (3/16", 7/32" and 1/4"), (3) phillips bits (#2, #3 and #4), flat tip bit, (3) solid extension bars (3", 8" and 12" L), hinged (breaker bar), sliding T-handle, speeder brace, reversible ratchet, ratchet adaptor and universal joint. All in a steel chest.

Federal Strategic Sourcing Initiative, 5120-01-242-1514, 3/8" Drive., SE, \$607.18

This socket set consists of (22) pieces. (9) regular length sockets: and (9) long length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"), ratchet wrench (reversible), universal joint and (2) extensions (2" and 6").

Federal Strategic Sourcing Initiative, 5120-01-430-4510, 3/8" Drive, 6 Point, Chrome, Metal Box., SE, \$212.13

This socket set consists of (22) chrome pieces. (7) regular length sockets and (7) long length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"), ratchet wrench (reversible), breaker bar, (2) spark plug sockets (13/16" and 5/8"), universal joint and (3) extensions (3", 4" and 8").

Federal Strategic Sourcing Initiative, 5120-01-429-3652, 3/8" Drive, 6 Point, Chrome, Plastic Box., SE, \$360.34

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

This socket set consists of (22) pieces: (9) long length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"), (9) regular length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"), (1) universal joint, reversible ratchet, and (2) solid extensions (3" and 6" L).

Federal Strategic Sourcing Initiative, 5120-01-430-4478, 3/8" Drive, Chrome, Metal Box., SE, \$211.52

## Socket Set (Metric)

When working in a confined area with limited turning space, you need a metric socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.5M

This hand socket set consists of (22) chrome pieces. (7) regular length sockets in sizes: (10mm, 12mm - 15mm, 17mm and 19mm), (7) long length sockets in sizes: (10mm, 11mm, 13mm - 15mm, 17mm and 19mm), breaker bar, reversible ratchet, universal joint, (3) extensions (3", 4" and 8" L) and (2) spark plug sockets (13/16" and 5/8").

Federal Strategic Sourcing Initiative, 5120-01-429-3642, 3/8" Drive, 6 Point, Chrome, Plastic Box., SE, \$99.18

## Metric Socket Set (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class I: Metric Sockets, Style A: Regular Length.

*This hand socket set consists of (12) sockets in sizes: 8mm - 19mm.*

Federal Strategic Sourcing Initiative, 5120-01-429-3585, 3/8" Drive, Chrome, Rail and Clips., SE, \$15.96

## Impact Socket Set (Manual)

Set has a manual impact driver type handle. The drive rotates when the handle is struck. Has a square male drive. Steel with industrial black oxide or phosphate coating.

Set consists of (36) components: Hex Bits: (7/32", 3/16", 5/16", 3/8", 1/4"), Phillips Bits, (2) Standard Length: (#2 and #3), (1) long length (#4), (3) Flat Tip Bits Short Length: (3/8", 1/4" and 5/16"), (2) Clutch Socket Drivers (3/8" and 5/16"), (5) Hex Socket Drivers (1/4", 7/32", 3/8", 5/16" and 3/16"), Pozidriv #2, (3) Flat Tip sockets: (1/4", 5/16" and 3/8"), (3) Phillips Socket Driver, Standard Length: (#2, #3, #4) (1) Long Length: #4, Drag Link Socket: 11/16" W blade, Impact Sockets, Shallow 6-Point: (1/2", 3/4", 11/16", 7/16", 9/16", 3/8" and 5/8"), Phillips Bit Socket Driver: #4 and an Impact Driver.

5120-00-724-2145, 3/8" Drive, 6 Point, Plastic or Metal Case., SE, \$134.76

## Socket Set (Universal Joint)

These high strength, 12 point, thin wall, universal sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Size, Drive Size, Coating) AS954.

This socket set consists of (8) universal joint sockets in sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-935-7309, 3/8" Drive, Chrome, Metal or Plastic Box., SE, \$54.49

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (7) universal joint sockets in sizes: 3/8", 7/16", 1/2", 9/16" 5/8", 11/16" and 3/4".

Federal Strategic Sourcing Initiative, 5120-01-430-4481, 3/8" Drive, 6 Point, Chrome, Rail and Clips., SE, \$165.44

## Socket Extension Set (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

This extension set consists of (6) pieces. Universal joint, (3) extensions (1-1/2", 3" and 6" L) and (2) size adaptors (3/8" F x 1/4" M and 3/8" F x 1/2" M).

Federal Strategic Sourcing Initiative, 5120-01-429-3564, 3/8" Drive., SE, \$24.72

## Impact Driver (Manual)

Set has a manual impact driver type handle. The drive rotates when the handle is struck. Has a square male drive. Steel with industrial black oxide or phosphate coating.

Federal Strategic Sourcing Initiative, 5120-01-378-5508, 3/8" Drive., EA, \$20.04

## Socket Rail and Clips

These clips are replacement clips to hold sockets onto socket rail tracks.

Federal Strategic Sourcing Initiative, 5140-01-351-5113, J2573 or equal., 3/8" Drive Clips, 17" L Rail, 16 Clips., EA, \$2.95

## Speeder Handle (Brace)

This steel speeder brace handle has a round shank and comfortable handgrip. The male square drive tang has a spring-loaded steel ball to hold onto sockets and attachments. It also has a single revolving handgrip that rotates freely at the butt end of the handle. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-2033, 3/8" Drive, 16" L, Chrome, Knurled., EA, \$13.00

Federal Strategic Sourcing Initiative, 5120-01-355-1865, 3/8" Drive, 17-27/32" L, Chrome., EA, \$13.00

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-237-4969, 3/8" Drive, 14" - 17-1/2" L, Chrome., EA, \$13.00

# 1/2" Drive Sockets

## Socket (Regular Length)

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive size, Size, Coating) ASME B107.1.

**Type I: Sockets (6 Point). Class 1: Regular Length.**

Federal Strategic Sourcing Initiative, 5120-01-428-4810, 1/2" Drive, 3/8", Chrome., EA, \$6.39

Federal Strategic Sourcing Initiative, 5120-01-399-9624, 1/2" Drive, 7/16", Chrome., EA, \$6.15

Federal Strategic Sourcing Initiative, 5120-01-398-7937, 1/2" Drive, 1/2", Chrome., EA, \$1.84

Federal Strategic Sourcing Initiative, 5120-01-398-7943, 1/2" Drive, 9/16", Chrome., EA, \$4.76

Federal Strategic Sourcing Initiative, 5120-01-399-9628, 1/2" Drive, 5/8", Chrome., EA, \$6.84

Federal Strategic Sourcing Initiative, 5120-01-399-9627, 1/2" Drive, 3/4", Chrome., EA, \$7.54

Federal Strategic Sourcing Initiative, 5120-01-399-9631, 1/2" Drive, 13/16", Chrome., EA, \$8.25

Federal Strategic Sourcing Initiative, 5120-01-398-7894, 1/2" Drive, 15/16", Chrome., EA, \$5.22

Federal Strategic Sourcing Initiative, 5120-01-428-4817, 1/2" Drive, 1", Chrome., EA, \$8.93

Federal Strategic Sourcing Initiative, 5120-01-428-4825, 1/2" Drive, 1-1/8", Chrome., EA, \$11.86

Federal Strategic Sourcing Initiative, 5120-01-428-4724, 1/2" Drive, 1-3/16", Chrome., EA, \$13.31

## Torque Adaptor

This torque adapter has a wrenching end on one end and a square female drive on the other. Made of chrome plated, high strength steel, thin wall construction. The perfect torque tool to get into those tight spaces. Described by (Size, Drive Size).

Federal Strategic Sourcing Initiative, 5120-01-429-7333, 3/8" Box End, 3/8" Drive, 12 Point., EA, \$15.70

Federal Strategic Sourcing Initiative, 5120-01-429-7330, 7/16" Box End, 3/8" Drive, 12 Point., EA, \$15.26

## Universal Joint

This steel universal joint features a square female and male drive tang that are the same size and allows you to swivel your sockets into tight spaces. Not for use with an impact wrench. AS4283.

Federal Strategic Sourcing Initiative, 5120-01-358-2754, 3/8" Drive, Chrome., EA, \$5.72

Federal Strategic Sourcing Initiative, 5120-01-335-1044, 3/8" Drive, Chrome., EA, \$5.63

Federal Strategic Sourcing Initiative, 5120-01-399-9617, 3/8" Drive, Chrome., EA, \$16.53

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9215, 3/8" Drive, Chrome., EA, \$4.63

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

**Type I: Sockets, Class 1: Sockets (12 Point), Style A: Standard Length.**

Federal Strategic Sourcing Initiative, 5120-01-578-3615, 1/2" Drive, 5/8", Chrome., EA, \$5.54

Federal Strategic Sourcing Initiative, 5120-01-335-0800, SW241 or equal, 1/2" Drive, 3/4", Chrome., EA, \$7.23

Federal Strategic Sourcing Initiative, 5120-01-428-4781, 1/2" Drive, 1-3/16", Chrome., EA, \$13.94

Federal Strategic Sourcing Initiative, 5120-01-428-4768, 1/2" Drive, 1-5/16", Chrome., EA, \$24.58

Federal Strategic Sourcing Initiative, 5120-01-428-4706, 1/2" Drive, 1-3/8", Chrome., EA, \$18.85

Federal Strategic Sourcing Initiative, 5120-01-428-4786, 1/2" Drive, 1-7/16", Chrome., EA, \$20.20

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-189-7924, 1/2" Drive, 7/16", Chrome., EA, \$4.51

Federal Strategic Sourcing Initiative, 5120-00-237-0984, 1/2" Drive, 1/2", Chrome., EA, \$1.87

Federal Strategic Sourcing Initiative, 5120-00-189-7932, 1/2" Drive, 9/16", Chrome., EA, \$1.96

Federal Strategic Sourcing Initiative, 5120-00-935-7420, 1/2" Drive, 9/16", Chrome., EA, \$4.65

Federal Strategic Sourcing Initiative, 5120-00-189-7946, 1/2" Drive, 5/8", Chrome., EA, \$2.70

Federal Strategic Sourcing Initiative, 5120-00-235-5870, 1/2" Drive, 11/16", Chrome., EA, \$3.37

Federal Strategic Sourcing Initiative, 5120-00-189-7985, 1/2" Drive, 3/4", Chrome., EA, \$3.19

Federal Strategic Sourcing Initiative, 5120-00-189-7934, 1/2" Drive, 7/8", Chrome., EA, \$2.67

Federal Strategic Sourcing Initiative, 5120-00-189-7935, 1/2" Drive, 15/16", Chrome., EA, \$5.95

Federal Strategic Sourcing Initiative, 5120-00-189-7927, 1/2" Drive, 1", Chrome., EA, \$3.99

Federal Strategic Sourcing Initiative, 5120-00-189-7914, 1/2" Drive, 1-1/8", Chrome., EA, \$11.05

Federal Strategic Sourcing Initiative, 5120-00-189-7917, 1/2" Drive, 1-1/4", Chrome., EA, \$5.95

Federal Strategic Sourcing Initiative, 5120-00-277-1465, 1/2" Drive, 1-1/2", Chrome., EA, \$9.36

## Socket (Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

### Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

Federal Strategic Sourcing Initiative, 5120-01-428-4941, 1/2" Drive, 1/2", Chrome., EA, \$11.67  
 Federal Strategic Sourcing Initiative, 5120-01-399-9766, 1/2" Drive, 9/16", Chrome., EA, \$5.91  
 Federal Strategic Sourcing Initiative, 5120-01-428-4916, 1/2" Drive, 5/8", Chrome., EA, \$11.91  
 Federal Strategic Sourcing Initiative, 5120-01-428-4948, 1/2" Drive, 3/4", Chrome, Full Polish., EA, \$10.05  
 Federal Strategic Sourcing Initiative, 5120-00-935-7451, 1/2" Drive, 7/8", Chrome., EA, \$6.04  
 Federal Strategic Sourcing Initiative, 5120-01-428-4693, 1/2" Drive, 7/8", Chrome, Full Polish., EA, \$11.80  
 Federal Strategic Sourcing Initiative, 5120-01-620-6784, 1/2" Drive, 15/16", 3-1/4" L, Chrome., EA, \$13.02  
 Federal Strategic Sourcing Initiative, 5120-01-335-0820, 1/2" Drive, 1-1/8", Chrome., EA, \$27.72  
 Federal Strategic Sourcing Initiative, 5120-01-335-0823, 1/2" Drive, 1-5/16", Chrome., EA, \$23.73  
 Federal Strategic Sourcing Initiative, 5120-01-428-4688, 1/2" Drive, 1-3/8", Chrome., EA, \$28.22  
 Federal Strategic Sourcing Initiative, 5120-01-428-4686, 1/2" Drive, 1-7/16", Chrome., EA, \$27.99  
 Federal Strategic Sourcing Initiative, 5120-01-428-4711, 1/2" Drive, 1-1/2", Chrome., EA, \$31.55

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3349, 1/2" Drive, 3/4", Chrome., EA, \$2.93  
 Federal Strategic Sourcing Initiative, 5120-00-243-7343, 1/2" Drive, 15/16", Chrome., EA, \$4.85

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

### Type 1: Sockets (6 Point), Class 2: Long Length.

Federal Strategic Sourcing Initiative, 5120-01-428-4740, 1/2" Drive, 9/16", Chrome., EA, \$10.95  
 Federal Strategic Sourcing Initiative, 5120-01-428-4744, 1/2" Drive, 5/8", Chrome., EA, \$10.76  
 Federal Strategic Sourcing Initiative, 5120-01-428-4841, 1/2" Drive, 1-1/8", Chrome., EA, \$17.20  
 Federal Strategic Sourcing Initiative, 5120-01-428-4830, 1/2" Drive, 1-1/4", Chrome., EA, \$20.00

## Metric Socket (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

### Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-00-287-4151, 1/2" Drive, 12mm, Chrome., EA, \$2.81  
 Federal Strategic Sourcing Initiative, 5120-00-263-4137, 1/2" Drive, 13mm, Chrome., EA, \$6.40  
 Federal Strategic Sourcing Initiative, 5120-01-548-9076, 1/2" Drive, 15mm, Chrome., EA, \$2.67  
 Federal Strategic Sourcing Initiative, 5120-00-263-4148, 1/2" Drive, 16mm, Chrome., EA, \$7.86  
 Federal Strategic Sourcing Initiative, 5120-01-398-7944, 1/2" Drive, 17mm, Chrome., EA, \$3.11  
 Federal Strategic Sourcing Initiative, 5120-01-399-9636, 1/2" Drive, 17mm, Chrome., EA, \$6.95  
 Federal Strategic Sourcing Initiative, 5120-00-287-4153, 1/2" Drive, 24mm, Chrome., EA, \$7.10  
 Federal Strategic Sourcing Initiative, 5120-01-580-7878, 1/2" Drive, 13mm, Chrome., EA, \$6.40  
 Federal Strategic Sourcing Initiative, 5120-00-263-4136, 1/2" Drive, 14mm, Chrome., EA, \$6.40  
 Federal Strategic Sourcing Initiative, 5120-00-263-4149, 1/2" Drive, 15mm, Chrome., EA, \$6.38  
 Federal Strategic Sourcing Initiative, 5120-01-580-7868, 1/2" Drive, 22mm, Chrome., EA, \$7.65

When working in a confined area with limited turning space, you need a metric socket to fix that problem. These are for hand use only, no impact wrenches. (Described by: Size, Drive, Point Style) ASME B107.5M

Federal Strategic Sourcing Initiative, 5120-01-349-1042, 10mm, 1/2" Drive, 6 Point, Chrome., EA, \$2.96  
 Federal Strategic Sourcing Initiative, 5120-01-398-8033, 13mm, 1/2" Drive, 6 Point, Chrome., EA, \$3.14  
 Federal Strategic Sourcing Initiative, 5120-01-348-9033, 14mm, 1/2" Drive, 6 Point, Chrome., EA, \$2.52  
 Federal Strategic Sourcing Initiative, 5120-01-348-9034, 15mm, 1/2" Drive, 6 Point, Chrome., EA, \$2.46  
 Federal Strategic Sourcing Initiative, 5120-01-348-9035, 16mm, 1/2" Drive, 6 Point, Chrome., EA, \$2.46  
 Federal Strategic Sourcing Initiative, 5120-01-348-9037, 18mm, 1/2" Drive, 6 Point, Chrome., EA, \$3.94  
 Federal Strategic Sourcing Initiative, 5120-01-112-8322, 18mm, 1/2" Drive, 6 Point, Chrome., EA, \$4.03  
 Federal Strategic Sourcing Initiative, 5120-01-398-7919, 19mm, 1/2" Drive, 6 Point, Chrome., EA, \$4.24  
 Federal Strategic Sourcing Initiative, 5120-01-367-3205, 27mm, 1/2" Drive, 6 Point, Chrome., EA, \$5.92

## Metric Socket (Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

### Type I: Metric Sockets, Class 1: Metric Sockets, Style C: Long Length.

Federal Strategic Sourcing Initiative, 5120-01-112-0576, 1/2" Drive, 10mm, Chrome., EA, \$18.83  
 Federal Strategic Sourcing Initiative, 5120-01-399-9645, 1/2" Drive, 15mm, Chrome., EA, \$11.53  
 Federal Strategic Sourcing Initiative, 5120-01-112-0572, 1/2" Drive, 24mm, Chrome., EA, \$13.46

## Sockets (Spline)

This high strength, chrome plated, thin wall splined socket is for use on high tensile strength aircraft fasteners. (Described by Spline#, Drive Size, Flutes, Length.) MIL-W-8982/1A.

Federal Strategic Sourcing Initiative, 5120-01-066-7516, # 16 (1/2"), 1/2" Drive, 12 Spline, 1-9/32" L., EA, \$42.01

Federal Strategic Sourcing Initiative, 5120-01-023-4212, M8982/1-20-4-R, # 20 (5/8"), 1/2" Drive, 12 Spline, 1-1/2" L., EA, \$41.14

## Impact Socket (Regular Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need an impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives and are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-01-400-0074, 9/16", 1/2" Drive, 12 Point., EA, \$7.68  
 Federal Strategic Sourcing Initiative, 5130-00-227-6696, 1", 1/2" Drive, 6 Point., EA, \$10.39  
 Federal Strategic Sourcing Initiative, 5130-00-203-6447, 1-1/16", 1/2" Drive, 6 Point., EA, \$7.43

## Impact Socket (Regular Thin Wall)

When working on a stubborn nut or a bolt in an area with limited turning space, you need an impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives and are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-00-221-8006, 1/2", 1/2" Drive, 6 Point., EA, \$4.34  
 Federal Strategic Sourcing Initiative, 5130-00-221-8010, 3/4", 1/2" Drive, 6 Point., EA, \$5.44

## Impact Socket (Long Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need an impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives and are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-00-714-0600, 15/16", 1/2" Drive, 6 Point., EA, \$7.67

## Impact Socket (Metric)

When working on a stubborn nut or a bolt in an area with limited turning space, you need an impact socket to fix that problem. These heavy duty metric sockets are intended for use with impact tools. All have square drives and are made of hardened steel with a black oxide or phosphate coating. ASME B107.33

Federal Strategic Sourcing Initiative, 5130-01-045-8552, 13mm, 1/2" Drive, 6 Point., EA, \$3.86  
 Federal Strategic Sourcing Initiative, 5130-01-112-0552, 17mm, 1/2" Drive, 6 Point., EA, \$7.04  
 Federal Strategic Sourcing Initiative, 5130-01-348-9316, 19mm, 1/2" Drive, 6 Point., EA, \$3.04

## Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

- Federal Strategic Sourcing Initiative, 5120-01-601-5175, 1/2" Drive, 3" L, Locking, Chrome., EA, \$13.56
- Federal Strategic Sourcing Initiative, 5120-01-601-5174, 1/2" Drive, 5" L, Locking, Chrome., EA, \$23.55
- Federal Strategic Sourcing Initiative, 5120-01-430-3094, 1/2" Drive, 5" L, Chrome, Knurled., EA, \$4.70
- Federal Strategic Sourcing Initiative, 5120-01-335-1050, SXX5 or equal., 1/2" Drive, 5" L, Chrome., EA, \$4.70
- Federal Strategic Sourcing Initiative, 5120-01-474-4801, 1/2" Drive, 11" L, Chrome, Knurled., EA, \$6.63
- Federal Strategic Sourcing Initiative, 5120-00-278-6643, 1/2" Drive, 36" L, Chrome., EA, \$151.65

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-243-7326, 1/2" Drive, 5" L, Chrome., EA, \$3.09
- Federal Strategic Sourcing Initiative, 5120-00-227-8074, 1/2" Drive, 10" L, Chrome., EA, \$3.74
- Federal Strategic Sourcing Initiative, 5120-00-240-8705, 1/2" Drive, 20" L, Chrome., EA, \$30.22

## Socket Wrench (Breaker Bar)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

- Federal Strategic Sourcing Initiative, 5120-01-430-3064, 1/2" Drive, 15" L, Chrome, Knurled., EA, \$38.50
- Federal Strategic Sourcing Initiative, 5120-00-221-7958, 1/2" Drive, 9" - 13-1/2" L, Chrome., EA, \$11.29
- Federal Strategic Sourcing Initiative, 5120-00-236-7590, 1/2" Drive, 14-1/2" - 19" L, Chrome., EA, \$11.91
- Federal Strategic Sourcing Initiative, 5120-01-335-0713, 1/2" Drive, 15" L, Chrome., EA, \$16.79
- Federal Strategic Sourcing Initiative, 5120-01-345-9540, AL4006199., 1/2" Drive, 17" L, Chrome., EA, \$47.95
- Federal Strategic Sourcing Initiative, 5120-01-335-0714, 1/2" Drive, 18" L, Chrome., EA, \$13.50
- Federal Strategic Sourcing Initiative, 5120-01-437-1841, 1/2" Drive, 24" L, Chrome., EA, \$37.86

## Socket Wrench (Head Only, Reversible Ratchet)

This socket wrench has NO handle. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. B107.10.

- Federal Strategic Sourcing Initiative, 5120-01-600-2748, 1/2" Drive, Chrome., EA, \$50.84

## Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

### Style A: Coarse Action.

- Federal Strategic Sourcing Initiative, 5120-01-400-0229, 1/2" Drive, 10" L, 24 Tooth, Chrome, Knurled., EA, \$47.27

### Style B: Fine Action.

- Federal Strategic Sourcing Initiative, 5120-01-355-1901, 1/2" Drive, 10-5/16" L, 80 Tooth, Chrome., EA, \$39.45
- Federal Strategic Sourcing Initiative, 5120-01-572-0856, 1/2" Drive, 10-5/16" L, 80 Tooth, Chrome., EA, \$71.60
- Federal Strategic Sourcing Initiative, 5120-01-601-5184, 1/2" Drive, 10-1/2" L, 60 Tooth, Chrome., EA, \$92.65
- Federal Strategic Sourcing Initiative, 5120-01-400-0231, 1/2" Drive, 16" L, 38 Tooth, Chrome, Knurled Handle., EA, \$35.71
- Federal Strategic Sourcing Initiative, 5120-01-430-3066, 1/2" Drive, 10-1/4" L, 72 Tooth, Chrome, Knurled Handle., EA, \$19.05

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-230-6385, 1/2" Drive, 9-1/2" L, 45 Tooth, Chrome., EA, \$35.63

## Socket Wrench (Sliding T-Handle)

This sliding T handle is chrome plated and has round shank with a comfortable handgrip. The male square drive tang has a spring loaded steel ball to hold onto sockets and attachments. The round handle rod slides freely to allow smooth operation in tight quarters and each end of the handle has a firmly mounted steel ball that acts as a stop. B107.10.

- Federal Strategic Sourcing Initiative, 5120-00-241-3142, 1/2" Drive, 9" - 13" L., EA, \$8.19

## Socket Wrench Adapter

IAW U.S. Army Tank Automotive Command drawing number 12369293.

- Federal Strategic Sourcing Initiative, 5120-01-312-1263, EA, \$28.02

## Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

- Federal Strategic Sourcing Initiative, 5120-01-378-5897, 1/2" F x 3/4" M Drive, Oxide., EA, \$12.99
- Federal Strategic Sourcing Initiative, 5120-01-335-0701, 3/8" F x 1/2" M Drive, Oxide., EA, \$7.99

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-240-8702, 1/2" F x 3/8" M Drive, Chrome., EA, \$1.99
- Federal Strategic Sourcing Initiative, 5120-00-227-8088, 3/4" F x 1/2" M Drive, Chrome., EA, \$5.28

## Socket Wrench Size Adapter (Impact)

This versatile, black oxide, attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed for use with impact tools. ASME B107.2.

- Federal Strategic Sourcing Initiative, 5130-01-367-3110, 1/2" F x 3/8" M., EA, \$9.63
- Federal Strategic Sourcing Initiative, 5130-01-400-0122, 1/2" F x 3/4" M., EA, \$12.75

## Socket Set (Standard, Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

**Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length**

*This socket set consists of (11) sockets in sizes: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16" and 1-1/8".*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-596-8622, 1/2" Drive, Chrome, Metal or Plastic Box., SE, \$82.19

## Socket Set (Standard, Mixed)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

**This socket set consists of (20) pieces: (13) regular length sockets in sizes: (7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"), (2) breaker bars (9" and 14-1/2"), reversible ratchet, universal joint and (3) solid extensions (2", 5" and 10" L).**

Plastics Removal in Marine Environments

5120-00-081-2307, 1/2" Drive, Chrome, Metal or Plastic Box., SE, \$137.11

## Socket Set (Metric)

When working in a confined area with limited turning space, you need a metric socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.5M

**This hand socket set consists of (17) pieces: (13) regular length sockets in sizes: 12mm - 24mm, (2) extensions (5" and 10" L), breaker bar and ratchet wrench.**

Federal Strategic Sourcing Initiative, 5120-01-429-3671, 1/2" Drive, 6 Point, Plastic Tray., SE, \$245.38

## Metric Socket Set (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

**Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.**

*This hand socket set consists of (23) sockets in sizes: 10mm - 32mm.*

Federal Strategic Sourcing Initiative, 5120-01-429-3681, 1/2" Drive, Chrome., SE, \$211.46

*This hand socket set consists of (10) sockets in sizes: 10mm - 19mm.*

Federal Strategic Sourcing Initiative, 5120-01-429-3555, 1/2" Drive, Chrome, Rail and Clips., SE, \$37.55

## Metric Socket Set (Mixed)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

**This hand socket set consists of (16) pieces. (14) regular length sockets in sizes: 10mm - 23mm, reversible ratchet and extension (5" L).**

Federal Strategic Sourcing Initiative, 5120-01-430-4530, 1/2" Drive, Chrome, Plastic or Metal Box., SE, \$158.34

## Impact Socket Set (Manual)

Set has a manual impact driver type handle. The drive rotates when the handle is struck. Has a square male drive. Steel with industrial black oxide or phosphate coating.

**Set consists of (12) components: manual impact driver (1), hex head drivers (6) in sizes: 5/16", 3/8", 7/16", 1/2", 9/16" and 5/8", flat tip drivers (2) in sizes: (7/16" x 0.05" and 1/2" x 0.075"), Phillips drivers (2) in sizes: (3 and 4) and a drag link driver (1) in size 3/4" x 0.109".**

5120-00-171-3117, PIT3120EB or equal, 1/2" Drive, 6 Point, Plastic or Metal Case., SE, \$151.60

## Impact Socket Set (Metric)

These socket sets are designed for use with power tools. The sockets are made of steel and have an industrial black oxide or phosphate coating. B107.33

**This set consists of (15) long length impact sockets in sizes: 10mm - 24mm.**

Federal Strategic Sourcing Initiative, 5130-01-115-1149, 1/2" Drive, 6 Point, Case., SE, \$47.78

**This set consists of (23) regular length impact sockets in sizes: 10mm - 27mm, 29mm, 30mm, 32mm, 36mm and 46mm.**

Federal Strategic Sourcing Initiative, 5130-01-112-9541, 1/2" Drive, 6 Point, Metal or Plastic Case., SE, \$204.41

## Impact Driver (Manual)

Set has a manual impact driver type handle. The drive rotates when the handle is struck. Has a square male drive. Steel with industrial black oxide or phosphate coating.

Federal Strategic Sourcing Initiative, 5120-01-562-9497, 1/2" Drive., EA, \$820.81

## Socket Clips

These clips are replacement clips to hold sockets onto socket rail tracks.

Federal Strategic Sourcing Initiative, 5140-01-364-9467, 1/2" Drive., EA, \$0.15

## Socket Screwdriver Bit (Hex)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by: (Size, Drive Size, Length).

Federal Strategic Sourcing Initiative, 5120-01-580-9778, 9/16" Hex Tip, 1/2" Drive, 3-3/4" L., EA, \$15.27

Federal Strategic Sourcing Initiative, 5120-01-580-9773, 1/2" Hex Tip, 1/2" Drive, 3-3/4" L., EA, \$7.34

## Speeder Handle (Brace)

This steel speeder brace handle has a round shank and comfortable handgrip. The male square drive tang has a spring-loaded steel ball to hold onto sockets and attachments. It also has a single revolving handgrip that rotates freely at the butt end of the handle. Described by: (Drive size, Length, Coating) AS4283.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-249-1071, 1/2" Drive, 18" L, Chrome., EA, \$34.13

# 3/4" Drive Sockets

## Socket (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

**Type I: Sockets, Class 1: Sockets (12 Point), Style A: Standard Length.**

Federal Strategic Sourcing Initiative, 5120-01-378-8340, 3/4" Drive, 3/4", Chrome., EA, \$14.49

Federal Strategic Sourcing Initiative, 5120-00-181-6813, 3/4" Drive, 15/16", Chrome., EA, \$2.93

Federal Strategic Sourcing Initiative, 5120-01-399-9690, 3/4" Drive, 1-3/16", Chrome., EA, \$18.11

Federal Strategic Sourcing Initiative, 5120-01-348-9690, 3/4" Drive, 1-3/8", Chrome., EA, \$17.78

Federal Strategic Sourcing Initiative, 5120-01-399-9691, 3/4" Drive, 1-3/8", Chrome., EA, \$20.51

Federal Strategic Sourcing Initiative, 5120-00-189-7910, 3/4" Drive, 1-9/16", Chrome., EA, \$11.61

Federal Strategic Sourcing Initiative, 5120-01-378-6699, 3/4" Drive, 1-11/16", Chrome., EA, \$25.03

Federal Strategic Sourcing Initiative, 5120-01-399-9689, 3/4" Drive, 1-11/16", Chrome., EA, \$40.68

Federal Strategic Sourcing Initiative, 5120-01-378-5733, 3/4" Drive, 1-13/16", Chrome., EA, \$15.92

Federal Strategic Sourcing Initiative, 5120-01-378-5398, 3/4" Drive, 2", Chrome., EA, \$21.78

Federal Strategic Sourcing Initiative, 5120-00-199-7771, 3/4" Drive, 2-1/4", Chrome., EA, \$19.64

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-239-0021, 3/4" Drive, 1-1/8", Chrome., EA, \$10.64

Federal Strategic Sourcing Initiative, 5120-00-232-5681, 3/4" Drive, 1-5/16", Chrome., EA, \$5.11

Federal Strategic Sourcing Initiative, 5120-00-293-0094, 3/4" Drive, 1-1/2", Chrome., EA, \$21.91

## Universal Joint

This steel universal joint features a square female and male drive tang that are the same size and allows you to swivel your sockets into tight spaces. Not for use with an impact wrench. AS4283.

Federal Strategic Sourcing Initiative, 5120-01-430-3055, 1/2" Drive, Chrome., EA, \$24.41

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-269-7971, 1/2" Drive, Chrome., EA, \$5.72

## Socket (Long Length)

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

**Type 1: Sockets (6 Point). Class 2: Long Length.**

Federal Strategic Sourcing Initiative, 5120-01-348-9698, 3/4" Drive, 1-1/16", Chrome., EA, \$23.88

Federal Strategic Sourcing Initiative, 5120-01-399-9673, 3/4" Drive, 1-3/8", Chrome., EA, \$34.15

Federal Strategic Sourcing Initiative, 5120-01-399-9678, 3/4" Drive, 1-5/8", Chrome., EA, \$43.10

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

**Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length**

Federal Strategic Sourcing Initiative, 5120-01-428-4671, 3/4" Drive, 13/16", Chrome., EA, \$11.83

Federal Strategic Sourcing Initiative, 5120-01-399-9717, 3/4" Drive, 2-3/8", Chrome., EA, \$66.76

## Metric Socket (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

**Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.**

Federal Strategic Sourcing Initiative, 5120-01-399-9708, 3/4" Drive, 27mm, Chrome., EA, \$16.52

Federal Strategic Sourcing Initiative, 5120-01-348-9691, 3/4" Drive, 36mm, Chrome., EA, \$22.69

Federal Strategic Sourcing Initiative, 5120-01-399-9720, 3/4" Drive, 38mm, Chrome., EA, \$27.41

Federal Strategic Sourcing Initiative, 5120-01-399-9721, 3/4" Drive, 41mm, Chrome., EA, \$29.18

Federal Strategic Sourcing Initiative, 5120-01-169-6186, 3/4" Drive, 55mm, Chrome., EA, \$24.58

## Socket (Budd Wheel)

This socket has wrenching openings on each end with a drive size in the center of the socket. Described by: (Drive Size, Wrenching Openings).

Federal Strategic Sourcing Initiative, 5130-01-389-8450, 3/4" Drive, 13/16" Square x 1-1/2" Hex., EA, \$36.01

## Impact Socket (Regular Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives and are made of hardened steel with a black oxide or phosphate coating. B107.2

- Federal Strategic Sourcing Initiative, 5130-00-227-6676, 13/16", 3/4" Drive, 6 Point., EA, \$10.39
- Federal Strategic Sourcing Initiative, 5130-00-227-6677, 7/8", 3/4" Drive, 6 Point., EA, \$24.50
- Federal Strategic Sourcing Initiative, 5130-00-293-1412, 1-1/16", 3/4" Drive, 6 Point., EA, \$27.36
- Federal Strategic Sourcing Initiative, 5130-00-227-6681, 1-1/8", 3/4" Drive, 6 Point., EA, \$10.37
- Federal Strategic Sourcing Initiative, 5130-00-227-6684, 1-5/16", 3/4" Drive, 6 Point., EA, \$13.12
- Federal Strategic Sourcing Initiative, 5130-00-227-6686, 1-7/16", 3/4" Drive, 6 Point., EA, \$13.50
- Federal Strategic Sourcing Initiative, 5130-00-236-3979, 1-1/2", 3/4" Drive, 6 Point., EA, \$4.47
- Federal Strategic Sourcing Initiative, 5130-00-227-6679, 1", 3/4" Drive, 6 Point., EA, \$7.06
- Federal Strategic Sourcing Initiative, 5130-01-400-0155, 1", 3/4" Drive, 6 Point., EA, \$11.18

## Impact Socket (Long Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives and are made of hardened steel with a black oxide or phosphate coating. B107.2

- Federal Strategic Sourcing Initiative, 5130-01-400-0177, 7/8", 3/4" Drive, 6 Point., EA, \$14.24
- Federal Strategic Sourcing Initiative, 5130-01-400-0182, 1-1/8", 3/4" Drive, 6 Point., EA, \$18.97
- Federal Strategic Sourcing Initiative, 5130-01-299-0016, 1-1/4", 3/4" Drive, 6 Point., EA, \$32.84
- Federal Strategic Sourcing Initiative, 5130-01-355-1890, 1-3/8", 3/4" Drive, 6 Point., EA, \$29.82
- Federal Strategic Sourcing Initiative, 5130-00-541-7839, 1-1/2", 3/4" Drive, 6 Point., EA, \$50.94

## Impact Socket (Metric)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty metric sockets are intended for use with impact tools. All have square drives and are made of hardened steel with a black oxide or phosphate coating. ASME B107.33

- Federal Strategic Sourcing Initiative, 5130-01-113-1558, 24mm, 3/4" Drive, 6 Point., EA, \$13.60
- Federal Strategic Sourcing Initiative, 5130-01-113-1559, 27mm, 3/4" Drive, 6 Point., EA, \$14.40
- Federal Strategic Sourcing Initiative, 5130-01-355-1872, 30mm, 3/4" Drive, 6 Point., EA, \$16.07
- Federal Strategic Sourcing Initiative, 5130-01-400-0196, 07533M, 33mm, 3/4" Drive, 6 Point., EA, \$11.61
- Federal Strategic Sourcing Initiative, 5130-01-355-1874, SIMM332 or equal, 33mm, 3/4" Drive, 6 Point., EA, \$15.66

## Socket Wrench (Breaker Bar)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

- Federal Strategic Sourcing Initiative, 5120-00-221-7959, 3/4" Drive, 17-3/4" - 23" L, Chrome., EA, \$42.02

## Socket Wrench (Breaker Bar, Head Only)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

- Federal Strategic Sourcing Initiative, 5120-01-477-9554, 3/4" Drive, 3-11/16" L, Chrome, (Head Only) 13/16" Handle Hole., EA, \$86.66

## Socket Wrench (Head Only, Reversible Ratchet)

This socket wrench has NO handle. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. B107.10.

- Federal Strategic Sourcing Initiative, 5120-01-335-1318, 3/4" Drive, 32 Tooth, Chrome., EA, \$98.61

## Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

### Style A: Coarse Action.

- Federal Strategic Sourcing Initiative, 5120-01-400-0226, 3/4" Drive, 20" L, 24 Tooth, Chrome, Knurled Handle., EA, \$103.18

### Style B: Fine Action.

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-249-1076, 3/4" Drive, 19-3/4" L, 36 Tooth, Chrome., EA, \$39.59

## Socket Wrench (Sliding T-Handle)

This sliding T handle is chrome plated and has round shank with a comfortable handgrip. The male square drive tang has a spring loaded steel ball to hold onto sockets and attachments. The round handle rod slides freely to allow smooth operation in tight quarters and each end of the handle has a firmly mounted steel ball that acts as a stop. B107.10.

- Federal Strategic Sourcing Initiative, 5120-01-355-1899, 3/4" Drive, Replacement Head Only., EA, \$21.46

- Federal Strategic Sourcing Initiative, 5120-00-709-4072, 3/4" Drive, 17" - 20" L., EA, \$28.65

This black oxide, sliding T handle, has round shank with a comfortable handgrip. The male square drive tang has a spring loaded steel ball to hold onto sockets and attachments. The round handle rod slides freely to allow smooth operation in tight quarters and each end of the handle has a firmly mounted steel ball that acts as a stop. B107.10.

- Federal Strategic Sourcing Initiative, 5120-01-242-7218, 3/4" Drive, 17-1/2" L., EA, \$30.68

- Federal Strategic Sourcing Initiative, 5120-00-099-8544, 3/4" Drive, 18" - 30" L., EA, \$44.26

## Socket Wrench (Ratchet Adapter)

A chrome plated steel ratchet adapter that converts a standard wrench handle to a ratchet handle. Has a square male drive tang at one end and a square female drive socket at the other end. Also has a reversible mechanism. The male drive tang has a spring loaded steel ball to hold a mating socket or attachment. B107.10.

- Federal Strategic Sourcing Initiative, 5120-00-243-7323, 3/4" Drive., EA, \$53.84

## Socket Wrench Size Adapter (Impact)

This versatile, black oxide, attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed for use with impact tools. ASME B107.2.

- Federal Strategic Sourcing Initiative, 5130-01-400-0123, 3/4" F x 1/2" M., EA, \$15.63

- Federal Strategic Sourcing Initiative, 5130-00-684-6964, 1" F x 3/4" M., EA, \$26.95

## Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-01-355-1894, 3/4" F x 1/2" M Drive, Oxide., EA, \$15.58

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-144-5207, 1/2" F x 3/4" M Drive, Chrome., EA, \$10.06

## Socket Extension (Impact)

This black oxide, steel extension bar is designed for use with impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. The female drive end has a through hole for a retaining ring and pin for retention. ASME B107.2

Federal Strategic Sourcing Initiative, 5130-01-400-0129, 3/4" Drive, 13" L., EA, \$33.99

## Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-399-9736, 3/4" Drive, 4" L, Chrome., EA, \$29.32

Federal Strategic Sourcing Initiative, 5120-00-243-7328, 3/4" Drive, 8" L, Chrome., EA, \$10.64

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-8079, 3/4" Drive, 16" L, Chrome., EA, \$21.20

## Socket Set (Standard, Mixed)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

This socket set consists of (35) chrome pieces. (26) regular length sockets in sizes: (3/4", 13/16", 7/8", 15/16", 31/32", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/16", 2-1/8", 2-3/16", 2-1/4" and 2-3/8"), ratchet wrench (reversible, sealed head only), breaker bar (head only), 19-1/4" handle, sliding T handle (head only), ratchet adapter, universal joint and (3) extensions (3", 8" and 16").

Federal Strategic Sourcing Initiative, 5120-01-429-3646, 3/4" Drive, Chrome, Metal Box., SE, \$700.49

## Socket Set (Wheel Bearing Locknut)

For tightening and removing truck wheel bearing locknuts. Has a square female drive. Set contains (19) sockets: 11 hexagonal 6 point sockets with wrench openings of 2-3/32", 2-3/8", 2-9/16", 3", 3-1/4", 3-1/2", 3-7/8", 4", 4-1/8", 4-3/8" and 4-7/8" (8) 8 point sockets with wrench openings of 2-3/8", 2-9/16", 3", 3-1/4", 3-1/2", 3-7/8", 4-3/8" and 4-7/8". Minimum axle hole depth is 2". Made of steel or aluminum with an enamel or oxide finish.

5120-00-169-4586, 3/4" Drive., SE, \$346.13

## Impact Socket Set

These square drive sockets are designed for use with impact power tools. Sockets are made of steel and have an industrial black oxide or phosphate coating. B107.2

This set consists of regular length impact sockets (10) in sizes: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", and 1-5/16".

Federal Strategic Sourcing Initiative, 5130-01-525-4650, 07500-10 or equal, 3/4" Drive, 6 Point., SE, \$156.76

This set consists of (16) items: regular length impact sockets (14) in sizes: 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-7/16" and 1-1/2" and solid extension bars (2): 7" and 13".

5130-00-357-5135, 3/4" Drive, 6 Point, Metal Case., SE, \$226.55

## Handle Bar

Made of chrome plated steel, the round rod has diameter of 3/4". Flattened on one end for 1" to a width greater than 3/4" bar diameter. Flattened end is 17/32" thick. Test load: 300 foot-pounds.

Federal Strategic Sourcing Initiative, 5120-00-243-2419, 30" L., EA, \$14.69

## Universal Joint

This steel universal joint features a square female and male drive tang that are the same size and allows you to swivel your sockets into tight spaces. Not for use with an impact wrench. AS4283.

Federal Strategic Sourcing Initiative, 5120-00-243-1687, 3/4" Drive, Chrome., EA, \$20.73

## Universal Joint (Impact)

This black oxide, steel, universal joint features a square female and male drive tang that are the same size and allows you to swivel your sockets into tight spaces. For use with power-driven impact wrenches. ASME B107.2

Federal Strategic Sourcing Initiative, 5130-01-299-0175, 3/4" Drive., EA, \$56.00



# 1" Drive Sockets

## Socket Wrench (Breaker Bar)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-437-1695, 1" Drive, 32-5/32" L, Chrome, Detachable Head., EA, \$136.86

## Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

**Style A: Coarse Action.**

Federal Strategic Sourcing Initiative, 5120-00-221-7968, 1" Drive, 20" L, 30 Tooth, Chrome., EA, \$199.01

## Socket Wrench Handle

Used on Military transport tractors. Handle length: 30"; Outside diameter: 1"; Drive size: 1-1/8". Has a rectangular-shaped drive end that is 1-3/8" long by 3/4" wide.

Federal Strategic Sourcing Initiative, 5120-01-233-9508, ORR301 or equal, EA, \$14.98

## Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-01-355-1895, 3/4" F x 1" M Drive, Oxide., EA, \$24.48

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-8104, 3/4" F x 1" M Drive, Chrome., EA, \$22.45

## Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-437-1747, 1" Drive, 8" L, Chrome., EA, \$50.68

## Impact Socket (Regular Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives and are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-00-236-2246, 2-9/16", 1" Drive, 6 Point., EA, \$99.90

## Impact Socket Set

These square drive sockets are designed for use with impact power tools. Sockets are made of steel and have an industrial black oxide or phosphate coating. B107.2

**This set consists of (18) items: regular length impact sockets (16) in sizes: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-13/16", 1-7/8" and 2" and solid extension bars (2): 7" and 13".**

5130-00-357-5136, 1" Drive, 6 Point, Case., SE, \$327.75

# Socket Accessories

## Handle

Handle (No Head, replaceable heads). Used with ratchet heads, sliding T-head, and breaker bars. Accepts sealed and non-sealed ratchet heads.

Federal Strategic Sourcing Initiative, 5120-01-378-5361, 19-1/4" L., EA, \$49.71

## Socket Organizer

Socket organizers house your sockets so your sockets are always organized and easily accessible.

Federal Strategic Sourcing Initiative, 5120-01-365-1709, Rail Only, 13" L., EA, \$0.86

Federal Strategic Sourcing Initiative, 5140-01-349-0633, J2575 or equal, 17" L Rail, (16) 1/2" Drive Clips., EA, \$2.95

## Socket Set Case

Case stores sockets in ascending size sequence. 20 gauge sheet steel with a friction type snap fastener and an enamel finish.

**Includes two compartments. Has a handle attached to top center of lid. Has a handle on each end of case. Has a handle attached to top center of lid.**

Federal Strategic Sourcing Initiative, 5140-00-103-9172, 20" L x 6" W x 2-1/2" H, EA, \$40.69

# Taps and Dies

## Tap and Die Set

Hand operated tap set is for right hand cutting of internal coarse (UNC) bolt or screw threads in iron or steel plates. Includes one each taper, plug and bottoming taps. Made of high speed steel. Taps have straight, ground flutes, square headed shanks and cut threads and are chamfered at the threaded end. Thread size shows diameter, threads per inch and series. B94.9.

For use in cutting new threads in steel. Set consists of one each of the following components: The components are in a metal, wood, or plastic compartmentalized case. Thread cutting dies; sizes 3-0.50, 4-0.70, 4-0.75, 5-0.80, 5-0.90 and 6-1.00mm shall be hex or double hex in shape, .0625" or 1" across flats; Thread sizes - 7-1.00, 8-1.00, 8-1.25, 9-1.00, 9-1.25, 10-1.25, 10-1.50, 11-1.50, 12-1.50, 12-1.75mm and a 1/8-28 BSP shall be hex or double hex in shape, 1.000" across flats; Thread sizes - 14-1.25, 14-1.50, 14-2.00, 16-1.50, 16-2.00, 18-1.50 and 18-2.50 shall be adjustable round dies, 1.500" outside diameter. Thread sizes 20-2.50, 22-1.50, 24-2.00 and 24-3.00mm shall be adjustable round dies, 2.000" outside diameter; 28 fluted plug taps in thread sizes 3-0.50, 4-0.70, 4-0.75 to 24-3mm and 1/8"-28 BSP. Set also includes four diestocks, one each for double hexagonal dies 5/8 and 1" across flats and for round dies 1-1/2 and 2" outside diameter; and four tap wrenches, including one adjustable clamp type with straight handles for tap size 3-0.50 to 12-1.75mm and one for tap sizes 7-1 to 24-3mm and one T-handled wrench with adjustable four-jaw chuck for tap sizes 3 - 0.50 to 6 - 1mm and one for tap sizes 7 - 1 to 12 - 1.75mm. The tap and die set is made of carbon or high-speed steel. Includes a screwdriver and a metric screw pitch gauge.

Federal Strategic Sourcing Initiative, 5136-01-119-0005, Case., SE, \$442.66

Set consists of (41) pieces: Double hex adjustable dies sizes 1/4-28, 5/16-24, 3/8-24, 7/16-20 and 1/2 -20 NF; 1/4-20, 5/16-18, 3/8-16, 7/16-14 and 1/2-13 NC; 5/8" double hex adjustable dies sizes: 4-40, 6-32, 8-32, 10-24, 10-32 and 12-24 machine screw; 1/8-27 NPT die; taps for same sizes, (2) diestocks, (3) tap wrenches, screw pitch gage and screwdriver.

Federal Strategic Sourcing Initiative, 5136-01-429-7445, SE, \$125.81

Set consists of (76) pieces: (5) 1" UNF Double hexagon dies: (1/4-28, 5/16-24, 3/8-24, 7/16-20, 1/2-20), (5) 1" UNC Double hexagon dies: (1/4-20, 5/16-28, 3/8-16, 7/16-14, 1/2-13), (6) 5/8" Machine screw double hexagon dies: (4-40, 6-32, 8-32, 10-24, 10-32, 12-24), 1" NPT double hexagon non-adjustable die: 1/8-24, (15) 5/8" metric double hexagon dies: (M3-0.5, M4-0.75, M5-0.8, M5-0.9, M6-1, M7-1, M8-1, M8-1.25, M9-1, M9-1.25, M10-1.25, M10-1.5, M11-1.5, M12-1.5, M12-1.75), fractional size - 1/8-28 BSP, taps in same sizes, (2) diestocks, (3) tap wrenches, screw pitch gage and screwdriver.

Federal Strategic Sourcing Initiative, 5136-01-429-7469, SE, \$235.30

Set consists of (41) pieces: 5/8" Double hex adjustable dies sizes: M3-0.5, M4-0.7, M4.5-0.75, M5-0.8, M5-0.9, M6-1; and 1" outside diameter for M7-1, M8-1, M8-1.25, M9-1, M9-1.25, M10-1.25, M10-1.5, M11-1.5, M12-1.5, M12-1.75; 1" double hex non-adjustable die size 1/8-28 BSP, taps in same sizes, straight flute, Plug; (2) diestocks, (3) tap wrenches; screw pitch gage and screwdriver.

Federal Strategic Sourcing Initiative, 5136-01-429-7466, SE, \$172.95

Set consists of one plug tap and one round split die in the following nominal sizes: 2mm - 0.45, 2.5mm - 0.45, 3mm - 0.60, 3.5mm - 0.60, 4mm - 0.75, 4.5mm - 0.75, 5mm - 0.90, 6mm - 1.00, 7mm - 1.00, 8mm - 1.25, 9mm - 1.25, 10mm - 1.50, 12mm - 1.75, 14mm - 2.00, 16mm - 2.00, 18mm - 2.50, 20mm - 2.50, 22mm - 2.50, 24mm - 3.00 and 5.5mm - 0.90. Without diestock. Comes in a metal or wooden case.

5136-00-357-7508, SE, \$651.66

## Tap STI (Screw Thread Insert)

A special finishing style screw thread insert tap that is for preparing threads for helical coil wire screw thread inserts. Performs right hand thread cutting. Made of high speed, hardened steel. Has a square shank and ground threads. A bottoming tap has the first 1 to 2 threads chamfered and a plug tap has the first 3 to 5 threads chamfered. A positive pitch diameter tolerance is indicated by H number thread limits (The higher the number the greater the tolerance). Thread size shows diameter, threads per inch and series. UNC is Unified National Coarse and UNF is Unified National Fine. Numbered taps come in sizes 0-80 to 12-28 and fractional taps come in sizes 1/4-20 to 3/4-10. AS59158.

Type 1: Tap, Thread Cutting. Class 1: Finishing, Plug Style.

Federal Strategic Sourcing Initiative, 5136-00-045-0596, (H2) 6-32 STI UNC-3B. (3) Straight Flutes., EA, \$7.23

## Rethreading Die

Hexagonal die cleans existing threads and dresses over bruised or rusty threads. Made of high-grade carbon steel. Non-adjustable tool is right-hand threaded. UNC is Unified Coarse, UNF is Unified Fine and UNS is Unified Special.

Federal Strategic Sourcing Initiative, 5136-01-439-1833, ENF14, 1/4 - 28 UNF., EA, \$29.03

Federal Strategic Sourcing Initiative, 5136-00-237-8270, 3/8 - 16 UNC., EA, \$14.66

Federal Strategic Sourcing Initiative, 5136-00-197-9553, 7/16 - 14 UNC., EA, \$13.25

Federal Strategic Sourcing Initiative, 5136-01-439-1834, ENC91, 9/16 - 12 UNC., EA, \$36.36

Federal Strategic Sourcing Initiative, 5136-00-197-9557, 3/4 - 10 UNC., EA, \$23.38

Federal Strategic Sourcing Initiative, 5136-01-439-1803, ENC34, 3/4 - 10 UNC., EA, \$32.11

Federal Strategic Sourcing Initiative, 5136-01-439-1805, ENF58, 5/8 - 18 UNF., EA, \$32.11

Federal Strategic Sourcing Initiative, 5136-01-438-4745, ENF71, 7/16 - 20 UNF., EA, \$29.38

Federal Strategic Sourcing Initiative, 5136-01-439-1832, ENF91, 0.562 - 18 UNF., EA, \$31.57

Federal Strategic Sourcing Initiative, 5136-01-439-1807, ENF78, 7/8 - 14 UNF., EA, \$40.11

Federal Strategic Sourcing Initiative, 5136-00-197-9559, 1 - 8 UNC., EA, \$29.88

Federal Strategic Sourcing Initiative, 5136-01-438-4743, 3/8 - 24 UNF., EA, \$29.03

Federal Strategic Sourcing Initiative, 5136-01-438-4742, 3/8 - 16 UNC., EA, \$29.03

Federal Strategic Sourcing Initiative, 5136-01-438-4736, ENC51, 0.312 - 18 UNC., EA, \$29.03

Federal Strategic Sourcing Initiative, 5136-01-438-4748, ENC12, 1/2" - 13 UNC., EA, \$30.20

Federal Strategic Sourcing Initiative, 5136-01-439-1809, ENN14, 1 - 14 UNS., EA, \$40.11

Federal Strategic Sourcing Initiative, 5136-01-438-4740, 1/2 - 20 UNF., EA, \$29.38

Federal Strategic Sourcing Initiative, 5136-00-197-9558, 7/8 - 9 UNC., EA, \$26.12

Federal Strategic Sourcing Initiative, 5136-00-197-9556, 5/8 - 11 UNC., EA, \$10.92

Federal Strategic Sourcing Initiative, 5136-00-197-9554, 1/2 - 13 UNC., EA, \$16.51

Federal Strategic Sourcing Initiative, 5136-00-197-9555, 9/16 - 12 UNC., EA, \$14.88

## Rethreading Die Set

Two piece, hex die with retaining spring and having American National or Unified National threads. Set contains 18 Carbon steel split thread repair dies including sizes: 5mm 0.80, 6mm 1.00, 8mm 1.00, 8mm 1.25, 9mm 1.00, 9mm 1.25, 10mm 1.00, 10mm 1.25, 10mm 1.50, 11mm 1.50, 12mm 1.25, 12mm 1.50, 12mm 1.75, 14mm 1.25, 14mm 1.50, 16mm 2.00, 20mm 2.50 and 24mm 3.00.

Federal Strategic Sourcing Initiative, 5136-01-355-3035, Furnished in a case., SE, \$578.01

Hexagonal die cleans existing threads and dresses over bruised or rusty threads. Made of high-grade carbon steel. Non-adjustable tool is right-hand threaded. UNC is Unified Coarse, UNF is Unified Fine and UNS is Unified Special.

**Two piece, hex die with retaining spring and having American National or Unified National threads. Set contains (20) Carbon steel split thread repair dies including sizes: 1/4-20NC, 5/16-18NC, 3/8-16NC, 7/16-14NC, 1/2-13NC, 9/16-12NC, 5/8-11NC, 3/4-10NC, 7/8-9NC, 1-8NC; 1/4-28NF, 5/16-24NF, 3/8-24NF, 7/16-20NF, 1/2-20NF, 9/16-18NF, 5/8-18NF, 3/4-16NF, 7/8-14NF and 1-14NS.**

5136-01-321-6790, Furnished in a case., SE, \$606.46

## Die Sinker's Riffler Set

The set contains 12 rifflers in Swiss pattern and No. 2 cut. Furnished with a fabric, leatherette or plastic pouch, wrap or roll with separate compartments and a tie or fastener.

**Contains one each of shape No. 1, 4 through 9, 11, 12, 15, 16 and 18 rifflers.**

Federal Strategic Sourcing Initiative, 5110-00-510-4505, SE, \$296.55

## Diestock (Split Round)

Two-handled diestock is for use with adjustable round split dies. Machined center recess for dies is tapped for three setscrews 90 deg. apart. Diestock comes with two setscrews with oval points 180 deg. apart and one setscrew with a cone point in the center hole.

Federal Strategic Sourcing Initiative, 5136-00-224-7113, 1-1/2" dia, 1/2" T, 18" L., EA, \$17.22

## Tap (Thread Cutting)

Pipe thread-cutting tap has a straight square shank, ground threads and straight flutes. Performs right-hand cutting. Made of high-speed steel. First two to four threads are chamfered. Thread size shows diameter, threads per inch and series. NPT is American Standard taper pipe threads. B94.9.

**Cut thread - 0.0599/ 0.0677 inch, 5 Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-00-237-8148, 1 - 11-1/2 NPT, Plug., EA, \$61.85

**Cut thread - 0.0599/ 0.0677 inch, 7 Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-00-889-6977, 2 - 11-1/2 NPT, Plug., EA, \$173.10

**Cut thread: 0.0599/ 0.0703 inch, 4 flutes**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-00-189-7805, 1/8 - 27 NPT, Plug., EA, \$13.50

For hand tapping in metal. Performs right-hand thread cutting. Made of high-speed, hardened steel. Has a square shank and ground threads. A bottoming tap has the first 1 to 2 threads chamfered; a plug tap has the first 3 to 5 threads chamfered; and a taper tap has the first 8 to 10 threads chamfered. A positive pitch diameter tolerance is indicated by H number thread limits; the higher the number the greater the tolerance. Thread size shows diameter, threads per inch and series. UNC is Unified National Coarse and UNF is Unified National Fine. Numbered taps come in sizes 0-80 to 12-28 and fractional taps come in sizes 1/4-20 to 3/4-10. ASME B 94.9.

**H1 thread limit, Four Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-00-203-6647, 1/4 - 20 UNC, Taper., EA, \$4.55

Federal Strategic Sourcing Initiative, 5136-00-516-3370, 10 - 32 UNF, Taper., EA, \$3.89

Federal Strategic Sourcing Initiative, 5136-00-203-7074, 8 - 32 UNC, Taper., EA, \$4.12

Federal Strategic Sourcing Initiative, 5136-00-203-6506, 8 - 32 UNC, Plug., EA, \$3.95

Federal Strategic Sourcing Initiative, 5136-00-203-6212, 10 - 32 UNF, Bottoming., EA, \$3.49

Federal Strategic Sourcing Initiative, 5136-00-203-6510, 1/4 - 20 UNC, Plug., EA, \$4.55

Federal Strategic Sourcing Initiative, 5136-00-203-6504, 3/8 - 16 UNC, Bottoming., EA, \$4.96

**H2 thread limit, Three Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-00-262-1484, 2 - 64 UNF, Bottoming., EA, \$7.18

Federal Strategic Sourcing Initiative, 5136-00-729-5686, 4 - 40 UNC, Taper., EA, \$3.73

Federal Strategic Sourcing Initiative, 5136-00-580-7316, 6 - 32 UNC, Bottoming, EA, \$2.97

Federal Strategic Sourcing Initiative, 5136-00-729-5675, 6 - 40 UNF, Taper., EA, \$2.83

**H2 thread limit, Four Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-00-228-1007, 8 - 36 UNF, Plug., EA, \$3.20

Federal Strategic Sourcing Initiative, 5136-00-821-1029, 0.19 - 32 UNF, Taper., EA, \$3.89

Federal Strategic Sourcing Initiative, 5136-00-729-5684, 10 - 24 UNC, Taper., EA, \$3.09

Federal Strategic Sourcing Initiative, 5136-00-580-7327, 10 - 24 UNC, Bottoming, EA, \$3.49

**H3 thread limit, Four Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-00-555-9205, 3/8 - 16 UNC, Taper., EA, \$4.76

Federal Strategic Sourcing Initiative, 5136-00-580-7333, 5/16 - 18 UNC, Taper., EA, \$4.45

Federal Strategic Sourcing Initiative, 5136-00-293-0715, 3/8 - 16 UNC, Bottoming., EA, \$4.76

Federal Strategic Sourcing Initiative, 5136-00-729-5691, 7/16 - 14 UNC, Plug., EA, \$9.58

Federal Strategic Sourcing Initiative, 5136-00-729-5717, 5/8 - 11 UNC, Bottoming., EA, \$15.78

Federal Strategic Sourcing Initiative, 5136-00-729-5683, 5/8 - 11 UNC, Taper., EA, \$19.83

Federal Strategic Sourcing Initiative, 5136-00-729-5682, 3/4 - 10 UNC, Taper., EA, \$24.57

Federal Strategic Sourcing Initiative, 5136-00-729-5716, 3/4 - 10 UNC, Bottoming., EA, \$24.57

Federal Strategic Sourcing Initiative, 5136-00-228-0999, 3/4 - 16 UNF, Taper., EA, \$24.57

Federal Strategic Sourcing Initiative, 5136-00-580-7364, 5/16 - 24 UNF, Taper, EA, \$4.42

Federal Strategic Sourcing Initiative, 5136-00-729-5688, 1/2 - 13 UNC, Bottoming., EA, \$9.32

Federal Strategic Sourcing Initiative, 5136-00-228-0996, 1/2 - 20 UNF, Taper., EA, \$9.32

Federal Strategic Sourcing Initiative, 5136-00-580-7356, 1/2 - 20 UNF, Bottoming., EA, \$9.33

Federal Strategic Sourcing Initiative, 5136-01-028-4309, 10 - 24 UNC, Plug., EA, \$3.49

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5136-00-293-0711, 1/4 - 20 UNC, Bottoming., EA, \$3.67

**H5 thread limit, Four Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-01-045-8596, 6mm - 1mm ISO M, Plug., EA, \$4.80

**ISO M, Three Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-01-045-8603, 10mm - 1.5mm ISO M, Plug., EA, \$10.11

**ISO M, Four Flutes.**

*Straight Flutes.*

Federal Strategic Sourcing Initiative, 5136-01-045-8607, 12mm - 1.75mm, Plug., EA, \$12.11

Federal Strategic Sourcing Initiative, 5136-01-113-1566, 14mm - 1.5mm ISO M, Plug., EA, \$17.38

## Tap Set

Hand operated tap set is for right hand cutting of internal coarse (UNC) bolt or screw threads in iron or steel plates. Includes one each taper, plug and bottoming taps. Made of high speed steel. Taps have straight, ground flutes, square headed shanks and cut threads and are chamfered at the threaded end. Thread size shows diameter, threads per inch and series. B94.9.

**Set includes three 1/4-20 UNC taps in Taper, Plug and Bottoming Styles. Four flutes; H3 thread limit.**

Federal Strategic Sourcing Initiative, 5136-00-293-3325, SE, \$11.37

## Thread Cutting Die (Round, Split)

For threading machine screws, bolts and other components, this die cuts Unified or American National threads. This round, split style steel die is adjustable. Cylindrical in shape, with a split (slot) from threads to periphery. One side of the slot is tapped and furnished with an adjustment setscrew to provide a slightly tighter or looser fit. Two dimples in die body engage die in diestock (handle). The front face has two to three threads chamfered and the back face has one to two threads chamfered. (UNC = Unified Coarse, UNF = Unified Fine and UNS = Unified Special). A-A-410

Federal Strategic Sourcing Initiative, 5136-00-224-1461, 1/4" - 20 UNC, RH Cut., EA, \$6.98

Federal Strategic Sourcing Initiative, 5136-00-189-3194, 1/4" - 28 UNF, RH Cut., EA, \$26.26

Federal Strategic Sourcing Initiative, 5136-00-189-3216, 5/16" - 18 UNC, RH Cut., EA, \$26.26

Federal Strategic Sourcing Initiative, 5136-00-189-3195, 5/16" - 24 UNF, RH Cut., EA, \$26.26

Federal Strategic Sourcing Initiative, 5136-00-189-3196, 3/8" - 24 UNF, RH Cut., EA, \$25.44

Federal Strategic Sourcing Initiative, 5136-00-189-3217, 3/8" - 16 UNC, RH Cut., EA, \$26.26

Federal Strategic Sourcing Initiative, 5136-00-189-3218, 7/16" - 14 UNC, RH Cut., EA, \$26.26

Federal Strategic Sourcing Initiative, 5136-00-189-3197, 7/16" - 20 UNF, RH Cut., EA, \$26.26

Federal Strategic Sourcing Initiative, 5136-00-189-3219, 1/2" - 13 UNC, RH Cut., EA, \$29.66

Federal Strategic Sourcing Initiative, 5136-00-189-3198, 1/2" - 20 UNF, RH Cut., EA, \$29.66

Federal Strategic Sourcing Initiative, 5136-00-189-3220, 9/16" - 12 UNC, RH Cut., EA, \$36.18

Federal Strategic Sourcing Initiative, 5136-00-189-3221, 5/8" - 11 UNC, RH Cut., EA, \$57.21

Federal Strategic Sourcing Initiative, 5136-00-189-3222, 3/4" - 10 UNC, RH Cut., EA, \$63.42

Federal Strategic Sourcing Initiative, 5136-00-189-3201, 3/4" - 16 UNF, RH Cut., EA, \$49.67

Federal Strategic Sourcing Initiative, 5136-00-189-3224, 1" - 8 UNC, RH Cut., EA, \$57.21

Federal Strategic Sourcing Initiative, 5136-00-239-2780, 12 - 24 UNC, RH Cut., EA, \$13.60

## Grinder (Die)

Die grinder is for use with carbide burrs and mounted wheels. Grinder has body-grip handle with lever-style throttle. 120V AC, 13 amp. Furnished with operating and maintenance instructions, collet wrenches, parts list and manufacturer's standard equipment. Spindle thread/series: 5/8-11 UNC.

Federal Strategic Sourcing Initiative, 5130-01-455-5609, DW840 or equal., EA, \$304.63

## Punch and Die (Knockout)

This punch, die and drivescrew punch holes in sheet metal, plastic, hard rubber and leather. Operate punch by tightening the drivescrew. Die cuts with shearing action. Made of hardened-steel alloy and permanently marked with size. GGG-P-836.

**Type 1: Light duty (chassis), Class 1: Round hole.**

Federal Strategic Sourcing Initiative, 5110-00-243-1645, 3/4" Hole., EA, \$37.02

Federal Strategic Sourcing Initiative, 5110-00-293-0108, 1" Hole., EA, \$45.41

## Grommet Inserting Punch and Die (Spur)

Punch and die are used for inserting spur style grommets in duck, canvas, leather, rubber and similar materials. Tools are made of steel. Grommets are not included.

Federal Strategic Sourcing Initiative, 5120-00-221-1151, Size: 5. 5/8" Hole., EA, \$66.10

## Screw Threading Set

Hand operated tap set is for right hand cutting of internal coarse (UNC) bolt or screw threads in iron or steel plates. Includes one each taper, plug and bottoming taps. Made of high speed steel. Taps have straight, ground flutes, square headed shanks and cut threads and are chamfered at the threaded end. Thread size shows diameter, threads per inch and series. B94.9.

**Set consists of one taper tap, one plug tap, one bottoming tap and one round split die for each of the following coarse thread (UNC) series in sizes: 1 through 6, 8, 10, 12, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8 and 1". Pitch diameter limits are: H1 for thread series No. 1 and 2, H2 for No. 3 through 10, H3 for No. 12 through 3/4" and H4 for 7/8 and 1". Also included in the set is one tap and die in Unified Special (UNS) thread size 11/16-1. Set is furnished in a metal or wooden compartmentalized case.**

Plastics Removal in Marine Environments

5136-00-357-7494, SE, \$874.23

## Thread Cutter

For cutting American Standard taper pipe (NPT) right-hand threads on iron and steel pipe. Consists of die head, handle (diestock) and renewable, receding, segmental, taper pipe dies. Hand-operated tool is designed to provide leverage for turning dies on piece to be threaded. Includes a wooden or metal carrying case.

**Non-adjustable, segmental drop-head model has ratcheting action.**

*With (9) renewable dies: 1/8-27, 1/4-18, 3/8-18, 1/2-14, 3/4-14, 1-11-1/2, 1-1/4-11-1/2, 1-1/2-11-1/2 and 2-11-1/2 NPT.*

Federal Strategic Sourcing Initiative, 5136-00-081-1739, 36505., SE, \$1,146.86

## Tap Extractor Set

Set is for removing broken taps. Each extractor consists of body, sleeve, collar and fingers. Has a square head shank. Set consists of (16) extractors. Contains No. 4, 5, 6, 8, 10 and 12 size extractors. Also included are 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 7/8" and 1" extractors.

5120-00-082-1811, 082-1811 or equal, SE, \$341.72

## Screw Threading Set

Hand operated tap and die set with right hand cut consists of thread cutting taps and dies, diestock (handle), tap and reamer wrench and accessories. Furnished in a metal, wooden, or plastic case with compartments for separate storage of each item so that components do not contact each other and damage cutting edges.

**Set contains (41) components: round split dies, (2) diestocks, plug taps and (1) adjustable tap and reamer wrench. Thread sizes range from 1/4 - 20 UNC through 1 - 8 UNC and 1/4 - 28 UNF through 1 - 14 UNS. Diestocks accommodate 1-1/2" and 2-1/2" diameter dies. Made of high speed steel. With ground threads.**

5180-00-203-9585, SE, \$2,504.93

Set contains (58) components: (10) thread cutting dies, (2) diestocks, (14) twist drills, (10) taper taps, (10) plug taps, (10) bottoming taps and (2) tap and reamer wrenches. Thread sizes are 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 7/8" and 1" UNC. Drill sizes include 5/16", 27/64", 31/64", 7, F, U, 17/32", 21/32", 49/64" and 7/8". Features adjustable round split dies. Made of high speed steel with ground threads.

5180-00-752-9356, SE, \$703.80

# Reamers and Extractors

## Craftsmans Tweezers

Repair instruments, grip small objects or solder with these tweezers. These general use, chrome plated steel tweezers have a welded, brazed or riveted joint with right and left hand legs join to form a solid, durable tool.

Federal Strategic Sourcing Initiative, 5120-00-247-0868, Fine Tip, Smooth Jaws, 4-3/8" L., EA, \$13.34

Federal Strategic Sourcing Initiative, 5120-00-252-7720, Fine Tip, Smooth Jaws, 4-1/2" L., EA, \$27.56

## Craftsman's Tweezers (Self-Closing)

Repair instruments, grip small objects and solder with these cross-locking (self-closing) chrome-plated tweezers.

Federal Strategic Sourcing Initiative, 5120-00-293-0149, 6-1/2" L., EA, \$4.99

## Craftsman's Tweezers (Smooth Jaw, Fine Tip)

Repair instruments, grip small objects or solder with these tweezers. These general use, chrome plated steel tweezers have a welded, brazed or riveted joint with right and left hand legs join to form a solid, durable tool.

Federal Strategic Sourcing Initiative, 5120-00-247-0867, 4-1/2" L., Jaw Opening 5/16", EA, \$15.17

## Hand Reamers

These hand reamers are used in machining to make existing holes dimensionally more accurate, to improve surface finish and are mostly used in the metalworking areas. They may be used in hand tools or in the spindles of machine tools such as milling machines or drill presses. Described by: (Size, Length, Flute Length) B94.2.

**IAW Table 3: Hand Reamers with Straight Flutes and Squared Shank (HSS).**

Federal Strategic Sourcing Initiative, 5110-00-260-1645, 5/8", 7" L, 3-1/2" L Flutes. 6 to 8 Flutes., EA, \$54.93

Federal Strategic Sourcing Initiative, 5110-00-260-1647, 11/16", 7-3/4" L, 3-7/8" L Flutes. 6 to 8 Flutes., EA, \$60.75

Federal Strategic Sourcing Initiative, 5110-00-260-1721, 7/8", 9-3/4" L, 4-7/8" L Flutes. 8 to 10 Flutes., EA, \$79.47

Federal Strategic Sourcing Initiative, 5110-00-199-7292, 1-1/2", 13" L, 6-1/2" L Flutes. 10 to 14 Flutes., EA, \$199.08

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-260-1665, 3/16", 3-1/2" L, 1-3/4" L Flutes. 4 to 6 Flutes., EA, \$27.76

Federal Strategic Sourcing Initiative, 5110-00-255-6579, 3/8", 5" L, 2-1/2" L Flutes. 4 to 6 Flutes., EA, \$36.57

Federal Strategic Sourcing Initiative, 5110-00-255-6541, 1/2", 6" L, 3" L Flutes. 6 to 8 Flutes., EA, \$44.03

Federal Strategic Sourcing Initiative, 5110-00-255-6557, 3/4", 8-3/8" L, 4-3/16" L Flutes. 6 to 8 Flutes., EA, \$64.29

Federal Strategic Sourcing Initiative, 5110-00-260-1664, 1/4", 4" L, 2" L Flutes. 4 to 6 Flutes., EA, \$30.52

Federal Strategic Sourcing Initiative, 5110-00-255-6600, 5/16", 4-1/2" L, 2-1/4" L Flutes. 4 to 6 Flutes., EA, \$32.16

## Hand Reamer (Taper Pin)

These hand reamers are used in machining to make existing holes dimensionally more accurate, to improve surface finish and are mostly used in the metalworking areas. They may be used in hand tools or in the spindles of machine tools such as milling machines or drill presses. Described by: (Size, Length, Flute Length) A-A-2930 (Conforms to B94.2, Table #24)

**Type 1: Straight Fluted.**

Federal Strategic Sourcing Initiative, 5110-00-243-2003, 2/0, 2-9/16" L, Flute 1-9/16" L., EA, \$22.48

Federal Strategic Sourcing Initiative, 5110-00-253-3160, 3/0, 2-5/16" L, Flute 1-5/16" L., EA, \$29.38

Federal Strategic Sourcing Initiative, 5110-00-253-3156, 5/0, 2-3/16" L, Flute 1-3/16" L., EA, \$29.38

Federal Strategic Sourcing Initiative, 5110-00-253-3152, 7/0, 1-13/16" L, Flute 13/16" L., EA, \$32.26

Federal Strategic Sourcing Initiative, 5110-00-253-3158, 4/0, 2-5/16" L, Flute 1-5/16" L., EA, \$29.38

Federal Strategic Sourcing Initiative, 5110-00-253-3154, 6/0, 1-15/16" L, Flute 15/16" L., EA, \$34.40

## Reamer (Countersink)

These reamers are used in machining to make existing holes dimensionally more accurate, to improve surface finish and are mostly used in the metalworking areas. They may be used in hand tools or in the spindles of machine tools such as milling machines or drill presses. Described by (Cut, Angle°, Overall Length) B94.2.

**IAW Table 32: Straight Shank Center Reamers (Short Countersinks) - (HSS), 3 or 4 Straight Flutes.**

Federal Strategic Sourcing Initiative, 5133-00-239-0786, 3/8", 82° Cut, 1-3/4" L., EA, \$7.05

Federal Strategic Sourcing Initiative, 5133-00-293-1902, 3/8", 100° Cut, 1-3/4" L., EA, \$8.52

## Receding Segmental Thread Cutter

Adjustable, geared thread cutter with renewable, segmental, taper pipe dies. Size: 2-1/2", 3", 3-1/2" and 4" NPT RH. Type: adjustable, geared thread cutter with renewable, segmental, taper pipe dies. Two extra set of dies shall be furnished with the thread cutters assigned to 5136-00-287-5196. A suitable wood, metal or durable plastic case for carrying and storing the thread cutter shall be furnished.

Federal Strategic Sourcing Initiative, 5136-00-287-5196, EA, \$2,781.78

## Screw Extractor

These hand operated extractors remove broken screws, pipes, bolts, studs and fittings from threaded openings. B107.410 Cat 46.

### Type 2: Spiral Flute Extractor.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-580-2359, 1/4" Min to 5/16" Max Extractor., EA, \$2.03

Federal Strategic Sourcing Initiative, 5120-00-240-5223, 3/16" Min to 1/4" Max Extractor., EA, \$1.76

Federal Strategic Sourcing Initiative, 5120-00-240-5221, 5/16" Min to 7/16" Max Extractor., EA, \$2.23

Federal Strategic Sourcing Initiative, 5120-00-240-5222, 7/16" Min to 9/16" Max Extractor., EA, \$4.18

Federal Strategic Sourcing Initiative, 5120-00-240-5219, 9/16" Min to 3/4" Max Extractor., EA, \$2.68

### Type 4: Tapered Flute Extractor.

Federal Strategic Sourcing Initiative, 5120-00-180-0777, 1/4" Min to 5/16" Max Extractor., EA, \$5.34

Federal Strategic Sourcing Initiative, 5120-00-756-0946, 3/4" Extractor., EA, \$14.41

Federal Strategic Sourcing Initiative, 5120-00-756-0925, J9528 or equal., 1-1/4" Min to 1-3/8" Max Extractor., EA, \$19.32

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-180-0780, 1/2" Min to 9/16" Max Extractor., EA, \$7.66

## Screw Extractor Set

These hand operated extractor sets remove broken screws, pipes, bolts, studs and fittings from threaded openings. B107.410 Cat 46.

### Type 3: (Straight Flute Extractor). This set includes (5) pieces. 1/8", 3/16", 7/32", 5/16" and 3/8".

Federal Strategic Sourcing Initiative, 5120-01-400-2739, Tool Roll., SE, \$30.94

### Contains (58) pieces, for screws from 1/4" to 1" diameter and standard pipe sizes 1/8" to 1".

Federal Strategic Sourcing Initiative, 5120-01-355-1955, E1025 or equal, SE, \$554.00

### Type 2: Spiral Flute Extractor. This set includes nine extractors in sizes 1 - 9.

Plastics Removal in Marine Environments

5120-00-610-1888, SE, \$57.44

### Type 2: (Spiral Flute Extractor). This set includes (10) pieces. (5) Extractors in sizes: 1 - 5 and (5) RH cobalt drills.

Federal Strategic Sourcing Initiative, 5120-01-335-1357, EXD10 or equal., SE, \$51.64

### Type 2: (Spiral Flute Extractor). This set includes (5) extractors in sizes 1 - 5.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-595-8279, SE, \$9.58

### Type 4: (Tapered flute extractor). This set includes (10) extractors in sizes 1/8", 3/16", 7/32", 5/16", 3/8", 7/16", 17/32", 5/8", 3/4" and 1".

Federal Strategic Sourcing Initiative, 5120-01-400-2740, 9500B or 3R996, SE, \$123.38

## Screw Extractor Set (Combination)

These hand operated extractor sets remove broken screws, pipes, bolts, studs and fittings from threaded openings. B107.410 Cat 46.

This combination extractor set removes broken or embedded screws and bolts from 1/4 to 1/2" in diameter. Set consists of components (20) consisting of: Type 3: Straight Flute Extractors (5) in sizes: 1 - 5 with a sliding turnout nut. Commercial fractional drills (5) sizes (diameter x length): 1/8" x 2-1/2", 3/16" x 3", 1/4" x 3-1/2", 5/16" x 4" and 11/32" x 4-1/2". Drill guides (10). The guides shall be of the solid type for centering drill bits at a depth not exceeding 1". The nominal outside diameters are 9/32 through 9/16", in 1/32" increments. The nominal overall length is 1-3/16".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-540-1416, 35585 or equal, Plastic Box., SE, \$106.41

This combination extractor set removes broken or embedded screws and bolts from 1/4 to 1" in diameter. Set consists of components (61) consisting of: Type 3: Straight Flute Extractors (5) in sizes: 1 - 5 with a sliding turnout nut. Type 3: Straight Flute Extractors (3) in sizes: 6 - 8 without a sliding turnout nut. Commercial fractional drills (9) sizes (diameter x length): 1/8" x 2-1/2", 3/16" x 3", 1/4" x 3-1/2", 5/16" x 4", 11/32" x 4-1/2", 7/16" x 4-1/4", 1/2" x 4-3/4", 5/8" x 5-1/4" and 1/4" x 6". Drill guides (10). The guides shall be of the solid type for centering drill bits at a depth not exceeding 1". Drill sleeve (1) with a 5/8" nominal outside diameter and 3-13/16" length. Knurled sleeve nut (1) with a 3/4" nominal outside diameter. Sleeve spacers (4) with a 5/8" nominal outside diameter. Sleeve bushings (22 or more) with 2 each of the following nominal outside diameters: 21/32", 11/16", 23/32", 25/32", 13/16", 29/32", 5/16", 31/32", 1-1/32", 1-1/16" and 1-3/32". The nominal overall length of the bushings is 3/8". Pipe and plug extractors (6). The extractors are used to extract pipes of nominal standard sizes 1/8", 1/4", 3/8", 1/2", 3/4" and 1".

Federal Strategic Sourcing Initiative, 5120-00-305-2275, 35590 or equal, SE, \$554.00

## Pipe Extractor Set

Screw and pipe extractors are used to remove broken threaded ends of pipe, pipe plugs and fittings. They are straight fluted with a square tang. A-A-3021.

Class 1: Tapered, spiral flutes or ridges, Style A: Drill: This set includes (10) pieces. (5) Extractors in sizes: 1 - 5 and (5) LH cobalt drill bits.

Federal Strategic Sourcing Initiative, 5120-01-335-1358, SE, \$30.21

## Bench Mechanic's Block

Steel block is for holding work when driving pins or drilling. Has a 90° V-groove across the top surface and (9) through holes in the following sizes: 1/8" (two holes), 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" and 5/8".

Federal Strategic Sourcing Initiative, 5120-00-240-7308, 3" D x 1-1/2" H., EA, \$39.92

## Extraction Tool

Tong style, with both legs terminating in an internal facing tip.

Federal Strategic Sourcing Initiative, 5120-00-115-9185, TE9185 or equal., 3-9/10" L x 3/8" W x 0.025" T., EA, \$8.71

## Pin Remover (Cotter Key)

Used to remove cotter pins. Screwdriver style handle.

Federal Strategic Sourcing Initiative, 5120-01-335-1573, 10" L., EA, \$8.33

## Stuffing Box Packing Extractor

Extracts semihard packing from stuffing boxes. Consists of a flexible shaft with a T type handle at one end and a corkscrew type screw bit at the other end. Shaft bends up to 45°.

Federal Strategic Sourcing Initiative, 5120-00-223-9557, 11" L, 9/32" Spiral Dia., EA, \$9.82

# Tool Kits

## Clutch Alignment Tool Kit

Kit is for use on cars and trucks with standard transmissions, including foreign vehicles. Provides quick alignment for single-disk clutches and consists of a rod and taper bushing; centralizer knob, nut, collar, locator and tube; sleeves; and 16 collets in sizes from 0.465 to 1.181. Case and instruction sheet are included.

Federal Strategic Sourcing Initiative, 5180-00-449-3785, KT, \$677.56

## Electrician's Tool Kit

Tool kit with insulated tools.

Federal Strategic Sourcing Initiative, 5180-01-442-0988, Klein Tool 33525 or equal, KT, \$874.86

This 23 piece kit provides a variety of quick change tools and tool combinations to speed up assembly and service work. The set is furnished in a plastic coated canvas tool roll with individual pockets. The kit includes the following items: extension blade (1), regular and stubby screwdriver/nutdriver handles, (9) nut drivers in regular sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2", (3) nut drivers in stubby sizes: 1/4", 5/16" and 3/8", cushion grip long nose pliers, cushion grip diagonal cutting pliers, tapered reamers, screwdriver bits (4) (Phillips(2) and flat tip (2) and an adjustable wrench.

Federal Strategic Sourcing Initiative, 5180-00-650-7821, KT, \$207.14

## Electronic System Tool Kit

Great for field repair with portable 120 VAC support. Kit includes electric soldering iron, electric solder tip, desoldering attachment, pliers (diagonal midget, flush cutting midget, long needle nose, short nose tip and tip cutting wiring), flat tip screwdrivers and Phillips screwdriver.

5180-00-009-1970, KT, \$292.53

All-in-one kit. Includes: 53 individual tools, 31 interchangeable screwdriver/nutdriver blades and handles, extensions, electronic snips, straight nose soldering seizer, Bristol spline bits, Allen hexagonal socket screw key bits, Phillips and flat tip screwdriver blades, reamer, chain nose, needle nose, ignition and other pliers, adjustable wrench, adjustable wire cutter and stripper, electronic technician's knife, mini-driver kit, offset ratchet screwdriver set, four way pocket tool, screwdrivers, screwdriver hexagonal socket, nut drivers, amplifier torque handle and tool case.

5180-01-046-4980, TCS100ST or equal, KT, \$932.96

## General Mechanic's Tool Kit

Kit includes regular cold chisel with 1/2" cut edge, 4" drift pin, 6" half round file, hammer, 8" slip joint pliers, aligning punch, cross tip screwdriver, (2) flat tip screwdrivers, portable toolbox, (11) boxed/open end wrenches (8mm, 10-19mm), adjustable wrench, box wrench, pliers wrench, socket wrench set with (9) regular length sockets 3/8" drive, 3/8 to 7/8", (11) reg length (3/8" dr. 8mm, 10-19mm), (6) long length sockets 1/2 to 13/16", (2) universal sockets 1/2" and 9/16", 3/8" drive hinged handle, 3/8" drive ratchet handle, 3/8" brace speeder, 3/8" drive universal joint and (2) 3/8" drive extensions 6" and 11". Dept of the Army Supply Catalog SC 5180-95-N57.

5180-00-672-2611, KT, \$422.62



## General Mechanic's Tool Set

This 39 piece set includes the following: magnetic nut driver, (9) regular nut drivers, (9) Allen type hexagonal screwdrivers, (9) Bristol multiple spline screwdrivers, (4) slotted screwdrivers, (3) Phillips screwdrivers, reamer, extension, T type handle and regular type handle. Pocketed tool roll included.

Federal Strategic Sourcing Initiative, 5120-01-034-8231, Tool Roll, SE, \$172.36

## Mechanic's Tool Kit

This 546 piece kit has 331 sockets, 26 drive tools, 90 combination wrenches, 31 screwdrivers and nutdrivers. There are 68 additional tools including pliers, hex key set, punches, chisels and a hacksaw with blades. There are fractional and metric sizes including 1/4, 3/8, 1/2, and 3/4" drives.

Federal Strategic Sourcing Initiative, 5180-01-544-9840, KT, \$5,191.62

## Highway Safety Tool Kit

This tool kit contains essential highway safety items housed in a slim plastic storage box. Designed to fit in car trunks, under van and utility vehicle seats, and behind the seats of most pickup trucks.

The tool kit consists of the following components: 8 foot jumper cables, flashlight with flashing wand, three alkaline "D" batteries, Kimwipes, electrical tape, duct tape, two shop rags, first aid kit, two highway safety triangles, jersey gloves, three 30-minute light sticks, rescue blanket, 6" long 5/16" slotted screwdriver, 4" long No. 2 Phillips screwdriver, 6" adjustable wrench, 7" groove joint pliers, and utility snips furnished in a tool box.

5180-01-434-5068, AbilityOne, AbilityOne, KT, \$258.13

## Home Repair Tool Kit

This home repair tool kit is designed for minor home repairs. Kit contains 42 tools assembled in a portable stepstool-type toolbox. Components include: flashlight; flat-head and Phillips screwdrivers; 10-piece nut driver set; plunger; industrial goggles; 16-oz. hammer; 10-piece socket head screw key set; Craftsman's knife; putty knife; level and plumb; mechanical finger; needle-nose pliers; two slip-joint pliers; nest saw set; glass scraper razor blade; anti-seizing tape; measuring tape; plumber's plunger; electrical insulation tape; open-ended adjustable wrench; pliers wrench.

5180-01-423-6468, AbilityOne, AbilityOne, KT, \$383.63

## Personal Computer (PC) and Printer Tool Kit

This personal computer repair kit contains 17 of the most common tools required for repair and service of desktops, printers, fax machines and other small office appliances. Includes pliers, screwdrivers, screw starters and retrievers and a flashlight for tight spaces illumination.

Federal Strategic Sourcing Initiative, 5180-01-432-3144, KT, \$111.63

## Office Tool Kit

Kit offers all-in-one convenience! Contains: screwdriver bit set and handle with (1) Phillips and (5) flat tip mini drivers, slip joint pliers with combination jaw and cutter, chain pliers with long round nose and cutter, heavy duty straight trimmer's shears, curved claw hammer, adjustable wrench, (2) flat tip screwdrivers (3/16" and 5/16" W tips), (2) Phillips screwdrivers (#1 and #2), smooth jaw tweezers, (6) L-shaped Allen wrench set (nominal sizes 0.05 to 1/8"), steel measuring tape (16" L x 3/4" W), utility knife with retractable blade in four positions. Equipped with a custom zipper tool case.

5180-01-336-7141, KT, \$82.19

## Installation Tool Kit

Metric, threaded keylocking inserts designed to replace damaged threads in tapped holes. For use with metric bolts and screws. Kit consists of metric carbon steel inserts and installing tools. Kit come with a plastic, wood, or metal case designed to contain the set in an orderly manner for easy selection. The case shall be of a substantial and rigid construction for storing and carrying.

Federal Strategic Sourcing Initiative, 5120-01-113-1544, 25999 or equal., KT, \$515.71

## Strapping and Banding Kit

Clamping tool kit is designed for the fabrication and application of clamps, in hose assembly. The banding kit is of the double wrap open end type, used to install 3/8" and 5/8" W steel strapping bands around pipes, boxes or crates. Consists of banding tool, 100 feet of strap, (100) locking seals, angle iron, mallet, punch and wrench. Comes in a steel box with instructions.

Plastics Removal in Marine Environments

5180-00-288-6567, B145A or G145A., KT, \$298.26

## Off-Road Survival Tool Kit

Off-road survival tool kit (Sport Utility Pack), (7) piece kit w/folding case. Consisting of: Exchange-A-Blade folding handsaw, Expert-M 100+ lumen (2) CR123 lithium battery tactical flashlight, concertina wire cutter, MP600 needle nose multi-purpose pocket tool, back pack compact axe, folding spade and a small first aid kit. Furnished in a semi-rigid polyester case which is compact enough to fit under most truck, van and SUV seats, yet carries the essential tools needed for many off-road applications. Weight: 8.4 lbs.

Federal Strategic Sourcing Initiative, 5180-01-457-5621, 05635 or equal, Case: 12" x 11" x 3" Closed Position., KT, \$577.66

## Mine Probe Tool Kit

The kit contains a multi-tool with blasting cap crimper, LED flashlight with white bulb, three piece titanium probe and handle, (3) plastic delrin tips and (3) titanium tips and furnished in a black ballistic sheath.

Federal Strategic Sourcing Initiative, 5180-01-516-3229, 05982 or equal., KT, \$308.58

The kit contains a three piece titanium probe and handle, (3) plastic delrin tips and (3) titanium tips and furnished in a black ballistic sheath.

Federal Strategic Sourcing Initiative, 5180-01-516-3233, 05984 or equal, KT, \$226.62

# Carriers

## Tool Bag

These tool bags are for use when you can't bring the full mobile tool cabinet to the job. Perfect for a few tools and parts. Described by: (Pockets, Dimensions, Material).

Federal Strategic Sourcing Initiative, 5140-01-562-8124, Black, 3, 11" L x 7" W x 17" H, Nylon., EA, \$127.92

Federal Strategic Sourcing Initiative, 5140-01-471-4422, 1, 16" L x 6" W x 14" H, Canvas., EA, \$83.01

**IAW U.S. Air Force Drawing 50J8016, Rev F.**

5140-00-329-4306, Olive Drab, 7, 11-1/2" L x 5-1/4" W x 7" H, Cotton., EA, \$19.70

**IAW Natick Drawing number 5-3-62.**

Federal Strategic Sourcing Initiative, 5140-00-772-4142, AbilityOne, Olive Drab, 20-1/4" L x 10-1/8" W, EA, \$12.30

**IAW U.S. Army Natick Research Drawing Number 2-3-525 and 2-3-526 including support drawings 2-3-527, 2-3-528 and 2-3-529. Also separate parts list PL 2-3-525 and PL 2-3-526.**

Federal Strategic Sourcing Initiative, 5140-00-293-2379, 1, 24" L x 6" W x 15" H, Cotton and Leather., EA, \$88.57

**Includes two pockets with slide fastener closure and two nylon web handles. (Does not include sling.)**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5140-00-473-6256, AbilityOne, 2, 19-1/2" L x 6" W x 8-1/2" H, Nylon., EA, \$34.81

## Tool Bag (Lineman's)

These tool bags are for use when you can't bring the full mobile tool cabinet to the job. Perfect for a few tools and parts. Described by: (Pockets, Dimensions, Material).

**Designed to raise and lower tools and materials. Cloth body features a leather, artificial leather, or poly/nylon reinforced vinyl bottom. Construction also includes an opening ring, inside pocket and a 3/6" L x 1/2" Diameter manila rope handle.**

5140-00-288-7763, 12" Dia, 16-1/2" H., EA, \$92.52

## Tool Carrier

Handy item accommodates small tools and can be attached to a workman's belt. Leather carrier has stitched construction.

**IAW U.S. Army Natick Laboratories Drawing 2-3-320, Rev C.**

Federal Strategic Sourcing Initiative, 5140-00-261-4994, Olive Drab, 1 Pockets, 8-1/2" L x 3-3/4" W, Cotton., EA, \$21.01

## Tool Carrier (Backpack)

This backpack carrier makes it convenient to transport tools virtually anywhere! Backpack carrier contains five to seven panels, each of which includes various sized pockets, slots and zippered compartments. Backpack includes padded shoulder straps with adjustable buckles, two handles to carry the pack like a bag, adjustable straps for securing backpack at waist (optional), flaps to hold tools in place, and a zipper closure. All panel shells are sewn together and joints are seamed-taped with nylon seam tape. Tool holder divisions are sewn and back-sewn at the terminating ends. Each panel has nylon seamed-taped radius edges to form a cup shaped enclosure. Each pocket is sewn independently, allowing holders in one panel to be altered without affecting the holders in the adjacent panel. Zipper chain is sewn around the outside edge on all sides of the backpack, except 8" on the bottom side.

Federal Strategic Sourcing Initiative, 5140-01-420-0438, 18-1/2" H X 14" W., EA, \$129.42

## Tool and Accessories Roll

Mildew resistant duck roll serves to protect and carry tools and accessories. Described by: (Compartment Quantity, Length x Width, Material).

Federal Strategic Sourcing Initiative, 5140-00-335-0085, MIL-R-45804/13, Olive Drab, 9, 21-1/2" L x 12" W, Cotton., EA, \$37.79

**IAW US Army Communications Electronics Materials Readiness Command Logistics Engineering Dir Drawing Number: SCD27097 and SCD74657.**

Federal Strategic Sourcing Initiative, 5140-00-356-4503, Olive Drab, 9, 13-7/8" L x 8-1/2" W, Cotton., EA, \$34.81

Federal Strategic Sourcing Initiative, 5140-01-167-1541, 1350190 or equal, Green, 5, 17" L x 14" W, Canvas., EA, \$19.88

## Tool Satchel

Heavy duty ballistic nylon tool bag. Nylon is lightweight, abrasion and moisture resistant. Features a sturdy handle, protective rails and interior and exterior storage pockets. Double stitched for increased durability.

Federal Strategic Sourcing Initiative, 5140-01-490-6470, 21" L x 11" W x 11-1/2" H. 28 Pockets., EA, \$121.07

## Deployment Kit Bag

Used on XM107 Sniper Rifle. 600DP black, zippered, unzipped and open flat 14.51" L x 14.15" W. Closed: 14.15" L x 7-1/4" W. 2 sections inside that are velcro closed.

Federal Strategic Sourcing Initiative, 5140-01-512-8449, EA, \$78.14

# Toolboxes

## Tool Box (Portable)

These portable steel tool boxes store and transport non-powered hand tools. They have solid construction, a painted or colored finish.

**Briefcase style. Handles up to 20 lbs. of tools. IAW Naval Engineering Dwg 6SE01085.**

Federal Strategic Sourcing Initiative, 5140-01-154-3870, 18" L x 6" W x 11-1/2" H., EA, \$282.45

**Hip roof-style steel chest has a top compartment with a till and a removable tote tray; two drawers mounted on compound slides held by the front panel cover and three handles, one on top of the box and one on each side. Drawers are 19-3/4" L x 7-3/4" W x 1-1/2" and 3" deep. Hasp and staple closure and an enamel finish.**

Federal Strategic Sourcing Initiative, 5140-00-651-7676, Red, 21" L x 8-3/4" W x 11-1/4" H, EA, \$242.15

Federal Strategic Sourcing Initiative, 5140-01-418-6648, Black, 13-1/2" L x 10" W x 5-1/2" H, Plastic., EA, \$39.59

**Has a removable, three-compartment, 24-gauge steel tray with a handle. Box is made of 24-gauge steel. Has two draw bolts and hasp and staple latch.**

Federal Strategic Sourcing Initiative, 5140-00-315-2747, Red, 16" L x 7" W x 7" H, Steel., EA, \$41.30

**Has a removable, three-compartment, 22-gauge steel tote tray. Box is made of 20-gauge steel with 16-gauge steel ends.**

Federal Strategic Sourcing Initiative, 5140-00-473-6260, Red, 21" L x 9-1/2" W x 9-7/8" H., EA, \$85.19

Federal Strategic Sourcing Initiative, 5140-01-139-6261, 25-3/16" L x 9-1/16" W x 4-1/16" H, Chest, Steel., EA, \$110.76

Federal Strategic Sourcing Initiative, 5140-01-010-4861, Red, 27" L x 18" W x 16-5/8" H, 5 Drawer, Steel., EA, \$716.10

Federal Strategic Sourcing Initiative, 5140-01-179-8241, Red, 31-3/32" L x 20-5/16" W x 21-1/8" H, 10 Drawer, Steel., EA, \$2,055.22

Federal Strategic Sourcing Initiative, 5140-00-226-9019, Red, 33" L x 14" W x 12" H, Steel., EA, \$220.01

Federal Strategic Sourcing Initiative, 5140-01-237-3233, 42" L x 19" W x 19" H, 2 Tray, Chest, Steel., EA, \$443.09

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5140-00-226-9018, Red, 24" L x 12" W x 12" H, Steel., EA, \$160.89

5140-00-289-8910, Red, 22" L x 10-1/2" W x 14" H, Steel., EA, \$223.21

**Has a removable three-compartment tote tray. Both tray and box are made of 22-gauge steel with 20-gauge steel ends.**

Federal Strategic Sourcing Initiative, 5140-00-498-8772, Red, 21" L x 8-1/2" W x 7-3/8" H, Steel., EA, \$177.91

## Tool Cart (Portable)

These portable tool carts and trays, store and transport nonpowered hand tools. They have solid construction, a painted or colored finish.

Federal Strategic Sourcing Initiative, 5140-01-474-5091, 43" W x 21-3/4" D x 38-1/2" H., EA, \$254.71

# Tool Chests and Cabinets

## Tool Cabinet (Mobile)

These mobile steel cabinets store and transport powered and non-powered hand tools. Has welded construction, a baked enamel finish, a lock with two keys and a continuous piano type hinge (If it has drawer covers). Drawers are mounted on durable compound slides and have suitable pulls and dividers.

**Has (3) drawers.**

Federal Strategic Sourcing Initiative, 5140-01-534-3681, MP-2012RD or equal, Black, 20" W x 9" D x 12" H., EA, \$92.27

**Has seven drawers that are 25" W x 18-1/2" D, three drawers 2" H, three drawers 4" H, one drawer 6" H. Cabinet is mounted on two swivel locking and two rigid non-locking casters measuring 5" in diameter. Drawers have automatic internal locking system.**

5140-01-010-4775, GSA-4775 or equal, 29" W x 20" D x 35" H., EA, \$858.64

**Has (13) drawers, integral lock, (2) fixed wheels and (2) swivel wheels, ball bearing drawer slides, (2) sliding trays and tote tray.**

Federal Strategic Sourcing Initiative, 5140-01-434-5815, Black, 45-7/8" H x 54-1/4" W x 29-1/8" D, Steel., EA, \$5,918.51

## Mechanic's Tool Chest

Tools stay organized in this steel chest. Consists of top cover with an attached front panel, partitioned till in top compartment, tote tray and integral lock. Has 6 drawers: 3 full width and a top row of (3) 1/3 width, with a chest type handle at each end. Welded construction. Box is 20-gauge steel, drawers and tote tray are 22-gauge steel and compartment partitions are 24-gauge steel.

Federal Strategic Sourcing Initiative, 5140-00-388-3416, Red, 26" L x 13" W x 15" H., EA, \$196.28

## Mobile Tool Cabinet (Chest Top)

These mobile steel cabinets store and transport powered and non-powered hand tools. Has welded construction, a baked enamel finish, a lock with two keys and a continuous piano type hinge (If it has drawer covers). Drawers are mounted on durable compound slides and have suitable pulls and dividers.

**Has (4) drawers. Intergral lock and a top till.**

Federal Strategic Sourcing Initiative, 5140-01-434-5790, Red, 40" L x 19-51/64" W x 19-1/2" H, Steel, Chest Top., EA, \$1,307.93

**Has (3) drawers. Intergral lock, felt lined top till and drawers and includes (6) adjustable steel drawer dividers.**

Federal Strategic Sourcing Initiative, 5140-01-408-3853, Brown, 20-1/8" L x 13-5/8" W x 8-9/16" H, Steel, Chest Top., EA, \$230.34

**Has (9) drawers. Intergral lock and a top till.**

Federal Strategic Sourcing Initiative, 5140-01-367-3936, KRA4059A or equal, Red, 26" L x 14-23/32" W x 17-3/16" H, Steel, Chest Top., EA, \$560.77

## Machinist's Tool Chest

Transport and store tools with this sturdy storage chest. Consists of box body and lid, top compartment with till drawers, front panel, handle and hardware. Has a continuous piano type hinge and sturdy compound drawer slides. Front panel is stored under the bottom drawer. Chest type handle is centered on top of the box. Top compartment and drawers are lined with cork, felt or a similar material. Has an integral lock and two luggage type catches. Made of sheet steel with welded construction.

**Has seven drawers. Six are compartmented.**

Federal Strategic Sourcing Initiative, 5140-00-319-5079, Red, 20" L x 8-1/2" W x 13" H., EA, \$383.60

**Has three drawers. Two compartmented drawers.**

Federal Strategic Sourcing Initiative, 5140-00-494-2015, Red, 20" L x 8-1/2" W x 13" H., EA, \$287.86

## Tool Chest

Steel box has a top opening hinged lid, hasp and staple closure and a carrying handle on each end. Army Ordnance Corps Dwg 6534198.

Federal Strategic Sourcing Initiative, 5140-00-653-4198, Olive Drab, 29" L x 13-1/4" W x 13-1/4" H., EA, \$270.32

Tools stay organized in this steel chest.

Federal Strategic Sourcing Initiative, 5140-01-619-5101, 8 Drawers, 24" L x 18" H x 15" W., EA, \$709.26

# Twist Drill Sets and Accessories

## Drill Bit Set (Cobalt HSS)

Aircraft quality, heavy duty cobalt high speed steel bits for use in constant speed drills. Cobalt drills maintain their cutting ability at higher temperatures which is common in drilling harder materials. Recommended for use in the following types of steels: high strength alloy steels, stainless steel, titanium, manganese steel, armor plate and steel. These bits feature 135° split points with straight round shanks for easier drill starting without the need for center punching. The bits are oxide surface treated, right hand cutting and have two flutes. NAS 907.

**Type J-Straight shank, Jobbers length (short). Features (18) fractional sizes from 7/64" to 3/8" in 1/64" increments provided in an indexed metal case.**

Federal Strategic Sourcing Initiative, 5133-00-980-3422, SE, \$54.80

**Type J-Straight shank, jobbers length (Aircraft extension). Features (29) fractional sizes from 1/16" to 1/2" in 1/64" increments provided in an indexed metal case.**

Federal Strategic Sourcing Initiative, 5133-01-477-9534, SE, \$123.61

**Type J-Straight shank, jobbers length (short). Features (115) pieces: fractional sizes: 1/16" to 1/2" in 1/64" increments, wire sizes: 1 - 60 and letter sizes: A - Z.**

Federal Strategic Sourcing Initiative, 5133-01-398-2438, SE, \$367.32

**Type D-Straight shank, Jobbers length (short). Features (40) number sizes from 1 to 40 provided in an indexed metal case.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5133-00-980-3423, SE, \$78.05

**Set contains (60) pieces: 1 each wire gage sizes 1 to 60.**

Federal Strategic Sourcing Initiative, 5133-01-474-4980, DBC260A or equal, SE, \$148.11

## Drill Bit Set (High Speed Steel)

These general purpose drill bit sets are for right hand cutting. They are made of high speed, heat treated steel and are designed for use under wide variations of materials, equipment and job conditions. A typical applicable applications include drilling production parts, maintenance and portable drilling. They have two spiral flutes, a 118° point angle and they have a straight, round shank. ASME B94.11M.

**The set consists of (25) bits in the following sizes: (Jobbers length) 1mm - 13mm and 1.5mm - 12.5mm.**

Federal Strategic Sourcing Initiative, 5133-01-047-0258, SE, \$59.50

**The set consists of (25) bits in the following sizes: (Jobbers length) 1mm - 13mm in 0.5mm increments.**

Federal Strategic Sourcing Initiative, 5133-01-486-2314, SE, \$50.22

**The set consists of (26) bits in the following sizes: (Jobbers length) A - Z.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5133-00-540-4375, Metal Case., SE, \$50.68

**The set consists of (29) bits in the following sizes: (Jobbers length) 1/16" - 1/2" in 1/64" increments.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5133-00-293-0983, SE, \$46.56

**The set consists of (29) bits in the following sizes: (Jobber Length) 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" and 11/64". Pilot points: 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64" and 1/2". Furnished in a metal indexed case.**

Federal Strategic Sourcing Initiative, 5133-01-535-1216, SE, \$64.78

**The set consists of (29) bits in the following sizes: (Jobbers length) 1/16" - 1/2" in 1/64" increments.**

Federal Strategic Sourcing Initiative, 5133-01-478-7706, SE, \$63.67

**The set consists of (60) bits in the following sizes: (Jobbers length) Wire Sizes 1 - 60.**

Federal Strategic Sourcing Initiative, 5133-01-474-4989, SE, \$49.44

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5133-00-449-6775, SE, \$52.36

**The set consists of (115) bits in the following sizes: (Morse Taper Shank Length) 1/16" - 1/2" in 1/64" Increments and letter drills A - Z and number drills from 1 - 60. Furnished in a case.**

Federal Strategic Sourcing Initiative, 5133-01-551-1094, SE, \$358.46

**The set consists of (16) bits in the following sizes: (Morse Taper Shank length) 49/64" - 1" in 1/64" increments.**

5133-00-293-1161, SE, \$458.87

**The set consists of (20) bits in the following sizes: (Jobbers length) Wire Sizes 61 - 80.**

Federal Strategic Sourcing Initiative, 5133-00-555-1528, SE, \$26.20

**The set consists of (23) bits in the following sizes: (15) (Jobbers length) 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32" and 1/2". (8) (Taper length) 17/32", 9/16", 19/32", 5/8", 21/32", 11/16", 23/32" and 3/4".**

5133-00-278-0230, SE, \$34.50

## Expansive Bit

The bit consists of two cutters with screw or gear adjustment and clamping screw. The expansive bit is used for boring holes of any diameter within the adjustment range. The bit is made of steel and features right-hand cutting, a polished surface and clearly marked graduations and size. The bit has rapid and accurate adjustment, a threaded screw point and a tapered square shank.

Cutting end style - 16 geared cutter adjustment; shank style -81-tapered square; shank large end square width - 7/16 inch; shank small end square width - 1/4 inch; overall length - 8-1/2 to 10-1/2 inches maximum; cutting diameter range - 7/8 to 3 inches.

Federal Strategic Sourcing Initiative, 5133-00-223-4987, EA, \$27.27

## Step Drill Bit

Step drill bits are used to drill metal up to 1/4" thick. They are designed to enlarge a hole as the bit drills through the metal. Each step on the bit is larger in diameter than the step before. Smaller step drill bits are self-starting and no pilot bit is required to start the hole.

Federal Strategic Sourcing Initiative, 5133-01-144-5337, 13 Steps, 1/8" - 1/2", 1/4" Shank., EA, \$20.61

## Countersink Microstop

Accepts up to 5/8 inch countersink cutter diameter using 1/4-28 male threaded shank. Utilizes needle bearings, 5/16 inch shaft travel, left handed hex locknut, 1/4 inch shaft, straight skirt, and a thrust ball bearing for longevity.

Federal Strategic Sourcing Initiative, 5130-01-371-0080, ATI441HSS or equal., EA, \$84.80

## Countersink and Drill Set

Set consists of five combination countersinks and drills, each being a one piece, double ended cutting tool with helical or straight flutes and plain ends. Drill portion is adjacent to countersink on both ends. Has an 118 degree angle on the drill and a 60 degree countersink angle. The countersink and drill set is furnished in a box or wrap. B94.11M.

Body diameters are 1/8", 3/16", 1/4", 5/16" and 7/16".

Federal Strategic Sourcing Initiative, 5133-00-585-0367, SE, \$21.33

## Drill Bit Case

Store your drill bit set in this sturdy steel case. Hinged cover and die cast alloy holders provide easy access to drill bits and prevent loss or damage. Drill holes are in size sequence and have clearly marked drill bit sizes. Case withstands rough usage and has a corrosion resistant coating.

Federal Strategic Sourcing Initiative, 5140-00-837-5313, (13) drills bits: 1/16" - 1/4" in 1/64" increments., EA, \$7.37

# Twist Drill Bits

## Drill Bit (Carbide-Tipped)

These drill bits are for right-hand cutting and are made of high speed, heat treated steel and are carbide tipped. They have two spiral flutes, a 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-222-9471	3/16", 3-1/2" L, 2-5/16" L Flute.		EA	\$12.51
Federal Strategic Sourcing Initiative	5133-00-222-9469	1/4", 4" L, 2-3/4" L Flute.		EA	\$13.77
Federal Strategic Sourcing Initiative	5133-00-222-9470	5/16", 4-1/2" L, 3-3/16" L Flute.		EA	\$19.29
Federal Strategic Sourcing Initiative	5133-00-222-9468	7/16", 5-1/2" L, 4-1/16" L Flute.		EA	\$21.83
Federal Strategic Sourcing Initiative	5133-00-222-9467	3/8", 5" L, 3-5/8" L Flute.		EA	\$22.07
Federal Strategic Sourcing Initiative	5133-00-222-9466	1/2", 6" L, 4-1/2" L Flute.		EA	\$35.73

## Drill Bit (Solid Carbide)

These, "Jobber" or general purpose drill bits are for right-hand cutting. They are made of solid carbide and are designed for heavy duty drilling on cast iron and nonferrous materials. A typical applicable applications include drilling production parts, maintenance, and portable drilling. They have two spiral flutes, a 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-010-4005	3/32", 2" L, 1" L Flute.		EA	\$8.44
Federal Strategic Sourcing Initiative	5133-00-841-8702	1/8", 2-1/4" L, 1-1/4" L Flute.		EA	\$9.58
Federal Strategic Sourcing Initiative	5133-00-850-3292	5/32", 2-1/2" L, 1-3/8" L Flute.		EA	\$11.90
Federal Strategic Sourcing Initiative	5133-00-900-2063	3/16", 2-3/4" L, 1-5/8" L Flute.		EA	\$15.71
Federal Strategic Sourcing Initiative	5133-00-841-8757	1/4", 3-1/4" L, 2" L Flute.		EA	\$17.25

## Drill Bit (Cobalt HSS)

These, type “J”, “Jobber” length drill bits are for use in drilling hard steel, stainless steel, titanium, and other hard materials. These heavy duty, oxide treated, aircraft quality cobalt drills maintain their cutting ability at higher temperatures, which is common in drilling harder materials. These drills have two spiral flutes and a standard P-3, 135-degree split point for easier drill starting. Described by the following (Size, Length, Flute length) NAS-907.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-838-5245	#10 (0.1935"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$20.35
Federal Strategic Sourcing Initiative	5133-00-065-0980	#11 (0.191"), 3-1/2" L, 2-5/16" L Flute.	AbilityOne	DZ	\$24.61
Federal Strategic Sourcing Initiative	5133-00-065-0981	#21 (0.159"), 3-1/4" L, 2-1/8" L Flute.	AbilityOne	DZ	\$18.04
Federal Strategic Sourcing Initiative	5133-00-894-5613	#27 (0.144"), 3" L, 1-7/8" L Flute.		DZ	\$7.33
Federal Strategic Sourcing Initiative	5133-00-051-5748	#30 (0.1285"), 2-3/4" L, 1-5/8" L Flute.		DZ	\$15.39
	5133-00-051-5749	#40 (0.098"), 2-3/8" L, 1-3/8" L Flute.	AbilityOne	DZ	\$18.61
Federal Strategic Sourcing Initiative	5133-00-837-7595	1/16", 1-7/8" L, 7/8" L Flute.		PG	\$11.33
Federal Strategic Sourcing Initiative	5133-01-045-4946	3/32", 2-1/4" L, 1-1/4" L Flute.		EA	\$1.09
Federal Strategic Sourcing Initiative	5133-00-988-5695	1/8", 2-3/4" L, 1-5/8" L Flute.		DZ	\$10.42
Federal Strategic Sourcing Initiative	5133-00-988-5699	3/16", 3-1/2" L, 2-5/16" L Flute.		DZ	\$16.83
Federal Strategic Sourcing Initiative	5133-00-988-5702	15/64", 3-7/8" L, 2-5/8" L Flute.		EA	\$2.96
Federal Strategic Sourcing Initiative	5133-00-988-5703	1/4", 4" L, 2-3/4" L Flute.		DZ	\$23.99
Federal Strategic Sourcing Initiative	5133-01-437-3755	17/64", 4-1/8" L, 2-7/8" L Flute.		EA	\$3.56
Federal Strategic Sourcing Initiative	5133-00-988-5708	21/64", 4-5/8" L, 3-5/16" L Flute.		EA	\$5.54
Federal Strategic Sourcing Initiative	5133-00-988-5709	11/32", 4-3/4" L, 3-7/16" L Flute.		EA	\$5.51

These, type “D”, “Jobber” short flute length drill bits are for use in drilling hard steel, stainless steel, titanium, and other hard materials. These heavy duty, aircraft quality cobalt drills maintain their cutting ability at higher temperatures, which is common in drilling harder materials. These drills have two spiral flutes and standard P-9, 135° split point for easier drill starting. Described by the following (Size, Length, Flute length) NAS-907.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-988-5684	#10 (0.1935"), 3-5/8" L, 1-3/16" L Flute.	AbilityOne	DZ	\$34.05
Federal Strategic Sourcing Initiative	5133-00-988-5673	#21 (0.159"), 3-1/4" L, 1-1/16" L Flute.	AbilityOne	DZ	\$29.60
Federal Strategic Sourcing Initiative	5133-01-366-0167	#30 (0.1285"), 2-3/4" L, 15/16" L Flute.		PG	\$26.98
Federal Strategic Sourcing Initiative	5133-00-894-5611	#30 (0.1285"), 2-3/4" L, 15/16" L Flute.		DZ	\$14.11
Federal Strategic Sourcing Initiative	5133-00-988-5655	#40 (0.098"), 2-3/8" L, 13/16" L Flute.	AbilityOne	DZ	\$21.05



## Drill Bit (High Speed Steel)

These, "Jobber" general purpose drill bits are for right hand cutting. They are made of high speed, heat treated steel and are designed for use under wide variations of materials, equipment and job conditions. A typical applicable applications include drilling production parts, maintenance and portable drilling. They have two spiral flutes, a 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-189-9246	#1 (0.228"), 3-7/8" L, 2-5/8" L Flute.		DZ	\$17.33
Federal Strategic Sourcing Initiative	5133-00-189-9247	#2 (0.221"), 3-7/8" L, 2-5/8" L Flute.		DZ	\$17.33
Federal Strategic Sourcing Initiative	5133-00-189-9248	#3 (0.213"), 3-3/4" L, 2-1/2" L Flute.		DZ	\$15.86
Federal Strategic Sourcing Initiative	5133-00-189-9249	#4 (0.209"), 3-3/4" L, 2-1/2" L Flute.		DZ	\$16.01
Federal Strategic Sourcing Initiative	5133-00-189-9250	#5 (0.2055"), 3-3/4" L, 2-1/2" L Flute.		DZ	\$13.90
Federal Strategic Sourcing Initiative	5133-00-189-9251	#6 (0.204"), 3-3/4" L, 2-1/2" L Flute.		DZ	\$16.01
Federal Strategic Sourcing Initiative	5133-00-189-9252	#7 (0.201"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$15.32
Federal Strategic Sourcing Initiative	5133-00-189-9253	#8 (0.199"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$14.81
Federal Strategic Sourcing Initiative	5133-00-189-9254	#9 (0.196"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$14.67
Federal Strategic Sourcing Initiative	5133-00-189-9255	#10 (0.1935"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$4.04
Federal Strategic Sourcing Initiative	5133-00-189-9256	#11 (0.191"), 3-1/2" L, 2-5/16" L Flute.		DZ	\$13.34
Federal Strategic Sourcing Initiative	5133-00-189-9257	#12 (0.189"), 3-1/2" L, 2-5/16" L Flute.		DZ	\$13.34
Federal Strategic Sourcing Initiative	5133-00-189-9258	#13 (0.185"), 3-1/2" L, 2-5/16" L Flute.		DZ	\$13.34
Federal Strategic Sourcing Initiative	5133-00-189-9259	#14 (0.182"), 3-3/8" L, 2-3/16" L Flute.		DZ	\$13.34
Federal Strategic Sourcing Initiative	5133-00-189-9260	#15 (0.18"), 3-3/8" L, 2-3/16" L Flute.		DZ	\$13.34
Federal Strategic Sourcing Initiative	5133-00-189-9261	#16 (0.177"), 3-3/8" L, 2-3/16" L Flute.		DZ	\$13.18
Federal Strategic Sourcing Initiative	5133-00-189-9262	#17 (0.173"), 3-3/8" L, 2-3/16" L Flute.		DZ	\$13.34
Federal Strategic Sourcing Initiative	5133-00-189-9263	#18 (0.1695"), 3-1/4" L, 2-1/8" L Flute.		DZ	\$10.97
Federal Strategic Sourcing Initiative	5133-00-189-9264	#19 (0.166"), 3-1/4" L, 2-1/8" L Flute.		DZ	\$10.82
Federal Strategic Sourcing Initiative	5133-00-189-9265	#20 (0.161"), 3-1/4" L, 2-1/8" L Flute.		DZ	\$10.82
Federal Strategic Sourcing Initiative	5133-00-189-9266	#21 (0.159"), 3-1/4" L, 2-1/8" L Flute.		DZ	\$14.19
Federal Strategic Sourcing Initiative	5133-00-189-9267	#22 (0.157"), 3-1/8" L, 2" L Flute.		DZ	\$10.08
Federal Strategic Sourcing Initiative	5133-00-189-9268	#23 (0.154"), 3-1/8" L, 2" L Flute.		DZ	\$10.08
Federal Strategic Sourcing Initiative	5133-00-189-9269	#24 (0.152"), 3-1/8" L, 2" L Flute.		DZ	\$10.88
Federal Strategic Sourcing Initiative	5133-00-189-9270	#25 (0.1495"), 3" L, 1-7/8" L Flute.		DZ	\$8.24
Federal Strategic Sourcing Initiative	5133-00-189-9271	#26 (0.147"), 3" L, 1-7/8" L Flute.		DZ	\$9.64
Federal Strategic Sourcing Initiative	5133-00-189-9272	#27 (0.144"), 3" L, 1-7/8" L Flute.		DZ	\$8.37
Federal Strategic Sourcing Initiative	5133-00-189-9273	#28 (0.1405"), 2-7/8" L, 1-3/4" L Flute.		DZ	\$7.85
Federal Strategic Sourcing Initiative	5133-00-189-9274	#29 (0.136"), 2-7/8" L, 1-3/4" L Flute.		DZ	\$9.04
Federal Strategic Sourcing Initiative	5133-00-189-9275	#30 (0.1285"), 2-3/4" L, 1-5/8" L Flute.		DZ	\$4.04
Federal Strategic Sourcing Initiative	5133-00-189-9276	#31 (0.12"), 2-3/4" L, 1-5/8" L Flute.		DZ	\$8.89
Federal Strategic Sourcing Initiative	5133-00-189-9277	#32 (0.116"), 2-3/4" L, 1-5/8" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9278	#33 (0.113"), 2-5/8" L, 1-1/2" L Flute.		DZ	\$7.60
Federal Strategic Sourcing Initiative	5133-00-189-9280	#35 (0.11"), 2-5/8" L, 1-1/2" L Flute.		DZ	\$7.60
Federal Strategic Sourcing Initiative	5133-00-189-9281	#36 (0.1065"), 2-1/2" L, 1-7/16" L Flute.		DZ	\$7.33
Federal Strategic Sourcing Initiative	5133-00-189-9282	#37 (0.1040"), 2-1/2" L, 1-7/16" L Flute.		DZ	\$7.33
Federal Strategic Sourcing Initiative	5133-00-189-9283	#38 (0.1015"), 2-1/2" L, 1-7/16" L Flute.		DZ	\$9.12
Federal Strategic Sourcing Initiative	5133-00-189-9284	#39 (0.0995"), 2-3/8" L, 1-3/8" L Flute.		DZ	\$8.44
Federal Strategic Sourcing Initiative	5133-00-189-9285	#40 (0.098"), 2-3/8" L, 1-3/8" L Flute.		DZ	\$4.47
Federal Strategic Sourcing Initiative	5133-00-189-9286	#41 (0.096"), 2-3/8" L, 1-3/8" L Flute.		DZ	\$7.60
Federal Strategic Sourcing Initiative	5133-00-189-9287	#42 (0.0935"), 2-1/4" L, 1-1/4" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9288	#43 (0.089"), 2-1/4" L, 1-1/4" L Flute.		DZ	\$7.60
Federal Strategic Sourcing Initiative	5133-00-189-9289	#44 (0.086"), 2-1/8" L, 1-1/8" L Flute.		DZ	\$7.60
Federal Strategic Sourcing Initiative	5133-00-189-9290	#45 (0.082"), 2-1/8" L, 1-1/8" L Flute.		DZ	\$7.60

**Drill Bit (High Speed Steel), continued**

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-189-9291	#46 (0.081"), 2-1/8" L, 1-1/8" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9292	#47 (0.0785"), 2" L, 1" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9293	#48 (0.076"), 2" L, 1" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9294	#49 (0.073"), 2" L, 1" L Flute.		DZ	\$7.60
Federal Strategic Sourcing Initiative	5133-00-189-9295	#50 (0.07"), 2" L, 1" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9296	#51 (0.067"), 2" L, 1" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9297	#52 (0.0635"), 1-7/8" L, 7/8" L Flute.		DZ	\$7.40
Federal Strategic Sourcing Initiative	5133-00-189-9298	#53 (0.0595"), 1-7/8" L, 7/8" L Flute.		DZ	\$7.40
Federal Strategic Sourcing Initiative	5133-00-189-9299	#54 (0.055"), 1-7/8" L, 7/8" L Flute.		DZ	\$7.33
Federal Strategic Sourcing Initiative	5133-00-189-9300	#55 (0.052"), 1-7/8" L, 7/8" L Flute.		DZ	\$8.44
Federal Strategic Sourcing Initiative	5133-00-189-9301	#56 (0.0465"), 1-3/4" L, 3/4" L Flute.		DZ	\$16.77
Federal Strategic Sourcing Initiative	5133-00-189-9302	#57 (0.043"), 1-3/4" L, 3/4" L Flute.		DZ	\$7.33
Federal Strategic Sourcing Initiative	5133-00-189-9303	#58 (0.042"), 1-5/8" L, 11/16" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9304	#59 (0.041"), 1-5/8" L, 11/16" L Flute.		DZ	\$8.75
Federal Strategic Sourcing Initiative	5133-00-189-9305	#60 (0.04"), 1-5/8" L, 11/16" L Flute.		DZ	\$7.85
Federal Strategic Sourcing Initiative	5133-00-266-9246	#74 (0.0225"), 1" L, 1/4" L Flute.		DZ	\$12.90
Federal Strategic Sourcing Initiative	5133-00-262-2191	A (0.234"), 3-7/8" L, 2-5/8" L Flute.		DZ	\$20.31
Federal Strategic Sourcing Initiative	5133-00-232-6398	B (0.238"), 4" L, 2-3/4" L Flute.		DZ	\$20.31
Federal Strategic Sourcing Initiative	5133-00-232-6399	C (0.242"), 4" L, 2-3/4" L Flute.		DZ	\$20.31
Federal Strategic Sourcing Initiative	5133-00-262-2179	D (0.246"), 4" L, 2-3/4" L Flute.		DZ	\$20.46
Federal Strategic Sourcing Initiative	5133-00-262-2192	F (0.257"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$21.78
Federal Strategic Sourcing Initiative	5133-00-262-2193	G (0.261"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$21.10
Federal Strategic Sourcing Initiative	5133-00-262-2194	H (0.266"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$23.72
Federal Strategic Sourcing Initiative	5133-00-262-2157	I (0.272"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$23.72
Federal Strategic Sourcing Initiative	5133-00-262-2158	J (0.277"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$26.24
Federal Strategic Sourcing Initiative	5133-00-262-2162	N (0.302"), 4-3/8" L, 3-1/16" L Flute.		PG	\$6.59
Federal Strategic Sourcing Initiative	5133-00-262-2163	O (0.316"), 4-1/2" L, 3-3/16" L Flute.		PG	\$15.11
Federal Strategic Sourcing Initiative	5133-00-262-2164	P (0.323"), 4-5/8" L, 3-5/16" L Flute.		PG	\$17.67
Federal Strategic Sourcing Initiative	5133-00-262-2165	Q (0.332"), 4-3/4" L, 3-7/16" L Flute.		PG	\$5.92
Federal Strategic Sourcing Initiative	5133-00-262-2168	T (0.358"), 4-7/8" L, 3-1/2" L Flute.		PG	\$8.25
Federal Strategic Sourcing Initiative	5133-00-262-2169	U (0.368"), 5" L, 3-5/8" L Flute.		PG	\$22.01
Federal Strategic Sourcing Initiative	5133-00-262-2170	V (0.377"), 5" L, 3-5/8" L Flute.		PG	\$35.45
Federal Strategic Sourcing Initiative	5133-00-262-2171	W (0.386"), 5-1/8" L, 3-3/4" L Flute.		PG	\$11.28
Federal Strategic Sourcing Initiative	5133-00-262-2172	X (0.397"), 5-1/8" L, 3-3/4" L Flute.		PG	\$36.24
Federal Strategic Sourcing Initiative	5133-00-262-2173	Y (0.404"), 5-1/4" L, 3-7/8" L Flute.		PG	\$32.39
Federal Strategic Sourcing Initiative	5133-00-262-2174	Z (0.413"), 5-1/4" L, 3-7/8" L Flute.		PG	\$52.56
Federal Strategic Sourcing Initiative	5133-00-266-9233	1/64", 3/4" L, 3/16" L Flute.		DZ	\$14.32
Federal Strategic Sourcing Initiative	5133-00-227-9649	7/64", 2-5/8" L, 1-1/2" L Flute.		DZ	\$11.07
Federal Strategic Sourcing Initiative	5133-00-227-9650	1/8", 2-3/4" L, 1-5/8" L Flute.		DZ	\$6.76
Federal Strategic Sourcing Initiative	5133-00-227-9651	9/64", 2-7/8" L, 1-3/4" L Flute.		DZ	\$11.90
Federal Strategic Sourcing Initiative	5133-00-227-9652	5/32", 3-1/8" L, 2" L Flute.		DZ	\$10.08
Federal Strategic Sourcing Initiative	5133-00-227-9647	5/64", 2" L, 1" L Flute.		DZ	\$11.19
Federal Strategic Sourcing Initiative	5133-00-227-9653	11/64", 3-1/4" L, 2-1/8" L Flute.		DZ	\$10.97
Federal Strategic Sourcing Initiative	5133-00-227-9654	3/16", 3-1/2" L, 2-5/16" L Flute.		DZ	\$10.41
Federal Strategic Sourcing Initiative	5133-00-243-9612	13/64", 3-5/8" L, 2-7/16" L Flute.		DZ	\$3.58
Federal Strategic Sourcing Initiative	5133-00-227-9656	7/32", 3-3/4" L, 2-1/2" L Flute.		DZ	\$10.35
Federal Strategic Sourcing Initiative	5133-00-243-9611	15/64", 3-7/8" L, 2-5/8" L Flute.		DZ	\$12.36
Federal Strategic Sourcing Initiative	5133-00-227-9658	1/4", 4" L, 2-3/4" L Flute.		DZ	\$12.53

## Drill Bit (High Speed Steel), continued

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-227-9660	9/32", 4-1/4" L, 2-15/16" L Flute.		DZ	\$17.21
Federal Strategic Sourcing Initiative	5133-00-227-9662	5/16", 4-1/2" L, 3-3/16" L Flute.		DZ	\$17.99
Federal Strategic Sourcing Initiative	5133-00-243-9613	21/64", 4-5/8" L, 3-5/16" L Flute.		DZ	\$17.65
Federal Strategic Sourcing Initiative	5133-00-227-9665	23/64", 4-7/8" L, 3-1/2" L Flute.		DZ	\$33.07
Federal Strategic Sourcing Initiative	5133-00-227-9666	3/8", 5" L, 3-5/8" L Flute.		DZ	\$28.65
Federal Strategic Sourcing Initiative	5133-00-227-9669	27/64", 5-3/8" L, 3-15/16" L Flute.		PG	\$25.86
Federal Strategic Sourcing Initiative	5133-00-227-9671	29/64", 5-5/8" L, 4-3/16" L Flute.		PG	\$30.23
Federal Strategic Sourcing Initiative	5133-00-227-9673	15/32", 5-3/4" L, 4-5/16" L Flute.		PG	\$32.01
Federal Strategic Sourcing Initiative	5133-00-227-9674	31/64", 5-7/8" L, 4-3/8" L Flute.		PG	\$33.49
Federal Strategic Sourcing Initiative	5133-00-227-9672	1/2", 6" L, 4-1/2" L Flute.		PG	\$29.05

These, "Taper" or long length general purpose drill bits are for right hand cutting with increased cutting length. They are manufactured with straight shanks of the same diameter as that of the flute diameter. They are made of high speed, heat treated steel and are designed for use under wide variations of materials, equipment and job conditions. A typical applicable applications include drilling production parts, maintenance and portable drilling. They have two spiral flutes, a 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-262-2180	1/8", 5-1/8" L, 2-3/4" L Flute.		DZ	\$38.09
Federal Strategic Sourcing Initiative	5133-00-266-9464	9/16", 8-1/4" L, 4-7/8" L Flute.		EA	\$16.62
Federal Strategic Sourcing Initiative	5133-00-236-4059	1/4", 6-1/8" L, 3-3/4" L Flute.		DZ	\$51.58
Federal Strategic Sourcing Initiative	5133-00-203-6468	1/2", 12" L, 9" L Flute.		EA	\$23.98
Federal Strategic Sourcing Initiative	5133-00-266-9461	33/64", 8" L, 4-3/4" L Flute.		EA	\$15.94

These, "Morse Taper Shank" or long length general purpose drill bits are for right-hand cutting with increased cutting length. They are manufactured with tapered shanks (Machine Tapers) of the same diameter as that of the flute diameter. They are made of high-speed, heat-treated steel and are designed for use with drill press equipment. They have two spiral flutes, a 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-228-1325	19/32", 8-3/4" L, 4-7/8" L Flute.		EA	\$24.53
Federal Strategic Sourcing Initiative	5133-00-228-1327	5/8", 8-3/4" L, 4-7/8" L Flute.		EA	\$24.69
Federal Strategic Sourcing Initiative	5133-00-228-1336	49/64", 9-7/8" L, 6" L Flute.		EA	\$41.00
Federal Strategic Sourcing Initiative	5133-00-228-1339	13/16", 10-3/4" L, 6-1/8" L Flute.		EA	\$35.80

These type "A", "Jobber" general purpose drill bits are for right-hand cutting. They are made of high-speed, heat-treated steel and are designed for use under wide variations of materials, equipment and job conditions. Typically used with power drills for working on steel and nonferrous materials. These oxide surface treated drills have two spiral flutes and a standard P-5, 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) NAS-907.

### Aircraft Extension Length

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-595-8861	#21 (0.159"), 12" L, 2-1/8" L Flute.		DZ	\$94.00
Federal Strategic Sourcing Initiative	5133-00-595-8849	#40 (0.098"), 12" L, 1-3/8" L Flute.		DZ	\$44.77

## Drill Bit (HSS)

These, type "C", "Screw Machine" length drill bits are for use in repetitive drilling of hard steel, stainless steel, titanium, and other hard materials. These heavy duty, aircraft quality high speed steel (HSS) drills maintain their cutting ability at higher temperatures, which is common in drilling harder materials. These drills have two spiral flutes, a bright finish and standard P-3, 135 degree split point for easier drill starting. Described by the following (Size, Length, Flute length) NAS-907.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-912-6029	#9 (0.196"), 2-1/4" L, 1-3/16" L Flute.		DZ	\$7.11
Federal Strategic Sourcing Initiative	5133-00-912-6031	#30 (0.1285"), 1-15/16" L, 15/16" L Flute.		DZ	\$10.45

## Masonry Drill Bit

Carbide tipped, spiral grooved type steel bit is for use in portable, rotary driven power drills for concrete and other masonry work. For right hand cutting. Has a straight, rounded shank. Described by (Length, Drill Designation, Cut and Shank) ASME B212.15.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-01-473-9454	6" L, FMD-4, 1/4" Dia,		EA	\$3.55
Federal Strategic Sourcing Initiative	5133-01-473-9410	6" L, FMD-8, 1/2" Dia, 3/8" Shank.		EA	\$4.08

Carbide tipped, spiral grooved type steel bit is for use in portable, rotary driven power drills for concrete and other masonry work. For right hand cutting. Has a straight, rounded shank. Described by (Length, Cut and Shank) GGG-D-694.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-289-0541	6" L, 1/2" Dia, 3/8" Shank.		EA	\$3.57
Federal Strategic Sourcing Initiative	5133-00-542-4764	8" L, 5/8" Dia, 3/8" Shank.		EA	\$20.62
Federal Strategic Sourcing Initiative	5133-00-277-2702	8" L, 3/4" Dia, 1/2" Shank.		EA	\$24.10

## Drill Bit (Metric)

These, "Jobber" general purpose drill bits are for right hand cutting. They are made of high speed, heat treated steel and are designed for use under wide variations of materials, equipment and job conditions. A typical applicable applications include drilling production parts, maintenance and portable drilling. They have two spiral flutes, a 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-01-115-7993	1.5 mm, 1-7/8" L, 7/8" L Flute.		EA	\$0.93
Federal Strategic Sourcing Initiative	5133-01-115-7995	2.5 mm, 2-3/8" L, 1-3/8" L Flute.		EA	\$0.86
Federal Strategic Sourcing Initiative	5133-01-118-0720	3.5 mm, 2-7/8" L, 1-3/4" L Flute.		EA	\$0.96
Federal Strategic Sourcing Initiative	5133-01-117-0464	6.5 mm, 4-1/8" L, 2-7/8" L Flute.		EA	\$2.05
Federal Strategic Sourcing Initiative	5133-01-113-6305	7.5 mm, 4-3/8" L, 3-1/16" L Flute.		EA	\$2.41
Federal Strategic Sourcing Initiative	5133-01-120-3515	8.9 mm, 4-7/8" L, 3-1/2" L Flute.		EA	\$4.91
Federal Strategic Sourcing Initiative	5133-01-120-8720	11mm, 5-1/2" L, 4-1/16" L Flute.		EA	\$5.92

## Drill Bit (Countersink)

These drill bits form a hole and then a counter sink for flush mounting screws. Made of high speed steel, these countersinks are marked with size and angle. Right hand cutting. Described by the following (Drill Length and Size are the same, Length) ASME B94.11M.

Double End Style. Bit and countersink on both ends.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-240-7337	3/64", 1-1/4" L.		EA	\$4.17
Federal Strategic Sourcing Initiative	5133-00-224-1963	3/16", 2-3/4" L.		EA	\$8.50
Federal Strategic Sourcing Initiative	5133-00-224-1965	1/8", 2-5/32" L.		EA	\$6.05
Federal Strategic Sourcing Initiative	5133-00-228-2323	7/32", 3" L.		EA	\$9.70
Federal Strategic Sourcing Initiative	5133-00-555-3610	#3 (7/64"), 2" L.		EA	\$4.20

## Drill Bit (Threaded Shank/HSS)

These type "B", general-medium duty, (HSS) high speed steel drill bits, feature an externally threaded shank with hex nut (1/4-28 UNF). These oxide surface treated drill bits have two spiral flutes and a standard P-3, 135° point angle and they have a straight, round shank for right-hand cutting. Commonly used in aircraft maintenance. Described by the following (Size, Length, Flute length)(Length does not include length of the thread) NAS-965.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-435-3276	#10 (0.1935"), 1-1/4" L, 9/16" L Flute.		DZ	\$34.18
Federal Strategic Sourcing Initiative	5133-00-435-3267	#30 (0.1285"), 1-1/4" L, 9/16" L Flute.		DZ	\$28.15

# Adjustable Wrenches

## Adjustable Wrench

An adjustable open end wrench that has a pin and hole adjustment, smooth jaw surfaces and a head that is angled 15°. Consists of frame, nut and adjustment pin.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-6470, 34" L, 2-3/4" - 4-3/4" Jaw Opening., EA, \$488.11

## Adjustable Wrench (Automotive)

This heavy duty, open ended, adjustable crescent wrench has a knurled or serrated worm adjustment. The head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. ASME B107.100 Cat 8.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3254, 0" to 2-1/2", 8-1/2" L., EA, \$25.09

5120-00-473-6476, 0" to 2-3/4", 10-1/2" L., EA, \$20.41

5120-00-264-3793, 0" to 3-5/8", 15" L., EA, \$34.56

## Adjustable Wrench (Crescent)

This heavy duty, open ended, adjustable crescent wrench has a knurled or serrated worm adjustment. The head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. ASME B107.100 Cat 8.

Federal Strategic Sourcing Initiative, 5120-01-399-9876, 15/16" Jaw Opening, 6" L, Chrome., EA, \$13.59

Federal Strategic Sourcing Initiative, 5120-01-399-9886, 1-1/8" Jaw Opening, 8" L, Oxide., EA, \$16.77

Federal Strategic Sourcing Initiative, 5120-01-335-2217, 15/16" Jaw Opening, 8" L, Chrome., EA, \$8.97

Federal Strategic Sourcing Initiative, 5120-01-127-6857, 1-1/8" Jaw Opening, 8" L, Chrome., EA, \$9.55

Federal Strategic Sourcing Initiative, 5120-01-600-4304, 1-1/2" Jaw Opening, 8" L, Chrome, Comfort Grip., EA, \$20.95

Federal Strategic Sourcing Initiative, 5120-01-335-2218, 1-1/8" Jaw Opening, 10" L, Chrome., EA, \$14.28

Federal Strategic Sourcing Initiative, 5120-01-367-3393, 1-1/8" Jaw Opening, 10" L, Chrome., EA, \$22.83

Federal Strategic Sourcing Initiative, 5120-01-399-9850, 1-5/16" Jaw Opening, 10" L, Chrome., EA, \$26.96

Federal Strategic Sourcing Initiative, 5120-01-473-9271, 1-9/32" Jaw Opening, 10" L, Chrome., EA, \$23.45

Federal Strategic Sourcing Initiative, 5120-01-398-7594, 1-5/16" Jaw Opening, 12" L, Chrome., EA, \$37.08

Federal Strategic Sourcing Initiative, 5120-01-473-9274, 1-1/2" Jaw Opening, 12" L, Oxide., EA, \$22.49

Federal Strategic Sourcing Initiative, 5120-01-601-5164, 1-1/2" Jaw Opening, 12" L, Chrome., EA, \$47.35

Federal Strategic Sourcing Initiative, 5120-01-399-9869, 2-1/16" Jaw Opening, 18" L, Oxide., EA, \$84.62

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-5330, 1/2" Jaw Opening, 4" L, Chrome., EA, \$10.15

Federal Strategic Sourcing Initiative, 5120-00-264-3795, 3/4" Jaw Opening, 6" L, Chrome., EA, \$8.83

Federal Strategic Sourcing Initiative, 5120-00-240-5328, 61/64" Jaw Opening, 8" L, Chrome., EA, \$8.81

Federal Strategic Sourcing Initiative, 5120-00-449-8083, 1-1/8" Jaw Opening, 10" L, Chrome., EA, \$13.82

Federal Strategic Sourcing Initiative, 5120-00-264-3796, 1-1/16" Jaw Opening, 12" L, Chrome., EA, \$17.75

Federal Strategic Sourcing Initiative, 5120-00-423-6728, 1-11/16" Jaw Opening, 15" L, Chrome., EA, \$34.09

Federal Strategic Sourcing Initiative, 5120-00-240-1414, 2-1/16" Jaw Opening, 18" L, Chrome., EA, \$67.99

Federal Strategic Sourcing Initiative, 5120-00-449-8084, 2-7/16" Jaw Opening, 24" L, Chrome., EA, \$121.99

## Adjustable Wrench (Crescent, Non-Sparking)

This heavy duty, open ended, adjustable crescent wrench has a knurled or serrated worm adjustment. The head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. ASME B107.100 Cat 8.

**Adjustable wrench tightens nuts or bolts with either square or hexagonal heads in flammable, explosive or magnetically delicate environments. Made of sturdy beryllium-copper or aluminum-bronze alloy.**

Federal Strategic Sourcing Initiative, 5120-00-278-0340, 3/4" Jaw Opening, 6" L., EA, \$65.40

**Adjustable wrench tightens nuts or bolts with either square or hexagonal heads in flammable, explosive or magnetically delicate environments. Made of sturdy beryllium-copper or aluminum-bronze alloy. Non-magnetic and non-sparking.**

Federal Strategic Sourcing Initiative, 5120-00-278-0341, 1-1/8" Jaw Opening, 10" L., EA, \$77.75

Federal Strategic Sourcing Initiative, 5120-00-277-9089, 3-7/8" Jaw Opening, 21" L., EA, \$401.31

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-0031, 7/8" Jaw Opening, 8" L., EA, \$71.76

Federal Strategic Sourcing Initiative, 5120-00-264-3794, 1-5/16" Jaw Opening, 12" L., EA, \$117.70

Federal Strategic Sourcing Initiative, 5120-00-293-3009, 2-9/16" Jaw Opening, 13"-17" L., EA, \$218.55

**Nonmagnetic and Nonsparking.**

Federal Strategic Sourcing Initiative, 5120-00-293-0008, 1-11/16" Jaw Opening, 15" L, Copper Alloy., EA, \$221.26

# Box Wrenches

## Box Wrench (Double Head)

These double head, thin wall, high strength box wrenches come in a 12 point design. AS955.

**Type II Metric Box Wrenches Double Head, Class 1: 15° offset each end, Style A: Regular length.**

Federal Strategic Sourcing Initiative, 5120-01-181-5622, 17mm and 19mm Ends, Chrome., EA, \$19.24

These double head, thin wall, high strength box wrenches come in a 12 point design. AS954.

**Type 2: Box Wrench, Class 1: Angled end, Style A: Regular length.**

Federal Strategic Sourcing Initiative, 5120-00-224-3146, 3/8" and 7/16" Ends, Chrome., EA, \$10.53

Federal Strategic Sourcing Initiative, 5120-01-349-1384, 7/16" and 1/2" Ends, Chrome., EA, \$12.61

Federal Strategic Sourcing Initiative, 5120-01-349-1385, 1/2" and 9/16" Ends, Chrome., EA, \$15.57

Federal Strategic Sourcing Initiative, 5120-00-228-9521, 1-1/16" and 1-1/8" Ends, Chrome., EA, \$36.21

Federal Strategic Sourcing Initiative, 5120-00-184-8676, 1-1/4" and 1-5/16" Ends, Chrome., EA, \$53.57

**Type 2: Box Wrench, Class 3: Deep Offset, Style A: Regular Length.**

Federal Strategic Sourcing Initiative, 5120-01-349-1406, 1/2" and 9/16" Ends, Chrome., EA, \$15.86

Federal Strategic Sourcing Initiative, 5120-01-367-3281, 3/4" and 7/8" Ends, Chrome., EA, \$20.38

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-3135, 3/8" and 7/16" Ends, Chrome., EA, \$15.83

Federal Strategic Sourcing Initiative, 5120-00-224-3136, 1/2" and 9/16" Ends, Chrome., EA, \$16.25

Federal Strategic Sourcing Initiative, 5120-00-224-3141, 5/8" and 11/16" Ends, Chrome., EA, \$20.10

**Type 2: Box Wrench, Class 3: Deep Offset, Style B: Short Length.**

Federal Strategic Sourcing Initiative, 5120-00-224-3154, 1/2" and 9/16" Ends, Chrome., EA, \$5.18

Federal Strategic Sourcing Initiative, 5120-00-224-3138, 5/8" and 3/4" Ends, Chrome., EA, \$10.78

## Box Wrench (Double Head, Half Moon)

These double head, high strength chromium plated box wrenches come in a 12 point design and half moon shape. The length is measured between the middle of the two openings. A-A-1346.

Federal Strategic Sourcing Initiative, 5120-01-367-3315, 7/16" and 1/2", 5" L., EA, \$19.06

Federal Strategic Sourcing Initiative, 5120-01-399-8876, 9/16" x 5/8" Ends, Satin Finish., EA, \$16.47

These double head, high strength chrome plated box wrenches come in a 12 point design and half moon shape. The length is measured between the middle of the two openings.

Federal Strategic Sourcing Initiative, 5120-01-535-7641, 9/16" and 5/8", 5-51/64" L., EA, \$22.81

## Box Wrench (Double Head, Ratchet)

Double headed, reversible steel box wrench has a corrosion resistant coating and a comfortable handgrip. B107.100 Cat 66.

**Type I: Laminated construction.**

Federal Strategic Sourcing Initiative, 5120-01-335-1325, 1/4" and 5/16" Ends, 12 Point, Chrome., EA, \$7.43

Federal Strategic Sourcing Initiative, 5120-01-335-1328, 3/8" and 7/16" Ends, 12 Point, Chrome., EA, \$8.78

Federal Strategic Sourcing Initiative, 5120-01-335-1321, 3/8" and 7/16" Ends, 6 Point, Chrome., EA, \$6.53

Federal Strategic Sourcing Initiative, 5120-01-335-1329, 1/2" and 9/16" Ends, 12 Point, Chrome., EA, \$10.90

Federal Strategic Sourcing Initiative, 5120-00-831-1052, 11/16" and 7/8" Ends, 6 Point, Chrome., EA, \$15.50

Federal Strategic Sourcing Initiative, 5120-01-335-1333, 3/4" and 7/8" Ends, 12 Point, Chrome., EA, \$11.54

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-831-1051, 5/8" and 3/4" Ends, 12 Point, Chrome., EA, \$19.48

Federal Strategic Sourcing Initiative, 5120-00-221-7980, 1/2" - 9/16" Hex x 3/16" - 1/4" Square Ends, Chrome., EA, \$7.19

## Box Wrench (Single Head, Ratchet)

A single headed wrench that loosens and tightens hexagonal fasteners such as tubing and hose nuts. Described by Wrenching Size, Length and Style)

Federal Strategic Sourcing Initiative, 5120-00-777-2782, 7/8", 9" L., 12 Point., EA, \$16.82

## Box Wrench (Slugging)

This slugging type wrench has a 12 point box wrench opening on one end for use on hexagonal head nuts and bolts. The handle end is suitable for being struck with a hammer. Durable steel tool has a corrosion preventive coating. Described by (Wrenching Size, Min Length) B107.410 Cat 59.

**Type 1: Slugging Wrench (Straight Shank)**

Federal Strategic Sourcing Initiative, 5120-00-277-1611, 1-1/8", 8-1/2" L min., EA, \$42.64

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-3112, 2-3/8", 8-7/16" L min, Oxide., EA, \$117.12

**Type 3: Striking Wrench (Slightly angled shank and large offset)**

Federal Strategic Sourcing Initiative, 5120-00-277-1610, 1-1/16", 8-1/2" L., EA, \$39.94

Federal Strategic Sourcing Initiative, 5120-00-264-5217, 2-15/16", 13-1/8" L min., EA, \$183.91

## Ratcheting Box Wrench (Refrigeration)

Dual wrenching surface on each end: For refrigeration applications. Ratchet wrench, 3/16" x 1/4" and 5/16" x 3/8".

Federal Strategic Sourcing Initiative, 5120-01-419-4365, EA, \$10.50

## Box Wrench Set (Double Head)

These double head, thin wall, high strength box wrenches come in a 12 point design. AS954.

**Type 2: Box Wrench, Class 3: Deep Offset, Style A: Regular Length.**

*Set consists of (5) wrenches in the following sizes: 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8" and 15/16" x 1".*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-3453, Chrome, Roll or Wrap., SE, \$103.66

**Type 2: Box Wrench, Class 2: Modified Offset, Style A: Regular Length.**

*Set consists of (5) box wrenches in sizes: 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16" and 7/8" x 15/16".*

Federal Strategic Sourcing Initiative, 5120-01-428-8435, Chrome, Full Polish, Plastic Tray., SE, \$109.18

These double head, thin wall, high strength box wrenches come in a 12 point design. AS955.

**Type 2: Metric Box Wrenches, Class 2: Deep Offset Each End, Style A: Regular Length.**

*Set consists of (8) wrenches in the following sizes: 6mm x 7mm, 8mm x 9mm, 9mm x 10mm, 11mm x 12mm, 13mm x 14mm, 15mm x 16mm, 17mm x 19mm and 18mm x 20mm.*

Federal Strategic Sourcing Initiative, 5120-00-103-9782, Chrome, Roll or Wrap., SE, \$158.10

*Set consists of (11) box wrenches in the following sizes: 10mm x 11mm, 12mm x 14mm, 13mm x 15mm, 14mm x 15mm, 16mm x 18mm, 17mm x 19mm, 19mm x 22mm, 21mm x 23mm, 23mm x 24mm, 27mm x 30mm and 30mm x 32mm.*

5120-01-115-1150, Chrome, Roll or Wrap., SE, \$271.84

**Type II Metric Box Wrenches Double Head, Class 1: 15° offset each end, Style A: Regular length.**

*Set consists of (11) wrenches in the following sizes: 6mm x 7mm, 8mm x 9mm, 10mm x 11mm, 12mm x 13mm, 14mm x 15mm, 16mm x 18mm, 17mm x 19mm, 21mm x 24mm, 22mm x 24mm, 27mm x 30mm and 30mm x 32mm.*

Federal Strategic Sourcing Initiative, 5120-01-428-8525, Chrome, Full Polish, Kit Bag., SE, \$249.04

## Box Wrench Set (Double Head, Ratchet)

Double headed, reversible steel box wrench has a corrosion resistant coating and a comfortable handgrip. B107.100 Cat 66.

**Type I: Laminated construction.**

*Set consists of (5) double box end ratchet wrenches in the following sizes: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16" and 3/4" x 7/8".*

Federal Strategic Sourcing Initiative, 5120-01-446-4014, 12 Point, Roll or Wrap., SE, \$86.42

## Box Wrench Set (Single Head, Ratchet)

A single headed wrench that loosens and tightens hexagonal fasteners such as tubing and hose nuts. Described by Wrenching Size, Length and Style)

**Set consists of (11) oxide wrenches in the following fractional sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1".**

Plastics Removal in Marine Environments

5120-00-474-7227, 12 Point, Tool Roll., SE, \$178.00

## Box Wrench Set (Geared)

Double headed, reversible steel box wrench has a corrosion resistant coating and a comfortable handgrip. B107.100 Cat 66.

**Type II: Nonlaminated construction.**

*Set consists of (10) wrenches in the following metric sizes: 10mm to 19mm.*

Federal Strategic Sourcing Initiative, 5120-01-495-7714, 72 Tooth, 12 Point, Furnished in a vinyl roll., SE, \$241.74

# Combination Wrenches

## Combination Wrench (Box and Open End)

A combination box and open end style, chromium plated wrench that has a 15° offset box end and a 15° head angle on the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. B107.100 Cat 6.

### Regular Length.

- Federal Strategic Sourcing Initiative, 5120-01-431-0985, 7mm B and O, 6 Point, Full Polish., EA, \$10.23
- Federal Strategic Sourcing Initiative, 5120-01-431-1012, 10mm B and O, 6 Point., EA, \$12.37
- Federal Strategic Sourcing Initiative, 5120-01-431-1031, 15mm B and O, 6 Point., EA, \$24.87
- Federal Strategic Sourcing Initiative, 5120-00-892-6089, 3/16" B and O, 6 Point., EA, \$4.63
- Federal Strategic Sourcing Initiative, 5120-01-335-1291, 7/16" B and O, 6 Point., EA, \$3.56

Combination box and open end style wrench has a thin wall 15° offset box end and a 15° head angle on the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. Box end is 12 point. AS954.

### Style A: Regular Length.

- Federal Strategic Sourcing Initiative, 5120-01-367-3371, 3/8" B and O, Chrome., EA, \$11.77
- Federal Strategic Sourcing Initiative, 5120-00-935-7370, 7/16" B and O, Chrome., EA, \$4.46
- Federal Strategic Sourcing Initiative, 5120-01-132-4038, 7/16" B and O, Black Oxide., EA, \$2.98
- Federal Strategic Sourcing Initiative, 5120-01-367-3372, 7/16" B and O, Chrome., EA, \$11.24
- Federal Strategic Sourcing Initiative, 5120-01-367-3373, 1/2" B and O, Chrome, Full Polish., EA, \$11.65
- Federal Strategic Sourcing Initiative, 5120-01-437-1642, 1/2" B and O, Black Oxide., EA, \$6.25
- Federal Strategic Sourcing Initiative, 5120-01-398-9221, 1/2" B and O, Chrome., EA, \$4.28
- Federal Strategic Sourcing Initiative, 5120-00-935-7371, 1/2" B and O, Chrome., EA, \$6.23
- Federal Strategic Sourcing Initiative, 5120-01-367-3374, 9/16" B and O, Chrome, Full Polish., EA, \$13.01
- Federal Strategic Sourcing Initiative, 5120-01-532-2342, 5/16" B and O, Chrome, Full Polish., EA, \$9.19
- Federal Strategic Sourcing Initiative, 5120-01-398-9222, 9/16" B and O, Chrome., EA, \$3.79
- Federal Strategic Sourcing Initiative, 5120-01-335-1245, 9/16" B and O, 10" L, Chrome., EA, \$7.42
- Federal Strategic Sourcing Initiative, 5120-01-398-9218, 5/8" B and O, Chrome., EA, \$4.84
- Federal Strategic Sourcing Initiative, 5120-01-430-2982, 7/8" B and O, Chrome., EA, \$7.68
- Federal Strategic Sourcing Initiative, 5120-01-398-9322, 7/8" B and O, Chrome., EA, \$7.68
- Federal Strategic Sourcing Initiative, 5120-01-430-3042, 15/16" B and O, Chrome., EA, \$12.87
- Federal Strategic Sourcing Initiative, 5120-01-264-6123, 15/16" B and O, Chrome., EA, \$16.09
- Federal Strategic Sourcing Initiative, 5120-01-486-2069, 15/16" B and O, Chrome., EA, \$11.36
- Federal Strategic Sourcing Initiative, 5120-01-399-8821, 1-1/16" B and O, Chrome., EA, \$26.49
- Federal Strategic Sourcing Initiative, 5120-01-335-1267, 1-5/16" B and O, 17-13/16" L, Chrome., EA, \$18.54
- Federal Strategic Sourcing Initiative, 5120-00-277-8833, 1-3/8" B and O, Chrome., EA, \$32.35
- Federal Strategic Sourcing Initiative, 5120-00-228-9519, 1-7/16" B and O, Chrome., EA, \$29.07
- Federal Strategic Sourcing Initiative, 5120-00-277-8834, 1-1/2" B and O, Chrome., EA, \$37.26
- Federal Strategic Sourcing Initiative, 5120-01-399-8801, 1-5/8" B and O, Chrome., EA, \$89.62
- Federal Strategic Sourcing Initiative, 5120-01-399-8795, 1-11/16" B and O, Chrome., EA, \$99.71
- Federal Strategic Sourcing Initiative, 5120-01-437-1838, 1-3/4" B and O, Oxide., EA, \$105.00
- Federal Strategic Sourcing Initiative, 5120-01-399-8803, 1-13/16" B and O, Chrome., EA, \$104.46
- Federal Strategic Sourcing Initiative, 5120-01-335-1240, 1-13/16" B and O, Chrome., EA, \$103.04
- Federal Strategic Sourcing Initiative, 5120-01-224-4876, 1-7/8" B and O, Chrome., EA, \$126.67
- Federal Strategic Sourcing Initiative, 5120-01-122-8360, 2-1/4" B and O, Chrome., EA, \$164.40

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-288-9997, 1/4" B and O, Chrome., EA, \$2.28
- Federal Strategic Sourcing Initiative, 5120-00-228-9504, 3/8" B and O, Chrome., EA, \$3.28
- Federal Strategic Sourcing Initiative, 5120-00-228-9505, 7/16" B and O, Chrome., EA, \$2.29
- Federal Strategic Sourcing Initiative, 5120-00-228-9506, 1/2" B and O, Chrome., EA, \$2.75
- Federal Strategic Sourcing Initiative, 5120-00-228-9509, 11/16" B and O, Chrome., EA, \$3.94
- Federal Strategic Sourcing Initiative, 5120-00-228-9510, 3/4" B and O, Chrome., EA, \$4.92
- Federal Strategic Sourcing Initiative, 5120-00-228-9511, 13/16" B and O, Chrome., EA, \$5.86
- Federal Strategic Sourcing Initiative, 5120-00-228-9512, 7/8" B and O, Chrome., EA, \$9.05
- Federal Strategic Sourcing Initiative, 5120-00-228-9513, 15/16" B and O, Chrome., EA, \$9.89
- Federal Strategic Sourcing Initiative, 5120-00-228-9514, 1" B and O, Chrome., EA, \$10.85
- Federal Strategic Sourcing Initiative, 5120-00-228-9516, 1-1/8" B and O, Chrome., EA, \$14.22
- Federal Strategic Sourcing Initiative, 5120-00-228-9517, 1-1/4" B and O, Chrome., EA, \$19.87
- Federal Strategic Sourcing Initiative, 5120-00-228-9515, 1-1/16" B and O, Chrome., EA, \$13.71

### Style B: Short Length.

- Federal Strategic Sourcing Initiative, 5120-00-228-9503, 5/16" B and O, Chrome., EA, \$2.25
- Federal Strategic Sourcing Initiative, 5120-01-398-9291, 5/16" B and O, Chrome., EA, \$3.08
- Federal Strategic Sourcing Initiative, 5120-01-651-2680, 3/8" B and O, Chrome, Full Polish., EA, \$14.11
- Federal Strategic Sourcing Initiative, 5120-01-398-9294, 3/8" B and O, Chrome., EA, \$3.28
- Federal Strategic Sourcing Initiative, 5120-01-398-9295, 7/16" B and O, Chrome., EA, \$2.67
- Federal Strategic Sourcing Initiative, 5120-01-430-2966, 9/16" B and O, Chrome., EA, \$5.19
- Federal Strategic Sourcing Initiative, 5120-01-430-3023, 5/8" B and O, 7-1/2" L, Chrome., EA, \$4.45
- Federal Strategic Sourcing Initiative, 5120-01-335-1253, 3/4" B and O, Chrome., EA, \$5.08

### Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-278-0342, 11/32" B and O, Chrome., EA, \$4.49
- Federal Strategic Sourcing Initiative, 5120-00-228-9507, 9/16" B and O, Chrome., EA, \$3.25
- Federal Strategic Sourcing Initiative, 5120-00-228-9508, 5/8" B and O, Chrome., EA, \$3.70

### Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style A: Extra short length

- Federal Strategic Sourcing Initiative, 5120-01-079-8024, 8mm B and O, Chrome., EA, \$3.37

### Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style B: Short length.

- Federal Strategic Sourcing Initiative, 5120-01-430-2964, 8mm B and O, Chrome, Full Polish., EA, \$3.89
- Federal Strategic Sourcing Initiative, 5120-01-398-9351, 8mm B and O, Chrome., EA, \$3.33
- Federal Strategic Sourcing Initiative, 5120-01-054-7126, 8mm B and O, Chrome., EA, \$8.12
- Federal Strategic Sourcing Initiative, 5120-01-430-3021, 10mm B and O, Chrome, Full Polish., EA, \$3.95
- Federal Strategic Sourcing Initiative, 5120-01-113-7134, 10mm B and O, Chrome., EA, \$3.73
- Federal Strategic Sourcing Initiative, 5120-01-430-3027, 11mm B and O, Chrome, Full Polish., EA, \$3.92
- Federal Strategic Sourcing Initiative, 5120-01-430-3002, 12mm B and O, Chrome, Full Polish., EA, \$16.38
- Federal Strategic Sourcing Initiative, 5120-01-054-7130, 12mm B and O, Chrome., EA, \$4.30
- Federal Strategic Sourcing Initiative, 5120-01-430-3006, 13mm B and O, Chrome, Full Polish., EA, \$4.49
- Federal Strategic Sourcing Initiative, 5120-01-054-7131, 13mm B and O, Chrome., EA, \$3.05
- Federal Strategic Sourcing Initiative, 5120-01-430-2978, 14mm B and O, Chrome, Full Polish., EA, \$4.34
- Federal Strategic Sourcing Initiative, 5120-01-366-9324, 14mm B and O, Chrome., EA, \$17.88
- Federal Strategic Sourcing Initiative, 5120-01-430-3009, 17mm B and O, Chrome, Full Polish., EA, \$4.65
- Federal Strategic Sourcing Initiative, 5120-01-054-7135, 17mm B and O, Chrome., EA, \$5.60
- Federal Strategic Sourcing Initiative, 5120-01-430-3014, 18mm B and O, Chrome, Full Polish., EA, \$9.32
- Federal Strategic Sourcing Initiative, 5120-01-054-7136, 18mm B and O, Chrome., EA, \$39.96
- Federal Strategic Sourcing Initiative, 5120-01-045-4910, 18mm B and O, Oxide., EA, \$5.86
- Federal Strategic Sourcing Initiative, 5120-01-101-4630, 20mm B and O, Chrome., EA, \$55.68
- Federal Strategic Sourcing Initiative, 5120-01-054-7138, 21mm B and O, Chrome., EA, \$59.09
- Federal Strategic Sourcing Initiative, 5120-01-054-7139, 22mm B and O, Chrome., EA, \$41.78



**Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style C: Regular length.**

Federal Strategic Sourcing Initiative, 5120-01-598-3108, 9mm B and O, Chrome, Full Polish., EA, \$8.47

Federal Strategic Sourcing Initiative, 5120-01-349-1476, 10mm B and O, Chrome., EA, \$3.95

Federal Strategic Sourcing Initiative, 5120-01-349-1477, 11mm B and O, Chrome., EA, \$4.50

Federal Strategic Sourcing Initiative, 5120-01-398-9354, 11mm B and O, Chrome., EA, \$3.12

Federal Strategic Sourcing Initiative, 5120-01-598-3095, 51-213 or equal, 13mm B and O, Chrome, Full Polish., EA, \$11.37

Federal Strategic Sourcing Initiative, 5120-01-349-1481, 15mm B and O, Chrome., EA, \$4.71

Federal Strategic Sourcing Initiative, 5120-01-430-3051, 16mm B and O, Chrome, Full Polish., EA, \$13.18

Federal Strategic Sourcing Initiative, 5120-01-430-2983, 19mm B and O, Chrome, Full Polish., EA, \$10.26

Federal Strategic Sourcing Initiative, 5120-01-598-3046, 19mm B and O, Chrome, Full Polish., EA, \$7.05

Federal Strategic Sourcing Initiative, 5120-01-435-6953, 19mm B and O, Chrome., EA, \$6.46

Federal Strategic Sourcing Initiative, 5120-01-430-3052, 21mm B and O, Chrome, Full Polish., EA, \$23.08

Federal Strategic Sourcing Initiative, 5120-01-430-3020, 22mm B and O, Chrome, Full Polish., EA, \$7.44

Federal Strategic Sourcing Initiative, 5120-01-054-7141, 24mm B and O, Chrome., EA, \$7.16

Federal Strategic Sourcing Initiative, 5120-01-348-9474, 34mm B and O, Chrome., EA, \$51.67

Federal Strategic Sourcing Initiative, 5120-01-399-8834, 41mm B and O, Chrome., EA, \$85.01

**Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style D: Long length.**

Federal Strategic Sourcing Initiative, 5120-01-399-8851, 13mm B and O, Chrome., EA, \$9.61

Federal Strategic Sourcing Initiative, 5120-01-399-8893, 30mm B and O, Chrome., EA, \$45.02

Federal Strategic Sourcing Initiative, 5120-01-399-8830, 46mm B and O, Chrome., EA, \$108.89

## Combination Wrench (Flare Nut and Open End)

These 12 point flare nut wrenches are designed for tightening and loosening tube fittings, stuffing gland nuts and similar flare nuts by having an slot that fits over the tubing. AS4167

**Type I: Chromium finish, Class 2: Flare nut wrenches, Style C: Combination open end and flare nut**

Federal Strategic Sourcing Initiative, 5120-01-486-2101, 7/16" F and O Ends, Chrome., EA, \$16.51

Federal Strategic Sourcing Initiative, 5120-01-486-2106, 11/16" F and O Ends, Chrome., EA, \$24.68

## Combination Wrench (Spline Box and Open End)

Combination wrench has a spline box end and an open end that is offset 15°. It has a high strength, thin wall design for aircraft fasteners. MIL-W-8982/6.

Federal Strategic Sourcing Initiative, 5120-01-590-1800, JSCV08 or equal M8982/6, #8 (1/4") B and O, 5-1/2" L, Oxide., EA, \$14.02

## Combination Box and Open End Wrench (Geared)

These geared combination wrenches have an all steel, one piece construction and are fully polished. The box end features a geared ratcheting closed head design. Short ratcheting arc and small head thickness allows the fastener to be quickly turned, even in confined areas. The conventional open end permits more torque to be applied to a fastener. B107.66

**Type II: Nonlaminated construction.**

Federal Strategic Sourcing Initiative, 5120-01-542-7441, 1/2" B and O, 8" L, 12 Point, Full Polish., EA, \$11.28

## Flare Nut Wrench (Double Head)

These double head flare nut wrenches are designed for tightening and loosening tube fittings and stuffing gland nuts and similar flare nuts by having an open end slot that fits over the tubing. They are chromium plated. B107.100 Cat 40.

Federal Strategic Sourcing Initiative, 5120-01-431-4956, 3/4" and 7/8" Ends, 6 Point., EA, \$29.16

## Combination Wrench Set (Box and Open End)

Combination box and open end style wrench has a thin wall 15° offset box end and a 15° head angle on the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. Box end is 12 point. AS954.

**Style A: Regular Length.**

*Set consists of (7) combination wrenches in sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".*

Federal Strategic Sourcing Initiative, 5120-01-428-8570, Chrome, Full Polish, Serrated Open Ends, Plastic Tray., SE, \$75.09

*Set consists of (9) combination wrenches in sizes: 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".*

5120-00-935-7310, Chrome, Roll or Wrap., SE, \$31.36

*Set consists of (14) combination wrenches in sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4".*

Federal Strategic Sourcing Initiative, 5120-01-428-8200, Chrome, Full Polish, Kit Bag., SE, \$155.10

*Set consists of (15) combination wrenches in sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4".*

Federal Strategic Sourcing Initiative, 5120-01-482-7617, Chrome, Kit Bag., SE, \$281.51

Combination box and open end style wrench has a thin wall 15° offset box end and a 15° head angle on the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. Box end is 12 point. AS955.

**Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style C: Regular length.**

*Set consists of (10) combination wrenches in sizes: 10mm - 19mm.*

Federal Strategic Sourcing Initiative, 5120-01-428-8496, Chrome, Full Polish, Serrated Open End, Tray, Roll or Wrap., SE, \$61.23

*Set consists of (14) combination wrenches in sizes: 6mm to 19mm.*

Federal Strategic Sourcing Initiative, 5120-01-046-4979, Oxide, Roll or Wrap., SE, \$134.54

*Set consists of (15) combination wrenches in sizes: 7mm, 8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm - 30mm and 32mm.*

Federal Strategic Sourcing Initiative, 5120-01-067-5016, Chrome, Roll or Wrap., SE, \$417.34

*This set consists of (16) combination wrenches in sizes: 12mm - 24mm, 27, 30 and 32mm.*

Federal Strategic Sourcing Initiative, 5120-00-025-9361, Chrome., SE, \$120.40

**Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style B: Short length.**

*Set consists of (14) combination wrenches in sizes: 6mm - 19mm.*

Federal Strategic Sourcing Initiative, 5120-01-428-8214, Chrome, Kit Bag., SE, \$320.10

*Set consists of (9) combination wrenches in sizes: 10mm to 18mm.*

Federal Strategic Sourcing Initiative, 5120-00-935-7333, Chrome, Roll or Wrap., SE, \$31.09

**Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style C: Regular length.**

*Set consists of (19) combination wrenches in sizes: 10mm to 24mm, 26mm, 27mm, 30mm and 32mm.*

Federal Strategic Sourcing Initiative, 5120-01-119-0010, Chrome., SE, \$135.00

*Set consists of (23) combination wrenches in sizes: 8mm - 27mm, 29mm, 30mm and 32mm.*

5120-01-176-1819, Chrome, Roll or Wrap., SE, \$222.27

*Set consists of (25) combination wrenches in sizes: 9mm - 27mm, 29mm, 30mm, 32mm, 34mm and 36mm.*

Federal Strategic Sourcing Initiative, 5120-01-428-8379, Chrome, Full Polish., SE, \$276.84

This combination wrench set (box and open end style) is chromium plated and has a 15° offset box end and the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. B107.100 Cat 6.

**Set consists of (9) Regular length wrenches in sizes 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32" and 3/8".**

5120-00-148-9488, 6 Point, Roll or Wrap., SE, \$59.77

## Combination Box and Open End Wrench Set (Geared)

These geared combination wrenches have an all steel, one piece construction and are fully polished. The box end features a geared ratcheting closed head design. Short ratcheting arc and small head thickness allows the fastener to be quickly turned, even in confined areas. The conventional open end permits more torque to be applied to a fastener. B107.66

**Type II: Nonlaminated construction.**

*Set consists of seven wrenches in the following sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".*

Federal Strategic Sourcing Initiative, 5120-01-495-7710, Standard Lengths, Reversing Lever, 12 Point, Chrome., SE, \$88.68

5120-01-495-7719, Short Lengths, 12 Point, Chrome, Vinyl Roll or Wrap., SE, \$59.42

5120-01-495-7705, Standard Lengths, 12 Point, Chrome., SE, \$47.70

*Set consists of (10) wrenches in the following metric sizes: 10mm to 19mm.*

5120-01-495-7720, Short Lengths, 12 Point, Chrome, Vinyl Roll or Wrap., SE, \$92.44

5120-01-495-7708, Standard Lengths, 12 Point, Chrome., SE, \$59.04

*Set consists of 10 wrenches in the following sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".*

5120-01-495-7712, Standard Lengths, 12 Point, 72 Tooth, Chrome, Roll., SE, \$112.26

# Open-End Wrenches

## Open End Wrench

This open ended, single head box wrench is chrome plated and has a 15-degree angle.

Federal Strategic Sourcing Initiative, 5120-00-277-1191, JC906B or equal, 1", 11" to 14 3/4" L., EA, \$31.66

Federal Strategic Sourcing Initiative, 5120-00-277-1194, 1-1/8", 12-3/4" to 17-1/4" L., Oxide., EA, \$35.03

Double headed wrench, 15 degree angle each end, wrenching size 3/8", head thickness 1/4" both ends. Army Signal Corps Engineering Laboratories drawing number SC-B-98220.

Federal Strategic Sourcing Initiative, 5120-00-302-5696, GA143C or equal., EA, \$11.06

## Wrench (Open End, Single Head)

This wrench has single 15° angled open end and is chrome plated. The thin head is perfect for use on hexagonal and square jam nuts and in confined spaces. Described by (Wrench Size, Length). A-A-1357.

Federal Strategic Sourcing Initiative, 5120-00-293-1324, 1-3/8", 11-1/2" L., EA, \$22.79

Federal Strategic Sourcing Initiative, 5120-00-277-1246, 1-1/2", 13 1/2" L., EA, \$51.97

Federal Strategic Sourcing Initiative, 5120-00-277-1243, 1-7/8", 16-1/2" L., EA, \$81.58

Federal Strategic Sourcing Initiative, 5120-00-277-1236, 2-3/8", 22" L., EA, \$155.31

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-1247, 1-5/16", 11-7/8" L., EA, \$23.19

This wrench has single 30° angled open end and is chrome plated. The thin head is perfect for use on hexagonal and square jam nuts and in confined spaces. Described by (Wrench Size, Length). A-A-1353.

Federal Strategic Sourcing Initiative, 5120-00-203-4812, 1", 6-7/8" L., EA, \$16.80

Federal Strategic Sourcing Initiative, 5120-00-203-4801, 1-3/4", 8-1/2" L., EA, \$24.53

Federal Strategic Sourcing Initiative, 5120-01-619-4835, 2", 8-1/2" L., EA, \$27.63

Federal Strategic Sourcing Initiative, 5120-00-203-4795, 2-1/8", 8-1/2" L., EA, \$25.13

Federal Strategic Sourcing Initiative, 5120-00-203-4794, 2-1/4", 8-1/2" L., EA, \$25.29

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-203-4810, 1-1/8", 6-7/8" L., EA, \$9.50

Federal Strategic Sourcing Initiative, 5120-00-203-4807, 1-5/16", 7-5/8" L., EA, \$20.40

This (Structural) wrench has single deep offset open end and is black oxide treated. The thin head is perfect for use on hexagonal and square jam nuts and in confined spaces to permit clearance of obstructions. The handle is tapered for insertion into bolt holes. Described by (Wrench Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-277-1187, 13/16", 9-1/4" - 14-3/4" L., EA, \$24.54

This wrench has single 15° angled open end. The thin head is perfect for use on hexagonal and square jam nuts and in confined spaces. Described by (Wrench Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-277-1230, 903A or equal., 5/8", 12" L., Oxide., EA, \$19.37

## Open End Wrench (Double Head)

These open ended, engineer's-style double-headed wrenches are chrome plated and have a 15-degree angle on both ends.

Federal Strategic Sourcing Initiative, 5120-00-490-4856, 1/4" and 3/8" Ends, Chrome., EA, \$52.31

These open ended, engineer's style double headed wrenches are chrome plated and have a 15° angle on both ends. B107.100 Cat 39.

### Regular Length

Federal Strategic Sourcing Initiative, 5120-01-398-9310, 30mm and 32mm Ends., EA, \$23.08

Federal Strategic Sourcing Initiative, 5120-01-430-7861, 5/16" and 3/8" Ends., EA, \$9.28

Federal Strategic Sourcing Initiative, 5120-00-277-4834, 7/16" and 9/16" Ends, 5" L., EA, \$13.28

Federal Strategic Sourcing Initiative, 5120-01-398-9148, 1/2" and 9/16" Ends., EA, \$4.42

Federal Strategic Sourcing Initiative, 5120-01-399-8764, 5/8" and 3/4" Ends., EA, \$14.05

Federal Strategic Sourcing Initiative, 5120-01-335-1205, 5/8" and 11/16" Ends., EA, \$12.75

Federal Strategic Sourcing Initiative, 5120-00-293-2134, 9/16" and 11/16" Ends, 6" L Min., EA, \$9.62

Federal Strategic Sourcing Initiative, 5120-00-277-8300, 11/16" and 13/16" Ends., EA, \$12.05

Federal Strategic Sourcing Initiative, 5120-00-187-7130, 13/16" and 7/8" Ends., EA, \$13.93

Federal Strategic Sourcing Initiative, 5120-00-293-0190, 1-1/16" and 1-1/8" Ends., EA, \$30.76

Federal Strategic Sourcing Initiative, 5120-00-277-2323, 1-5/16" and 1-1/2" Ends, 14" L., EA, \$83.16

Federal Strategic Sourcing Initiative, 5120-01-399-8752, 1-11/16" and 1-13/16" Ends., EA, \$90.14

Federal Strategic Sourcing Initiative, 5120-00-184-8439, 1-1/2" and 1-5/8" Ends., EA, \$34.91

Federal Strategic Sourcing Initiative, 5120-01-335-1181, 10mm and 11mm Ends., EA, \$13.08

Federal Strategic Sourcing Initiative, 5120-01-072-2954, 13mm and 15mm Ends., EA, \$7.53

Federal Strategic Sourcing Initiative, 5120-01-101-1193, 14mm and 15mm Ends., EA, \$10.33

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-228-9527, 3/16" and 1/4" Ends., EA, \$14.77

Federal Strategic Sourcing Initiative, 5120-00-277-2342, 3/8" and 7/16" Ends., EA, \$7.74

Federal Strategic Sourcing Initiative, 5120-00-187-7123, 7/16" and 1/2" Ends., EA, \$6.43

Federal Strategic Sourcing Initiative, 5120-00-187-7126, 9/16" and 5/8" Ends., EA, \$11.63

Federal Strategic Sourcing Initiative, 5120-00-224-3102, 5/8" and 3/4" Ends., EA, \$6.25

Federal Strategic Sourcing Initiative, 5120-00-277-8301, 5/8" and 11/16" Ends., EA, \$5.38

Federal Strategic Sourcing Initiative, 5120-00-277-7025, 15/16" and 1" Ends., EA, \$9.13

These open ended, engineer's style double headed wrenches are black oxide coated and have a 15° angle on both ends. B107.100.

### Regular Length

Federal Strategic Sourcing Initiative, 5120-01-373-8833, 3/4" and 7/8" Ends. Oxide., EA, \$17.59

## Open End Wrench (Angle Style)

Angle style open end wrench is double headed and chrome plated. The heads are angled 15° one end and 60° on the other end. The ends are listed by 15° (A) then 60° (B). ASME B107.100 Cat 39 Class 3.

Federal Strategic Sourcing Initiative, 5120-00-184-8653, 7/8" (A) and (B), EA, \$22.33

Federal Strategic Sourcing Initiative, 5120-00-277-8314, 3/8" (A) and 11/32" (B), EA, \$8.63

Federal Strategic Sourcing Initiative, 5120-00-277-8308, 7/32" (A) and 1/4" (B), EA, \$2.75

Federal Strategic Sourcing Initiative, 5120-00-277-8309, 1/4" (A) and 7/32" (B), EA, \$5.09

**Exception to spec: Wrench angles shall be 15° and 75° degree angles.**

Federal Strategic Sourcing Initiative, 5120-00-293-0191, 3/8" (A and B) (15 degree and 75 degree), EA, \$8.04

## Open End Wrench (Tappet)

This automotive tappet style, double headed wrench has a 15 degree angle on both ends and is chrome plated. B107.100 Cat 39.

### Type III: Tappet wrench, 15 deg

Federal Strategic Sourcing Initiative, 5120-00-473-6538, 3/4" and 7/8" Ends, 8" L Min, Full Polish., EA, \$31.03

Federal Strategic Sourcing Initiative, 5120-00-277-2327, 5/8" and 11/16" Ends., EA, \$12.97

Federal Strategic Sourcing Initiative, 5120-01-399-9902, 9/16" and 5/8" Ends, 10" L., EA, \$15.57

Federal Strategic Sourcing Initiative, 5120-01-400-0242, 1/2" and 9/16" Ends, 10" L, Satin Chrome., EA, \$14.95

## Flare Nut Wrench

Forged steel flare nut wrench has a corrosion preventive coating and is for tightening and loosening tube fittings, stuffing gland nuts and similar flare nuts. Has a nondistortion design, with heads that are angled at 15°.

Federal Strategic Sourcing Initiative, 5120-01-387-0055, 3/4", 7-1/2" L, 12 Point., EA, \$15.80

## Flare Nut Wrench (Double Head)

These double head flare nut wrenches are designed for tightening and loosening tube fittings and stuffing gland nuts and similar flare nuts by having an open end slot that fits over the tubing. They are chromium plated. B107.100 Cat 40.

Federal Strategic Sourcing Initiative, 5120-01-428-8321, 1/2" and 9/16" Ends, 6 Point., EA, \$3.44

Federal Strategic Sourcing Initiative, 5120-01-428-8275, 3/8" and 7/16" Ends, 6 Point., EA, \$3.44

These 12 point flare nut wrenches are designed for tightening and loosening tube fittings, stuffing gland nuts and similar flare nuts by having a slot that fits over the tubing. AS4167

### Type I: Chromium finish, Class 2: Wrench (Flare nut), Style A: Double flare nut, Design B: 15 degree heads.

Federal Strategic Sourcing Initiative, 5120-00-269-7972, 3/4" and 1" Ends., EA, \$22.25

Federal Strategic Sourcing Initiative, 5120-01-486-2298, 7mm and 8mm Ends., EA, \$17.25

## Flare Nut Wrench (Single Head)

These 12 point flare nut wrenches are designed for tightening and loosening tube fittings, stuffing gland nuts and similar flare nuts by having a slot that fits over the tubing. AS4167

### Type II: Black oxide or phosphate finish, Class 2: Flare nut wrenches, Style D: Single flare nut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-3156, 7/16", EA, \$13.96

## Open End Wrench Set

IAW King Nutronics Corporation set part number: 3731-63-1.

Federal Strategic Sourcing Initiative, 5120-01-566-1942, SE, \$275.12

## Open End Wrench Set (Double Head)

These angle style open end wrench sets are double headed and chrome plated. The heads are angled 30° one end and 60° on the other end. The ends are listed by 30° (A) then 60° (B). ASME B107.100.

**Wrench set consists of (28) regular length wrenches in (A and B) sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8" and 2".**

Federal Strategic Sourcing Initiative, 5120-01-428-8751, SE, \$1,254.59

**Wrench set consists of (14) regular length wrenches in (A and B) sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4".**

Federal Strategic Sourcing Initiative, 5120-01-428-8705, SE, \$382.64

These open ended, engineer's style double headed wrench sets have a 15 degree angle on both ends. B107.100 Cat 39.

### Regular Length

*Set consists of (6) wrenches in sizes: 1/4" x 5/16", 5/16" x 3/8", 3/8" x 7/16", 7/16" x 1/2", 1/2" x 9/16", 9/16" x 5/8", 5/8" x 11/16", 5/8" x 3/4", 11/16" x 3/4", 3/4" x 13/16", 3/4" x 7/8", 13/16" x 7/8", 7/8" x 15/16", 15/16" x 1", 1" x 1-1/16", 1-1/16" x 1-1/4", 1-1/8" x 1-3/16", 1-1/4" x 1-5/16", 1-3/8" x 1-7/16" and 1-1/2" x 1-5/8".*

Federal Strategic Sourcing Initiative, 5120-01-428-8521, Kit Bag., SE, \$600.06

*Set consists of (10) wrenches in the following sizes: 5/16" X 3/8", 7/16" X 1/2", 9/16" X 5/8", 11/16" X 3/4", 13/16" X 7/8", 15/16" X 1", 1-1/16" X 1-1/8", 1-1/4" X 1-5/16", 1-3/8" X 1-7/16" and 1-1/2" X 1-5/8".*

Federal Strategic Sourcing Initiative, 5120-01-581-6433, Oxide, Vinyl Roll., SE, \$293.56

*Set consists of (5) wrenches in sizes: 3/16" X 7/32", 1/4" X 9/32", 5/16" X 11/32", 3/8" X 7/16" and 7/16" X 1/2".*

Federal Strategic Sourcing Initiative, 5120-00-449-8128, Kit Bag or Roll., SE, \$69.22

## Open End Wrench Set (Double Head, Angle Style)

These angle style open end wrench sets are double headed. The heads are angled 15° one end and 60° on the other end. The ends are listed by 15° (A) then 60° (B). ASME B107.100 Cat 39.

**Wrench set consists of (8) pieces in sizes: 13/64" x 15/64", 7/32" x 1/4", 15/64" x 13/64", 1/4" x 7/32", 9/32" x 5/16", 5/16" x 9/32", 11/32" x 3/8" and 3/8" x 11/32"**

Federal Strategic Sourcing Initiative, 5120-00-962-7580, Chrome., SE, \$20.66

## Flare Nut Wrench Set

These double head flare nut wrench sets are designed for tightening and loosening tube fittings and stuffing gland nuts and similar flare nuts by having an open end slot that fits over the tubing. B107.100 Cat 40.

**This flare nut wrench set consists of (5) wrenches in sizes: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16".**

Federal Strategic Sourcing Initiative, 5120-01-428-8285, 6 Point, Chrome, Plastic Tray., SE, \$100.89

# Pipe Wrenches

## Pipe Wrench (Angle Style)

Use this adjustable, angle style wrench when service is in confined quarters and not unusually severe. The jaw opens at a 25° angle from the handle. Consists of a steel adjusting nut, a threaded movable jaw, a handle with fixed jaw and frame openings for movable jaw and adjusting nut. Knurled adjusting nut has internal threads. Described by: (Range, Length).

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-269-7966, 1/4" to 1", 10" L., EA, \$10.92  
Federal Strategic Sourcing Initiative, 5120-00-269-7965, 1/2" to 1-1/2", 14" L., EA, \$20.46

## Pipe Wrench (Strap Type)

Adjustable, strap type wrench will not scratch polished pipe or tubing. Consists of a steel head with strap pin and slot, a one piece "I" beam handle and a flexible woven web strap. Strap is treated for added traction. Described by: (Capacity, Strap Length and Handle Length)

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3249, Capacity: 1/8 to 2", 17" L Strap, 11-3/4" L Handle., EA, \$33.14  
Federal Strategic Sourcing Initiative, 5120-00-262-8491, Capacity 1" to 6", 30" L Strap, 18" Handle., EA, \$50.55

## Oil Filter Wrench

These oil filter wrenches have either a steel band, strap or form fitting type.

Federal Strategic Sourcing Initiative, 5120-00-020-2947, 1/2" and 3/8" Drives, Nylon Strap, Fits 1" - 6" Dia., EA, \$21.96

## Pipe Wrench (Chain Type)

A chain type wrench should be used on larger size pipe only. Consists of a steel or iron handle fitted with removable steel jaws and a length of flat link steel chain. Reversible working end has teeth on each side. Described by (Capacity, Handle Length).

Federal Strategic Sourcing Initiative, 5120-01-486-2264, 7/8" to 4", 12-5/16" L., EA, \$40.70  
Federal Strategic Sourcing Initiative, 5120-01-335-2624, C-14 or equal., 3/4" to 5", 15" L., EA, \$73.78

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-1410, R233 or equal., 1" to 6", 42" L., EA, \$423.27

## Pipe Wrench (Movable Jaw)

This heavy duty adjustable wrench features a movable jaw that opens at a 90° angle from the handle. Consists of a handle with a fixed jaw and frame, a movable steel upper jaw and a freely operating steel adjusting nut. Described by (Capacity, Length).

Federal Strategic Sourcing Initiative, 5120-01-335-1030, 0" to 1-1/2", 10" L., EA, \$11.11  
Federal Strategic Sourcing Initiative, 5120-01-357-4758, 0" to 2", 12" L, Steel., EA, \$34.37  
Federal Strategic Sourcing Initiative, 5120-01-335-1031, 0" to 2", 12" L., EA, \$23.98  
Federal Strategic Sourcing Initiative, 5120-01-336-5476, 31100 or equal., 0" to 2-1/2", 18" L, Aluminum., EA, \$54.56  
Federal Strategic Sourcing Initiative, 5120-01-335-1033, 0" to 2-1/2", 18" L., EA, \$29.07  
Federal Strategic Sourcing Initiative, 5120-01-335-1034, 0" to 3", 24" L., EA, \$43.87  
Federal Strategic Sourcing Initiative, 5120-01-399-8985, 0" to 5", 36" L., EA, \$239.77

### Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-1483, 1/8" to 1/2", 6" L., EA, \$18.36  
Federal Strategic Sourcing Initiative, 5120-00-277-1477, 31090 or equal., 1-1/2", 10" L, Aluminum., EA, \$36.56  
Federal Strategic Sourcing Initiative, 5120-00-240-5336, 0" to 2-1/8", 10-1/2" L., EA, \$23.36  
Federal Strategic Sourcing Initiative, 5120-00-277-1486, 1/2" to 1-1/2", 14" L Steel., EA, \$29.27  
Federal Strategic Sourcing Initiative, 5120-00-277-1478, 1/2" to 1-1/2", 14" L, Aluminum., EA, \$40.98  
Federal Strategic Sourcing Initiative, 5120-00-277-1461, 1" to 2", 18" L., EA, \$38.54  
Federal Strategic Sourcing Initiative, 5120-00-277-1479, 1" to 2", 18" L, Aluminum., EA, \$49.94  
Federal Strategic Sourcing Initiative, 5120-00-277-1462, 1-1/2" to 2-1/2", 24" L., EA, \$60.72  
Federal Strategic Sourcing Initiative, 5120-00-277-1480, 1-1/2" to 2-1/2", 24" L, Aluminum., EA, \$86.56  
Federal Strategic Sourcing Initiative, 5120-00-277-1481, 31110 or equal., 5", 36" L, Aluminum., EA, \$140.12  
Federal Strategic Sourcing Initiative, 5120-00-270-4309, 2-1/2" to 3-1/2", 36" L, Cast Iron., EA, \$120.11

# Spanner Wrenches

## Spanner Wrench

Repair problems more easily with hose coupling type wrench. Use on rocker lugs, slotted or pin lug fire hose couplings from 1-1/2 to 3-1/2" sizes. Made of aluminum alloy. IAW Dept of the Navy Dwg 810-4444647.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-018-1519, EA, \$20.83

These spanner wrenches are made of steel and are used for machinery maintenance and for tightening / loosening hose couplings and hydrant caps. Described by (Capacity, Length) GGG-W-665.

**Type 1: Adjustable Hook Type. Class 1: Fixed Pivot Point.**

Federal Strategic Sourcing Initiative, 5120-01-335-0704, 3/4" - 2", 6-3/8" L., EA, \$26.34

Federal Strategic Sourcing Initiative, 5120-01-399-8970, 2" to 4-3/4", 11-1/4" L., EA, \$54.88

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-9075, 1-1/4" to 3", 8-1/8" L., EA, \$26.06

Federal Strategic Sourcing Initiative, 5120-00-288-6468, 3/4" to 2", 6-3/8" L, Steel, Oxide., EA, \$16.94

Federal Strategic Sourcing Initiative, 5120-00-277-9077, 4-1/2" to 6-1/4", 12-1/8" L, Steel., EA, \$45.71

**Type 2: Pin, Class 2: Adjustable.**

Federal Strategic Sourcing Initiative, 5120-01-335-0708, 3/4" - 2", 6-3/8" L, Oxide., EA, \$37.18

**Type 3: Face. Class 2: Adjustable.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-0798, 3", Pin 1/4", 8-1/4" L., EA, \$62.35

**Universal hose coupling-type wrench is for use on pin-lug, guard-lug, rocker-lug and other couplings for hoses with diameters of 1 to 3. Handle is shaped for use as a forcible entry tool and to shut off gas cocks. With belt hook eyelet. Made of forged steel or cast iron.**

Federal Strategic Sourcing Initiative, 5120-00-293-1602, 11" L, EA, \$10.97

These spanner wrenches are made of steel and are used for machinery maintenance and for tightening and loosening hose couplings and hydrant caps.

**Type III: Face, Class 1: Non-Adjustable.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-288-8746, 2" dia, Pin 3/16", 6-3/8" L., EA, \$23.31

Perfect for use on collars, rings and locknuts. Steel wrench has a corrosion preventive coating and a comfortable grip. AS6018

**Type I: Adjustable Hook, Class 1: Fixed Pivot Point**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-9076, 11-3/8" L, 3/16" Pin, 2" to 4-3/4" Opening., EA, \$28.16

**Hook wrench is adjustable and is made of beryllium-copper or aluminum-bronze alloy. Length is 12-1/4" with hook fully open. Diameter capacity is 4 to 6-3/8". Hook is 1/4" long, 7/16" wide and 5/8" deep.**

*Nonmagnetic and Nonsparking.*

Federal Strategic Sourcing Initiative, 5120-00-494-1989, 12" L., EA, \$116.31

**Face pin-type wrench is adjustable and has two head arms joined at one end with a hinge pin, providing smooth movement. Friction holds arms at any angle.**

Federal Strategic Sourcing Initiative, 5120-00-157-2133, JC497 or equal., 11-3/8" L, 1/4" Pin, . 2" to 4-3/4" Opening, EA, \$49.34

**IAW U.S. Army Electronics Research and Development Command, Night Vision and Electro-Optics Laboratory dwg #5007644.**

Federal Strategic Sourcing Initiative, 5120-01-175-7134, EA, \$64.29

**Adjustable hook-type wrench has a fixed pivot point and a jaw that pivots freely. Also has a well-secured hinge pin.**

*Diameter capacity: 1-1/4 to 3"; Pin diameter: 3/16".*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-0406, JC472 or equal, 8-1/8" L, 3/16" Pin, 1-1/4" to 3" Opening., EA, \$58.26

**Type III-Face. Face pin-type wrench has two pins permanently attached in ends of spanner head at right angles.**

*Adjustable wrench has two head arms joined at one end with a hinge pin, providing smooth movement. Friction holds arms at any angle.*

Federal Strategic Sourcing Initiative, 5120-01-566-1944, 3731-65-1 or equal., EA, \$264.96

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-264-3777, 10-3/8" L, 5/16" Pin, 4" Opening., EA, \$57.13

## Spanner Wrench (Face Spanner Socket Wrench)

Perfect for use on collars, rings and locknuts. Steel wrench has a corrosion preventive coating and a comfortable grip. AS6018

**End Item Identification: NSN 2320-01-304-2277, Truck**

Federal Strategic Sourcing Initiative, 5120-01-354-9451, Opening: 4.63", 2-3/4" L, 1" Drive., EA, \$437.73

## Spanner Wrench Set

Consists of one steel handle (1/4" diameter and 4" long) and six wrenches with openings 9/16, 15/16, 1-1/4, 1-7/16, 1-5/8 and 1-13/16". Black oxide, chromium or nickel finish. IAW Department of the Army Signal Corps Engineering Laboratories drawing SC-B-61575, Rev D.

Federal Strategic Sourcing Initiative, 5120-00-658-9805, SE, \$123.74

# Special-Purpose Wrenches

## Crowfoot Wrench (Flare Nut)

These 12 point flare nut wrenches are designed for tightening and loosening tube fittings, stuffing gland nuts and similar flare nuts by having an slot that fits over the tubing. AS4167

**Type I: Chromium finish, Class 1: Crowfoot (Flare nut), Style B: 3/8" Drive, Design A: Standard duty.**

Federal Strategic Sourcing Initiative, 5120-00-224-7288, 5/8", EA, \$16.48

Federal Strategic Sourcing Initiative, 5120-01-348-9464, 5/8", EA, \$15.57

Federal Strategic Sourcing Initiative, 5120-01-348-9465, 11/16", EA, \$17.51

Federal Strategic Sourcing Initiative, 5120-01-348-9466, 3/4", EA, \$18.61

Federal Strategic Sourcing Initiative, 5120-01-348-9470, 1", EA, \$19.91

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-229-2772, 1", EA, \$20.78

**Type I: Chromium finish, Class 1: Crowfoot (Flare nut), Style C: 1/2" Drive, Design A: Standard duty.**

Federal Strategic Sourcing Initiative, 5120-00-184-8385, 2-1/4", EA, \$140.95

**Type II: Black oxide or phosphate finish, Class 1: Crowfoot (Flare nut), Style C: 1/2" Drive, Design A: Standard duty.**

Federal Strategic Sourcing Initiative, 5120-01-428-8033, 1-3/4", EA, \$32.30

## Crowfoot Wrench (Open End)

These forged steel, crowfoot wrenches have a female drive at one end and a wrenching configuration at the other end. The wrench attaches to the male square drive end of a socket wrench handle or extension bar. For use on flare nuts, fittings and aircraft fittings in hard to reach areas. B107.100 Cat 21.

**Type: II (Crowfoot, Open End), Class: 1 (Standard Duty).**

Federal Strategic Sourcing Initiative, 5120-01-335-1149, 3/8", 3/8" Drive, Chrome., EA, \$6.90

Federal Strategic Sourcing Initiative, 5120-01-335-1150, 7/16", 3/8" Drive, Chrome., EA, \$8.21

Federal Strategic Sourcing Initiative, 5120-00-184-8384, 1/2", 3/8" Drive, Chrome., EA, \$22.54

Federal Strategic Sourcing Initiative, 5120-01-335-1151, 1/2", 3/8" Drive, Chrome., EA, \$8.32

Federal Strategic Sourcing Initiative, 5120-00-184-8397, 9/16", 3/8" Drive, Chrome., EA, \$22.54

Federal Strategic Sourcing Initiative, 5120-01-335-1152, 9/16", 3/8" Drive, Chrome., EA, \$8.35

Federal Strategic Sourcing Initiative, 5120-01-335-1153, 5/8", 3/8" Drive, Chrome., EA, \$8.52

Federal Strategic Sourcing Initiative, 5120-01-335-1154, 11/16", 3/8" Drive, Chrome., EA, \$9.08

Federal Strategic Sourcing Initiative, 5120-01-335-1155, 3/4", 3/8" Drive, Chrome., EA, \$9.19

Federal Strategic Sourcing Initiative, 5120-01-335-1156, 13/16", 3/8" Drive, Chrome., EA, \$10.30

Federal Strategic Sourcing Initiative, 5120-01-335-1089, 7/8", 3/8" Drive, Chrome., EA, \$10.98

Federal Strategic Sourcing Initiative, 5120-01-335-1090, 15/16", 3/8" Drive, Chrome., EA, \$11.32

Federal Strategic Sourcing Initiative, 5120-01-335-1123, 1-5/16", 1/2" Drive, Chrome., EA, \$38.93

Federal Strategic Sourcing Initiative, 5120-01-335-1126, 1-1/2", 1/2" Drive, Chrome., EA, \$43.60

Federal Strategic Sourcing Initiative, 5120-01-335-1141, 1-5/8", 3/8" Drive, Chrome., EA, \$36.43

Federal Strategic Sourcing Initiative, 5120-01-335-1128, 1-11/16", 1/2" Drive, Chrome., EA, \$50.83

Federal Strategic Sourcing Initiative, 5120-01-335-1142, 1-11/16", 3/8" Drive, Chrome., EA, \$38.15

Federal Strategic Sourcing Initiative, 5120-00-812-5522, 1-7/8", 3/8" Drive, Chrome, Full Polish., EA, \$36.71

Federal Strategic Sourcing Initiative, 5120-01-335-1105, 2-3/16", 3/8" Drive, Chrome., EA, \$49.00

Federal Strategic Sourcing Initiative, 5120-01-620-6411, 2-1/4", 1/2" Drive, Chrome., EA, \$66.60

Federal Strategic Sourcing Initiative, 5120-01-428-8032, 12mm, 3/8" Drive, Chrome., EA, \$19.19

Federal Strategic Sourcing Initiative, 5120-01-122-8359, 13mm, 3/8" Drive, Chrome., EA, \$21.80

**Type: II (Crowfoot, Open End), Class: 2 (Heavy Duty).**

Federal Strategic Sourcing Initiative, 5120-01-335-1091, 1", 3/8" Drive, Chrome., EA, \$11.53

Federal Strategic Sourcing Initiative, 5120-01-335-1124, 1-3/8", 1/2" Drive, Chrome., EA, \$41.28

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-236-2261, 11/16", 3/8" Drive, Chrome., EA, \$24.75

## Crowfoot Wrench Set (Open End)

These forged steel, crowfoot wrenches have a female drive at one end and a wrenching configuration at the other end. The wrench attaches to the male square drive end of a socket wrench handle or extension bar. For use on flare nuts, fittings and aircraft fittings in hard to reach areas. B107.100 Cat 21.

**Set contains (14) standard duty, open end, crowfoot wrenches in sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16" and 1-1/4".**

Federal Strategic Sourcing Initiative, 5120-01-429-1110, 3/8" Drive, Chrome, Plastic Tray., SE, \$390.61

**Set contains (14) standard duty, open end, crowfoot wrenches in sizes: 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2".**

Federal Strategic Sourcing Initiative, 5120-01-429-1090, 1/2" Drive, Chrome., SE, \$598.27

**Set contains (26) standard duty, open end, crowfoot wrenches in sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16" and 2".**

Federal Strategic Sourcing Initiative, 5120-01-429-1097, 3/8" Drive, Chrome., SE, \$746.57

**Set contains (42) standard duty, open end, crowfoot wrenches in sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2", 2-1/16", 2-1/8", 2-3/16", 2-1/4", 2-5/16", 2-3/8", 2-7/16", 2-1/2", 2-9/16", 2-5/8", 2-11/16", 2-3/4", 2-13/16", 2-7/8", 2-15/16" and 3".**

Federal Strategic Sourcing Initiative, 5120-01-429-1087, 3/8" Drive, Chrome., SE, \$1,711.60

## Bung Wrench

All-purpose bung wrench has multiple heads that tighten and loosen 20 or more different styles of commercial bungs on metal drums. Use this double-ended wrench on male and female bungs of round, square, hexagonal, channel and lug forms. Has a steel handle and steel or malleable iron wrench heads.

Federal Strategic Sourcing Initiative, 5120-00-507-4886, 15" L., EA, \$41.65

## Drain Plug Wrench

Use this T-handled steel wrench on ship deck drain valve fittings. Drive size: 27/64". Rigid tee handle 3-1/2" W. Features a black oxide or phosphate coating followed with rust preventive oil. IAW Bureau of Ships Drawing 810-1385789 (piece 13).

Plastics Removal in Marine Environments  
5120-00-030-2738, 4-15/16" L., EA, \$8.20

## Flare Nut Wrench (Double Head)

These double head flare nut wrenches are designed for tightening and loosening tube fittings and stuffing gland nuts and similar flare nuts by having an open end slot that fits over the tubing. They are chromium plated. B107.100 Cat 40.

Federal Strategic Sourcing Initiative, 5120-01-025-0206, 9mm and 11mm Ends, 6 Point, Full Polish., EA, \$15.49

## Lineman's Wrench

This double open-end type forged steel wrench is used for electrical pole line work. Wrench openings: First end: 5/8" and 13/16"; Second end: 29/32" and 1-3/32". Has a 7/8" x 3/4" oval hole in the shank at the larger end for turning standard pole steps. GGG-W-648

Federal Strategic Sourcing Initiative, 5120-00-277-4248, 3146 or equal, 13" L., EA, \$72.70

## Plier Wrench

Plier wrench for the 7-Ton Wrecker Truck with winch Model No. MK36.

Federal Strategic Sourcing Initiative, 5120-01-522-0827, 1362660., EA, \$14.44

## Spud Nut Wrench

Internal gripping wrench is for installing and removing all sizes of water closet bowl spuds and sink strainers. Also securely holds waste and basin pipes while tightening locknut. Made of hardened steel.

Federal Strategic Sourcing Initiative, 5120-00-511-1432, 059592 or equal, EA, \$22.29

## Tap and Reamer Wrench

Steel wrench has a straight handle and adjustable jaw for holding and supplying torque to manually rotated taps and reamers. The wrench has two handles: one handle is integral with and screwed into the body, the other is designed to operate and adjust the movable jaw. A2 TAP.

**Bolt and screw tap capacity: 3/16" to 5/8".**

Federal Strategic Sourcing Initiative, 5120-01-370-6476, 12-5/8" L., EA, \$122.31

**Bolt and screw tap capacity: No. 8 to 1/2"; Reamer capacity: 11/64 to 3/8".**

Federal Strategic Sourcing Initiative, 5120-00-277-4064, 8" to 12" L., EA, \$16.79

Steel wrench with sliding T-handle is designed to hold and supply torque to manually rotated taps and reamers. The adjusting sleeve is threaded internally and knurled on the external surface. The body encloses a ratcheting device with a shifter capable of being set for three different positions: Clockwise ratcheting; Counterclockwise ratcheting; Non-ratcheting (ratchet mechanism is locked).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-289-0534, 3-3/8" L., Tap capacity: 1/4" to 1/2", Reamer capacity: 1/4" to 3/8", EA, \$10.49

Federal Strategic Sourcing Initiative, 5120-00-517-5347, 4" L., Tap capacity: 0.06 to 1/4", Reamer capacity: Size #0 to 1/4", EA, \$20.50

## Wrench

Handle hex opening 3/4 inch; Overall length; 22 inches.

Federal Strategic Sourcing Initiative, 5120-01-134-9422, 32318 or equal, EA, \$13.66

## Wrench (Tranion Bearing)

IAW Department of the Army, Ordnance Department drawing number 7950946, Rev D, support drawing numbers 7950213 and 7950975.

Federal Strategic Sourcing Initiative, 5120-00-795-0946, EA, \$86.09

## Wrench Release Tool

IAW GSA Drawing number 022-9783, Rev A.

Federal Strategic Sourcing Initiative, 5120-00-022-9783, EA, \$56.84

## Wrench Assembly

Services and maintains the range and accessory outfit (field burner unit), gasoline field range outfit and two burner gasoline stove. Set of six wrenches made of stamped steel consists of (4) double ended open end wrenches with openings that measure 9/16" x 3/4", 3/8" x 9/16", 5/16" x 7/16" and 1/4" x 7/16". Alligator jaw wrench and screwdriver (maximum opening of jaws is 7/8") and wrench assembly (gas tip cleaner connects to wrench). In accordance with Army Natick drawing 2-9-108, Rev 7.

Federal Strategic Sourcing Initiative, 5120-00-303-7737, EA, \$16.40

## Grease Fitting Tool

Hand-operated tool with a socket wrench opening at each end is for reaming, cleaning and retapping grease fittings; also for tightening fittings and removing broken fittings. T-handle has a left-hand spiral on one end for removing broken or worn fittings and a tap on the other end for rethreading fittings.

**For use on midget-type high-pressure fittings. Has socket wrench opening of 7/16 for removal of hex, angle, straight or pin-type fittings. Tap size is 1/8 NPT; 27 threads per inch.**

Federal Strategic Sourcing Initiative, 5120-00-246-2311, EA, \$16.06

## Cheater Bar

Steel tube extension fits on six point, single headed, stub end box wrenches.

**For use with wrenches that have openings ranging from 2-3/8" through 3-1/8".**

Federal Strategic Sourcing Initiative, 5120-00-473-6320, 36B or equal., Inside diameter: 1-1/8", 36" L., EA, \$52.43

## Nut Splitter

Heavy duty splitter has a C-type body. Splits rusted or frozen nuts up to 3/4" across flats. Cutting chisel rotates 360° inside body to attain best cutting position. Replaceable anvil is secured to screw with friction ring. Pressure screw has a 3/4" hexagonal head for use with an open or box end wrench. Includes a detachable bar handle.

**Note: Do not use with power wrenches.**

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-803-6339, EA, \$20.97



# Torque Wrenches

## Torque Wrench

Insure the proper torque is applied to all your nuts and bolts with these torque wrenches. The operation can be operated in a clockwise only, counterclockwise only or both. When torque is achieved it is followed by a physical impulse and an audible signal. The torque wrench is reset when the load is released. AS28431

**Type I: Bi-directional. Class 1: Non-Ratchet Head (Precise Clockwise Torque).**

**Capacity: 50 to 250 foot pounds in 1 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-355-1741, 1/2" Drive, 20-1/4" L, Chrome, Case., EA, \$183.59

**Capacity: 40 to 200 inch pounds in 1 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-355-1732, 1/4" Drive, 8" L, Chrome., EA, \$219.42

**Capacity: 150 to 1000 inch pounds in 5 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-355-1735, 3/8" Drive, 11-7/8" L, Chrome., EA, \$134.96

**Capacity Dual Scale: 100 to 1000 inch pounds in 5 inch pound increments / 173 to 1210 Kg Centimeters in 5.75 Kg Centimeter increments.**

Federal Strategic Sourcing Initiative, 5120-01-399-9023, 3/8" Drive, 16" L., EA, \$155.57

**Capacity: 50 to 250 foot pounds in 1 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-573-1396, 1/2" Drive, 26" L, Chrome, Case., EA, \$212.86

**Capacity Dual Scale: 120 to 600 foot pounds in 2 to 5 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-399-9051, 3/4" Drive, 41-1/4" L, Chrome, Case., EA, \$836.32

**Type I: Bi-directional. Class 2: Ratchet Head (Precise Clockwise Torque).**

**Capacity: 300 to 2500 inch pounds in 10 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-396-5914, 1/2" Drive, 18" L, Chrome., EA, \$182.93

**Capacity Dual Scale: 20 to 100 foot pounds in 0.5 foot pound increments / 3.5 to 14.5 Kg meters in 0.07 Kg meter increments.**

Federal Strategic Sourcing Initiative, 5120-01-400-0237, 3/8" Drive, 16" L, Chrome, Case., EA, \$90.68

**Capacity: 30 to 250 foot pounds in 1 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-396-5917, 1/2" Drive, 18" L, Chrome., EA, \$78.32

**Capacity: 20 to 150 foot pounds in 1 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-468-6124, 1/2" Drive, 20" L., EA, \$49.58

**Capacity Dual Scale: 100 to 750 inch pounds in 5 inch pound increments / 14.1 to 81.9 newton meters in 0.6 newton meter increments.**

Federal Strategic Sourcing Initiative, 5120-01-426-7560, 3/8" Drive, 16" L, Chrome., EA, \$149.09

**Capacity: 10 to 50 inch pounds in 0.5 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-477-9530, 1/4" Drive, 9-7/8" L, Chrome., EA, \$169.03

**Capacity: 30 to 150 inch pounds in 2 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-00-001-3733, 1/4" Drive, 10" L, Chrome, Case., EA, \$153.83

**Capacity: 40 to 200 inch pounds in 1 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-339-0367, 1/4" Drive, 11-1/16" L, Chrome, Case., EA, \$225.61

**Capacity Dual Scale: 40 to 200 inch pounds in 1 inch pound increments / 58 to 242 Kg Centimeters in 1.15 Kg Centimeter increments.**

Federal Strategic Sourcing Initiative, 5120-01-400-0232, 1/4" Drive, 11" L., EA, \$85.58

**Capacity: 40 to 200 inch pounds in 1 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-339-0368, 3/8" Drive, 10-1/4" L, Case., EA, \$83.96

**Capacity: 30 to 250 inch pounds in 1 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-396-5959, 3/8" Drive, 14-3/4" L, Chrome., EA, \$133.72

**Capacity: 200 to 1000 inch pounds in 5 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-339-0369, 3/8" Drive, 15-1/2" L, Chrome, Case., EA, \$165.96

**Capacity: 5 to 75 foot pounds in 0.5 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-355-1734, 3/8" Drive, 15-1/8" L, Flex Head., EA, \$229.61

**Capacity: 15 to 100 foot pounds in 0.5 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-355-1736, 3/8" Drive, 15-1/4" L, Case., EA, \$111.33

**Capacity: 500 to 2500 inch pounds in 10 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-355-1739, 1/2" Drive, 19-1/8" L, Chrome, Case., EA, \$264.21

**Capacity: 30 to 200 foot pounds in 1 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-125-5190, 1/2" Drive, 23" L, Chrome., EA, \$116.27

**Capacity: 30 to 250 foot pounds in 1 foot pound increments.**

5120-01-276-7016, 1/2" Drive, 23" L, Chrome, Case., EA, \$109.48

**Capacity: 50 to 250 foot pounds in 1 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-042-0982, 1/2" Drive, 20" L, Chrome, Case., EA, \$163.08

**Capacity Dual Scale: 50 to 250 foot pounds in 10 foot pound increments / 7.6 to 35.2 meter kilograms in 0.14 meter kilogram increments.**

Federal Strategic Sourcing Initiative, 5120-01-400-0239, 1/2" Drive, 26-1/4" L, Case., EA, \$151.42

**Capacity: 100 to 600 foot pounds in 10 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-113-9564, 3/4" Drive, 40" L, Chrome, Case., EA, \$549.77

**Capacity: 120 to 600 foot pounds in 5 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-355-1742, 3/4" Drive, 42-3/4" L, Chrome., EA, \$493.78

**Capacity Dual Scale: 120 to 600 foot pounds in 2 to 5 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-400-0319, 3/4" Drive, 41-1/2" L, Chrome, Case., EA, \$619.42

**Capacity Dual Scale: 120 to 600 foot pounds in 2 foot pound increments / 162.8 to 814 newton meters in 2.71 newton meter increments.**

Federal Strategic Sourcing Initiative, 5120-01-399-5605, 3/4" Drive, 41-1/2" L, Knurled., EA, \$534.79

**Capacity: 200 to 1000 foot pounds in 5 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-474-5099, 1" Drive, Chrome, 71" L., EA, \$1,787.08

**Type I: Bi-directional. Class 5: Interchangeable Head (Precise Clockwise Torque).**

**Furnished with (2) open end wrench heads having hexagonal openings of 1/4" and 5/16".**

Federal Strategic Sourcing Initiative, 5120-00-169-5776, 6" L, 8 in/lbs., EA, \$298.68

**Pre-set torque wrench. Capacity: 8.0 in-lbs; Torque Head: interchangeable open end type.**

Federal Strategic Sourcing Initiative, 5120-01-168-9451, 5/16" Open End, 7" L, Chrome, Case., EA, \$278.88

**Capacity: 30 to 150 inch pounds in 2 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-396-6070, 1/4" Drive, Chrome., EA, \$166.63

**Capacity: 150 to 750 inch pounds in 5 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-374-1931, 3/8" Drive, Chrome., EA, \$169.22

**Type 2: Uni-directional. Class 1: Non-Ratchet Head (Precise Clockwise Torque).***Capacity: 10 to 50 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-396-6067, 1/4" Drive, Chrome., EA, \$166.20

*Capacity: 700 to 1600 inch pounds in 10 inch pound increments.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-396-6075, 1/2" Drive, Chrome., EA, \$185.38

*Capacity: 30 to 150 foot pounds in 1 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-374-1935, 1/2" Drive, Chrome., EA, \$252.05

**Type 2: Uni-directional. Class 2: Ratchet Head (Precise Clockwise Torque).***Capacity: 10 to 50 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-374-1926, 1/4" Drive, Chrome., EA, \$145.61

*Capacity: 40 to 200 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-374-1928, 1/4" Drive, Chrome., EA, \$158.45

*Capacity: 15 to 75 foot pounds in 0.5 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-351-2048, 3/8" Drive, 14" L, Chrome, Case., EA, \$164.63

*Capacity: 150 to 750 inch pounds in 5 inch pound increments.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-374-1932, 3/8" Drive, Chrome., EA, \$164.12

*Capacity: 30 to 150 foot pounds in 1 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-374-1936, 1/2" Drive, Chrome., EA, \$189.76

*Capacity: 40 to 250 foot pounds in 5 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-355-1781, 1/2" Drive, 22-1/8" L, Flex Head, Chrome., EA, \$266.75

*Capacity: 50 to 250 foot pounds in 1 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-374-1938, 1/2" Drive, Chrome., EA, \$199.11

*Capacity: 120 to 600 foot pounds in 5 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-374-1939, 3/4" Drive, Chrome., EA, \$684.64

**Type 2: Uni-directional. Class 3: Non Ratchet Head (Precise Counter-clockwise Torque).***Capacity: 5 to 50 inch pounds in 0.5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-142-9857, 1/4" Drive, 8" L., EA, \$161.90

## Torque Wrench (Dial)

Insure the proper torque is applied to all your screws, nuts and bolts with these torque wrenches. These screwdriver type indicating torque wrenches shall be calibrated in the direction(s) of their intended use. They can be operated in a clockwise only, counterclockwise only or both. B107.14.

Dial indicating 1/4" external drive torque wrench. 0 to 50 in-lbs. range. 2 in-lb graduations. Visual indication. Reads left or right hand. Contains 0.250" internal drive in handle.

Federal Strategic Sourcing Initiative, 5120-01-131-4467, EA, \$239.34

## Electronic Torque Wrench

Electronic torque wrench is designed for the professional technician. Features a comfortable, non slip handle and is designed to withstand shock without failure. Flex head ratchet moves 15 degrees in both directions; Easy to use as each button has only one function. LCD Low Battery Indicator. Auto Shut-off after 2 minutes idle. Runs on 3 AA batteries (included). Furnished in a carrying case. ASME B107.28.

**Torque range: 5-100 ft. lb., Increments: 1 ft. lb.**

Federal Strategic Sourcing Initiative, 5130-01-514-7768, 3/8" Drive., EA, \$161.37

## Torque Wrench (Indicating)

Insure the proper torque is applied to all your nuts and bolts with these indicating torque wrenches. These indicating type torque wrenches have a working mechanism that visually shows the torque in both the clockwise and counterclockwise direction. B107.14.

**Type 1: Indicating, Class A: Deflecting Beam, Style 1: Plain Scale.***Capacity: 0 to 120 inch pounds in 5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-900-1283, 1/4" Drive, Chrome, Case., EA, \$118.74

Federal Strategic Sourcing Initiative, 5120-00-585-7706, 3/8" Drive, 10" L., EA, \$104.94

*Capacity: 0 to 600 inch pounds in 25 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-542-5681, 3/8" Drive, 15-1/2" L, Chrome, Case., EA, \$173.28

Federal Strategic Sourcing Initiative, 5120-00-221-7947, 1/2" Drive, 13-1/2" L, Chrome, Case., EA, \$135.45

*Capacity: 0 to 150 foot pounds in 5 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-247-2540, 1/2" Drive, 20" L, Chrome, Case., EA, \$46.34

*Capacity: 0 to 300 inch pounds in 10 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-247-2536, 1/2" Drive, Chrome, Case., EA, \$142.82

*Capacity: 0 to 10 inch pounds in 0.5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-618-4433, 1/4" Drive, 6" L, Chrome., EA, \$125.70

**Type 1: Indicating, Class C: Rigid Housing, Style 1: Plain Scale.***Capacity: 0 to 30 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-839-8139, 1/4" Drive, 11" L, Chrome, Case., EA, \$162.55

*Capacity Dual Scale: 0 to 30 inch pounds in 1 inch pound increments / 0 to 3.5 Newton meters in 0.1 Newton meter increments.*

Federal Strategic Sourcing Initiative, 5120-01-123-1122, 1/4" Drive, 9-3/4" L, Chrome, Case., EA, \$153.04

*Capacity: 0 to 75 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-585-8434, 1/4" Drive, 10" L, Chrome, Case., EA, \$145.12

Federal Strategic Sourcing Initiative, 5120-01-355-1763, 1/4" Drive, 9-29/32" L, Chrome, Case., EA, \$145.12

*Capacity: 0 to 300 inch pounds in 5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-776-1841, 3/8" Drive, Chrome, Case., EA, \$148.81

*Capacity: 0 to 600 inch pounds in 10 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-355-1766, 3/8" Drive, 12-1/2" L, Chrome, Case., EA, \$144.17

*Capacity: 0 to 50 foot pounds in 2 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-242-3264, 3/8" Drive, Chrome, Case., EA, \$147.34

*Capacity: 0 to 175 foot pounds in 5 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-640-6364, 1/2" Drive, Chrome, Case., EA, \$168.89

*Capacity: 0 to 250 foot pounds in 10 foot pound increments.*

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-640-6365, 1/2" Drive, Chrome, Case., EA, \$201.61

*Capacity: 0 to 420 foot pounds in 10 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-242-3263, 3/4" Drive, 50" L, Chrome, Case., EA, \$456.11

*Capacity: 0 to 1,000 foot pounds in 25 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-555-1521, 1" Drive, Chrome, Case., EA, \$978.50

*Capacity: 0 to 30 inch pounds in 0.5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-355-1762, 1/4" Drive, 9-29/32" L, Chrome, Case., EA, \$162.23

**Type 1: Indicating, Class C: Rigid Housing, Style 2: Scale with signal mechanism.***Capacity: 0 to 50 foot pounds in 1 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-355-1792, 1/2" Drive, 15" L, Chrome., EA, \$220.84

Type 1: Indicating, Class C: Rigid Housing, Style 3: Scale with Memory Indicator.

*Capacity: 6 to 30 inch pounds in 1/2 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-117-4832, 1/4" Drive, Chrome, Case., EA, \$162.61

*Capacity: 0 to 75 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-117-3428, 1/4" Drive, Chrome, Case., EA, \$143.24

*Capacity: 0 to 150 inch pounds in 2 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-230-6380, 3/8" Drive, Chrome, Case., EA, \$152.20

*Capacity: 0 to 600 inch pounds in 20 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-288-8865, 3/8" Drive, Chrome, Case., EA, \$153.78

*Capacity Dual Scale: 0 to 175 foot pounds in 5 foot pound increments / 0 to 25 Kg meters in 1 Kg meter increments.*

Federal Strategic Sourcing Initiative, 5120-01-134-4362, 1/2" Drive, 18-3/4" L, Chrome, Case., EA, \$182.83

*Capacity Dual Scale: 0 to 600 foot pounds in 10 foot pound increments / 0 to 800 Newton meters in 13.5 Newton meter increments.*

Federal Strategic Sourcing Initiative, 5120-00-221-7983, 3/4" Drive, Chrome, Case., EA, \$444.38

*Capacity Dual Scale: 0 to 1000 foot pounds in 20 foot pound increments / 0 to 1560 Newton meters in 31.2 Newton meter increments.*

Federal Strategic Sourcing Initiative, 5120-01-610-4990, 1" Drive, 74-1/4" L, Chrome, Case., EA, \$921.04

*Capacity: 0 to 600 foot pounds in 10 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-355-1824, 3/4" Drive, 41" L, Chrome, Case., EA, \$481.99

*Capacity Dual Scale: 0 to 75 inch pounds in 1 inch pound increments / 0 to 90 Kg Centimeters in 2.5 Kg Centimeter increments.*

Federal Strategic Sourcing Initiative, 5120-01-399-8989, 1/4" Drive, 10" L, Chrome., EA, \$174.29

*Capacity Dual Scale: 0 to 600 foot pounds in 20 foot pound increments / 0 to 80 Kg meters in 2 Kg meter increments.*

Federal Strategic Sourcing Initiative, 5120-01-104-0695, 3/4" Drive, 40" L, Chrome, Case., EA, \$450.75

## Torque Wrench (Indicating, Detachable Head)

Insure the proper torque is applied to all your nuts and bolts with these indicating torque wrenches. These indicating type torque wrenches have a working mechanism that visually shows the torque in both the clockwise and counterclockwise direction. B107.14.

Type 1: Indicating, Class D: Rigid Housing w/Interchangeable Head, Style 2: Scale with signal mechanism.

*Capacity: 100 to 600 inch pounds in 5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-020-5639, Dovetail Head, 12-3/4" L., EA, \$186.88

## Torque Wrench (Indicating, Screwdriver)

Insure the proper torque is applied to all your screws, nuts and bolts with these torque wrenches. These screwdriver type indicating torque wrenches shall be calibrated in the direction(s) of their intended use. They can be operated in a clockwise only, counterclockwise only or both. B107.14.

Type 1: Indicating, Class E: Screwdriver Grip, Style 1: Enclosed Dial.

*Capacity: 3 to 15 inch pounds in 1/5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-524-8948, 151SM, 1/4" Drive, 4-1/2" L, Chrome, Case., EA, \$242.33

*Capacity: 3 to 15 inch pounds in 0.2 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-509-0882, 1/4" Drive, 5-1/4" L., EA, \$211.75

*Capacity: 0 to 75 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-890-7816, 1/4" Drive, 8-1/2" L, Chrome, Case., EA, \$225.07

Type 1: Indicating, Class E: Screwdriver Grip, Style 2: Exposed Dial.

*Capacity: 0 to 25 inch pounds in 1 inch pound increments. Comes with (3) items: (1) #3 phillips bit, (1) Flat tip bit and (1) 1/4" male square adapter.*

Federal Strategic Sourcing Initiative, 5120-00-568-4742, 1/4" Drive, 9-1/2" L., EA, \$113.45

## Torque Wrench (Limiting)

These limiting torque wrenches will release at the drive tang with and audible click and feel impulse, followed by an automatic reset with no backlash loosening of the fastener when torque is achieved.

For use with TNC and MPC6 Coaxial Connectors.

Federal Strategic Sourcing Initiative, 5120-01-566-1945, 23 in-lbs, 13/16" Open End., EA, \$228.10

## Torque Wrench (Limiting Screwdriver)

These limiting torque wrenches will release at the drive tang with and audible click and feel impulse, followed by an automatic reset with no backlash loosening of the fastener when torque is achieved. B107.14.

Type 3: Limiting, Class A: Screwdriver grip, Style 1: Graduated, Design A: External square drive.

*Capacity: 5 to 30 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-00-923-9620, 5-1/2" L, 1/4" Drive, Clockwise Torquing., EA, \$69.71

Type 3: Limiting, Class A: Screwdriver grip, Style 1: Graduated, Design B: Internal hex drive.

*Capacity: 20 to 100 inch ounces in 2 inch ounce increments.*

5120-00-943-0941, 1/4" Drive, Clockwise Torquing., EA, \$166.67

*Capacity: 2 to 36 inch pounds in 0.5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-399-9053, 7-3/16" L, 1/4" Drive, Clockwise Torquing, Chrome., EA, \$140.35

*Capacity: 1 to 30 inch pounds in 1 inch pound increments.*

5120-00-931-8361, 1/4" Drive, Clockwise Torquing., EA, \$76.44

*Capacity: 6 to 30 inch pounds in 1 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-449-8231, 6-3/8" L, 1/4" Drive, Clockwise Torquing., EA, \$210.48

*Capacity: 5 to 40 inch pounds in 0.5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-509-0862, QDRIVER4 or equal, Red, 1/4" Drive, 6-11/16" L, Clockwise Torquing, Magnetic., EA, \$180.41

Federal Strategic Sourcing Initiative, 5120-00-021-2041, 7" L, 1/4" Drive, Clockwise Torquing., EA, \$78.56

Type 3: Limiting, Class A: Screwdriver grip, Style 2: Nongraduated, Design A: External square drive.

*Capacity: 5 to 35 inch pounds in 0.5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-355-1729, 7-1/2" L, 1/4" Drive, Clockwise Torquing., EA, \$218.78

## Torque Wrench (Setting)

Insure the proper torque is applied to all your nuts and bolts with these setting torque wrenches. When torque is achieved it is followed by a physical impulse and an audible signal. The torque wrench is reset when the load is released. B107.14.

Type 2: Setting, Class A: Graduated, Style 1: Non-Ratcheting, Design A: Bi-directional torquing.

*Capacity: 200 to 1000 foot pounds in 5 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-428-4738, 1" Drive, 69" L, Chrome., EA, \$1,454.63

**Type 2: Setting, Class A: Graduated, Style 2: Ratcheting, Design A: Bi-directional Torquing.**

*Capacity Dual Scale: 30 to 150 foot pounds in 1 foot pound increments / 40.67 to 197 newton meters in 1.36 newton meter increments.*

Federal Strategic Sourcing Initiative, 5120-01-496-6664, 1/2" Drive, 19" L, Chrome., EA, \$183.38

*Capacity: 200 to 1000 inch pounds in 5 inch pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-530-2311, 3/8" Drive, 16-1/2" L., EA, \$164.24

*Capacity Dual Scale: 200 to 1000 inch pounds in 5 inch pound increments / 17.3 to 119 newton meters in 0.565 newton meter increments.*

Federal Strategic Sourcing Initiative, 5120-01-619-4790, 3/8" Drive, 15-1/2" L, Chrome, Case., EA, \$184.07

**Type 2: Setting, Class A: Graduated, Style 2: Ratcheting, Design B: Clockwise Torquing.**

*Capacity: 100 to 600 foot pounds in 5 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-130-8880, 3/4" Drive, 40" L, Chrome., EA, \$501.95

**Type 2: Setting, Class A: Graduated, Style 3: Interchangeable Head, Design B: Clockwise Torquing.**

*Capacity: 200 to 600 foot pounds in 10 foot pound increments.*

Federal Strategic Sourcing Initiative, 5120-01-462-8874, 3/4" Drive, 48" L, Chrome., EA, \$1,093.04

**Type 2: Setting, Class B: Non-Graduated, Style 3: Interchangeable Head, Design A: Bi-directional torquing.**

*Capacity: 8 to 8.3 inch pounds(preset).*

Federal Strategic Sourcing Initiative, 5120-01-173-6247, 5/16" Open End, 4-1/2" L., EA, \$108.19

## Torque Wrench Adapter (Spline)

This wrench has a box wrench (Spline) on one end and a square female drive on the other. For use with torque wrenches on high tensile strength aircraft fasteners. Made of chrome plated, high strength steel, thin wall construction. Has chamfered openings and a cross hole or recess for engaging the handle firmly. Described by (Spline Size, Drive Size, Length).

Federal Strategic Sourcing Initiative, 5120-01-367-3592, #12 Spline, 3/8" Drive, 2" L., EA, \$20.59

Federal Strategic Sourcing Initiative, 5120-01-367-3578, #18 Spline, 3/8" Drive, 2" L., EA, \$18.14

Federal Strategic Sourcing Initiative, 5120-01-367-3577, #16 Spline, 3/8" Drive, 2" L., EA, \$22.81

Federal Strategic Sourcing Initiative, 5120-01-367-3583, #20 Spline, 1/2" Drive, 3" L, Chrome., EA, \$18.54

Federal Strategic Sourcing Initiative, 5120-01-367-3584, #22 Spline, 1/2" Drive, 3" L, Chrome., EA, \$14.90

## Torque Adapter Wrench

This wrench has a box wrench (Spline) on one end and a square female drive on the other. For use with torque wrenches on high tensile strength aircraft fasteners. Made of chrome plated, high strength steel, thin wall construction. Has chamfered openings and a cross hole or recess for engaging the handle firmly. Described by (Spline Size, Drive Size, Length) MIL-W-8982/3

Federal Strategic Sourcing Initiative, 5120-01-367-3585, M8982/3-24-4-B, 3/4" #24 Spline, 1/2" Drive, 3" L., EA, \$16.31

Federal Strategic Sourcing Initiative, 5120-01-074-6572, M8982/3-14-3-B, 7/16" #14 Spline, 3/8" Drive, 2" L., EA, \$46.30

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-074-6573, M8982/3-10-3-B, 5/16" #10 Spline, 3/8" Drive, 2" L., EA, \$46.30

## Torque Wrench Bar

The adjustable torque reaction bar consists of a reaction bar extension, an extension tube, a plate and bar reaction assembly, and (2) shoulder screw assemblies.

Federal Strategic Sourcing Initiative, 5120-01-008-3632, EA, \$611.70

## Torque Reaction Bar

IAW U.S. Army Tank Automotive Command drawing number 12369295, Rev A.

Federal Strategic Sourcing Initiative, 5120-01-312-5842, EA, \$526.42

## Torque Wrench Extension (Limiting)

Torque limiting accessory designed for use with presetting ratchet wrench, speed handles and long extensions. Torque Capacity: 24 - 180 in-lbs; 2-3/10" L, 1-1/2" Dia, 3/8" square female input drive x 3/8" square male output drive.

Federal Strategic Sourcing Initiative, 5120-01-003-2366, EA, \$58.43

## Torque Wrench Heads (Interchangeable)

These interchangeable torque wrench heads are cast as a single piece from alloy steel and have a black oxide coating. To achieve constant torque values when changing heads, the exact lever length must be maintained. All heads share a precise distance from end of wrench to center of fastener to maintain a "Common Center Line". The dovetail design used to join the head and wrench provides an exceptionally strong connection and allows complete interchangeability.

Federal Strategic Sourcing Initiative, 5120-00-020-5636, 5/64" Hex., EA, \$82.91

Federal Strategic Sourcing Initiative, 5120-00-020-5635, 809506 or equal, 1/2" Square Drive, Ratchet Type., EA, \$103.39

Federal Strategic Sourcing Initiative, 5120-00-020-5634, 809504 or equal, 1/4" Square Drive, Ratchet Type., EA, \$72.15

Federal Strategic Sourcing Initiative, 5120-00-020-8601, 819065 or equal, 9/16" Box End, 12 Point., EA, \$56.59

Federal Strategic Sourcing Initiative, 5120-00-020-5632, 819059 or equal, 1/2" Square Drive., EA, \$43.41

## Torque Wrench Multiplier

Insure the proper torque is applied to all your nuts and bolts with these torque multiplying wrenches. Described by: (Input x Output Drive, Power Ratio).

**Has a 2,500 foot-pounds rated maximum output torque (in 1.0 foot-pound increments) and a 8"-long x 1" square male output shaft. Furnished in a carrying case with a 3/8" male input crank, a 1" square female output shaft and a set of instructions Weighs approximately 38 lbs.**

*Digital readout accuracy within +/- 2 percent of actual output torque from 20 percent of rated maximum torque to the rated maximum torque. Clockwise/counter-clockwise operation. Protractor is graduated 180° in 1° increments. Has zero backlash. Operates from minus -25 to +120°F. Powered by 9v battery. Easy zero adjustment. Requires torque wrench bar NSN 5120-01-008-3632.*

5120-00-482-2543, 3/8" F x 1" M, 2500 ft-lbs., EA, \$7,306.61

Federal Strategic Sourcing Initiative, 5120-01-399-9054, 1/2" x 3/4", 6.33 : 1, 1200 ft-lbs., EA, \$905.76

Federal Strategic Sourcing Initiative, 5120-00-337-9652, 3/4" x 3/4", 11 : 1, 12000 ft-lbs., EA, \$12,027.14

Federal Strategic Sourcing Initiative, 5120-00-574-9318, 3/4" F x 1" M, 3 : 1, 2000 ft-lbs., EA, \$397.53

Federal Strategic Sourcing Initiative, 5120-01-296-4235, 1/2" F x 1" M, 18.5 : 1, 3200 ft-lbs., EA, \$2,205.79

## Torque Multiplier (Electronic Display)

Digital readout accuracy within +/- 2 percent of actual output torque from 20 percent of rated maximum torque to the rated maximum torque. Clockwise/counter-clockwise operation. Protractor is graduated 180° in 1° increments. Has zero backlash. Operates from minus -25 to +120°F. Powered by 9v battery. Easy zero adjustment. Requires torque wrench bar NSN 5120-01-008-3632.

**Has a 1,200 foot-pounds rated maximum output torque (1.0 foot-pound increments) and a 6" L x 3/4" square male output shaft. Furnished in a carrying case with a 3/8" male input crank, a 3/4" square female output shaft and a set of instructions. Weighs approximately 20 lbs.**

Federal Strategic Sourcing Initiative, 5120-00-169-2986, 5-1/16 x 6-5/8 x 9-1/4", EA, \$3,937.23

## Hydraulic Torque Wrench

IAW Pratt and Whitney Aircraft Group (United Technologies) Drawing PWA 50308 Rev. N.

Federal Strategic Sourcing Initiative, 5130-00-468-0849, EA, \$31,407.45

# Lawn and Garden

## Garden Hose

Commercial-grade, rubber/vinyl-reinforced 5/8" diameter garden hose. Kink-resistant hose includes brass couplings, a protective collar at faucet end, and an abrasion-resistant gray cover. Burst strength is 500 psi with a minimum four-ply construction.

*65% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 4720-01-447-8759, 829501-1001 or equal, LG(contains 50 FT), \$23.69

Federal Strategic Sourcing Initiative, 4720-01-447-8757, 829001-1001 or equal, LG(contains 100 FT), \$38.72

# Drinking Systems

## Drinking System

Back worn hydration system. Compatible with CamelBak HydroLink system. Features: Burst-resistant polyurethane reservoir with leak-proof threaded cap. Detachable insulated drinking tube with self-sealing bite valve and cover and a positive shut-off valve. Abrasion-resistant 1000D Cordura nylon shell.

**Capacity:** 50 oz. (1.5 liter); 12" L x 7.5" W x 3" D; **Volume:** 92 cubic inches, **empty weight:** 0.9 lbs.

**Unit includes:** External access wide-opening fill-port, four D-ring attachment points and an integrated MOLLE attachment system.

8465-01-396-9921, 76050 Pakteen or equal, Black, EA, \$37.44

**Capacity:** 100 oz. (3.0 liter); 18.0" L x 10.0" W x 6.0" D; **Volume:** cargo storage 1600 cubic inches; **Volume including water:** 1160 cubic inches; **Empty weight:** 2.6 lbs. **Unit includes:** Internal access wide-opening fill-port, approximately 19 liters of cargo storage, dual antenna ports, zippered reservoir compartment and main compartment with compression straps, zippered cargo storage, waste belt can be stowed away, ventilated back panel, adjustable padded shoulder suspension harness with quick-release buckles, sternum strap with quick-release buckle, MOLLE attachment system.

*For replacement reservoir, see NSN 8465-01-495-6522 or 8465-01-396-9928.*

8465-01-396-9922, 73000 H.A.W.G. or equal, Black, EA, \$118.43

**Capacity:** 100 oz. (3.0 liter); 17" L x 10" W x 6" D; **Volume:** cargo storage 489 cubic inches, **volume including water:** 671 cubic inches, **empty weight:** 2.1 lbs. **Unit includes:** Internal access wide-opening fill-port, approximately 11 liters of cargo storage, zippered reservoir compartment, two zippered cargo compartments and a waist belt that can be stowed away. Ventilated back panel, MOLLE attachment system. Adjustable padded shoulder suspension harness with quick-release buckles. Sternum strap with quick-release buckle.

*For replacement reservoir, see NSN 8465-01-495-6522 or 8465-01-396-9928.*

8465-01-396-9919, 72000 M.U.L.E. or equal, Black, EA, \$85.81

**Capacity:** 102 oz. (3.1 liter); 19" L x 12.5" W x 8" D; **Volume:** cargo storage 110 to 950 cubic inches; **Volume including water:** 270 to 1134 cubic inches; **Empty weight:** 2.94 lbs. **Unit includes:** Baffled reservoir with internal access wide-opening fill-port, two removable cargo compartments, dual side storage pockets, ventilated back panel, adjustable padded shoulder suspension harness with quick-release buckles, sternum strap with quick-release buckle, MOLE attachment system, strap management system, and a waterproof dual colored pack cover for camouflage or signal.

8465-01-517-4760, 20362 Transformer or equal, Black, EA, \$127.51

Back worn hydration system. Compatible with CamelBak HydroLink system. Features: Reservoir with external access wide-opening fillport and a leak proof cap. Anti-microbial bite valve cover stays clean from dirt and debris. One handed on/off valve. Insulated carrier helps keep water cool.

**Capacity:** 70 oz. (2.0 liter); 19.0" L x 11.0" W x 2.0" D. **Volume:** 122 cubic inches, **empty weight:** 1.45 lbs. **Unit includes:** Adjustable shoulder straps with quick-release buckles, sternum strap with quick-release buckle. **Reflective tape strips on pack and harness for low light visibility.**

8465-01-517-4767, 13157 or equal, Orange, EA, \$51.18

8465-01-517-4769, 13156 or equal, Lime Green, EA, \$51.18

## Drinking System Reservoir

Designed for use with backpack type hydration system. Compatible with CamelBak HydroLink system.

Standard long-neck screw-cap replacement reservoir. Burst-resistant polyurethane reservoir with standard fill-port and leak-proof threaded cap. Detachable insulated drinking tube with self-sealing bite valve and cover with a positive shut-off valve.

*Capacity: 70 oz. (2.0 liter); 18.19" L x 5.88" W. Empty weight including drinking tube and bite valve: 5.15 oz. Replacement for NSN 8465-01-396-9917.*

8465-01-396-9927, 90382 or equal, Black, EA, \$21.28

*Capacity: 100 oz. (3.0 liter); 18.19" L x 6.88" W. Empty weight including drinking tube and bite valve: 5.4 oz. Replacement for NSN's 8465-01-396-9919 and 8465-01-396-9922.*

8465-01-396-9928, 90392 or equal, Black, EA, \$21.85

Replacement reservoir that is burst-resistant. Polyurethane reservoir with wide-opening fill-port and leak-proof threaded cap. Detachable insulated drinking tube with bite valve and cover with a positive shut-off valve.

*Capacity: 100 oz. (3.0 liter); 18" L x 7.37" W. Empty weight including drinking tube and bite valve: 7.6 oz. Suitable replacement reservoir for NSNs: 8465-01-396-9919 and 8465-01-396-9922.*

8465-01-495-6522, 90352 Omega or equal, Black, EA, \$25.87

## Drinking System Adapter

Designed for use with backpack type hydration system. Compatible with CamelBak HydroLink system.

Adapter for use with back worn hydration systems. Designed to connect drinking tube to protective masks.

*Fits JSGPM (XM-50) protective masks. Type A Gas Mask Adapter. Not for use with non-Chemical, Biological, Radiological, or Nuclear systems.*

8465-01-517-6850, 90662 or equal, Black, EA, \$9.77

## Drinking System Valve Bite

Designed for use with backpack type hydration system. Compatible with CamelBak HydroLink system.

Replacement bite valve with cover and adapter is compatible and interchangeable with CamelBak HydroLink Omega and Long Neck Waterbeast drink tubes.

8465-01-517-4774, 90890 or equal, Black, EA, \$7.19

# Wildland Gear

## Weapon Cleaning Kit

A weapons cleaning kit for military and law enforcement applications.

**Each kit contains: A Multi-tool in non-reflective black featuring needlenose pliers, flashlight with a red L.E.D. bulb and the appropriate cleaning accessories for your 7.62mm firearm.**

Federal Strategic Sourcing Initiative, 5180-01-516-3218, 22-01101 or equal, Kit for M40, M240 and M60., KT, \$245.13

**Each kit contains: A Multi-tool in non-reflective black featuring needlenose pliers, flashlight with a red L.E.D. bulb and the appropriate cleaning accessories for your 5.56mm firearm.**

Federal Strategic Sourcing Initiative, 5180-01-516-3219, 22-01100 or equal, Kit for M4 and M16., KT, \$260.51

**This weapons cleaning kit is designed for military pistols and subguns 9MM through .45 calibers.**

Federal Strategic Sourcing Initiative, 5180-01-516-3220, 22-01102 or equal, Cleans Pistols and Subguns 9 mm - .45 cal., KT, \$232.94

**This weapons cleaning kit is designed for 50 caliber weapons.**

Federal Strategic Sourcing Initiative, 5180-01-516-3224, 22-01104 or equal, Cleans 50 cal., KT, \$279.36

**This weapons cleaning kit is designed for 10/12 gauge military shotguns.**

Federal Strategic Sourcing Initiative, 5180-01-516-3222, 22-01103 or equal, Cleans Shotguns 10/12 gauge., KT, \$230.81

**Each kit contains: A Multi-tool in non-reflective black featuring needlenose pliers, flashlight with a red L.E.D. bulb and the appropriate cleaning accessories for your pistol, shotgun and rifle.**

Federal Strategic Sourcing Initiative, 5180-01-516-3227, 22-01106 or equal., Cleans pistols and subguns 9 mm - .45 cal., KT, \$262.37

**Cleans 5.56/7.62/9mm/.41/.45/.50 cal/12 cal.**

Federal Strategic Sourcing Initiative, 5180-01-516-3225, 22-01105 or equal, KT, \$294.49

## Weapons Cleaning Kit

A weapons cleaning kit for military and law enforcement applications.

**This military maintenance tool was built compatible with OTIS gun cleaning devices for cleaning weapons like AR15, M16 and M4. The OTIS components included with this device are interchangeable with other OTIS components. A nylon sheath is included.**

Federal Strategic Sourcing Initiative, 5120-01-578-4888, 30-000030 or equal, EA, \$78.81

## Insect Screening

For windows, doors and porch enclosures, woven wire insect screening has non-raveling edges.

**Aluminum alloy wire is coated with aluminum pigment paint. Mesh size: 16 strands by 18 strands per square inch.**

5335-00-889-3283, 10510 or equal, Width: 36", RO(contains 100 FT), \$104.36

5335-00-889-3285, 10516 or equal, Width: 48", RO(contains 100 FT), \$141.45

Non-metallic screening is made of plastic-coated or impregnated fiberglass yarn. It is resistant to stains, bulging on impact and flames. Colorfast fabric is used for making screens for windows, patios and other enclosures. Has selvedge edges. Mesh size is: 16 strands by 18 strands per square inch.

8305-00-927-3829, FCS8801-M or equal, Aluminum, Width: 36", RO(contains 100 FT), \$56.29

8305-00-927-3831, FCS8847-M or equal, Aluminum, Width: 48", RO(contains 100 FT), \$73.54

## Insect Repellent

This lotion-like repellent is effective against mosquitoes, gnats, fleas, biting flies and chiggers. Contains a minimum of 25 percent active ingredients (minimum 17 percent DEET).

*48-month maximum shelf life (extendable).*

6840-01-003-9589, Material Safety Data Sheet, SP533 or equal, CO(contains 3 OZ), \$6.31

Controlled-release lotion provides protection from insects for up to 20 hours. Contains 20 percent DEET encapsulated in a sub-micron protein for slow release.

*48-month maximum shelf life (extendable).*

Federal Strategic Sourcing Initiative, 6840-01-463-5455, Material Safety Data Sheet, SP-524N or equal, BT(contains 4 OZ), \$5.30

Easy to apply while keeping your hands repellent free. Provides protection from biting insects. Contains 20-30 percent DEET.

Federal Strategic Sourcing Initiative, 6840-01-490-6693, Material Safety Data Sheet, SRA-12M or equal, Unscented aerosol, 6 oz., BX(contains 12 EA), \$83.60

## Propane Gas Cylinder

Propane in accordance with GPA 2140 type HD-5. Disposable cylinders are less than 11 inches high, not more than 3 inches in diameter and are provided with a neck for connecting to the burner unit. Fourteen ounce by weight minimum.

6830-00-584-3041, Material Safety Data Sheet, 332703 or equal, BX(contains 12 EA), \$112.70

## Parachute Marking Ink

This special ink is permanent, colorfast and fast drying.

*24-month maximum shelf life (extendable).*

7510-00-286-5362, Material Safety Data Sheet, Strata Blue, 16-oz, PT, \$88.52

## Tarpaulin

All-purpose tarpaulin is made of high-strength, dimensionally stable, 18 oz/sq yd, weather-resistant, mildew resistant, waterproof cloth that is flame-retardant and stays flexible in cold temperature. Resistant to aromatic hydrocarbon fluids after flame-retardant. Complete with grommets and ropes for tie down.

8340-01-487-5610, UNICOR, Olive Drab, 7 x 15, EA, \$118.93

8340-01-487-5719, UNICOR, Olive Drab, 7 x 18', EA, \$134.03

## FRS/GMRS Walkie-Talkie Radio Set

This two-way GMRS radio features 50 channels with high, medium and low power settings. Provides up to 36-mile range, with 284 privacy codes. Water-resistant (JIS4 minimum) unit works with all FRS/GMRS and includes vox, scan feature, hands-free operation, silent operation, backlit LCD and keypad lock. Other features include: NOAA Weather Alert Radio Automatic alert for severe weather/hazard information, roger beep tone, auto squelch and call tones. Set includes one pair of radios, re-chargeable batteries, AC wall adapter, DC adapter, Boom Mic headsets and durable belt clip.

5820-01-518-3622, SE, \$61.50

## GPS Radio

eTrex 30X takes one of the most popular and reliable GPS handhelds and makes it better. Enhanced ergonomics, an improved interface, paperless geo-caching and expanded mapping capabilities makes eTrex more versatile and user-friendly, while maintaining its toughness and durability. eTrex 30X has an enhanced 2.2-inch 65K color, sunlight readable display. Durable and waterproof, eTrex 30X is built to withstand the elements. It has an upgraded interface and stands strong against the elements - be it dust, dirt, humidity or water, none of which are a match for this storied navigator. eTrex 30X adds a built-in 3-axis tilt-compensated electronic compass, which shows your heading even when you're standing still, without holding it level. Also added is a barometric altimeter which tracks changes in pressure to pinpoint your precise altitude, and you even can use it to plot barometric pressure over time, which can help you keep an eye on changing weather conditions. Internal memory expanded to hold more maps and worldwide basemap with shaded relief. With a battery life up to 25 hours. Requires 2 AA batteries (not included).

5820-01-524-5067, eTrex 22X, 4.0"H x 2.1"W x 1.3"D, EA, \$303.50



# Axes, Hatchets and Accessories

## Single Bit Ax

This ax is ideal for general utility use in forestry work. It has a forged, hardened steel head, a ground polished cutting edge, and an elliptical tapered eye for the handle. B107.400 Cat 42.

**Single bit, men's (Dayton) pattern ax has a curved hickory handle and flat top face for striking.**

Federal Strategic Sourcing Initiative, 5110-00-272-2699, 2-1/4lbs, 3-15/16" W Cut, 18" L., EA, \$32.27

*For Leather Ax Sheath, see NSN 8465-00-293-3369; for replacement handle, see NSN 5110-00-293-3380.*

Federal Strategic Sourcing Initiative, 5110-00-293-2339, 22BR or equal, 2-1/4Lbs, 4" W Cut, 28" L., EA, \$24.86

*IAW U. S. Army Tank Automotive Command Drawing 6150925.*

Plastics Removal in Marine Environments

5110-00-293-2336, 4Lbs, 4-3/4" W Cut, 31" L., EA, \$41.34

5110-00-720-0711, 1-3/4Lbs, 3" W Cut, 13-1/8" L, Leather Sheath., EA, \$40.07

## Double Bit Ax

Built for tough forestry and fire suppression work, this ax has a forged, hardened steel head and a ground/polished cutting edge. Elliptical, tapered eye is for handle. B107.400 Cat 42

**Double-bit, western style ax has a fiberglass handle secured to the head with epoxy adhesive and a plastic wedge.**

Federal Strategic Sourcing Initiative, 5110-01-488-6190, 3-1/2 lb Head, 4-1/2" W Cut, Handle: 36" L., EA, \$41.91

## Half Hatchet

Half hatchet consists of a forged steel head with a hardened, tempered blade and a hickory handle firmly attached with wedges. The hatchet has an octagonal, flat striking head opposite blade. Beveled slot in blade is for removing nails. B107.400 Cat 42.

Plastics Removal in Marine Environments

5110-00-228-3161, 22oz, 3-1/2" L Cut, 13" L., EA, \$27.11

## Lathing Hatchet

Built for tough roofing work. This hatchet has a forged, hardened steel head and a ground/polished cutting edge and a hammer face for driving nails. Elliptical, tapered eye is for handle. B107.400 Cat 42.

Federal Strategic Sourcing Initiative, 5110-00-223-5379, 14" L x 2-1/4" W., EA, \$25.02

## Machete

In tropical and subtropical countries, the machete is frequently used to cut through rain forest undergrowth and for agricultural purposes.

**IAW Department of Army, Quartermaster Corps, Drawing 2-9-128, Rev F and if applicable, U.S. Army Natick Laboratories Drawing 2-9-277.**

Federal Strategic Sourcing Initiative, 5110-00-813-1286, 24" L, Blade 18" L, 2-1/4" W., EA, \$24.65

Federal Strategic Sourcing Initiative, 5110-01-474-5393, 17" L, 1" Safety Toe, Black Cordura Sheath., EA, \$79.35

## Pick-Up Tool

These tools are used in the retrieval of items in inaccessible areas.

**Nifty-Nabber pick-up tool is ideal for grabbing items high and low. This tool's powerful claws grip small and odd-shape objects. Features aluminum construction with rubber coated steel fingers. For indoor and outdoor use.**

Federal Strategic Sourcing Initiative, 5120-01-490-6488, 92134 or equal, 36" L., EA, \$30.04

**3230**

3230-01-574-9904..... 415

**3510**

3510-00-273-9738..... 221  
 3510-00-273-9739..... 221

**3540**

3540-00-223-8436..... 364  
 3540-00-273-8821..... 364  
 3540-00-565-6241..... 364  
 3540-00-565-6242..... 364  
 3540-00-565-6243..... 364  
 3540-00-565-6244..... 364  
 3540-01-456-4286..... 364  
 3540-01-518-6568..... 124

**3590**

3590-00-058-1837..... 266  
 3590-00-892-4525..... 266

**3750**

3750-00-903-0720..... 438

**3920**

3920-00-847-1305..... 138

**3990**

3990-00-171-9774..... 364  
 3990-00-171-9775..... 364  
 3990-00-596-7051..... 364

**4010**

4010-00-149-5584..... 350  
 4010-00-171-4426..... 350  
 4010-00-171-4427..... 350  
 4010-00-171-4512..... 350

**4020**

4020-00-068-7906..... 362  
 4020-00-068-7907..... 362  
 4020-00-141-7152..... 362  
 4020-00-240-2142..... 362  
 4020-00-240-2146..... 362  
 4020-00-241-8439..... 362  
 4020-00-289-8616..... 362  
 4020-00-551-3343..... 362  
 4020-00-782-5574..... 362  
 4020-00-919-3443..... 362  
 4020-00-928-3438..... 362  
 4020-00-968-1350..... 362  
 4020-00-968-1351..... 362  
 4020-00-968-1356..... 362  
 4020-00-968-1357..... 362  
 4020-00-968-1358..... 362

**4110**

4110-00-255-8760..... 291

**4140**

4140-00-256-9912..... 290  
 4140-00-851-9319..... 290  
 4140-00-961-5480..... 290  
 4140-01-278-1527..... 290

**4210**

4210-00-595-1777..... 294  
 4210-00-775-0127..... 294  
 4210-00-889-2491..... 294  
 4210-00-889-2492..... 294  
 4210-00-965-1105..... 294  
 4210-00-965-1107..... 294  
 4210-01-245-9850..... 294

**4240**

4240-00-052-3776..... 298  
 4240-00-540-0623..... 298  
 4240-00-542-2048..... 298  
 4240-01-292-2818..... 298  
 4240-01-463-5449..... 298  
 4240-01-492-0177..... 298

**4460**

4460-01-443-4895..... 222  
 4460-01-443-4896..... 222  
 4460-01-443-4897..... 222

**4510**

4510-00-203-2707..... 215  
 4510-00-203-2721..... 209  
 4510-00-224-8549..... 207  
 4510-00-247-1370..... 289  
 4510-00-253-0857..... 360  
 4510-00-595-1785..... 357  
 4510-00-752-9065..... 209  
 4510-01-327-9405..... 209  
 4510-01-426-4187..... 222  
 4510-01-521-9866..... 215  
 4510-01-521-9868..... 215  
 4510-01-521-9870..... 215  
 4510-01-521-9871..... 215  
 4510-01-521-9872..... 215  
 4510-01-521-9873..... 215  
 4510-01-551-1194..... 266  
 4510-01-551-2864..... 215  
 4510-01-551-2865..... 215  
 4510-01-551-2866..... 216  
 4510-01-551-2867..... 216

**4520**

4520-00-540-2038..... 291  
 4520-00-555-8696..... 291  
 4520-00-865-5939..... 290

**4720**

4720-01-447-8757..... 489  
 4720-01-447-8759..... 489

**4940**

4940-01-490-2455..... 327  
 4940-01-490-2463..... 327  
 4940-01-490-2470..... 327  
 4940-01-504-5270..... 327  
 4940-01-504-5273..... 327  
 4940-01-505-0680..... 327  
 4940-01-535-7651..... 328  
 4940-01-535-7652..... 328  
 4940-01-535-7653..... 328  
 4940-01-535-7654..... 327

**5110**

5110-00-018-0952..... 382  
 5110-00-063-3037..... 341  
 5110-00-082-9172..... 420  
 5110-00-126-0804..... 341  
 5110-00-142-5015..... 414  
 5110-00-156-0054..... 342  
 5110-00-156-0059..... 342  
 5110-00-156-0062..... 343  
 5110-00-156-0063..... 343  
 5110-00-156-0065..... 343  
 5110-00-161-6909..... 68, 417  
 5110-00-161-6912..... 68, 417  
 5110-00-162-2203..... 68, 416  
 5110-00-162-2205..... 380  
 5110-00-162-5629..... 382  
 5110-00-177-7286..... 341  
 5110-00-186-7107..... 331  
 5110-00-188-2524..... 419  
 5110-00-199-7292..... 457  
 5110-00-203-4935..... 342  
 5110-00-203-8310..... 414  
 5110-00-203-9642..... 68, 416  
 5110-00-204-2685..... 343  
 5110-00-221-1047..... 418  
 5110-00-221-1049..... 419  
 5110-00-221-1075..... 331  
 5110-00-221-1083..... 417  
 5110-00-221-1085..... 417  
 5110-00-221-1087..... 417  
 5110-00-221-1538..... 332  
 5110-00-221-8132..... 331  
 5110-00-222-2117..... 331  
 5110-00-222-2708..... 394  
 5110-00-222-4400..... 382  
 5110-00-223-5379..... 493  
 5110-00-223-6281..... 419  
 5110-00-223-6370..... 416  
 5110-00-223-6371..... 68, 417  
 5110-00-223-7782..... 382  
 5110-00-223-8827..... 332  
 5110-00-224-1532..... 394  
 5110-00-224-7053..... 419

5110-00-224-7055.....	419	5110-00-255-6579.....	457	5110-00-595-8402.....	382
5110-00-224-7056.....	419	5110-00-255-6600.....	457	5110-00-595-8403.....	382
5110-00-224-7057.....	419	5110-00-260-1645.....	457	5110-00-595-9490.....	394
5110-00-224-7058.....	418	5110-00-260-1647.....	457	5110-00-596-7164.....	394
5110-00-224-7064.....	419	5110-00-260-1664.....	457	5110-00-596-9155.....	419
5110-00-224-7911.....	335	5110-00-260-1665.....	457	5110-00-596-9156.....	419
5110-00-228-3161.....	493	5110-00-260-1721.....	457	5110-00-596-9162.....	419
5110-00-233-9110.....	332	5110-00-268-4224.....	341	5110-00-596-9703.....	68, 416
5110-00-233-9722.....	343	5110-00-272-2699.....	493	5110-00-618-2700.....	394
5110-00-234-1927.....	331	5110-00-273-0126.....	417	5110-00-640-5419.....	332
5110-00-234-1944.....	331	5110-00-273-0128.....	417	5110-00-640-5423.....	332
5110-00-234-6528.....	342	5110-00-277-4588.....	414	5110-00-720-0711.....	493
5110-00-234-6534.....	342	5110-00-277-4589.....	415	5110-00-754-1499.....	416
5110-00-234-6539.....	342	5110-00-277-4590.....	415	5110-00-764-4801.....	396
5110-00-234-6554.....	342	5110-00-277-4591.....	415	5110-00-771-3732.....	419
5110-00-234-6557.....	342	5110-00-288-6520.....	420	5110-00-803-6339.....	484
5110-00-236-3272.....	331	5110-00-289-0006.....	384	5110-00-813-1286.....	493
5110-00-238-7696.....	341	5110-00-289-8659.....	417	5110-00-860-3377.....	414
5110-00-239-3269.....	342	5110-00-289-9657.....	414	5110-00-878-6519.....	418
5110-00-239-3281.....	343	5110-00-293-0089.....	417	5110-00-892-5071.....	381
5110-00-239-7590.....	343	5110-00-293-0108.....	456	5110-00-935-0890.....	394
5110-00-239-7602.....	343	5110-00-293-0460.....	420	5110-00-941-2707.....	332
5110-00-239-7614.....	343	5110-00-293-1585.....	382	5110-00-965-0878.....	420
5110-00-239-8253.....	394	5110-00-293-1905.....	384	5110-00-997-4237.....	332
5110-00-240-3094.....	332	5110-00-293-2336.....	493	5110-01-019-1772.....	341
5110-00-240-5943.....	380	5110-00-293-2339.....	493	5110-01-068-5253.....	340
5110-00-240-6031.....	331	5110-00-293-2865.....	381	5110-01-181-7030.....	396
5110-00-240-7070.....	382	5110-00-293-3210.....	394	5110-01-241-4371.....	68, 416
5110-00-241-9132.....	342	5110-00-293-3435.....	414	5110-01-241-4373.....	68, 417
5110-00-241-9138.....	342	5110-00-293-3444.....	68, 417	5110-01-241-4375.....	68, 416
5110-00-241-9147.....	342	5110-00-293-9199.....	68, 417	5110-01-241-4376.....	68, 416
5110-00-241-9148.....	342	5110-00-329-3299.....	436	5110-01-278-4823.....	417
5110-00-241-9150.....	342	5110-00-344-9900.....	382	5110-01-321-8805.....	377
5110-00-241-9151.....	342	5110-00-357-5593.....	332	5110-01-346-5339.....	377
5110-00-241-9160.....	342	5110-00-359-6478.....	381	5110-01-346-5340.....	378
5110-00-242-0127.....	343	5110-00-449-6907.....	332	5110-01-346-5341.....	377
5110-00-242-0146.....	343	5110-00-449-7313.....	332	5110-01-349-4818.....	394
5110-00-242-3457.....	331	5110-00-472-2343.....	341	5110-01-355-8504.....	414
5110-00-242-5387.....	342	5110-00-510-4505.....	455	5110-01-367-3831.....	341
5110-00-242-7147.....	414	5110-00-524-8681.....	332	5110-01-367-3878.....	394
5110-00-243-1645.....	456	5110-00-530-1757.....	380	5110-01-367-4647.....	394
5110-00-243-2003.....	457	5110-00-541-6730.....	340	5110-01-367-4648.....	394
5110-00-243-7965.....	342	5110-00-555-8497.....	331	5110-01-367-4650.....	394
5110-00-245-4165.....	343	5110-00-555-9500.....	417	5110-01-367-7278.....	418
5110-00-245-4177.....	342	5110-00-585-8427.....	332	5110-01-368-3507.....	68, 416
5110-00-246-0975.....	341	5110-00-585-8428.....	332	5110-01-369-9340.....	380
5110-00-249-2850.....	342	5110-00-585-8430.....	332	5110-01-377-2180.....	341
5110-00-253-3152.....	457	5110-00-585-8431.....	332	5110-01-380-9346.....	341
5110-00-253-3154.....	457	5110-00-585-8432.....	332	5110-01-381-0808.....	419
5110-00-253-3156.....	457	5110-00-585-8433.....	332	5110-01-385-7354.....	378
5110-00-253-3158.....	457	5110-00-595-8229.....	418	5110-01-394-6249.....	376
5110-00-253-3160.....	457	5110-00-595-8267.....	418	5110-01-394-6251.....	377
5110-00-255-0420.....	416	5110-00-595-8317.....	343	5110-01-394-6252.....	376
5110-00-255-6541.....	457	5110-00-595-8325.....	343	5110-01-395-0291.....	380
5110-00-255-6557.....	457	5110-00-595-8400.....	381	5110-01-399-9317.....	379

5110-01-400-1164.....	332	5110-01-525-6665.....	378	5120-00-020-5635.....	488
5110-01-400-1418.....	417	5110-01-525-6666.....	375	5120-00-020-5636.....	488
5110-01-400-1438.....	394	5110-01-540-0152.....	374	5120-00-020-5639.....	487
5110-01-400-1447.....	394	5110-01-540-0186.....	374	5120-00-020-5926.....	339
5110-01-400-1453.....	394	5110-01-540-9530.....	374	5120-00-020-8601.....	488
5110-01-412-8019.....	381	5110-01-541-1201.....	377	5120-00-021-2041.....	487
5110-01-414-4916.....	379	5110-01-541-1202.....	378	5120-00-022-9783.....	484
5110-01-414-4917.....	379	5110-01-541-1454.....	375	5120-00-022-9797.....	443
5110-01-414-4918.....	379	5110-01-541-1455.....	375	5120-00-025-9361.....	477
5110-01-414-4920.....	379	5110-01-542-3028.....	342	5120-00-030-2738.....	484
5110-01-416-7827.....	433	5110-01-563-4373.....	341	5120-00-044-1718.....	430
5110-01-416-7830.....	433	5110-01-576-8918.....	418	5120-00-055-4063.....	363
5110-01-425-7570.....	376	5110-01-578-4890.....	382	5120-00-056-3935.....	432
5110-01-428-5231.....	381	5110-01-583-9252.....	379	5120-00-056-3940.....	426
5110-01-428-5236.....	381	5110-01-585-7934.....	377	5120-00-060-2004.....	423
5110-01-428-5268.....	381	5110-01-585-7935.....	376	5120-00-061-8540.....	344
5110-01-428-5416.....	414	5110-01-585-7936.....	377	5120-00-061-8541.....	344
5110-01-428-5547.....	381	5110-01-585-7937.....	377	5120-00-061-8543.....	344
5110-01-429-7306.....	394	5110-01-592-2581.....	377	5120-00-061-8545.....	344
5110-01-430-1526.....	342	5110-01-594-3747.....	374	5120-00-061-8546.....	344
5110-01-430-5039.....	376	5110-01-598-2248.....	377	5120-00-062-0813.....	421
5110-01-430-5046.....	376	5110-01-598-2253.....	377	5120-00-062-8454.....	421
5110-01-430-5056.....	374	5110-01-598-2254.....	377	5120-00-079-4598.....	338
5110-01-430-5934.....	415	5110-01-598-7727.....	379	5120-00-079-4599.....	338
5110-01-432-6191.....	379	5110-01-599-5184.....	342	5120-00-079-4601.....	338
5110-01-434-9884.....	331	5110-01-600-3371.....	414	5120-00-079-4602.....	338
5110-01-436-1548.....	379	5110-01-600-9339.....	381	5120-00-081-2305.....	441
5110-01-437-2038.....	341	5110-01-601-5159.....	342	5120-00-081-2307.....	449
5110-01-451-0707.....	379	5110-01-604-2057.....	374	5120-00-082-1811.....	456
5110-01-451-4943.....	379	5110-01-611-9911.....	374	5120-00-082-8528.....	439
5110-01-451-4945.....	377	5110-01-617-7463.....	343	5120-00-087-1022.....	440
5110-01-452-2215.....	380	5110-01-621-5253.....	381	5120-00-087-6415.....	426
5110-01-456-0578.....	376	5110-01-621-5256.....	381	5120-00-089-3663.....	427
5110-01-462-3400.....	375	5110-01-621-5257.....	381	5120-00-099-8544.....	451
5110-01-462-3402.....	378	5110-01-621-5259.....	381	5120-00-103-9708.....	338
5110-01-473-9291.....	419	5110-01-621-7915.....	381	5120-00-103-9782.....	475
5110-01-473-9295.....	418	5110-01-641-4777.....	374	5120-00-112-9333.....	428
5110-01-474-0894.....	376	5110-01-654-1873.....	394	5120-00-112-9335.....	429
5110-01-474-0895.....	376	5110-01-657-4266.....	342	5120-00-112-9349.....	429
5110-01-474-4899.....	377			5120-00-112-9359.....	429
5110-01-474-5393.....	493	<b>5120</b>		5120-00-112-9371.....	429
5110-01-475-2144.....	377	5120-00-001-3733.....	485	5120-00-115-9185.....	459
5110-01-488-6190.....	493	5120-00-005-1024.....	335	5120-00-116-7841.....	426
5110-01-507-0228.....	374	5120-00-009-3743.....	335	5120-00-116-9360.....	444
5110-01-514-7772.....	382	5120-00-009-5044.....	438	5120-00-117-3428.....	487
5110-01-516-3228.....	379	5120-00-010-7913.....	421	5120-00-117-4832.....	487
5110-01-516-3243.....	379	5120-00-010-7914.....	421	5120-00-126-0860.....	337
5110-01-516-3244.....	379	5120-00-016-6382.....	337	5120-00-132-0396.....	339
5110-01-518-2391.....	394	5120-00-017-3827.....	337	5120-00-132-5739.....	339
5110-01-524-7565.....	396	5120-00-017-3927.....	337	5120-00-132-5791.....	339
5110-01-525-6655.....	375	5120-00-018-0575.....	339	5120-00-132-5808.....	339
5110-01-525-6659.....	375	5120-00-018-1519.....	482	5120-00-132-6328.....	339
5110-01-525-6660.....	375	5120-00-020-2947.....	481	5120-00-132-6913.....	337
5110-01-525-6661.....	375	5120-00-020-5632.....	488	5120-00-133-0144.....	338
5110-01-525-6664.....	375	5120-00-020-5634.....	488	5120-00-133-1747.....	338
				5120-00-137-9140.....	338

5120-00-142-5156.....	443	5120-00-187-1033.....	344	5120-00-221-7968.....	453
5120-00-144-5207.....	452	5120-00-187-1034.....	344	5120-00-221-7980.....	474
5120-00-146-6558.....	338	5120-00-187-7123.....	479	5120-00-221-7983.....	487
5120-00-148-9488.....	478	5120-00-187-7126.....	479	5120-00-222-3241.....	363
5120-00-148-9845.....	338	5120-00-187-7130.....	479	5120-00-222-8852.....	421
5120-00-156-0978.....	428	5120-00-188-1182.....	334	5120-00-223-0989.....	330
5120-00-156-0981.....	428	5120-00-188-1788.....	322	5120-00-223-1945.....	334
5120-00-157-2133.....	482	5120-00-188-1790.....	322	5120-00-223-1951.....	334
5120-00-157-3138.....	339	5120-00-188-8446.....	435	5120-00-223-6838.....	373
5120-00-165-3910.....	337	5120-00-188-8450.....	435	5120-00-223-6986.....	429
5120-00-165-3912.....	337	5120-00-189-7907.....	439	5120-00-223-6995.....	424
5120-00-165-3913.....	338	5120-00-189-7910.....	450	5120-00-223-7396.....	396
5120-00-165-4098.....	427	5120-00-189-7914.....	446	5120-00-223-7397.....	396
5120-00-167-0153.....	363	5120-00-189-7917.....	446	5120-00-223-7398.....	396
5120-00-169-2986.....	488	5120-00-189-7924.....	446	5120-00-223-8426.....	434
5120-00-169-3003.....	335	5120-00-189-7927.....	446	5120-00-223-8653.....	324
5120-00-169-4586.....	452	5120-00-189-7932.....	446	5120-00-223-8862.....	360
5120-00-169-5776.....	485	5120-00-189-7934.....	446	5120-00-223-9557.....	459
5120-00-171-1643.....	367	5120-00-189-7935.....	446	5120-00-224-1372.....	437
5120-00-171-3117.....	449	5120-00-189-7946.....	446	5120-00-224-1389.....	438
5120-00-177-6832.....	428	5120-00-189-7985.....	446	5120-00-224-1390.....	437
5120-00-177-6966.....	338	5120-00-190-5756.....	428	5120-00-224-1393.....	438
5120-00-177-6967.....	338	5120-00-191-6484.....	424	5120-00-224-1416.....	347
5120-00-177-7029.....	338	5120-00-194-1648.....	348	5120-00-224-1540.....	395
5120-00-177-9839.....	361	5120-00-197-9473.....	330	5120-00-224-1541.....	398
5120-00-180-0670.....	334	5120-00-198-5387.....	424	5120-00-224-2482.....	424
5120-00-180-0681.....	334	5120-00-198-5391.....	424	5120-00-224-2496.....	424
5120-00-180-0705.....	432	5120-00-198-5392.....	424	5120-00-224-2504.....	424
5120-00-180-0706.....	432	5120-00-198-5398.....	424	5120-00-224-2510.....	424
5120-00-180-0727.....	432	5120-00-198-5400.....	424	5120-00-224-2596.....	426
5120-00-180-0728.....	432	5120-00-198-5401.....	424	5120-00-224-2599.....	426
5120-00-180-0729.....	432	5120-00-198-5409.....	424	5120-00-224-2661.....	340
5120-00-180-0730.....	432	5120-00-198-5410.....	424	5120-00-224-3102.....	479
5120-00-180-0777.....	458	5120-00-199-7771.....	450	5120-00-224-3112.....	474
5120-00-180-0780.....	458	5120-00-203-4656.....	345	5120-00-224-3135.....	474
5120-00-180-0798.....	427	5120-00-203-4766.....	323	5120-00-224-3136.....	474
5120-00-180-0848.....	333	5120-00-203-4794.....	479	5120-00-224-3138.....	474
5120-00-180-0849.....	333	5120-00-203-4795.....	479	5120-00-224-3141.....	474
5120-00-180-0871.....	438	5120-00-203-4801.....	479	5120-00-224-3146.....	474
5120-00-180-0872.....	438	5120-00-203-4807.....	479	5120-00-224-3154.....	474
5120-00-180-0887.....	432	5120-00-203-4810.....	479	5120-00-224-3156.....	480
5120-00-180-0897.....	333	5120-00-203-4812.....	479	5120-00-224-4085.....	347
5120-00-180-0905.....	333	5120-00-203-6436.....	333	5120-00-224-4111.....	348
5120-00-180-0907.....	333	5120-00-203-6437.....	333	5120-00-224-4130.....	346
5120-00-180-0908.....	333	5120-00-221-1117.....	334	5120-00-224-4139.....	346
5120-00-180-0909.....	333	5120-00-221-1122.....	334	5120-00-224-4141.....	345
5120-00-180-2936.....	333	5120-00-221-1151.....	456	5120-00-224-4659.....	424
5120-00-181-6813.....	450	5120-00-221-1506.....	334	5120-00-224-4748.....	335
5120-00-184-8384.....	483	5120-00-221-1536.....	332	5120-00-224-7288.....	483
5120-00-184-8385.....	483	5120-00-221-2731.....	437	5120-00-224-7330.....	322
5120-00-184-8397.....	483	5120-00-221-7063.....	383	5120-00-224-7375.....	423
5120-00-184-8439.....	479	5120-00-221-7947.....	486	5120-00-224-9215.....	446
5120-00-184-8653.....	479	5120-00-221-7957.....	440	5120-00-224-9219.....	440
5120-00-184-8676.....	474	5120-00-221-7958.....	448	5120-00-224-9238.....	438
5120-00-184-9403.....	395	5120-00-221-7959.....	451	5120-00-224-9297.....	361

5120-00-224-9440. ....	437	5120-00-236-2263. ....	439	5120-00-242-3249. ....	481
5120-00-224-9453. ....	340	5120-00-236-2264. ....	439	5120-00-242-3254. ....	473
5120-00-224-9456. ....	340	5120-00-236-3242. ....	421	5120-00-242-3256. ....	440
5120-00-224-9728. ....	383	5120-00-236-7590. ....	448	5120-00-242-3263. ....	486
5120-00-226-5606. ....	429	5120-00-237-0977. ....	442	5120-00-242-3264. ....	486
5120-00-227-6702. ....	442	5120-00-237-0984. ....	446	5120-00-242-3268. ....	427
5120-00-227-6703. ....	442	5120-00-237-4969. ....	446	5120-00-242-3330. ....	442
5120-00-227-6704. ....	442	5120-00-237-4973. ....	442	5120-00-242-3345. ....	439
5120-00-227-7293. ....	423	5120-00-237-6985. ....	421	5120-00-242-3349. ....	447
5120-00-227-7334. ....	421	5120-00-238-4436. ....	340	5120-00-242-3352. ....	439
5120-00-227-7356. ....	421	5120-00-239-0018. ....	442	5120-00-242-3355. ....	443
5120-00-227-8074. ....	448	5120-00-239-0021. ....	450	5120-00-242-3433. ....	330
5120-00-227-8079. ....	452	5120-00-239-0035. ....	330	5120-00-242-3434. ....	330
5120-00-227-8088. ....	448	5120-00-239-0038. ....	330	5120-00-242-3435. ....	330
5120-00-227-8095. ....	444	5120-00-239-8250. ....	395	5120-00-242-3908. ....	348
5120-00-227-8104. ....	453	5120-00-239-8251. ....	395	5120-00-242-3915. ....	346
5120-00-227-8105. ....	440	5120-00-239-8254. ....	395	5120-00-242-5966. ....	330
5120-00-227-8107. ....	443	5120-00-240-0155. ....	420	5120-00-242-6624. ....	437
5120-00-227-8129. ....	444	5120-00-240-1410. ....	481	5120-00-242-7410. ....	424
5120-00-228-9503. ....	476	5120-00-240-1414. ....	473	5120-00-242-7411. ....	424
5120-00-228-9504. ....	476	5120-00-240-1418. ....	442	5120-00-243-1372. ....	334
5120-00-228-9505. ....	476	5120-00-240-1532. ....	440	5120-00-243-1674. ....	430
5120-00-228-9506. ....	476	5120-00-240-5219. ....	458	5120-00-243-1686. ....	442
5120-00-228-9507. ....	476	5120-00-240-5221. ....	458	5120-00-243-1687. ....	452
5120-00-228-9508. ....	476	5120-00-240-5222. ....	458	5120-00-243-1689. ....	443
5120-00-228-9509. ....	476	5120-00-240-5223. ....	458	5120-00-243-1691. ....	443
5120-00-228-9510. ....	476	5120-00-240-5232. ....	427	5120-00-243-1693. ....	443
5120-00-228-9511. ....	476	5120-00-240-5274. ....	424	5120-00-243-2395. ....	434
5120-00-228-9512. ....	476	5120-00-240-5292. ....	424	5120-00-243-2419. ....	452
5120-00-228-9513. ....	476	5120-00-240-5300. ....	424	5120-00-243-2776. ....	340
5120-00-228-9514. ....	476	5120-00-240-5328. ....	473	5120-00-243-2957. ....	345
5120-00-228-9515. ....	476	5120-00-240-5330. ....	473	5120-00-243-2959. ....	345
5120-00-228-9516. ....	476	5120-00-240-5336. ....	481	5120-00-243-3296. ....	432
5120-00-228-9517. ....	476	5120-00-240-5364. ....	444	5120-00-243-7323. ....	451
5120-00-228-9519. ....	476	5120-00-240-5396. ....	443	5120-00-243-7326. ....	448
5120-00-228-9521. ....	474	5120-00-240-6040. ....	437	5120-00-243-7328. ....	452
5120-00-228-9527. ....	479	5120-00-240-6082. ....	330	5120-00-243-7332. ....	429
5120-00-229-2772. ....	483	5120-00-240-6083. ....	330	5120-00-243-7337. ....	429
5120-00-230-6380. ....	487	5120-00-240-6092. ....	330	5120-00-243-7343. ....	447
5120-00-230-6385. ....	448	5120-00-240-6104. ....	330	5120-00-243-9072. ....	334
5120-00-232-5681. ....	450	5120-00-240-6172. ....	395	5120-00-244-1167. ....	415
5120-00-232-5703. ....	439	5120-00-240-6213. ....	396	5120-00-245-1622. ....	434
5120-00-232-5706. ....	442	5120-00-240-6217. ....	396	5120-00-246-2311. ....	484
5120-00-232-5711. ....	442	5120-00-240-7308. ....	459	5120-00-246-4746. ....	334
5120-00-234-8741. ....	420	5120-00-240-8702. ....	448	5120-00-247-0867. ....	457
5120-00-234-8744. ....	420	5120-00-240-8703. ....	444	5120-00-247-0868. ....	457
5120-00-234-8910. ....	421	5120-00-240-8705. ....	448	5120-00-247-2536. ....	486
5120-00-234-8912. ....	423	5120-00-240-8716. ....	423	5120-00-247-2540. ....	486
5120-00-234-8913. ....	423	5120-00-240-8894. ....	330	5120-00-247-5177. ....	395
5120-00-235-3037. ....	398	5120-00-240-8896. ....	330	5120-00-249-1071. ....	450
5120-00-235-5870. ....	446	5120-00-240-8898. ....	330	5120-00-249-1076. ....	451
5120-00-236-2127. ....	421	5120-00-241-2973. ....	333	5120-00-249-7494. ....	333
5120-00-236-2140. ....	421	5120-00-241-3142. ....	448	5120-00-249-9670. ....	424
5120-00-236-2261. ....	483	5120-00-241-3170. ....	427	5120-00-250-5576. ....	429
5120-00-236-2262. ....	439	5120-00-241-3188. ....	426	5120-00-251-2267. ....	420

5120-00-251-4489.....	345	5120-00-277-4064.....	484	5120-00-293-0008.....	473
5120-00-251-9503.....	338	5120-00-277-4243.....	398	5120-00-293-0013.....	444
5120-00-252-7720.....	457	5120-00-277-4244.....	398	5120-00-293-0019.....	420
5120-00-254-4612.....	341	5120-00-277-4248.....	484	5120-00-293-0031.....	473
5120-00-255-1476.....	347	5120-00-277-4834.....	479	5120-00-293-0032.....	395
5120-00-256-9014.....	427	5120-00-277-6470.....	473	5120-00-293-0077.....	322
5120-00-257-5541.....	383	5120-00-277-7025.....	479	5120-00-293-0094.....	450
5120-00-260-4837.....	421	5120-00-277-8300.....	479	5120-00-293-0110.....	334
5120-00-262-1872.....	340	5120-00-277-8301.....	479	5120-00-293-0149.....	457
5120-00-262-8491.....	481	5120-00-277-8308.....	479	5120-00-293-0190.....	479
5120-00-263-4136.....	447	5120-00-277-8309.....	479	5120-00-293-0191.....	479
5120-00-263-4137.....	447	5120-00-277-8314.....	479	5120-00-293-0195.....	424
5120-00-263-4148.....	447	5120-00-277-8833.....	476	5120-00-293-0315.....	421
5120-00-263-4149.....	447	5120-00-277-8834.....	476	5120-00-293-0318.....	430
5120-00-264-3777.....	482	5120-00-277-9075.....	482	5120-00-293-0375.....	426
5120-00-264-3793.....	473	5120-00-277-9076.....	482	5120-00-293-0406.....	482
5120-00-264-3794.....	473	5120-00-277-9077.....	482	5120-00-293-0448.....	330
5120-00-264-3795.....	473	5120-00-277-9089.....	473	5120-00-293-0450.....	435
5120-00-264-3796.....	473	5120-00-278-0340.....	473	5120-00-293-0665.....	438
5120-00-264-5217.....	474	5120-00-278-0341.....	473	5120-00-293-0791.....	330
5120-00-265-7462.....	345	5120-00-278-0342.....	476	5120-00-293-0792.....	330
5120-00-268-3579.....	395	5120-00-278-0350.....	394	5120-00-293-0793.....	330
5120-00-269-7965.....	481	5120-00-278-0351.....	394	5120-00-293-0798.....	482
5120-00-269-7966.....	481	5120-00-278-1267.....	421	5120-00-293-0887.....	345
5120-00-269-7971.....	450	5120-00-278-1269.....	421	5120-00-293-1108.....	334
5120-00-269-7972.....	480	5120-00-278-1270.....	421	5120-00-293-1136.....	437
5120-00-270-4309.....	481	5120-00-278-1276.....	421	5120-00-293-1324.....	479
5120-00-273-0001.....	330	5120-00-278-1283.....	421	5120-00-293-1408.....	330
5120-00-277-1187.....	479	5120-00-278-2423.....	337	5120-00-293-1439.....	334
5120-00-277-1191.....	479	5120-00-278-6643.....	448	5120-00-293-1602.....	482
5120-00-277-1194.....	479	5120-00-278-9925.....	333	5120-00-293-1608.....	422
5120-00-277-1230.....	479	5120-00-278-9926.....	326	5120-00-293-2050.....	432
5120-00-277-1236.....	479	5120-00-287-2129.....	427	5120-00-293-2051.....	432
5120-00-277-1243.....	479	5120-00-287-2130.....	427	5120-00-293-2052.....	432
5120-00-277-1246.....	479	5120-00-287-2502.....	422	5120-00-293-2056.....	432
5120-00-277-1247.....	479	5120-00-287-2503.....	422	5120-00-293-2057.....	428
5120-00-277-1461.....	481	5120-00-287-2504.....	421	5120-00-293-2081.....	339
5120-00-277-1462.....	481	5120-00-287-2512.....	333	5120-00-293-2134.....	479
5120-00-277-1464.....	442	5120-00-287-4151.....	447	5120-00-293-2319.....	337
5120-00-277-1465.....	446	5120-00-287-4153.....	447	5120-00-293-2997.....	348
5120-00-277-1477.....	481	5120-00-288-6468.....	482	5120-00-293-2999.....	348
5120-00-277-1478.....	481	5120-00-288-6529.....	435	5120-00-293-3002.....	348
5120-00-277-1479.....	481	5120-00-288-6563.....	348	5120-00-293-3003.....	348
5120-00-277-1480.....	481	5120-00-288-6564.....	348	5120-00-293-3005.....	348
5120-00-277-1481.....	481	5120-00-288-6574.....	437	5120-00-293-3007.....	348
5120-00-277-1483.....	481	5120-00-288-7710.....	324	5120-00-293-3009.....	473
5120-00-277-1486.....	481	5120-00-288-7769.....	437	5120-00-293-3178.....	421
5120-00-277-1610.....	474	5120-00-288-7781.....	339	5120-00-293-3309.....	421
5120-00-277-1611.....	474	5120-00-288-8155.....	442	5120-00-293-3330.....	435
5120-00-277-1724.....	424	5120-00-288-8716.....	325	5120-00-293-3336.....	435
5120-00-277-1801.....	426	5120-00-288-8739.....	432	5120-00-293-3397.....	347
5120-00-277-1982.....	439	5120-00-288-8746.....	482	5120-00-293-3399.....	347
5120-00-277-2323.....	479	5120-00-288-8865.....	487	5120-00-293-3453.....	474
5120-00-277-2327.....	480	5120-00-288-9997.....	476	5120-00-293-3466.....	331
5120-00-277-2342.....	479	5120-00-289-0534.....	484	5120-00-293-3481.....	395

5120-00-293-3486.....	395	5120-00-529-2553.....	426	5120-00-611-7525.....	326
5120-00-293-3509.....	331	5120-00-529-3101.....	423	5120-00-618-4433.....	486
5120-00-293-3510.....	331	5120-00-529-3744.....	333	5120-00-618-4915.....	422
5120-00-293-3512.....	331	5120-00-540-1416.....	459	5120-00-618-6898.....	340
5120-00-294-4605.....	332	5120-00-541-3186.....	323	5120-00-618-6899.....	340
5120-00-294-9514.....	426	5120-00-541-4687.....	324	5120-00-618-6902.....	326
5120-00-302-5696.....	479	5120-00-541-6731.....	394	5120-00-624-8065.....	340
5120-00-303-7737.....	484	5120-00-542-3438.....	423	5120-00-628-5569.....	328
5120-00-305-2275.....	459	5120-00-542-4171.....	399	5120-00-629-6258.....	325
5120-00-305-2306.....	399	5120-00-542-5681.....	486	5120-00-640-6364.....	486
5120-00-308-3809.....	323	5120-00-542-5799.....	427	5120-00-640-6365.....	486
5120-00-315-4003.....	430	5120-00-545-4268.....	324	5120-00-640-6729.....	428
5120-00-316-9217.....	323	5120-00-555-1521.....	486	5120-00-640-6730.....	428
5120-00-322-6231.....	444	5120-00-555-2074.....	348	5120-00-640-6731.....	428
5120-00-323-2292.....	419	5120-00-555-2077.....	348	5120-00-640-6732.....	428
5120-00-330-7602.....	334	5120-00-555-2086.....	348	5120-00-640-6733.....	428
5120-00-331-5502.....	431	5120-00-555-2353.....	430	5120-00-658-9805.....	482
5120-00-337-9652.....	488	5120-00-568-4742.....	487	5120-00-673-1885.....	363
5120-00-340-2010.....	325	5120-00-574-9318.....	488	5120-00-674-9215.....	423
5120-00-357-5868.....	348	5120-00-580-0334.....	428	5120-00-674-9216.....	423
5120-00-357-6065.....	361	5120-00-580-2359.....	458	5120-00-679-4460.....	424
5120-00-357-7175.....	422	5120-00-585-2383.....	346	5120-00-679-5655.....	363
5120-00-390-8586.....	324	5120-00-585-7706.....	486	5120-00-709-4072.....	451
5120-00-391-0101.....	420	5120-00-585-8434.....	486	5120-00-711-7456.....	335
5120-00-391-0116.....	361	5120-00-595-8190.....	335	5120-00-714-7400.....	423
5120-00-409-5206.....	338	5120-00-595-8197.....	429	5120-00-724-2145.....	445
5120-00-423-6728.....	473	5120-00-595-8198.....	429	5120-00-731-2862.....	333
5120-00-439-8988.....	425	5120-00-595-8279.....	458	5120-00-752-9030.....	330
5120-00-440-8008.....	426	5120-00-595-8387.....	322	5120-00-752-9755.....	397
5120-00-449-3769.....	324	5120-00-595-8396.....	322	5120-00-756-0925.....	458
5120-00-449-8083.....	473	5120-00-595-8424.....	325	5120-00-756-0946.....	458
5120-00-449-8084.....	473	5120-00-595-9304.....	324	5120-00-756-1156.....	395
5120-00-449-8128.....	480	5120-00-595-9305.....	324	5120-00-757-7653.....	338
5120-00-473-6320.....	484	5120-00-595-9470.....	331	5120-00-764-8058.....	421
5120-00-473-6476.....	473	5120-00-595-9471.....	331	5120-00-764-8059.....	421
5120-00-473-6538.....	480	5120-00-595-9555.....	397	5120-00-764-8061.....	421
5120-00-474-7227.....	475	5120-00-595-9558.....	325	5120-00-764-8097.....	423
5120-00-482-2543.....	488	5120-00-595-9573.....	427	5120-00-765-3688.....	339
5120-00-490-4283.....	324	5120-00-595-9574.....	427	5120-00-770-9362.....	396
5120-00-490-4856.....	479	5120-00-596-0828.....	422	5120-00-775-1670.....	363
5120-00-494-1863.....	436	5120-00-596-0861.....	423	5120-00-775-6980.....	439
5120-00-494-1910.....	398	5120-00-596-0864.....	423	5120-00-776-1841.....	486
5120-00-494-1911.....	398	5120-00-596-0938.....	430	5120-00-777-2782.....	474
5120-00-494-1989.....	482	5120-00-596-1071.....	348	5120-00-778-6241.....	339
5120-00-498-7365.....	423	5120-00-596-1263.....	426	5120-00-781-7891.....	341
5120-00-505-5477.....	339	5120-00-596-1543.....	383	5120-00-781-8977.....	424
5120-00-505-5918.....	330	5120-00-596-2893.....	429	5120-00-789-0492.....	397
5120-00-507-0649.....	353	5120-00-596-8502.....	421	5120-00-795-0946.....	484
5120-00-507-4886.....	483	5120-00-596-8622.....	449	5120-00-797-2402.....	373
5120-00-511-1432.....	484	5120-00-596-9313.....	337	5120-00-797-2404.....	373
5120-00-516-3120.....	324	5120-00-596-9364.....	421	5120-00-797-2994.....	430
5120-00-517-5347.....	484	5120-00-596-9591.....	427	5120-00-797-3399.....	434
5120-00-526-6044.....	437	5120-00-604-5007.....	352	5120-00-801-0949.....	363
5120-00-528-2891.....	431	5120-00-605-3926.....	326	5120-00-811-8452.....	429
5120-00-528-2892.....	431	5120-00-610-1888.....	458	5120-00-812-5522.....	483



5120-00-816-5707.....	373	5120-00-915-4587.....	339	5120-01-016-2149.....	326
5120-00-820-2995.....	423	5120-00-915-4588.....	339	5120-01-016-5850.....	425
5120-00-822-7194.....	363	5120-00-921-0574.....	428	5120-01-018-8956.....	425
5120-00-831-1051.....	474	5120-00-923-9620.....	487	5120-01-021-5730.....	395
5120-00-831-1052.....	474	5120-00-926-5175.....	329	5120-01-023-4212.....	447
5120-00-832-6221.....	432	5120-00-926-7116.....	347	5120-01-024-6145.....	442
5120-00-832-6224.....	432	5120-00-926-7117.....	347	5120-01-024-6146.....	442
5120-00-839-8139.....	486	5120-00-928-8696.....	434	5120-01-024-6147.....	442
5120-00-840-3358.....	333	5120-00-930-7503.....	338	5120-01-024-6149.....	442
5120-00-840-7288.....	330	5120-00-931-8361.....	487	5120-01-024-6150.....	442
5120-00-840-7289.....	330	5120-00-935-4612.....	430	5120-01-024-6151.....	442
5120-00-849-1141.....	360	5120-00-935-4641.....	425	5120-01-025-0206.....	484
5120-00-850-6313.....	324	5120-00-935-7309.....	445	5120-01-026-4687.....	439
5120-00-851-4247.....	431	5120-00-935-7310.....	477	5120-01-026-4688.....	439
5120-00-865-0933.....	324	5120-00-935-7313.....	444	5120-01-028-7102.....	396
5120-00-870-6928.....	428	5120-00-935-7333.....	478	5120-01-028-8539.....	439
5120-00-877-8806.....	422	5120-00-935-7340.....	426	5120-01-032-7496.....	346
5120-00-878-5932.....	434	5120-00-935-7370.....	476	5120-01-033-2134.....	422
5120-00-879-3547.....	430	5120-00-935-7371.....	476	5120-01-034-8231.....	461
5120-00-883-3003.....	331	5120-00-935-7411.....	442	5120-01-040-6140.....	383
5120-00-888-5826.....	429	5120-00-935-7416.....	442	5120-01-041-1613.....	331
5120-00-888-5829.....	429	5120-00-935-7420.....	446	5120-01-042-0982.....	485
5120-00-888-5831.....	429	5120-00-935-7440.....	442	5120-01-043-8491.....	431
5120-00-889-1796.....	367	5120-00-935-7441.....	442	5120-01-045-4884.....	439
5120-00-889-2050.....	396	5120-00-935-7451.....	447	5120-01-045-4885.....	439
5120-00-889-2162.....	424	5120-00-935-7490.....	439	5120-01-045-4888.....	424
5120-00-889-2163.....	424	5120-00-937-5438.....	341	5120-01-045-4892.....	424
5120-00-890-7816.....	487	5120-00-943-0941.....	487	5120-01-045-4910.....	476
5120-00-892-4952.....	334	5120-00-944-4268.....	324	5120-01-046-4979.....	477
5120-00-892-5319.....	436	5120-00-948-3214.....	439	5120-01-046-5079.....	425
5120-00-892-5485.....	345	5120-00-952-3507.....	363	5120-01-054-7126.....	476
5120-00-892-5744.....	345	5120-00-962-7580.....	480	5120-01-054-7130.....	476
5120-00-892-5931.....	427	5120-00-963-7661.....	338	5120-01-054-7131.....	476
5120-00-892-6089.....	476	5120-00-965-0326.....	352	5120-01-054-7135.....	476
5120-00-893-5686.....	426	5120-00-965-0603.....	352	5120-01-054-7136.....	476
5120-00-900-1283.....	486	5120-00-965-0604.....	398	5120-01-054-7138.....	476
5120-00-900-6096.....	345	5120-00-965-0879.....	437	5120-01-054-7139.....	476
5120-00-900-6097.....	345	5120-00-966-5372.....	363	5120-01-054-7141.....	477
5120-00-900-6098.....	345	5120-00-966-5375.....	363	5120-01-065-2211.....	346
5120-00-900-6103.....	346	5120-00-966-5379.....	363	5120-01-065-3236.....	443
5120-00-900-6110.....	345	5120-00-966-5381.....	363	5120-01-065-9037.....	347
5120-00-900-9344.....	424	5120-00-966-8270.....	363	5120-01-066-7516.....	447
5120-00-900-9345.....	424	5120-00-967-8151.....	363	5120-01-067-5011.....	441
5120-00-902-0094.....	346	5120-00-971-7053.....	348	5120-01-067-5016.....	477
5120-00-903-8545.....	348	5120-00-987-0785.....	338	5120-01-069-5686.....	345
5120-00-903-8546.....	348	5120-00-991-1907.....	334	5120-01-070-4540.....	344
5120-00-903-8547.....	348	5120-00-996-2270.....	429	5120-01-070-4541.....	344
5120-00-903-8552.....	348	5120-01-003-2366.....	488	5120-01-070-4542.....	344
5120-00-903-8553.....	348	5120-01-004-2718.....	425	5120-01-070-8386.....	323
5120-00-903-8555.....	348	5120-01-008-3632.....	488	5120-01-071-5356.....	347
5120-00-903-9303.....	346	5120-01-013-1676.....	347	5120-01-072-2954.....	479
5120-00-903-9310.....	348	5120-01-014-0875.....	428	5120-01-072-7987.....	347
5120-00-905-6729.....	421	5120-01-014-1833.....	439	5120-01-074-6572.....	488
5120-00-905-6730.....	421	5120-01-014-7672.....	423	5120-01-074-6573.....	488
5120-00-913-5843.....	421	5120-01-015-1422.....	335	5120-01-079-8024.....	476

5120-01-079-8032.....	430	5120-01-156-7296.....	323	5120-01-335-0758.....	442
5120-01-079-8033.....	430	5120-01-158-6616.....	326	5120-01-335-0766.....	440
5120-01-080-6534.....	439	5120-01-159-4362.....	326	5120-01-335-0800.....	446
5120-01-080-8378.....	397	5120-01-161-4540.....	426	5120-01-335-0820.....	447
5120-01-083-6729.....	426	5120-01-161-4542.....	428	5120-01-335-0823.....	447
5120-01-086-8472.....	326	5120-01-168-1131.....	423	5120-01-335-0904.....	442
5120-01-087-3616.....	425	5120-01-168-1135.....	429	5120-01-335-0905.....	442
5120-01-097-4520.....	347	5120-01-168-1306.....	430	5120-01-335-0929.....	439
5120-01-097-5219.....	339	5120-01-168-9451.....	485	5120-01-335-0934.....	439
5120-01-101-1193.....	479	5120-01-168-9569.....	423	5120-01-335-0941.....	439
5120-01-101-4630.....	476	5120-01-169-6186.....	450	5120-01-335-1030.....	481
5120-01-101-6683.....	337	5120-01-173-6247.....	488	5120-01-335-1031.....	481
5120-01-104-0695.....	487	5120-01-175-7134.....	482	5120-01-335-1033.....	481
5120-01-108-9649.....	398	5120-01-176-1819.....	478	5120-01-335-1034.....	481
5120-01-111-1125.....	339	5120-01-178-0699.....	430	5120-01-335-1044.....	446
5120-01-112-0546.....	443	5120-01-178-6342.....	431	5120-01-335-1048.....	442
5120-01-112-0564.....	439	5120-01-181-5622.....	474	5120-01-335-1050.....	448
5120-01-112-0572.....	447	5120-01-195-0640.....	430	5120-01-335-1060.....	443
5120-01-112-0576.....	447	5120-01-208-4532.....	420	5120-01-335-1070.....	440
5120-01-112-0580.....	439	5120-01-209-6515.....	325	5120-01-335-1074.....	440
5120-01-112-5031.....	399	5120-01-224-4876.....	476	5120-01-335-1082.....	444
5120-01-112-8322.....	447	5120-01-230-1506.....	338	5120-01-335-1089.....	483
5120-01-112-8345.....	345	5120-01-230-1507.....	338	5120-01-335-1090.....	483
5120-01-112-8349.....	345	5120-01-232-0023.....	339	5120-01-335-1091.....	483
5120-01-112-8350.....	345	5120-01-233-9508.....	453	5120-01-335-1105.....	483
5120-01-112-8352.....	345	5120-01-242-1514.....	445	5120-01-335-1123.....	483
5120-01-113-0116.....	423	5120-01-242-7218.....	451	5120-01-335-1124.....	483
5120-01-113-1544.....	462	5120-01-264-6123.....	476	5120-01-335-1126.....	483
5120-01-113-1575.....	423	5120-01-265-3846.....	424	5120-01-335-1128.....	483
5120-01-113-6280.....	443	5120-01-266-1950.....	423	5120-01-335-1141.....	483
5120-01-113-6352.....	395	5120-01-266-7519.....	423	5120-01-335-1142.....	483
5120-01-113-7134.....	476	5120-01-271-8049.....	398	5120-01-335-1149.....	483
5120-01-113-7149.....	423	5120-01-276-7016.....	485	5120-01-335-1150.....	483
5120-01-113-9564.....	485	5120-01-278-8257.....	326	5120-01-335-1151.....	483
5120-01-115-1150.....	475	5120-01-283-0320.....	360	5120-01-335-1152.....	483
5120-01-116-6034.....	442	5120-01-289-4310.....	361	5120-01-335-1153.....	483
5120-01-117-4979.....	338	5120-01-296-4235.....	488	5120-01-335-1154.....	483
5120-01-118-6275.....	427	5120-01-307-5143.....	399	5120-01-335-1155.....	483
5120-01-119-0010.....	478	5120-01-312-1263.....	448	5120-01-335-1156.....	483
5120-01-120-8721.....	337	5120-01-312-5842.....	488	5120-01-335-1181.....	479
5120-01-121-5023.....	333	5120-01-313-4096.....	326	5120-01-335-1205.....	479
5120-01-122-8359.....	483	5120-01-313-4097.....	326	5120-01-335-1240.....	476
5120-01-122-8360.....	476	5120-01-330-3822.....	339	5120-01-335-1245.....	476
5120-01-123-1122.....	486	5120-01-333-9857.....	383	5120-01-335-1253.....	476
5120-01-125-5190.....	485	5120-01-334-9862.....	434	5120-01-335-1267.....	476
5120-01-127-6857.....	473	5120-01-335-0695.....	440	5120-01-335-1291.....	476
5120-01-130-8880.....	488	5120-01-335-0701.....	448	5120-01-335-1318.....	451
5120-01-131-4467.....	486	5120-01-335-0704.....	482	5120-01-335-1321.....	474
5120-01-132-4038.....	476	5120-01-335-0708.....	482	5120-01-335-1325.....	474
5120-01-134-4362.....	487	5120-01-335-0713.....	448	5120-01-335-1328.....	474
5120-01-134-9422.....	484	5120-01-335-0714.....	448	5120-01-335-1329.....	474
5120-01-135-2993.....	432	5120-01-335-0717.....	444	5120-01-335-1333.....	474
5120-01-142-9857.....	486	5120-01-335-0719.....	444	5120-01-335-1357.....	458
5120-01-146-8096.....	322	5120-01-335-0721.....	444	5120-01-335-1358.....	459
5120-01-148-5455.....	398	5120-01-335-0748.....	440	5120-01-335-1374.....	324

5120-01-335-1376.....	324	5120-01-348-9698.....	450	5120-01-366-0377.....	426
5120-01-335-1377.....	324	5120-01-349-1042.....	447	5120-01-366-0626.....	444
5120-01-335-1409.....	330	5120-01-349-1384.....	474	5120-01-366-9324.....	476
5120-01-335-1410.....	330	5120-01-349-1385.....	474	5120-01-367-3162.....	439
5120-01-335-1416.....	330	5120-01-349-1406.....	474	5120-01-367-3205.....	447
5120-01-335-1435.....	330	5120-01-349-1476.....	477	5120-01-367-3281.....	474
5120-01-335-1462.....	331	5120-01-349-1477.....	477	5120-01-367-3315.....	474
5120-01-335-1463.....	331	5120-01-349-1481.....	477	5120-01-367-3371.....	476
5120-01-335-1469.....	348	5120-01-350-0990.....	442	5120-01-367-3372.....	476
5120-01-335-1472.....	344	5120-01-350-0992.....	442	5120-01-367-3373.....	476
5120-01-335-1474.....	344	5120-01-350-0993.....	442	5120-01-367-3374.....	476
5120-01-335-1483.....	344	5120-01-350-1004.....	442	5120-01-367-3393.....	473
5120-01-335-1485.....	431	5120-01-350-1005.....	442	5120-01-367-3455.....	430
5120-01-335-1486.....	431	5120-01-350-1006.....	442	5120-01-367-3457.....	430
5120-01-335-1506.....	425	5120-01-350-1007.....	442	5120-01-367-3468.....	430
5120-01-335-1509.....	425	5120-01-351-2048.....	486	5120-01-367-3474.....	430
5120-01-335-1511.....	438	5120-01-351-2074.....	322	5120-01-367-3477.....	430
5120-01-335-1571.....	326	5120-01-354-9451.....	482	5120-01-367-3478.....	430
5120-01-335-1572.....	326	5120-01-355-1729.....	487	5120-01-367-3488.....	430
5120-01-335-1573.....	459	5120-01-355-1732.....	485	5120-01-367-3489.....	430
5120-01-335-2033.....	446	5120-01-355-1734.....	485	5120-01-367-3490.....	430
5120-01-335-2093.....	424	5120-01-355-1735.....	485	5120-01-367-3491.....	430
5120-01-335-2102.....	424	5120-01-355-1736.....	485	5120-01-367-3497.....	430
5120-01-335-2115.....	424	5120-01-355-1739.....	485	5120-01-367-3498.....	430
5120-01-335-2118.....	424	5120-01-355-1741.....	485	5120-01-367-3501.....	429
5120-01-335-2217.....	473	5120-01-355-1742.....	485	5120-01-367-3503.....	430
5120-01-335-2218.....	473	5120-01-355-1762.....	486	5120-01-367-3504.....	430
5120-01-335-2518.....	326	5120-01-355-1763.....	486	5120-01-367-3505.....	430
5120-01-335-2624.....	481	5120-01-355-1766.....	486	5120-01-367-3506.....	430
5120-01-335-8542.....	422	5120-01-355-1781.....	486	5120-01-367-3507.....	430
5120-01-335-8568.....	421	5120-01-355-1792.....	486	5120-01-367-3525.....	430
5120-01-335-8716.....	338	5120-01-355-1824.....	487	5120-01-367-3527.....	430
5120-01-335-8733.....	339	5120-01-355-1859.....	440	5120-01-367-3529.....	430
5120-01-336-5476.....	481	5120-01-355-1864.....	443	5120-01-367-3577.....	488
5120-01-336-5536.....	324	5120-01-355-1865.....	446	5120-01-367-3578.....	488
5120-01-336-5636.....	394	5120-01-355-1868.....	444	5120-01-367-3583.....	488
5120-01-336-5640.....	394	5120-01-355-1894.....	452	5120-01-367-3584.....	488
5120-01-339-0367.....	485	5120-01-355-1895.....	453	5120-01-367-3585.....	488
5120-01-339-0368.....	485	5120-01-355-1899.....	451	5120-01-367-3592.....	488
5120-01-339-0369.....	485	5120-01-355-1901.....	448	5120-01-367-3722.....	422
5120-01-345-9540.....	448	5120-01-355-1955.....	458	5120-01-367-3731.....	421
5120-01-348-9033.....	447	5120-01-355-2036.....	344	5120-01-367-3734.....	422
5120-01-348-9034.....	447	5120-01-355-2042.....	346	5120-01-367-3741.....	422
5120-01-348-9035.....	447	5120-01-355-2044.....	346	5120-01-367-3742.....	421
5120-01-348-9037.....	447	5120-01-355-2048.....	344	5120-01-367-3746.....	421
5120-01-348-9118.....	442	5120-01-355-2050.....	344	5120-01-367-3801.....	423
5120-01-348-9189.....	443	5120-01-355-2052.....	344	5120-01-367-4641.....	395
5120-01-348-9190.....	443	5120-01-355-2056.....	425	5120-01-367-4642.....	395
5120-01-348-9464.....	483	5120-01-357-4758.....	481	5120-01-367-4645.....	395
5120-01-348-9465.....	483	5120-01-358-2754.....	446	5120-01-367-7116.....	334
5120-01-348-9466.....	483	5120-01-358-2757.....	440	5120-01-367-7246.....	396
5120-01-348-9470.....	483	5120-01-361-9342.....	338	5120-01-368-2433.....	429
5120-01-348-9474.....	477	5120-01-361-9408.....	339	5120-01-368-2442.....	429
5120-01-348-9690.....	450	5120-01-363-1877.....	430	5120-01-368-8316.....	322
5120-01-348-9691.....	450	5120-01-365-1709.....	453	5120-01-370-6476.....	484

5120-01-370-6693.....	396	5120-01-398-7852.....	442	5120-01-399-9182.....	427
5120-01-372-5753.....	337	5120-01-398-7894.....	446	5120-01-399-9183.....	427
5120-01-373-8833.....	479	5120-01-398-7919.....	447	5120-01-399-9188.....	427
5120-01-374-0532.....	322	5120-01-398-7923.....	430	5120-01-399-9205.....	397
5120-01-374-1926.....	486	5120-01-398-7933.....	430	5120-01-399-9209.....	397
5120-01-374-1928.....	486	5120-01-398-7937.....	446	5120-01-399-9220.....	395
5120-01-374-1931.....	485	5120-01-398-7943.....	446	5120-01-399-9227.....	395
5120-01-374-1932.....	486	5120-01-398-7944.....	447	5120-01-399-9240.....	398
5120-01-374-1935.....	486	5120-01-398-7946.....	421	5120-01-399-9252.....	345
5120-01-374-1936.....	486	5120-01-398-7950.....	423	5120-01-399-9257.....	394
5120-01-374-1938.....	486	5120-01-398-7951.....	423	5120-01-399-9262.....	345
5120-01-374-1939.....	486	5120-01-398-7973.....	421	5120-01-399-9266.....	347
5120-01-376-5121.....	426	5120-01-398-8033.....	447	5120-01-399-9268.....	397
5120-01-378-5002.....	444	5120-01-398-8053.....	423	5120-01-399-9286.....	324
5120-01-378-5361.....	453	5120-01-398-9148.....	479	5120-01-399-9301.....	326
5120-01-378-5398.....	450	5120-01-398-9218.....	476	5120-01-399-9302.....	326
5120-01-378-5508.....	446	5120-01-398-9221.....	476	5120-01-399-9389.....	330
5120-01-378-5733.....	450	5120-01-398-9222.....	476	5120-01-399-9472.....	439
5120-01-378-5897.....	448	5120-01-398-9244.....	423	5120-01-399-9477.....	439
5120-01-378-6699.....	450	5120-01-398-9248.....	423	5120-01-399-9489.....	439
5120-01-378-8340.....	450	5120-01-398-9253.....	423	5120-01-399-9495.....	439
5120-01-380-8971.....	325	5120-01-398-9291.....	476	5120-01-399-9515.....	440
5120-01-380-8975.....	431	5120-01-398-9294.....	476	5120-01-399-9528.....	440
5120-01-380-9000.....	340	5120-01-398-9295.....	476	5120-01-399-9529.....	442
5120-01-384-6169.....	430	5120-01-398-9310.....	479	5120-01-399-9531.....	442
5120-01-387-0055.....	480	5120-01-398-9322.....	476	5120-01-399-9565.....	442
5120-01-388-6821.....	367	5120-01-398-9351.....	476	5120-01-399-9569.....	442
5120-01-395-7207.....	345	5120-01-398-9354.....	477	5120-01-399-9606.....	443
5120-01-396-5914.....	485	5120-01-398-9391.....	396	5120-01-399-9607.....	443
5120-01-396-5917.....	485	5120-01-399-5605.....	485	5120-01-399-9617.....	446
5120-01-396-5959.....	485	5120-01-399-5784.....	423	5120-01-399-9624.....	446
5120-01-396-6067.....	486	5120-01-399-8752.....	479	5120-01-399-9627.....	446
5120-01-396-6070.....	485	5120-01-399-8764.....	479	5120-01-399-9628.....	446
5120-01-396-6075.....	486	5120-01-399-8795.....	476	5120-01-399-9631.....	446
5120-01-397-3058.....	439	5120-01-399-8801.....	476	5120-01-399-9636.....	447
5120-01-397-3064.....	439	5120-01-399-8803.....	476	5120-01-399-9645.....	447
5120-01-397-3154.....	439	5120-01-399-8821.....	476	5120-01-399-9673.....	450
5120-01-397-3176.....	442	5120-01-399-8830.....	477	5120-01-399-9678.....	450
5120-01-397-3177.....	442	5120-01-399-8834.....	477	5120-01-399-9689.....	450
5120-01-397-3183.....	442	5120-01-399-8851.....	477	5120-01-399-9690.....	450
5120-01-397-3186.....	442	5120-01-399-8876.....	474	5120-01-399-9691.....	450
5120-01-398-7594.....	473	5120-01-399-8893.....	477	5120-01-399-9708.....	450
5120-01-398-7641.....	444	5120-01-399-8970.....	482	5120-01-399-9717.....	450
5120-01-398-7654.....	424	5120-01-399-8985.....	481	5120-01-399-9720.....	450
5120-01-398-7662.....	424	5120-01-399-8989.....	487	5120-01-399-9721.....	450
5120-01-398-7673.....	443	5120-01-399-9019.....	423	5120-01-399-9736.....	452
5120-01-398-7690.....	440	5120-01-399-9023.....	485	5120-01-399-9759.....	430
5120-01-398-7692.....	440	5120-01-399-9051.....	485	5120-01-399-9766.....	447
5120-01-398-7693.....	440	5120-01-399-9053.....	487	5120-01-399-9769.....	441
5120-01-398-7702.....	442	5120-01-399-9054.....	488	5120-01-399-9770.....	430
5120-01-398-7714.....	439	5120-01-399-9117.....	432	5120-01-399-9778.....	431
5120-01-398-7718.....	439	5120-01-399-9144.....	422	5120-01-399-9787.....	430
5120-01-398-7722.....	439	5120-01-399-9165.....	395	5120-01-399-9796.....	430
5120-01-398-7730.....	439	5120-01-399-9167.....	395	5120-01-399-9799.....	430
5120-01-398-7756.....	439	5120-01-399-9175.....	396	5120-01-399-9825.....	430

5120-01-399-9830.....	430	5120-01-428-4706.....	446	5120-01-428-8435.....	474
5120-01-399-9831.....	430	5120-01-428-4711.....	447	5120-01-428-8496.....	477
5120-01-399-9837.....	430	5120-01-428-4724.....	446	5120-01-428-8497.....	422
5120-01-399-9850.....	473	5120-01-428-4738.....	487	5120-01-428-8506.....	428
5120-01-399-9869.....	473	5120-01-428-4740.....	447	5120-01-428-8521.....	480
5120-01-399-9876.....	473	5120-01-428-4744.....	447	5120-01-428-8525.....	475
5120-01-399-9886.....	473	5120-01-428-4760.....	429	5120-01-428-8530.....	422
5120-01-399-9902.....	480	5120-01-428-4768.....	446	5120-01-428-8532.....	428
5120-01-399-9948.....	330	5120-01-428-4781.....	446	5120-01-428-8567.....	431
5120-01-399-9951.....	331	5120-01-428-4786.....	446	5120-01-428-8570.....	477
5120-01-399-9955.....	331	5120-01-428-4810.....	446	5120-01-428-8608.....	429
5120-01-399-9969.....	431	5120-01-428-4817.....	446	5120-01-428-8657.....	431
5120-01-399-9972.....	430	5120-01-428-4825.....	446	5120-01-428-8701.....	431
5120-01-399-9974.....	430	5120-01-428-4830.....	447	5120-01-428-8705.....	480
5120-01-399-9975.....	430	5120-01-428-4841.....	447	5120-01-428-8751.....	480
5120-01-399-9978.....	430	5120-01-428-4916.....	447	5120-01-428-8863.....	394
5120-01-399-9979.....	430	5120-01-428-4941.....	447	5120-01-428-9253.....	395
5120-01-399-9981.....	430	5120-01-428-4948.....	447	5120-01-428-9284.....	397
5120-01-399-9982.....	430	5120-01-428-5054.....	426	5120-01-429-1087.....	483
5120-01-399-9989.....	442	5120-01-428-5085.....	426	5120-01-429-1090.....	483
5120-01-400-0226.....	451	5120-01-428-5103.....	397	5120-01-429-1097.....	483
5120-01-400-0229.....	448	5120-01-428-5104.....	397	5120-01-429-1110.....	483
5120-01-400-0231.....	448	5120-01-428-5158.....	344	5120-01-429-3518.....	441
5120-01-400-0232.....	485	5120-01-428-5168.....	344	5120-01-429-3521.....	441
5120-01-400-0237.....	485	5120-01-428-5182.....	344	5120-01-429-3524.....	441
5120-01-400-0239.....	485	5120-01-428-5191.....	425	5120-01-429-3542.....	441
5120-01-400-0242.....	480	5120-01-428-5647.....	431	5120-01-429-3555.....	449
5120-01-400-0253.....	443	5120-01-428-7830.....	395	5120-01-429-3564.....	445
5120-01-400-0255.....	443	5120-01-428-7909.....	426	5120-01-429-3581.....	441
5120-01-400-0279.....	443	5120-01-428-7913.....	425	5120-01-429-3585.....	445
5120-01-400-0319.....	485	5120-01-428-7920.....	424	5120-01-429-3597.....	444
5120-01-400-1165.....	348	5120-01-428-7934.....	424	5120-01-429-3622.....	441
5120-01-400-2739.....	458	5120-01-428-7939.....	424	5120-01-429-3642.....	445
5120-01-400-2740.....	458	5120-01-428-7945.....	425	5120-01-429-3646.....	452
5120-01-406-7724.....	421	5120-01-428-7967.....	424	5120-01-429-3652.....	445
5120-01-406-7727.....	422	5120-01-428-7975.....	424	5120-01-429-3671.....	449
5120-01-413-8724.....	326	5120-01-428-8005.....	326	5120-01-429-3681.....	449
5120-01-415-4223.....	346	5120-01-428-8027.....	424	5120-01-429-6065.....	322
5120-01-416-8568.....	433	5120-01-428-8030.....	424	5120-01-429-6451.....	421
5120-01-416-8570.....	433	5120-01-428-8032.....	483	5120-01-429-7330.....	446
5120-01-416-8571.....	433	5120-01-428-8033.....	483	5120-01-429-7333.....	446
5120-01-416-8572.....	433	5120-01-428-8038.....	424	5120-01-429-7407.....	399
5120-01-416-8573.....	433	5120-01-428-8044.....	424	5120-01-429-7455.....	397
5120-01-416-8574.....	433	5120-01-428-8088.....	424	5120-01-429-8137.....	322
5120-01-416-8575.....	433	5120-01-428-8095.....	424	5120-01-429-8147.....	399
5120-01-416-8577.....	433	5120-01-428-8106.....	424	5120-01-429-8153.....	399
5120-01-419-4365.....	474	5120-01-428-8200.....	477	5120-01-430-1433.....	432
5120-01-420-8619.....	345	5120-01-428-8214.....	478	5120-01-430-1481.....	345
5120-01-426-7560.....	485	5120-01-428-8218.....	397	5120-01-430-2921.....	440
5120-01-428-4597.....	442	5120-01-428-8248.....	397	5120-01-430-2964.....	476
5120-01-428-4627.....	442	5120-01-428-8275.....	480	5120-01-430-2966.....	476
5120-01-428-4671.....	450	5120-01-428-8285.....	480	5120-01-430-2978.....	476
5120-01-428-4686.....	447	5120-01-428-8321.....	480	5120-01-430-2982.....	476
5120-01-428-4688.....	447	5120-01-428-8378.....	383	5120-01-430-2983.....	477
5120-01-428-4693.....	447	5120-01-428-8379.....	478	5120-01-430-3002.....	476

5120-01-430-3006.....	476	5120-01-434-9537.....	344	5120-01-482-7617.....	477
5120-01-430-3009.....	476	5120-01-434-9559.....	344	5120-01-486-2069.....	476
5120-01-430-3014.....	476	5120-01-434-9580.....	395	5120-01-486-2075.....	437
5120-01-430-3020.....	477	5120-01-434-9600.....	331	5120-01-486-2081.....	325
5120-01-430-3021.....	476	5120-01-434-9759.....	396	5120-01-486-2082.....	325
5120-01-430-3023.....	476	5120-01-434-9827.....	330	5120-01-486-2087.....	325
5120-01-430-3027.....	476	5120-01-434-9828.....	330	5120-01-486-2092.....	431
5120-01-430-3042.....	476	5120-01-435-0004.....	422	5120-01-486-2101.....	477
5120-01-430-3051.....	477	5120-01-435-0661.....	348	5120-01-486-2106.....	477
5120-01-430-3052.....	477	5120-01-435-0665.....	348	5120-01-486-2111.....	324
5120-01-430-3055.....	450	5120-01-435-0668.....	394	5120-01-486-2133.....	325
5120-01-430-3064.....	448	5120-01-435-6816.....	395	5120-01-486-2135.....	325
5120-01-430-3066.....	448	5120-01-435-6953.....	477	5120-01-486-2143.....	325
5120-01-430-3079.....	443	5120-01-437-1622.....	440	5120-01-486-2209.....	325
5120-01-430-3094.....	448	5120-01-437-1642.....	476	5120-01-486-2264.....	481
5120-01-430-3106.....	444	5120-01-437-1648.....	424	5120-01-486-2297.....	444
5120-01-430-3123.....	322	5120-01-437-1695.....	453	5120-01-486-2298.....	480
5120-01-430-4456.....	441	5120-01-437-1747.....	453	5120-01-487-3821.....	421
5120-01-430-4478.....	445	5120-01-437-1838.....	476	5120-01-487-3822.....	421
5120-01-430-4481.....	445	5120-01-437-1841.....	448	5120-01-487-3823.....	399
5120-01-430-4485.....	441	5120-01-437-1951.....	347	5120-01-487-3824.....	421
5120-01-430-4510.....	445	5120-01-437-3661.....	430	5120-01-487-5272.....	345
5120-01-430-4530.....	449	5120-01-437-3678.....	429	5120-01-490-6488.....	493
5120-01-430-5628.....	430	5120-01-437-3679.....	431	5120-01-490-6490.....	333
5120-01-430-5684.....	429	5120-01-437-3690.....	430	5120-01-493-1885.....	425
5120-01-430-6569.....	399	5120-01-437-3744.....	431	5120-01-494-7678.....	363
5120-01-430-7468.....	439	5120-01-437-3760.....	430	5120-01-495-7705.....	478
5120-01-430-7581.....	440	5120-01-437-3785.....	397	5120-01-495-7708.....	478
5120-01-430-7637.....	441	5120-01-439-0680.....	421	5120-01-495-7710.....	478
5120-01-430-7670.....	443	5120-01-440-5129.....	340	5120-01-495-7712.....	478
5120-01-430-7717.....	442	5120-01-443-6895.....	424	5120-01-495-7714.....	475
5120-01-430-7778.....	442	5120-01-446-4014.....	475	5120-01-495-7719.....	478
5120-01-430-7861.....	479	5120-01-449-8231.....	487	5120-01-495-7720.....	478
5120-01-430-8273.....	330	5120-01-456-9009.....	398	5120-01-496-6664.....	488
5120-01-430-8278.....	330	5120-01-457-1613.....	439	5120-01-499-1614.....	430
5120-01-430-8282.....	330	5120-01-460-7645.....	328	5120-01-499-3282.....	430
5120-01-430-8483.....	331	5120-01-462-8874.....	488	5120-01-499-3284.....	425
5120-01-430-9839.....	330	5120-01-463-7117.....	340	5120-01-504-9546.....	431
5120-01-430-9955.....	330	5120-01-468-6124.....	485	5120-01-509-0862.....	487
5120-01-431-0985.....	476	5120-01-473-9271.....	473	5120-01-509-0882.....	487
5120-01-431-1012.....	476	5120-01-473-9274.....	473	5120-01-511-0991.....	421
5120-01-431-1031.....	476	5120-01-473-9592.....	425	5120-01-513-9587.....	397
5120-01-431-2588.....	442	5120-01-473-9605.....	425	5120-01-514-3465.....	323
5120-01-431-2591.....	442	5120-01-473-9686.....	438	5120-01-514-7806.....	352
5120-01-431-2596.....	442	5120-01-473-9724.....	346	5120-01-521-4531.....	429
5120-01-431-2600.....	442	5120-01-474-4801.....	448	5120-01-522-0827.....	484
5120-01-431-2614.....	442	5120-01-474-5087.....	326	5120-01-524-8948.....	487
5120-01-431-2718.....	443	5120-01-474-5099.....	485	5120-01-528-5343.....	326
5120-01-431-2720.....	442	5120-01-474-5107.....	432	5120-01-530-2311.....	488
5120-01-431-4956.....	477	5120-01-474-5182.....	444	5120-01-532-2342.....	476
5120-01-431-6283.....	333	5120-01-474-5185.....	444	5120-01-535-7641.....	474
5120-01-431-7146.....	424	5120-01-476-7556.....	434	5120-01-542-7441.....	477
5120-01-434-9165.....	330	5120-01-477-9530.....	485	5120-01-543-0164.....	431
5120-01-434-9199.....	330	5120-01-477-9554.....	451	5120-01-547-9635.....	399
5120-01-434-9215.....	330	5120-01-480-0640.....	396	5120-01-548-9076.....	447

5120-01-562-9497.....	449	5120-01-611-8059.....	435	5130-00-283-3231.....	401
5120-01-563-3612.....	429	5120-01-611-8064.....	435	5130-00-287-5199.....	403
5120-01-566-1942.....	480	5120-01-611-8069.....	436	5130-00-288-7741.....	405
5120-01-566-1944.....	482	5120-01-611-8072.....	435	5130-00-293-0781.....	413
5120-01-566-1945.....	487	5120-01-611-8075.....	436	5130-00-293-1412.....	451
5120-01-571-6490.....	429	5120-01-611-8078.....	436	5130-00-293-1849.....	401
5120-01-572-0856.....	448	5120-01-616-3740.....	396	5130-00-293-1977.....	405
5120-01-573-0665.....	419	5120-01-617-6226.....	439	5130-00-293-1978.....	405
5120-01-573-1396.....	485	5120-01-617-6233.....	439	5130-00-293-1992.....	413
5120-01-575-6750.....	444	5120-01-617-6547.....	440	5130-00-293-2015.....	413
5120-01-578-3615.....	446	5120-01-617-6566.....	399	5130-00-293-2408.....	412
5120-01-578-4888.....	491	5120-01-617-6687.....	438	5130-00-293-2409.....	412
5120-01-578-7444.....	424	5120-01-619-4322.....	444	5130-00-293-2410.....	413
5120-01-580-7868.....	447	5120-01-619-4790.....	488	5130-00-293-2797.....	405
5120-01-580-7878.....	447	5120-01-619-4835.....	479	5130-00-294-9511.....	405
5120-01-580-9773.....	450	5120-01-620-6411.....	483	5130-00-340-0719.....	404
5120-01-580-9778.....	450	5120-01-620-6784.....	447	5130-00-345-1179.....	363
5120-01-581-4593.....	383	5120-01-626-5254.....	330	5130-00-357-5135.....	452
5120-01-581-6433.....	480	5120-01-645-2315.....	398	5130-00-357-5136.....	453
5120-01-589-8738.....	347	5120-01-648-0981.....	395	5130-00-435-2309.....	413
5120-01-589-9064.....	394	5120-01-649-6558.....	395	5130-00-468-0849.....	488
5120-01-590-1800.....	477	5120-01-651-0753.....	443	5130-00-540-4434.....	405
5120-01-590-8688.....	399	5120-01-651-0754.....	443	5130-00-541-7839.....	451
5120-01-593-0558.....	330	5120-01-651-2680.....	476	5130-00-595-8179.....	412
5120-01-596-6433.....	345			5130-00-595-8182.....	412
5120-01-598-3046.....	477	<b>5130</b>		5130-00-596-1176.....	404
5120-01-598-3095.....	477	5130-00-021-2025.....	429	5130-00-606-9694.....	406
5120-01-598-3108.....	477	5130-00-063-2738.....	429	5130-00-621-2647.....	406
5120-01-598-5650.....	345	5130-00-071-9163.....	413	5130-00-674-9211.....	429
5120-01-598-5655.....	345	5130-00-138-5552.....	402	5130-00-674-9212.....	429
5120-01-599-4528.....	425	5130-00-150-8041.....	411	5130-00-674-9213.....	429
5120-01-599-4558.....	439	5130-00-177-6876.....	404	5130-00-684-6964.....	451
5120-01-599-4613.....	440	5130-00-184-1426.....	405	5130-00-712-4855.....	404
5120-01-599-6252.....	338	5130-00-184-1427.....	405	5130-00-714-0600.....	447
5120-01-600-2748.....	448	5130-00-203-6447.....	447	5130-00-720-0654.....	403
5120-01-600-4304.....	473	5130-00-203-7943.....	383	5130-00-724-3703.....	429
5120-01-600-4518.....	394	5130-00-204-0623.....	404	5130-00-726-7873.....	429
5120-01-601-5160.....	332	5130-00-221-8006.....	447	5130-00-774-7130.....	429
5120-01-601-5161.....	330	5130-00-221-8010.....	447	5130-00-798-0828.....	429
5120-01-601-5162.....	330	5130-00-227-6676.....	451	5130-00-805-3793.....	429
5120-01-601-5164.....	473	5130-00-227-6677.....	451	5130-00-816-1314.....	429
5120-01-601-5166.....	340	5130-00-227-6679.....	451	5130-00-889-2134.....	405
5120-01-601-5170.....	443	5130-00-227-6681.....	451	5130-00-889-7745.....	403
5120-01-601-5171.....	443	5130-00-227-6684.....	451	5130-00-889-9001.....	401
5120-01-601-5172.....	443	5130-00-227-6686.....	451	5130-00-900-9514.....	404
5120-01-601-5174.....	448	5130-00-227-6696.....	447	5130-00-901-7585.....	401
5120-01-601-5175.....	448	5130-00-234-4879.....	405	5130-00-935-7354.....	401
5120-01-601-5182.....	431	5130-00-236-2246.....	453	5130-00-965-9876.....	406
5120-01-601-5184.....	448	5130-00-236-3979.....	451	5130-00-967-9707.....	415
5120-01-601-5187.....	421	5130-00-263-0235.....	413	5130-00-991-0699.....	326
5120-01-601-5188.....	421	5130-00-275-1203.....	415	5130-01-008-7418.....	402
5120-01-601-5191.....	431	5130-00-275-1206.....	415	5130-01-014-6856.....	403
5120-01-609-8721.....	322	5130-00-277-9487.....	413	5130-01-044-7196.....	406
5120-01-610-4990.....	487	5130-00-277-9488.....	413	5130-01-044-7197.....	406
5120-01-611-8054.....	435	5130-00-278-6634.....	413	5130-01-045-8552.....	447

5130-01-053-8733.....	415	5130-01-474-4810.....	415	5133-00-189-9271.....	469
5130-01-083-5827.....	412	5130-01-474-4822.....	415	5133-00-189-9272.....	469
5130-01-087-6839.....	402	5130-01-478-5593.....	415	5133-00-189-9273.....	469
5130-01-112-0552.....	447	5130-01-486-2261.....	405	5133-00-189-9274.....	469
5130-01-112-9541.....	449	5130-01-507-7933.....	415	5133-00-189-9275.....	469
5130-01-113-1558.....	451	5130-01-507-7934.....	415	5133-00-189-9276.....	469
5130-01-113-1559.....	451	5130-01-514-7768.....	486	5133-00-189-9277.....	469
5130-01-115-1149.....	449	5130-01-525-4650.....	452	5133-00-189-9278.....	469
5130-01-299-0016.....	451	5130-01-536-6492.....	402	5133-00-189-9280.....	469
5130-01-299-0175.....	452	5130-01-544-4414.....	404	5133-00-189-9281.....	469
5130-01-317-2453.....	406	5130-01-547-4719.....	400	5133-00-189-9282.....	469
5130-01-335-1363.....	383	5130-01-554-8206.....	389	5133-00-189-9283.....	469
5130-01-336-5533.....	383	5130-01-573-2118.....	400	5133-00-189-9284.....	469
5130-01-348-9316.....	447	5130-01-587-6656.....	415	5133-00-189-9285.....	469
5130-01-355-1872.....	451	5130-01-587-6673.....	415	5133-00-189-9286.....	469
5130-01-355-1874.....	451	5130-01-588-1550.....	402	5133-00-189-9287.....	469
5130-01-355-1890.....	451	5130-01-589-9350.....	401	5133-00-189-9288.....	469
5130-01-355-2075.....	405	5130-01-596-1420.....	415	5133-00-189-9289.....	469
5130-01-363-2560.....	402	5130-01-596-1421.....	415	5133-00-189-9290.....	469
5130-01-367-3110.....	448	5130-01-609-1107.....	402	5133-00-189-9291.....	470
5130-01-368-2436.....	429	5130-01-623-9505.....	415	5133-00-189-9292.....	470
5130-01-371-0080.....	467	5130-01-627-6730.....	402	5133-00-189-9293.....	470
5130-01-387-0248.....	429	5130-01-657-7161.....	400	5133-00-189-9294.....	470
5130-01-389-8450.....	450			5133-00-189-9295.....	470
5130-01-393-2925.....	406	<b>5133</b>		5133-00-189-9296.....	470
5130-01-397-7379.....	360	5133-00-010-4005.....	467	5133-00-189-9297.....	470
5130-01-397-9684.....	402	5133-00-051-5748.....	468	5133-00-189-9298.....	470
5130-01-397-9779.....	367	5133-00-051-5749.....	468	5133-00-189-9299.....	470
5130-01-397-9801.....	401	5133-00-065-0980.....	468	5133-00-189-9300.....	470
5130-01-397-9805.....	401	5133-00-065-0981.....	468	5133-00-189-9301.....	470
5130-01-398-4690.....	402	5133-00-189-9246.....	469	5133-00-189-9302.....	470
5130-01-398-4699.....	400	5133-00-189-9247.....	469	5133-00-189-9303.....	470
5130-01-399-1140.....	412	5133-00-189-9248.....	469	5133-00-189-9304.....	470
5130-01-400-0074.....	447	5133-00-189-9249.....	469	5133-00-189-9305.....	470
5130-01-400-0122.....	448	5133-00-189-9250.....	469	5133-00-203-6468.....	471
5130-01-400-0123.....	451	5133-00-189-9251.....	469	5133-00-222-9466.....	467
5130-01-400-0129.....	452	5133-00-189-9252.....	469	5133-00-222-9467.....	467
5130-01-400-0155.....	451	5133-00-189-9253.....	469	5133-00-222-9468.....	467
5130-01-400-0177.....	451	5133-00-189-9254.....	469	5133-00-222-9469.....	467
5130-01-400-0182.....	451	5133-00-189-9255.....	469	5133-00-222-9470.....	467
5130-01-400-0196.....	451	5133-00-189-9256.....	469	5133-00-222-9471.....	467
5130-01-428-3751.....	405	5133-00-189-9257.....	469	5133-00-223-4987.....	467
5130-01-444-4662.....	400	5133-00-189-9258.....	469	5133-00-224-1963.....	472
5130-01-444-8505.....	402	5133-00-189-9259.....	469	5133-00-224-1965.....	472
5130-01-448-6687.....	402	5133-00-189-9260.....	469	5133-00-227-9647.....	470
5130-01-448-6699.....	402	5133-00-189-9261.....	469	5133-00-227-9649.....	470
5130-01-449-9225.....	360	5133-00-189-9262.....	469	5133-00-227-9650.....	470
5130-01-455-5609.....	456	5133-00-189-9263.....	469	5133-00-227-9651.....	470
5130-01-460-8604.....	404	5133-00-189-9264.....	469	5133-00-227-9652.....	470
5130-01-463-8981.....	400	5133-00-189-9265.....	469	5133-00-227-9653.....	470
5130-01-473-9448.....	415	5133-00-189-9266.....	469	5133-00-227-9654.....	470
5130-01-473-9449.....	415	5133-00-189-9267.....	469	5133-00-227-9656.....	470
5130-01-473-9450.....	415	5133-00-189-9268.....	469	5133-00-227-9658.....	470
5130-01-473-9452.....	415	5133-00-189-9269.....	469	5133-00-227-9660.....	471
5130-01-474-4805.....	415	5133-00-189-9270.....	469	5133-00-227-9662.....	471



5133-00-227-9665.....	471	5133-00-555-3610.....	472	5136-00-189-3198.....	456
5133-00-227-9666.....	471	5133-00-585-0367.....	467	5136-00-189-3201.....	456
5133-00-227-9669.....	471	5133-00-595-8849.....	471	5136-00-189-3216.....	456
5133-00-227-9671.....	471	5133-00-595-8861.....	471	5136-00-189-3217.....	456
5133-00-227-9672.....	471	5133-00-837-7595.....	468	5136-00-189-3218.....	456
5133-00-227-9673.....	471	5133-00-838-5245.....	468	5136-00-189-3219.....	456
5133-00-227-9674.....	471	5133-00-841-8702.....	467	5136-00-189-3220.....	456
5133-00-228-1325.....	471	5133-00-841-8757.....	467	5136-00-189-3221.....	456
5133-00-228-1327.....	471	5133-00-850-3292.....	467	5136-00-189-3222.....	456
5133-00-228-1336.....	471	5133-00-894-5611.....	468	5136-00-189-3224.....	456
5133-00-228-1339.....	471	5133-00-894-5613.....	468	5136-00-189-7805.....	455
5133-00-228-2323.....	472	5133-00-900-2063.....	467	5136-00-197-9553.....	454
5133-00-232-6398.....	470	5133-00-912-6029.....	471	5136-00-197-9554.....	454
5133-00-232-6399.....	470	5133-00-912-6031.....	471	5136-00-197-9555.....	454
5133-00-236-4059.....	471	5133-00-980-3422.....	466	5136-00-197-9556.....	454
5133-00-239-0786.....	457	5133-00-980-3423.....	466	5136-00-197-9557.....	454
5133-00-240-7337.....	472	5133-00-988-5655.....	468	5136-00-197-9558.....	454
5133-00-243-9611.....	470	5133-00-988-5673.....	468	5136-00-197-9559.....	454
5133-00-243-9612.....	470	5133-00-988-5684.....	468	5136-00-203-6212.....	455
5133-00-243-9613.....	471	5133-00-988-5695.....	468	5136-00-203-6504.....	455
5133-00-262-2157.....	470	5133-00-988-5699.....	468	5136-00-203-6506.....	455
5133-00-262-2158.....	470	5133-00-988-5702.....	468	5136-00-203-6510.....	455
5133-00-262-2162.....	470	5133-00-988-5703.....	468	5136-00-203-6647.....	455
5133-00-262-2163.....	470	5133-00-988-5708.....	468	5136-00-203-7074.....	455
5133-00-262-2164.....	470	5133-00-988-5709.....	468	5136-00-224-1461.....	456
5133-00-262-2165.....	470	5133-01-045-4946.....	468	5136-00-224-7113.....	455
5133-00-262-2168.....	470	5133-01-047-0258.....	466	5136-00-228-0996.....	455
5133-00-262-2169.....	470	5133-01-113-6305.....	472	5136-00-228-0999.....	455
5133-00-262-2170.....	470	5133-01-115-7993.....	472	5136-00-228-1007.....	455
5133-00-262-2171.....	470	5133-01-115-7995.....	472	5136-00-237-8148.....	455
5133-00-262-2172.....	470	5133-01-117-0464.....	472	5136-00-237-8270.....	454
5133-00-262-2173.....	470	5133-01-118-0720.....	472	5136-00-239-2780.....	456
5133-00-262-2174.....	470	5133-01-120-3515.....	472	5136-00-262-1484.....	455
5133-00-262-2179.....	470	5133-01-120-8720.....	472	5136-00-287-5196.....	457
5133-00-262-2180.....	471	5133-01-144-5337.....	467	5136-00-293-0711.....	455
5133-00-262-2191.....	470	5133-01-366-0167.....	468	5136-00-293-0715.....	455
5133-00-262-2192.....	470	5133-01-398-2438.....	466	5136-00-293-3325.....	456
5133-00-262-2193.....	470	5133-01-437-3755.....	468	5136-00-357-7494.....	456
5133-00-262-2194.....	470	5133-01-473-9410.....	472	5136-00-357-7508.....	454
5133-00-266-9233.....	470	5133-01-473-9454.....	472	5136-00-516-3370.....	455
5133-00-266-9246.....	470	5133-01-474-4980.....	466	5136-00-555-9205.....	455
5133-00-266-9461.....	471	5133-01-474-4989.....	466	5136-00-580-7316.....	455
5133-00-266-9464.....	471	5133-01-477-9534.....	466	5136-00-580-7327.....	455
5133-00-277-2702.....	472	5133-01-478-7706.....	466	5136-00-580-7333.....	455
5133-00-278-0230.....	466	5133-01-486-2314.....	466	5136-00-580-7356.....	455
5133-00-289-0541.....	472	5133-01-535-1216.....	466	5136-00-580-7364.....	455
5133-00-293-0983.....	466	5133-01-551-1094.....	466	5136-00-729-5675.....	455
5133-00-293-1161.....	466			5136-00-729-5682.....	455
5133-00-293-1902.....	457	<b>5136</b>		5136-00-729-5683.....	455
5133-00-435-3267.....	472	5136-00-045-0596.....	454	5136-00-729-5684.....	455
5133-00-435-3276.....	472	5136-00-081-1739.....	456	5136-00-729-5686.....	455
5133-00-449-6775.....	466	5136-00-189-3194.....	456	5136-00-729-5688.....	455
5133-00-540-4375.....	466	5136-00-189-3195.....	456	5136-00-729-5691.....	455
5133-00-542-4764.....	472	5136-00-189-3196.....	456	5136-00-729-5716.....	455
5133-00-555-1528.....	466	5136-00-189-3197.....	456	5136-00-729-5717.....	455

5136-00-821-1029.....	455	5140-01-237-3233.....	464	5180-01-516-3229.....	462
5136-00-889-6977.....	455	5140-01-349-0633.....	453	5180-01-516-3233.....	462
5136-01-028-4309.....	455	5140-01-351-5113.....	446	5180-01-544-9840.....	461
5136-01-045-8596.....	455	5140-01-364-9467.....	449	5180-01-598-2251.....	378
5136-01-045-8603.....	455	5140-01-367-3936.....	465		
5136-01-045-8607.....	455	5140-01-408-3853.....	465	<b>5210</b>	
5136-01-113-1566.....	455	5140-01-416-8569.....	433	5210-00-019-3050.....	323
5136-01-119-0005.....	454	5140-01-418-6648.....	464	5210-00-078-3905.....	392
5136-01-321-6790.....	455	5140-01-420-0438.....	463	5210-00-078-8947.....	391
5136-01-355-3035.....	455	5140-01-429-6945.....	322	5210-00-078-8948.....	391
5136-01-429-7445.....	454	5140-01-434-5790.....	465	5210-00-078-8949.....	391
5136-01-429-7466.....	454	5140-01-434-5815.....	465	5210-00-086-4988.....	392
5136-01-429-7469.....	454	5140-01-471-4422.....	463	5210-00-088-1945.....	385
5136-01-438-4736.....	454	5140-01-474-5091.....	464	5210-00-150-2920.....	392
5136-01-438-4740.....	454	5140-01-490-6470.....	464	5210-00-152-0493.....	393
5136-01-438-4742.....	454	5140-01-512-8449.....	464	5210-00-174-3231.....	390
5136-01-438-4743.....	454	5140-01-534-3681.....	465	5210-00-182-4797.....	392
5136-01-438-4745.....	454	5140-01-562-8124.....	463	5210-00-203-7763.....	388
5136-01-438-4748.....	454	5140-01-619-5101.....	465	5210-00-204-1283.....	389
5136-01-439-1803.....	454			5210-00-221-1850.....	383
5136-01-439-1805.....	454	<b>5180</b>		5210-00-221-1882.....	392
5136-01-439-1807.....	454	5180-00-009-1970.....	460	5210-00-221-1885.....	392
5136-01-439-1809.....	454	5180-00-054-7503.....	373	5210-00-221-1886.....	392
5136-01-439-1832.....	454	5180-00-054-7507.....	373	5210-00-221-1887.....	392
5136-01-439-1833.....	454	5180-00-055-7042.....	331	5210-00-221-1893.....	388
5136-01-439-1834.....	454	5180-00-203-9585.....	456	5210-00-221-1894.....	388
		5180-00-288-6567.....	462	5210-00-221-1921.....	385
<b>5140</b>		5180-00-313-9496.....	325	5210-00-221-1932.....	388
5140-00-103-9172.....	453	5180-00-449-3785.....	460	5210-00-221-1945.....	385
5140-00-226-9018.....	464	5180-00-596-1038.....	420	5210-00-221-1993.....	388
5140-00-226-9019.....	464	5180-00-650-7821.....	460	5210-00-221-1999.....	387
5140-00-261-4994.....	463	5180-00-672-2611.....	460	5210-00-221-2047.....	388
5140-00-288-7763.....	463	5180-00-752-9356.....	457	5210-00-221-2072.....	388
5140-00-289-8910.....	464	5180-00-752-9360.....	373	5210-00-221-2091.....	386
5140-00-293-2379.....	463	5180-00-935-0732.....	373	5210-00-222-4565.....	386
5140-00-313-9487.....	389	5180-00-935-0735.....	373	5210-00-223-9191.....	387
5140-00-315-2747.....	464	5180-00-935-0736.....	373	5210-00-223-9606.....	393
5140-00-319-5079.....	465	5180-01-007-8999.....	432	5210-00-224-9937.....	391
5140-00-329-4306.....	463	5180-01-046-4980.....	460	5210-00-229-3045.....	385
5140-00-335-0085.....	464	5180-01-123-8949.....	337	5210-00-234-5223.....	389
5140-00-356-4503.....	464	5180-01-201-4978.....	361	5210-00-234-5224.....	389
5140-00-388-3416.....	465	5180-01-336-7141.....	461	5210-00-234-6745.....	392
5140-00-473-6256.....	463	5180-01-412-8437.....	324	5210-00-234-8017.....	386
5140-00-473-6260.....	464	5180-01-423-6468.....	461	5210-00-238-1734.....	393
5140-00-494-2015.....	465	5180-01-432-3144.....	461	5210-00-238-3106.....	388
5140-00-498-8772.....	464	5180-01-434-5068.....	461	5210-00-239-0892.....	393
5140-00-651-7676.....	464	5180-01-442-0988.....	460	5210-00-241-3599.....	391
5140-00-653-4198.....	465	5180-01-457-5621.....	462	5210-00-241-8305.....	393
5140-00-772-4142.....	463	5180-01-486-2208.....	325	5210-00-243-2933.....	385
5140-00-837-5313.....	467	5180-01-516-3218.....	491	5210-00-243-3349.....	390
5140-01-010-4775.....	465	5180-01-516-3219.....	491	5210-00-243-3367.....	389
5140-01-010-4861.....	464	5180-01-516-3220.....	491	5210-00-245-0301.....	392
5140-01-139-6261.....	464	5180-01-516-3222.....	491	5210-00-250-4761.....	386
5140-01-154-3870.....	464	5180-01-516-3224.....	491	5210-00-263-0376.....	335
5140-01-167-1541.....	464	5180-01-516-3225.....	491	5210-00-263-0378.....	352
5140-01-179-8241.....	464	5180-01-516-3227.....	491	5210-00-264-6400.....	390

5210-00-267-2765.....	389	5210-01-139-7444.....	392	5340-00-985-6734.....	352
5210-00-268-9617.....	393	5210-01-162-9477.....	388	5340-00-985-6735.....	352
5210-00-273-1948.....	391	5210-01-165-6605.....	393	5340-00-985-6736.....	353
5210-00-273-1960.....	389	5210-01-259-6010.....	386	5340-01-346-4611.....	354
5210-00-273-1965.....	389	5210-01-268-3416.....	386	5340-01-346-4612.....	354
5210-00-273-3422.....	390	5210-01-309-2055.....	389	5340-01-346-7462.....	354
5210-00-273-9793.....	393	5210-01-335-1616.....	387	5340-01-384-2016.....	6
5210-00-274-2857.....	387	5210-01-337-3667.....	387	5340-01-412-7004.....	355
5210-00-274-2861.....	388	5210-01-355-3806.....	393	5340-01-412-7006.....	355
5210-00-277-2430.....	393	5210-01-357-4178.....	393	5340-01-463-5841.....	355
5210-00-277-7549.....	386	5210-01-367-7283.....	393	5340-01-598-7495.....	6
5210-00-277-8840.....	387	5210-01-368-4549.....	387	5340-01-598-7496.....	6
5210-00-278-0645.....	391	5210-01-397-3022.....	387		
5210-00-287-3335.....	392	5210-01-397-3083.....	392		
5210-00-287-3336.....	385	5210-01-399-9318.....	387	<b>5345</b>	
5210-00-293-0042.....	386	5210-01-399-9319.....	387	5345-00-116-9230.....	382
5210-00-293-0565.....	389	5210-01-399-9332.....	387	5345-00-157-9790.....	412
5210-00-293-1872.....	388	5210-01-399-9333.....	387	5345-00-196-1696.....	407
5210-00-293-2913.....	386	5210-01-428-5325.....	391	5345-00-196-1698.....	407
5210-00-293-3393.....	390	5210-01-428-5502.....	392	5345-00-215-1881.....	382
5210-00-293-3505.....	392	5210-01-428-5559.....	391	5345-00-224-6595.....	382
5210-00-293-3511.....	390	5210-01-494-0069.....	392	5345-00-242-2555.....	382
5210-00-293-3523.....	385	5210-01-494-0899.....	390	5345-00-243-6086.....	382
5210-00-347-2591.....	393	5210-01-516-7126.....	393	5345-00-558-5928.....	407
5210-00-347-2613.....	393	5210-01-523-0196.....	385	5345-00-558-5929.....	407
5210-00-362-5100.....	389	5210-01-601-2377.....	386	5345-00-584-4554.....	382
5210-00-377-6525.....	387	5210-01-604-4826.....	390	5345-00-881-8380.....	407
5210-00-449-7014.....	389	5210-01-616-6247.....	387	5345-01-015-1419.....	411
5210-00-473-9350.....	389	5210-01-652-5424.....	393	5345-01-017-9511.....	411
5210-00-477-9603.....	388			5345-01-053-7925.....	409
5210-00-494-1774.....	389	<b>5305</b>		5345-01-074-9404.....	409
5210-00-494-1776.....	388	5305-00-068-0502.....	352	5345-01-074-9405.....	409
5210-00-526-0752.....	393	5305-00-145-1064.....	352	5345-01-074-9406.....	409
5210-00-527-9429.....	392			5345-01-249-8361.....	408
5210-00-540-2973.....	385	<b>5310</b>		5345-01-252-8565.....	408
5210-00-540-3513.....	391	5310-00-637-9541.....	352	5345-01-264-9227.....	411
5210-00-554-7087.....	392			5345-01-282-0634.....	408
5210-00-554-7092.....	392	<b>5335</b>		5345-01-367-7680.....	408
5210-00-554-7134.....	385	5335-00-889-3283.....	491	5345-01-397-5253.....	408
5210-00-560-6091.....	385	5335-00-889-3285.....	491	5345-01-397-5256.....	408
5210-00-619-4045.....	388			5345-01-420-1453.....	411
5210-00-710-4359.....	387	<b>5340</b>		5345-01-420-1457.....	411
5210-00-735-7604.....	390	5340-00-116-2375.....	353	5345-01-420-1460.....	412
5210-00-790-1901.....	385	5340-00-116-2376.....	353	5345-01-424-2260.....	408
5210-00-810-3490.....	391	5340-00-158-3805.....	354	5345-01-432-3027.....	411
5210-00-904-4836.....	387	5340-00-158-3807.....	354	5345-01-432-3292.....	411
5210-00-971-8827.....	389	5340-00-244-2728.....	78	5345-01-444-8433.....	408
5210-01-008-8119.....	388	5340-00-281-2194.....	353	5345-01-496-7235.....	412
5210-01-010-4522.....	386	5340-00-285-6523.....	354	5345-01-499-9809.....	411
5210-01-011-3886.....	388	5340-00-292-0896.....	354	5345-01-521-4548.....	411
5210-01-045-3526.....	387	5340-00-514-2782.....	354	5345-01-521-4926.....	411
5210-01-075-9328.....	389	5340-00-568-9915.....	353	5345-01-521-4927.....	411
5210-01-083-2926.....	389	5340-00-664-1326.....	353	5345-01-521-7251.....	411
5210-01-091-0696.....	387	5340-00-682-1505.....	355	5345-01-528-9897.....	411
5210-01-106-6157.....	387	5340-00-685-1202.....	353		
		5340-00-907-8277.....	353		
		5340-00-914-5107.....	63		

**5350**

5350-00-012-1869	408
5350-00-050-1094	408
5350-00-161-9066	409
5350-00-161-9715	409
5350-00-174-6460	408
5350-00-187-6280	410
5350-00-187-6281	410
5350-00-187-6283	410
5350-00-187-6284	410
5350-00-187-6289	410
5350-00-187-6290	410
5350-00-187-6291	410
5350-00-187-6292	410
5350-00-187-6293	410
5350-00-187-6294	410
5350-00-187-6295	410
5350-00-192-5047	409
5350-00-192-5049	409
5350-00-221-0872	409
5350-00-246-0330	409
5350-00-274-6209	410
5350-00-576-9634	408
5350-00-619-8973	408
5350-00-721-8115	412
5350-00-721-8117	412
5350-00-935-7698	408
5350-00-950-9766	408
5350-00-967-5089	407
5350-00-967-5092	407
5350-00-967-5093	407
5350-01-326-9262	409
5350-01-327-8453	409
5350-01-368-6708	408
5350-01-631-5572	410
5350-01-631-5575	410
5350-01-631-5577	410
5350-01-631-5578	410
5350-01-631-5579	410
5350-01-631-5580	410
5350-01-631-5581	410
5350-01-631-5582	410
5350-01-631-5583	410
5350-01-631-5584	410
5350-01-631-5585	410
5350-01-631-5586	410
5350-01-631-5587	410
5350-01-631-5589	410
5350-01-631-5590	410
5350-01-631-5591	410
5350-01-631-5592	410
5350-01-631-5593	410
5350-01-631-5594	410
5350-01-684-7896	New-5
5350-01-684-7897	New-5

5350-01-684-8958	New-5
5350-01-684-8959	New-5
5350-01-684-8960	New-5
5350-01-684-8961	New-5
5350-01-684-8962	New-5
5350-01-684-9745	New-5

**5640**

5640-00-103-2254	368
5640-01-065-6769	335

**5820**

5820-01-518-3622	492
5820-01-524-5067	492

**5920**

5920-01-384-7958	5, 356
5920-01-384-8501	5, 356
5920-01-384-8597	5, 356
5920-01-384-8699	5, 356
5920-01-422-8844	5, 356
5920-01-422-8851	5, 356
5920-01-422-8857	5, 356
5920-01-422-8867	5, 356
5920-01-433-0301	5
5920-01-490-6691	5, 356

**5965**

5965-01-490-6704	76
------------------	----

**5970**

5970-00-962-3335	335
5970-01-613-4737	369
5970-01-613-4738	369
5970-01-613-4739	369
5970-01-613-4740	369
5970-01-613-4741	369
5970-01-613-4742	369

**6110**

6110-01-450-4385	5, 357
------------------	--------

**6130**

6130-01-413-3929	349
------------------	-----

**6135**

6135-00-826-4798	349
6135-00-835-7210	349
6135-00-900-2139	349
6135-01-301-8776	349
6135-01-446-8307	349
6135-01-446-8308	349
6135-01-446-8310	349
6135-01-447-0949	349
6135-01-447-0950	349

**6140**

6140-01-413-3923	349
6140-01-413-3925	349

6140-01-413-3926	349
6140-01-672-8906	5
6140-01-672-8907	New-8

**6150**

6150-00-144-0091	357
6150-00-485-6149	357
6150-00-990-7396	357
6150-00-990-7397	357
6150-01-503-2025	357

**6210**

6210-00-688-4929	357
6210-00-727-6417	357
6210-00-727-6418	357
6210-00-892-5294	357

**6230**

6230-00-140-1165	351
6230-00-146-8898	351
6230-00-146-8899	351
6230-00-163-1856	351
6230-00-270-5418	351
6230-00-299-3035	351
6230-00-500-0523	351
6230-00-643-3486	351
6230-00-781-3671	351
6230-00-926-4331	351
6230-01-291-7531	351
6230-01-463-5816	351
6230-01-513-2663	351
6230-01-513-3296	351
6230-01-513-3305	351
6230-01-513-3306	351
6230-01-513-4300	351
6230-01-615-6035	298

**6260**

6260-00-106-7478	300, 350
6260-01-074-4230	300, 350
6260-01-178-5560	300, 350
6260-01-195-9752	300, 350
6260-01-195-9753	300, 350
6260-01-218-5146	300, 350
6260-01-230-8601	300, 350
6260-01-247-0362	300, 350
6260-01-247-0363	300, 350
6260-01-247-0367	300, 350
6260-01-247-0368	300, 350
6260-01-265-0612	300, 350
6260-01-265-0613	300, 350
6260-01-265-0614	300, 350
6260-01-282-7630	300, 350
6260-01-396-1704	300, 350

**6350**

6350-01-094-4171..... 294

**6510**

6510-01-464-0369..... 296

**6515**

6515-01-411-0626..... 299

6515-01-411-0627..... 299

6515-01-413-9293..... 299

6515-01-418-5404..... 299

6515-01-463-5340..... 299

6515-01-464-0432..... 297

**6545**

6545-00-656-1093..... 295

6545-00-663-9032..... 296

6545-00-664-5313..... 296, 328

6545-01-465-1800..... 295

6545-01-465-1823..... 295

6545-01-465-1846..... 295

**6645**

6645-00-066-4279..... 142

6645-00-250-4680..... 141

6645-00-268-4042..... 141

6645-00-514-3523..... 140

6645-00-530-3342..... 140

6645-01-046-8848..... 139

6645-01-046-8849..... 139

6645-01-106-4303..... 141

6645-01-342-5313..... 140

6645-01-342-5314..... 140

6645-01-342-8199..... 139

6645-01-389-7944..... 139

6645-01-389-7958..... 139

6645-01-421-6904..... 140

6645-01-456-5008..... 141

6645-01-456-6018..... 141

6645-01-456-6020..... 141

6645-01-456-6023..... 141

6645-01-456-6026..... 141

6645-01-467-8478..... 141

6645-01-467-8479..... 141

6645-01-491-9809..... 139

6645-01-491-9814..... 139

6645-01-491-9825..... 139

6645-01-491-9832..... 139

6645-01-492-0373..... 139

6645-01-544-0408..... 142

6645-01-544-9475..... 142

6645-01-557-3148..... 140

6645-01-557-3149..... 140

6645-01-557-3153..... 140

6645-01-557-4605..... 140

6645-01-557-4606..... 140

6645-01-557-4608..... 140

6645-01-584-0892..... 139

6645-01-623-6230..... 140

6645-01-623-6231..... 140

6645-01-623-6232..... 141

6645-01-623-6233..... 141

6645-01-623-7483..... 141

6645-01-623-8823..... 140

6645-01-623-8824..... 141

6645-01-623-8825..... 140

6645-01-661-1877..... 139

6645-20-001-9382..... 142

6645-21-558-0133..... 142

**6650**

6650-00-105-5742..... 77

**6680**

6680-00-641-3206..... 352

**6810**

6810-00-227-0437..... 291, 436

6810-00-233-1715..... 329

**6830**

6830-00-584-3041..... 492

**6840**

6840-00-242-4770..... 229

6840-00-246-6438..... 223

6840-00-255-0472..... 229

6840-00-551-8346..... 229

6840-00-584-3129..... 229

6840-00-664-6610..... 223

6840-00-687-7904..... 229

6840-00-721-6055..... 222

6840-01-003-9589..... 267, 491

6840-01-342-4143..... 229

6840-01-367-2914..... 229

6840-01-368-4785..... 222

6840-01-368-4787..... 222

6840-01-368-4789..... 222

6840-01-397-3065..... 255

6840-01-410-8860..... 229

6840-01-411-9963..... 229

6840-01-425-8232..... 222

6840-01-429-5864..... 222

6840-01-451-9189..... 223

6840-01-459-8263..... 222

6840-01-463-5455..... 267, 491

6840-01-490-6693..... 267, 491

6840-01-666-0471..... 223

6840-01-666-0472..... 223

**6850**

6850-00-063-2843..... 220

6850-00-281-3042..... 255

6850-00-664-1403..... 327

6850-00-664-1409..... 327

6850-00-835-0484..... 255

6850-00-965-2332..... 327

6850-00-973-9091..... 327

6850-01-574-8506..... 223

6850-01-683-1761..... New-5

**7025**

7025-01-490-6701..... 8

7025-01-503-8608..... 8

7025-01-618-4138..... 8

7025-01-651-8938..... 7

7025-01-677-4742..... New-9

**7045**

7045-01-368-4808..... 8

7045-01-368-4809..... 8

7045-01-368-4810..... 8

7045-01-406-4663..... 9

7045-01-412-5317..... 8

7045-01-429-3462..... 2

7045-01-441-9576..... 9

7045-01-441-9577..... 8

7045-01-444-2533..... 9

7045-01-444-2534..... 8

7045-01-444-2535..... 9

7045-01-470-3592..... 2

7045-01-477-7792..... 8

7045-01-482-7542..... 2

7045-01-484-1765..... New-9

7045-01-490-7254..... 6

7045-01-490-7303..... 40

7045-01-490-7307..... 40

7045-01-490-7309..... 40

7045-01-515-5371..... 3

7045-01-515-5372..... 3

7045-01-515-5373..... 3

7045-01-515-5374..... 3

7045-01-515-5375..... 2

7045-01-515-6774..... 2

7045-01-554-7681..... 3

7045-01-554-7682..... 3

7045-01-558-4988..... 2

7045-01-568-9695..... 2

7045-01-569-1704..... 2

7045-01-570-2661..... 2

7045-01-570-8894..... 7

7045-01-570-8895..... 7

7045-01-570-8897..... 7

7045-01-570-8898..... 7

7045-01-570-8900..... 7

7045-01-570-8902..... 7

7045-01-570-8904..... 7

7045-01-570-8907..... 7

7045-01-570-8908..... 7

7045-01-570-8910..... 7

7045-01-599-5286..... 7



7105-01-462-1049.....	187	7105-01-664-7835.....	182	7105-01-683-0137.....	193
7105-01-462-1050.....	187	7105-01-664-7836.....	182	7105-01-683-0138.....	193
7105-01-462-1051.....	187	7105-01-664-7837.....	182	7105-01-683-0139.....	193
7105-01-462-1052.....	186	7105-01-664-7838.....	182	7105-01-683-0140.....	193
7105-01-462-1053.....	188	7105-01-664-7839.....	182	7105-01-683-0141.....	193
7105-01-462-1054.....	187	7105-01-664-7840.....	182	7105-01-683-0142.....	193
7105-01-462-1057.....	187	7105-01-664-7841.....	182	7105-01-683-0143.....	193
7105-01-462-1062.....	185	7105-01-664-7842.....	182	7105-01-683-0145.....	194
7105-01-462-1064.....	186	7105-01-664-7843.....	182	7105-01-683-0146.....	194
7105-01-462-1065.....	186	7105-01-664-7844.....	182	7105-01-683-0147.....	194
7105-01-462-1067.....	189	7105-01-664-7845.....	182	7105-01-683-0148.....	194
7105-01-462-1068.....	189	7105-01-664-7846.....	182	7105-01-683-0149.....	191
7105-01-462-1069.....	189	7105-01-664-7847.....	182	7105-01-683-0150.....	191
7105-01-462-1070.....	189	7105-01-664-7848.....	182	7105-01-683-0151.....	191
7105-01-470-4586.....	189	7105-01-664-7849.....	182	7105-01-683-0152.....	191
7105-01-470-4596.....	189	7105-01-665-0841.....	181	7105-01-683-0153.....	191
7105-01-470-4603.....	189	7105-01-665-0842.....	181	7105-01-683-0154.....	190
7105-01-470-4612.....	189	7105-01-665-0843.....	181	7105-01-683-0155.....	190
7105-01-470-5018.....	189	7105-01-665-0844.....	181	7105-01-683-0156.....	190
7105-01-470-5022.....	189	7105-01-665-0845.....	181	7105-01-683-0157.....	190
7105-01-470-5036.....	189	7105-01-665-0846.....	181	7105-01-683-0158.....	190
7105-01-470-5038.....	189	7105-01-665-0847.....	181	7105-01-683-0159.....	190
7105-01-470-5338.....	189	7105-01-665-0848.....	181	7105-01-683-0160.....	190
7105-01-470-5358.....	189	7105-01-665-0849.....	181	7105-01-683-0161.....	190
7105-01-470-5373.....	189	7105-01-665-0850.....	181	7105-01-683-0162.....	193
7105-01-470-5374.....	189	7105-01-665-0851.....	181	7105-01-683-0163.....	190
7105-01-576-6177.....	201	7105-01-665-0852.....	181	7105-01-683-0449.....	198
7105-01-576-6178.....	201	7105-01-665-0855.....	181	7105-01-683-0450.....	199
7105-01-576-6179.....	201	7105-01-665-0858.....	181	7105-01-683-0451.....	199
7105-01-576-6180.....	200	7105-01-665-0859.....	181	7105-01-683-0452.....	199
7105-01-652-8444.....	191	7105-01-665-0860.....	181	7105-01-683-0454.....	199
7105-01-652-8445.....	190	7105-01-665-0866.....	182	7105-01-683-0456.....	199
7105-01-663-0780.....	188	7105-01-665-0869.....	182	7105-01-683-0458.....	199
7105-01-663-0781.....	188	7105-01-665-0870.....	183	7105-01-683-0459.....	199
7105-01-663-0782.....	188	7105-01-665-0871.....	183	7105-01-683-0460.....	194
7105-01-663-0784.....	185	7105-01-665-0872.....	183	7105-01-683-0462.....	194
7105-01-663-0785.....	185	7105-01-665-0873.....	183	7105-01-683-0463.....	199
7105-01-663-0786.....	185	7105-01-665-0874.....	183	7105-01-683-0464.....	199
7105-01-663-0787.....	185	7105-01-665-0875.....	183	7105-01-683-0465.....	194
7105-01-663-0788.....	185	7105-01-665-0876.....	181	7105-01-683-0466.....	194
7105-01-663-0789.....	186	7105-01-665-0877.....	181	7105-01-683-0467.....	194
7105-01-663-0790.....	186	7105-01-677-8622.....	164	7105-01-683-0468.....	198
7105-01-663-0791.....	186	7105-01-677-8628.....	164	7105-01-683-0469.....	194
7105-01-663-0794.....	187	7105-01-677-8629.....	164	7105-01-683-0472.....	198
7105-01-663-0796.....	187	7105-01-677-8630.....	164	7105-01-683-0473.....	198
7105-01-663-2829.....	186	7105-01-682-9725.....	190	7105-01-683-0850.....	194
7105-01-663-7983.....	200	7105-01-682-9726.....	190	7105-01-683-0852.....	194
7105-01-663-7984.....	200	7105-01-682-9727.....	190	7105-01-683-0853.....	194
7105-01-664-7828.....	182	7105-01-682-9728.....	190	7105-01-683-0854.....	194
7105-01-664-7829.....	182	7105-01-682-9729.....	190	7105-01-683-0855.....	191
7105-01-664-7830.....	182	7105-01-682-9730.....	190	7105-01-683-0856.....	191
7105-01-664-7831.....	182	7105-01-682-9731.....	190	7105-01-683-0857.....	194
7105-01-664-7832.....	182	7105-01-682-9732.....	190	7105-01-683-0858.....	194
7105-01-664-7833.....	182	7105-01-682-9889.....	194	7105-01-683-0859.....	194
7105-01-664-7834.....	182	7105-01-683-0136.....	193	7105-01-683-0860.....	191

7105-01-683-0861.....	194	7105-01-683-1772.....	197	7105-01-683-3019.....	193
7105-01-683-0862.....	195	7105-01-683-1773.....	195	7105-01-683-3020.....	193
7105-01-683-0863.....	191	7105-01-683-1774.....	197	7105-01-683-3021.....	193
7105-01-683-0864.....	194	7105-01-683-1775.....	197	7105-01-683-3022.....	193
7105-01-683-0865.....	195	7105-01-683-1776.....	198	7105-01-683-3023.....	193
7105-01-683-0866.....	191	7105-01-683-1777.....	198	7105-01-683-3025.....	193
7105-01-683-0867.....	194	7105-01-683-1778.....	198	7105-01-683-3770.....	193
7105-01-683-0868.....	191	7105-01-683-1779.....	198	7105-01-683-3771.....	193
7105-01-683-0869.....	194	7105-01-683-1780.....	198		
7105-01-683-0870.....	195	7105-01-683-1781.....	198	<b>7110</b>	
7105-01-683-0871.....	194	7105-01-683-1782.....	198	7110-00-004-6695.....	178
7105-01-683-0872.....	195	7105-01-683-1783.....	196	7110-00-082-6111.....	311
7105-01-683-0873.....	195	7105-01-683-1784.....	196	7110-00-082-6112.....	311
7105-01-683-0874.....	195	7105-01-683-1785.....	196	7110-00-128-0065.....	174
7105-01-683-0875.....	194	7105-01-683-1786.....	196	7110-00-128-0067.....	174
7105-01-683-0876.....	195	7105-01-683-1787.....	196	7110-00-149-1621.....	179
7105-01-683-0877.....	195	7105-01-683-1788.....	196	7110-00-149-1624.....	173
7105-01-683-0878.....	195	7105-01-683-1789.....	195	7110-00-149-1625.....	173
7105-01-683-0879.....	195	7105-01-683-1790.....	196	7110-00-149-1626.....	173
7105-01-683-1151.....	197	7105-01-683-1791.....	196	7110-00-149-1627.....	173
7105-01-683-1152.....	198	7105-01-683-1792.....	196	7110-00-149-1628.....	173
7105-01-683-1153.....	197	7105-01-683-1793.....	196	7110-00-149-1629.....	173
7105-01-683-1154.....	196	7105-01-683-1794.....	196	7110-00-149-1630.....	173
7105-01-683-1155.....	198	7105-01-683-1795.....	196	7110-00-149-1631.....	173
7105-01-683-1156.....	196	7105-01-683-1796.....	196	7110-00-149-1641.....	176
7105-01-683-1157.....	196	7105-01-683-1797.....	196	7110-00-149-1642.....	176
7105-01-683-1158.....	197	7105-01-683-1798.....	196	7110-00-149-1643.....	176
7105-01-683-1159.....	196	7105-01-683-1799.....	198	7110-00-149-1644.....	176
7105-01-683-1160.....	197	7105-01-683-1800.....	196	7110-00-149-1645.....	177
7105-01-683-1161.....	195	7105-01-683-2154.....	191	7110-00-149-1660.....	176
7105-01-683-1162.....	195	7105-01-683-2155.....	192	7110-00-149-1661.....	176
7105-01-683-1402.....	194	7105-01-683-2156.....	193	7110-00-149-2021.....	176
7105-01-683-1403.....	191	7105-01-683-2157.....	199	7110-00-149-2022.....	176
7105-01-683-1404.....	191	7105-01-683-2384.....	192	7110-00-149-2023.....	176
7105-01-683-1405.....	191	7105-01-683-2385.....	192	7110-00-149-2024.....	176
7105-01-683-1406.....	191	7105-01-683-2386.....	192	7110-00-286-3796.....	179
7105-01-683-1407.....	191	7105-01-683-2387.....	192	7110-00-286-3798.....	179
7105-01-683-1753.....	197	7105-01-683-2388.....	192	7110-00-497-1420.....	178
7105-01-683-1754.....	197	7105-01-683-2389.....	192	7110-00-497-1829.....	179
7105-01-683-1755.....	197	7105-01-683-2390.....	192	7110-00-497-2346.....	179
7105-01-683-1756.....	197	7105-01-683-2391.....	192	7110-00-551-5489.....	178
7105-01-683-1757.....	197	7105-01-683-2392.....	192	7110-00-551-5493.....	178
7105-01-683-1758.....	197	7105-01-683-2393.....	192	7110-00-597-8023.....	174
7105-01-683-1759.....	197	7105-01-683-2394.....	197	7110-00-597-8027.....	174
7105-01-683-1760.....	197	7105-01-683-2395.....	192	7110-00-601-9821.....	179
7105-01-683-1762.....	195	7105-01-683-2396.....	192	7110-00-601-9822.....	179
7105-01-683-1763.....	197	7105-01-683-2397.....	192	7110-00-601-9823.....	179
7105-01-683-1764.....	195	7105-01-683-2398.....	192	7110-00-601-9835.....	78
7105-01-683-1765.....	195	7105-01-683-2399.....	192	7110-00-601-9849.....	78
7105-01-683-1766.....	197	7105-01-683-2400.....	192	7110-00-601-9850.....	173
7105-01-683-1767.....	197	7105-01-683-2401.....	192	7110-00-601-9851.....	173
7105-01-683-1768.....	195	7105-01-683-2402.....	192	7110-00-656-1110.....	200
7105-01-683-1769.....	195	7105-01-683-2403.....	192	7110-00-764-5061.....	178
7105-01-683-1770.....	197	7105-01-683-3017.....	193	7110-00-823-7675.....	150
7105-01-683-1771.....	195	7105-01-683-3018.....	193	7110-00-902-3052.....	150



7110-00-903-3061.....	150	7110-01-195-6402.....	146	7110-01-388-5112.....	150
7110-00-919-9193.....	313	7110-01-195-6406.....	148	7110-01-388-5117.....	148
7110-00-919-9213.....	314	7110-01-195-6419.....	145	7110-01-388-5118.....	149
7110-00-919-9214.....	314	7110-01-195-6422.....	148	7110-01-388-5123.....	145
7110-00-919-9306.....	314	7110-01-195-6423.....	148	7110-01-388-5129.....	149
7110-00-920-9342.....	313	7110-01-195-6426.....	149	7110-01-388-5132.....	150
7110-00-920-9343.....	313	7110-01-195-6427.....	149	7110-01-388-5148.....	150
7110-00-928-8689.....	318	7110-01-246-3055.....	148	7110-01-388-5154.....	145
7110-00-931-0770.....	319	7110-01-246-3056.....	148	7110-01-388-5159.....	149
7110-00-931-0771.....	318	7110-01-246-3065.....	150	7110-01-388-5178.....	150
7110-00-958-0780.....	150	7110-01-264-8483.....	314	7110-01-388-5184.....	145
7110-00-985-5687.....	178	7110-01-309-1957.....	312	7110-01-388-5194.....	150
7110-01-012-8739.....	311	7110-01-309-1958.....	312	7110-01-388-5196.....	148
7110-01-012-8740.....	311	7110-01-309-1959.....	312	7110-01-388-5197.....	149
7110-01-012-8741.....	311	7110-01-309-1962.....	312	7110-01-388-5212.....	145
7110-01-015-1361.....	173	7110-01-309-1963.....	312	7110-01-388-5217.....	149
7110-01-015-1362.....	173	7110-01-309-1964.....	312	7110-01-388-5219.....	148
7110-01-015-2850.....	311	7110-01-309-1970.....	312	7110-01-407-0160.....	23
7110-01-015-2851.....	314	7110-01-309-1971.....	312	7110-01-416-5198.....	21
7110-01-015-2852.....	314	7110-01-309-1972.....	312	7110-01-417-0782.....	147
7110-01-015-3196.....	314	7110-01-309-1994.....	312	7110-01-417-0783.....	147
7110-01-015-4266.....	313	7110-01-309-1995.....	312	7110-01-444-7735.....	23
7110-01-015-4638.....	313	7110-01-309-1996.....	312	7110-01-476-2954.....	317
7110-01-015-4639.....	313	7110-01-309-2011.....	314	7110-01-484-1756.....	21
7110-01-015-6099.....	313	7110-01-309-2012.....	314	7110-01-493-6753.....	174
7110-01-015-6100.....	313	7110-01-309-2032.....	318	7110-01-493-6758.....	174
7110-01-015-6101.....	314	7110-01-309-2033.....	318	7110-01-493-6759.....	174
7110-01-016-5642.....	173	7110-01-309-2034.....	318	7110-01-493-6760.....	174
7110-01-016-5802.....	314	7110-01-334-7078.....	21	7110-01-495-2785.....	145
7110-01-017-3546.....	319	7110-01-334-7079.....	21	7110-01-495-2786.....	145
7110-01-017-3547.....	319	7110-01-334-7080.....	21	7110-01-495-2795.....	147
7110-01-018-4301.....	314	7110-01-334-7081.....	21	7110-01-495-2796.....	147
7110-01-019-0408.....	318	7110-01-334-7082.....	21	7110-01-495-2797.....	147
7110-01-021-3609.....	173	7110-01-334-7083.....	21	7110-01-495-2798.....	147
7110-01-024-5958.....	318	7110-01-334-7084.....	21	7110-01-495-2799.....	147
7110-01-029-0389.....	313	7110-01-334-7090.....	21	7110-01-495-2800.....	147
7110-01-029-5767.....	313	7110-01-334-7091.....	21	7110-01-495-2801.....	147
7110-01-029-8055.....	313	7110-01-380-1428.....	176	7110-01-495-2802.....	147
7110-01-029-8058.....	313	7110-01-380-1438.....	176	7110-01-495-2811.....	149
7110-01-029-8059.....	313	7110-01-380-6438.....	176	7110-01-495-2812.....	149
7110-01-030-9009.....	313	7110-01-383-8102.....	149	7110-01-495-2813.....	149
7110-01-050-6060.....	313	7110-01-383-8106.....	149	7110-01-495-2814.....	149
7110-01-135-1990.....	173	7110-01-383-8107.....	145	7110-01-495-2815.....	146
7110-01-135-1991.....	173	7110-01-383-8116.....	145	7110-01-495-2816.....	146
7110-01-135-1992.....	173	7110-01-383-8120.....	145	7110-01-495-2817.....	146
7110-01-135-1995.....	173	7110-01-383-8123.....	145	7110-01-495-2818.....	146
7110-01-135-1996.....	173	7110-01-383-8142.....	148	7110-01-541-5626.....	175
7110-01-136-1563.....	78	7110-01-383-8144.....	148	7110-01-541-6604.....	175
7110-01-136-1564.....	173	7110-01-383-8230.....	146	7110-01-541-6606.....	175
7110-01-154-6985.....	149	7110-01-383-8234.....	146	7110-01-541-6609.....	175
7110-01-154-6986.....	150	7110-01-388-5044.....	148	7110-01-541-6610.....	175
7110-01-154-6987.....	150	7110-01-388-5063.....	150	7110-01-541-6611.....	175
7110-01-154-6988.....	150	7110-01-388-5069.....	148	7110-01-541-6612.....	175
7110-01-155-7460.....	149	7110-01-388-5073.....	149	7110-01-541-6613.....	175
7110-01-195-6401.....	146	7110-01-388-5095.....	145	7110-01-541-6616.....	175

7110-01-555-0292.....	21	7110-01-590-8676.....	9	7110-01-614-5381.....	314
7110-01-555-0293.....	21	7110-01-598-1893.....	170	7110-01-614-5382.....	314
7110-01-555-0294.....	21	7110-01-598-1896.....	170	7110-01-614-5383.....	313
7110-01-555-0295.....	39	7110-01-598-1899.....	170	7110-01-614-5384.....	314
7110-01-555-8491.....	168	7110-01-598-1912.....	168	7110-01-614-5385.....	314
7110-01-555-8492.....	168	7110-01-598-1918.....	169	7110-01-614-5386.....	312
7110-01-555-8494.....	168	7110-01-598-4108.....	170	7110-01-614-5387.....	313
7110-01-555-8495.....	169	7110-01-598-4109.....	170	7110-01-614-5388.....	312
7110-01-555-8496.....	168	7110-01-598-4111.....	170	7110-01-614-5389.....	313
7110-01-555-8499.....	169	7110-01-598-4112.....	170	7110-01-614-5390.....	312
7110-01-555-8502.....	169	7110-01-598-4383.....	169	7110-01-614-5391.....	317
7110-01-555-8510.....	169	7110-01-606-5822.....	315	7110-01-614-5392.....	314
7110-01-559-9642.....	200	7110-01-606-5824.....	315	7110-01-614-5393.....	312
7110-01-563-1683.....	313	7110-01-606-5826.....	317	7110-01-614-5394.....	313
7110-01-563-1684.....	314	7110-01-606-5829.....	317	7110-01-614-5395.....	313
7110-01-563-1685.....	312	7110-01-606-5830.....	317	7110-01-614-5396.....	312
7110-01-563-1686.....	314	7110-01-606-5831.....	317	7110-01-614-5397.....	317
7110-01-563-1687.....	311	7110-01-606-5832.....	317	7110-01-614-5398.....	312
7110-01-563-1688.....	312	7110-01-606-5833.....	316	7110-01-614-5399.....	317
7110-01-563-1689.....	311	7110-01-606-5834.....	316	7110-01-614-5400.....	313
7110-01-563-1690.....	313	7110-01-606-5835.....	317	7110-01-614-5401.....	314
7110-01-563-1691.....	312	7110-01-606-5836.....	316	7110-01-614-5402.....	312
7110-01-563-1692.....	312	7110-01-606-5837.....	315	7110-01-614-5403.....	317
7110-01-563-1693.....	312	7110-01-608-8279.....	175	7110-01-614-5404.....	312
7110-01-563-1694.....	311	7110-01-608-8286.....	175	7110-01-614-5405.....	315
7110-01-563-1695.....	314	7110-01-608-8293.....	175	7110-01-614-5406.....	312
7110-01-563-1696.....	311	7110-01-614-5352.....	313	7110-01-614-5407.....	312
7110-01-563-1697.....	312	7110-01-614-5353.....	316	7110-01-614-5408.....	315
7110-01-563-1698.....	313	7110-01-614-5354.....	316	7110-01-614-5409.....	315
7110-01-563-1699.....	311	7110-01-614-5355.....	314	7110-01-614-5410.....	312
7110-01-563-1700.....	311	7110-01-614-5356.....	316	7110-01-614-5411.....	312
7110-01-568-0397.....	22	7110-01-614-5357.....	316	7110-01-614-5412.....	315
7110-01-568-0398.....	21	7110-01-614-5358.....	313	7110-01-614-5413.....	312
7110-01-568-0399.....	21	7110-01-614-5359.....	314	7110-01-614-5414.....	315
7110-01-568-0400.....	22	7110-01-614-5360.....	316	7110-01-614-5415.....	315
7110-01-568-0401.....	22	7110-01-614-5361.....	314	7110-01-614-5416.....	317
7110-01-568-0402.....	22	7110-01-614-5362.....	316	7110-01-614-5417.....	313
7110-01-568-0403.....	24	7110-01-614-5363.....	315	7110-01-614-5418.....	316
7110-01-568-0404.....	22	7110-01-614-5364.....	315	7110-01-614-5419.....	316
7110-01-568-0405.....	21	7110-01-614-5365.....	314	7110-01-614-5420.....	311
7110-01-568-0406.....	21	7110-01-614-5366.....	312	7110-01-614-5421.....	317
7110-01-568-0407.....	22	7110-01-614-5367.....	314	7110-01-614-5422.....	311
7110-01-573-6539.....	168	7110-01-614-5368.....	314	7110-01-614-5423.....	311
7110-01-573-6556.....	169	7110-01-614-5369.....	313	7110-01-614-5424.....	311
7110-01-573-6558.....	170	7110-01-614-5370.....	312	7110-01-614-5425.....	311
7110-01-573-6559.....	169	7110-01-614-5371.....	314	7110-01-614-5426.....	311
7110-01-573-6560.....	169	7110-01-614-5372.....	314	7110-01-614-5427.....	311
7110-01-573-6561.....	170	7110-01-614-5373.....	315	7110-01-614-5428.....	313
7110-01-573-6562.....	169	7110-01-614-5374.....	314	7110-01-614-5429.....	311
7110-01-573-6563.....	168	7110-01-614-5375.....	312	7110-01-614-5430.....	311
7110-01-587-1156.....	170	7110-01-614-5376.....	314	7110-01-614-5431.....	312
7110-01-587-1157.....	170	7110-01-614-5377.....	313	7110-01-614-5432.....	313
7110-01-587-1159.....	170	7110-01-614-5378.....	312	7110-01-614-5433.....	313
7110-01-587-1160.....	170	7110-01-614-5379.....	313	7110-01-614-5434.....	311
7110-01-590-8674.....	9	7110-01-614-5380.....	314	7110-01-614-5435.....	313

7110-01-614-5436.....	316	7110-01-622-2132.....	21	7110-01-622-3279.....	154
7110-01-614-5437.....	313	7110-01-622-2133.....	23	7110-01-622-3280.....	154
7110-01-614-5438.....	313	7110-01-622-2829.....	154	7110-01-622-3282.....	152
7110-01-614-5439.....	314	7110-01-622-2831.....	154	7110-01-622-3284.....	154
7110-01-614-5440.....	311	7110-01-622-2832.....	154	7110-01-622-3285.....	152
7110-01-614-5441.....	311	7110-01-622-2833.....	154	7110-01-622-3287.....	154
7110-01-614-5801.....	319	7110-01-622-2837.....	154	7110-01-622-3289.....	152
7110-01-614-5802.....	319	7110-01-622-2841.....	153	7110-01-622-3290.....	154
7110-01-614-5803.....	319	7110-01-622-2842.....	153	7110-01-622-3292.....	152
7110-01-614-5804.....	319	7110-01-622-2844.....	154	7110-01-622-3293.....	154
7110-01-614-5805.....	319	7110-01-622-2845.....	153	7110-01-622-3295.....	154
7110-01-614-5808.....	318	7110-01-622-2847.....	154	7110-01-622-3296.....	154
7110-01-614-5809.....	318	7110-01-622-2848.....	153	7110-01-622-3299.....	154
7110-01-614-5810.....	319	7110-01-622-2850.....	154	7110-01-622-3300.....	154
7110-01-614-5812.....	318	7110-01-622-2852.....	153	7110-01-622-3301.....	154
7110-01-614-5813.....	318	7110-01-622-2854.....	154	7110-01-622-3302.....	152
7110-01-614-5814.....	318	7110-01-622-2856.....	154	7110-01-622-3305.....	154
7110-01-614-5815.....	319	7110-01-622-2857.....	154	7110-01-622-3307.....	154
7110-01-614-5816.....	318	7110-01-622-2858.....	154	7110-01-622-3309.....	154
7110-01-614-5817.....	318	7110-01-622-2861.....	154	7110-01-622-3315.....	154
7110-01-614-5818.....	318	7110-01-622-2865.....	154	7110-01-622-3365.....	155
7110-01-614-5819.....	318	7110-01-622-2868.....	153	7110-01-622-3366.....	155
7110-01-614-5820.....	318	7110-01-622-2869.....	154	7110-01-622-3371.....	155
7110-01-614-5821.....	318	7110-01-622-2871.....	154	7110-01-622-3372.....	155
7110-01-614-5822.....	318	7110-01-622-2872.....	154	7110-01-622-3377.....	152
7110-01-614-5823.....	318	7110-01-622-2874.....	154	7110-01-622-3378.....	152
7110-01-614-5824.....	318	7110-01-622-2875.....	154	7110-01-622-3379.....	152
7110-01-614-5826.....	318	7110-01-622-2876.....	153	7110-01-622-3382.....	152
7110-01-614-5827.....	318	7110-01-622-3175.....	152	7110-01-622-3383.....	152
7110-01-614-5828.....	319	7110-01-622-3176.....	152	7110-01-622-3384.....	152
7110-01-614-5829.....	318	7110-01-622-3178.....	152	7110-01-622-3385.....	152
7110-01-614-5830.....	319	7110-01-622-3181.....	152	7110-01-622-3386.....	152
7110-01-614-5831.....	318	7110-01-622-3183.....	152	7110-01-622-3387.....	152
7110-01-614-5832.....	318	7110-01-622-3185.....	152	7110-01-622-3388.....	153
7110-01-614-5834.....	318	7110-01-622-3186.....	152	7110-01-622-3389.....	153
7110-01-614-5835.....	318	7110-01-622-3188.....	152	7110-01-622-3390.....	153
7110-01-614-5836.....	318	7110-01-622-3192.....	152	7110-01-622-3391.....	153
7110-01-614-5837.....	318	7110-01-622-3207.....	153	7110-01-622-3392.....	153
7110-01-622-0455.....	153	7110-01-622-3210.....	153	7110-01-622-3672.....	156
7110-01-622-1760.....	153	7110-01-622-3213.....	153	7110-01-622-3681.....	156
7110-01-622-1761.....	153	7110-01-622-3215.....	153	7110-01-622-3686.....	156
7110-01-622-1762.....	153	7110-01-622-3217.....	153	7110-01-622-3687.....	156
7110-01-622-1765.....	153	7110-01-622-3218.....	153	7110-01-622-3688.....	156
7110-01-622-1766.....	153	7110-01-622-3221.....	153	7110-01-622-3690.....	155
7110-01-622-1767.....	153	7110-01-622-3223.....	153	7110-01-622-3691.....	156
7110-01-622-1768.....	153	7110-01-622-3225.....	153	7110-01-622-3692.....	155
7110-01-622-1769.....	153	7110-01-622-3227.....	152	7110-01-622-3693.....	155
7110-01-622-1770.....	153	7110-01-622-3229.....	153	7110-01-622-3694.....	156
7110-01-622-1811.....	153	7110-01-622-3231.....	152	7110-01-622-3695.....	155
7110-01-622-2117.....	21	7110-01-622-3235.....	152	7110-01-622-3696.....	156
7110-01-622-2118.....	21	7110-01-622-3238.....	152	7110-01-622-3697.....	156
7110-01-622-2121.....	21	7110-01-622-3242.....	152	7110-01-622-3700.....	155
7110-01-622-2125.....	21	7110-01-622-3269.....	154	7110-01-622-3701.....	156
7110-01-622-2127.....	22	7110-01-622-3273.....	154	7110-01-622-3702.....	156
7110-01-622-2128.....	21	7110-01-622-3275.....	154	7110-01-622-3703.....	155

7110-01-622-3704. ....	151	7110-01-622-3786. ....	154	7110-01-630-5164. ....	169
7110-01-622-3706. ....	151	7110-01-622-3787. ....	154	7110-01-630-5165. ....	169
7110-01-622-3707. ....	156	7110-01-622-3789. ....	154	7110-01-630-5168. ....	170
7110-01-622-3708. ....	151	7110-01-622-3790. ....	154	7110-01-630-5170. ....	21
7110-01-622-3709. ....	155	7110-01-622-3791. ....	154	7110-01-630-5171. ....	21
7110-01-622-3710. ....	155	7110-01-622-3792. ....	154	7110-01-630-5172. ....	169
7110-01-622-3711. ....	151	7110-01-622-3793. ....	154	7110-01-630-5173. ....	168
7110-01-622-3712. ....	155	7110-01-622-4200. ....	153	7110-01-630-5174. ....	168
7110-01-622-3713. ....	151	7110-01-622-4201. ....	152	7110-01-630-5175. ....	168
7110-01-622-3715. ....	156	7110-01-622-4202. ....	153	7110-01-630-5176. ....	168
7110-01-622-3716. ....	156	7110-01-622-4203. ....	153	7110-01-630-5177. ....	168
7110-01-622-3717. ....	151	7110-01-622-4204. ....	153	7110-01-630-5178. ....	168
7110-01-622-3718. ....	155	7110-01-622-4205. ....	153	7110-01-630-5179. ....	170
7110-01-622-3719. ....	151	7110-01-622-4206. ....	152	7110-01-630-5180. ....	168
7110-01-622-3720. ....	156	7110-01-622-4207. ....	152	7110-01-630-5181. ....	168
7110-01-622-3721. ....	155	7110-01-622-4209. ....	153	7110-01-630-5182. ....	169
7110-01-622-3722. ....	155	7110-01-622-4212. ....	152	7110-01-642-9853. ....	173
7110-01-622-3723. ....	151	7110-01-622-4213. ....	152	7110-01-642-9854. ....	173
7110-01-622-3724. ....	155	7110-01-622-4214. ....	152	7110-01-642-9855. ....	174
7110-01-622-3725. ....	151	7110-01-622-4215. ....	152	7110-01-642-9856. ....	173
7110-01-622-3726. ....	155	7110-01-622-4218. ....	152	7110-01-642-9857. ....	174
7110-01-622-3729. ....	156	7110-01-622-4220. ....	152	7110-01-642-9858. ....	174
7110-01-622-3730. ....	155	7110-01-622-4223. ....	152	7110-01-642-9859. ....	174
7110-01-622-3731. ....	156	7110-01-622-4245. ....	152	7110-01-643-0782. ....	173
7110-01-622-3732. ....	155	7110-01-622-4252. ....	152	7110-01-646-7758. ....	176
7110-01-622-3733. ....	151	7110-01-622-4257. ....	152	7110-01-646-7762. ....	176
7110-01-622-3734. ....	156	7110-01-622-4258. ....	152	7110-01-646-7764. ....	176
7110-01-622-3735. ....	156	7110-01-622-4259. ....	152	7110-01-646-7765. ....	176
7110-01-622-3736. ....	155	7110-01-622-4260. ....	152	7110-01-646-7766. ....	176
7110-01-622-3737. ....	155	7110-01-622-4261. ....	152	7110-01-646-7768. ....	176
7110-01-622-3739. ....	156	7110-01-622-4262. ....	153	7110-01-646-7769. ....	176
7110-01-622-3740. ....	155	7110-01-622-4263. ....	152	7110-01-646-7770. ....	176
7110-01-622-3741. ....	155	7110-01-622-4264. ....	153	7110-01-646-7771. ....	176
7110-01-622-3743. ....	156	7110-01-622-4265. ....	153	7110-01-648-8197. ....	23
7110-01-622-3746. ....	156	7110-01-622-4266. ....	152	7110-01-653-5899. ....	171
7110-01-622-3747. ....	155	7110-01-622-4654. ....	155	7110-01-653-5900. ....	171
7110-01-622-3750. ....	155	7110-01-622-4655. ....	155	7110-01-653-5901. ....	171
7110-01-622-3751. ....	156	7110-01-622-4656. ....	155	7110-01-653-5903. ....	171
7110-01-622-3752. ....	155	7110-01-622-4657. ....	155	7110-01-653-6726. ....	171
7110-01-622-3755. ....	155	7110-01-622-4658. ....	155	7110-01-653-7595. ....	171
7110-01-622-3759. ....	155	7110-01-622-4659. ....	155	7110-01-654-7920. ....	145
7110-01-622-3763. ....	155	7110-01-622-4660. ....	155	7110-01-654-7921. ....	145
7110-01-622-3764. ....	155	7110-01-622-4661. ....	155	7110-01-654-8322. ....	146
7110-01-622-3767. ....	155	7110-01-622-4662. ....	155	7110-01-654-8323. ....	146
7110-01-622-3769. ....	153	7110-01-622-4663. ....	155	7110-01-654-8324. ....	146
7110-01-622-3771. ....	153	7110-01-622-4666. ....	155	7110-01-654-8325. ....	146
7110-01-622-3772. ....	155	7110-01-622-4667. ....	155	7110-01-654-8326. ....	146
7110-01-622-3773. ....	153	7110-01-622-4671. ....	155	7110-01-654-8327. ....	146
7110-01-622-3775. ....	154	7110-01-622-5469. ....	155	7110-01-654-8328. ....	147
7110-01-622-3776. ....	154	7110-01-624-1137. ....	156	7110-01-654-8329. ....	146
7110-01-622-3779. ....	153	7110-01-630-5156. ....	21	7110-01-654-8330. ....	147
7110-01-622-3781. ....	153	7110-01-630-5157. ....	168	7110-01-654-8331. ....	146
7110-01-622-3783. ....	152	7110-01-630-5159. ....	169	7110-01-654-8332. ....	147
7110-01-622-3784. ....	155	7110-01-630-5161. ....	169	7110-01-654-8333. ....	148
7110-01-622-3785. ....	153	7110-01-630-5163. ....	169	7110-01-654-8334. ....	147

7110-01-654-8335.....	148	7110-01-666-3826.....	178	7110-01-666-4277.....	180
7110-01-654-8336.....	147	7110-01-666-3827.....	179	7110-01-666-4278.....	180
7110-01-654-8337.....	148	7110-01-666-3828.....	179	7110-01-666-4279.....	180
7110-01-654-8338.....	148	7110-01-666-3829.....	179	7110-01-666-4280.....	180
7110-01-654-8339.....	147	7110-01-666-3830.....	179	7110-01-666-4281.....	180
7110-01-654-8340.....	147	7110-01-666-3831.....	179	7110-01-666-4282.....	180
7110-01-654-8341.....	147	7110-01-666-3832.....	179	7110-01-666-4701.....	179
7110-01-654-8342.....	147	7110-01-666-3833.....	179	7110-01-668-1118.....	172
7110-01-654-8343.....	147	7110-01-666-3834.....	179	7110-01-668-1119.....	172
7110-01-659-7049.....	171	7110-01-666-3835.....	179	7110-01-668-1120.....	172
7110-01-659-7050.....	171	7110-01-666-3836.....	179	7110-01-668-1121.....	172
7110-01-660-3249.....	New-2	7110-01-666-3837.....	179	7110-01-668-1123.....	172
7110-01-666-3141.....	177	7110-01-666-3846.....	176	7110-01-668-1124.....	172
7110-01-666-3142.....	176	7110-01-666-3847.....	177	7110-01-668-1125.....	172
7110-01-666-3143.....	177	7110-01-666-3848.....	178	7110-01-668-1126.....	172
7110-01-666-3144.....	177	7110-01-666-3850.....	177	7110-01-668-1127.....	172
7110-01-666-3145.....	177	7110-01-666-3851.....	178	7110-01-668-1128.....	172
7110-01-666-3146.....	176	7110-01-666-3853.....	177	7110-01-668-1129.....	172
7110-01-666-3147.....	176	7110-01-666-3854.....	178	7110-01-668-1130.....	172
7110-01-666-3148.....	177	7110-01-666-3856.....	176	7110-01-668-1131.....	172
7110-01-666-3149.....	176	7110-01-666-3858.....	178	7110-01-668-1132.....	172
7110-01-666-3150.....	176	7110-01-666-3859.....	176	7110-01-668-1133.....	172
7110-01-666-3151.....	177	7110-01-666-3860.....	177	7110-01-668-1134.....	172
7110-01-666-3152.....	177	7110-01-666-3862.....	177	7110-01-668-1135.....	172
7110-01-666-3153.....	177	7110-01-666-3866.....	176	7110-01-668-1136.....	172
7110-01-666-3154.....	176	7110-01-666-3867.....	177	7110-01-668-1137.....	172
7110-01-666-3155.....	176	7110-01-666-3869.....	176	7110-01-668-1138.....	172
7110-01-666-3156.....	177	7110-01-666-3871.....	177	7110-01-668-1139.....	172
7110-01-666-3157.....	176	7110-01-666-3873.....	176	7110-01-668-1140.....	172
7110-01-666-3158.....	177	7110-01-666-3874.....	177	7110-01-668-1141.....	172
7110-01-666-3159.....	177	7110-01-666-3876.....	177	7110-01-668-1142.....	172
7110-01-666-3160.....	177	7110-01-666-3880.....	179	7110-01-669-5638.....	New-3
7110-01-666-3161.....	177	7110-01-666-3882.....	179	7110-01-671-6415.....	201
7110-01-666-3162.....	177	7110-01-666-3884.....	179	7110-01-671-6416.....	201
7110-01-666-3163.....	177	7110-01-666-3885.....	179	7110-01-671-6417.....	201
7110-01-666-3164.....	177	7110-01-666-3886.....	179	7110-01-671-6418.....	201
7110-01-666-3165.....	177	7110-01-666-3888.....	179	7110-01-677-8325.....	163
7110-01-666-3166.....	181	7110-01-666-3890.....	179	7110-01-677-8326.....	163
7110-01-666-3167.....	181	7110-01-666-3892.....	179	7110-01-677-8327.....	163
7110-01-666-3168.....	180	7110-01-666-3893.....	179	7110-01-677-8328.....	164
7110-01-666-3169.....	180	7110-01-666-3896.....	179	7110-01-677-8329.....	164
7110-01-666-3170.....	180	7110-01-666-3897.....	179	7110-01-677-8330.....	164
7110-01-666-3171.....	180	7110-01-666-3899.....	179	7110-01-677-8331.....	164
7110-01-666-3174.....	180	7110-01-666-4260.....	180	7110-01-677-8332.....	164
7110-01-666-3175.....	181	7110-01-666-4261.....	180	7110-01-677-8333.....	164
7110-01-666-3176.....	181	7110-01-666-4262.....	180	7110-01-677-8334.....	164
7110-01-666-3177.....	180	7110-01-666-4263.....	180	7110-01-677-8335.....	157
7110-01-666-3178.....	181	7110-01-666-4264.....	180	7110-01-677-8336.....	157
7110-01-666-3179.....	180	7110-01-666-4265.....	180	7110-01-677-8337.....	164
7110-01-666-3180.....	181	7110-01-666-4266.....	180	7110-01-677-8338.....	157
7110-01-666-3181.....	180	7110-01-666-4271.....	180	7110-01-677-8339.....	164
7110-01-666-3182.....	180	7110-01-666-4273.....	180	7110-01-677-8340.....	157
7110-01-666-3823.....	178	7110-01-666-4274.....	180	7110-01-677-8341.....	157
7110-01-666-3824.....	179	7110-01-666-4275.....	180	7110-01-677-8342.....	164
7110-01-666-3825.....	179	7110-01-666-4276.....	180	7110-01-677-8343.....	157

7110-01-677-8344.....	157	7110-01-677-9867.....	158	7110-01-679-2633.....	166
7110-01-677-8345.....	157	7110-01-677-9868.....	158	7110-01-679-2634.....	166
7110-01-677-8346.....	157	7110-01-678-0217.....	163	7110-01-679-2635.....	166
7110-01-677-8348.....	163	7110-01-678-0518.....	158	7110-01-679-2636.....	166
7110-01-677-8350.....	163	7110-01-678-1757.....	160	7110-01-679-2637.....	166
7110-01-677-8351.....	157	7110-01-678-1758.....	160	7110-01-679-2638.....	166
7110-01-677-8352.....	163	7110-01-678-1760.....	160	7110-01-679-2639.....	166
7110-01-677-8353.....	157	7110-01-678-2077.....	162	7110-01-679-2640.....	166
7110-01-677-8354.....	163	7110-01-678-2401.....	161	7110-01-679-2641.....	166
7110-01-677-8355.....	157	7110-01-678-2402.....	159	7110-01-679-2642.....	166
7110-01-677-8356.....	157	7110-01-678-2403.....	161	7110-01-679-2643.....	166
7110-01-677-8357.....	164	7110-01-678-2404.....	159	7110-01-679-2644.....	166
7110-01-677-8358.....	163	7110-01-678-2405.....	160	7110-01-679-2645.....	166
7110-01-677-8359.....	157	7110-01-678-2406.....	159	7110-01-679-2646.....	166
7110-01-677-8360.....	163	7110-01-678-2407.....	160	7110-01-679-2647.....	167
7110-01-677-8361.....	164	7110-01-678-2408.....	160	7110-01-679-2648.....	166
7110-01-677-8362.....	163	7110-01-678-2409.....	160	7110-01-679-2649.....	166
7110-01-677-8363.....	163	7110-01-678-2410.....	160	7110-01-679-2650.....	167
7110-01-677-8364.....	163	7110-01-678-2412.....	158	7110-01-679-2651.....	166
7110-01-677-8365.....	163	7110-01-678-2413.....	162	7110-01-679-2652.....	166
7110-01-677-8366.....	163	7110-01-678-2414.....	161	7110-01-679-2653.....	167
7110-01-677-8855.....	161	7110-01-678-2415.....	162	7110-01-679-2654.....	166
7110-01-677-8856.....	159	7110-01-678-2416.....	158	7110-01-679-2655.....	166
7110-01-677-8858.....	160	7110-01-678-2417.....	162	7110-01-679-2656.....	167
7110-01-677-8859.....	160	7110-01-678-2418.....	161	7110-01-679-2657.....	166
7110-01-677-8860.....	160	7110-01-678-2419.....	158	7110-01-679-2658.....	166
7110-01-677-8861.....	160	7110-01-678-2420.....	162	7110-01-679-2659.....	167
7110-01-677-8862.....	160	7110-01-678-2421.....	161	7110-01-679-2660.....	165
7110-01-677-8863.....	160	7110-01-678-2422.....	161	7110-01-679-2661.....	166
7110-01-677-8864.....	160	7110-01-678-2423.....	161	7110-01-679-2662.....	167
7110-01-677-8865.....	160	7110-01-678-2424.....	162	7110-01-679-2663.....	166
7110-01-677-8866.....	161	7110-01-678-2425.....	162	7110-01-679-2664.....	165
7110-01-677-8867.....	159	7110-01-678-2426.....	161	7110-01-679-2665.....	167
7110-01-677-8868.....	161	7110-01-678-2427.....	161	7110-01-679-2666.....	166
7110-01-677-8869.....	159	7110-01-678-2428.....	162	7110-01-679-2667.....	165
7110-01-677-8870.....	159	7110-01-678-2429.....	162	7110-01-679-2668.....	165
7110-01-677-8871.....	159	7110-01-678-2430.....	162	7110-01-679-2669.....	166
7110-01-677-8872.....	159	7110-01-678-2431.....	162	7110-01-679-2670.....	165
7110-01-677-8873.....	159	7110-01-678-2432.....	161	7110-01-679-2671.....	167
7110-01-677-9546.....	161	7110-01-678-2433.....	162	7110-01-679-2672.....	167
7110-01-677-9547.....	163	7110-01-678-2434.....	161	7110-01-679-2673.....	167
7110-01-677-9548.....	163	7110-01-678-3059.....	161	7110-01-679-2674.....	165
7110-01-677-9550.....	163	7110-01-678-3060.....	158	7110-01-679-2675.....	165
7110-01-677-9551.....	163	7110-01-678-3061.....	159	7110-01-679-2676.....	167
7110-01-677-9552.....	163	7110-01-679-2622.....	166	7110-01-679-2677.....	165
7110-01-677-9553.....	162	7110-01-679-2623.....	167	7110-01-679-2678.....	167
7110-01-677-9554.....	162	7110-01-679-2624.....	167	7110-01-679-2679.....	167
7110-01-677-9558.....	162	7110-01-679-2625.....	166	7110-01-679-2680.....	167
7110-01-677-9559.....	162	7110-01-679-2626.....	166	7110-01-679-2681.....	167
7110-01-677-9860.....	158	7110-01-679-2627.....	166	7110-01-679-2682.....	167
7110-01-677-9861.....	158	7110-01-679-2628.....	166	7110-01-679-2685.....	167
7110-01-677-9862.....	159	7110-01-679-2629.....	166	7110-01-679-2686.....	167
7110-01-677-9863.....	158	7110-01-679-2630.....	166	7110-01-679-2687.....	167
7110-01-677-9864.....	158	7110-01-679-2631.....	166	7110-01-679-2689.....	167
7110-01-677-9865.....	158	7110-01-679-2632.....	166	7110-01-679-2690.....	167

7110-01-679-2691..... 167  
 7110-01-679-2692..... 167  
 7110-01-679-2694..... 167  
 7110-01-679-2695..... 167  
 7110-01-679-2696..... 167  
 7110-01-679-2697..... 167  
 7110-01-679-2698..... 167  
 7110-01-679-2699..... 167  
 7110-01-679-2700..... 167  
 7110-01-679-2701..... 167  
 7110-01-679-2702..... 167  
 7110-01-679-2703..... 167  
 7110-01-679-2704..... 167  
 7110-01-679-3320..... 166  
 7110-01-679-5434..... New-2  
 7110-01-679-5435..... New-2  
 7110-01-679-5436..... New-2  
 7110-01-679-5437..... New-2  
 7110-01-679-5438..... New-2  
 7110-01-679-6039..... New-2  
 7110-01-681-0786..... New-3  
 7110-01-683-0851..... 195  
 7110-01-690-4867..... New-3  
 7110-01-690-4868..... New-3  
 7110-01-690-4869..... New-3  
 7110-01-690-4870..... New-3  
 7110-01-691-5485..... New-2  
 7110-01-691-5486..... New-3

**7125**

7125-00-132-8973..... 204  
 7125-00-269-8534..... 202  
 7125-00-270-7720..... 202  
 7125-00-285-3049..... 204  
 7125-00-298-1926..... 184  
 7125-00-558-0011..... 202  
 7125-00-559-6378..... 202  
 7125-00-764-5482..... 178  
 7125-00-764-5744..... 178  
 7125-01-035-3023..... 203  
 7125-01-044-2590..... 203  
 7125-01-084-6954..... 203  
 7125-01-084-6955..... 203  
 7125-01-151-5435..... 204  
 7125-01-516-8766..... 203  
 7125-01-621-4848..... 203  
 7125-01-666-3838..... 178  
 7125-01-666-3839..... 178  
 7125-01-666-3840..... 178  
 7125-01-666-3842..... 178  
 7125-01-666-3843..... 178  
 7125-01-666-3845..... 178  
 7125-01-666-3863..... 178  
 7125-01-666-3865..... 178  
 7125-01-666-3868..... 178  
 7125-01-666-3870..... 178

7125-01-666-3872..... 178  
 7125-01-666-3875..... 178  
 7125-01-666-3877..... 178  
 7125-01-666-3878..... 178  
 7125-01-666-3881..... 178  
 7125-01-666-3883..... 178  
 7125-01-666-3887..... 178  
 7125-01-666-3889..... 178  
 7125-01-666-3891..... 178  
 7125-01-666-3895..... 178  
 7125-01-666-3898..... 178  
 7125-01-666-5393..... 183  
 7125-01-666-5394..... 183  
 7125-01-666-5395..... 183  
 7125-01-666-5396..... 183  
 7125-01-666-5397..... 183  
 7125-01-666-5398..... 183  
 7125-01-666-5399..... 183  
 7125-01-666-5400..... 183  
 7125-01-666-5401..... 183  
 7125-01-666-5402..... 183  
 7125-01-666-5403..... 183  
 7125-01-666-5404..... 183  
 7125-01-666-5405..... 202  
 7125-01-666-5406..... 183  
 7125-01-666-5407..... 184  
 7125-01-666-5408..... 183  
 7125-01-666-5409..... 184  
 7125-01-666-5410..... 183  
 7125-01-666-5411..... 184  
 7125-01-666-5412..... 183  
 7125-01-666-6184..... 202  
 7125-01-666-6855..... 184  
 7125-01-666-7226..... 184  
 7125-01-666-7227..... 184  
 7125-01-666-7245..... 184  
 7125-01-666-7246..... 184  
 7125-01-666-7247..... 184  
 7125-01-667-1400..... New-2  
 7125-01-667-1401..... New-2  
 7125-01-667-1402..... New-2  
 7125-01-667-1403..... New-2  
 7125-01-667-1404..... New-2  
 7125-01-667-1407..... New-2  
 7125-01-667-2783..... 202  
 7125-01-667-2784..... 202  
 7125-01-667-2785..... 202  
 7125-01-667-2786..... 202  
 7125-01-667-2787..... 202  
 7125-01-667-2788..... New-2  
 7125-01-668-9091..... 184  
 7125-01-668-9092..... 184  
 7125-01-668-9093..... 184

**7195**

7195-01-084-9379..... New-2  
 7195-01-218-2026..... 22

7195-01-235-4161..... 22  
 7195-01-484-0005..... 22  
 7195-01-484-0007..... 22  
 7195-01-484-0010..... 22  
 7195-01-567-9517..... 22  
 7195-01-567-9519..... 22  
 7195-01-567-9520..... 22  
 7195-01-567-9521..... 22  
 7195-01-567-9522..... 22  
 7195-01-590-9070..... 170  
 7195-01-590-9071..... 170  
 7195-01-618-3861..... 201  
 7195-01-618-3862..... 201  
 7195-01-618-3863..... 201  
 7195-01-618-3864..... 201  
 7195-01-618-3865..... 201  
 7195-01-618-3866..... 201  
 7195-01-618-3867..... 201  
 7195-01-622-2141..... 22  
 7195-01-654-6924..... 22  
 7195-01-654-6926..... 22  
 7195-01-666-7982..... New-3  
 7195-01-690-9141..... New-4  
 7195-01-690-9142..... New-4  
 7195-01-690-9143..... New-4  
 7195-01-690-9363..... New-4  
 7195-01-690-9364..... New-4  
 7195-01-690-9365..... New-4  
 7195-01-690-9366..... New-4  
 7195-01-691-0000..... New-4

**7210**

7210-00-054-7911..... 287  
 7210-00-110-8102..... 284  
 7210-00-110-8103..... 284  
 7210-00-110-8104..... 282  
 7210-00-139-6411..... 283  
 7210-00-139-6424..... 283  
 7210-00-139-6428..... 284  
 7210-00-139-6434..... 284  
 7210-00-139-6517..... 283  
 7210-00-139-6538..... 283  
 7210-00-139-6555..... 283  
 7210-00-171-1144..... 272  
 7210-00-177-4986..... 287  
 7210-00-205-2804..... 294  
 7210-00-205-3205..... 287  
 7210-00-205-3483..... 272  
 7210-00-205-3534..... 284  
 7210-00-205-3544..... 78  
 7210-00-205-3545..... 78  
 7210-00-205-3585..... 284  
 7210-00-227-1526..... 286  
 7210-00-243-1019..... 288  
 7210-00-259-8897..... 287

7210-00-259-9004. ....	287	7210-01-324-6946. ....	284	7220-00-238-8852. ....	307
7210-00-259-9005. ....	287	7210-01-324-6947. ....	284	7220-00-254-4240. ....	307
7210-00-529-3709. ....	284	7210-01-324-6948. ....	285	7220-00-255-0765. ....	307
7210-00-582-7540. ....	282	7210-01-324-6949. ....	285	7220-00-267-4630. ....	307
7210-00-682-6601. ....	287	7210-01-324-6950. ....	285	7220-00-292-2096. ....	307
7210-00-716-0706. ....	284	7210-01-324-6951. ....	285	7220-00-457-6046. ....	305
7210-00-718-8325. ....	288	7210-01-324-6952. ....	285	7220-00-457-6054. ....	305
7210-00-753-3042. ....	286	7210-01-324-7977. ....	282	7220-00-634-1601. ....	288
7210-00-761-1470. ....	286	7210-01-324-7978. ....	282	7220-00-753-2981. ....	307
7210-00-844-9113. ....	286	7210-01-324-7982. ....	285	7220-00-753-2982. ....	307
7210-00-883-8492. ....	286	7210-01-324-7984. ....	285	7220-00-965-4699. ....	307
7210-00-883-8494. ....	287	7210-01-324-7988. ....	284	7220-00-965-4769. ....	307
7210-00-894-1144. ....	287	7210-01-324-7989. ....	284	7220-01-024-9039. ....	307
7210-00-958-9118. ....	287	7210-01-324-7990. ....	285	7220-01-024-9040. ....	307
7210-01-051-5837. ....	288	7210-01-324-8803. ....	282	7220-01-025-1695. ....	307
7210-01-051-5839. ....	288	7210-01-324-8804. ....	282	7220-01-056-1944. ....	307
7210-01-075-8358. ....	284	7210-01-324-8805. ....	282	7220-01-057-1897. ....	307
7210-01-075-8359. ....	284	7210-01-324-8806. ....	282	7220-01-305-3062. ....	305
7210-01-076-1084. ....	284	7210-01-324-8807. ....	282	7220-01-386-6722. ....	307
7210-01-076-1086. ....	283	7210-01-324-8808. ....	282	7220-01-411-1515. ....	306
7210-01-076-1088. ....	283	7210-01-324-8812. ....	285	7220-01-411-2979. ....	306
7210-01-076-1089. ....	283	7210-01-324-8813. ....	285	7220-01-411-2980. ....	306
7210-01-076-8730. ....	283	7210-01-325-0611. ....	282	7220-01-470-9466. ....	306
7210-01-076-9029. ....	284	7210-01-325-0613. ....	282	7220-01-471-0913. ....	305
7210-01-077-9358. ....	283	7210-01-325-2295. ....	285	7220-01-579-6870. ....	308
7210-01-119-6415. ....	286	7210-01-325-2296. ....	285	7220-01-579-6875. ....	308
7210-01-119-6416. ....	286	7210-01-325-2297. ....	285	7220-01-579-6876. ....	308
7210-01-119-6417. ....	286	7210-01-325-2299. ....	285	7220-01-579-6877. ....	308
7210-01-129-0120. ....	288	7210-01-325-2313. ....	284	7220-01-579-6880. ....	308
7210-01-138-8177. ....	284	7210-01-325-2315. ....	285	7220-01-582-6220. ....	306
7210-01-163-3444. ....	282	7210-01-325-3696. ....	285	7220-01-582-6222. ....	306
7210-01-168-4473. ....	286	7210-01-325-3698. ....	282	7220-01-582-6223. ....	306
7210-01-177-1491. ....	284	7210-01-395-7921. ....	287	7220-01-582-6224. ....	306
7210-01-177-1496. ....	284	7210-01-417-5531. ....	286	7220-01-582-6225. ....	306
7210-01-177-3627. ....	284	7210-01-417-5532. ....	286	7220-01-582-6226. ....	306
7210-01-228-5726. ....	283	7210-01-417-5533. ....	287	7220-01-582-6228. ....	306
7210-01-228-5727. ....	283	7210-01-417-9691. ....	283	7220-01-582-6229. ....	306
7210-01-228-5728. ....	283	7210-01-417-9694. ....	283	7220-01-582-6230. ....	306
7210-01-228-5729. ....	283	7210-01-417-9696. ....	283	7220-01-582-6231. ....	306
7210-01-228-5735. ....	282	7210-01-417-9701. ....	283	7220-01-582-6240. ....	306
7210-01-228-5736. ....	282	7210-01-417-9705. ....	283	7220-01-582-6241. ....	306
7210-01-228-5737. ....	282	7210-01-448-9432. ....	287	7220-01-582-6242. ....	306
7210-01-228-5738. ....	282	7210-01-488-9180. ....	287	7220-01-582-6243. ....	306
7210-01-291-9511. ....	282	7210-01-488-9181. ....	287	7220-01-582-6244. ....	306
7210-01-291-9512. ....	282	7210-01-488-9183. ....	287	7220-01-582-6245. ....	306
7210-01-292-2551. ....	283	7210-01-488-9184. ....	287	7220-01-582-6246. ....	306
7210-01-292-2552. ....	283	7210-01-488-9185. ....	287	7220-01-582-6247. ....	306
7210-01-306-3244. ....	286	7210-01-488-9186. ....	287	7220-01-582-6248. ....	306
7210-01-306-3246. ....	286	7210-01-515-1069. ....	287	7220-01-586-3333. ....	289
7210-01-306-3247. ....	286			7220-01-586-3334. ....	289
7210-01-306-3249. ....	286	<b>7220</b>		7220-01-646-1673. ....	309
7210-01-306-3250. ....	286	7220-00-034-7225. ....	307	7220-01-648-0982. ....	310
7210-01-306-3251. ....	286	7220-00-151-6518. ....	305	7220-01-648-0983. ....	310
7210-01-324-3848. ....	282	7220-00-205-0389. ....	335	7220-01-648-0984. ....	310
7210-01-324-3851. ....	284	7220-00-224-6486. ....	307	7220-01-648-0986. ....	310



7220-01-648-0987.....	308	7220-01-656-8321.....	305	<b>7240</b>	
7220-01-648-0988.....	308	7220-01-656-8322.....	305	7240-00-060-6006.....	257, 358
7220-01-648-0989.....	310	7220-01-656-8324.....	305	7240-00-061-1163.....	257, 358
7220-01-648-0990.....	308	7220-01-656-8325.....	305	7240-00-138-7984.....	271
7220-01-648-0993.....	308	7220-01-656-8326.....	305	7240-00-139-7521.....	258
7220-01-648-0994.....	310	7220-01-656-8327.....	305	7240-00-151-6629.....	258
7220-01-648-0995.....	308	7220-01-656-8328.....	305	7240-00-151-6630.....	258
7220-01-648-0997.....	308	7220-01-656-8329.....	305	7240-00-160-0438.....	258
7220-01-648-0998.....	308	7220-01-656-8330.....	305	7240-00-160-0440.....	258
7220-01-648-0999.....	308	7220-01-656-8994.....	305	7240-00-160-0441.....	258
7220-01-648-1000.....	308	7220-01-658-7590.....	310	7240-00-160-0455.....	257, 358
7220-01-648-1001.....	309	7220-01-658-7591.....	310	7240-00-222-3084.....	328
7220-01-648-1002.....	309	7220-01-658-7592.....	310	7240-00-240-6958.....	328
7220-01-648-1003.....	309	7220-01-658-7593.....	310	7240-00-246-1097.....	257, 358
7220-01-648-1004.....	308	7220-01-658-7594.....	310	7240-00-256-7700.....	358
7220-01-648-1005.....	309	7220-01-658-7595.....	310	7240-00-274-3875.....	257
7220-01-648-1006.....	309	7220-01-658-7596.....	309	7240-00-282-8411.....	358
7220-01-648-1007.....	308	7220-01-658-7597.....	309	7240-00-286-5342.....	358
7220-01-648-1008.....	308	7220-01-658-7599.....	310	7240-00-499-8031.....	258
7220-01-648-1009.....	308	7220-01-658-7600.....	310	7240-00-527-9868.....	357
7220-01-648-1010.....	309	7220-01-658-7601.....	310	7240-00-559-7364.....	272
7220-01-648-1011.....	308	7220-01-658-7602.....	310	7240-00-634-0001.....	258
7220-01-648-1012.....	309	7220-01-658-8036.....	310	7240-00-634-0133.....	258
7220-01-648-1013.....	308	7220-01-658-8037.....	310	7240-00-819-7735.....	258
7220-01-648-1014.....	309	7220-01-658-8038.....	310	7240-00-965-4427.....	258
7220-01-648-1015.....	308	7220-01-658-8039.....	310	7240-01-094-4305.....	257, 358
7220-01-648-1016.....	309	7220-01-658-8040.....	308	7240-01-150-0716.....	257, 358
7220-01-648-1018.....	309	7220-01-658-8041.....	308	7240-01-318-5222.....	327
7220-01-648-1019.....	309	7220-01-658-8042.....	310	7240-01-411-0581.....	257, 358
7220-01-648-1020.....	309	7220-01-658-8043.....	310	7240-01-411-0584.....	265, 270
7220-01-648-1021.....	309	7220-01-667-1398.....	308	7240-01-411-0585.....	265, 270
7220-01-648-1022.....	309	7220-01-667-1399.....	308	7240-01-426-1569.....	273
7220-01-648-1023.....	309	7220-01-667-1405.....	308	7240-01-647-1014.....	243
7220-01-648-1765.....	309	7220-01-667-1406.....	308		
7220-01-648-1766.....	309	7220-01-667-1408.....	308	<b>7290</b>	
7220-01-648-1767.....	309	7220-01-667-1409.....	308	7290-00-104-4725.....	270
7220-01-648-1769.....	309	7220-01-667-1410.....	308	7290-00-125-9069.....	221
7220-01-648-1770.....	309	7220-01-667-3560.....	306	7290-00-148-7068.....	221
7220-01-648-1771.....	309	7220-01-667-3561.....	306	7290-00-224-8308.....	238
7220-01-648-1772.....	309	7220-01-667-3562.....	306	7290-00-260-1147.....	138
7220-01-648-1773.....	309	7220-01-667-3563.....	306	7290-00-616-0109.....	238
7220-01-648-1774.....	309	7220-01-667-3564.....	306	7290-00-663-7300.....	221
7220-01-648-1775.....	309	7220-01-667-3565.....	306	7290-00-893-7339.....	138
7220-01-648-1776.....	309	7220-01-667-3566.....	306	7290-01-369-7966.....	221
7220-01-648-1777.....	309	7220-01-667-3567.....	306	7290-01-460-6663.....	238
7220-01-648-1778.....	309	7220-01-667-3568.....	306		
7220-01-648-1779.....	309	7220-01-667-3569.....	306	<b>7330</b>	
7220-01-648-1780.....	309	7220-01-667-3570.....	306	7330-00-153-9760.....	271
7220-01-648-1781.....	309	7220-01-667-3571.....	306	7330-00-197-1280.....	272
7220-01-648-1782.....	309			7330-00-205-3150.....	268
7220-01-650-5922.....	308	<b>7230</b>		7330-00-205-3151.....	270
7220-01-656-8315.....	305	7230-00-205-1762.....	288	7330-00-240-2137.....	268
7220-01-656-8317.....	305	7230-00-247-1280.....	288	7330-00-248-1153.....	271
7220-01-656-8318.....	305	7230-00-252-3394.....	289	7330-00-254-4793.....	271
7220-01-656-8320.....	305	7230-00-849-9838.....	288	7330-00-256-2158.....	271
		7230-00-849-9839.....	288	7330-00-263-8504.....	268

7330-00-263-8516	268
7330-00-264-5368	271
7330-00-266-7453	271
7330-00-272-2589	268
7330-00-272-2591	270
7330-00-285-4299	273
7330-00-286-8069	268
7330-00-292-2306	268
7330-00-379-4439	272
7330-00-485-7376	268
7330-00-633-8905	268
7330-00-634-6555	273
7330-00-680-0865	271
7330-00-680-2636	271
7330-00-815-1458	271
7330-01-411-9788	271
7330-01-411-9789	271
7330-01-449-2318	273
7330-01-449-2319	273

**7340**

7340-00-022-1315	275
7340-00-022-1316	275
7340-00-022-1317	275
7340-00-060-6057	276
7340-00-098-4327	380
7340-00-170-8374	275
7340-00-197-1271	269
7340-00-205-3187	275
7340-00-205-3340	276
7340-00-205-3341	276
7340-00-205-3342	275
7340-00-223-7771	269
7340-00-229-9475	276
7340-00-229-9477	276
7340-00-229-9479	276
7340-00-235-5013	276
7340-00-235-5021	276
7340-00-235-5023	276
7340-00-235-5027	276
7340-00-235-5029	276
7340-00-235-5042	276
7340-00-241-8169	276
7340-00-241-8171	276
7340-00-272-9586	272
7340-00-488-7939	269
7340-00-488-7950	269
7340-00-680-0863	269
7340-00-680-2758	269
7340-00-688-1055	276
7340-00-753-5565	272
7340-01-379-5524	275
7340-01-379-8840	275
7340-01-382-0538	275
7340-01-438-7391	275
7340-01-438-7392	275

7340-01-438-9241	275
7340-01-564-1884	274
7340-01-564-1885	274
7340-01-564-1886	274
7340-01-564-1887	274
7340-01-564-1888	274
7340-01-564-1889	274

**7350**

7350-00-082-5741	277
7350-00-144-4989	280
7350-00-162-3006	278
7350-00-192-1932	281
7350-00-192-1933	281
7350-00-205-0928	209, 279
7350-00-205-1182	278
7350-00-205-3219	280
7350-00-205-3220	280
7350-00-222-3288	281
7350-00-223-7760	280
7350-00-223-7836	280
7350-00-251-8746	280
7350-00-271-1701	281
7350-00-271-1704	281
7350-00-271-1705	281
7350-00-272-9359	281
7350-00-272-9529	281
7350-00-281-3211	277
7350-00-290-0586	279
7350-00-290-0588	278
7350-00-290-0593	278
7350-00-290-0594	278
7350-00-444-1323	279
7350-00-641-4517	278
7350-00-641-4518	277
7350-00-641-4519	278
7350-00-641-4520	279
7350-00-641-4523	277
7350-00-641-4576	278
7350-00-641-4587	277
7350-00-641-4589	277
7350-00-641-4590	277
7350-00-641-4591	277
7350-00-641-4592	277
7350-00-641-4593	277
7350-00-680-2630	273
7350-00-680-2770	273
7350-00-689-5383	281
7350-00-721-9003	277
7350-00-838-3919	273
7350-00-899-3054	278
7350-00-899-3055	278
7350-00-899-3056	278
7350-00-914-5088	277
7350-00-914-5089	277
7350-00-926-1661	277

7350-00-926-6180	273
7350-00-926-9233	278
7350-00-988-6498	278
7350-01-012-8787	279
7350-01-036-3769	280
7350-01-036-3770	280
7350-01-036-5427	280
7350-01-036-5429	280
7350-01-080-8842	279
7350-01-256-1085	281
7350-01-256-1086	281
7350-01-256-1087	281
7350-01-256-1091	281
7350-01-256-1093	281
7350-01-263-6700	278
7350-01-263-6701	278
7350-01-332-2111	278
7350-01-411-5265	278
7350-01-411-5266	279
7350-01-483-8988	277
7350-01-645-7874	278
7350-01-645-7875	277
7350-01-645-7876	277
7350-01-646-1759	277
7350-01-664-6905	279
7350-01-664-6906	279
7350-01-664-6907	279
7350-01-664-6908	279
7350-01-664-6909	279

**7360**

7360-00-634-4800	274
7360-01-167-2610	274
7360-01-564-3560	274

**7420**

7420-01-174-5221	New-9
7420-01-182-8532	10
7420-01-246-3043	10
7420-01-412-4136	10
7420-01-412-4138	New-9
7420-01-484-4559	10
7420-01-484-4560	10
7420-01-484-4580	10

**7490**

7490-00-164-0537	69
7490-00-164-0541	69
7490-00-164-0542	69
7490-00-281-3959	69
7490-00-368-7821	12
7490-00-688-9866	297
7490-01-183-7247	14
7490-01-390-6147	11
7490-01-390-6162	15
7490-01-390-6163	15
7490-01-395-3263	14

7490-01-395-3355.....	13	7510-00-074-4962.....	372	7510-00-243-3437.....	67
7490-01-450-4974.....	15	7510-00-074-4963.....	372	7510-00-264-5478.....	66
7490-01-459-8264.....	16	7510-00-074-4964.....	372	7510-00-266-5016.....	372
7490-01-461-6119.....	13	7510-00-074-4969.....	372	7510-00-266-6694.....	370
7490-01-461-6124.....	15	7510-00-074-4978.....	372	7510-00-266-6707.....	370
7490-01-475-2734.....	12	7510-00-074-4996.....	372	7510-00-266-6708.....	370
7490-01-475-4305.....	13	7510-00-074-5029.....	134	7510-00-266-6709.....	370
7490-01-477-7790.....	18	7510-00-074-5100.....	372	7510-00-266-6710.....	370
7490-01-481-0399.....	14	7510-00-074-5122.....	372	7510-00-266-6711.....	370
7490-01-481-0403.....	16	7510-00-074-5124.....	372	7510-00-266-6712.....	370
7490-01-490-7262.....	18	7510-00-074-5157.....	372	7510-00-266-6714.....	371
7490-01-498-9096.....	14	7510-00-074-5160.....	372	7510-00-266-6715.....	134
7490-01-501-8543.....	14	7510-00-074-5174.....	372	7510-00-272-6886.....	64
7490-01-501-8544.....	14	7510-00-074-5178.....	372	7510-00-272-6887.....	64
7490-01-503-9122.....	14	7510-00-079-7604.....	371	7510-00-272-9409.....	66
7490-01-504-5602.....	12	7510-00-079-7905.....	135	7510-00-272-9410.....	66
7490-01-504-5605.....	13	7510-00-079-7906.....	135	7510-00-272-9662.....	66
7490-01-504-5606.....	15	7510-00-079-7907.....	135	7510-00-272-9804.....	129
7490-01-505-2540.....	14	7510-00-082-2520.....	61	7510-00-272-9805.....	129
7490-01-505-2543.....	13	7510-00-082-2521.....	61	7510-00-275-7213.....	384
7490-01-509-1322.....	13	7510-00-086-7550.....	85	7510-00-275-7217.....	66
7490-01-598-3987.....	11	7510-00-106-9842.....	368	7510-00-281-2700.....	134
7490-01-598-3988.....	12	7510-00-115-3250.....	27	7510-00-281-4309.....	97
7490-01-598-3989.....	12	7510-00-117-5520.....	136	7510-00-281-4313.....	97
7490-01-598-3990.....	11	7510-00-118-2489.....	134	7510-00-281-6180.....	83
7490-01-598-3991.....	12	7510-00-132-5109.....	368	7510-00-282-6924.....	25
7490-01-598-3992.....	11	7510-00-134-8179.....	27	7510-00-282-8201.....	63
7490-01-598-3993.....	11	7510-00-134-8830.....	136	7510-00-283-0612.....	370
7490-01-599-7186.....	76	7510-00-145-0296.....	41	7510-00-285-1728.....	60
7490-01-605-5416.....	14	7510-00-155-5174.....	302	7510-00-285-2567.....	96
7490-01-622-9348.....	13	7510-00-157-8618.....	27	7510-00-285-5422.....	88
7490-01-631-3693.....	13	7510-00-159-4450.....	136	7510-00-285-5995.....	63
7490-01-631-3694.....	15	7510-00-161-4237.....	73	7510-00-286-5362.....	492
7490-01-632-8035.....	297	7510-00-161-4284.....	96	7510-00-286-5787.....	88
7490-01-657-6124.....	17	7510-00-161-4291.....	63	7510-00-286-5789.....	88
7490-01-657-6125.....	17	7510-00-161-4292.....	63	7510-00-286-6954.....	84
7490-01-657-6126.....	17	7510-00-161-6215.....	77	7510-00-290-2026.....	370
7490-01-662-2531.....	11	7510-00-165-6560.....	368	7510-00-290-8035.....	136
7490-01-664-3607.....	297	7510-00-171-1123.....	96	7510-00-290-8036.....	136
7490-01-664-8153.....	13	7510-00-173-4897.....	77	7510-00-291-0140.....	96
7490-01-664-9499.....	12	7510-00-180-6275.....	373	7510-00-297-6655.....	134
7490-01-665-8173.....	18	7510-00-205-0371.....	67	7510-00-297-6656.....	134
		7510-00-205-0842.....	67	7510-00-355-7154.....	135
		7510-00-205-1438.....	67	7510-00-403-5544.....	367
		7510-00-205-1439.....	67	7510-00-409-8647.....	83
		7510-00-223-6706.....	60	7510-00-419-9564.....	365
		7510-00-223-6708.....	60	7510-00-469-7910.....	365
		7510-00-223-6807.....	63	7510-00-473-9513.....	371
		7510-00-223-7046.....	55	7510-00-482-2994.....	27
		7510-00-234-7960.....	62	7510-00-502-9143.....	369
		7510-00-235-6068.....	96	7510-00-515-0319.....	368
		7510-00-240-1526.....	55	7510-00-526-1741.....	73
		7510-00-240-6012.....	85	7510-00-530-6375.....	368
		7510-00-243-3434.....	67	7510-00-530-8881.....	83
		7510-00-243-3435.....	67	7510-00-550-7814.....	62

**7510**

7510-00-550-8446.....	10	7510-00-927-1514.....	371	7510-01-300-2127.....	372
7510-00-551-9817.....	62	7510-00-935-1005.....	77	7510-01-308-2325.....	367
7510-00-551-9818.....	62	7510-00-935-5848.....	62	7510-01-315-2019.....	75
7510-00-551-9819.....	61	7510-00-940-0935.....	64	7510-01-315-2020.....	75
7510-00-551-9822.....	61	7510-00-958-0743.....	63	7510-01-315-2021.....	75
7510-00-551-9823.....	61	7510-00-971-8028.....	372	7510-01-315-2022.....	75
7510-00-551-9824.....	61	7510-00-984-5787.....	84	7510-01-315-2023.....	75
7510-00-551-9825.....	61	7510-00-987-6661.....	137	7510-01-315-2024.....	75
7510-00-579-2751.....	83	7510-01-019-7842.....	63	7510-01-315-8654.....	75
7510-00-582-4201.....	97	7510-01-020-2806.....	71	7510-01-315-8656.....	76
7510-00-582-4771.....	136	7510-01-026-4117.....	372	7510-01-315-9110.....	96
7510-00-582-4772.....	136	7510-01-032-4082.....	136	7510-01-316-2165.....	76
7510-00-582-5398.....	97	7510-01-043-5026.....	367	7510-01-316-2167.....	82
7510-00-584-2490.....	97	7510-01-053-5591.....	41	7510-01-316-2302.....	97
7510-00-584-2491.....	97	7510-01-056-1927.....	27	7510-01-316-6213.....	26
7510-00-584-2492.....	97	7510-01-058-9974.....	67	7510-01-317-4215.....	135
7510-00-604-4150.....	138	7510-01-060-5896.....	55	7510-01-317-4220.....	64
7510-00-634-0209.....	97	7510-01-065-0166.....	85	7510-01-317-4222.....	54
7510-00-634-1566.....	136	7510-01-108-0174.....	371	7510-01-317-4228.....	64
7510-00-634-2943.....	371	7510-01-127-0648.....	135	7510-01-317-6421.....	54
7510-00-634-3329.....	62	7510-01-137-8404.....	62	7510-01-317-6422.....	54
7510-00-634-3330.....	62	7510-01-141-8657.....	39	7510-01-318-6591.....	86
7510-00-660-0004.....	368	7510-01-153-7976.....	367	7510-01-326-1567.....	373
7510-00-663-3732.....	134	7510-01-158-6605.....	370	7510-01-326-1568.....	373
7510-00-664-0001.....	368	7510-01-158-6607.....	370	7510-01-338-3317.....	71
7510-00-680-2395.....	370	7510-01-158-7778.....	370	7510-01-347-9579.....	86
7510-00-680-2450.....	370	7510-01-161-2049.....	373	7510-01-347-9580.....	86
7510-00-680-2471.....	370	7510-01-185-5626.....	39	7510-01-350-1810.....	71
7510-00-684-8784.....	370	7510-01-197-9856.....	367	7510-01-351-9138.....	63
7510-00-684-8803.....	367	7510-01-202-2195.....	369	7510-01-357-8194.....	372
7510-00-685-4963.....	370	7510-01-203-4663.....	61	7510-01-368-3485.....	82
7510-00-687-2664.....	129	7510-01-203-4708.....	82	7510-01-368-3486.....	82
7510-00-720-7516.....	367	7510-01-203-8814.....	82	7510-01-368-3487.....	82
7510-00-735-0732.....	86	7510-01-207-3960.....	73	7510-01-371-3235.....	371
7510-00-754-2522.....	367	7510-01-207-3961.....	73	7510-01-371-3236.....	135
7510-00-755-7077.....	27	7510-01-207-3978.....	64	7510-01-371-3238.....	371
7510-00-766-4269.....	85	7510-01-236-0059.....	86	7510-01-375-0502.....	99
7510-00-782-6220.....	371	7510-01-237-0526.....	369	7510-01-375-4510.....	96
7510-00-782-6274.....	127	7510-01-248-7514.....	135	7510-01-377-8162.....	97
7510-00-782-6275.....	127	7510-01-251-2097.....	83	7510-01-381-2219.....	86
7510-00-789-2455.....	39	7510-01-269-2303.....	132	7510-01-381-5300.....	86
7510-00-802-8311.....	136	7510-01-269-4478.....	80	7510-01-383-0233.....	18
7510-00-812-2679.....	372	7510-01-272-3219.....	83	7510-01-383-7967.....	135
7510-00-813-4952.....	61	7510-01-272-3231.....	81	7510-01-384-8673.....	82
7510-00-816-8077.....	367	7510-01-277-6459.....	82	7510-01-384-8786.....	82
7510-00-829-1239.....	62	7510-01-278-4129.....	83	7510-01-384-8788.....	82
7510-00-846-8674.....	371	7510-01-278-4130.....	83	7510-01-385-0747.....	18
7510-00-888-8526.....	365	7510-01-278-4131.....	83	7510-01-385-6711.....	82
7510-00-889-3494.....	85	7510-01-281-9769.....	135	7510-01-386-1609.....	71
7510-00-890-9872.....	372	7510-01-283-5273.....	83	7510-01-386-2431.....	86
7510-00-890-9874.....	372	7510-01-283-5274.....	82	7510-01-389-2262.....	76
7510-00-890-9875.....	372	7510-01-288-8440.....	373	7510-01-390-0712.....	27
7510-00-904-2663.....	62	7510-01-300-2124.....	372	7510-01-390-0717.....	71
7510-00-923-0591.....	134	7510-01-300-2125.....	136	7510-01-392-5283.....	82
7510-00-926-8941.....	137	7510-01-300-2126.....	372	7510-01-392-6512.....	64

7510-01-392-6513.....	64	7510-01-495-0698.....	81	7510-01-544-9469.....	51
7510-01-392-6964.....	64	7510-01-498-1880.....	51	7510-01-545-5830.....	T-6
7510-01-392-6965.....	64	7510-01-498-2077.....	85	7510-01-545-5831.....	T-6
7510-01-394-2523.....	371	7510-01-504-5267.....	370	7510-01-545-5833.....	T-6
7510-01-399-1152.....	75	7510-01-504-5268.....	370	7510-01-545-5834.....	T-6
7510-01-399-1153.....	75	7510-01-504-5271.....	370	7510-01-546-6400.....	T-3
7510-01-410-7012.....	76	7510-01-504-5272.....	370	7510-01-546-6403.....	T-7
7510-01-411-6323.....	41	7510-01-504-5275.....	370	7510-01-546-6405.....	T-6
7510-01-412-0533.....	304	7510-01-504-5276.....	370	7510-01-546-6407.....	T-6
7510-01-412-6336.....	82	7510-01-504-5277.....	370	7510-01-546-6410.....	T-6
7510-01-412-6338.....	82	7510-01-504-5278.....	370	7510-01-546-6411.....	T-3
7510-01-415-3566.....	97	7510-01-504-7385.....	3	7510-01-546-6413.....	T-3
7510-01-417-1876.....	82	7510-01-504-7387.....	66	7510-01-546-6414.....	T-3
7510-01-417-1877.....	82	7510-01-504-8940.....	71	7510-01-546-6415.....	T-7
7510-01-417-1878.....	82	7510-01-505-3664.....	85	7510-01-546-6418.....	T-7
7510-01-417-1879.....	82	7510-01-506-7475.....	86	7510-01-546-6425.....	T-6
7510-01-417-1881.....	82	7510-01-506-8515.....	44	7510-01-546-6427.....	T-3
7510-01-417-1882.....	82	7510-01-507-7270.....	371	7510-01-546-6428.....	T-6
7510-01-417-1884.....	82	7510-01-510-4858.....	84	7510-01-555-2905.....	97
7510-01-420-8078.....	82	7510-01-510-4859.....	82	7510-01-557-4970.....	41
7510-01-421-4751.....	76	7510-01-510-4865.....	82	7510-01-557-4978.....	41
7510-01-425-6139.....	83	7510-01-510-4866.....	82	7510-01-558-8440.....	T-7
7510-01-425-6768.....	134	7510-01-510-4869.....	82	7510-01-559-0635.....	T-13
7510-01-435-8537.....	41	7510-01-510-4871.....	84	7510-01-559-7625.....	T-13
7510-01-444-9445.....	9	7510-01-510-7492.....	83	7510-01-561-2755.....	85
7510-01-445-9340.....	62	7510-01-511-7930.....	71	7510-01-561-7474.....	T-13
7510-01-445-9342.....	41	7510-01-511-7933.....	71	7510-01-561-9961.....	T-12
7510-01-445-9348.....	41	7510-01-512-2414.....	97	7510-01-561-9962.....	T-12
7510-01-446-8311.....	25	7510-01-512-2415.....	97	7510-01-564-7766.....	44
7510-01-454-7388.....	41	7510-01-516-9247.....	77	7510-01-565-0621.....	51
7510-01-455-0022.....	76	7510-01-518-9665.....	T-6	7510-01-565-8506.....	T-10
7510-01-456-7877.....	370	7510-01-518-9666.....	T-6	7510-01-565-8512.....	T-9
7510-01-462-1383.....	81	7510-01-518-9667.....	T-6	7510-01-565-9540.....	368
7510-01-462-1384.....	81	7510-01-518-9668.....	T-6	7510-01-565-9541.....	62
7510-01-462-1386.....	81	7510-01-519-4381.....	82	7510-01-566-8658.....	T-6
7510-01-462-1387.....	81	7510-01-519-4383.....	84	7510-01-566-9117.....	T-6
7510-01-462-1388.....	81	7510-01-519-5770.....	27	7510-01-568-0644.....	T-3
7510-01-462-1389.....	81	7510-01-519-5771.....	27	7510-01-568-0645.....	T-10
7510-01-462-1390.....	81	7510-01-527-3524.....	T-3	7510-01-568-1272.....	368
7510-01-462-1391.....	81	7510-01-528-6287.....	T-6	7510-01-572-1159.....	T-6
7510-01-467-6738.....	63	7510-01-528-8310.....	36	7510-01-572-1160.....	T-10
7510-01-480-4366.....	371	7510-01-531-2399.....	135	7510-01-572-1161.....	T-10
7510-01-484-1743.....	84	7510-01-531-4863.....	370	7510-01-572-1162.....	T-6
7510-01-484-1755.....	84	7510-01-531-7570.....	371	7510-01-572-1164.....	T-5
7510-01-484-1759.....	84	7510-01-534-2166.....	18	7510-01-573-0059.....	T-3
7510-01-484-1761.....	84	7510-01-536-5708.....	372	7510-01-573-0114.....	T-3
7510-01-484-4563.....	41	7510-01-536-5710.....	372	7510-01-573-0115.....	T-3
7510-01-484-4578.....	97	7510-01-537-1400.....	85	7510-01-573-0117.....	T-3
7510-01-490-7265.....	18	7510-01-538-8768.....	T-6	7510-01-574-2336.....	T-13
7510-01-490-7266.....	18	7510-01-538-8770.....	T-6	7510-01-574-2338.....	T-13
7510-01-495-0692.....	81	7510-01-540-6777.....	372	7510-01-574-2340.....	T-13
7510-01-495-0694.....	81	7510-01-542-5294.....	T-13	7510-01-574-2350.....	T-13
7510-01-495-0695.....	81	7510-01-542-5295.....	T-13	7510-01-574-2355.....	T-13
7510-01-495-0696.....	81	7510-01-544-7041.....	136	7510-01-574-8933.....	T-13
7510-01-495-0697.....	81	7510-01-544-9466.....	51	7510-01-575-4562.....	36

7510-01-575-4563.....	36, 38	7510-01-596-4260.....	T-4	7510-01-606-4444.....	T-14
7510-01-575-4564.....	36	7510-01-599-9349.....	T-7	7510-01-606-4445.....	T-14
7510-01-576-4049.....	T-3	7510-01-600-3046.....	T-10	7510-01-606-4446.....	T-14
7510-01-576-4055.....	T-3	7510-01-600-3047.....	T-10	7510-01-606-7915.....	T-13
7510-01-576-4058.....	T-3	7510-01-600-3048.....	T-10	7510-01-606-9854.....	T-14
7510-01-576-4060.....	T-3	7510-01-600-3049.....	T-10	7510-01-607-0137.....	T-14
7510-01-577-8118.....	96	7510-01-600-3051.....	T-11	7510-01-607-0138.....	T-14
7510-01-577-8121.....	38	7510-01-600-5978.....	T-10	7510-01-607-0147.....	T-14
7510-01-578-3512.....	67	7510-01-600-5980.....	T-3	7510-01-607-0148.....	T-14
7510-01-578-3516.....	67	7510-01-600-5981.....	T-9	7510-01-607-0149.....	T-14
7510-01-578-9302.....	370	7510-01-600-7579.....	36	7510-01-607-1383.....	T-14
7510-01-579-6871.....	134	7510-01-600-7585.....	36	7510-01-610-1156.....	371
7510-01-579-6872.....	134	7510-01-600-7633.....	36	7510-01-614-3526.....	71
7510-01-579-6873.....	134	7510-01-600-8026.....	New-3	7510-01-616-2915.....	T-10
7510-01-579-6874.....	134	7510-01-602-9202.....	T-11	7510-01-616-2916.....	T-10
7510-01-579-9317.....	81	7510-01-603-2869.....	T-5	7510-01-616-2918.....	T-10
7510-01-579-9319.....	81	7510-01-603-2871.....	T-5	7510-01-616-3267.....	T-4
7510-01-579-9329.....	81	7510-01-603-2872.....	T-3	7510-01-616-3268.....	T-4
7510-01-580-6224.....	61	7510-01-603-2874.....	T-5	7510-01-616-3269.....	T-4
7510-01-580-6225.....	62	7510-01-603-2875.....	T-5	7510-01-616-3273.....	T-4
7510-01-580-6226.....	62	7510-01-603-2876.....	T-3	7510-01-616-9667.....	86
7510-01-580-8394.....	T-5	7510-01-603-2879.....	T-5	7510-01-616-9670.....	86
7510-01-580-8395.....	T-5	7510-01-603-2902.....	T-3	7510-01-617-4251.....	304
7510-01-581-6447.....	T-3	7510-01-603-2903.....	T-5	7510-01-617-4257.....	304
7510-01-581-6451.....	T-5	7510-01-603-2911.....	T-3	7510-01-617-9429.....	T-12
7510-01-581-6452.....	T-3	7510-01-603-2915.....	T-3	7510-01-617-9433.....	T-12
7510-01-581-6460.....	T-3	7510-01-603-2916.....	T-4	7510-01-617-9434.....	T-12
7510-01-581-6475.....	T-12	7510-01-603-2919.....	T-4	7510-01-617-9436.....	T-12
7510-01-581-6483.....	T-12	7510-01-603-2923.....	T-4	7510-01-620-0283.....	75
7510-01-581-6485.....	T-12	7510-01-603-2925.....	T-4	7510-01-620-2013.....	T-4
7510-01-581-6486.....	T-12	7510-01-603-2926.....	T-4	7510-01-621-1307.....	75
7510-01-581-6487.....	T-12	7510-01-603-2929.....	T-4	7510-01-623-1142.....	T-9
7510-01-581-6488.....	T-12	7510-01-603-2930.....	T-5	7510-01-623-6238.....	301
7510-01-581-7304.....	T-10	7510-01-603-2931.....	T-4	7510-01-623-6239.....	301
7510-01-581-7305.....	T-10	7510-01-603-2932.....	T-4	7510-01-623-6240.....	301
7510-01-582-4358.....	T-10	7510-01-603-2933.....	T-5	7510-01-623-6845.....	301
7510-01-582-5432.....	T-3	7510-01-603-2934.....	T-4	7510-01-627-0325.....	T-12
7510-01-587-2617.....	T-9	7510-01-603-2935.....	T-4	7510-01-627-0327.....	T-12
7510-01-587-2618.....	T-9	7510-01-603-2936.....	T-5	7510-01-627-0330.....	T-12
7510-01-587-2622.....	T-9	7510-01-603-2938.....	T-4	7510-01-627-0331.....	T-12
7510-01-590-1500.....	T-6	7510-01-603-2942.....	T-4	7510-01-627-2958.....	27
7510-01-590-4409.....	T-3	7510-01-603-2944.....	T-3	7510-01-627-2960.....	27
7510-01-590-4422.....	T-3	7510-01-603-2946.....	T-4	7510-01-627-2961.....	27
7510-01-590-5022.....	T-3	7510-01-603-2948.....	T-3	7510-01-630-2385.....	18
7510-01-590-5023.....	T-4	7510-01-603-2951.....	T-4	7510-01-632-1758.....	T-5
7510-01-591-1923.....	136	7510-01-603-4853.....	T-5	7510-01-632-2379.....	T-5
7510-01-591-5407.....	T-11	7510-01-604-1045.....	T-14	7510-01-632-2381.....	T-5
7510-01-591-5409.....	T-11	7510-01-604-2614.....	T-11	7510-01-632-2383.....	T-5
7510-01-591-5415.....	T-11	7510-01-604-6511.....	T-2	7510-01-633-4176.....	T-12
7510-01-591-5822.....	368	7510-01-604-6512.....	T-2	7510-01-640-7947.....	T-12
7510-01-594-4372.....	T-4	7510-01-604-6513.....	T-2	7510-01-640-8656.....	T-12
7510-01-594-4376.....	T-12	7510-01-604-6514.....	T-2	7510-01-640-9621.....	T-12
7510-01-594-4377.....	T-12	7510-01-604-6516.....	T-2	7510-01-641-0137.....	T-14
7510-01-594-4378.....	T-12	7510-01-604-6517.....	T-2	7510-01-641-0689.....	T-14
7510-01-594-4379.....	T-12	7510-01-604-6518.....	T-2	7510-01-641-0695.....	T-14

7510-01-641-0697.....	T-14	7510-01-652-6126.....	T-10	7510-01-661-1477.....	T-6
7510-01-641-0699.....	T-14	7510-01-652-6127.....	T-11	7510-01-661-1478.....	T-6
7510-01-641-0700.....	T-14	7510-01-652-6128.....	T-11	7510-01-661-1479.....	T-6
7510-01-641-0703.....	T-14	7510-01-652-6133.....	T-10	7510-01-661-1482.....	T-6
7510-01-641-9545.....	T-11	7510-01-652-6136.....	T-10	7510-01-661-1483.....	T-6
7510-01-641-9547.....	T-11	7510-01-652-6138.....	T-8	7510-01-661-1487.....	T-6
7510-01-641-9549.....	T-7	7510-01-652-6140.....	T-10	7510-01-661-1489.....	T-6
7510-01-645-2734.....	T-3	7510-01-652-6141.....	T-10	7510-01-661-1878.....	T-2
7510-01-645-8754.....	T-14	7510-01-652-6143.....	T-11	7510-01-661-4493.....	86
7510-01-645-8755.....	T-14	7510-01-652-7082.....	T-10	7510-01-661-4494.....	86
7510-01-645-8756.....	T-11	7510-01-652-7083.....	T-10	7510-01-662-3671.....	T-7
7510-01-647-7926.....	129	7510-01-652-7529.....	T-9	7510-01-662-3672.....	T-7
7510-01-648-8174.....	T-11	7510-01-652-8949.....	T-9	7510-01-662-3673.....	T-7
7510-01-648-8177.....	T-11	7510-01-653-4878.....	T-10	7510-01-662-3674.....	T-7
7510-01-648-8179.....	T-11	7510-01-653-4879.....	T-10	7510-01-662-3675.....	T-7
7510-01-648-8193.....	T-11	7510-01-653-4880.....	T-10	7510-01-662-7099.....	T-8
7510-01-649-1223.....	T-5	7510-01-653-4881.....	T-10	7510-01-662-7100.....	T-8
7510-01-649-1224.....	T-11	7510-01-653-4882.....	T-7	7510-01-662-7101.....	T-8
7510-01-649-1225.....	T-5	7510-01-653-4886.....	T-7	7510-01-662-7102.....	T-8
7510-01-649-1554.....	T-11	7510-01-653-4887.....	T-7	7510-01-662-7103.....	T-8
7510-01-649-1555.....	T-11	7510-01-653-4888.....	T-7	7510-01-662-7104.....	T-9
7510-01-649-1556.....	T-11	7510-01-653-4890.....	T-7	7510-01-662-7105.....	T-8
7510-01-649-1557.....	T-12	7510-01-653-4891.....	T-7	7510-01-662-7106.....	T-8
7510-01-649-1558.....	T-12	7510-01-653-4894.....	T-7	7510-01-662-7107.....	T-9
7510-01-649-1559.....	T-12	7510-01-653-4895.....	T-7	7510-01-662-7108.....	T-8
7510-01-649-1560.....	T-12	7510-01-653-4898.....	T-7	7510-01-662-7109.....	T-9
7510-01-649-2976.....	T-11	7510-01-653-4899.....	T-7	7510-01-662-7110.....	T-8
7510-01-649-9273.....	T-11	7510-01-653-4901.....	T-7	7510-01-662-7111.....	T-9
7510-01-649-9276.....	T-11	7510-01-653-4902.....	T-7	7510-01-662-7112.....	T-8
7510-01-650-9324.....	T-9	7510-01-653-4909.....	T-12	7510-01-662-7113.....	T-8
7510-01-650-9325.....	T-9	7510-01-653-5317.....	T-10	7510-01-662-7114.....	T-9
7510-01-650-9326.....	T-9	7510-01-653-5322.....	T-8	7510-01-662-7115.....	T-9
7510-01-650-9328.....	T-9	7510-01-653-5323.....	T-8	7510-01-662-7116.....	T-9
7510-01-651-6268.....	T-5	7510-01-653-5885.....	T-7	7510-01-662-7117.....	T-9
7510-01-651-6270.....	T-5	7510-01-653-9294.....	T-10	7510-01-662-7118.....	T-9
7510-01-651-6271.....	T-5	7510-01-654-9556.....	T-11	7510-01-662-7119.....	T-9
7510-01-652-5427.....	370	7510-01-655-0666.....	T-11	7510-01-662-7121.....	T-8
7510-01-652-5429.....	137	7510-01-657-6745.....	17	7510-01-662-7131.....	T-8
7510-01-652-5432.....	137	7510-01-657-6746.....	17	7510-01-662-7132.....	T-8
7510-01-652-5433.....	137	7510-01-657-6747.....	17	7510-01-662-7133.....	T-8
7510-01-652-5436.....	137	7510-01-657-6748.....	17	7510-01-664-7175.....	T-5
7510-01-652-5438.....	137	7510-01-657-6749.....	17	7510-01-664-7178.....	T-5
7510-01-652-6109.....	T-9	7510-01-657-7786.....	17	7510-01-664-8154.....	T-5
7510-01-652-6111.....	T-9	7510-01-659-0090.....	T-7	7510-01-664-8783.....	36
7510-01-652-6113.....	T-9	7510-01-659-0092.....	T-7	7510-01-664-9503.....	36
7510-01-652-6114.....	T-9	7510-01-659-0093.....	T-7	7510-01-664-9513.....	36
7510-01-652-6115.....	T-10	7510-01-659-0095.....	T-7	7510-01-665-0584.....	36
7510-01-652-6116.....	T-9	7510-01-659-0098.....	T-2	7510-01-665-0862.....	T-2
7510-01-652-6117.....	T-10	7510-01-660-4951.....	T-5	7510-01-665-1171.....	36
7510-01-652-6118.....	T-9	7510-01-660-4952.....	T-4	7510-01-668-7059.....	T-2
7510-01-652-6119.....	T-10	7510-01-660-4956.....	T-5	7510-01-668-7060.....	T-2
7510-01-652-6120.....	T-9	7510-01-660-4959.....	T-4	7510-01-668-7061.....	T-2
7510-01-652-6121.....	T-9	7510-01-660-4961.....	T-4	7510-01-668-7063.....	T-2
7510-01-652-6123.....	T-10	7510-01-660-4962.....	T-4	7510-01-669-8032.....	T-5
7510-01-652-6124.....	T-10	7510-01-661-1476.....	T-6	7510-01-670-3515.....	T-6

7510-01-673-1195.....	T-4	7520-00-246-2664.....	99	7520-01-186-3605.....	25
7510-01-673-1197.....	T-4	7520-00-248-9285.....	365	7520-01-201-7791.....	56
7510-01-673-1199.....	T-4	7520-00-254-4610.....	90	7520-01-207-4057.....	23
7510-01-673-1901.....	T-3	7520-00-263-3425.....	70	7520-01-207-4058.....	39
7510-01-673-1903.....	T-4	7520-00-264-3718.....	73	7520-01-207-4059.....	39
7510-01-673-2686.....	T-3	7520-00-264-5479.....	80	7520-01-207-4061.....	23
7510-01-675-8745.....	137	7520-00-268-9913.....	55	7520-01-207-4108.....	72
7510-01-676-8320.....	T-8	7520-00-269-9012.....	365	7520-01-207-4111.....	72
7510-01-676-8321.....	T-8	7520-00-272-9680.....	365	7520-01-207-4119.....	72
7510-01-676-8322.....	T-8	7520-00-272-9683.....	365	7520-01-207-4159.....	59
7510-01-676-8325.....	T-8	7520-00-272-9684.....	365	7520-01-207-4167.....	60
7510-01-676-8851.....	T-8	7520-00-281-5895.....	65	7520-01-207-4168.....	60
7510-01-676-8852.....	T-8	7520-00-281-5896.....	65	7520-01-207-4188.....	72
7510-01-676-8856.....	T-8	7520-00-281-5911.....	258	7520-01-207-4190.....	73
7510-01-676-8857.....	T-9	7520-00-281-5918.....	90	7520-01-207-4194.....	72
7510-01-676-8859.....	T-8	7520-00-282-2137.....	69	7520-01-207-4196.....	72
7510-01-676-8860.....	T-8	7520-00-285-5416.....	258	7520-01-207-4222.....	72
7510-01-677-4487.....	T-2	7520-00-285-5822.....	54	7520-01-207-4226.....	72
7510-01-682-1303.....	T-4	7520-00-285-5823.....	54	7520-01-207-4231.....	72
7510-01-682-1928.....	T-4	7520-00-286-1722.....	98	7520-01-207-4264.....	45
7510-01-682-2176.....	T-4	7520-00-286-1723.....	98	7520-01-207-4272.....	51
7510-01-682-2180.....	T-6	7520-00-286-6959.....	100	7520-01-218-2053.....	96
7510-01-682-6841.....	T-6	7520-00-298-7043.....	365	7520-01-219-2308.....	80
7510-01-682-8092.....	36	7520-00-298-7044.....	365	7520-01-223-9896.....	23
7510-01-682-8097.....	36	7520-00-460-7598.....	56	7520-01-223-9897.....	23
7510-01-682-8111.....	36	7520-00-558-1501.....	58	7520-01-223-9898.....	39
		7520-00-559-9618.....	41	7520-01-238-1728.....	57
<b>7520</b>		7520-00-590-1878.....	53	7520-01-241-4229.....	55
7520-00-043-3408.....	58	7520-00-634-4675.....	69	7520-01-292-0013.....	80
7520-00-138-7981.....	26	7520-00-728-5761.....	79	7520-01-294-3791.....	26
7520-00-139-3942.....	70	7520-00-833-7343.....	98	7520-01-315-9854.....	65
7520-00-139-4101.....	70	7520-00-904-1265.....	58	7520-01-316-0361.....	79
7520-00-139-4277.....	37	7520-00-904-1266.....	58	7520-01-316-1048.....	99
7520-00-139-4869.....	79	7520-00-904-1268.....	60	7520-01-316-2158.....	117
7520-00-139-6170.....	65	7520-00-904-4476.....	56	7520-01-316-2159.....	117
7520-00-161-5664.....	53	7520-00-935-7135.....	48	7520-01-316-2160.....	117
7520-00-162-6177.....	66	7520-00-935-7136.....	48	7520-01-316-2177.....	79
7520-00-162-6178.....	55	7520-00-973-1059.....	58	7520-01-317-3230.....	137
7520-00-163-2563.....	70	7520-00-973-1060.....	58	7520-01-317-6140.....	53
7520-00-163-2568.....	69	7520-00-973-1061.....	58	7520-01-317-6428.....	53
7520-00-205-1760.....	365	7520-00-973-1062.....	58	7520-01-324-6955.....	72
7520-00-205-1857.....	258	7520-01-005-8881.....	26	7520-01-332-2833.....	48
7520-00-223-6672.....	55	7520-01-005-9136.....	258	7520-01-332-3967.....	48
7520-00-223-6675.....	55	7520-01-011-2371.....	63	7520-01-347-9581.....	53
7520-00-223-6676.....	55	7520-01-058-9978.....	49	7520-01-349-6303.....	46
7520-00-224-7589.....	70	7520-01-059-4125.....	49	7520-01-349-8776.....	117
7520-00-224-7620.....	69	7520-01-060-5820.....	49	7520-01-351-9146.....	56
7520-00-224-7621.....	69	7520-01-094-4307.....	80	7520-01-352-3018.....	72
7520-00-227-1451.....	55	7520-01-094-4309.....	80	7520-01-352-3019.....	72
7520-00-232-6828.....	80	7520-01-107-4928.....	58	7520-01-352-7309.....	48
7520-00-240-2411.....	61	7520-01-130-3208.....	80	7520-01-352-7310.....	48
7520-00-240-2417.....	61	7520-01-132-4996.....	53	7520-01-352-7311.....	48
7520-00-240-5503.....	90	7520-01-156-1411.....	25	7520-01-352-7321.....	25
7520-00-240-5727.....	65	7520-01-159-1585.....	56	7520-01-357-6841.....	49
7520-00-243-1780.....	65	7520-01-166-0682.....	56	7520-01-362-8656.....	79



7520-01-365-6126.....	25	7520-01-441-9130.....	77	7520-01-481-5368.....	55
7520-01-368-7771.....	48	7520-01-442-1469.....	46	7520-01-481-7461.....	43
7520-01-368-7772.....	48	7520-01-445-7223.....	48	7520-01-483-8900.....	69
7520-01-368-7773.....	48	7520-01-445-7225.....	48	7520-01-483-8902.....	69
7520-01-383-7924.....	56	7520-01-445-7226.....	47	7520-01-484-0013.....	57
7520-01-383-7938.....	57	7520-01-445-7228.....	48	7520-01-484-0020.....	52
7520-01-383-7943.....	57	7520-01-445-7230.....	45	7520-01-484-0021.....	42
7520-01-383-7950.....	25	7520-01-445-7233.....	48	7520-01-484-4575.....	49
7520-01-383-7959.....	57	7520-01-445-7237.....	47	7520-01-484-4577.....	42
7520-01-385-5271.....	52	7520-01-446-6194.....	46	7520-01-484-4579.....	80
7520-01-386-1581.....	53	7520-01-449-3740.....	51	7520-01-484-5250.....	43
7520-01-386-1604.....	48	7520-01-449-8335.....	28	7520-01-484-5252.....	43
7520-01-386-1618.....	48	7520-01-450-8920.....	25	7520-01-484-5253.....	43
7520-01-386-2444.....	72	7520-01-451-1065.....	47	7520-01-484-5254.....	47
7520-01-386-3670.....	90	7520-01-451-2267.....	53	7520-01-484-5255.....	47
7520-01-392-5295.....	26	7520-01-451-2268.....	53	7520-01-484-5259.....	47
7520-01-392-5296.....	26	7520-01-451-2270.....	54	7520-01-484-5261.....	24
7520-01-392-5299.....	75	7520-01-451-2271.....	54	7520-01-484-5263.....	24
7520-01-392-5300.....	28	7520-01-451-2272.....	56	7520-01-484-5267.....	49
7520-01-407-9431.....	66	7520-01-451-5391.....	New-8	7520-01-484-5271.....	48
7520-01-413-5061.....	79	7520-01-451-9179.....	48	7520-01-493-6006.....	77
7520-01-419-5949.....	72	7520-01-452-1558.....	80	7520-01-494-0907.....	46
7520-01-422-0312.....	49	7520-01-452-1562.....	80	7520-01-494-0908.....	46
7520-01-422-0314.....	47	7520-01-452-1563.....	79	7520-01-496-5473.....	24
7520-01-422-0315.....	47	7520-01-452-1564.....	79	7520-01-496-5474.....	24
7520-01-422-0318.....	49	7520-01-453-6287.....	50	7520-01-496-5475.....	24
7520-01-422-0323.....	47	7520-01-454-5704.....	21	7520-01-496-5476.....	24
7520-01-422-0326.....	47	7520-01-455-2675.....	42	7520-01-496-5477.....	24
7520-01-422-0327.....	47	7520-01-456-7876.....	20	7520-01-498-1876.....	50
7520-01-424-4845.....	20	7520-01-457-0719.....	79	7520-01-498-2079.....	50
7520-01-424-4857.....	47	7520-01-457-0721.....	79	7520-01-500-5212.....	43
7520-01-424-4859.....	49	7520-01-457-0723.....	79	7520-01-500-5213.....	43
7520-01-424-4861.....	45	7520-01-457-5400.....	47	7520-01-500-5214.....	43
7520-01-424-4864.....	53	7520-01-458-3932.....	42	7520-01-504-7384.....	66
7520-01-424-4865.....	47	7520-01-458-3933.....	42	7520-01-504-8140.....	58
7520-01-424-4867.....	20	7520-01-458-3934.....	42	7520-01-504-8933.....	45
7520-01-424-4874.....	53	7520-01-461-2660.....	46	7520-01-504-8935.....	43
7520-01-424-4875.....	49	7520-01-461-2662.....	56	7520-01-506-8494.....	46
7520-01-424-4883.....	58	7520-01-461-2663.....	46	7520-01-506-8495.....	46
7520-01-424-4884.....	49	7520-01-461-2664.....	46	7520-01-506-8500.....	43
7520-01-430-2948.....	20	7520-01-461-2665.....	46	7520-01-506-8501.....	45
7520-01-431-6240.....	70	7520-01-461-2666.....	56	7520-01-506-8502.....	43
7520-01-431-6251.....	70	7520-01-461-2667.....	56	7520-01-507-6958.....	59
7520-01-436-2575.....	70	7520-01-461-3779.....	57	7520-01-507-6963.....	59
7520-01-436-4130.....	66	7520-01-463-1990.....	51	7520-01-507-6965.....	59
7520-01-436-6417.....	65	7520-01-463-6556.....	57	7520-01-507-6969.....	59
7520-01-437-6364.....	98	7520-01-465-1425.....	43	7520-01-507-6972.....	59
7520-01-437-6365.....	95	7520-01-465-1431.....	43	7520-01-507-6974.....	59
7520-01-437-6369.....	98	7520-01-465-1432.....	43	7520-01-510-5655.....	26
7520-01-439-3387.....	90	7520-01-465-1448.....	46	7520-01-510-5658.....	26
7520-01-439-3388.....	42	7520-01-465-1449.....	43	7520-01-510-5661.....	26
7520-01-439-3390.....	90	7520-01-465-1450.....	49	7520-01-511-4319.....	58
7520-01-439-3391.....	90	7520-01-465-9889.....	60	7520-01-511-4324.....	58
7520-01-439-3397.....	52	7520-01-467-9433.....	65	7520-01-515-3549.....	65
7520-01-439-3398.....	90	7520-01-467-9434.....	65	7520-01-516-7575.....	61

7520-01-516-7576.....	61	7520-01-588-9097.....	59	<b>7530</b>	
7520-01-519-4364.....	50	7520-01-588-9098.....	59	7530-00-043-1194.....	91
7520-01-519-4366.....	50	7520-01-588-9099.....	59	7530-00-144-9600.....	106
7520-01-519-4369.....	49	7520-01-588-9100.....	59	7530-00-160-8477.....	87
7520-01-519-4372.....	59	7520-01-588-9101.....	59	7530-00-198-5873.....	127
7520-01-519-4373.....	50	7520-01-588-9102.....	59	7530-00-198-5876.....	127
7520-01-519-4378.....	59	7520-01-598-4238.....	65	7530-00-200-4308.....	94
7520-01-519-4380.....	59	7520-01-608-5381.....	124	7530-00-222-3443.....	91
7520-01-519-5769.....	26	7520-01-618-9917.....	89	7530-00-222-3444.....	91
7520-01-520-3153.....	59	7520-01-619-0302.....	89	7530-00-222-3455.....	10
7520-01-520-3888.....	59	7520-01-620-3314.....	70	7530-00-223-7939.....	109
7520-01-520-3889.....	59	7520-01-620-3315.....	70	7530-00-242-1218.....	127
7520-01-536-9244.....	59	7520-01-620-3317.....	70	7530-00-243-9436.....	100
7520-01-542-5943.....	47	7520-01-620-3828.....	70	7530-00-243-9437.....	100
7520-01-542-5950.....	47	7520-01-620-4671.....	70	7530-00-244-4035.....	114
7520-01-544-9467.....	50	7520-01-620-5405.....	56	7530-00-247-0318.....	100
7520-01-553-8141.....	57	7520-01-620-6416.....	56	7530-00-247-6069.....	127
7520-01-553-8142.....	25	7520-01-620-8390.....	70	7530-00-268-3993.....	98
7520-01-553-8143.....	56	7520-01-622-2122.....	89	7530-00-268-3994.....	98
7520-01-554-8208.....	57	7520-01-622-2123.....	89	7530-00-273-9845.....	95
7520-01-554-8210.....	56	7520-01-622-7154.....	89	7530-00-281-4847.....	98
7520-01-554-8211.....	57	7520-01-622-7155.....	89	7530-00-281-5940.....	94
7520-01-555-0296.....	58	7520-01-622-7156.....	10	7530-00-281-5941.....	93
7520-01-555-0297.....	58	7520-01-622-7157.....	10	7530-00-281-5945.....	92
7520-01-557-4971.....	25	7520-01-627-3358.....	65	7530-00-281-5960.....	92
7520-01-564-6054.....	43	7520-01-629-6573.....	47	7530-00-282-2507.....	92
7520-01-564-9906.....	51	7520-01-642-1219.....	19	7530-00-285-1732.....	93
7520-01-565-4870.....	54	7520-01-642-1221.....	19	7530-00-285-2913.....	98
7520-01-565-4871.....	54	7520-01-642-1222.....	19	7530-00-285-2914.....	98
7520-01-565-4872.....	54	7520-01-642-1223.....	19	7530-00-285-2915.....	98
7520-01-565-4873.....	54	7520-01-642-1225.....	19	7530-00-285-2916.....	98
7520-01-565-4874.....	54	7520-01-642-2441.....	19	7530-00-285-2917.....	98
7520-01-565-4875.....	54	7520-01-644-3713.....	65	7530-00-286-4339.....	113
7520-01-566-4139.....	137	7520-01-645-1148.....	45	7530-00-286-6935.....	127
7520-01-566-8647.....	65	7520-01-645-9515.....	49	7530-00-286-6952.....	109
7520-01-566-8648.....	65	7520-01-646-1095.....	52	7530-00-286-6963.....	127
7520-01-566-8649.....	65	7520-01-647-1706.....	44	7530-00-286-6970.....	127
7520-01-566-8656.....	65	7520-01-647-3133.....	44	7530-00-286-6971.....	127
7520-01-574-5970.....	51	7520-01-647-3134.....	44	7530-00-286-7286.....	94
7520-01-574-5971.....	51	7520-01-647-3136.....	44	7530-00-286-8570.....	94
7520-01-574-8720.....	28	7520-01-647-3137.....	44	7530-00-290-0599.....	106
7520-01-578-9304.....	50	7520-01-652-2436.....	53	7530-00-290-0617.....	105
7520-01-578-9306.....	50	7520-01-652-2439.....	53	7530-00-290-0618.....	105
7520-01-578-9307.....	48	7520-01-653-5889.....	89	7530-00-290-2009.....	92
7520-01-582-7273.....	80	7520-01-653-9297.....	45	7530-00-291-0098.....	93
7520-01-582-7277.....	80	7520-01-653-9298.....	45	7530-00-509-8632.....	105
7520-01-582-7279.....	80	7520-01-653-9299.....	46	7530-00-577-4849.....	127
7520-01-585-0980.....	24	7520-01-655-8004.....	53	7530-00-619-8880.....	20
7520-01-587-7791.....	46	7520-01-655-8504.....	53	7530-00-656-0811.....	114
7520-01-587-7801.....	46	7520-01-655-9036.....	51	7530-00-656-0812.....	114
7520-01-587-9633.....	48	7520-01-658-0393.....	43	7530-00-656-0813.....	114
7520-01-587-9640.....	48	7520-01-661-1668.....	52	7530-00-663-0031.....	94
7520-01-587-9646.....	48	7520-01-661-1669.....	50	7530-00-707-8406.....	91
7520-01-588-2363.....	44	7520-01-666-1049.....	45	7530-00-764-0565.....	108
7520-01-588-2364.....	44	7520-01-666-1050.....	45	7530-00-767-5709.....	127
		7520-01-680-7013.....	New-9		

7530-00-767-5729.....	127	7530-01-289-8190.....	17	7530-01-396-3414.....	109
7530-00-767-5756.....	127	7530-01-289-8191.....	115	7530-01-398-2652.....	106
7530-00-767-5758.....	127	7530-01-302-5504.....	115	7530-01-398-2660.....	74
7530-00-767-5825.....	127	7530-01-308-7293.....	37	7530-01-398-2661.....	20
7530-00-800-0996.....	106	7530-01-315-1877.....	106	7530-01-398-2662.....	114
7530-00-811-7169.....	91	7530-01-316-1639.....	99	7530-01-398-2680.....	104
7530-00-926-8978.....	91	7530-01-316-4455.....	87	7530-01-398-2681.....	104
7530-00-926-8979.....	95	7530-01-316-4457.....	87	7530-01-407-2248.....	88
7530-00-926-8980.....	91	7530-01-316-6584.....	127	7530-01-407-2250.....	88
7530-00-926-8981.....	91	7530-01-316-6585.....	127	7530-01-407-3812.....	98
7530-00-926-8982.....	91	7530-01-332-1561.....	37	7530-01-412-5168.....	104
7530-00-926-8983.....	95	7530-01-334-7817.....	103	7530-01-418-1212.....	75
7530-00-926-9000.....	127	7530-01-335-2623.....	103	7530-01-418-1230.....	86
7530-00-959-4441.....	86	7530-01-336-0540.....	115	7530-01-418-1281.....	74
7530-00-985-7012.....	93	7530-01-346-4849.....	74	7530-01-418-1282.....	113
7530-00-988-6515.....	96	7530-01-349-4463.....	115	7530-01-418-1314.....	91
7530-00-988-6516.....	96	7530-01-349-4464.....	115	7530-01-418-1420.....	74
7530-00-988-6520.....	96	7530-01-352-6616.....	74	7530-01-418-1504.....	113
7530-00-990-8884.....	92	7530-01-353-0571.....	116	7530-01-418-1687.....	37
7530-01-011-9454.....	92	7530-01-356-6726.....	108	7530-01-434-2255.....	127
7530-01-033-8891.....	104	7530-01-356-6727.....	108	7530-01-434-4198.....	87
7530-01-042-7400.....	127	7530-01-357-6854.....	99	7530-01-443-5285.....	30
7530-01-071-9794.....	105	7530-01-357-6855.....	99	7530-01-446-8291.....	113
7530-01-071-9795.....	105	7530-01-357-6856.....	99	7530-01-447-1353.....	108
7530-01-077-5386.....	105	7530-01-364-9482.....	93	7530-01-447-1355.....	108
7530-01-077-5387.....	105	7530-01-364-9483.....	93	7530-01-449-6945.....	113
7530-01-078-5649.....	105	7530-01-364-9484.....	93	7530-01-454-5702.....	109
7530-01-085-5225.....	104	7530-01-364-9486.....	93	7530-01-454-7392.....	109
7530-01-086-4518.....	116	7530-01-364-9487.....	99	7530-01-455-6051.....	93
7530-01-116-7865.....	74	7530-01-364-9488.....	105	7530-01-455-6059.....	93
7530-01-116-7866.....	74	7530-01-364-9489.....	87	7530-01-455-6093.....	93
7530-01-116-7867.....	74	7530-01-364-9496.....	99	7530-01-456-0683.....	74
7530-01-124-5660.....	108	7530-01-364-9497.....	99	7530-01-456-0684.....	75
7530-01-124-7632.....	107	7530-01-364-9498.....	99	7530-01-456-2249.....	74
7530-01-134-2873.....	113	7530-01-364-9499.....	99	7530-01-458-3930.....	106
7530-01-146-3361.....	104	7530-01-364-9500.....	99	7530-01-461-8586.....	87
7530-01-147-6811.....	104	7530-01-364-9501.....	99	7530-01-463-2324.....	92
7530-01-147-6812.....	104	7530-01-364-9502.....	93	7530-01-463-2330.....	92
7530-01-150-0334.....	104	7530-01-366-5856.....	37	7530-01-475-9611.....	116
7530-01-151-6860.....	87	7530-01-368-3489.....	87	7530-01-476-2079.....	106
7530-01-152-5122.....	127	7530-01-368-3490.....	87	7530-01-483-8889.....	98
7530-01-153-9699.....	129	7530-01-368-3491.....	87	7530-01-483-9999.....	93
7530-01-156-4689.....	104	7530-01-368-3492.....	87	7530-01-484-0001.....	91
7530-01-200-2203.....	106	7530-01-368-3493.....	87	7530-01-484-0002.....	92
7530-01-200-2206.....	104	7530-01-372-3102.....	99	7530-01-484-0006.....	93
7530-01-200-2207.....	104	7530-01-372-3107.....	108	7530-01-490-7271.....	30
7530-01-207-4353.....	74	7530-01-372-3108.....	108	7530-01-493-2820.....	104
7530-01-207-4354.....	74	7530-01-372-3109.....	108	7530-01-498-1873.....	110
7530-01-207-4355.....	74	7530-01-372-3110.....	100	7530-01-498-2078.....	110
7530-01-207-4356.....	74	7530-01-379-2211.....	116	7530-01-498-2080.....	110
7530-01-209-6526.....	108	7530-01-385-7533.....	74	7530-01-498-2081.....	113
7530-01-243-1061.....	114	7530-01-385-7560.....	75	7530-01-498-2083.....	105
7530-01-273-3755.....	74	7530-01-392-4969.....	100	7530-01-498-2084.....	105
7530-01-285-8355.....	74	7530-01-393-0103.....	75	7530-01-498-2085.....	105
7530-01-286-5121.....	74	7530-01-393-0104.....	20	7530-01-498-9207.....	116

7530-01-498-9208. ....	116	7530-01-554-7684. ....	92	7530-01-600-2028. ....	109
7530-01-498-9209. ....	116	7530-01-554-9538. ....	3	7530-01-600-2029. ....	109
7530-01-498-9211. ....	116	7530-01-556-2578. ....	106	7530-01-600-6970. ....	87
7530-01-500-5416. ....	106	7530-01-556-7912. ....	92	7530-01-600-6971. ....	92
7530-01-502-6508. ....	116	7530-01-556-7913. ....	91	7530-01-600-6972. ....	92
7530-01-503-8441. ....	103	7530-01-556-7914. ....	92	7530-01-600-6975. ....	92
7530-01-503-8445. ....	103	7530-01-556-7915. ....	92	7530-01-600-6977. ....	87
7530-01-503-8449. ....	103	7530-01-556-7916. ....	92	7530-01-600-6978. ....	88
7530-01-503-8453. ....	103	7530-01-556-7917. ....	92	7530-01-600-6979. ....	92
7530-01-505-3660. ....	110	7530-01-556-7918. ....	92	7530-01-600-6981. ....	87
7530-01-505-3661. ....	110	7530-01-557-3174. ....	75	7530-01-600-6982. ....	88
7530-01-505-3665. ....	113	7530-01-562-3259. ....	104	7530-01-600-6983. ....	92
7530-01-505-3705. ....	110	7530-01-562-3260. ....	104	7530-01-600-7576. ....	36
7530-01-511-7590. ....	116	7530-01-565-2771. ....	75	7530-01-600-7602. ....	36
7530-01-514-4903. ....	115	7530-01-566-4131. ....	94	7530-01-600-7608. ....	36
7530-01-514-4904. ....	114	7530-01-566-4134. ....	94	7530-01-600-7619. ....	36
7530-01-514-4905. ....	96	7530-01-566-4138. ....	94	7530-01-611-0277. ....	103
7530-01-514-4909. ....	116	7530-01-566-4143. ....	94	7530-01-611-1896. ....	103
7530-01-514-4911. ....	114	7530-01-572-6205. ....	91	7530-01-618-8427. ....	85
7530-01-514-4913. ....	114	7530-01-572-6206. ....	91	7530-01-621-5258. ....	87
7530-01-516-7581. ....	107	7530-01-572-6207. ....	91	7530-01-621-6198. ....	99
7530-01-516-9626. ....	107	7530-01-572-6208. ....	91	7530-01-631-2660. ....	111
7530-01-516-9627. ....	108	7530-01-575-5879. ....	38	7530-01-631-2661. ....	111
7530-01-516-9629. ....	108	7530-01-577-2170. ....	20	7530-01-631-2662. ....	112
7530-01-523-4594. ....	92	7530-01-577-7668. ....	38	7530-01-631-2663. ....	112
7530-01-528-5808. ....	85	7530-01-577-7669. ....	38	7530-01-631-2665. ....	112
7530-01-534-6186. ....	113	7530-01-577-7671. ....	38	7530-01-631-2666. ....	38
7530-01-536-2359. ....	100	7530-01-577-7673. ....	112	7530-01-631-2667. ....	100
7530-01-536-2360. ....	100	7530-01-577-7675. ....	38	7530-01-631-3699. ....	112
7530-01-536-2647. ....	111	7530-01-577-7676. ....	38	7530-01-631-4245. ....	38
7530-01-536-2648. ....	111	7530-01-577-7679. ....	112	7530-01-632-1013. ....	93
7530-01-536-2649. ....	111	7530-01-577-8865. ....	113	7530-01-632-1016. ....	93
7530-01-536-2650. ....	111	7530-01-577-8866. ....	110	7530-01-642-7768. ....	110
7530-01-536-2651. ....	111	7530-01-577-8867. ....	110	7530-01-642-7769. ....	110
7530-01-536-2652. ....	111	7530-01-578-9290. ....	115	7530-01-645-8093. ....	94
7530-01-536-2653. ....	111	7530-01-578-9292. ....	115	7530-01-647-1413. ....	115
7530-01-536-2655. ....	111	7530-01-578-9293. ....	115	7530-01-657-8882. ....	17
7530-01-536-2656. ....	296	7530-01-578-9296. ....	115	7530-01-657-8883. ....	17
7530-01-536-2658. ....	89	7530-01-578-9298. ....	115	7530-01-662-5587. ....	110
7530-01-536-2659. ....	105	7530-01-578-9299. ....	114	7530-01-662-5591. ....	111
7530-01-536-2661. ....	112	7530-01-583-0556. ....	94	7530-01-662-5592. ....	110
7530-01-536-2662. ....	112	7530-01-583-0557. ....	94	7530-01-662-5593. ....	112
7530-01-536-2663. ....	105	7530-01-583-3820. ....	95	7530-01-662-6355. ....	110
7530-01-536-2664. ....	112	7530-01-583-3821. ....	95	7530-01-662-6356. ....	111
7530-01-536-2665. ....	112	7530-01-587-2621. ....	115	7530-01-662-6357. ....	112
7530-01-537-3569. ....	105	7530-01-590-7103. ....	95	7530-01-662-6358. ....	110
7530-01-537-3576. ....	105	7530-01-590-7104. ....	95	7530-01-662-6359. ....	105
7530-01-539-9831. ....	103	7530-01-590-7105. ....	95	7530-01-662-6360. ....	105
7530-01-539-9832. ....	103	7530-01-590-7106. ....	95	7530-01-662-6363. ....	110
7530-01-539-9833. ....	103	7530-01-590-7107. ....	95	7530-01-662-6364. ....	111
7530-01-539-9835. ....	103	7530-01-590-7108. ....	95	7530-01-662-6365. ....	105
7530-01-544-9455. ....	38	7530-01-600-2013. ....	109	7530-01-662-6366. ....	105
7530-01-544-9474. ....	111	7530-01-600-2015. ....	109	7530-01-662-6367. ....	105
7530-01-545-0371. ....	111	7530-01-600-2020. ....	107	7530-01-662-6368. ....	105
7530-01-554-7683. ....	92	7530-01-600-2025. ....	109	7530-01-662-6369. ....	105

7530-01-662-6373.....	111
7530-01-662-9148.....	105
7530-01-664-8802.....	36
7530-01-673-6217.....	116
7530-01-673-6220.....	116
7530-01-673-6513.....	115
7530-01-673-6516.....	116

**7540**

7540-00-117-8424.....	101
7540-00-138-9137.....	101
7540-00-222-3442.....	102
7540-00-222-3467.....	101
7540-00-222-3468.....	101
7540-00-634-4018.....	101
7540-00-634-4037.....	102
7540-00-634-4041.....	102
7540-00-634-4176.....	102
7540-00-634-5053.....	102
7540-00-935-5862.....	101
7540-01-058-0222.....	102
7540-01-119-5628.....	101
7540-01-165-7295.....	102
7540-01-207-5536.....	102
7540-01-207-5537.....	102
7540-01-207-5538.....	102
7540-01-207-5539.....	102
7540-01-209-4939.....	102
7540-01-214-5372.....	102
7540-01-218-4384.....	102
7540-01-267-1158.....	102
7540-01-509-5208.....	102

**7610**

7610-00-142-9051.....	76
-----------------------	----

**7810**

7810-00-271-1762.....	310
-----------------------	-----

**7830**

7830-00-242-4340.....	310
7830-00-242-4341.....	310

**7910**

7910-00-526-1959.....	245
7910-00-550-9111.....	245
7910-00-550-9120.....	245
7910-00-550-9123.....	245
7910-00-720-5536.....	245
7910-00-720-5541.....	245
7910-00-820-9898.....	246
7910-00-820-9912.....	246
7910-00-985-6797.....	244
7910-01-084-8854.....	245
7910-01-092-8503.....	246
7910-01-198-3913.....	246
7910-01-363-6975.....	246

7910-01-364-2170.....	244
7910-01-386-3666.....	244
7910-01-400-0928.....	246
7910-01-420-0590.....	245
7910-01-423-9525.....	4
7910-01-483-5302.....	246
7910-01-520-6436.....	246

**7920**

7920-00-044-4857.....	238
7920-00-044-9281.....	247
7920-00-045-2940.....	251
7920-00-051-4384.....	256
7920-00-061-0037.....	252
7920-00-061-0038.....	252
7920-00-141-5450.....	223
7920-00-141-5452.....	236
7920-00-141-5544.....	242
7920-00-141-5547.....	242
7920-00-141-5548.....	242
7920-00-141-5549.....	242
7920-00-141-5550.....	242
7920-00-148-9666.....	250
7920-00-151-6120.....	256
7920-00-165-7195.....	247
7920-00-165-7277.....	237
7920-00-171-1148.....	242
7920-00-171-1534.....	256
7920-00-177-5106.....	236
7920-00-178-8315.....	237
7920-00-205-0425.....	242
7920-00-205-0426.....	242
7920-00-205-0484.....	240
7920-00-205-0488.....	240
7920-00-205-0565.....	30
7920-00-205-1168.....	243
7920-00-205-1170.....	243
7920-00-205-1656.....	249
7920-00-205-1711.....	250
7920-00-205-2401.....	253
7920-00-205-3570.....	250
7920-00-224-7987.....	343
7920-00-224-8339.....	253
7920-00-224-8726.....	241
7920-00-233-3737.....	253
7920-00-234-9317.....	223
7920-00-240-2555.....	250
7920-00-240-6350.....	238
7920-00-240-6358.....	237
7920-00-240-7171.....	237, 252
7920-00-240-7174.....	237, 252
7920-00-243-3407.....	235
7920-00-255-5135.....	252
7920-00-255-7536.....	255, 329
7920-00-260-1279.....	249

7920-00-263-0328.....	236
7920-00-263-8528.....	244
7920-00-264-4638.....	235
7920-00-267-1218.....	243
7920-00-267-2967.....	235
7920-00-269-1259.....	252
7920-00-282-2470.....	237, 252
7920-00-282-9246.....	252
7920-00-291-1237.....	251
7920-00-291-5815.....	252
7920-00-291-8305.....	237
7920-00-292-2360.....	235
7920-00-292-2363.....	235
7920-00-292-2365.....	235
7920-00-292-2367.....	235
7920-00-292-4375.....	237
7920-00-292-9204.....	247
7920-00-401-8034.....	247
7920-00-432-7117.....	241
7920-00-490-6046.....	256
7920-00-492-5971.....	223
7920-00-514-2417.....	358
7920-00-519-1912.....	249
7920-00-530-5740.....	253
7920-00-532-8543.....	249
7920-00-543-6492.....	207
7920-00-559-8463.....	250
7920-00-559-8464.....	250
7920-00-577-4744.....	253
7920-00-577-4745.....	253
7920-00-577-4746.....	253
7920-00-616-2493.....	240
7920-00-619-9162.....	266
7920-00-633-9906.....	250
7920-00-633-9928.....	250
7920-00-634-2408.....	249
7920-00-655-5290.....	New-5, 251
7920-00-682-6710.....	207
7920-00-682-6861.....	244
7920-00-721-8884.....	207
7920-00-728-1167.....	241
7920-00-753-5242.....	251
7920-00-772-5800.....	223
7920-00-781-5247.....	243
7920-00-823-6931.....	207
7920-00-823-9772.....	207
7920-00-823-9773.....	207
7920-00-823-9818.....	249
7920-00-851-0141.....	240
7920-00-851-0142.....	240
7920-00-884-1115.....	250
7920-00-884-1116.....	250
7920-00-891-7537.....	251
7920-00-900-3586.....	237
7920-00-926-5146.....	236

7920-00-926-5176. . . . .	251	7920-01-512-4969. . . . .	242	7930-00-056-8144. . . . .	230
7920-00-926-5244. . . . .	244	7920-01-512-4970. . . . .	242	7930-00-068-1669. . . . .	230
7920-00-926-5493. . . . .	242	7920-01-513-3290. . . . .	242	7930-00-132-5265. . . . .	235
7920-00-926-5494. . . . .	242	7920-01-513-3297. . . . .	243	7930-00-141-5888. . . . .	232
7920-00-926-5495. . . . .	242	7920-01-513-3298. . . . .	243	7930-00-177-5243. . . . .	230
7920-00-926-5496. . . . .	242	7920-01-513-3300. . . . .	242	7930-00-205-2870. . . . .	232
7920-00-959-3842. . . . .	252	7920-01-513-3309. . . . .	243	7930-00-269-1272. . . . .	235
7920-00-965-1709. . . . .	247	7920-01-513-3310. . . . .	243	7930-00-282-9699. . . . .	230
7920-00-965-4886. . . . .	235	7920-01-513-3311. . . . .	243	7930-00-291-0410. . . . .	235
7920-00-998-2482. . . . .	240	7920-01-513-3316. . . . .	243	7930-00-357-7386. . . . .	230
7920-00-998-2483. . . . .	240	7920-01-513-3317. . . . .	243	7930-00-459-2247. . . . .	228
7920-00-998-2484. . . . .	240	7920-01-519-4735. . . . .	256	7930-00-633-9849. . . . .	235
7920-01-004-7847. . . . .	247	7920-01-554-7100. . . . .	235	7930-00-664-7483. . . . .	228
7920-01-011-9429. . . . .	238	7920-01-564-7770. . . . .	243	7930-00-721-8592. . . . .	232
7920-01-162-6064. . . . .	251	7920-01-565-4595. . . . .	238	7930-00-880-4454. . . . .	218
7920-01-177-3633. . . . .	249	7920-01-565-4596. . . . .	238	7930-00-899-9534. . . . .	218
7920-01-180-0556. . . . .	247	7920-01-565-4598. . . . .	239	7930-00-901-2088. . . . .	224
7920-01-180-0557. . . . .	249	7920-01-565-4599. . . . .	239	7930-00-926-5280. . . . .	230
7920-01-195-5355. . . . .	238	7920-01-565-4600. . . . .	238	7930-00-929-1220. . . . .	219
7920-01-222-7798. . . . .	251	7920-01-566-4130. . . . .	251	7930-00-985-6911. . . . .	230
7920-01-233-0483. . . . .	249	7920-01-570-3636. . . . .	248	7930-01-045-3517. . . . .	219
7920-01-343-3776. . . . .	244	7920-01-572-7349. . . . .	237	7930-01-151-1124. . . . .	219
7920-01-370-1364. . . . .	248	7920-01-574-8715. . . . .	239	7930-01-152-7072. . . . .	218
7920-01-370-1365. . . . .	248	7920-01-574-8716. . . . .	239	7930-01-177-5119. . . . .	218
7920-01-383-7799. . . . .	241	7920-01-574-8718. . . . .	239	7930-01-183-8585. . . . .	234
7920-01-383-7927. . . . .	241	7920-01-574-9146. . . . .	239	7930-01-198-6050. . . . .	230
7920-01-383-8023. . . . .	255, 329	7920-01-574-9445. . . . .	239	7930-01-236-7280. . . . .	219
7920-01-436-8325. . . . .	206	7920-01-574-9446. . . . .	239	7930-01-294-1115. . . . .	232
7920-01-437-8636. . . . .	242	7920-01-574-9447. . . . .	239	7930-01-294-1116. . . . .	232
7920-01-437-9810. . . . .	242	7920-01-574-9448. . . . .	239	7930-01-294-5523. . . . .	228
7920-01-448-0218. . . . .	241	7920-01-586-8009. . . . .	254	7930-01-314-6133. . . . .	230
7920-01-448-7052. . . . .	247	7920-01-586-8010. . . . .	254	7930-01-316-6008. . . . .	235
7920-01-448-7053. . . . .	248	7920-01-586-8011. . . . .	254	7930-01-326-8110. . . . .	224
7920-01-452-2029. . . . .	243	7920-01-598-9089. . . . .	255	7930-01-346-5280. . . . .	228
7920-01-452-2030. . . . .	243	7920-01-598-9090. . . . .	255	7930-01-350-7035. . . . .	230
7920-01-454-1147. . . . .	247	7920-01-598-9091. . . . .	255	7930-01-353-6414. . . . .	246
7920-01-454-1148. . . . .	248	7920-01-598-9092. . . . .	255	7930-01-353-6415. . . . .	235
7920-01-454-1150. . . . .	248	7920-01-604-3307. . . . .	238	7930-01-356-9206. . . . .	222, 225
7920-01-454-5879. . . . .	248	7920-01-604-3309. . . . .	252	7930-01-359-9229. . . . .	225
7920-01-458-8208. . . . .	237	7920-01-630-1595. . . . .	236	7930-01-360-8050. . . . .	231
7920-01-460-6658. . . . .	237	7920-01-630-3062. . . . .	236	7930-01-363-8631. . . . .	235
7920-01-460-7906. . . . .	243	7920-01-630-3063. . . . .	236	7930-01-367-0987. . . . .	222
7920-01-460-8614. . . . .	236	7920-01-648-6104. . . . .	247	7930-01-367-0988. . . . .	220
7920-01-463-2977. . . . .	251	7920-01-657-7796. . . . .	New-8	7930-01-367-2907. . . . .	220
7920-01-463-4653. . . . .	250	7920-01-660-1489. . . . .	241	7930-01-367-2908. . . . .	220
7920-01-482-6040. . . . .	247	7920-01-660-1490. . . . .	241	7930-01-367-2909. . . . .	231
7920-01-482-6043. . . . .	247	7920-01-663-4340. . . . .	251	7930-01-367-2965. . . . .	231
7920-01-487-5024. . . . .	218	7920-01-667-2781. . . . .	249	7930-01-373-8844. . . . .	231
7920-01-490-7273. . . . .	240	7920-01-682-8879. . . . .	New-8	7930-01-373-8845. . . . .	231
7920-01-490-7274. . . . .	241	7920-01-684-8963. . . . .	New-8	7930-01-373-8848. . . . .	231
7920-01-491-0664. . . . .	New-8	7920-01-684-9744. . . . .	New-8	7930-01-373-8849. . . . .	231
7920-01-491-0668. . . . .	New-8	7920-01-685-0956. . . . .	New-8	7930-01-379-5378. . . . .	224
7920-01-512-2412. . . . .	249			7930-01-379-5696. . . . .	233
7920-01-512-4961. . . . .	236	<b>7930</b>		7930-01-380-4783. . . . .	235
7920-01-512-4967. . . . .	236	7930-00-045-6912. . . . .	232	7930-01-380-8365. . . . .	234
				7930-01-380-8381. . . . .	233

7930-01-380-8387.....	233	7930-01-490-7301.....	220	8105-00-183-6985.....	121
7930-01-380-8406.....	233	7930-01-494-0067.....	218	8105-00-183-6989.....	121
7930-01-380-8447.....	233	7930-01-494-0905.....	228	8105-00-190-9824.....	366
7930-01-380-8450.....	233	7930-01-494-2986.....	219	8105-00-191-3701.....	124
7930-01-380-8469.....	232	7930-01-494-2987.....	230	8105-00-191-3776.....	124
7930-01-380-8495.....	229	7930-01-504-8866.....	217	8105-00-191-3902.....	124
7930-01-381-3491.....	231	7930-01-512-8969.....	231	8105-00-200-0195.....	259
7930-01-381-5820.....	227	7930-01-513-6864.....	224	8105-00-224-8485.....	129
7930-01-381-5826.....	224	7930-01-513-9967.....	229	8105-00-262-7363.....	266
7930-01-381-5834.....	226	7930-01-549-8189.....	227	8105-00-269-4662.....	133
7930-01-381-5897.....	227	7930-01-549-8190.....	227	8105-00-271-1485.....	210
7930-01-381-5936.....	226	7930-01-549-8191.....	227	8105-00-271-1511.....	121
7930-01-381-5997.....	226	7930-01-555-2898.....	224	8105-00-281-1156.....	210
7930-01-382-9138.....	223	7930-01-555-2899.....	228	8105-00-281-1158.....	210
7930-01-383-7926.....	230, 329	7930-01-555-2900.....	228	8105-00-281-1163.....	210
7930-01-393-6747.....	228	7930-01-555-2901.....	225	8105-00-281-1167.....	128
7930-01-398-0997.....	256	7930-01-555-3382.....	228	8105-00-281-1168.....	128
7930-01-398-2473.....	4	7930-01-555-3384.....	224	8105-00-281-1169.....	128
7930-01-399-2720.....	223	7930-01-597-6009.....	219	8105-00-281-1425.....	210
7930-01-410-8562.....	234	7930-01-597-6010.....	220	8105-00-281-1429.....	270
7930-01-411-8931.....	231	7930-01-600-1717.....	228	8105-00-281-1436.....	128
7930-01-412-0535.....	219	7930-01-600-5747.....	224	8105-00-281-3924.....	121
7930-01-412-0984.....	256	7930-01-600-5748.....	224	8105-00-285-4744.....	294
7930-01-412-1033.....	226	7930-01-600-5750.....	225	8105-00-286-7308.....	210
7930-01-412-1034.....	226	7930-01-600-5751.....	225	8105-00-290-0340.....	128
7930-01-412-1036.....	226	7930-01-600-5753.....	225	8105-00-290-0342.....	128
7930-01-412-2377.....	230	7930-01-600-5754.....	225	8105-00-290-0343.....	128
7930-01-412-2402.....	234	7930-01-631-1931.....	234	8105-00-290-3360.....	121
7930-01-412-2434.....	256	7930-01-631-3702.....	234	8105-00-290-4579.....	366
7930-01-418-1104.....	233	7930-01-687-9646.....	New-5	8105-00-299-8532.....	259
7930-01-418-1151.....	230			8105-00-330-7264.....	260
7930-01-418-1439.....	219			8105-00-334-4120.....	128
7930-01-419-5178.....	217	<b>8105</b>		8105-00-543-7169.....	210
7930-01-420-3593.....	222	8105-00-022-1319.....	210	8105-00-543-7837.....	121
7930-01-423-1120.....	217	8105-00-025-1263.....	124	8105-00-579-8451.....	260
7930-01-423-1145.....	223	8105-00-070-9496.....	260	8105-00-702-7177.....	261
7930-01-436-7897.....	232	8105-00-117-9860.....	128	8105-00-726-5607.....	259
7930-01-436-7911.....	219	8105-00-117-9866.....	128	8105-00-756-2710.....	128
7930-01-436-7958.....	222	8105-00-117-9869.....	128	8105-00-759-0794.....	259
7930-01-436-7971.....	232	8105-00-117-9870.....	128	8105-00-773-7581.....	270
7930-01-436-7991.....	233	8105-00-117-9872.....	128	8105-00-835-7212.....	297
7930-01-436-8039.....	233	8105-00-117-9879.....	128	8105-00-837-7753.....	270
7930-01-436-8083.....	227	8105-00-117-9881.....	128	8105-00-837-7754.....	270
7930-01-438-6461.....	336	8105-00-117-9886.....	128	8105-00-837-7755.....	270
7930-01-454-1138.....	4	8105-00-137-9131.....	128	8105-00-837-7756.....	270
7930-01-454-1159.....	217	8105-00-137-9132.....	121	8105-00-837-7757.....	270
7930-01-455-9536.....	235	8105-00-137-9133.....	121	8105-00-857-2247.....	129
7930-01-471-2724.....	228	8105-00-137-9134.....	121	8105-00-857-2250.....	210
7930-01-486-5067.....	234	8105-00-137-9135.....	121	8105-00-921-5821.....	366
7930-01-487-5022.....	218	8105-00-137-9136.....	121	8105-00-922-9469.....	297
7930-01-487-6098.....	218	8105-00-139-1276.....	129	8105-00-965-2509.....	294
7930-01-487-6099.....	218	8105-00-145-0163.....	259	8105-00-985-7221.....	129
7930-01-488-5450.....	218	8105-00-174-0836.....	121	8105-00-989-2376.....	261
7930-01-490-7282.....	218	8105-00-179-0089.....	121	8105-01-084-8645.....	366
7930-01-490-7283.....	231, 329	8105-00-183-6981.....	121	8105-01-088-5803.....	261
		8105-00-183-6982.....	121		

8105-01-120-3376.....	261	8105-01-517-1344.....	263	8105-01-557-4976.....	16
8105-01-150-6256.....	259	8105-01-517-1345.....	262	8105-01-557-4982.....	16
8105-01-163-5165.....	366	8105-01-517-1346.....	262	8105-01-557-4983.....	265
8105-01-174-0941.....	259	8105-01-517-1347.....	263	8105-01-557-4984.....	264
8105-01-174-0942.....	260	8105-01-517-1349.....	263	8105-01-560-4930.....	263
8105-01-174-0943.....	260	8105-01-517-1350.....	262	8105-01-560-4932.....	263
8105-01-174-0944.....	260	8105-01-517-1351.....	262	8105-01-560-4933.....	263
8105-01-174-0945.....	260	8105-01-517-1352.....	262	8105-01-560-4934.....	263
8105-01-175-5532.....	259	8105-01-517-1353.....	262	8105-01-567-9524.....	263
8105-01-175-5533.....	260	8105-01-517-1354.....	262	8105-01-567-9526.....	263
8105-01-183-9764.....	259	8105-01-517-1355.....	262	8105-01-568-1328.....	294
8105-01-183-9767.....	259	8105-01-517-1356.....	264	8105-01-568-1544.....	265
8105-01-183-9768.....	259	8105-01-517-1357.....	262	8105-01-568-1545.....	265
8105-01-183-9769.....	259	8105-01-517-1358.....	264	8105-01-568-1547.....	265
8105-01-184-7159.....	259	8105-01-517-1359.....	264	8105-01-568-1548.....	265
8105-01-195-8730.....	259	8105-01-517-1360.....	264	8105-01-569-2113.....	261
8105-01-217-4312.....	133	8105-01-517-1361.....	264	8105-01-575-2509.....	366
8105-01-218-5323.....	133	8105-01-517-1362.....	262	8105-01-589-5232.....	260
8105-01-221-3233.....	260	8105-01-517-1363.....	263	8105-01-589-5233.....	260
8105-01-221-3234.....	260	8105-01-517-1364.....	264	8105-01-613-1755.....	New-6
8105-01-221-3236.....	259	8105-01-517-1365.....	263	8105-01-613-1756.....	New-6
8105-01-221-3237.....	260	8105-01-517-1366.....	263	8105-01-613-1757.....	New-6
8105-01-221-3238.....	259	8105-01-517-1367.....	262	8105-01-613-1759.....	New-6
8105-01-221-3239.....	260	8105-01-517-1368.....	262	8105-01-613-1760.....	New-6
8105-01-268-4413.....	121	8105-01-517-1369.....	264	8105-01-613-1761.....	New-6
8105-01-284-2923.....	260	8105-01-517-1370.....	264	8105-01-613-1762.....	New-6
8105-01-284-2924.....	260	8105-01-517-1371.....	262	8105-01-613-1763.....	New-6
8105-01-353-2497.....	133	8105-01-517-1372.....	264	8105-01-613-1764.....	New-6
8105-01-353-8808.....	133	8105-01-517-1373.....	262	8105-01-613-1765.....	New-6
8105-01-354-3949.....	366	8105-01-517-1374.....	264	8105-01-613-1766.....	New-7
8105-01-362-0029.....	263	8105-01-517-1375.....	264	8105-01-613-1767.....	New-7
8105-01-369-7953.....	265	8105-01-517-1376.....	264	8105-01-613-1768.....	New-7
8105-01-381-6365.....	246	8105-01-517-1377.....	264	8105-01-613-1769.....	New-7
8105-01-386-2289.....	261	8105-01-517-1378.....	264	8105-01-613-1770.....	New-7
8105-01-386-2290.....	261	8105-01-517-1379.....	264	8105-01-613-1771.....	New-7
8105-01-386-2312.....	261	8105-01-517-3662.....	297	8105-01-613-1772.....	New-7
8105-01-386-2323.....	261	8105-01-517-3664.....	297	8105-01-613-1773.....	New-7
8105-01-386-2329.....	261	8105-01-517-3665.....	297	8105-01-613-1774.....	New-7
8105-01-386-2362.....	261	8105-01-517-3667.....	263	8105-01-613-1775.....	New-7
8105-01-386-2399.....	261	8105-01-517-3668.....	263	8105-01-613-1776.....	New-7
8105-01-386-2410.....	261	8105-01-517-3669.....	263	8105-01-613-1777.....	New-7
8105-01-386-2428.....	261	8105-01-521-2119.....	261	8105-01-614-0296.....	New-7
8105-01-392-6510.....	265	8105-01-532-0443.....	366	8105-01-615-0434.....	366
8105-01-399-4791.....	16	8105-01-532-6918.....	261	8105-01-617-6925.....	366
8105-01-399-4792.....	16	8105-01-532-6920.....	266	8105-01-618-4748.....	366
8105-01-399-4793.....	16	8105-01-534-6819.....	265	8105-01-658-9832.....	262
8105-01-399-4814.....	265	8105-01-534-6822.....	265	8105-01-662-6361.....	260
8105-01-437-0820.....	133	8105-01-534-6826.....	265	8105-01-662-6362.....	260
8105-01-439-6178.....	366	8105-01-534-6828.....	265	8105-01-662-7122.....	260
8105-01-452-0831.....	366	8105-01-534-6830.....	265	8105-01-662-7124.....	260
8105-01-455-7808.....	366	8105-01-557-4972.....	264	8105-01-662-7928.....	260
8105-01-517-0803.....	263	8105-01-557-4973.....	265	8105-01-674-0029.....	New-7
8105-01-517-1343.....	262	8105-01-557-4974.....	16	8105-01-674-9014.....	129
		8105-01-557-4975.....	16		



**8110**

8110-00-291-0348..... 129  
 8110-00-753-4643..... 126

**8115**

8115-00-050-5237..... 119  
 8115-00-079-8459..... 117  
 8115-00-079-8679..... 117  
 8115-00-079-8680..... 117  
 8115-00-079-8681..... 117  
 8115-00-079-8697..... 117  
 8115-00-079-8745..... 117  
 8115-00-079-8823..... 117  
 8115-00-079-8825..... 117  
 8115-00-079-8879..... 121  
 8115-00-079-8989..... 117  
 8115-00-101-7638..... 120  
 8115-00-101-7647..... 120  
 8115-00-117-8249..... 120  
 8115-00-117-8338..... 119  
 8115-00-117-8347..... 120  
 8115-00-134-3655..... 119  
 8115-00-134-3656..... 119  
 8115-00-142-9594..... 118  
 8115-00-174-2354..... 118  
 8115-00-176-8062..... 118  
 8115-00-176-8064..... 118  
 8115-00-179-0550..... 117  
 8115-00-179-0570..... 117  
 8115-00-179-0575..... 117  
 8115-00-179-0578..... 117  
 8115-00-179-0579..... 117  
 8115-00-179-0580..... 117  
 8115-00-183-9482..... 118  
 8115-00-183-9484..... 118  
 8115-00-183-9487..... 118  
 8115-00-183-9488..... 118  
 8115-00-183-9489..... 118  
 8115-00-183-9490..... 118  
 8115-00-183-9491..... 118  
 8115-00-183-9493..... 117  
 8115-00-183-9494..... 117  
 8115-00-183-9497..... 117  
 8115-00-183-9498..... 117  
 8115-00-183-9501..... 117  
 8115-00-183-9503..... 117  
 8115-00-183-9505..... 118  
 8115-00-190-4950..... 117  
 8115-00-190-4959..... 118  
 8115-00-190-4969..... 118  
 8115-00-190-5002..... 118  
 8115-00-190-5007..... 118  
 8115-00-190-5012..... 118  
 8115-00-190-5015..... 119  
 8115-00-190-5017..... 118

8115-00-190-5018..... 118  
 8115-00-190-5020..... 118  
 8115-00-192-1603..... 119  
 8115-00-192-1604..... 119  
 8115-00-192-1605..... 119  
 8115-00-201-1123..... 118  
 8115-00-224-7935..... 126  
 8115-00-229-9340..... 118  
 8115-00-245-8500..... 124  
 8115-00-275-5777..... 118  
 8115-00-290-3365..... 117  
 8115-00-290-3370..... 117  
 8115-00-290-3376..... 117  
 8115-00-290-3387..... 117  
 8115-00-290-3394..... 117  
 8115-00-290-5494..... 117  
 8115-00-290-6016..... 120  
 8115-00-292-0120..... 118  
 8115-00-360-2858..... 119  
 8115-00-417-9236..... 118  
 8115-00-417-9292..... 118  
 8115-00-417-9320..... 118  
 8115-00-417-9321..... 118  
 8115-00-417-9378..... 118  
 8115-00-417-9416..... 118  
 8115-00-418-4653..... 118  
 8115-00-418-4656..... 118  
 8115-00-428-4158..... 118  
 8115-00-428-4183..... 118  
 8115-00-428-4185..... 118  
 8115-00-451-7853..... 118  
 8115-00-514-2409..... 118  
 8115-00-516-0242..... 119  
 8115-00-516-0251..... 119  
 8115-00-519-1825..... 119  
 8115-00-527-2302..... 270  
 8115-00-550-3558..... 119  
 8115-00-550-3574..... 119  
 8115-00-559-9999..... 118  
 8115-00-579-8407..... 118  
 8115-00-579-8461..... 118  
 8115-00-579-9155..... 118  
 8115-00-579-9156..... 118  
 8115-00-598-5807..... 118  
 8115-00-616-9147..... 118  
 8115-00-656-0912..... 118  
 8115-00-682-6820..... 117  
 8115-00-719-4111..... 126  
 8115-00-753-4690..... 119  
 8115-00-753-4691..... 119  
 8115-00-761-8912..... 120  
 8115-00-774-6562..... 118  
 8115-00-782-1695..... 118  
 8115-00-787-2142..... 120  
 8115-00-787-2146..... 120

8115-00-787-2147..... 120  
 8115-00-787-2148..... 120  
 8115-00-901-6428..... 119  
 8115-00-901-6435..... 119  
 8115-00-926-4886..... 118  
 8115-00-926-4887..... 118  
 8115-00-926-4888..... 118  
 8115-00-935-1140..... 118  
 8115-00-935-5896..... 119  
 8115-00-935-5906..... 118  
 8115-00-935-6510..... 118  
 8115-00-993-2790..... 118  
 8115-00-993-2791..... 118  
 8115-01-006-7257..... 120  
 8115-01-010-8956..... 120  
 8115-01-015-1312..... 119  
 8115-01-015-1313..... 119  
 8115-01-015-1314..... 119  
 8115-01-015-1315..... 119  
 8115-01-019-4084..... 120  
 8115-01-019-4085..... 120  
 8115-01-057-1243..... 120  
 8115-01-057-1244..... 120  
 8115-01-057-1245..... 120  
 8115-01-093-3730..... 120  
 8115-01-094-6520..... 119  
 8115-01-163-3446..... 118  
 8115-01-163-9189..... 118  
 8115-01-166-6449..... 118  
 8115-01-166-6462..... 117  
 8115-01-192-0935..... 297  
 8115-01-430-5668..... 77  
 8115-01-440-5587..... 121  
 8115-01-444-0197..... 123  
 8115-01-444-0198..... 123  
 8115-01-444-0206..... 123  
 8115-01-444-0211..... 123  
 8115-01-444-0212..... 123  
 8115-01-455-4036..... 120  
 8115-01-455-4038..... 120  
 8115-01-535-0150..... 124  
 8115-01-556-2579..... 123  
 8115-01-556-2580..... 123  
 8115-01-556-2581..... 123  
 8115-01-562-4555..... 366  
 8115-01-580-9475..... 122  
 8115-01-580-9476..... 122  
 8115-01-582-9708..... 120  
 8115-01-582-9709..... 123  
 8115-01-582-9710..... 123  
 8115-01-582-9711..... 123  
 8115-01-590-0295..... 124  
 8115-01-598-2716..... 122  
 8115-01-598-2717..... 122  
 8115-01-619-4833..... 124

8115-01-646-3158. . . . . 120  
 8115-01-673-2691. . . . . 122

**8125**

8125-00-132-9566. . . . . 273  
 8125-00-488-7952. . . . . 254  
 8125-00-782-4000. . . . . 254  
 8125-01-577-0210. . . . . 254  
 8125-01-577-0212. . . . . 254

**8135**

8135-00-013-8961. . . . . 121  
 8135-00-021-5865. . . . . 269  
 8135-00-050-7698. . . . . 132  
 8135-00-079-2415. . . . . 132  
 8135-00-092-3220. . . . . 132  
 8135-00-116-1443. . . . . 130  
 8135-00-116-1447. . . . . 131  
 8135-00-129-9523. . . . . 130  
 8135-00-132-9067. . . . . 121  
 8135-00-132-9589. . . . . 132  
 8135-00-142-9004. . . . . 131  
 8135-00-142-9005. . . . . 130  
 8135-00-142-9008. . . . . 130  
 8135-00-142-9016. . . . . 131  
 8135-00-142-9021. . . . . 130  
 8135-00-155-5473. . . . . 136  
 8135-00-160-7753. . . . . 133  
 8135-00-160-7757. . . . . 133  
 8135-00-160-7759. . . . . 133  
 8135-00-160-7762. . . . . 133  
 8135-00-160-7764. . . . . 133  
 8135-00-160-7766. . . . . 133  
 8135-00-160-7768. . . . . 133  
 8135-00-160-7769. . . . . 133  
 8135-00-160-7771. . . . . 133  
 8135-00-160-7776. . . . . 133  
 8135-00-171-1559. . . . . 132  
 8135-00-178-9151. . . . . 129  
 8135-00-178-9193. . . . . 129  
 8135-00-178-9200. . . . . 366  
 8135-00-180-5922. . . . . 131  
 8135-00-222-4027. . . . . 132  
 8135-00-224-8885. . . . . 132  
 8135-00-226-3124. . . . . 132  
 8135-00-233-3871. . . . . 132  
 8135-00-238-6917. . . . . 129  
 8135-00-239-5288. . . . . 126  
 8135-00-239-5291. . . . . 125  
 8135-00-239-5293. . . . . 126  
 8135-00-239-5294. . . . . 126  
 8135-00-239-5308. . . . . 126  
 8135-00-245-9439. . . . . 125  
 8135-00-264-3826. . . . . 269  
 8135-00-270-8717. . . . . 136  
 8135-00-271-1446. . . . . 136

8135-00-281-4069. . . . . 125  
 8135-00-281-4071. . . . . 125  
 8135-00-281-4115. . . . . 121  
 8135-00-281-4118. . . . . 121  
 8135-00-281-9086. . . . . 269  
 8135-00-282-0565. . . . . 132  
 8135-00-283-0664. . . . . 125  
 8135-00-283-0666. . . . . 125  
 8135-00-283-0667. . . . . 125  
 8135-00-283-0668. . . . . 125  
 8135-00-283-0669. . . . . 125  
 8135-00-283-0670. . . . . 125  
 8135-00-283-0671. . . . . 125  
 8135-00-285-4747. . . . . 125  
 8135-00-285-4748. . . . . 125  
 8135-00-286-8565. . . . . 125  
 8135-00-290-1077. . . . . 126  
 8135-00-290-1086. . . . . 126  
 8135-00-291-0962. . . . . 121  
 8135-00-292-2345. . . . . 129  
 8135-00-292-2351. . . . . 129  
 8135-00-292-2354. . . . . 129  
 8135-00-292-2355. . . . . 129  
 8135-00-292-9719. . . . . 132  
 8135-00-292-9728. . . . . 132  
 8135-00-300-4905. . . . . 130  
 8135-00-397-2583. . . . . 131  
 8135-00-476-5268. . . . . 269  
 8135-00-531-7721. . . . . 125  
 8135-00-543-6574. . . . . 132  
 8135-00-543-6844. . . . . 130  
 8135-00-558-1242. . . . . 133  
 8135-00-579-6487. . . . . 131  
 8135-00-579-6489. . . . . 131  
 8135-00-579-6491. . . . . 131  
 8135-00-584-0610. . . . . 131  
 8135-00-584-0619. . . . . 131  
 8135-00-598-6097. . . . . 136  
 8135-00-601-9221. . . . . 130  
 8135-00-618-1783. . . . . 131  
 8135-00-654-9834. . . . . 133  
 8135-00-664-0015. . . . . 131  
 8135-00-664-0057. . . . . 130  
 8135-00-664-4092. . . . . 121  
 8135-00-664-6948. . . . . 130  
 8135-00-664-6958. . . . . 130  
 8135-00-721-9725. . . . . 269  
 8135-00-724-0551. . . . . 269  
 8135-00-724-0552. . . . . 269  
 8135-00-753-4661. . . . . 132  
 8135-00-753-4662. . . . . 132  
 8135-00-754-2692. . . . . 269  
 8135-00-808-6446. . . . . 130  
 8135-00-810-0481. . . . . 133  
 8135-00-822-9433. . . . . 269

8135-00-838-0122. . . . . 269  
 8135-00-855-6968. . . . . 130  
 8135-00-855-6969. . . . . 130  
 8135-00-926-8990. . . . . 130  
 8135-00-926-8991. . . . . 131  
 8135-00-935-6596. . . . . 130  
 8135-00-952-7188. . . . . 269  
 8135-00-956-2151. . . . . 125  
 8135-00-956-2153. . . . . 125  
 8135-00-966-2532. . . . . 133  
 8135-00-966-2533. . . . . 133  
 8135-00-973-1835. . . . . 133  
 8135-00-985-7242. . . . . 131  
 8135-01-005-8974. . . . . 131  
 8135-01-008-8099. . . . . 130  
 8135-01-015-2810. . . . . 132  
 8135-01-015-4139. . . . . 132  
 8135-01-016-9995. . . . . 125  
 8135-01-019-4165. . . . . 132  
 8135-01-023-4126. . . . . 125  
 8135-01-023-4348. . . . . 136  
 8135-01-030-1634. . . . . 126  
 8135-01-050-7970. . . . . 130  
 8135-01-054-0738. . . . . 125  
 8135-01-057-3607. . . . . 131  
 8135-01-059-4636. . . . . 131  
 8135-01-087-3599. . . . . 130  
 8135-01-087-3602. . . . . 131  
 8135-01-087-3603. . . . . 130  
 8135-01-150-3052. . . . . 131  
 8135-01-175-7168. . . . . 131  
 8135-01-185-6816. . . . . 132  
 8135-01-234-6649. . . . . 131  
 8135-01-235-8057. . . . . 131  
 8135-01-250-4931. . . . . 88  
 8135-01-321-4201. . . . . 132  
 8135-01-324-2664. . . . . 131  
 8135-01-386-2322. . . . . 132  
 8135-01-495-0660. . . . . 132  
 8135-01-499-5302. . . . . 132  
 8135-01-546-7622. . . . . 124  
 8135-01-598-1648. . . . . 130  
 8135-01-599-3188. . . . . 130  
 8135-01-599-3189. . . . . 130  
 8135-01-602-6306. . . . . 130  
 8135-01-640-9309. . . . . 130  
 8135-01-640-9310. . . . . 130

**8305**

8305-00-170-9472. . . . . 248  
 8305-00-205-3065. . . . . 248  
 8305-00-205-3495. . . . . 250  
 8305-00-205-3496. . . . . 250  
 8305-00-262-3321. . . . . 250  
 8305-00-913-5817. . . . . 248

8305-00-927-3829..... 491  
 8305-00-927-3831..... 491  
 8305-01-125-0725..... 250

**8315**

8315-01-463-5853..... 248  
 8315-01-504-8856..... 62

**8340**

8340-00-068-7908..... 336  
 8340-00-205-1911..... 336  
 8340-01-448-7002..... 336  
 8340-01-448-7004..... 336  
 8340-01-487-5610..... 492  
 8340-01-487-5719..... 492

**8415**

8415-00-051-1173..... 272  
 8415-00-177-4974..... 300  
 8415-00-177-4978..... 300  
 8415-00-222-8074..... 272  
 8415-00-559-5613..... 359  
 8415-00-634-0205..... 272  
 8415-00-634-2410..... 272  
 8415-00-634-4657..... 359  
 8415-00-634-4658..... 359  
 8415-00-634-4660..... 359  
 8415-00-634-4661..... 359  
 8415-00-634-5021..... 359  
 8415-00-634-5023..... 272  
 8415-00-634-5026..... 359  
 8415-00-634-5027..... 359  
 8415-00-721-6590..... 359  
 8415-00-899-3026..... 272  
 8415-00-935-3132..... 298  
 8415-00-935-3139..... 298  
 8415-00-935-3140..... 298  
 8415-01-045-0587..... 272  
 8415-01-392-8448..... 253, 296  
 8415-01-394-0216..... 300  
 8415-01-444-1495..... 300  
 8415-01-463-5927..... 299  
 8415-01-463-5928..... 299  
 8415-01-463-5934..... 299  
 8415-01-464-6612..... 300  
 8415-01-482-1205..... 138  
 8415-01-492-0176..... 253, 296  
 8415-01-492-0178..... 253, 296  
 8415-01-492-0179..... 253, 296  
 8415-01-492-0180..... 253, 296  
 8415-01-598-4865..... 299  
 8415-01-598-4867..... 299  
 8415-01-598-4868..... 299  
 8415-01-598-4870..... 299  
 8415-01-598-4872..... 299  
 8415-01-598-4873..... 299  
 8415-01-598-4875..... 299

8415-01-598-4877..... 299  
 8415-01-598-4880..... 299  
 8415-01-598-4881..... 299  
 8415-01-610-7322..... 359  
 8415-01-610-7323..... 359  
 8415-01-610-7324..... 359  
 8415-01-610-7325..... 359  
 8415-01-610-7326..... 359  
 8415-01-610-7327..... 359  
 8415-01-664-0164..... 299  
 8415-01-664-0167..... 299

**8455**

8455-01-412-9537..... 29  
 8455-01-545-3657..... 29  
 8455-01-645-2727..... 29  
 8455-01-645-2728..... 28  
 8455-01-645-2729..... 28  
 8455-01-645-2730..... 28  
 8455-01-645-2731..... 28  
 8455-01-645-2732..... 29  
 8455-01-648-5708..... 29  
 8455-01-648-5709..... 28  
 8455-01-648-5710..... 29  
 8455-01-666-0465..... 28  
 8455-01-666-0466..... 28  
 8455-01-666-0467..... 29  
 8455-01-666-0468..... 29  
 8455-01-666-0469..... 29  
 8455-01-666-0470..... 29

**8460**

8460-01-070-7516..... 40  
 8460-01-193-9769..... 40  
 8460-01-364-9493..... 40  
 8460-01-490-7344..... 40, 138

**8465**

8465-00-177-4975..... 300  
 8465-01-396-9919..... 489  
 8465-01-396-9921..... 489  
 8465-01-396-9922..... 489  
 8465-01-396-9927..... 490  
 8465-01-396-9928..... 490  
 8465-01-444-1493..... 300  
 8465-01-444-2530..... 300  
 8465-01-444-2531..... 300  
 8465-01-444-9043..... 300  
 8465-01-495-6522..... 490  
 8465-01-517-4760..... 489  
 8465-01-517-4767..... 490  
 8465-01-517-4769..... 490  
 8465-01-517-4774..... 490  
 8465-01-517-6850..... 490

**8510**

8510-01-490-7318..... 267

**8520**

8520-00-082-2146..... 215  
 8520-00-129-0803..... 211  
 8520-00-228-0598..... 212  
 8520-00-531-6484..... 211  
 8520-00-550-6417..... 215  
 8520-00-551-0375..... 211  
 8520-00-634-1594..... 215  
 8520-00-782-3509..... 215  
 8520-01-303-4037..... 267  
 8520-01-303-4038..... 267  
 8520-01-303-4039..... 267  
 8520-01-303-6438..... 267  
 8520-01-370-2162..... 214, 256, 329  
 8520-01-370-4284..... 214, 256, 329  
 8520-01-371-0047..... 214  
 8520-01-378-3090..... 212  
 8520-01-381-1914..... 212  
 8520-01-411-0628..... 211  
 8520-01-415-2925..... 211  
 8520-01-422-2216..... 217  
 8520-01-425-5328..... 213, 329  
 8520-01-432-2618..... 212  
 8520-01-454-1144..... 217  
 8520-01-458-0767..... 213, 329  
 8520-01-490-7324..... 211  
 8520-01-490-7358..... 216  
 8520-01-490-7365..... 216  
 8520-01-490-7370..... 211  
 8520-01-521-4206..... 212  
 8520-01-522-0828..... 216  
 8520-01-522-0829..... 211  
 8520-01-522-0830..... 216  
 8520-01-522-0831..... 211  
 8520-01-522-0834..... 211  
 8520-01-522-0835..... 216  
 8520-01-522-0837..... 212  
 8520-01-522-0838..... 212  
 8520-01-522-0839..... 212  
 8520-01-522-0840..... 213, 329  
 8520-01-522-3885..... 217  
 8520-01-522-3886..... 217  
 8520-01-522-3887..... 217  
 8520-01-522-3888..... 217  
 8520-01-555-2891..... 214  
 8520-01-555-2902..... 214  
 8520-01-555-2903..... 267  
 8520-01-555-3732..... 267  
 8520-01-556-2576..... 213  
 8520-01-556-2577..... 213  
 8520-01-556-2834..... 216  
 8520-01-566-2392..... 216  
 8520-01-574-6494..... 214  
 8520-01-579-3825..... 216  
 8520-01-615-6021..... 217, 279

8520-01-640-6481. . . . . 214  
 8520-01-640-6482. . . . . 216  
 8520-01-640-7213. . . . . 214  
 8520-01-640-9622. . . . . 216  
 8520-01-647-1707. . . . . 213  
 8520-01-647-1708. . . . . 213  
 8520-01-649-2723. . . . . 213  
 8520-01-649-2724. . . . . 213  
 8520-01-660-2067. . . . . 212  
 8520-01-660-2068. . . . . 212  
 8520-01-684-2496. . . . . New-5  
 8520-01-684-3252. . . . . New-5  
 8520-01-684-3253. . . . . New-5  
 8520-01-691-2733. . . . . New-5

**8530**

8530-01-293-1384. . . . . 266  
 8530-01-293-1385. . . . . 266  
 8530-01-293-1387. . . . . 267  
 8530-01-293-1388. . . . . 267  
 8530-01-490-7372. . . . . 267  
 8530-01-615-6022. . . . . 267

**8540**

8540-00-262-7178. . . . . 206  
 8540-00-276-7569. . . . . 209  
 8540-00-276-7570. . . . . 209  
 8540-00-279-7777. . . . . 209  
 8540-00-281-8360. . . . . 210  
 8540-00-285-7001. . . . . 209  
 8540-00-291-0389. . . . . 206  
 8540-00-291-0392. . . . . 206  
 8540-00-530-3770. . . . . 208  
 8540-00-793-5425. . . . . 210  
 8540-00-900-4891. . . . . 210  
 8540-00-965-4691. . . . . 279  
 8540-00-965-5790. . . . . 208  
 8540-01-055-6094. . . . . 208  
 8540-01-055-6134. . . . . 206  
 8540-01-056-2897. . . . . 209  
 8540-01-359-0764. . . . . 208  
 8540-01-359-0798. . . . . 206  
 8540-01-378-1315. . . . . 206  
 8540-01-378-6218. . . . . 208  
 8540-01-380-0690. . . . . 208

8540-01-462-5333. . . . . 206  
 8540-01-494-0909. . . . . 206  
 8540-01-494-0911. . . . . 206  
 8540-01-494-1900. . . . . 206  
 8540-01-554-7678. . . . . 208  
 8540-01-590-9068. . . . . 208  
 8540-01-590-9069. . . . . 206  
 8540-01-590-9072. . . . . 208  
 8540-01-590-9073. . . . . 208  
 8540-01-591-5146. . . . . 206  
 8540-01-591-5823. . . . . 206  
 8540-01-592-3021. . . . . 206  
 8540-01-592-3323. . . . . 206  
 8540-01-592-3324. . . . . 206  
 8540-01-630-8728. . . . . 208  
 8540-01-630-8729. . . . . 208  
 8540-01-632-1023. . . . . 210  
 8540-01-632-1024. . . . . 210  
 8540-01-677-0076. . . . . 207

**9310**

9310-00-160-7853. . . . . 365  
 9310-00-160-7858. . . . . 365  
 9310-00-955-0217. . . . . 106  
 9310-00-955-0218. . . . . 113  
 9310-01-083-5211. . . . . 97

**9330**

9330-00-618-7214. . . . . 88  
 9330-00-618-7215. . . . . 88  
 9330-01-358-4390. . . . . 88  
 9330-01-358-4391. . . . . 88  
 9330-01-358-4392. . . . . 88  
 9330-01-358-7525. . . . . 88  
 9330-01-358-7527. . . . . 88  
 9330-01-358-7529. . . . . 88  
 9330-01-490-7374. . . . . 18

**9390**

9390-00-481-3424. . . . . 373

**9905**

9905-00-202-3639. . . . . 302  
 9905-00-205-2795. . . . . 302  
 9905-00-245-7826. . . . . 303  
 9905-00-424-9829. . . . . 302, 328

9905-00-527-4997. . . . . 302, 328  
 9905-00-537-7730. . . . . 303  
 9905-00-537-8954. . . . . 303  
 9905-00-537-8955. . . . . 303  
 9905-00-537-8956. . . . . 303  
 9905-00-537-8957. . . . . 303  
 9905-00-559-2971. . . . . 302  
 9905-00-721-8734. . . . . 302  
 9905-00-866-0334. . . . . 88  
 9905-01-357-9983. . . . . 35  
 9905-01-357-9984. . . . . 35  
 9905-01-357-9985. . . . . 35  
 9905-01-357-9986. . . . . 35  
 9905-01-385-7522. . . . . 35  
 9905-01-408-2270. . . . . 35  
 9905-01-408-6049. . . . . 35  
 9905-01-408-6051. . . . . 35  
 9905-01-458-1192. . . . . 303, 384  
 9905-01-458-2057. . . . . 303, 384  
 9905-01-458-2058. . . . . 303, 384  
 9905-01-462-6247. . . . . 302  
 9905-01-462-6249. . . . . 302  
 9905-01-462-6770. . . . . 302  
 9905-01-462-6965. . . . . 302  
 9905-01-462-6971. . . . . 302  
 9905-01-588-2362. . . . . 244  
 9905-01-661-2139. . . . . 303  
 9905-01-661-2140. . . . . 303  
 9905-01-661-2143. . . . . 303  
 9905-01-661-2144. . . . . 303  
 9905-01-661-2145. . . . . 303  
 9905-01-661-2146. . . . . 303  
 9905-01-661-2147. . . . . 303  
 9905-01-661-2148. . . . . 303  
 9905-01-661-2149. . . . . 303  
 9905-01-661-2150. . . . . 303  
 9905-01-661-2151. . . . . 303  
 9905-01-661-2152. . . . . 303  
 9905-01-661-2153. . . . . 303  
 9905-01-665-3314. . . . . 304  
 9905-01-665-3315. . . . . 304  
 9905-01-665-3316. . . . . 304

**9920**

9920-00-292-9946. . . . . 254



**Global Supply<sup>®</sup>**  
Your Reliable Government Source

# Order Form

To fill out this form electronically, [click here](#).

**Customer ID:**

Date

Customer Name

Ship-To Address

Telephone Number

Fax Number

Customer E-mail Address

Optional Document Number (14 digits)

Signature of Approving/Ordering Official (Optional)

## If Paying with Government Purchase Card

*(Government Purchase Card users must provide an AAC/DoDAAC to validate orders.)*

Government Purchase Card Number

Expiration Date

AAC/DoDAAC

## If Paying with Activity Address Code

Activity Address Code

Access Code

## Comments:

*Fax or email your order  
anytime, 24 hours a day!*

	NSN/Part Number	Quantity	Item Description	U/I	Unit Price	Extended Price
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						

**Fax to 800-856-7057 or email to  
ncscorders@gsa.gov.**

*(Your order will be confirmed by fax or email.)*

Estimated Total Cost

*Thank you for your order!*

## For GSA Use Only

Store <input type="text"/>	Ticket Number <input type="text"/>	Lines <input type="text"/>	Total <input type="text"/>	Fax Back (Date/Time/Initials) <input type="text"/>
----------------------------	------------------------------------	----------------------------	----------------------------	--



# Subscribe. View. Download. Order

At GSA, meeting our customers' needs for product and acquisition information is important to us. That's why we maintain an online library of GSA publications. Through [www.gsa.gov/cmls](http://www.gsa.gov/cmls), you can view and order publications at no charge. Along with the latest GSA Global Supply® catalogs, CMLS offers you publications containing useful information about GSA's array of solutions in all categories of products and services.

## **CMLS offers:**

- A way to subscribe for future email communications in categories of interest
- Registration to receive the monthly FedMark e-newsletter featuring the latest news for the acquisition community
- The ability to search and view publications pertaining to a wide variety of acquisition solutions
- Downloadable electronic versions of many publications in PDF and flipbook formats
- Complimentary publications ready to ship to your door
- Easy online ordering with email confirmation

## Contact us today!

Visit us online at [www.gsa.gov/cmls](http://www.gsa.gov/cmls) or  
email us at [ncscustomer.service@gsa.gov](mailto:ncscustomer.service@gsa.gov).

Subscribe, view, download, and order publications via [www.gsa.gov/cmls](http://www.gsa.gov/cmls).

**U.S. GENERAL SERVICES ADMINISTRATION**

GPO PuDDC  
GENERAL SERVICES ADMINISTRATION  
FEDERAL ACQUISITION SERVICE  
31451 UNITED AVE  
PUEBLO CO 81001

BOUND PRINTED  
MATTER  
GENERAL SERVICES  
ADMINISTRATION  
PERMIT G-30

---

**OFFICIAL BUSINESS**

**Penalty for Private Use \$300**

# Ordering Information

- ▶ To order online, visit us at [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov).
- ▶ Call 800-488-3111 (9 p.m. Sundays to 9:30 p.m. Fridays, ET).  
If using your government purchase card, please have your card ready and your six-character Activity Address Code to validate your order.
- ▶ Fax your order to 800-856-7057.

**[www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov) | Call Center 800-488-3111**

www.gsa.gov  
December 2021  
05-21-00570

View, download, and order catalogs via [www.gsa.gov/cms](http://www.gsa.gov/cms).